

A QUARTERLY JOURNAL DEVOTED TO TENNESSEE BIRDS

Published by
The Tennessee
Ornithological
Society

DEC 2016 Vol. 87, No. 4

THE MIGRANT

A QUARTERLY JOURNAL OF ORNITHOLOGY

PUBLISHED BY

THE TENNESSEE ORNITHOLOGICAL SOCIETY

The TOS is a non-profit, educational, scientific and conservation organization.

EDITORIAL STAFF

Editor: Bob Ford, 808 Hatchie, Brownsville, TN 38012 <editorthemigrant@gmail.com>

Associate Editors:

Susan McWhirter, 274 Beech Grove Road, McMinnville, TN 37110 <snmcwhirter@gmail.com> and

Martha Waldron, 1014 Murray Hill Lane, Memphis, TN 38120 <martha.waldron@gmail.com>

State Count Compiler: Ron Hoff, 282 Hackworth Lane, Clinton, TN 37716 <aves7000@bellsouth.net>

Season Editor: Richard L. Knight, 804 North Hills Dr., Johnson City, TN 37604 <rknight8@earthlink.net>

Regional Season Editors:

Western Coastal Plain: Dick D. Preston, 261 Sassafras Circle, Munford, TN 38058 <dickpreston@rittermail.com>

Highland Rim and Basin: Stephen C. Zipperer, 3105 Chapel Hills Drive, Murfreesboro, TN 37129 <stczipperer@aol.com>

Eastern Ridge and Valley: Richard L. Knight, 804 N. Hills Rd., Johnson City, TN 37604 <rknight8@earthlink.net>

Eastern Mountain: Richard P. Lewis, 407 V.I. Ranch Rd., Bristol, TN 37620 <mountainbirds@email.com>

OFFICERS FOR 2015-2017

President: Dr. Steve Routledge, 1515 N. Willow Bend Court, Clarksville, TN 37043 <eyerout@bellsouth.net>

Vice Presidents:

East Tenn. - Rack Cross, 300 River Edge Drive, Kingsport, TN 37660 rackcross@gmail.com Middle Tenn. - Danny Shelton, 705 Countrywood Drive, Franklin, TN 37064 dashelt@comcast.net West Tenn. - Martha Waldron, 1040 Murray Hill Lane, Memphis, TN martha.waldron@gmail.com

Treasurer: N. P. McWhirter, 274 Beech Grove Road, McMinnville, TN 37110 <npmcwhirter@gmail.com>

Secretary: Cyndi Routledge, 1515 N. Willow Bend Court, Clarksville, TN 37043 <routledges@bellsouth.net>

Directors-at-Large:

East Tenn. - Susan Hubley, 128 John Sevier Circle, Rogersville, TN. 37857 <shubley@msn.com> Middle Tenn. - Daniel Moss, 395 Janet Drive, Pleasant View, TN 37146 <dmoss@earthlink.net> West Tenn. - Allan Trently, 580 East Lafayette Street, Jackson, TN 38301 <Allan.Trently@tn.gov>

Curator: Charles P. Nicholson, P.O. Box 402, Norris, TN 37828 <cpnichol@bellsouth.net>

Assistant Curator: Ron Hoff, 282 Hackworth Lane, Clinton, TN 37716 <aves7000@bellsouth.net>

The Tennessee Warbler (TOS Newsletter) Editor: Theresa Graham, P.O. Box 366, Oakland, TN 38060 <2graham@bellsouth.net>

The TOS website can be found at: www.tnbirds.org

Send subscriptions & address changes to:
Tennessee Ornithological Society, 274 Beech Grove Road, McMinnville, TN 37110
Printed by: Russell Printing Options, 1800 Grand Ave., Knoxville, TN 37916
Copyright © 2014 by the Tennessee Ornithological Society — ISSN 0026-3575575

THE MIGRANT

Published by the Tennessee Ornithological Society to Record and Encourage the Study of Birds in Tennessee Issued in March, June, September and December

VOL. 87 DECEMBER 2016 NO. 4

The Migrant 87(4): 117-135, 2016

BREEDING BIRD FORAYS IN TENNESSEE'S UPPER CUMBERLAND REGION: PART II (SMITH, JACKSON, OVERTON AND FENTRESS COUNTIES)

Stephen J. Stedman 2675 Lakeland Drive, Cookeville, TN 38506 sstedman@tntech.edu

Edmund K. LeGrand 1631 Leffle Webb Road, Crossville, TN 38572 elegrand@frontiernet.net

Starting in 2008 the senior author (SJS) initiated a series of breeding bird forays to cover 16 counties in the Upper Cumberland region of Tennessee as well as 10 nearby counties in Kentucky. This effort was intended to supplement prior breeding bird foray work and especially breeding bird atlas work undertaken from 1986 to 1991 (Nicholson 1997), both to enhance coverage and to document ensuing changes in bird species distribution and abundance.

This is the second in a series (see Stedman and LeGrand 2016) presenting breeding bird foray data from four additional Tennessee counties. The counties presented extend geographically from west to east, thereby emphasizing elevation differences among the counties. These differences will be highlighted in a summary article dealing with all sixteen counties. Smith County lies primarily in the Central Basin with a few elements of the Highland Rim in the north and east. Jackson County is about equally in the Basin and on the Eastern Highland Rim. Overton County lies mostly on the Highland Rim having some elements of the Cumberland Plateau in the far eastern parts. Fentress County lies mainly on the Cumberland Plateau.

Each county was divided into survey blocks derived from United States Geological Survey topographic maps. Topographic maps are 7.5-minute quadrangles, each approximately

 $11.3 \times 13.9 \text{ km}$ that were subdivided into six $5.7 \times 4.6 \text{ km}$ blocks (26.2 km^2) as described by Nicholson (1997). These blocks were overlain on the county boundaries, with a typical county having 40–50 blocks (range 24–75 blocks). However, the county boundaries split many blocks such that many were considered as partial blocks or were completely excluded if little of the block lay within the county. Forays were conducted during late May or in June; the period of each foray varied from several days to two weeks, being mostly 3–7 days in length. A complete overview of methods is provided in Stedman and LeGrand (2016).

Observers classified the status of each species in each survey block as one of the following:

- I. Transient (TRANS), based on presumption of lack of breeding by the species;
- II. Possible Breeder (POSS), denoted by X-present during the foray;
- III. Probable Breeder (PROB), denoted by T-territorial (present at same site on dates at least a week apart; not usually possible), P-pair, A-agitated behavior (presumably near nest or young), and C-courtship or copulation; and
- IV. Confirmed Breeder (CONF) denoted by
 - a. DD-distraction display,
 - b. CN-adult carrying nest material,
 - c. NB-adult building nest,
 - d. UN-used nest,
 - e. FY-adult carrying food for young,
 - f. BG-begging young,
 - g. FL-fledged young,
 - h. FS-fecal sac removed from nest by adult,
 - i. ON-adult on nest incubating,
 - j. NE-nest with eggs, and
 - k. NY-nest with young.

The overall foray statistics for each county are presented in Table 1. The occurrence of each species, the highest level of breeding status found, and its abundance are also presented in Appendix I and Figures 1-4.

ACKNOWLEDGMENTS

The following observers participated in the following county forays (Smith-S; Jackson-J; Overton-O; Fentress-F): Judy C. Fuson (J, O), Michael J. Hawkins (J), Linda Henderson (J), Ryan Higgins (O), James Layzer (J), Nancy S. Layzer (J, O), Edmund K. LeGrand (J, O, F), Thomas M. Saya (J), Barbara H. Stedman (J, O), Stephen J. Stedman (S, J, O, F), Winston A. Walden (J), and Carol D. Williams (J, O).

We thank Winston A. Walden, late Director of the Angelo and Jennette Volpe Library at Tennessee Technological University, for supplying copies of maps of the foray blocks.

We dedicate this work to the memory of Barbara H. Stedman.

LITERATURE CITED

Nicholson, C. P. 1997. Atlas of the Breeding Birds of Tennessee. University of Tennessee Press, Knoxville.

Stedman, S.J. and LeGrand, E.K. 2016. Breeding bird forays in Tennessee's Upper Cumberland Region: Part I (DeKalb, Putnam, Cumberland, and Morgan counties). The Migrant 87(3):81-101.

Table 1. Summarized Foray Effort and Results by County

County	Smith	Jackson	Overton	Fentress
Foray period	15-25 June 2015	29 May-1 June 2009	23-29 May 2011	22-28 June 2013
Blocks in county	37	40	47	55
Blocks with any coverage	37	40	47	52
Blocks with complete coverage	22	28	36	25
Blocks with 2 hour counting per	riod 21	21	23	23
Blocks with 3 hour counting per	riod 1	7	13	2
Blocks with night coverage	7	17	2	18
Total daylight counting hours				
(all blocks)	61.5	77.75	103.5	84
Night counting hours	2.25	8.25	0.5	4.75
Additional hours	0.75	29.5	12.5	7.75
Observers	1	12	7	2
Total species	101	107	117	97
Confirmed	20	64	61	24
Probable	0	11	15	7
Possible	80	28	31	66
Transient	1	4	10	0
(Atlas species missed on Foray)*	(1)	(5)	(2)	(8)
(Foray species missed on Atlas)*	(18)	(11)	(14)	(4)
Average # spp./2- and 3-hr block	cs 55.8	66.3	63.8	56.6
Range of spp. # in 2- and 3-hr bloo	ks 47-66	53-84	50-76	45-66
Total individuals counted	9737	12,427	19,382	11,177
Individuals per hour:				
2 hour day counting	161.2	184.1	227.7	157.1
Individuals per hour:				
3 hour day counting	121.3	112.0	142.2	93.8
Individuals per hour:				
2 & 3 hour day counting	158.5	160.1	188.5	149.8
Individuals per hour:				
all day counting periods	158.2	158.3	187.2	132.7

^{*} Excludes transients

Appendix I. Species Breeding Status and Abundance by County Smith County 2015

	Smi	in County	/ 2015			
Species	Breeding Status ¹		% Blocks	Individuals		
		Hour ²	Present ³	Counted ⁴	Present ⁵	(any block)6
Canada Goose	POSSX	0.2	0%	12	2	12
Wood Duck	POSSX	0.1	9%	5	2	4
Mallard	POSSX	0.0	5%	3	1	3
Northern Bobwhite	POSSX	0.3	32%	17	9	5
Ruffed Grouse						
Wild Turkey	CONFFL	0.5	45%	30	14	6
Pied-billed Grebe						
Double-crested Cormorant	TRANS	0.0	0%	1	1	1
Great Blue Heron	POSSX	0.5	36%	30	12	10
Great Egret						
Little Blue Heron						
Green Heron	POSSX	0.1	18%	8	5	3
Yellow-crowned Night-Hero	n					
Black Vulture	POSSX	1.9	50%	116	17	40
Turkey Vulture	POSSX	1.1	68%	67	25	10
Osprey	CONFNY	0.0	5%	2	2	2
Cooper's Hawk	POSSX	0.0	5%	2	2	1
Bald Eagle						
Red-shouldered Hawk	POSSX	0.0	9%	3	3	1
Broad-winged Hawk	CONFFL	0.2	32%	15	11	4
Red-tailed Hawk	CONFFL	0.4	68%	24	19	2
Semipalmated Plover						
Killdeer	POSSX	0.6	59%	34	19	5
Spotted Sandpiper						
Solitary Sandpiper						
Semipalmated Sandpiper						
American Woodcock*						
Rock Pigeon	POSSX	0.3	23%	19	7	6
Eurasian Collared-Dove	POSSX	0.1	9%	5	2	3
Mourning Dove	POSSX	3.9	100%	238	36	25
Yellow-billed Cuckoo	POSSX	0.3	41%	20	15	3
Barn Owl						
Eastern Screech-Owl*	POSSX	0.4	14%	1	1	1
Great Horned Owl*	POSSX	0.9	14%	2	1	2
Barred Owl*	POSSX	0.9	29%	2	2	1
Common Nighthawk*	POSSX	0.4	14%	1	1	1
Chuck-will's-widow*	POSSX	1.3	43%	3	3	1
Eastern Whip-poor-will*						


Chimney Swift POSSX 0.5 68% 29 19 5 Ruby-throated Hummingbird POSSX 0.2 14% 10 7 2 Belted Kingfisher POSSX 0.1 14% 5 5 2 Red-headed Woodpecker POSSX 0.2 27% 14 12 2 Red-bellied Woodpecker POSSX 0.8 82% 50 26 7 Downy Woodpecker POSSX 0.4 55% 24 16 3 Hairy Woodpecker POSSX 0.1 23% 6 6 1 Northern Flicker POSSX 0.1 27% 9 8 2 Pileated Woodpecker POSSX 0.1 18% 9 6 2 American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Ruby-throated Hummingbird POSSX 0.2 14% 10 7 2 Belted Kingfisher POSSX 0.1 14% 5 5 2 Red-headed Woodpecker POSSX 0.2 27% 14 12 2 Red-bellied Woodpecker POSSX 0.8 82% 50 26 7 Downy Woodpecker POSSX 0.4 55% 24 16 3 Hairy Woodpecker POSSX 0.1 23% 6 6 1 Northern Flicker POSSX 0.1 27% 9 8 2 Pileated Woodpecker POSSX 0.1 18% 9 6 2 American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Belted Kingfisher POSSX 0.1 14% 5 5 2 Red-headed Woodpecker POSSX 0.2 27% 14 12 2 Red-bellied Woodpecker POSSX 0.8 82% 50 26 7 Downy Woodpecker POSSX 0.4 55% 24 16 3 Hairy Woodpecker POSSX 0.1 23% 6 6 1 Northern Flicker POSSX 0.1 27% 9 8 2 Pileated Woodpecker POSSX 0.1 18% 9 6 2 American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Red-headed Woodpecker POSSX 0.2 27% 14 12 2 Red-bellied Woodpecker POSSX 0.8 82% 50 26 7 Downy Woodpecker POSSX 0.4 55% 24 16 3 Hairy Woodpecker POSSX 0.1 23% 6 6 1 Northern Flicker POSSX 0.1 27% 9 8 2 Pileated Woodpecker POSSX 0.1 18% 9 6 2 American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Red-bellied Woodpecker POSSX 0.8 82% 50 26 7 Downy Woodpecker POSSX 0.4 55% 24 16 3 Hairy Woodpecker POSSX 0.1 23% 6 6 1 Northern Flicker POSSX 0.1 27% 9 8 2 Pileated Woodpecker POSSX 0.1 18% 9 6 2 American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Downy Woodpecker POSSX 0.4 55% 24 16 3 Hairy Woodpecker POSSX 0.1 23% 6 6 1 Northern Flicker POSSX 0.1 27% 9 8 2 Pileated Woodpecker POSSX 0.1 18% 9 6 2 American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Hairy Woodpecker POSSX 0.1 23% 6 6 1 Northern Flicker POSSX 0.1 27% 9 8 2 Pileated Woodpecker POSSX 0.1 18% 9 6 2 American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Northern Flicker POSSX 0.1 27% 9 8 2 Pileated Woodpecker POSSX 0.1 18% 9 6 2 American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Pileated WoodpeckerPOSSX0.118%962American KestrelPOSSX0.441%26154Olive-sided FlycatcherEastern Wood-PeweePOSSX1.695%97337
American Kestrel POSSX 0.4 41% 26 15 4 Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Olive-sided Flycatcher Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Eastern Wood-Pewee POSSX 1.6 95% 97 33 7
Acadian Flycatcher POSSX 1.2 59% 74 21 9
Willow Flycatcher
Least Flycatcher
Eastern Phoebe POSSX 1.5 91% 91 34 9
Great Crested Flycatcher POSSX 0.5 68% 33 22 5
Eastern Kingbird CONFFL 2.2 100% 134 36 8
Loggerhead Shrike CONFFL 0.0 0% 2 1 2
White-eyed Vireo POSSX 5.7 100% 350 35 24
Yellow-throated Vireo POSSX 1.0 86% 63 27 6
Blue-headed Vireo
Warbling Vireo POSSX 0.2 55% 15 14 3
Red-eyed Vireo POSSX 5.2 95% 319 32 24
Blue Jay POSSX 2.5 95% 153 35 8
American Crow CONFFL 4.6 100% 285 37 31
Horned Lark
N. Rough-winged Swallow CONFFL 0.4 32% 27 12 6
Purple Martin CONFON 3.1 59% 192 22 70
Tree Swallow CONFFL 0.6 50% 37 16 7
Barn Swallow POSSX 3.6 95% 220 33 25
Cliff Swallow CONFFL 2.1 50% 127 15 30
Carolina Chickadee CONFBG 2.5 100% 155 36 10
Tufted Titmouse POSSX 3.7 100% 225 37 13
White-breasted Nuthatch POSSX 0.3 27% 18 11 4
Brown-headed Nuthatch
House Wren POSSX 0.1 9% 5 2 4
Carolina Wren POSSX 2.5 95% 153 32 15
Blue-gray Gnatcatcher POSSX 2.1 95% 130 33 9
Eastern Bluebird CONFFL 1.1 95% 69 31 8
Swainson's Thrush
Wood Thrush POSSX 2.0 86% 123 30 13

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
American Robin	CONFFY	2.9	100%	178	32	18
Gray Catbird	POSSX	0.7	73%	40	24	5
Brown Thrasher	POSSX	0.9	82%	53	27	5
Northern Mockingbird	CONFFL	3.9	100%	237	37	16
European Starling	CONFNY	11.8	100%	728	32	140
Cedar Waxwing	POSSX	0.0	5%	2	2	1
Ovenbird	POSSX	0.1	5%	6	4	3
Worm-eating Warbler	POSSX	0.1	9%	5	3	3
Louisiana Waterthrush	POSSX	0.5	59%	33	18	9
Northern Waterthrush						
Golden-winged Warbler						
Blue-winged Warbler	POSSX	0.5	41%	30	11	10
Black-and-white Warbler	POSSX	0.0	5%	1	1	1
Prothonotary Warbler	POSSX	0.1	9%	4	4	1
Swainson's Warbler						
Tennessee Warbler						
Mourning Warbler						
Kentucky Warbler	POSSX	2.1	82%	132	28	14
Common Yellowthroat	POSSX	5.2	100%	317	36	23
Hooded Warbler	POSSX	0.4	32%	25	14	5
American Redstart	POSSX	0.0	5%	2	1	2
Cerulean Warbler	POSSX	0.2	14%	11	6	4
Northern Parula	POSSX	2.4	91%	149	33	12
Magnolia Warbler						
Yellow Warbler	POSSX	0.2	18%	10	5	3
Pine Warbler						
Yellow-throated Warbler	POSSX	0.2	23%	14	8	4
Prairie Warbler	POSSX	1.7	77%	106	25	18
Black-throated Green Warble	er					
Yellow-breasted Chat	POSSX	2.9	100%	178	35	17
Grasshopper Sparrow	POSSX	0.2	18%	13	8	4
Henslow's Sparrow						
Chipping Sparrow	POSSX	2.9	100%	181	36	10
Field Sparrow	POSSX	6.3	100%	387	36	21
Savannah Sparrow						
Song Sparrow	CONFFL	2.3	95%	144	32	16
Eastern Towhee	POSSX	5.6	100%	344	35	21
Summer Tanager	POSSX	1.4	95%	89	32	7
Scarlet Tanager	POSSX	0.7	68%	41	23	5
Northern Cardinal	POSSX	7.3	100%	449	37	29
Blue Grosbeak	POSSX	1.9	100%	116	34	12

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Indigo Bunting	CONFCN	11.8	100%	725	37	40
Dickcissel	POSSX	0.1	5%	5	3	3
Red-winged Blackbird	CONFFL	2.5	91%	152	32	15
Eastern Meadowlark	POSSX	1.6	86%	101	29	9
Common Grackle	CONFFL	5.6	86%	342	30	210
Brown-headed Cowbird	POSSX	1.5	100%	92	33	10
Orchard Oriole	POSSX	2.7	100%	164	37	12
Baltimore Oriole	ATLAS					
House Finch	POSSX	0.2	23%	11	6	4
American Goldfinch	POSSX	1.5	91%	95	33	8
House Sparrow	POSSX	1.4	91%	86	26	10

- 1 See text for codes.
- 2 Includes all counting hours. Abundance data for nocturnal species (*) are based on effort during night counting periods only.
- 3 Based on blocks with complete 2- or 3-hr counting periods. Abundance data for nocturnal species (*) are based on blocks with night counting periods only.
- 4 Total individuals counted during all daylight counting periods or night counting periods.
- 5 Total number of blocks where found (includes effort conducted in addition to counting periods).
- 6 Counting periods only.

Figure 1. Total Species Detected in Blocks during the 2015 Foray in Smith County, TN



Jackson County 2	2009
------------------	------

		on Count	y 2009			
Species	Breeding Status ¹	Average/	% Blocks	Individuals	# blocks	Maximum
		Hour ²	Present ³	Counted ⁴	Present ⁵	(any block)6
Canada Goose	CONFFL	1.1	14%	88	9	46
Wood Duck	CONFFL	0.2	21%	14	9	3
Mallard	CONFFL	0.1	11%	5	4	2
Northern Bobwhite	PROBP	0.2	32%	18	14	4
Ruffed Grouse						
Wild Turkey	CONFON	0.7	64%	54	24	12
Pied-billed Grebe	CONFFL	0.0	0%	0	1	0
Double-crested Cormorant	TRANS	0.2	4%	19	4	16
Great Blue Heron	CONFNY	0.6	61%	46	25	5
Great Egret						
Little Blue Heron						
Green Heron	POSSX	0.2	29%	18	12	4
Yellow-crowned Night-Heron	ATLAS					
Black Vulture	POSSX	1.1	43%	86	17	24
Turkey Vulture	POSSX	2.0	82%	153	32	15
Osprey	CONFNY	0.0	7%	2	4	1
Cooper's Hawk	POSSX	0.1	18%	5	6	1
Bald Eagle	POSSX	0.0	4%	2	1	2
Red-shouldered Hawk	PROBP	0.1	21%	8	14	2
Broad-winged Hawk	CONFFY	0.1	21%	8	12	2
Red-tailed Hawk	POSSX	0.2	25%	16	17	4
Semipalmated Plover						
Killdeer	CONFFL	0.4	39%	31	18	5
Spotted Sandpiper						
Solitary Sandpiper						
Semipalmated Sandpiper						
American Woodcock*	PROBC	0.4	18%	3	7	1
Rock Pigeon	CONFON	0.9	32%	71	13	22
Eurasian Collared-Dove						
Mourning Dove	CONFON	5.5	100%	424	40	35
Yellow-billed Cuckoo	POSSX	0.2	25%	17	15	2
Barn Owl	ATLAS					
Eastern Screech-Owl*	POSSX	1.8	59%	15	10	2
Great Horned Owl*	POSSX	0.8	35%	7	6	2
Barred Owl*	CONF-BG	2.8	71%	23	17	5
Common Nighthawk*						
Chuck-will's-widow*	POSSX	3.4	59%	28	10	6
Eastern Whip-poor-will*	POSSX	5.5	71%	45	12	12
Chimney Swift	POSSX	1.1	71%	87	29	13
Ruby-throated Hummingbird		0.3	54%	25	23	3
, carea maniningona	30111 1110	0.0	2 1/0			2


Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Belted Kingfisher	CONFON	0.1	25%	9	8	2
Red-headed Woodpecker	CONFON	0.2	29%	14	10	3
Red-bellied Woodpecker	CONFNY	1.2	93%	96	35	7
Downy Woodpecker	CONFFL	0.5	61%	36	24	6
Hairy Woodpecker	CONFFL	0.2	25%	13	12	3
Northern Flicker	POSSX	0.3	54%	21	20	2
Pileated Woodpecker	PROBP	0.9	89%	72	33	6
American Kestrel	PROBP	0.2	25%	16	12	5
Olive-sided Flycatcher						
Eastern Wood-Pewee	CONFFL	1.4	93%	105	35	11
Acadian Flycatcher	CONFON	2.7	86%	207	34	19
Willow Flycatcher	POSSX	0.0	0%	0	1	0
Least Flycatcher	ATLAS					
Eastern Phoebe	CONFON	2.9	100%	223	40	13
Great Crested Flycatcher	CONFON	0.8	82%	64	35	13
Eastern Kingbird	CONFCN	1.3	82%	102	31	9
Loggerhead Shrike	ATLAS					
White-eyed Vireo	CONFFY	5.7	100%	444	39	28
Yellow-throated Vireo	CONFFY	0.8	86%	61	32	5
Blue-headed Vireo						
Warbling Vireo	POSSX	0.0	11%	3	3	1
Red-eyed Vireo	CONFCN	7.5	100%	581	40	46
Blue Jay	CONFFL	1.6	93%	125	38	10
American Crow	CONFBG	6.7	100%	519	40	27
Horned Lark						
N. Rough-winged Swallow	CONFON	0.8	54%	65	24	7
Purple Martin	CONFON	1.9	46%	151	24	24
Tree Swallow	CONFNY	0.7	50%	56	20	22
Barn Swallow	CONFNY	1.7	79%	136	30	17
Cliff Swallow	CONFNY	2.7	43%	208	14	60
Carolina Chickadee	CONFFL	2.0	100%	154	39	9
Tufted Titmouse	CONFFL	2.6	100%	202	39	22
White-breasted Nuthatch	POSSX	0.7	75%	51	29	4
Brown-headed Nuthatch						
House Wren	POSSX	0.0	4%	2	3	1
Carolina Wren	CONFFL	5.1	100%	397	40	26
Blue-gray Gnatcatcher	CONFFL	3.2	96%	251	37	19
Eastern Bluebird	CONFFL	4.1	100%	319	39	21
Swainson's Thrush						
Wood Thrush	CONFCN	2.4	89%	184	34	13
American Robin	CONFFL	2.0	79%	153	32	19
Gray Catbird	POSSX	0.4	57%	31	18	4
Brown Thrasher	CONFFL	1.4	96%	108	35	8

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Northern Mockingbird	CONFNY	2.1	93%	161	34	16
European Starling	CONFFL	8.2	93%	637	34	79
Cedar Waxwing	POSSX	0.8	4%	64	4	62
Ovenbird	POSSX	1.1	71%	83	29	7
Worm-eating Warbler	CONFFL	0.5	57%	36	23	5
Louisiana Waterthrush	POSSX	0.5	46%	35	23	7
Northern Waterthrush						
Golden-winged Warbler	ATLAS					
Blue-winged Warbler	PROBT	0.5	57%	42	26	9
Black-and-white Warbler	CONFFL	0.3	43%	24	17	4
Prothonotary Warbler	CONFON	0.3	43%	21	15	3
Swainson's Warbler						
Tennessee Warbler	TRANS	0.0	0%	0	1	0
Mourning Warbler	TRANS	0.0	4%	1	1	1
Kentucky Warbler	POSSX	1.1	79%	87	30	11
Common Yellowthroat	CONFFY	4.4	100%	340	40	21
Hooded Warbler	PROBP	1.5	82%	117	32	9
American Redstart	PROBP	0.4	43%	33	16	4
Cerulean Warbler	POSSX	0.4	43%	31	16	6
Northern Parula	POSSX	2.7	82%	212	33	32
Magnolia Warbler	TRANS	0.0	0%	1	1	1
Yellow Warbler	CONFfy	0.4	46%	31	18	7
Pine Warbler	POSSX	0.2	21%	12	9	2
Yellow-throated Warbler	POSSX	0.4	50%	31	25	4
Prairie Warbler	CONFFL	2.5	93%	196	36	17
Black-throated Green Warb	ler					
Yellow-breasted Chat	CONFCN	3.3	100%	254	38	14
Grasshopper Sparrow	POSSX	0.1	11%	6	5	3
Henslow's Sparrow						
Chipping Sparrow	CONFNY	3.3	100%	259	40	18
Field Sparrow	CONFFY	3.0	100%	236	38	16
Savannah Sparrow						
Song Sparrow	CONFFL	1.4	93%	108	36	9
Eastern Towhee	CONFFL	3.6	100%	281	40	18
Summer Tanager	PROBC	1.7	96%	133	38	8
Scarlet Tanager	PROBP	0.8	71%	61	28	6
Northern Cardinal	CONFFL	6.2	100%	484	40	27
Blue Grosbeak	CONFFY	1.0	71%	80	28	8
Indigo Bunting	CONFCN	9.4	100%	728	40	51
Dickcissel						
Red-winged Blackbird	CONFFS	2.4	79%	189	33	40
Eastern Meadowlark	CONFFL	1.5	71%	120	29	17
Common Grackle	CONFFY	2.4	82%	185	32	24

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Brown-headed Cowbird	CONFFL	2.6	96%	206	34	28
Orchard Oriole	CONFCN	0.9	71%	68	31	9
Baltimore Oriole	POSSX	0.0	0%	0	2	0
House Finch	CONFFL	0.5	57%	40	19	7
American Goldfinch	PROBP	3.0	96%	236	39	21
House Sparrow	CONFON	0.8	36%	61	16	15

- 1 See text for codes.
- 2 Includes all counting hours. Abundance data for nocturnal species (*) are based on effort during night counting periods only.
- 3 Based on blocks with complete 2- or 3-hr counting periods. Abundance data for nocturnal species (*) are based on blocks with night counting periods only.
- 4 Total individuals counted during all daylight counting periods or night counting periods.
- 5 Total number of blocks where found (includes effort conducted in addition to counting periods).
- 6 Counting periods only.

Figure 2. Total Species Recorded per Block during the 2009 Foray in Jackson County, TN



Overton County 2011

	Overt	on Count	y 2011			
Species 1	Breeding Status ¹	Average/	% Blocks	Individuals	# blocks	Maximum
		Hour ²	Present ³	Counted ⁴	Present ⁵	(any block)6
Canada Goose	CONFFL	1.9	50%	200	26	36
Wood Duck	CONFFL	0.4	56%	43	23	4
Mallard	PROB-P	0.1	6%	6	3	5
Northern Bobwhite	PROB-P	0.9	86%	94	39	10
Ruffed Grouse	ATLAS					
Wild Turkey	CONFFL	0.2	39%	25	16	4
Pied-billed Grebe						
Double-crested Cormorant						
Great Blue Heron	POSSX	0.1	17%	7	7	2
Great Egret	TRANS	0.0	6%	2	2	1
Little Blue Heron	TRANS	0.0	0%	0	1	0
Green Heron	POSSX	0.2	28%	17	11	3
Yellow-crowned Night-Heron						
Black Vulture	POSSX	0.2	22%	16	11	4
Turkey Vulture	POSSX	1.4	69%	145	34	19
Osprey	ATLAS					
Cooper's Hawk	POSSX	0.1	11%	6	12	1
Bald Eagle						
Red-shouldered Hawk	PROB-P	0.3	44%	30	22	5
Broad-winged Hawk	POSSX	0.1	17%	10	11	1
Red-tailed Hawk	PROB-P	0.2	33%	19	16	3
Semipalmated Plover	TRANS	0.0	3%	1	1	1
Killdeer	CONFNY	0.4	61%	46	28	6
Spotted Sandpiper	TRANS	0.0	3%	1	1	1
Solitary Sandpiper	TRANS	0.0	3%	1	1	1
Semipalmated Sandpiper	TRANS	0.4	6%	41	2	40
American Woodcock*	POSSX	0.0	0%	0	1	0
Rock Pigeon	POSSX	0.7	31%	69	12	20
Eurasian Collared-Dove	PROBC	0.1	6%	9	4	6
Mourning Dove	CONFCN	6.8	100%	708	45	57
Yellow-billed Cuckoo	CONFCN	0.5	78%	53	37	4
Barn Owl						
Eastern Screech-Owl*	CONFFL	4.0	50%	2	4	2
Great Horned Owl*	PROBP	4.0	50%	2	2	2
Barred Owl*	POSSX	0.0	0%	0	5	0
Common Nighthawk*	POSSX	0.0	0%	0	1	0
Chuck-will's-widow*	POSSX	0.0	0%	0	5	0
Eastern Whip-poor-will*	POSSX	8.0	100%	4	6	3
Chimney Swift	CONFON	1.4	81%	144	38	22
Ruby-throated Hummingbird	PROBC	0.2	28%	19	14	3
Belted Kingfisher	CONFNB	0.1	8%	6	4	3
U						


Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Red-headed Woodpecker	CONFON	0.4	44%	38	22	6
Red-bellied Woodpecker	CONFFY	1.8	94%	186	43	9
Downy Woodpecker	POSSX	0.3	53%	35	23	6
Hairy Woodpecker	PROBP	0.2	33%	18	16	2
Northern Flicker	CONFFY	0.5	67%	50	31	3
Pileated Woodpecker	PROBP	0.5	78%	53	34	5
American Kestrel	CONFFL	0.5	50%	47	23	6
Olive-sided Flycatcher	TRANS	0.0	0%	1	1	1
Eastern Wood-Pewee	CONFON	2.3	94%	243	45	21
Acadian Flycatcher	CONFON	1.5	75%	157	38	21
Willow Flycatcher	POSSX	0.0	6%	3	2	2
Least Flycatcher						
Eastern Phoebe	CONFON	1.3	89%	138	41	8
Great Crested Flycatcher	CONFFY	1.3	94%	137	43	13
Eastern Kingbird	CONFFY	2.0	94%	202	43	9
Loggerhead Shrike	PROBP	0.0	6%	4	3	2
White-eyed Vireo	POSSX	2.1	94%	221	41	12
Yellow-throated Vireo	CONFCN	0.7	78%	68	33	5
Blue-headed Vireo	POSSX	0.2	17%	16	9	6
Warbling Vireo	POSSX	0.0	6%	2	2	1
Red-eyed Vireo	CONFCN	7.4	100%	764	47	51
Blue Jay	CONFCN	2.5	92%	262	46	18
American Crow	POSSX	5.3	94%	552	45	40
Horned Lark	PROBP	0.0	3%	5	2	4
N. Rough-winged Swallow	CONFON	0.6	44%	58	19	11
Purple Martin	CONFNY	3.4	61%	351	31	66
Tree Swallow	CONFFL	0.5	56%	52	25	5
Barn Swallow	CONFNY	6.1	97%	636	45	75
Cliff Swallow						
Carolina Chickadee	CONFFL	1.1	89%	110	39	6
Tufted Titmouse	CONFFY	3.3	100%	342	46	17
White-breasted Nuthatch	POSSX	0.4	61%	43	30	3
Brown-headed Nuthatch						
House Wren	POSSX	0.2	22%	23	11	7
Carolina Wren	CONFFL	3.9	100%	403	45	26
Blue-gray Gnatcatcher	POSSX	2.0	92%	204	42	15
Eastern Bluebird	CONFFL	3.9	94%	399	44	24
Swainson's Thrush	TRANS	0.0	6%	2	2	1
Wood Thrush	CONFCN	1.2	83%	125	37	9
American Robin	CONFCN	4.4	92%	455	43	32
Gray Catbird	POSSX	0.2	39%	17	17	2
Brown Thrasher	CONFFL	1.4	94%	147	42	9
Northern Mockingbird	CONFNY	4.0	97%	414	45	24

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block)6
European Starling	CONFNY	21.6	92%	2237	44	230
Cedar Waxwing	POSSX	1.2	28%	128	17	50
Ovenbird	POSSX	1.4	61%	149	29	22
Worm-eating Warbler	PROBP	0.4	36%	43	17	8
Louisiana Waterthrush	CONFFY	0.4	42%	37	19	5
Northern Waterthrush	TRANS	0.0	3%	1	1	1
Golden-winged Warbler						
Blue-winged Warbler	POSSX	0.0	11%	4	5	1
Black-and-white Warbler	POSSX	0.4	42%	41	19	5
Prothonotary Warbler	CONFFY	0.0	6%	3	2	2
Swainson's Warbler						
Tennessee Warbler						
Mourning Warbler	TRANS	0.0	6%	2	2	1
Kentucky Warbler	CONFFY	0.9	75%	96	35	10
Common Yellowthroat	CONFFY	3.7	100%	385	45	18
Hooded Warbler	CONFFY	1.4	75%	148	35	14
American Redstart	POSSX	0.0	8%	3	3	1
Cerulean Warbler	POSSX	0.1	6%	8	3	4
Northern Parula	CONFFL	0.6	75%	66	31	6
Magnolia Warbler						
Yellow Warbler	POSSX	0.1	17%	11	7	3
Pine Warbler	CONFFL	0.4	44%	41	23	6
Yellow-throated Warbler	POSSX	0.7	78%	76	39	6
Prairie Warbler	CONFFY	1.1	92%	111	39	9
Black-throated Green Warbler	POSSX	0.1	8%	6	3	3
Yellow-breasted Chat	CONFFY	3.0	97%	310	44	18
Grasshopper Sparrow	CONFFY	0.5	56%	52	25	9
Henslow's Sparrow	CONFFY	0.0	8%	3	3	1
Chipping Sparrow	CONFFY	4.8	94%	500	45	53
Field Sparrow	CONFFL	2.7	97%	279	44	14
Savannah Sparrow	PROBT	0.0	6%	2	2	1
Song Sparrow	CONFFL	2.6	92%	264	42	18
Eastern Towhee	CONFFL	2.9	89%	302	45	19
Summer Tanager	PROBP	1.4	89%	140	41	11
Scarlet Tanager	CONFCN	1.4	81%	149	38	11
Northern Cardinal	CONFFY	5.7	97%	588	44	26
Blue Grosbeak	CONFCN	2.3	94%	238	44	16
Indigo Bunting	CONFCN	10.2	100%	1057	46	65
Dickcissel	CONFCN	0.7	36%	73	15	15
Red-winged Blackbird	CONFFY	12.5	94%	1295	45	134
Eastern Meadowlark	CONFFY	4.2	97%	430	46	27
Common Grackle	CONFNY	1.7	78%	177	33	20

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Brown-headed Cowbird	CONFFL	3.9	94%	403	44	40
Orchard Oriole	CONFCN	1.7	89%	171	41	9
Baltimore Oriole						
House Finch	CONFON	1.0	64%	108	29	16
American Goldfinch	PROBC	2.0	100%	209	46	11
House Sparrow	CONFFL	3.2	89%	327	40	47

- 1 See text for codes.
- 2 Includes all counting hours. Abundance data for nocturnal species (*) are based on effort during night counting periods only.
- 3 Based on blocks with complete 2- or 3-hr counting periods. Abundance data for nocturnal species (*) are based on blocks with night counting periods only.
- 4 Total individuals counted during all daylight counting periods or night counting periods.
- 5 Total number of blocks where found (includes effort conducted in addition to counting periods).
- 6 Counting periods only.

Figure 3. Total Species Recorded per Block during the UCR Foray in Overton County, TN



Fentress County 2013

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Canada Goose	POSSX	0.3	20%	29	5	10
Wood Duck	CONFFL	0.3	28%	28	8	12
Mallard	PROBP	0.0	0%	2	2	2
Northern Bobwhite	POSSX	0.3	36%	21	11	4
Ruffed Grouse	ATLAS					
Wild Turkey	CONFFL	0.1	4%	8	10	1
Pied-billed Grebe						
Double-crested Cormorant						
Great Blue Heron	POSSX	0.1	28%	11	11	2
Great Egret						
Little Blue Heron						
Green Heron	POSSX	0.1	28%	9	10	1
Yellow-crowned Night-Heror	1					
Black Vulture	POSSX	0.1	16%	10	8	3
Turkey Vulture	POSSX	1.5	52%	126	30	40
Osprey						
Cooper's Hawk	POSSX	0.0	8%	3	3	1
Bald Eagle						
Red-shouldered Hawk	POSSX	0.3	56%	28	22	4
Broad-winged Hawk	CONFFL	0.2	24%	15	14	2
Red-tailed Hawk	CONFFL	0.1	28%	9	9	2
Semipalmated Plover						
Killdeer	POSSX	0.6	48%	54	18	8
Spotted Sandpiper						
Solitary Sandpiper						
Semipalmated Sandpiper						
American Woodcock*	ATLAS					
Rock Pigeon	POSSX	0.4	28%	31	11	6
Eurasian Collared-Dove						
Mourning Dove	POSSX	3.0	100%	251	42	24
Yellow-billed Cuckoo	CONFFY	0.4	44%	34	16	6
Barn Owl	ATLAS					
Eastern Screech-Owl*	ATLAS					
Great Horned Owl*	POSSX	0.0	0%	0	1	0
Barred Owl*	POSSX	0.6	17%	3	4	1
Common Nighthawk*	ATLAS					
Chuck-will's-widow*	POSSX	2.3	39%	11	7	3
Eastern Whip-poor-will*	POSSX	3.8	56%	18	13	5
Chimney Swift	POSSX	0.5	44%	40	20	4
Ruby-throated Hummingbird	l PROBC	0.2	12%	13	14	2


Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Belted Kingfisher	POSSX	0.1	12%	7	7	1
Red-headed Woodpecker	CONF-ON	0.4	40%	33	14	6
Red-bellied Woodpecker	CONFFY	1.0	96%	85	35	7
Downy Woodpecker	POSSX	0.6	76%	49	31	4
Hairy Woodpecker	POSSX	0.1	24%	10	10	1
Northern Flicker	POSSX	0.6	60%	48	25	9
Pileated Woodpecker	POSSX	0.3	44%	26	18	3
American Kestrel	PROBP	0.3	48%	27	16	5
Olive-sided Flycatcher						
Eastern Wood-Pewee	POSSX	1.9	100%	156	45	10
Acadian Flycatcher	POSSX	0.9	36%	78	22	10
Willow Flycatcher	POSSX	0.0	8%	4	4	3
Least Flycatcher						
Eastern Phoebe	CONFUN	1.1	100%	95	39	6
Great Crested Flycatcher	POSSX	0.6	72%	52	24	5
Eastern Kingbird	POSSX	1.0	80%	82	34	8
Loggerhead Shrike						
White-eyed Vireo	POSSX	1.7	84%	140	40	11
Yellow-throated Vireo	POSSX	1.1	76%	95	36	7
Blue-headed Vireo	POSSX	0.1	20%	12	9	3
Warbling Vireo						
Red-eyed Vireo	POSSX	8.9	100%	748	50	57
Blue Jay	POSSX	1.9	92%	159	42	13
American Crow	CONFBG	5.2	100%	439	50	25
Horned Lark	ATLAS					
N. Rough-winged Swallow	POSSX	1.1	68%	93	28	12
Purple Martin	CONFON	1.2	44%	97	17	21
Tree Swallow	CONFFL	0.6	60%	54	21	6
Barn Swallow	CONFFY	6.7	92%	562	40	61
Cliff Swallow						
Carolina Chickadee	CONFBG	2.3	100%	189	46	11
Tufted Titmouse	POSSX	3.2	100%	268	49	16
White-breasted Nuthatch	POSSX	0.9	76%	76	34	6
Brown-headed Nuthatch	POSSX	0.0	4%	3	1	3
House Wren	POSSX	2.0	80%	164	29	28
Carolina Wren	POSSX	3.8	100%	315	49	22
Blue-gray Gnatcatcher	PROBP	1.2	76%	101	39	11
Eastern Bluebird	CONFFL	2.7	100%	226	45	13
Swainson's Thrush						
Wood Thrush	POSSX	1.5	96%	128	38	11
American Robin	CONFFY	3.5	96%	290	40	31
Gray Catbird	CONFNY	0.4	44%	36	17	6
Brown Thrasher	CONFFY	0.9	92%	73	35	6

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Northern Mockingbird	CONFFL	1.6	76%	133	34	19
European Starling	CONFFY	15.5	92%	1299	38	155
Cedar Waxwing	POSSX	0.5	48%	39	22	4
Ovenbird	POSSX	2.0	84%	169	37	16
Worm-eating Warbler	POSSX	0.2	16%	15	8	4
Louisiana Waterthrush	PROBP	0.2	32%	18	12	3
Northern Waterthrush						
Golden-winged Warbler						
Blue-winged Warbler	ATLAS					
Black-and-white Warbler	PROBP	0.3	32%	22	17	3
Prothonotary Warbler						
Swainson's Warbler	POSSX	0.0	8%	4	3	2
Tennessee Warbler						
Mourning Warbler						
Kentucky Warbler	PROBA	0.5	52%	46	24	6
Common Yellowthroat	POSSX	2.5	96%	214	45	12
Hooded Warbler	POSSX	1.9	88%	163	42	16
American Redstart	POSSX	0.0	4%	2	1	2
Cerulean Warbler	POSSX	0.1	12%	6	5	2
Northern Parula	POSSX	0.7	44%	56	24	8
Magnolia Warbler						
Yellow Warbler	ATLAS					
Pine Warbler	POSSX	0.4	44%	31	19	6
Yellow-throated Warbler	POSSX	1.2	72%	102	39	7
Prairie Warbler	POSSX	0.8	72%	65	32	7
Black-throated Green Warble	r POSSX	0.2	12%	14	6	5
Yellow-breasted Chat	CONFFY	2.0	96%	164	47	11
Grasshopper Sparrow	CONFFY	0.1	16%	8	6	2
Henslow's Sparrow						
Chipping Sparrow	CONFFL	3.2	100%	270	48	18
Field Sparrow	POSSX	2.0	100%	165	47	7
Savannah Sparrow	POSSX	0.0	4%	2	1	2
Song Sparrow	POSSX	2.3	96%	197	41	14
Eastern Towhee	POSSX	1.9	100%	157	40	14
Summer Tanager	POSSX	0.3	20%	22	10	5
Scarlet Tanager	POSSX	1.0	76%	85	36	6
Northern Cardinal	POSSX	3.0	96%	256	45	17
Blue Grosbeak	POSSX	1.5	92%	122	39	9
Indigo Bunting	POSSX	7.6	100%	638	52	38
Dickcissel						
Red-winged Blackbird	CONFFY	3.8	88%	320	39	40
Eastern Meadowlark	POSSX	1.6	92%	136	38	17

Species	Breeding Status ¹	Average/ Hour ²	% Blocks Present ³	Individuals Counted ⁴		Maximum (any block) ⁶
Common Grackle	POSSX	0.5	32%	45	17	15
Brown-headed Cowbird	POSSX	1.0	88%	82	38	15
Orchard Oriole	POSSX	0.5	56%	43	24	4
Baltimore Oriole						
House Finch	POSSX	0.5	48%	39	16	9
American Goldfinch	POSSX	1.3	96%	109	40	11
House Sparrow	CONFNB	1.7	76%	145	31	30

- 1 See text for codes.
- 2 Includes all counting hours. Abundance data for nocturnal species (*) are based on effort during night counting periods only.
- 3 Based on blocks with complete 2- or 3-hr counting periods. Abundance data for nocturnal species (*) are based on blocks with night counting periods only.
- 4 Total individuals counted during all daylight counting periods or night counting periods.
- 5 Total number of blocks where found (includes effort conducted in addition to counting periods).
- 6 Counting periods only.

Figure 4. Total Species Recorded per Block during 2013 Foray in Fentress County, TN



IN MEMORIAM: J. WALLACE COFFEY (1940 – 2016)



Wallace Coffey passed away on 27 September 2016 at the age of 76, leaving behind a tremendous legacy of bird study, mentoring, and fellowship throughout Tennessee.

Coffey was born on 4 January 1940 in Bristol, Virginia. He graduated from Tennessee High School in 1960, having excelled in track and field, and then studied biology at East Tennessee State University.

Wallace's early career was in television at WCYB in Bristol, Tennessee, followed by 31 years at the *Bristol Herald-Courier* newspaper. His time at the newspaper included authoring many articles about birds and other wildlife in the Bristol region as well as many other subjects. He served as the Marketing Director for 17 years. He married Carolyn Randall Coffey in 1966 and she often joined him on field trips and at naturalist events. They had one daughter, Janet Coffey, who currently resides in Harvest, Alabama with her husband Daniel and their daughter Meredith.

Coffey was a lifelong naturalist. He was a member of Tennessee Ornithological Society (TOS) for more than 50 years, served many editorial roles (including Editor) for *The Migrant*, and held other leadership positions in the society. This commitment to TOS was recognized with a Distinguished Service award in 2009. Coffey was a founding member of the Bristol Bird Club (a chapter of both TOS and the Virginia Society of Ornithology) and was active in that chapter for 58 years. With much of his field time spent in southwestern Virginia, he also filled leadership roles in the Virginia Society of Ornithology. He covered the same area within the Bristol Christmas Bird Count for more than 50 years and was an active bird bander for more than 30 years.

Wallace felt strongly about the important of publishing findings, and authored a volume titled *Mountain Empire Region Ferns and Fern Allies Distribution Maps* in 1979. In 1999, with co-author John Shumate, Jr., he published *Bird Study in Shady Valley, 1934-1999*. This volume had the expected annotated checklist of all species known from his beloved Shady Valley, Tennessee, and also included extensive documentation of the history of ornithological research in the area and overviews of the valley's unique geology and ecology. He helped others bring similar publications to fruition in the region, including *The Birds of Northeast Tennessee* by Richard L. Knight, *Birds of Smyth County, Virginia* by Anthony Decker, and *Birds of the Virginia Cumberlands* by Richard Peake.

Aided by his marketing background, Wallace sought out opportunities to bring nature to broader audiences through events as well as by making habitats available to the general public. Inspired by existing wildflower walks being hosted in the region, he co-founded the Mount Rogers Naturalist Rally in southwestern Virginia in 1978, an annual event which is still popular today. He also established the Shady Valley Cranberry Festival in Johnson County, Tennessee. In the early 1970s, he worked with the U.S Forest Service to have Slagle's Hollow donated to the city of Bristol. He also proposed to the city of Bristol that they should

establish a nature center associated with Slagle's Hollow. It took many years for this to come to fruition, and Slagle's Hollow had become part of the large and heavily visited Steele Creek Park; in 1996 the Steele Creek Nature Center opened. The city of Bristol further expanded the nature center in 2016, with the Friends of Steele Creek Park and Nature Center helping raise the funds to build the extensive public exhibits in this new building.

Wallace was an early adopter of technologies and became familiar to many birders in Tennessee when he created the Valley Birds Net in the 1990s, well before most states had their own e-mail communication systems and before list servers were ubiquitous. This network was eventually reformed as a listserv and rebranded "TN-Bird" under ownership of the Tennessee Ornithological Society, but Wallace remained the moderator until his passing. Uniquely, he also explored the utility of e-mail as a way to explore hurricane-related bird sightings through "Hurricane Net", starting in 1995. This was a moderated series of e-mails that Wallace wrote as hurricanes approached the southeastern USA, including updates on storm trajectories, coordination of field observers in coastal habitats, and communication about significant findings in nearly real-time. Wallace had an intuitive sense of the potential of these technologies, and the success his success was covered in the pages of *Birding* and *Field Notes*.

Wallace remained dedicated to involving everyone in the study of birds and nature in general. Field trips with Wallace were at a pace that matched the interest of his field partners, ranging from short hikes with beginning birders, to collecting data on salamander or small mammal populations, to long days spent trapping and banding raptors across Sullivan County, Tennessee. Through these hours in the field, he was a mentor to dozens of young people who went on to distinguished careers throughout the sciences. I owe a tremendous debt to Wallace, who challenged me to leave my comfort zones in college to pursue research opportunities, and to complete a Ph.D. in ornithology. Dr. Brent Rowell (University of Kentucky), Dr. Charles R. Smith (Cornell University), Chris O'Bryan (pursuing a Ph.D. at University of Queensland), and countless other talented biologists were similarly pushed to new heights with Wallace's encouragement and guidance. His life impacted more than just those he mentored; his dedication to natural history and all things ornithology had an outsized impact across the southern Appalachians.

Memorial contributions in Wallace Coffey's name are being used to help build the public displays for the new expansion at the Steele Creek Park Nature Center.

Janet Coffey, Kevin Hamed, Rick Knight, Chris O'Bryan, Carrie Sparks, and Michele Sparks provided invaluable assistance in the preparation of this memorial.

Andy Jones, William A. and Nancy R. Klamm Endowed Chair of Ornithology and Head of Department of Ornithology, Cleveland Museum of Natural History, Cleveland, OH

2016 TENNESSEE FALL BIRD COUNTS

Ron Hoff TOS State Compiler Clinton, TN 37716

There were eight Fall Bird Counts conducted this year. Participants spent nearly 285 party hours in the field to locate 36,017 individuals. These data represented 181 species. No major weather events affected the counts this year, although a couple of counts had some light rain and high temperatures. Temperatures ranged from 59° F to 91° F.

Count highlights include Ruffed Grouse, American Golden-Plover, Barn Owl, Northern Saw-whet Owl, Olive-sided Flycatcher, Red Crossbill, 33 species of warblers, Henslow's and Lincoln's Sparrow.

COUNTY SUMMARIES

(F/Y = feeder/yard watcher)

ANDERSON COUNTY - 24 September; 0700-1606. Weather: mostly clear with some scattered clouds; wind 1-6 mph; 65-90° F. American Golden-Plover, Brown-headed Nuthatch, and Canada Warbler are notable. Observers: Frank Bills, Sharon Bostick, Doug Bruce, Bates Estabrooks, Melinda Fawver, Carole Gobert, Ron Hoff (compiler), Dollyann Myers, and Stephen J. Stedman.

BLOUNT COUNTY – 17 September; 0500-2005. Weather: partly cloudy to mostly sunny; 59-91° F. Observers: Jean J. Alexander (compiler), Tiffany Beachy, Suzanne Bielenberg, Warren Bielenberg, Doug Bruce, Fran Bunse, Fae Burkhart, Hurami Butcher, Marcia Davis, Wanda DeWaard, Sue Evison, Melinda Fawver, Marian D. Fitzgerald, Tom E. Fitzgerald, Kim J. Henry, Stephen P. Henry, Thomas D. Howe, Susan Hoyle, James R. Human, David M. Johnson, Karen J. Petrey, Stephen Rothschild, Doug Schneeberger, Paula Schneeberger, Mary Tankersley, June D. Welch, and Randy Winstead.

ELIZABETHTON – 24 September; 0445-1930. Weather: clear to partly cloudy with a calm wind 59-89° F. This was the 47th consecutive Fall Count at Elizabethton. The count area includes Carter County and parts of adjacent Johnson, Sullivan, Unicoi, and Washington counties. The average number of species for this count for the last 30 years is 125 and the all-time high count was 137 in 1993. Oppressive heat on count day affected results. Highlights include Northern Saw-whet Owl, Peregrine Falcon, and Red Crossbill. Observers: Fred Alsop, Jim Anderson, Betty Bailey, Gary Bailey, Emily Bayes, Paul Bayes, Jerry Bevins, Dallas Brooks, Kevin Brooks, Melissa Campbell, Ron Carrico, Gil Derouen, Diane Draper, Glen Eller, Harry Lee Farthing, Dave Gardner, Bill Grigsby, Don Holt, Karen Justice, David Kirschke, Rick Knight (compiler), Roy Knispel, Richard Lewis, Priscilla Little, Vern Maddux, Joe McGuiness, Tom McNeil, Eric Middlemas, Avery Myers, Gabe Overcast, Brookie Potter, Jean Potter, Lia Pritchard, Peter Range, Ken Rea, Chris Soto, Bryan Stevens, Kim Stroud, and Lauren Weeks.

LOUDON COUNTY- 18 September; no times given. Weather: overcast with light rain

in the afternoon; wind N 5-15 mph; 68-81° F. Observers: Gail Clendenen, Steve Clendenen, Barbara Colaw, Stan Colburn, Chuck Cruickshank, Charlotte Jackson, Harry Jackson, Tony King (compiler), Toby Koosman, Claire Manzo, Janet McKnight, Denise Nauman, Pat Patterson, Mike Ryon, Mike Sullivan, Zse Zse Sullivan, and Dean Turley.

MONTGOMERY COUNTY – 17 September; no times given. Weather: overcast with some light rain in the morning; wind S 6-13 mph; 69-79° F. Notable finds include Merlin, Peregrine Falcon, Horned Lark, Sedge Wren, and Henslow's Sparrow. Daniel Moss (compiler), Rick Shipkowski, and Sue Shipkowski.

NASHVILLE – 24 September; 0430-1830. Weather: mostly clear and sunny; wind NE 0-5 mph; 63-90° F. The count area includes parts of Davidson, Cheatham, Williamson, and Rutherford counties. Observers: Kristy Baker, Sandy Bivens, Susan Bradfield, Trae Bradfield, Jean Buchanan, Ed Byrne, Phillip Casteel, Richard Connors, Kimmie Dove, Jerry Drewry, Francis Fekel, Mark Hackney, Barbara Harris, Doug Hudson, Bob Ingle, John Kell, Camille Monohan, Amy Potter, Victoria Rebeck, Polly Rooker, Amanda Schaade, Jan Shaw, Kathy Shaw, Shelia Shay, Danny Shelton, Chris Sloan, Chad Smith, Michael Smith, Josh Stevenson, Joe Stone, Susan Thomas, Chloe Walker, LinnAnn Welch, Terry Witt, Melinda Welton, Mary Zimmerman, and Stephen Zipperer. Non-participating compiler: Cyndi Routledge.

PERRY COUNTY- 24 September; no times given. Weather: sunny; 80's° F. Highlights include 2,455 American White Pelicans, Mourning Warbler, and a very late Orchard Oriole. Observers: none submitted. Ruben Stoll (compiler).

SHELBY COUNTY – 17 September; 0700-1800. Weather: partly cloudy to cloudy; wind S 3-5 mph; 70-85° F. Count area includes Shelby Forest, Shelby Farms, Ensley Bottoms, North Treatment Plant, Overton Park, Edmund Orgill Park, Garner Lake and Millington Navy Base. Yellow-bellied, Alder flycatchers and a Cerulean Warbler are notable. Observers: Betty Blaylock, David Blaylock, Thomas Blevins, Chad Brown, Chris Constantino, Judy Dorsey, Rob Harbin, Margaret Jefferson, Dick Preston (compiler), Ed Thomas, and Martha Waldron.

			2016	Fall Bi	2016 Fall Bird Counts					
Counties	Anderson	Blount	Elizabethton	Knox	Loudon	Montgomery	Nashville	Perry	Shelby	Totals
Count Dates	24-Sep	17-Sep	24-Sep		18-Sep	17-Sep	24-Sep	24-Sep	17-Sep	
Species										
Black-bellied Whistling-Duck	,	ı	1		,	1	,	1	6	6
Canada Goose	10	305	1118		224	ı	348	,	131	2136
Wood Duck	9	22	40		,	1	13	14	2	86
Mallard	33	7	224		18	ı	105	,	46	433
Blue-winged Teal	2	2	4		,	ı	6	16	09	93
Northern Shoveler	,	1	1		,	1	,	1	49	49
Green-winged Teal	,	1	1		,	ı	1	1	,	1
Ruddy Duck	,	1	1		,	1	,	1	2	2
Northern Bobwhite	1	ı	1		1	ı	,	1	1	_
Ruffed Grouse	1	ı	2		1	ı	,	1	1	2
Wild Turkey	1	8	23		35	ı	80	22	2	171
Pied-billed Grebe	1	1	3		3	ı	10	1	1	17
Rock Pigeon	191	85	365		103	ı	55	17	18	834
Eurasian Collared-Dove	,	7	2		,	ı	П	5	14	29
Mourning Dove	34	368	174		287	14	114	178	227	1396
Yellow-billed Cuckoo	7	3	1		3	ı	7	21	3	40
Black-billed Cuckoo	,	1	1		,	ı	2	,	,	3
Cuckoo sp.		•	1			ı		•	1	1
Common Nighthawk	,	8	3		1	ı	,	,	1	13
Eastern Whip-poor-will		•	1			ı		5		5
Chimney Swift	9	322	379		131	9	137	71	13	1065
Ruby-throated Hummingbird	13	28	30		88	15	27	40	20	291
American Coot	1	,	1		,	ı	,	,	,	1
Black-necked Stilt		•	1			ı		•	17	17
American Golden-Plover	1	1	ı		,	1	1	1	,	1
Semipalmated Plover	1	1	ı		1	1	1	1	2	2

Counties	Anderson	Blount	Elizabethton	Knox	Loudon	Montgomery	Nashville	Perry	Shelby	Totals
Killdeer	30	28	99		11	5	89	34	06	332
Stilt Sandpiper	,	1	ı		ı	1	,	ı	6	6
Least Sandpiper	3	ı	4		,	1	,	12	3050	3069
Pectoral Sandpiper	,	ı	9		ı	1		ı	46	52
Semipalmated Sandpiper	,	ı	ı		ı	1		ı	2	2
Wilson's Snipe	,	ı	ı		ı	1		1	1	1
American Woodcock	,	ı	4		ı	1	,	ı	,	4
Spotted Sandpiper	1	ı	3		ı	1		ı	2	9
Solitary Sandpiper	,	П	ı		ı	1	П	ı	1	3
Greater Yellowlegs	,	ı	ı		ı	1	,	ı	3	3
Lesser Yellowlegs	,	1	ı		ı	1	,	ı	14	14
Ring-billed Gull	,	ı	ı		ı	1	10	ı	1	10
Caspian Tern	,	ı	ı		ı	1	3	ı	,	3
Double-crested Cormorant	12	27	16		119	1	82	12	23	291
American White Pelican	,	1	1		,	1	1	2455	,	2456
Great Blue Heron	8	30	30		20	2	34	34	10	168
Great Egret	1	5	10		,	1	41	31	15	103
Green Heron	,	4	2		1	2	2	1	2	14
Black-crowned Night-Heron	,	3	2		16	1	5	1	,	26
Nigh	,	1	1		,	1	,	1	,	1
Black Vulture	1	23	159		38	4	137	122	1	484
Turkey Vulture	6	69	222		42	9	55	203	6	615
Osprey	1	9	7		9	1	4	7	-	26
Bald Eagle	2	4	4		3	1	2	8	,	23
Northern Harrier	1	1	1		,	1		1	1	1
Sharp-shinned Hawk	,	1	2		,	1	,	7	1	5
Cooper's Hawk	1	3	10		3	1	∞	1	1	27
Accipiter sp.			1			1	1	1	1	1
Red-shouldered Hawk	5	13	5		3	1	9	6	9	47

Counties	Anderson	Blount	Elizabethton	Knox	Loudon	Montgomery	Nashville	Perry	Shelby	Totals
Broad-winged Hawk	5	1	25		,	1	2	14	1	48
Red-tailed Hawk	3	5	22		10	1	16	4	_	89
Buteo sp.	•	2	1		,	1	,	ı	,	2
Barn Owl	,	ı	1		,	1	1	,	,	П
Eastern Screech Owl	2	3	14		1	1	8	1	,	28
Great Horned Owl		1	8		1	1	4	1	1	18
Barred Owl		,	8		1	1	6	5	1	25
Northern Saw-whet Owl		ı	1		,	1	,	ı	,	1
Belted Kingfisher		11	33		12	1	14	5	9	87
Red-headed Woodpecker		1	1		2	2	1	4	16	27
Red-bellied Woodpecker	25	26	61		30	2	89	28	38	308
Yellow-bellied Sapsucker		ı	5		,	1	1	ı	1	5
Downy Woodpecker		42	42		10	3	63	24	23	224
Hairy Woodpecker	5	7	10		1	1	5	^	1	36
Northern Flicker	∞	13	28		2	2	19	7	3	80
Pileated Woodpecker	4	23	32		6	1	19	20	8	115
American Kestrel	1	1	14		∞	1	11	5	1	40
Merlin	1	1	1		1	1	1	1	1	3
Peregrine Falcon		1	2		,	1		1	,	4
Olive-sided Flycatcher		1	1		,	1	1	1	,	1
Eastern Wood-Pewee	12	20	12		5	3	36	26	23	208
Yellow-bellied Flycatcher		1	1		,	1		3	1	4
Acadian Flycatcher	1	1	1		1	1		_	26	34
Alder Flycatcher	1	1	1		1	1		1	1	2
Least Flycatcher	1	1	1		1	1	1	1	1	1
Empidonax sp.	1	7	3		1	1	,	1	1	9
Eastern Phoebe	12	35	89		10	4	32	40	5	206
Great Crested Flycatcher		1	1		1	1	1	1	1	3
Eastern Kingbird	1	11	1		1	1	ı	1	3	15

Counties	Anderson	Blount	Elizabethton	Knox	Loudon	Montgomery	Nashville	Perry	Shelby	Totals
Loggerhead Shrike	1	ı	ı		1	•	1	1	,	2
White-eyed Vireo	18	21	2		13	72	49	131	29	306
Yellow-throated Vireo	6	4	2		1	2	9	27	5	26
Blue-headed Vireo	4	9	20		,	1	,	1	,	30
Philadelphia Vireo	2	ı	1		,	1	3	5	,	10
Warbling Vireo	1	,	ı		,	1	3	1	,	5
Red-eyed Vireo	4	7	15		1	1	7	5	9	46
Blue Jay	43	161	329		150	9	220	92	29	1030
American Crow	31	330	376		154	32	137	340	25	1425
Fish Crow	,	6	1		2	1	1	1		111
Common Raven	,	,	26		,	1		,	,	26
Horned Lark	,	,	ı		,	1		,	,	1
Purple Martin	,	,	1		,	1		,	,	1
Tree Swallow	,	13	163		244	ı	2	ı	,	422
Northern Rough-winged Swallow	w 3	18	1		,	1	9	36	18	82
Cliff Swallow	1	1	1		2	15		1	1	17
Barn Swallow	1	7	1		244	1		10	2	266
Carolina Chickadee	28	129	152		53	9	174	78	28	829
Tufted Titmouse	34	96	124		37	6	121	122	42	585
Red-breasted Nuthatch	,	1	12		,	1		1	,	13
White-breasted Nuthatch	30	28	36		24	1	46	13	28	206
Brown-headed Nuthatch	1	6	1		3	1	1	1	1	13
Brown Creeper	,	1	5		1	1	1	1		5
House Wren	1	7	3		2	ı	2	1	1	111
Sedge Wren	1	1	1		1	1		1	1	1
Marsh Wren	,	1	1		1	1	1	1		1
Carolina Wren	20	151	139		120	2	127	73	38	200
Blue-gray Gnatcatcher	1	3	2		2	1	П	8	7	19
Golden-crowned Kinglet	1	1	23		1	1	1	1	1	23

Counties	Anderson	Blount	Elizabethton	Knox	Loudon	Montgomery	Nashville	Perry	Shelby	Totals
Ruby-crowned Kinglet		1	5		1	1	,	7	,	7
Eastern Bluebird	31	107	91		133	9	88	75	26	557
Veery	3	П	4		,	ı	4	18	,	30
Gray-cheeked Thrush	4	ı	9		1	ı	5	29	1	44
Swainson's Thrush	29	11	68		1	1	81	77	15	302
Hermit Thrush	•	ı	1		,	ı		ı	,	1
Wood Thrush	20	7	16		1	ı	9	26	3	79
American Robin	2	178	343		47	33	83	30	34	750
Gray Catbird	∞	43	48		1	1	26	14	4	144
Brown Thrasher	10	27	14		9	4	39	10	2	115
Northern Mockingbird	11	74	54		61	1	99	43	25	335
European Starling	29	146	426		585	279	330	91	85	2009
Cedar Waxwing	86	44	206		10	28	89	40	,	794
House Sparrow	5	15	38		28	111	44	24	18	183
House Finch	11	54	51		132	8	09	13	12	341
Red Crossbill		1	2		1	1	1	1	1	2
Pine Siskin		1	10		1	1		1	1	10
American Goldfinch	29	112	231		37	14	85	21	8	537
Ovenbird	2	1	4		,	ı	,	4	,	10
Worm-eating Warbler		1	1		,	ı	,	9	,	
Northern Waterthrush		2	1		1	1	1	5	1	8
Golden-winged Warbler		1	1		1	1	2	^	1	6
Blue-winged Warbler	1	1	1		1	1	4	^	,	12
Black-and-white Warbler	3	1	4		2	ı	2	∞	3	25
Prothonotary Warbler	•	ı	1		ı	ı		7	2	4
Tennessee Warbler	3	1	12		1	1	28	165	3	212
Orange-crowned Warbler		1	1		1	1	1	1	1	1
Nashville Warbler	1	1	1		1	1		7	1	2
Mourning Warbler	1	1	1		1	1	1	7	1	2

Counties	Anderson	Blount	Elizabethton	Knox	Loudon	Montgomery	Nashville	Perry	Shelby	Totals
Kentucky Warbler	,	ı	ı		1	ı	ı	4	ı	4
Common Yellowthroat	2	6	10		1	4	14	45	5	68
Hooded Warbler	_	5	4		ı	ı	1	6	1	27
American Redstart	7	_	13		,	ı	29	21	3	80
Cape May Warbler	4	1	_		,	1		1	,	12
Cerulean Warbler	,	1	ı		,	1	,	,	1	1
Northern Parula	2	1	3		1	1	4	30	16	26
Magnolia Warbler	19	14	111		1	1	74	156	5	280
Bay-breasted Warbler	2	1	9		,	1	3	2	,	13
Blackburnian Warbler	,	2	3		,	ı	1	1	,	9
Yellow Warbler	,	2	ı		,	1	1	3	,	_
Chestnut-sided Warbler	6	2	2		1	ı	8	31	3	26
Black-throated Blue Warbler	1	1	3		1	,	1	1	1	3
Palm Warbler	1	6	16		16	2	,	6	,	53
Pine Warbler	,	18	11		1	1	1	21	,	52
Yellow-rumped Warbler	,	ı	2		,	1	1	,	,	3
Yellow-throated Warbler	,	2	2		1	1	4	3	3	15
Prairie Warbler	1	1	1		1	2	5	5	1	13
Black-throated Green Warbler	4	1	8		1	,		9	5	30
Canada Warbler	1	ı	ı		,	1	,	,	,	1
Wilson's Warbler	,	ı	ı		,	1	1	4	,	5
Yellow-breasted Chat	,	1	ı		,	1	1	1	,	3
Eastern Towhee	13	14	65		14	2	45	9	16	175
Chipping Sparrow	∞	15	24		53	3	∞	104	22	237
Field Sparrow	3	26	11		1	1	23	13	1	77
Henslow's Sparrow	1	1	1		1	1		1	1	1
Song Sparrow	5	13	83		9	1	4	1	1	1111
Lincoln's Sparrow	1	1	1		1	1	1	7		7
Dark-eyed Junco	1	1	95		1	1	,	1	1	95

Counties	Anderson	Blount	Elizabethton	Knox	Loudon	Montgomery	Nashville	Perry	Shelby	Totals
Summer Tanager	3	2	2		,	4	33	42		93
Scarlet Tanager	∞	9	15		7	2	∞	15	13	69
Northern Cardinal	43	118	138		85	12	148	179	59	782
Rose-breasted Grosbeak	16	2	43		,	1	17	75	1	154
Blue Grosbeak	•	6	1		1	1	1	10	2	24
Indigo Bunting	_	158	13		14	4	31	429	62	718
Dickcissel	,	,	1		,	1	1	,	,	1
Bobolink	•	,	1			31		ı	,	31
Red-winged Blackbird	2	2643	61		,	09	10	ı	14	2790
Eastern Meadowlark	∞	1	10		27	1	31	11	1	68
Common Grackle	,	134	156		63	1	207	1	33	894
Brown-headed Cowbird	1	211	ı		1	1	,	1	19	232
Orchard Oriole	1	1	1		,	1	1	1	,	1
Baltimore Oriole		2	1		,	1	1	1	,	3
Total individuals		8889	7520		3642	929	4630	6491	4894	36017
Total species	92	100	125		79	61	113	118	102	181
Observers		22	39		17	2	37	7	11	144
Parties		13	8		_	2	10	4	9	54
Party hours		68.84	74		28.5	6.25	58.38	ı	31	284.77
Hours by car		21.28	1		22	2.25	21.28	ı	10	84.56
Hours by foot		47.56	1		6.5	4	37.1	1	21	126.21
Hours by boat or other		1	1		1	1		1	1	1
Miles by car		286.1	ı		126.5	38	296.5	1	75.5	893.6
Miles by foot		29.55	1		7.5	1	31	1	14	89.4
Miles by canoe or other		1	1		,	1	1	1	,	1
Hours owling		3.66	5.5		1	1	5.33	1	0.5	17.16
Miles owling		0.25	1		,	1	7.5	1	0.5	10.25
Feeder/yard watch observers		6	2		10	2	,	1	,	26
Feeder/yard watch hours		3.72	1		9.25	1.5	ı	1	ı	19.47

MINUTES OF THE FALL TOS BOARD OF DIRECTORS MEETING

1 October, 2016 David Crockett State Park Lawrenceburg, Tennessee

The Fall meeting was held Saturday, 1 October, 2016 at David Crockett State Park, Lawrenceburg, Tennessee and was hosted by the Buffalo River Chapter of the Tennessee Ornithological Society. Field trips were offered to Laurel Hill Lake, David Crockett State Park and the Natchez Trace.

President Steve Routledge (NTOS) called the meeting to order at 2:04 pm. Secretary Cyndi Routledge (NTOS) determined there was a quorum. The minutes of the Spring 2016 meeting were approved as read. President Steve Routledge (NTOS) extended thanks to the Buffalo River Chapter for hosting the meeting.

REPORTS OF OFFICERS, DIRECTORS-AT-LARGE and PUBLICATIONS

TREASURER: Mac McWhirter (MTOS) gave an update on the investments of the Society. Starting calendar year 2016 at \$307,000, the fund market value has grown to \$329,400 in September. In the past month \$7,500 was transferred to the operating bank account to pay for future publishing of *The Migrant*. The balance is currently \$322,000.

There were no other reports by officers and directors-at-large.

THE MIGRANT: Associate editor Susan McWhirter (MTOS) reported the 2015 issues are almost complete. Beginning with March 2016 the journal will return to its regular cover design instead of the historic design used for the anniversary issues. As always, articles and round table notes are needed.

THE TENNESSEE WARBLER: 31 October is the deadline for the upcoming issue. Please submit all information to the editor, Theresa Graham (MTOS).

TN-BIRD: After a long and extended illness TN-bird creator Wallace Coffey (Bristol) died 27 September, 2016. The Tennessee Ornithological Society extends sympathies to his daughter Janet Coffey, her family and his closest friends. Janet has requested that in lieu of flowers, donations be sent to Friends of Steele Creek Nature Center fund for the Nature Center expansion.

COMMITTEE REPORTS

TENNESSEE BIRD RECORDS COMMITTEE: Ruben Stoll (NTOS), Secretary, reported the committee met and voted to accept 8 records. These will be published in the September 2016 issue of *The Migrant*.

CONSERVATION POLICY COMMITTEE: co-chairs Dick Preston (MTOS) and Melinda Welton (NTOS) gave an update on the following:

- Memphis chapter members will meet with Shelby Farms Park officials in October regarding grassland management.
- Lands Unsuitable for Mining Petition Expecting a ruling within the Obama Administration.
- Nashville TOS Chapter adopted and started a project with the American Bird Conservancy's (ABC) Cats Indoors and the Window Strike program with Metro Parks within Nashville as a showcase. There are hopes and plans to expand to Tennessee State Parks.
- The committee is looking into the idea of a Tennessee State Bird Alliance Conservation organization.
- Legislative lobbying for extermination of Double-crested Cormorants at Reelfoot Lake is on-going with strong push from area population.
- Buffalo River is sponsoring a Shrike-a-thon during this Fall meeting with funds to be donated to the Conservation and Research Fund.

FINANCE COMMITTEE: The new chairman is Dick Preston (MTOS). Susan Holliday (NTOS) rotated off the Finance Committee, and Pam Lasley (NTOS) has rotated onto the committee.

OLD BUSINESS

Discover Birds Activity Book – At the Fall 2015 meeting TOS previously approved to match any funds raised without designation of an amount. David Hanni of Tennessee Wildlife Resources Agency has pledged \$5000 for the next printing of the activity book. A motion was made that we accept the \$5000 from TWRA with the like motion that we expend \$5000 matching funds upon acceptance. The motion passed unanimously. The book is being translated into Spanish. This version will be available on the TOS webpage in 2017.

NEW BUSINESS

Sandhill Crane hunt update – The US Fish and Wildlife Service comment period is 15 October – 15 November, 2016. Members are asked to comment individually and voice their opposition.

There have been requests for 100th Anniversary Patches; TOS member Bill Bridgeforth has researched this and found it can be done at a very reasonable price. A motion was made that we purchase one hundred 100th Anniversary patches. The motion passed unanimously.

Bob Hatcher Memorial Scholarship Fund – The 2016 recipient is Megan Hart of Clarksville, who attends Austin Peay State University. The official presentation will take place on 9 December, 2016 at the meeting of the TWRA Commissioners in Nashville.

President Steve Routledge reported that as of 3 June, 2016, TOS is a part of the Biodiversity Heritage Library. This is a consortium of major natural history museum libraries,

botanical libraries and research institutions that cooperate to digitize and make accessible the legacy of biodiversity literature. Over 2 million volumes of biodiversity literature have been collected covering 200 years. *The Migrant* and *The Tennessee Warbler* will be included in the library.

President Elect – President Routledge reported no one from the Memphis Chapter has accepted the nomination, and he has asked the nominating committee to look beyond west Tennessee. If needed, he will agree to continue as President for the next term.

Crab Orchard Wind Farm - Cyndi Routledge presented information on this project to the group as it presents a possible threat to migrating birds. A motion was made that we support and endorse the effort to collect hawk and eagle migration data from Millstone Mountain. Passed unanimously.

2017 Winter Meeting – Paris Landing State Park is suggested as the meeting location.

The 2017 Spring meeting will be held on 5 - 7 May in Knoxville. For the Fall meeting we are looking into the possibility of the Lebanon Chapter hosting.


The meeting was adjourned at 4:06 pm.

Respectfully submitted,

Cyndi Routledge, Secretary

THE SUMMER SEASON





1 June - 31 July 2016

Sweltering temperatures dominated the weather this summer, with above average readings statewide in June, July, and continuing into August. Rainfall varied considerably from one area to another, as it usually does this time of year due to the scattered nature of storms and showers. By season's end, areas across the southern portion of the state were experiencing drought conditions.

Black-bellied Whistling-Ducks in Middle Tennessee and a probable family group of Common Mergansers in East Tennessee were notable among waterfowl. A single Swallow-tailed Kite was reported in each of the two eastern regions, where most state sightings occur. The south-bound shorebird flight began well, highlighted by Ruff, Marbled Godwit, American Avocets, and Willets. A Pomarine Jaeger at Paris Landing was expected. Peregrine Falcons fledged young at a new nest site in the mountains. Local breeding specialties were monitored, such as Western Kingbirds in Shelby County, Bell's Vireos at Fort Campbell, and several high elevation species in the eastern mountains. A male Painted Bunting in Rutherford County delighted numerous birders.

Standard Abbreviations

ad - adult max - maximum count
Co - County m.ob. - many observers
Cr - Creek Mtn - Mountain

ers - earliest reported sighting NWR - National Wildlife Refuge

et al. - and others R - River fide - reported by SP - State Park

im - immature WMA - Wildlife Management Area

L - Lake yg - young

lrs - latest reported sighting

WESTERN COASTAL PLAIN REGION - - The heat of summer is usually tough on both man and beast, and this year was no exception. June temperatures averaged 4 degrees above normal, while July came in a "mere" 2 degrees above historic norms. June was also drier than usual with rainfall off more than 2.5 inches region wide. However, July made up for that, recording just over 3.5 inches above normal.

Fewer birders spending less time in the field is expected during summer with a corresponding drop in reports received. In spite of the challenges, several interesting sightings were made. The best bird of the season was a Pomarine Jaeger at Paris Landing in Henry County. The T. E. Maxson Treatment Plant hosted a Ruff.

Duck - Tern: Black-bellied Whistling-Duck: 9 Jul (85) Ensley (RS, VS), max. Anhinga: 22 Jun (1, flying over) Decatur Co (RS, VS). American Avocet: 19 Jun (4) Ensley (Virginia Reynolds). American Golden-Plover: 30 Jul (1) TVA Lake, Shelby Co (RS, VS, AT), ers. Semipalmated Plover: 13 Jul (2) Ensley (RH, DDP), ers. Greater Yellowlegs: 13 Jul (7) Ensley (RH, DDP), ers. Stilt Sandpiper: 31 Jul (2) Ensley (VS, AT), ers. Least Sandpiper: 31 Jul (2500) Ensley (VS, AT), max. White-rumped Sandpiper: 12 Jun (1) Ensley (Virginia Reynolds), Irs. Semipalmated Sandpiper: 31 Jul (2100) Ensley (VS, AT), max. Ruff: 9 Jul (1) Ensley (RS, VS, photo). Wilson's Phalarope: 13 Jul (1) TVA Lake, Shelby Co (RH). Pomarine Jaeger: 30 Jul - 2 Aug (1 sub-adult) Paris Landing SP (RS, VS, AT, EB, m.ob.), 8th state record. Laughing Gull: 31 Jul (1) Paris Landing SP (Mark Greene, Mike Todd, m.ob.). Herring Gull: 30-31 Jul (1) Paris Landing SP (RS, VS, AT, EB, m.ob.). Black Tern: 18 Jun (1) Coon Valley Rd, Tipton Co (DDP).

Passerines: Willow Flycatcher: 22 Jun (1) Munford, Tipton Co (DDP). Western Kingbird: 20 Jun (8, with 3 nests) President's Island, Shelby Co (DDP); 31 Jul (8) North Treatment Plant, Shelby Co (RS, AT). Brown Creeper: 11 Jun (1) Memphis (Jim Ferguson, Sue Ferguson), Irs.

Locations: Ensley - Shelby Co; Paris Landing SP - Henry Co.

DICK D. PRESTON, 261 Sassafras Circle, Munford, TN 38058. dickpreston@rittermail.com

HIGHLAND RIM AND BASIN REGION - - Weather for June had temperatures averaging 3.7 degrees above normal and slightly above normal precipitation. In July temperatures were 3.1 degrees above normal, and precipitation was 2.6 inches above normal. However, the rainfall total is a little misleading as northern counties received well above normal rain in July while southern counties experienced drought conditions. Regional highlights for June included Black-bellied Whistling-Duck, Mississippi Kite, Golden Eagle, Bell's Vireo, Bachman's Sparrow, and Painted Bunting. July brought Marbled Godwit, Mourning Warbler, and Blackburnian Warbler.

Duck - Coot: Black-bellied Whistling-Duck: 3 Jun (8) Beacon Light Rd, Warren Co (Stephen J. Stedman). Blue-winged Teal: 30 Jul (2) Cumberland R, Montgomery Co (RS, VS, AT, EB), ers. Hooded Merganser: 24 Jul (1) Pickwick Dam, Hardin Co (RS). Common Loon: 13 Jun (1) Edgar Evins SP, DeKalb Co (Mark Taylor); 17 Jun (1) Warren Co (Mac McWhirter, Susan McWhirter). Pied-billed Grebe: 8 Jul (1) Old Hickory Dam, Davidson Co (SZ), ers. Anhinga: 14 Jul (1) Little Richland Rd, Humphreys Co (Tennessee River

Data). American White Pelican: 3-25 Jul (15-85) Duck R Unit (Marjorie Dunham, RS, AT). Great Egret: 16 Jul (250) Duck R Unit (RS, AT), max. Snowy Egret: 7 Jul (1) Duck R Unit (RS, VS). Little Blue Heron: 4 Jul (3 im) Duck R Unit (RS, VS); 14 Jul (1 im) Fort Campbell (DMo); 31 Jul (2 im) White Co (Doug Downs). Cattle Egret: 4 Jul (1) Cannon Co (DSn). Yellow-crowned Night-Heron: 1 Jun (1 im) marsh on Walter S. Davis Blvd, Nashville (Frank Fekel); 17 Jun (1) Edgar Evins SP, DeKalb Co (Mark Taylor); 28 Jul (1) Maury Co (RS). Osprey: 20 Jun (64, including ad and large yg) Duck R Unit and adjacent areas, Humphreys and Benton Cos (RS, VS), max. Mississippi Kite: 1 Jun (1) Lawrence Co (VS); 10 Jun / 13 Jul (1) Clarksville, Montgomery Co (Stefan Woltmann); 2 / 5 Jul (4 / 2) Perry Co (RS, VS); 15 Jul (1) Dickson Co (Jim Peters); 30 Jul (6) Duck R Unit and vicinity (RS, VS). Northern Harrier: 2 Jul (1) DeKalb Co (Judy Fuson). Sharp-shinned Hawk: 19 Jun (1) Hidden Lake SP, Davidson Co (Josh Stevenson). Golden Eagle: 3 Jun (1) Morrison, Warren Co (Stephen J. Stedman). American Coot: 15-16 Jul (1) Cross Cr NWR, Stewart Co (Joe Hall); 22 Jul (1) Duck R Unit (RS, AT).

Plover: Tern: American Golden-Plover: 25 Jul (1) Duck R Unit (RS), ers. Semipalmated Plover: 14 Jul (1) Duck R Unit (RS), ers. Greater Yellowlegs: 7 Jul (7) Duck R Unit (RS, VS), ers. Willet: 7 Jul (6) Duck R Unit (RS, VS). Lesser Yellowlegs: 7 Jul (18) Duck R Unit (RS, VS), ers. Marbled Godwit: 7 Jul (1) Duck R Unit (RS, VS). Stilt Sandpiper: 7 Jul (1) Duck R Unit (RS, VS), ers. Least Sandpiper: 7 Jul (4) Duck R Unit (RS, VS), ers. Pectoral Sandpiper: 9 Jul (2) Duck R Unit (Allison Salas), ers. Semipalmated Sandpiper: 23 Jul (3) Duck R Unit (SZ et al.), ers. Short-billed Dowitcher: 7 Jul (6) Duck R Unit (RS, VS), ers. Laughing Gull: 30 Jul (1 im) Duck R Unit (RS, VS, AT, EB). Herring Gull: 22 Jul (1) Duck R Unit (RS, AT). Caspian Tern: 12 Jun (1) Duck R Unit (AT); 2 Jul (3) Radnor L, Davidson Co (Frank Fekel); 7-25 Jul (1-12) Duck R Unit (RS, VS). Black Tern: 14 Jul (1) Duck R Unit (RS), ers. Common Tern: 28 Jul (1) Pickwick Dam, Hardin Co (DJS). Forster's Tern: 7 Jul (1) Duck R Unit (RS, VS), ers.

Dove - Dickcissel: Eurasian Collared-Dove: 4 Jul (2) Cannon Co (DSn). Barn Owl: 21 Jul (1) Lincoln Co (Evan Buck); 29 Jul (1) Lawrence Co (DJS); 30 Jul (1) Montgomery Co (RS, VS, AT, EB). Willow Flycatcher: 1 Jun / 30 Jul (3 / 2) Fort Campbell (DMo, RS, VS, AT, EB); 6 Jun (1) Percy Priest WMA Field Trials Area, Rutherford Co (SZ, Graham Gerdeman, Josh Stevenson); 30 Jul (1) Cross Cr NWR, Stewart Co (RS, VS, AT, EB). Scissor-tailed Flycatcher: 18 Jun (1) Beaverdam WMA (RS, VS). Bell's Vireo: 4 Jun - 30 Jul (1-3) Fort Campbell (DMo, m.ob.); 15 / 27 Jun (1) Fort Campbell, Stewart Co (DMo). Blue-headed Vireo: 18 Jun (1) Beaverdam WMA (RS, VS). Horned Lark: 15 Jun (1) Fort Campbell, Stewart Co (DMo). Sedge Wren: 28 Jul (1) Savannah Bottoms, Hardin Co (DJS), ers. Ovenbird: 1 Jun (3) Fort Campbell, Stewart Co (DMo); 3 Jun (2) Wilson Co (Justin Nation). Worm-eating Warbler: 1 Jun (2) Fort Campbell, Stewart Co (DMo); 9 Jul (1) Davidson Co (SZ). Blackand-white Warbler: 13 Jun (1) Fort Campbell (DMo); 1 Jul (2) Shelby Park and Bottoms, Davidson Co (Dale Endres); 10 Jul (1) Lincoln Co (Evan Buck). Mourning Warbler: 29 Jul (1 im) Radnor L, Davidson Co (Jan Shaw), new early fall date in state. Blackburnian Warbler: 30 Jul (1) Fort Campbell (RS, VS, AT, EB), new early fall date in middle TN. Yellow Warbler: 1 Jun (1) Fort Campbell (DMo). Bachman's Sparrow: 14 Jun (pair, plus 1 ad with 2 yg) Beaverdam WMA (DJS), in large clearcut; 27 Jun (2) Fort Campbell, Stewart Co

(DMo). Lark Sparrow: 18 Jun (1) Marshall Co (DSn); 27 Jun (1) Fort Campbell, Stewart Co (DMo); 28 Jul (1) Savannah Bottoms, Hardin Co (DJS). Grasshopper Sparrow: 1 Jun (5) Fort Campbell (DMo); 27 Jun (8) Fort Campbell, Stewart Co (DMo). Henslow's Sparrow: 1 Jun (20) Fort Campbell (DMo); 15 Jun (6) Fort Campbell, Stewart Co (DMo). PAINTED BUNTING: 5-7 Jun (1 male) Percy Priest WMA Field Trials Area, Rutherford Co (David Arnold, m.ob., photo). Dickcissel: 27 Jun (20) Fort Campbell, Stewart Co (DMo); 7 Jul (17) Fort Campbell (DMo).

Locations: Beaverdam WMA - Hickman Co; Duck R Unit - unit of Tennessee NWR, Humphreys Co; Fort Campbell - Montgomery Co (unless specified otherwise).

STEPHEN C. ZIPPERER, 3105 Chapel Hills Drive, Murfreesboro, TN 37129 stczipperer@gmail.com

CUMBERLAND PLATEAU / RIDGE and VALLEY REGION - - Temperatures were above average in both months. Indeed, it was the second hottest July on record in the Tri-cities. Rainfall throughout was about half the normal amount. The southern portion of the region was experiencing drought conditions by season's end.

A group of ten female-type Common Mergansers probably represented a locally raised family. This species nested in the state in the late 1800s, but recent sightings in East Tennessee suggest a resurgence. Notable waders included a Wood Stork and an adult White Ibis, an age-class seldom seen in the state. Little Blue Herons were reported from seven sites, with an impressive count of 42 in Roane County. Least Bitterns observed at two Blount County sites in May (see spring report) and again this summer suggest local breeding. Additional highlights included Swallow-tailed Kite and Laughing Gull. Savannah Sparrows in Claiborne County probably represent an expansion of their breeding range.

Duck - Ibis: American Wigeon: from Mar thru 13 Jun (2) Leesburg, Washington Co, with one lingering thru 10 Aug (RLK), 2nd consecutive summer with one present, apparently same bird. Green-winged Teal: 24-29 Jul (1) Leesburg, Washington Co (RLK). Common Merganser: 9 Jul (10, female / im) Winged Deer Park, on Watauga R, Washington Co (RLK, m.ob.). Pied-billed Grebe: 13 Jun (1) Steele Cr Park, Sullivan Co (Larry McDaniel); 1 Jul (1) John Sevier L, Hawkins Co (SHu). Wood Stork: 2-9 Jul (1 im) Amnicola Marsh, Hamilton Co (Bruce Dralle, m.ob., photo), 2nd Hamilton Co record. Least Bittern: 28 Jun (1) Springfield Branch, Blount Co (Tom Howe); 21 Jul (1) Kyker Bottoms, Blount Co (Randy Winstead). Great Egret: 4 Jun / 22 Jul (20 / 160) Rankin Bottoms (Ron Shrieves / MBS), early max / late max. Snowy Egret: 14-19 Jul (1 im) Paddle Cr Pond, Sullivan Co (GDE, PGR, m.ob.); 31 Jul (4) Bowater ponds (RHk). Little Blue Heron: 24 Jun - 7 Jul (1-2 im) Amnicola Marsh, Hamilton Co (Bruce Dralle, m.ob.); 13 / 21 Jul (42 im / 21 im) Gupton Wetlands (MM, RS, VS, Tony King et al.); 17-30 Jul (1 im) Kingsport (Bill Grigsby, m.ob.); 22 Jul (6 im) Rankin Bottoms (MBS); 25 Jul (1 im) Seven Islands SP, Knox Co (MM); 27-28 Jul (1 im) south Knoxville (Jay Sturner, m.ob.); 29-31 Jul (1-4 im) Bowater ponds (RHk,

m.ob.). **Cattle Egret**: 6 Jun (1) McMinn Co (Kevin Calhoon); 13 / 21 Jul (24 / 35) Gupton Wetlands (MM, RS, VS, Tony King et al.). **Yellow-crowned Night-Heron**: 15-22 Jul (1-2) Bowater ponds (RHk, m.ob.). **White Ibis**: 13 Jul (1 ad, 1 im) Gupton Wetlands (MM, m.ob.), im lingered thru 21 Jul (Tony King et al.); 16-22 Jul (1 im) Bowater ponds (RHk, m.ob.).

Osprey - Owl: Osprey: 17 Jun (pair + 3 yg) Holston R, Hawkins Co (SHu); thru season (3 yg in nest, fledged late Jun or early Jul) Kingsport (Bill Grigsby, m.ob.), 1st successful nest in Co. Swallow-tailed Kite: late Jul (1) Oliver Springs airport, Anderson Co (Roger Kroodsma fide Dean Edwards), continued into Aug. Northern Harrier: 23 Jun (1) LMU Fields, Harrogate, Claiborne Co (DSn). American Coot: 5 / 12 Jul (2 / 1) John Sevier L, Hawkins Co (SHu); 8 Jul (1) Knoxville (Mark Campen); 13 Jul (4) Gupton Wetlands (MM); 26 Jul (1) Middlebrook L, Sullivan Co (RRK et al.). Pectoral Sandpiper: 13 Jul (1) Washington Co (RLK), new early fall date in NE TN. Laughing Gull: 3 Jul (2) Baker Island, Tennessee R, Rhea Co (Chris Agee). Ring-billed Gull: 17 Jul (12) Rankin Bottoms (MBS), ers. Caspian Tern: 17 Jul (1) Rankin Bottoms (MBS), ers. Black Tern: 13 Jul (1) Gupton Wetlands (MM), ers. Forster's Tern: 30 Jun (1) L Tansi, Cumberland Co (Ed LeGrand); 22 Jul (1) Rankin Bottoms (MBS). Barn Owl: 8 Jun / 17 Jul (2) Paddle Cr, Sullivan Co (RLK / GDE, PGR).

Crow - Dickcissel: Fish Crow: thru season (max 5 on 19 Jul) Kingsport (m.ob.); 9 Jul (4) Lowe's Ferry, Blount Co (Dean Edwards). Common Raven: 24 Jun (1) Fort Henry Dam, Kingsport (Bill Grigsby). Tree Swallow: 3 Jul (clutch hatched) Farragut, Knox Co (Dan Ellsworth), new late egg date in state. Prothonotary Warbler: 4 Jun (10) Rankin Bottoms (Ron Shrieves). Savannah Sparrow: 23 Jun (2+, singing) LMU Fields, Harrogate, Claiborne Co (DSn); 24 Jul (2) Conklin, Washington Co (RLK), regular summer site. Dickcissel: 8 Jun (2 males) near Kyker Ferry Rd, Sevier Co (Keith Watson); 19 Jun (1) south of Rogersville, Hawkins Co (SHu); thru 29 Jun (4+ at 3 sites) Washington Co (RLK, GDE, RRK).

Addendum: Osprey: 8 Apr 2010 (82, with ~ 40 nests) Tennessee R and Hiwassee R, from Chattanooga thru Meigs Co to Bradley Co (RHk, Dave Anderson), new high count for state.

Locations: Bowater ponds - McMinn Co; Gupton Wetlands - Roane Co; Kingsport - Sullivan Co; Rankin Bottoms - Cocke Co.

RICHARD L. KNIGHT, 804 North Hills Drive, Johnson City, TN 37604 rknight8@earthlink.net

EASTERN MOUNTAIN REGION - - It was an extremely hot summer. Average temperatures were 4 degrees above normal for the period. For the two months, there were 29 days above 90 degrees at the lower elevations. Precipitation was 5 inches below normal for the period.

Nesting Peregrine Falcons fledged three young in Carter County. A Ruby-crowned Kinglet was an unusual find in the Smokies. Red Crossbills appeared at several locations this summer.

Bobwhite - Falcon: Northern Bobwhite: 7 Jun (2) Quarry Bog in Shady Valley, Johnson Co (Joe McGuiness); 12 Jun (1) Limestone Cove, Unicoi Co (GDE, RRK, PGR, RPL). Common Loon: 26 Jul (1) South Holston L (RRK, Gil Derouen, Kathy Noblet, Jim Anderson). Little Blue Heron: 18 Jul (1 im) Laurel L, Blount Co (Randy Winstead). Swallow-tailed Kite: 6 Jul (1) Newfound Gap, GSMNP (MM, photo). Red-shouldered Hawk: 1 Jun (1) Roan Mtn (GDE, PGR); 12 Jun (1) Unicoi Co (Kim Stroud et al.); 18 Jun (1) Elizabethton (Tom McNeil). Willet: 13 Jul (1) South Holston L (Mike Sanders). American Woodcock: 9 Jun (1) Schoolhouse Gap, GSMNP (Randy Winstead). Forster's Tern: 14 Jul (1) South Holston L (GDE, PGR), ers. Northern Saw-whet Owl: 13 Jun (1) Walnut Mtn, Carter Co (Joe McGuiness, Kim Stroud, RRK, et al.). Yellow-bellied Sapsucker: 12 Jun (2) Iron Mtn Gap, Unicoi Co (Brookie Potter, Jean Potter); 12 Jun (1) Unaka Mtn (GDE, RRK, PGR, RPL). Peregrine Falcon: 10 / 17 Jun (pair with 3 fledged yg) Doe R Gorge, Carter Co (PGR, RLK), first modern breeding record in northeast TN; 17 Jul (1) Mt. LeConte, GSMNP (Kent Bedenbaugh)

Flycatcher - Siskin: Alder Flycatcher: thru season (4+) Roan Mtn (RLK). Ruby-crowned Kinglet: 3 Jul (1) Clingman's Dome, GSMNP (Nate Swick), seen and heard singing. Hermit Thrush: thru season (4+) Roan Mtn (RLK), with 2 fledged yg on 23 Jul (William Johnson, photo); 12 / 20 Jun (3 / 1) Unaka Mtn (RPL, PGR / RLK). Magnolia Warbler: 1-18 Jun (3-5) Roan Mtn (RLK, m.ob.); 12 Jun (2) Unaka Mtn (GDE, RRK, PGR, RPL). Yellow-rumped Warbler: 14 Jun (1 male) Roan Mtn (RLK). Canada Warbler: 23 Jul (1, banded) Holston Valley, Sullivan Co (RPL), early arrival in lowlands. Vesper Sparrow: 26 May thru season (1-2) Round Bald on Roan Mtn (RLK, m.ob.). Savannah Sparrow: 25 May (1) Orchard Bog in Shady Valley, Johnson Co (RLK). Dark-eyed Junco: 12 Jun (2) Rocky Fork SP, Unicoi Co (RLK), at 2400 ft elevation in deep gorge. Red Crossbill: 12 Jun (2) Granny Lewis Cr, Unicoi Co (Tom McNeil); 12 / 20 Jun (1 / 7) Unaka Mtn (GDE, RRK, PGR, RPL / RLK); 23 Jul (5) Big Bald Mtn, Unicoi Co (Kirk Gardner); several reports for GSMNP. Pine Siskin: 26 May (2) Carver's Gap on Roan Mtn (RLK); 7 / 21 Jun (2 / 1) Roan Mtn, at 4450 ft (RRK et al.).

Locations: GSMNP - Great Smoky Mtns National Park; Roan Mtn - Carter Co; South Holston L - Sullivan Co; Unaka Mtn - Unicoi Co.

RICHARD P. LEWIS, 407 V.I. Ranch Road, Bristol, TN 37620 mountainbirds@gmail.com

Observers

EB - Evan Beachy
GDE - Glen D. Eller
RH - Rob Harbin
RHk - Rick Houlk
SHu - Susan Hubley
RLK - Richard L. Knight
RRK - Roy R. Knispel
RPL - Richard P. Lewis
MM - Morton Massey

DMo - Daniel Moss

DDP - Dick D. Preston PGR - Peter G. Range DJS - Damien J. Simbeck MBS - Michael B. Sledjeski DSn - Dan Snell

DSn - Dan Snell RS - Ruben Stoll VS - Victor Stoll AT - Alan Troyer SZ - Stephen Zipperer

SPECIES INDEX TO VOLUME 87

A	Cardinal, Northern 21, 64, 89,	Cuckoo sp. 140
Accipiter sp. 15, 58	93, 96, 100, 101, 122, 126, 130, 134, 146	D
Anhinga 105, 106, 108, 151 Ani, Groove-billed 66 Avocet, American 25, 27, 30, 32, 33, 56, 58, 105, 106, 109, 112, 150, 151	Catbird, Gray 6, 7, 11, 19, 28, 62, 73, 76, 77, 78, 79, 88, 92, 95, 99, 122, 125, 129, 133, 144 Chat, Yellow-breasted 32, 63, 89, 93, 96, 100, 122, 126, 130,	Dickcissel 29, 32, 55, 64, 90, 93, 97, 100, 101, 107, 111, 114, 123, 126, 130, 134, 146, 152, 153, 154 Dove 17
В	134, 145 Chickadee,	Common Ground- 6, 11,
Bittern, American 27, 108, 111, 112 Least 66, 87, 90, 94, 97, 108, 112, 153	Black-capped 17 Carolina 17, 61, 88, 92, 95, 99, 121, 125, 129, 133, 143 Chuck-will's-widow 60, 66, 87,	17, 71, 72, 73 Eurasian Collared- 17, 59, 78, 87, 91, 94, 98, 102, 113, 120, 124, 128, 132, 140, 152
Blackbird, Brewer's 9, 21, 29, 73, 76, 107, 111	91, 94, 98, 113, 120, 124, 128, 132 Coot, American 15, 27, 58, 140,	Inca 105, 106, 107 Mourning 17, 59, 87, 91, 94, 98, 101, 120, 124,
Red-winged 21, 64, 90, 93, 97, 100, 101, 123, 126, 130, 134, 146 Rusty 21, 29, 32, 54, 64, 76,	152, 154 Cormorant 15 Double-crested 15, 33, 57, 87, 90, 94, 97, 106, 112, 115,	128, 132, 140 White-winged 105, 106, 107, 108, 109
111, 114 Yellow-headed 73, 104	120, 124, 128, 132, 141 Neotropic 23, 25	Dowitcher, Long-billed 28, 107, 109,
Blackbird sp. 21	Corvid 111	113 Short-billed 25, 28, 31, 59,
Bluebird, Eastern 19, 62, 88, 92, 95, 99,	Cowbird, Brown-headed 21, 64, 90, 93, 97, 100, 123, 127,	107, 109, 113, 152 Duck 13, 57
101, 121, 125, 129, 133, 144 Blue Jay 17, 52, 61, 88, 92, 95, 99, 101, 121, 125, 129, 133, 143	131, 135, 146 Crane, Sandhill 6, 7, 15, 27, 68, 69, 72, 75, 76, 77, 79	American Black 6, 13, 74 Black-bellied Whistling- 6, 13, 57, 105, 106, 108,
Bobolink 29, 32, 34, 64, 111, 146	Whooping 77 Creeper, Brown 19, 62, 66, 107,	140, 150, 151 Long-tailed 2, 71 Mottled 23, 24, 25
Bobwhite, Northern 57, 87, 90, 94, 97, 101, 120, 124, 128, 132, 140, 155	143, 151 Crossbill, Red 21, 34, 115, 138, 144, 154, 155	Ring-necked 13 Ruddy 6, 13, 27, 57, 79,
Bufflehead 6, 13, 57, 79 Bunting,	Crow, American 17, 61, 88, 92, 95,	Wood 13, 87, 90, 94, 97, 120, 124, 128, 132, 140
Indigo 64, 89, 93, 96, 100, 101, 110, 115, 123, 126, 130, 134, 146	99, 101, 121, 125, 129, 133, 143 Fish 17, 26, 28, 54, 55, 61, 73,	Dunlin 15, 25, 28, 33, 59, 77, 106, 109, 113
Painted 54, 56, 64, 104, 107, 150, 151, 153	101, 107, 110, 111, 113, 143, 154	E
Snow 71, 72, 103	Cuckoo,	Eagle, Bald 6, 8, 15, 24, 33, 58, 87,
Buteo sp. 58, 142 C	Black-billed 26, 33, 54, 55, 60, 87, 91, 94, 98, 106, 107, 109, 113, 115, 140	91, 94, 98, 120, 124, 128, 132, 141
Canvasback 13, 27, 74	Yellow-billed 59, 87, 91, 94, 98, 101, 115, 120, 124, 128, 132, 140	Golden 9, 11, 15, 24, 25, 27, 30, 32, 72, 75, 77, 106, 151, 152

Egret, Cattle 30, 58, 101, 106,	G	Ruffed 11, 13, 57, 87, 90, 94, 97
108, 112, 152, 154	Gadwall 6, 13, 27, 57, 108	Grouse, Ruffed 120, 124, 128,
Great 6, 10, 15, 30, 57, 72,	Gallinule, Common 30, 32, 33, 112	132, 138, 140
75, 77, 120, 124, 128, 132,	Purple 103	Gull 15
141, 152, 153 Snowy 6, 8, 15, 30, 54, 56, 57, 106, 108, 111, 112, 152,	Gnatcatcher, Blue-gray 6, 7, 8, 19, 28, 31, 62, 71, 73, 76, 77,	Bonaparte's 6, 9, 15, 59, 75 Franklin's 26, 28, 32, 33, 56, 59, 73, 109
153 Empidonax sp. 61	78, 88, 92, 95, 99, 113, 121, 125, 129, 133, 143	Great Black-backed 6, 11, 15, 72, 73, 77, 78
	Godwit,	Herring 6, 15, 54, 59, 151,
F	Hudsonian 27, 106 Marbled 23, 27, 106, 150,	152
Falcon, Peregrine 8, 11, 17,	151, 152	Iceland 72, 73
24, 26, 28, 30, 31, 34, 51,	Goldeneye, Common 6, 13,	Laughing 26, 28, 31, 33, 151, 152, 153, 154
52, 53, 55, 60, 75, 78, 79,	72, 79	Lesser Black-backed 6, 15,
107, 109, 113, 115, 138, 139,	Goldfinch,	26, 28, 72, 73, 78, 107
142, 150, 154, 155 Finch,	American 21, 65, 90, 93, 97,	Little 23, 30, 31, 72
House 21, 65, 90, 93, 97,	100, 123, 127, 131, 135, 144	Ring-billed 15, 31, 33, 59,
100, 123, 127, 131, 135,	Lesser 71, 72, 73, 103	141, 154
144	Goose 13 Cackling 13, 27, 30, 72, 74,	Sabine's 66
Purple 21, 23, 25, 29, 32,	108	Thayer's 6, 15, 23, 26, 72,
34, 72, 76, 78, 79	Canada 13, 57, 87, 90, 94, 97,	73
Flicker, Northern 17, 60, 88,	101, 120, 124, 128, 132, 140	Н
91, 95, 98, 121, 125, 129, 133,	Greater White-fronted 6, 10,	
142 Elysataban 17	13, 27, 30, 74, 77, 108, 111	Harrier, Northern 15, 24,
Flycatcher 17 Acadian 31, 34, 60, 88, 91,	Ross's 13, 27, 30, 74, 77, 106,	27, 58, 109, 115, 141, 152, 154
95, 98, 107, 109, 121,	108, 112	Hawk,
125, 129, 133, 142	Snow 13, 27, 30, 74, 77, 79,	Broad-winged 24, 33, 58,
Alder 26, 105, 107, 109,	111 Grackle,	87, 91, 94, 98, 109, 112,
113, 115, 142, 155	Common 21, 64, 90, 93, 97,	120, 124, 128, 132, 142
Ash-throated 6, 7, 71, 74,	100, 123, 126, 130, 135, 146	Cooper's 15, 24, 33, 58, 87,
75, 77, 78	Great-tailed 105, 106, 107	90, 94, 97, 20, 124, 128,
Great Crested 61, 88, 91,	Grebe,	132, 141
95, 98, 121, 125, 129, 133,	Eared 6, 15, 23, 33, 106, 115	Red-shouldered 6, 9, 15,
142 Least 6, 11, 17, 60, 73, 88, 91,	Horned 2, 15, 30, 33, 57, 77,	24, 58, 87, 91, 94, 98,
95, 98, 110, 121, 125, 129,	79, 72, 75, 79, 106, 108	120, 124, 128, 132, 141, 155
133, 142	Pied-billed 13, 27, 57, 87, 90,	Red-tailed 5, 15, 24, 33, 58,
Olive-sided 28, 31, 34, 55,	94, 97, 102, 120, 124, 128,	72, 75, 87, 91, 94, 98,
60, 109, 113, 121, 125, 129,	132, 140, 151, 153 Red-necked 1, 2, 3, 4, 8, 15,	106, 120, 124, 128, 132,
133, 138, 142	27, 72, 75	142
Scissor-tailed 26, 28, 31, 56,	Western 6, 15, 25, 72	Rough-legged 72
61, 105, 110, 113, 152	Grosbeak,	Sharp-shinned 15, 24, 33,
Willow 60, 88, 91, 95, 98,	Blue 29, 32, 64, 89, 93, 96,	58, 87, 90, 94, 97, 141,
110, 113, 115, 121, 125, 129, 133, 151, 152	100, 110, 114, 122, 126,	152 Sweinson's 105 108 100
Yellow-bellied 26, 28, 34, 55,	130, 134, 146	Swainson's 105, 108, 109
60, 109, 113, 142	Rose-breasted 32, 64, 89, 93, 96, 100, 114, 115, 146	Hawk Sp. 15

Heron 15 Black-crowned Night- 15, 33, 58, 77, 141 Great Blue 15, 57, 87, 90, 94, 97, 120, 124, 128, 132, 141 Green 30, 58, 87, 90, 94, 97, 120, 124, 128, 132, 141 Little Blue 27, 30, 33, 102, 108, 112, 115, 120, 124, 128, 132, 152, 153, 155 Tricolored 25, 108 Yellow-crowned Night- 33, 58, 87, 90, 94, 97, 101, 112, 115, 120, 124, 128, 132, 141, 152, 154 Hudsonian 23, 27 Hummingbird, Black-chinned 71, 74, 75 Ruby-throated 34, 60, 87, 91, 94, 98, 109, 113, 121, 124, 128, 132, 140 Rufous 27, 28, 34, 75, 78 I Ibis, White-faced 25, 27, 106, 108, 109, 153, 154 irruptives, Boreal 71, 77 J Jaeger, Pomarine 150, 151 Jay, Blue 17, 52, 61, 88, 92, 95, 99, 101, 121, 125, 129, 133, 143	Kingfisher, Belted 17, 60, 88, 91, 94, 98, 121, 125, 128, 133, 142 Kinglet, Golden-crowned 19, 62, 143 Ruby-crowned 19, 62, 144, 154, 155 Kite, Mississippi 25, 27, 54, 58, 87, 90, 94, 97, 109, 111, 112, 151, 152 Swallow-tailed 25, 103, 150, 153, 154, 155 White-tailed 66 Kittiwake, Black-legged 23, 25, 26, 72, 77, 103 Knot, Red 23, 25 L Lark, Horned 17, 34, 55, 61, 73, 75, 88, 92, 95, 99, 121, 125, 129, 133, 139, 143, 152 Longspur, Lapland 8, 19, 28, 73, 76 Smith's 71, 74, 76 Loon, Common 13, 25, 30, 33, 57, 77, 87, 90, 94, 97, 108, 115, 151, 155 Pacific 6, 9, 13, 25, 72, 74, 75, 106, 108 Red-throated 6, 9, 11, 13, 27, 72, 75, 106, 108	Merganser, Common 23, 30, 32, 33, 54, 57, 72, 74, 76, 77, 105, 111, 112, 114, 115, 150, 153 Hooded 13, 30, 54, 55, 57, 111, 112, 151 Red-breasted 13, 75, 112 Merlin 9, 11, 17, 24, 26, 28, 30, 31, 32, 33, 34, 55, 60, 72, 73, 75, 78, 107, 109, 113, 115, 139, 142, 159 Mockingbird, Northern 19, 62, 89, 92, 96, 99, 101, 122, 126, 129, 134, 144 N N Nighthawk, Common 60, 87, 91, 94, 98, 101, 120, 124, 128, 132, 140 Nighthawk sp. 17, 73 Nuthatch 19 Brown-headed 9, 19, 62, 75, 88, 92, 95, 99, 107, 113, 121, 125, 129, 133, 138, 143 Red-breasted 19, 23, 25, 26, 31, 34, 61, 72, 73, 78, 113, 143 White-breasted 19, 62, 88, 92, 95, 99, 121, 125, 129, 133, 143
Junco, Dark-eyed 19, 33, 64, 145, 155	M	0
Kestrel, American 17, 24, 33, 60, 88, 91, 95, 98, 121, 125, 129, 133, 142 Killdeer 6, 15, 49, 58, 72, 77, 87, 91, 94, 98, 120, 124, 128, 132, 141, 158 Kingbird, Eastern 61, 88, 91, 95, 98, 110, 121, 125, 129, 133, 142 Western 26, 54, 56, 61, 105, 107, 150, 151	Mallard 13, 57, 87, 90, 94, 97, 102, 120, 124, 128, 132, 140 Martin, Purple 61, 77, 78, 88, 92, 95, 99, 110, 121, 125, 129, 133, 143 Meadowlark, Eastern 21, 64, 90, 93, 97, 100, 101, 123, 126, 130, 134, 146 Western 21, 73, 107, 111	Oriole, Baltimore 65, 71, 73, 77, 78, 90, 93, 97, 100. 123, 127, 131, 135, 146 Orchard 64, 90, 93, 97, 100, 123, 127, 131, 135, 139, 146 Osprey 6, 15, 24, 33, 58, 72, 75, 77, 87, 90, 94, 97, 112, 120, 124, 128, 132, 141, 152, 154 Ovenbird 34, 62, 89, 92, 96, 99, 122, 126, 130, 134, 144, 152

Owl, Barn 8, 10, 17, 60, 75, 87, 91,	Snowy 66, 105, 106	Scaup, Greater 8, 13, 33, 77, 79,
94, 98, 109, 120, 124, 128,	_	108, 112, 115
132, 138, 142, 152, 154	R	Lesser 13, 57
Barred 17, 60, 87, 91, 94, 98,	Rail,	Black 23, 30, 71
107, 120, 124, 128, 132, 142	King 66	Surf 10, 13, 30, 71, 74, 76,
Eastern Screech- 17, 60, 87,	Virginia 7, 15, 27, 30, 55,	77, 112
91, 94, 98, 102, 120, 124, 128, 132, 142	58, 75, 77, 106, 109, 112	White-winged 2, 71, 72, 74, 76, 77, 79
Great Horned 17, 60, 87, 91,	Yellow 27	Scaup sp. 13
94, 98, 120, 124, 128, 132,	Raven, Common 17, 31, 53,	Shoveler, Northern 13, 27,
142	61, 78, 105, 111, 113, 115, 143, 154	33, 57, 112, 115, 140
Northern Saw-whet 33, 54,	Redhead 13, 27, 30, 74, 77, 79	Shrike, Loggerhead 7, 9, 10,
60, 115, 138, 142, 155	Redpoll, Common 71, 74, 76	17, 31, 55, 61, 75, 78, 79,
Short-eared 17, 73, 79, 111	Redstart, American 63, 89,	88, 91, 95, 98, 101, 102,
P	92, 96, 99, 102, 115, 122, 126,	110, 113, 115, 121, 125,
1	130, 134, 145	129, 133, 143
Parula, Northern 63, 89, 92, 96,	Robin, American 19, 62, 88,	Siskin, Pine 21, 23, 25, 26, 29,
99, 107, 110, 122, 126, 130,	92, 95, 99, 122, 125, 129, 133,	32, 34, 55, 65, 71, 72, 73, 78, 79, 111, 114, 144, 155
134, 145	144	Snipe, Wilson's 15, 28, 31, 59,
Pelican,	Ruff 23, 24, 25, 150, 151, 159	72, 141
American White 6, 15, 25, 27, 30, 75, 77, 105, 106,	S	Solitaire, Townsend's 71,
108, 112, 141, 152	0 1 1 0 0 0 0 0	72, 73
Brown 105, 111, 112	Sanderling 25, 28, 31, 33	Sora 30, 33, 55, 58, 77, 106,
Pewee, Eastern Wood- 60, 88,	Sandpiper, Baird's 25, 28, 31, 59, 106,	109, 112
91, 95, 98, 101, 121, 125, 129,	113	Sparrow 19
133, 142	Buff-breasted 25, 28, 30, 31	American Tree 19, 26, 29,
Phalarope,	Curlew 66	73, 74, 76, 78, 111
Red-necked 23, 27, 28	Least 15, 59, 75, 77, 106, 141,	Bachman's 105, 108, 110, 151, 152
Wilson's 25, 28, 31, 59, 107,	151, 152	Chipping 10, 19, 26, 64,
151	Pectoral 25, 28, 59, 106,	89, 93, 96, 100, 122, 126,
Phoebe,	109, 141, 152, 154	130, 134, 145
Eastern 10, 17, 61, 88, 91, 95, 98, 121, 125, 129, 133, 142	Semipalmated 59, 107, 109,	Clay-colored 26, 30, 32
Say's 23, 26	120, 124, 128, 132, 141, 151,	Field 19, 64, 89, 93, 96,
Pigeon, Rock 17, 59, 87, 91,	152	100, 122, 126, 130, 134,
94, 98, 120, 124, 128, 132, 140	Solitary 59, 109, 112, 115, 120,	145
Pintail, Northern 13, 27, 79	124, 128, 132, 141 Spotted 33, 58, 87, 91, 94,	Fox 19, 26, 79
Pipit, American 8, 10, 19	98, 109, 112, 115, 120, 124,	Grasshopper 29, 64, 89, 93,
Plegadis sp. 27, 106	128, 132, 141	96, 100, 102, 122, 126,
Plover,	Stilt 25, 28, 31, 59, 106,	130, 134, 153 Harris's 8, 19, 73
American Golden- 25, 27, 31,	109, 113, 141, 151, 152	Henslow's 29, 64, 89, 93,
54, 58, 106, 109, 115, 138,	Upland 25, 106, 109, 113	96, 100, 107, 110, 114,
140, 151, 152	Western 28, 31, 33, 59	122, 126, 130, 134, 139,
Black-bellied 25, 27, 31, 33, 56, 58, 109, 112	White-rumped 25, 28, 31,	145, 153
Piping 25	59, 106, 109, 113, 151	House 6, 21, 65, 90, 93, 97,
Semipalmated 27, 58, 71, 75,	Sapsucker, Yellow-bellied 17,	100, 101, 123, 127, 131,
109, 112, 115, 120, 124,	25, 60, 142, 155	135, 144
120 122 140 151 152		

128, 132, 140, 151, 152

Sparrow (continued)	T	V
Lark 26, 30, 32, 56, 64, 71, 73, 78, 102, 107, 110, 153 Le Conte's 8, 10, 19, 29, 73, 76, 111 Lincoln's 10, 21, 32, 34, 56, 64, 110, 138, 145 Nelson's 29, 105, 106, 107, 108, 110 Savannah 21, 64, 78, 93, 96, 100, 122, 126, 130, 134, 153, 154, 155 Song 21, 64, 89, 93, 96, 100, 122, 126, 130, 134, 145 Swamp 21, 64 Vesper 6, 10, 21, 26, 29, 32, 76, 78, 107, 114, 155 White-crowned 7, 19, 64 White-throated 19, 25, 64 Sparrow sp. 21 Starling, European 19, 52, 62, 89, 92, 96, 99, 101, 122, 126, 130, 134, 144 Stilt, Black-necked 25, 27, 58, 105, 106, 109, 111, 112, 140 Stork, Wood 153 Swallow 88, 92 Bank 61 Barn 28, 61, 88, 92, 95, 99, 101, 121, 125, 129, 133, 143 Cave 23, 24, 26 Cliff 61, 88, 92, 95, 99, 115, 121, 125, 129, 133, 143 Tree 34, 61, 73, 77, 78, 79, 88, 92, 95, 99, 102, 121, 125, 129, 133, 143 Tree 34, 61, 73, 77, 78, 79, 88, 92, 95, 99, 102, 121, 125, 129, 133, 143 Tree 34, 61, 73, 77, 78, 79, 88, 92, 95, 99, 102, 121, 125, 129, 133, 143 Swan, Mute 13, 57, 72, 74 Tundra 23, 32, 33, 72, 76, 77 Swift, Chimney 28, 60, 87, 91,	Tanager, Scarlet 64, 89, 93, 96, 100, 107, 122, 126, 130, 134, 146 Summer 29, 64, 71, 74, 76, 77, 78, 89, 93, 96, 100, 110, 122, 126, 130, 134, 146 Teal, Blue-winged 8, 13, 57, 74, 77, 79, 140, 151 Blue-winged X Cinnamon 112 Cinnamon 66, 103, 112 Green-winged 13, 27, 140, 153 Tern, Arctic 66 Black 26, 28, 31, 33, 107, 109, 151, 152, 154 Caspian 26, 28, 31, 33, 59, 109, 113, 115, 141, 152, 154 Common 26, 31, 33, 87, 91, 94, 98, 109, 113, 152 Forster's 6, 17, 31, 33, 59, 73, 75, 113, 115, 152, 154, 155 Least 23, 26, 28, 31, 59 Thrasher, Brown 19, 62, 89, 92, 95, 99, 122, 125, 129, 133, 144 Thrush, Gray-cheeked 62, 144 Hermit 19, 25, 31, 62, 144, 155 Swainson's 33, 34, 62, 107, 110, 121, 125, 129, 133, 144 Wood 62, 88, 92, 95, 99, 107, 113, 121, 125, 129, 133, 144 Titmouse, Tufted 17, 61, 88, 92, 95, 99, 121, 125, 129, 133, 144 Towhee, Eastern 21, 64, 89, 93, 96, 100, 122, 126, 130, 134, 145 Turkey, Wild 13, 57, 87, 90,	V Veery 62, 88, 92, 95, 99, 144, 160 Vesper 6, 10, 21, 26, 29, 32 Vireo, Bell's 26, 61, 105, 110, 150, 151, 152 Blue-headed 6, 10, 11, 17, 28, 33, 61, 73, 75, 78, 88, 91, 95, 98, 113, 115, 121, 125, 129, 133, 143, 152 Philadelphia 28, 31, 34, 55, 61, 107, 110, 143 Red-eyed 31, 34, 61, 88, 91, 95, 98, 110, 113, 115, 121, 125, 129, 133, 143 Warbling 31, 34, 61, 88, 91, 95, 98, 102, 107, 110, 121, 125, 129, 133, 143 White-eyed 61, 71, 73, 88, 91, 95, 98, 101, 113, 121, 125, 129, 133, 143 White-eyed 61, 71, 73, 88, 91, 95, 98, 101, 113, 121, 125, 129, 133, 143 Yellow-throated 61, 88, 91, 95, 98, 121, 125, 129, 133, 143 Vulture, Black 15, 24, 52, 58, 87, 90, 94, 97, 101, 120, 124, 128, 132, 141 Turkey 6, 15, 24, 58, 87, 90, 94, 97, 101, 120, 124, 128, 132, 141 W Warbler 19 Bay-breasted 63, 145 Black-and-white 63, 89, 92, 96, 99, 101, 114, 115, 122, 126, 130, 134, 144, 152 Blackburnian 29, 63, 89, 92, 96, 99, 110, 145, 151,
129, 133, 143, 154 Swan, Mute 13, 57, 72, 74	Towhee, Eastern 21, 64, 89, 93, 96, 100, 122, 126, 130,	92, 96, 99, 101, 114, 115, 122, 126, 130, 134, 144, 152
	Turkey, Wild 13, 57, 87, 90, 94, 97, 120, 124, 128, 132, 140 Turnstone, Ruddy 25, 27, 30,	
	31, 56, 59, 106	89, 93, 96, 100, 107 Black-throated Blue 29, 33, 34, 63, 89, 93, 96, 100, 106, 107, 110, 114, 115, 145

Warbler (continued) Swainson's 32, 34, 54, 63, 89, Wren, Black-throated Green 29, 92, 96, 99, 101, 107, 114, 63, 89, 93, 96, 100, 110, 122, 126, 130, 134 111, 114, 115, 122, 126, 130, Tennessee 29, 33, 63, 68, 69, 134, 145 110, 122, 126, 130, 134, 144, 149 Blue-winged 34, 62, 89, 92, Wilson's 26, 29, 34, 63, 71, 74, 96, 99, 107, 110, 122, 126, 76, 107, 110, 114, 145 130, 134, 144 Worm-eating 54, 62, 89, 92, Brewster's 89, 92, 96, 99 Canada 26, 29, 63, 89, 93, 96, 96, 99, 110, 122, 126, 130, 134, 144, 152 100, 138, 145, 155 Yellow 63, 89, 93, 96, 100, Cape May 29, 33, 63, 107, 110, 145 110, 122, 126, 130, 134, Cerulean 32, 55, 63, 89, 92, 145, 152 96, 99, 110, 114, 122, 126, Yellow-rumped 19, 26, 145, 155 130, 134, 139, 145 Yellow-throated 6, 19, 34, 63, Chestnut-sided 29, 32, 33, 63, 71, 77, 78, 89, 93, 96, 71, 77, 78, 89, 93, 96, 100, 101, 110, 115, 122, 126, 100, 114, 145 130, 134, 145 Connecticut 32, 34, 89, 92, 96, 99, 110, 114 Waterthrush, Louisiana 62, 89, 92, 96, 99, Golden-winged 26, 29, 32, 34, 62, 89, 92, 96, 99, 110, 110, 113, 122, 126, 130, 134 114, 115, 122, 126, 130, 134, Northern 31, 62, 122, 126, 144 130, 134, 144 Waxwing, Cedar 19, 62, 89, 92, Hooded 63, 89, 92, 96, 99, 96, 99, 102, 122, 126, 130, 122, 126, 130, 134, 145 Kentucky 29, 63, 89, 92, 96, Whip-poor-will, Eastern 60, 87, 99, 110, 122, 126, 130, 134, 91, 94, 98, 113, 115, 120, 124, "Lawrence's" 23, 29, 30, 32 128, 132, 140 Magnolia 29, 63, 122, 126, Wigeon, American 13, 27, 57, 130, 134, 145, 155 112, 115 Mourning 26, 29, 34, 107, Willet 25, 27, 30, 31, 59, 105, 110, 122, 126, 130, 134, 139, 106, 108, 109, 112, 150, 152, 155 144, 151, 152 Nashville 34, 63, 110, 144 Woodcock, American 9, 15, 59, 72, 75, 87, 91, 94, 98, 109, Orange-crowned 6, 8, 9, 11, 19, 29, 32, 34, 71, 73, 76, 120, 124, 128, 132, 141, 155 Woodpecker 17 77, 78, 110, 114, 115, 144 Palm 19, 34, 63, 73, 76, 78, Downy 17, 60, 88, 91, 95, 98, 121, 125, 129, 133, 142 79, 107, 145 Pine 19, 63, 78, 79, 89, 93, 96, Hairy 17, 60, 88, 91, 95, 98, 100, 101, 122, 126, 130, 134, 121, 125, 129, 133, 142 145 Pileated 17, 60, 88, 91, 95, 98, 121, 125, 129, 133, 142 Prairie 63, 89, 93, 96, 100, Red-bellied 17, 60, 88, 91, 95, 110, 114, 122, 126, 130, 134, 98, 101, 121, 125, 129, 133, 145 Prothonotary 63, 89, 92, 96, Red-headed 17, 34, 60, 88, 99, 107, 110, 114, 122, 126, 130, 134, 144, 154 91, 95, 98, 121, 125, 129,

133, 142

Bewick's 88, 92, 95, 99, 101, 105 Carolina 19, 62, 88, 92, 95, 99, 101, 121, 125, 129, 133, 143 House 19, 62, 73, 75, 78, 121, 125, 129, 133, 143 Marsh 19, 28, 31, 34, 73, 110, 113, 143 Sedge 10, 19, 28, 31, 55, 62, 76, 107, 110, 113, 139, 143, 152 Winter 19, 62

Y

Yellowlegs, Greater 27, 33, 59, 75, 79, 106, 112, 141, 151, 152 Lesser 15, 59, 72, 106, 141, Yellowthroat, Common 9, 19, 29, 63, 71, 73, 78, 89, 92, 96, 99, 101, 122, 126, 130, 134, 145

INSTRUCTIONS TO AUTHORS

The Migrant records observations and studies of birds in Tennessee and adjacent areas. SUBMISSIONS: The manuscript should be submitted electronically to Bob Ford at editorthemigrant@gmail.com. Submission of hard copies is optional. If so desired the original and two copies of the manuscript should be sent to the: Editor: Bob Ford, 808 Hatchie, Brownsville, TN 38012 editorthemigrant@gmail.com. Manuscripts that have been published in other journals should not be submitted.

MATERIAL: The subject matter should relate to some phase of Tennessee ornithology. It should be original, factual, concise and scientifically accurate.

STYLE: Both articles and short notes are solicited; recent issues of *The Migrant* should be used as a guide in the preparation of manuscripts. Where more detail is needed, reference should be made to *Scientific Style and Format*, eighth edition, by the Council of Science Editors, councilscienceeditors.org.

COPY: Manuscripts should be double-spaced with adequate margins for editorial notations and emailed in Word.docx. Tables and figures should be prepared in a separate file with appropriate headings; see *Scientific Style and Format* for examples of appropriate form for tables. Photographs intended for reproduction should be at least 300 dpi or sharp with good contrast on glossy white paper. Weights, measurements, and distances should be in metric units. Dates should be in "continental" form (e.g., 16 March 1997). Use the 24-hour clock (e.g., 0500 or 1900).

NOMENCLATURE: The scientific name of a species should be given after the first use of the full common name in the text. The scientific name should be italicized and in parentheses. Names should follow the *A. O. U. Check-list of North American Birds* (seventh edition, 1998, or supplements).

TITLE: The title should be concise, specific and descriptive.

ABSTRACT: Manuscripts of five or more pages should include an abstract. The abstract should be less then 5% of the length of the manuscript. It should include a brief explanation of why the research was done, the major results, and why the results are important.

LITERATURE CITED: List all literature citations in a "Literature Cited" section at the end of the text. Text citations should include the author and year.

IDENTIFICATION: Manuscripts including reports of rare or unusual species or of species at atypical times should include: date and time, light and weather conditions, exact location, habitat, optical equipment, distance, behavior of bird, comparison with other similar species, characteristic markings, experience of observer, other observers verifying the identification and reference works consulted.

REPRINTS: Reprints are available to authors on request. Billing to authors will be through the TOS treasurer. Request for reprints must be made well in advance of printing.

SEASON REPORTS: Observations that are to be considered for publication in "The Season" section should be mailed to the appropriate Regional Compiler. Consult a recent issue of *The Migrant* for the name and address of the compiler.

CONTENTS

BREEDING BIRD FORAYS IN TENNESSEE'S UPPER CUMBERLAND REGION:	
PART II (SMITH, JACKSON, OVERTON, AND FENTRESS COUNTIES) Stephen J. Stedman and Edmund K. LeGrand	117
IN MEMORIUM: J. WALLACE COFFEY 1940 - 2016 Andy Jones	136
2016 TENNESSEE FALL BIRD COUNTS Ron Hoff	138
MINUTES OF THE BOARD OF DIRECTORS 2016 FALL MEETING Cyndi Routledge	147
THE SUMMER SEASON: 1 June – 31 July 2016 Richard L. Knight	150
WESTERN COASTAL PLAIN REGION Dick D. Preston	150
HIGHLAND RIM AND BASIN REGION Stephen Zipperer	151
CUMBERLAND PLATEAU/RIDGE AND VALLEY REGION Richard L. Knight	153
EASTERN MOUNTAIN REGION Richard P. Lewis	154
SPECIES INDEX	157