Field Records: September 1982



by George W. Gove, Robert H. Stymeist, Lee E. Taylor

Temperatures were near normal during September, averaging 64.1° , with no very hot or cold spells. The high mark was 87° on the 10th; the low was just 50° on the 18th, a very mild low for September. Rain totaled only 1.57 inches, slightly under half the 3.16 inches normal for the month. Fog was frequent, noted on 18 days; six days recorded heavy fog. No thunderstorms were heard in the Boston area, but on the 23rd a severe thunderstorm was recorded in northeastern Massachusetts causing some locally damaging wind and hail and in Rowley a funnel cloud was observed. Winds were out of the northwest on only four days during the month; heavy hawk migration was noted on the 17th and 19th, two days with a northwesterly flow.

LOONS THROUGH WATERFOWL

Twenty-three Common Loons were observed migrating over Mount Wachusett on the 17th, the best count day for migrating Broad-winged Hawks. Pied-billed Grebes were reported from many locations with as many as six individuals reported from Great Meadows during the latter part of the month.

Certainly the highlight of the month was a <u>White-faced Storm-Petrel</u>, well observed on September 2 near Hydrographer's Canyon on the edge of the Continental Shelf by an organized bird-tour sponsored by Wings, Inc., led by Will Russell, Kevin Powers, and Dick Veit. The White-faced Storm-Petrel has occurred about twenty-five times during the period mid-August through early October off the east coast of North America, including a specimen collected near the Nantucket Shoals on August 18, 1953, but this was the first time that this species was recorded on an organized birding trip. The Wings trip on their two day journey also recorded the following species: 85 Cory's, 300 Sooty, 6 Manx, and 2 Audubon's shearwaters; 500+ Wilson's, and 2 Leach's Storm-Petrels.

As many as eighteen Little Blue Herons were still present at Plum Island on the 18th, and fifteen Cattle Egrets remained nearly all month at the Maplecroft Farm in Ipswich. A total of nine Yellow-crowned Night-Herons were reported. Least Bitterns disappeared and increased reports of American Bitterns were recorded from six widely scattered locations.

Fifty-two Wood Ducks were reported from Hingham on the 18th and Ring-necked Ducks were building up to sixty individuals in Lakeville. The first fall report of Redhead was a single bird from the Vineyard on the 24th. R.H.S.

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Common Loon:			
17.18	SRV, P.I.	1, 2	R.Walton, BBC
17.26	Mt. Wachusett	23, 1	P.Roberts#
Pied-billed Gr	rebe:		
3.5	Harwich, Monomoy	2, 1	W.Petersen
6-26, 11-12	Wellesley, Nantucket	1-3, 4	K.Winkler, R.Stymeist#
11.24	GMNWR	4,6	L.Robinson, G.Gove
18,19	P.I., S.Dartmouth	2, 1 1-3, 4 4, 6 3, 3	BBC, T.Raymond#
Cory's Shearwa	ater:		
2-3	off Nantucket etc.	max. 85	W.Russell, R.Viet# + v.o.
26,29	off Chatham, Barnstable (S	SN) 2,1	BBC, R.Pease
Greater Shear	water:		
	off Nantucket etc.	max. 300+	W.Russell, R.Viet# + v.o.
25,26	Stellwagen, off Chatham	500, 50	T.Raymond#, BBC
Sooty Shearwat	ter:		
2-3	off Nantucket etc.	15+	W.Russell, R.Viet#, + v.o.

SPECIES/DATE LOCATION NUMBER OBSERVERS Sooty Shearwater (continued): 25 Stellwagen 10 T.Raymond# Manx Shearwater: 2-3 off Nantucket etc. max. 6 W.Russell, R.Veit + v.o. 25.29 Stellwagen, Barnstable (SN) 20, 2 T.Raymond#, R.Pease Audubon's Shearwater: off Nantucket (Hydrographer Canyon) 2 R. Veit# + v.o. Wilson's Storm-Petrel: 2-3 off Nantucket etc. max. 500+ W.Russell, R.Veit# + v.o. 6 off Chatham 75+ W.Harrington White-faced Storm-Petrel: off Nantucket (Hydrographer Canyon) 1 2 W.Russell, R.Veit# + v.o. Leach's Storm-Petrel: 2 off Nantucket 2 W.Russell, R.Veit + v.o. 1,4 22.29 Barnstable (SN) R. Pease 29 Annisquam 1 H.Wiggin Northern Gannet 26 off Chatham 5 BRC Great Cormorant: 25 Salisbury 5 0.+N. Komar Double-crested Cormorant: 7,12 Canton, Scituate 237, 150 200±, 500, 850± R.Titus, SSBC 18,19,25 P.I., Monomoy, P.I. J.Berry, B.Nikula#, R.Stymeist# Great Blue Heron: thr.,5 Saugus, P.I. max. 6, 7 J.Berry, BBC 18 Eastham 39 M.Lvnch, S.Carroll Green Heron: 1.4 WBWS, Scituate 6, 4 R.Forster, D.Clapp 19 S.Dartmouth 2 T.Raymond# Little Blue Heron: 6,12;11 1 ad., 2 ad.; 1 Scituate; P.I. W.Petersen; BBC 11,19 M.V., P.I. 1 imm., 18 W.Manter, W.Petersen# Cattle Egret: 1-27,5-6 Ipswich, Marshfield 15, 1 v.o., D.Clapp Great Egret: Eastham, Woburn Chatham, Monomoy 1,3 2,2 R.Forster, G.Gove 1,5 J.Aylward#, W.Petersen 11,18 P.I., Squantum 4, 3 BBC, D.Brown 19,26 S.Dartmouth, E.Boston 15. 2 T.Raymond#, K.Winkler Snowy Egret: 1-25 P.I. max. 187 9/5 G.Gove + v.o. 13, 20 thr.,12 Saugus, Scituate J.Berry, SSBC Black-crowned Night-Heron: 5.12 P.I., Hingham 20, 10 BBC, R.Titus Yellow-crowned Night-Heron: WBWS, P.I., Nantucket 1 imm, 1 imm, 2 imm 1,5,6 R.Forster, W.Smith#, K.Harte# 12,18 Nantucket, Monomoy Squantum, P.I. 1 imm., 2 imm. R.Stymeist#, MBO (BAT) 18-19,30 1 ad., 1 ad. D.Brown, M.Baird American Bittern: 3.6 P.I., W.Newbury 1, 1 M.Lynch#, S.Carroll# G.Gove# + v.o.,M.Greenwalt# 11-26,12 GMNWR, Barnstable (SN) max. 3, 1 12,23 Hingham, S.Peabody 1, 2 R.Titus, R.Heil Glossy Ibis: thr.,7 M.V., P.I. 1, 2 A.Brown + v.o., F.Bouchard 18,19,24 6, 2, 1 T.Raymond#, W.Petersen#, L.Mallers Monomoy, Rowley, Hingham Snow Goose: 8 19 Milton E. Taylor Northern Pintail: 25 GMNWR 15 R.Forster Green-winged Teal: 18 P.I. 50± J. Berry Blue-winged Teal: 3,21 Harwich, Lexington 40.1 W.Petersen, J.Andrews Northern Shoveler: 5:25 Monomoy; GMNWR, P.I. 13; 4, 8 W.Petersen#;R.Forster,BBC Wood Duck: 18 Hingham 52 SSBC Redhead: 24 M.V. 1 A. Brown

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Ring-necked Du	ick:		
18,19	Lakeville, W.Newbury	60, 1	W.Petersen
Oldsquaw:			
2	Chatham (Morris I.)	l (on beach)	M.Lynch#
Common Eider:			
12	Scituate	75	SSBC
Ruddy Duck:			
5	P.I.	5	BBC
Hooded Mergans	ser:		
4	P.I.	2 f.	G.Gove

RAPTORS THROUGH RAILS

A <u>Mississippi Kite</u> was found with a broken leg in North Eastbn on September 1. The bird was captured and taken to the Trailside Museum and is now recovering at Drumlin Farm Wildlife Sanctuary in Lincoln. This was the seventh record for Massachusetts, the most recent being observed in Littleton on May 16, 1982.

The New England Hawk Watch, organized by Paul Roberts, reported good numbers of raptors from Mt. Wachusett. The best day for the big Broad-winged Hawk movement was September 17, when 3,077 were recorded, closely followed by 2,477 on the 19th; both days reported northwest winds. The reports from Mt. Wachusett also included: 81 Turkey Vulture, 4 Northern Goshawks, 572 Sharp-shinned, 12 Cooper's, 35 Red-tailed, 9 Redshouldered, amd 6,964 Broad-winged hawks, 29 Northern Harriers, 133 Osprey, and 89 American Kestrels.

A Golden Eagle was seen flying over Littleton on the 19th and Peregrine reports continue to increase, with at least 16 individuals noted this September.

Clapper Rails were found in Eastham on three occasions during the month.

maniana Mailterra

R.H.S.

Turkey Vulture	:		
1.5	P'town, S.Dartmouth	1, 1	J.Aylward, T.Raymond
5,9,11,12	Mt. Wachusett	15, 9, 11, 13	P.Roberts# + v.o.
17,19,25,26	Mt. Wachusett	9, 9, 13, 2	P.Roberts# + v.o.
19	Ipswich, S.Dartmouth	1, 1	W.Petersen, T.Raymond
Mississippi Ki			
1	N.Easton	l imm.	N.Smith
Northern Gosha	wk:		
9,12,17	Mt. Wachusett	1, 1, 2	P.Roberts# + v.o.
18	P.I.	1	BBC (I.Giriunas)
Sharp-shinned	Hawk:		
	Mt. Wachusett	2, 33, 15, 18	P.Roberts# + v.o.
17.19.24	Mt. Wachusett	63, 123, 89	P.Roberts# + v.o.
25,26	Mt. Wachusett	198, 32	P.Roberts# + v.o.
26,27,28	M.V.,Littleton,Marblehead	12, 18, 6	V.Laux#,J.Baird,R.Heil
Cooper's Hawk:			
17,19,25	Mt. Wachusett	5, 3, 4	P.Roberts# + v.o.
19;24	Chatham, ONWR; SRV	1, 1 ad., 1 H.Co	olidge#,M.Lynch;R.Walton
Red-tailed Haw	rk :		
5-26	Mt. Wachusett	35 (total)	P.Roberts# + v.o.
Red-shouldered	l Hawk:		
11,17,19,25	Mt. Wachusett	1, 3, 3, 2	P.Roberts# + v.o.
Broad-winged H	lawk :		
5,6,9	Mt. Wachusett		P.Roberts# + v.o.
11,12,17	Mt. Wachusett		P.Roberts# + v.o.
19,24,25,26	Mt. Wachusett	2477, 624, 227, 3	P.Roberts# + v.o.
Golden Eagle:			
19	Littleton	1	J.Baird
Bald Eagle:			
17,26,29	Plymouth, Monomoy, MBO	1 imm., 1 imm., 1	imm. MBO, BBC, MBO
Northern Harri	ler:		
5-27	Mt. Wachusett	29 (total)	P.Roberts# + v.o.
5.6	Rowley, P.I.	6, 4 imm.	D.Brown#, P.Roberts#
18	Marshfield, Bridgewater	4,2	SSBC
Osprey:			
5.6.9	Mt. Wachusett	3, 16, 3	P.Roberts# + v.o.
11,12,17,19	Mt. Wachusett	3, 1, 34, 45	P.Roberts# + v.o.
24.25.26	Mt. Wachusett	12, 14, 2	P.Roberts# + v.o.
,			

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Osprey (contin	nued):		
17,30;19	SRV; Lexington other reports of 12 indi	3, 7; 3 viduals from 8 1	R.Walton; J.Andrews
Peregrine Falo			
4 on	P.I.	reports of 7	individuals v.o.
5.6	Newbury, Yarmouth	1, 1 ad.	
12,15	Scituate, Nantucket		SSBC, N.Waldron
17,19	Squantum, Monomoy	1. 1 ad.	D.Brown, B.Nikula#
25,26,27	GMNWR, Truro, S.N.		R.Forster, R.Comeau, R.Pease
Merlin:		, -, -	
6,11	Ipswich, P.I.	1-2, 1	BBC
18	P.I., Truro, S.Shore	3, 2, 4	P.Roberts#,H.Wiggin#,SSBC
23-25,25	Framingham, GMNWR	3, 1	R.Forster
25;26	P.I.; Newton, M.V.	4; 1, 1	G.Gove; O.Komar#, V.Laux#
American Kestr		, -, -	
5,9,11,12	Mt. Wachusett	5, 3, 6, 1	P.Roberts# + v.o.
17,19,24	Mt. Wachusett	6, 12, 10	P.Roberts# + v.o.
25,26	Mt. Wachusett	28, 18	P.Roberts# + v.o.
Clapper Rail:			
2,6,12	Eastham	2, 2, 1	M.Lynch#, D.Brown#, S.Carroll#
Sora:			
6,19,23	Rowley, GMNWR, S. Peabody	4, 3, 3	M.Lynch#, G.Gove, R.Heil
Common Moorhen			,,
3	P.I., Harwich	16 imm., 1	R.Heil, W.Petersen
19,25	GMNWR, P.I.	5, 3	T.Raymond#, 0.+N.Komar

SHOREBIRDS

American Oystercatchers continued into the month at Monomoy and Nantucket as did Piping Plovers on Monomoy with a maximum of 22 reported. Lesser Golden-Plovers were noted at 14 locations through mid-month with high counts of 55 on M.V. and 54 in West Bridgewater. An American Woodcock was seen displaying in Ipswich. Whimbrels continued into September as did Upland Sandpipers and Willets. Solitary Sandpipers were noted from 18 locations. Red Knot numbers were still not impressive although more were counted than last year at this time. Three Purple Sandpipers were seen on the early date of 9/18 in Scituate; 13 were seen there on 9/13 last year. Bailey gave an early date of 10/1 and said that it is usually late October or early November when they first arrive. Baird's and Buff-breasted sandpipers were scarce this fall, particularly the former. The number of Stilt Sandpipers peaked on the third with 33 at P.I. Western Sandpipers were noted at nine coastal locations and five Marbled Godwits were reported with two continuing at Monomoy and one present in East Boston for most of the month. Three Ruffs in as many locations provided some late dates in mid-month. A Wilson's Phalarope continued into the month at WBWS and Red-necked Phalaropes were reported in numbers from two pelagic trips. Two adults were also present at Squantum. G.W.G.

American Oyst	ercatcher:		
2,18	Monomoy	4, 14	B.Cassie#, H.Wiggin#
11-12	Nantucket	5	R.Stymeist#
Semipalmated	Plover:		
2,4	Monomoy, Scituate	200, 150	B.Cassie#, D.Clapp
11,30		8, 1	W.Petersen, R.Walton
Piping Plover			wire over bein, in war oon
2-15	Monomoy	max. 22	v.o.
4,18	Chatham, S.Dartmouth	9, 3	W.Petersen, T.Raymond#
Killdeer:			and a second sec
10,11	W.Bridgewater, P.I.	26, 8	D.Clapp, BBC
18	Quincy to Lakeville	58	SSBC SSBC
Lesser Golden	-Plover:		
3-12,5-12	P.I.,Nantucket	max. 17(9/12).	max. <u>37(9/12)</u> v.o.
6-12,2-18	Scituate, Monomoy	2. max. 37(9/2)	v.o.
9-11,13-26	W.Bridgewater, Boston He	arbor max. 54(9/9).	max. 5(9/17) v.o.
thr.	M.V.	max. 55(9/5)	V.Laux, A.Brown
thr.	1-5 individuals from se	even locations.	, morent
Black-bellied	Plover:		
2,4	Monomoy, Chatham	500, 450	B.Cassie#, W.Petersen
4,30	Scituate, Wollaston	500+, 125	D.Clapp, H.Mallers

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Ruddy Turnston	e:		
2,5,6	Monomoy, P.I., Revere	3, 10,2	P Consist PPC D Cibers
12	Scituate, Marshfield	6, 60	B.Cassie#,BBC,D.Gibson
18	Duxbury, Plymouth	10, 12	SSBC
American Woodc		10, 12	SSBC
18		1 1	
	Bridgewater, Nantucket	1, 1	W.Petersen, G.Gove#
19,24	ONWR, Marshfield	1, 1	M.Lynch#, W.Petersen
20,21	Ipswich	2,1	J.Berry
Common Snipe:	100000 2000	122.00	
6,22	Milton, Andover	5,1	BBC, C.Melander
24	SRV	3	R.Walton
Whimbrel:			
1,2	WBWS, Eastham	17,7	R.Forster
5-25	P.I.	max. 6	v.o.
5,6	Monomoy	max. 20	v.o.
18,25	M.V., Squantum	25, 5	A.Brown, L.Robinson
Upland Sandpip	er:	12.1	
1	Newton, WBWS	1, 1	N.+O.Komar#,R.Forster
5,6	P.I., Monomoy	1, 1	BBC, B.Nikula#
5,9	Chatham, Newburyport	1, 1	B.Nikula#, F.Hamlen#
18,25	M.V., Nantucket	1, 1	
Spotted Sandpi		-, -	W.Manter, B.Nikula#
6,18	Ipswich, Manchester	2, 1	
	SRV	1	BBC
30		1	R.Walton
Solitary Sandp		and the second	
thr.	Chatham	max. 5	B.Nikula#
3,4	Woburn, Marshfield	4, 3	G.Gove, W.Smith#
6,8	Milton, Baldwinville	5,3	BBC, J.O'Regan
11-12	Nantucket	5	R.Stymeist#
16;18 SRV;H	alifax;Hingham,Marshfield	10; 2; 2, 4 R.	Walton; W. Petersen#; SSBC
21,23	Lexington, S.Peabody	3, 7	J.Andrews, R.Heil
26	M.V.	4	V.Laux#
	plus 5 individuals from 5	locations.	
Willet:			
2,18	Monomoy	1,2	J.Kricher#, H.Coolidge#
5-7,17-18	P.I., Squantum	1, 1	
18,19	Duxbury, Chatham	1, 8	v.o., v.o. SSBC, T.Vose#
Greater Yellow		-, -	5550, 1.Vosen
21,26	E.Boston	94, 70	C Fredeb V Webler
Lesser Yellowl		24, 10	S.Zendeh, K.Winkler
		200 200	
18,19 Pad Kast	P.I., Newburyport	300, 200	J.Berry, W.Petersen#
Red Knot:	Name Calturate	150 205	
2,4	Monomoy, Scituate	150, 325	B.Cassie#, D.Clapp
12,18	Scituate	75, 200	BBC, SSBC
Purple Sandpip			
18	Scituate	3	SSBC
Pectoral Sandr	iper:		
9-11	P.I.	max. 4	BBC
18	Bridgewater, Hingham	20, 2	SSBC
19	Monomoy	30	B.Nikula#
White-rumped S	andpiper:		
thr.	P.I.	max. 10	v.o.
6,12	Scituate, E.Boston	3, 30	H.Mallers, S.Zendeh
18	Hingham, Bridgewater	3, 1	SSBC
26	GMNWR	1	R.Walton
Baird's Sandpi		17	A. Walton
		1	1272
4,5 4-11	P.I.	1	v.o.
	Scituate		v.o.
5-19	Monomoy Glassestan Sauantum	max. 2(9/18)	v.o.
12,18	Gloucester, Squantum	1, 1	C.+K.Leahy, D.Brown
Least Sandpipe		50 200	
2,18	Monomoy, Scituate	50, 300	B.Cassie#, SSBC
Dunlin:		12.25	
18	Scituate	30	SSBC
Short-billed I	Owitcher:		
9-25	P.I.	max. 120(9/18)	v.o.
6;12,26	Revere; E.Boston		.Gibson; S. Zendeh, K. Winkler
18	Marshfield, Plymouth	8,7	SSBC
			2 3 2 M

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Long-billed De	owitcher:		
thr.	P.I.	max. 60(9/3)	v.o.
5-18	Monomoy	1-2	v.o.
Stilt Sandpip	er:		
1-25	P.I.	max. 33(9/3)	v.o.
17-19,19	Squantum, Wenham	2.2	D.Brown, W.Petersen
Semipalmated			
2,9	Monomoy, P.I.	100, 60	B.Cassie#, F.Hamlen#
30	Wollaston	37	H.Mallers
Western Sandp	iper:		
	P.I. + Newburyport	max. 6(9/3)(1 ad.	. + 5 juv.) v.o.
1,2	WBWS, Monomoy	1, 5	R.Forster, B.Cassie#
4-12	Scituate	max. 5(9/12)	v.o.
6,12	Revere, E.Boston	2, 15	D.Gibson, S.Zendeh
18	W.Falmouth; Hingham, Duxbury		P.Hallowell; SSBC
Buff-breasted		-, -, -	
4-11	P.I.	max. 7(9/11)	v.o.
2,12	Monomoy, M.V.	1, 4	P.O'Neil#, V.Laux
11-12	Nantucket	5	R.Stymeist#
Marbled Godwi		-	
5,11-12	Monomoy South, Nantucket	2, 1	W.Petersen#, L.Jodrey#
12-30,26	E.Boston, M.V.	1, 1	S.Zendeh+v.o., V.Laux#
Hudsonian God			
thr.	P.INewburyport	max. 8(9/6)	v.o.
2,18	Monomoy	8,1	B.Cassie#, T.Raymond#
21-26	E.Boston	2	v.o.
Ruff:			
14,15,18	Plymouth,Scituate,Squantum	1. 1. 1 f.	M.Forman#,S.Kellog,D.Brown
Sanderling:			
2,12	Monomoy, Scituate	400, 25	B.Cassie#, SSBC
Wilson's Phal			a network of the
1-2	WBWS	1	R.Forster
7-18	P.I.	max. 4(9/11)	v.o.
Red-necked Ph			
5,6	P.I., Chatham (8 mi. E.)	1, 31 BB	C (P.Arrigo), W.Harrington#
5,18	M.V., Squantum	1, 2 ad.	W.Manter, D.Brown
25,26	Stellwagen, Chatham	450+, 1	T.Raymond#, BBC

JAEGERS THROUGH WOODPECKERS

A pelagic trip to the Continental Shelf produced a number of rarities, as noted here and elsewhere in the records, including a <u>Long-tailed Jaeger</u>, a <u>South Polar Skua</u> and four late Arctic Terns. Eleven Lesser Black-backed Gulls were reported from six locations, including one from an inland site, and details on one of the birds were submitted. Submission of details on rare, uncommon or extralimital birds is always a good idea, particularly with the seemingly increasing numbers of such reports. These reports should include weather, observation conditions and methods, habitat, size relative to other birds present and as many details on structure, markings and color as possible. If a camera is available, photos would be useful.

Other larids reported included 220 Laughing Gulls sitting on the roof of the Jordan Marsh building in Squantum and a Sabine's Gull on Plymouth Beach. Most records of Sabine's Gulls frequently occur in late August and early September. Groups of Common Terns totalling 1175 individuals were noted flying south past Chatham on the 2nd. An Arctic Tern, identified by voice and observation, was reported on the late date of the 18th from Monomoy. Two Sandwich Terns were reported with details being provided on the Barnstable observation. Royal and Caspian Terns are represented and eleven Black Terns were seen at Nantucket.

The <u>Marbled Murrelet</u> reported captured and killed by a cat is bizarre and extraordinary; see the account of this record elsewhere in this issue.

Yellow-billed and Black-billed Cuckoos were still reported through the third week of the month but late dates extend into the 2nd week of October. The South Shore Bird Club found 13 individuals of three species of owls and, in Rutland State Park, six Barred Owls and a Saw-whet were found; obviously a good spot for these two species.

The Common Nighthawk migration continued between the 1st and 10th with 305 seen in Brockline between those dates after the 2395 counted there last month. The late date

was 9/25. Many reports of migrating Ruby-throated Hummingbirds were received this month compared to only three last year. Many were seen on the Mt. Wachusett Hawk Watch with a maximum of 13 on the 5th and 9 and 10 were seen at Marblehead Neck on the 2nd and 9th; how many slipped through between those dates is open to conjecture. Bailey in Birds of Massachusetts said "a top of 35 was recorded at Woreester on 9/13/49..."; this month's reports total over 60 but not on one date at one location; the highest total was 26 at Mt. Wachusett. The South Shore Bird Club counted 34 Belted Kingfishers on the 18th along with 97 Northern Flickers. Pileated Woodpeckers and sapsuckers.

G.W.G.

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Pomarine Jaege			
2;18	Hydrographers Canyon; Plymo		W.Russell, R. Veit#; SSBC
25,26	Stellwagen, E. of Chatham	3, 2	T.Raymond#, BBC
Parasitic Jaeg			
2	Hydrographers Canyon	4	W.Russell, R.Veit#
7,29	Plymouth, Barnstable	3, 7	MBO Staff, R.Pease
25,26	Stellwagen, E. of Chatham	5,1	T.Raymond#, BBC
Long-tailed Ja		4	
2	Hydrographers Canyon	1	W.Russell, R.Veit#
South Polar Sk			
2	Hydrographers Canyon	1	W.Russell, R.Veit#
Lesser Black-b	acked Gull:	0/01/01	
2,11,18	Monomoy 1(3-4W, details)	, 2(3-4W), 1(3W)	K.Winkler#,R.Heil#,T.Lloyd-Evans
6,7	Scituate, Nantucket Sd.		W) W.Petersen, K.Harte
19,30	Plymouth	1, 1	T.Lloyd-Evans, D.Evared#
26	E. of Chatham	2	BBC
29	Clinton	1	D.Crompton#
Laughing Gull:			
4,18	Scituate, Squantum	12, 220	W.Smith, D.Brown
Bonaparte's Gu			
18	Newburyport	200	BBC
Little Gull:		-	
thr.	Newburyport	l ad.	v.o.
Sabine's Gull:			
7	Plymouth	1	D.Evared, M.Forman
Black-legged K			
18,26	Monomoy, E. of Chatham	1, 3	MBO Staff, BBC
Forster's Tern		1 -	
4,19	Chatham, Hyannis	6,2	W.Petersen, J.Heywood#
2,11,18	Monomoy	7,25,3 В.	.Cassie#,R.Heil,T.Raymond#
6,11	S.Dartmouth, Nauset	1, 30	T.Raymond, R.Heil
16,18;26	Plymouth; E.of Chatham	2, 1; 3	D.Evared#,SSBC;BBC
Common Tern:	100 Co.	0000	
2	Chatham	1175	M.Lynch + S.Carroll
4,18	P.I., Newburyport	40, 76	BBC
11-18	Nantucket	1200+	R.Stymeist#
Arctic Tern:			
2	Hydrographer's Canyon	4	W.Russell, R.Veit#
18	Monomoy	l calling & seen	n H.Wiggin + H.Coolidge
Roseate Tern:			
2,11-12	Hydrographer's Canyon, Nant	ucket 20, 50 W.	.Russell,R.Veit#,R.Stymeist#
8,11;12	Nausec, Monomoy, barnstable	, 300+; 100	B.Nikula#; N.Komar#
18	Plymouth, Scituate	4,1	SSBC
Least Tern:			
4,5;18	P.I.; Scituate	6, 1; 1	BBC; SSBC
Royal Tern:			
3,12	Chatham, Nantucket	1, 1	R.Forster#, G.Gove#
Sandwich Tern:		2	
12,16	Barnstable, Plymouth	1, 1	0.+N.Komar#, D.Evared#
Caspian Tern:			
5,29	Nantucket Sd., Squantum	1, 2	K.Harte, R.Emery+G.Wilson
27,30	Newburyport, P.I.	2,1	H.D'Entremont#, M.Baird#
Black Tern:			
5;12	P.I.;Nantucket,Barnstable	1; 11, 1	BBC; E. Andrews#, O. Komar#
18,25	N.Weymouth,Stellwagen	5,1	D.Brown, T.Raymond#
Marbled Murrel			
17	Middleboro	1	Harrison - fide K.Anderson
	(See details in this issue)	

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Yellow-billed C	uckoo:		
2,19	Annisquam, ONWR	1, 1	H.Wiggin, M.Lynch#
Black-billed Cu			
5,6	Chatham, Milton	1,1	D.Brown#, W.Petersen#
12;18	Truro; Marshfield, Plymouth		S.Carroll#; SSBC
	ONWR, Rockport, Lexington	1, 1, 1	M.Lynch#, V.Albee#, J.Andrews
19,20,26		±, ±, ±	
Eastern Screech	-OWI:	1. 1. 2	B.Reilly; SSBC
8;18	Annisquam; Hingham, Bridgewat	1, 4, 4	SSBC
18	Mrashfield, Plymouth	1, 1	0000
Great Horned Ow			aana
18	Hingham, Marshfield	2, 2	SSBC
18,19	Chatham, W.Yarmouth	1, 1	S.Carroll#, H.Coolidge#
Barred Owl:		14	state of the second state and the
17,18	Rutland, Middleboro	6,1	M.Lynch#, W.Petersen
Long-eared Owl:			
18	Middleboro	1	SSBC
Short-eared Owl			
5,18	Monomoy	1, 3	W.Petersen#, T.Raymond#
	and the second	-, -	,
Northern Saw-wh		2	S.Carroll#
17	Rutland	6	D. OGIIOLLA
Whip-poor-will:			K.Anderson
8,13	E.Middleboro	1 calling	K.Anderson
Common Nighthaw			
1	E.Orleans, Newton	3, 100	D.Williams, O.Komar#
2,3,7	Brookline	127, 108, 70	R.Stymeist + J.Heywood
3:6	Woburn; Wellesley, Lexington	80; 7, 6	G.Gove;K.Winkler,J.Andrews
6,10	Yarmouthport, SRV	7.14	J.Aylward, R.Walton
11,14	Sandwich, Newton	3, 8	R.Pease, N.Komar#
23,24	Framingham, Brookline	2, 2	R.Forster, R.Stymeist
25	Wayland, Framingham	1, 1	R.Forster
Chimney Swift:	nay tana, i tamtingnam	-, -	
	Annisquam, Mt. Wachusett	6.3	H.Wiggin, BBC
3,12			W.Petersen, SSBC
18	Scituate, Hingham	1, 1	witebersen, bbbe
Ruby-throated H		20/0/5)	P.Roberts#
5-19	Mt.Wachusett	max. <u>13(9/5)</u>	
2,9	MNWS	9, 10	R.Heil
4,6,8	Wellesley, Milton, Lexington		K.Winkler, D. Brown#, J. Carter
13	Easton	1	K.Ryan
18	Duxbury, Truro	2,5	SSBC, M.Lynch#
26	Brookline	1	N.Hubbard
Belted Kingfish	her:		
thr.	Beverly to Revere on RR	max. 4	J.Berry
18	7 locations on South Shore		SSBC
Northern Flicke		<u></u>	
3.8	Annisquam, SRV	5,8	H.Wiggin, R.Walton
18	P.I., 7 locales on South S	home 0 07 to	
		1010 9, 91 00	our 0.20119, 2020
Pileated Woodpe	ecker:		V Winklow F Bouchand P Forster
4;19		ngnam 2;1,1	K.Winkler; F. Bouchard, R. Forster
Red-headed Wood			
5;11	P.I., M.V.;Nantucket	l, limm;l	NWR Staff, V. Laux#; G. Soucy#
12,19	Truro, Wellfleet	1 ad, 1	M.Lynch#, T.Lloyd-Evans
Yellow-bellied	Sapsucker:		
11,18	Scusset, P.I.	1, 1	M.Argue, BBC
21,24	Framingham, Milton	1, 1	R.Forster, R.Campbell#
25,27	P.I., Littleton	1 imm., 1	BBC, J.Baird
		Sen Chicken of a second	a de la constante en la constante de

FLYCATCHERS THROUGH SHRIKES

The September phase of fall passerine migration produced few noteworthy events. All Winter Wren reports were concentrated in a two day period, beginning on the 18th. This constitutes a surprisingly time-peaked migratory pulse. Towards the end of September, Blue Jays were conspicuously migrating. In past years, such jay movements have been correlated with poor wild food crop situations, particularly acorn crop failures. During the last weekend of the month, numbers of catbirds, thrashers, and Golden-crowned Kinglets on Plum Island indicated a major migratory movement.

The South Shore Bird Club's fall Roundup on September 18 produced high counts for quite a number of species, particularly jays, chickadees and catbirds. Eastern Bluebird reports were generally scarce for the month, providing continuing evidence of the disastrous effects of this year's April snowstorm. Common Raven is apparently becoming more so in the eastern part of the state. Of particular note is the sighting on Plum Island, the only known recent record from a lowland coastal Massachusetts location.

Rarities were dominated by the well-described occurrence of a Fork-tailed Flycatcher on Nantucket. This nearly unmistakable South/Central American vagrant was in good plumage, with a full-length tail. A single Sedge Wren report has become a September tradition, but occurrence of this species is always noteworthy. This year's individual was discovered because of its distinctive chip note. It was subsequently well observed, along a small Framingham stream flanked by grasses and sedge. A Loggerhead Shrike, never common in this region, turned up at Marshfield on September ¹, an average date based on previous late summer and fall records. L.E.T.

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Eastern Kingbin	ră:		
1,6	Eastham, Ipswich	11, 10+	R.Forster, BBC
11,18	Belmont, Hingham	11, 1	L.Taylor, SSBC
19,20	P.I., Littleton	1, 1	W.Petersen#, J.Baird
Great Crested 1			
4,5,11	P.I., Monomoy, MNWS	6, 1, 1	BBC, W.Petersen#, BBC
Fork-tailed Fly		0, 1, 1	,,,
		1	Holt (fide E.Andrews)
16 & 18	Nantucket	1	hoit (lide E.Andrews)
Eastern Phoebe			2002 D D
18,28	S.Shore (6 locations), Fram	ingham 13, (SSBC, R.Forster
Empidonax spect			den den er den ser den ser er e
2,6	MNWS, Milton	15, 4	R.Heil, D.Brown#
12,18	Scituate, P.I.	1, 1	SSBC, BBC
Yellow-bellied	Flycatcher:		
2,4	MNWS, Chatham	4, 1	R.Heil, W.Petersen
5,7	Lexington, Milton	1 imm., 1	J.Andrews, R.Titus
8,12	MNWS, Nantucket	3, 1	R.Heil, R.Stymeist#
		J, ±	merry moojacrow
Least Flycatch		1 calling	R.Heil
2	MINWS	1 carring	N.HELL
Eastern Wood-P		- 1	
11,19	P.I., Mt.Watatic	1,4	BBC, L.Taylor
Olive-sided Fl	ycatcher:		
1,8,11	MNWS	2, 1, 1	R.Heil
4,5	Wellesley, Chatham	2, 1	K.Winkler, B.Nikula#
7-12	3 locations	4 individuals	v.o.
12,18	Nantucket	1, 1	R.Stymeist#
Tree Swallow:			
1,4-18	GMNWR, P.I.	100+, 600 max.	L.Taylor, v.o.
		426, 3000+	SSBC, J.Aylward
18,23	S.Shore, Sandwich	30	BBC
26	Monomoy	30	DDC
Bank Swallow:	the second s		
1,5	GMNWR, P.I.	30, 10	L.Taylor, BBC
18	Plymouth	1	SSBC
Barn Swallow:			
1,18	GMNWR, S.Shore (4 location	ns) 40,21	L.Taylor, SSBC
Cliff Swallow:			
1,2	GMNWR, Monomoy	8,1	L.Taylor, B.Cassie#
Purple Martin:		Č	
4,5,11	P.I.	60, 10, 2	BBC
18	Milton, P.I.	1, 1	SSBC, MBO
	M1100n, 1.1.	-, -	
Blue Jay:	Wellesley, S.Shore (8 loca	stions) 20 migment	600 K Winklaw SERC
18		acions/ 50 migrant	
21,24	Cambridge, SRV	35, 85	F.Bouchard, R.Walton
24,28	Chatham, Belmont	250, 21	B.Nikula, L.Robinson
Common Raven:		and the second se	
4-6,5-26	P.I., Mt. Wachusett		Stymeist#+v.o., P.Roberts#
19	Mt. Watatic	1	L.Taylor
American Crow:			
18,30	S.Shore (7 locations), SRV	399, 161	SSBC, R.Walton
Fish Crow:		1.000 m 1000 m	
1,14	Whitman, Newton	1, 5	W.Petersen, O.Komar
1,14	Halifax	1	W.Petersen#
		÷	nii o ool o clin
Black-capped C	(Change (8 leasting)	587	SSBC
18	S.Shore (8 locations)	501	0000

LOCATION SPECIES/DATE NUMBER OBSERVERS Tufted Titmouse: 18 S.Shore (7 locations) 78 SSBC Red-breasted Nuthatch: 2 Cambridge, Annisquam 1, 1 7, 1 F.Bouchard, H.Wiggin 18 Bridgewater, Quincy SSBC Brown Creeper: 8,11 MBO, Wellesley 1 b., 1 MBO Staff, K.Winkler 18,25 S.Shore (3 locations), P.I. 7, 5 SSBC. BBC House Wren: 8 locations 3-19 9 individuals v.o. Winter Wren: 18 S.Shore(3 locations), Waltham 3,1 SSBC, L. Taylor 18.19 WBWS, Nantucket 1, 2 b. D.Reynolds, E.Andrews# Carolina Wren: 18 Marshfield 1 SSBC Marsh Wren: 18,24 Marshfield, GMNWR 15, 18 SSBC, G.Gove Sedge Wren: 25 Framingham 1 R.Forster Northern Mockingbird: 18 S.Shore (8 locations) 85 SSBC Gray Catbird: Eastham, P.I. 26, 25 S.Shore (8 locations), P.I. 165, 63 1,7 R.Forster, F.Bouchard SSBC, R.Stymeist# Brown Thrasher: 18,25 S.Shore(3 locations), P.I. 11, 10 SSBC, P.Roberts# Wood Thrush: 18,19 Marshfield, ONWR 2, 1 SSBC, M.Lynch# 19 Whitman 3 W.Petersen Hermit Thrush: 2 MNWS 1 R.Heil Swainson's Thrush: 5,6 Wellesley, Milton 1. 1 K.Winkler, D.Brown# 8-26 6 locations 8 individuals v.o. 19 ONWR, MNWS 4, 5 S.Carroll#,W.Petersen# Gray-cheeked Thrush: 11,13 Nantucket, MBO 1, 1 b. E. Fisk, MBO Staff Veery: 1,2;19 MNWS 10, 5; 3 2, 3 R.Heil; W.Petersen# 4,18 Wellesley, S.Shore K.Winkler, SSBC Eastern Bluebird: 20 Middleboro pair J.McDonald# Blue-gray Gnatcatcher: 2.4 MNWS, Chatham 3, 2 R.Heil, W.Petersen 6 Annisquam 1 H.Wiggin Golden-crowned Kinglet: 11,25 P.I. 1, 35+ BBC, v.o. 12,24 Nantucket, Annisquam 2, 1 R.Stymeist, H.Wiggin 28,30 MNWS, MBO 4. 1 b. R.Heil, MBO Staff Ruby-crowned Kinglet: 6,18 Ipswich, S.Shore (5 locations) 1, 10 BBC, SSBC 11-25 3 locations 7 individuals v.o. Water Pipit: 9-25,18 P.I., S.Shore (2 locations) 13 max., 2 v.o., SSBC 21,25 SRV, Salisbury 12, 13 R.Walton, BBC Cedar Waxwing: 2,5 Annisquam, Marshfield 220, 75 H.Wiggin, D.Clapp R.Walton, L.Taylor 8,18 SRV, Belmont 12, 40+ Loggerhead Shrike: Marshfield 1 D.Clapp#

VIREOS THROUGH BLACKBIRDS

The expected six species of vireo passed through in September in typical numbers and with approximately normal timing. A Golden-winged Warbler which was banded at Manomet had lingered almost a month beyond regular departure dates. <u>Yellow-throated Warblers</u> occur regionally at an average rate of one per fall season, usually at southeastern coastal locations. This year's individual was at Marblehead Neck.

Bobolink counts of over 500 have been uncommon, at least in recent years. The 800+ Newton count was the result of intensive (all-day) efforts by the observers. Yellowheaded Blackbirds have been occurring frequently enough during fall migrations lately to have attained "expected" status. The 1982 count of five individuals is about typical, as are the extreme southeastern Massachusetts locations. L.E.T.

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
White-eyed Vire	o:		
5,6	MNWS, S.Dartmouth	1, 3	W.Smith#, T. Raymond
11,25	P.I.	1, 1	R.Emery#, M.Lynch#
26	Nantucket	1 b.	E.Fisk
Yellow-throated	Vireo:		
5,6	MNWS	1,2	v.o.
6-19	11 locations	12 individuals	v.o.
20,24	Sandwich, MBO	1, 1 b.	R.Pease, MBO Staff
Solitary Vireo:			A A STATE AND A A A A A A A A A A A A A A A A A A
12,13	Chatham, MBO	2, 1 b.	S.Carroll#, MBO Staff
18-25	5 locations	7 individuals	v.o.
	Littleton, SRV		J.Baird, R.Walton
		3,1	J.Dalla, M.Marton
Red-eyed Vireo:		20 501 05	P. Hail, W. Patamaan
2,8;19	MNWS	30, 50+; 25	R.Heil; W.Petersen
6,18	Milton, Duxbury	5, 23	BBC, SSBC
Philadelphia Vi			
	MNWS	2, 5, 3, 3	R.Heil#
3-27	ll locations	17 individuals	v.o.
7.30	MBO	1 b., 1 b.	MBO Staff
7,30 18	Duxbury	4	SSBC
Warbling Vireo:			
	MNWS	2, 3, 2	R.Heil#
4-21	14 locations		several singing) v.o.
23,29	S.Peabody, Sandwich	2, 1	R.Heil, R.Pease
		c, 1	Minerr, Milease
Black-and-white		01 10 h	D Hada P Andrews
2,4-19		21, 12 b.	R.Heil, E.Andrews
4-18	3 locations	6 individuals	V.O.
18,25	Duxbury, Milton	6,2	SSBC, R.Campbell#
Worm-eating War	bler:		
5	M.V.	1	V.Laux#
Golden-winged W	arbler:		
4,6	MINWS, MBO	1 ad. m., 1 b.	J.Berry, MBO Staff
18,30		1, 1 b.	MBO Staff
Blue-winged War			
2,3-6		1, 3	R.Heil, v.o.
14,18		1 b., 1	E.Andrews#, W.Petersen#
Tennessee Warbl			
4,5-18	Chatham, Nantucket	6, 11 b.	W.Petersen,E.Andrews
	4 locations, MBO	5, 5 b.	v.o., MBO Staff
6-18,16		3	
25	Wellesley	3	K.Winkler
Orange-crowned	Warbler:	- 1	
11,16-19	Hingham, 4 locations Milton (F.M.),Lexington	1,4	R.Titus, v.o.
		1, 1	G.D'Entremont#,J.Andrews
Nashville Warbl			
4-18	5 locations	7 individuals	v.o.
Northern Parula	.:		
5,8-25	Wellesley, 5 locations	2,9	K.Winkler, v.o.
11,18	SRV, S.Shore (3 locations)	5, 11	R.Walton, SSBC
Yellow Warbler:			
1,4-11	GMNWR, P.I.	1, 2 max.	L.Taylor, v.o.
5,11	Monomoy, Belmont	2, 1	W.Petersen#,L.Robinson
Magnolia Warble		-, -	
1-15,6-25	Nantucket, 4 locations	5 b., 8	E.Andrews, v.o.
		<i>J</i> 0., 0	L.Andrews, V.O.
Cape May Warble		12 2 15	D Andressa at a
1-19,4-24	Nantucket, 7 locations	13 b., 15	E.Andrews, v.o.
Black-throated			
1-25,6	6 locations, Mt.Wachusett	7, 12	v.o., T.Lipsky
Yellow-rumped W	Varbler:		
4,25	P.I.	6, 15	BBC, N.+O.Komar
25,28	Wellesley, Belmont	60, 11	K.Winkler, L.Robinson
	Green Warbler:	No. Concernance	
3-18	4 locations	7	v.o.
Blackburnian Wa		A	
	P.I.; Nantucket	1, 1; 5 b.	BBC; E.Andrews
18	Chatham, Marshfield	1, 1	M.Lynch#, SSBC
		-, -	,

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Yellow-throate	d Warbler:		
28	MNWS	1	R.Heil
Chestnut-sided			
1,4	Newton, Annisquam	1, 1	O.Komar#, H.Wiggin
6-18,26	4 locations, Wellesley	7,1	v.o., K.Winkler
Bay-breasted W			
1-19,1-30	Nantucket, MBO	10 ъ., 6 ъ.	E.Andrews, MBO Staff
2,1-24	MNWS, 5 locations	35+, 5	R.Heil, v.o.
Blackpoll Warb			
4-12,11-19	4 locations, Nantucket	21, 15 b.	v.o., E.Andrews
18,23	S.Shore (7 locations), S	.Peabody 69, 75	SSBC, R.Heil
Pine Warbler:			
1,4-19	Newton, E.Middleboro	1, 2	O.Komar#, K.Anderson
11,12	MNWS, Barnstable	2,1	BBC, O.Komar#
Prairie Warble			10000
25	P.I.	1	N.Komar
Palm Warbler:			1.1.1.1
5,18;18	P.I.; S.Shore (2 location		v.o.; SSBC
13,20	Newton	2, 3	N.+O.Komar
Ovenbird:			
4,17-19	Wellesley, Nantucket	1, 4 b.	K.Winkler, E.Andrews
25	Salisbury	1	N.Komar#
Northern Water			
2,4-14	MNWS, 3 locations	10, 3	R.Heil, v.o.
16-19,18	Nantucket, S.Shore (3 loc	cations) 8 b., 4	E.Andrews, SSBC
Connecticut Wa			
4,5	Annisquam, MNWS	1, 1	H.Wiggin, R.Heil
5	M.V., S.Dartmouth	1, 1	V.Laux, T.Raymond
6-25,24	6 locations, MBO	8, 1 ъ.	v.o., MBO Staff
10,11	Nantucket	1 b., 1 b.	E.Fisk, E.Andrews
Mourning Warble			
2,6;5	MNWS; Chatham	1, 1; 1	R.Heil; J.Aylward
4,18,24	Nantucket	1 b., 1 b., 1 b.	E.Andrews
6,18	Milton (F.M.), Truro	1, 1	D.Brown#, D.Reynolds#
Common Yellowth			
1-19,4	Nantucket, Wellesley	51 b., 4	E.Andrews, K.Winkler
Yellow-breasted			
1,5;12	MNWS; Truro	1, 1; 1	R.Heil; S.Carroll#
4,19;24	Nantucket; M.V.	1 b., 1 b.; 1	E.Andrews; V.Laux
25,27	Nahant, Lexington	1, 1	L.Pivacek, A.Williams
Wilson's Warble			
5-18,12	3 locations, Scituate	4,4	v.o., SSBC
18,25	S.Shore (3 locations), P.	I. 4, 1	SSBC, N.Komar#
Canada Warbler:			
2,4	MNWS, Wellesley	9,2	R.Heil, K.Winkler
4-19	5 locations	5	v.o.
American Redsta		and the second	
1-19,2	Nantucket, MNWS	17 b., <u>65</u>	E.Andrews, R.Heil
11-15,11	Nantucket, MNWS	15 b., 10	E.Fisk, BBC
Bobolink:		and a second second second second	
1,4,13;1	Newton; MNWS	320,829, 120; 100	N.+O.Komar#; R.Heil
5,6;8	Lincoln; SRV	200, 600; 216	I.C.T.Nisbet; R.Walton
10-18,25	W.Bridgewater, Nantucket	150 max., 80+	v.o., B.Nikula#
Yellow-headed H			
5	Monomoy Pt., M.V.	2 imm. m., 2	B.Nikula#, V.Laux
11	Nantucket	lad.m. N.	Claflin fide R.Stymeist
Northern Oriole			
12,13	Truro, Newton	6,1	M.Lynch, N.Komar
Rusty Blackbird			
6,18	Milton (F.M.), Wellesley	3, 1 m.	D.Brown#, K.Winkler
Common Grackle:			
18,21	Marshfield, Cambridge	4000, 60	SSBC, F.Bouchard
Brown-headed Co			
18	Bridgewater	100	SSBC
Scarlet Tanager			
6-25	4 locations	7	v.o.

GROSBEAKS THROUGH SPARROWS

Blue Grosbeaks were reported from the traditional locations on the Vineyard, Nantucket and Corn Hill, Truro. A pair of American Goldfinches were observed feeding five young at a nest found at Fresh Pond in Cambridge. Nesting time of goldfinches normally is correlated with maturing thisles, with seeds used for food and thisle down for nest building. The latest date on record is September 25 nationwide. C.W.Townsend (Birds of Essex County, Massachusetts, 1920, pg. 140-supplement) said that once in early October he found young goldfinches only a few days old.

A sparrow, thought to resemble a Le Conte's was observed at Plum Island on September 12. Although details were submitted by the observers, the possibility of the Acadian race of the Sharp-tailed Sparrow should not be overlooked. The clear buffy-yellow or straw colored throat of the Le Conte's Sparrow was not mentioned; in fact the observers noted a complete lack of yellowish color. The time period is within the height of the Sharp-tailed Sparrow migration; note the report of 45 in the Plum Island area on the 18th. Lark Sparrows were noted from the Vineyard, Nantucket and Salisbury. A Clay-colored Sparrow was found on Plum Island and well described. The first whitethroats were reported on the 11th and Lincoln's Sparrow was well represented. R.H.S.

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS		
Rose-breaste	d Grosbeak:				
2,6-24	MNWS, Annisquam	6, total of 8	R.Heil, H.Wiggin	ř.	
12,18	Sharon, W.Newbury	6, 2	H.Mallers, BBC		
Blue Grosbea	.k :				
11,18,26	Nantucket	1, 1, 2	G.Soucy, R.Stymeist#	.B.Nikula	
24,26	Gay Head, Truro	1, 3	V.Laux, R.Comeau		
Indigo Bunti					
11,14	Nantucket, Lincoln	4,2	R.Stymeist#, L.T	avlor	
16,18	SRV, Halifax	5, 7		R.Walton, W.Petersen#	
20,26	Concord, Belmont	15, 3	R.Walton, L.Tayl		
Purple Finch					
5,6	P.I., Ipswich	10, 3	BBC		
American Gol		, -	220		
3	Cambridge (Fresh Pond)	2 ad. feeding	5 vg at nest F Bouch	hra	
6,18	Milton, Nantucket	20, 110+	D.Brown#, R.Stym		
Rufous-sided		,	D.D.Owna, N.Ooym	CISCH	
6,8	Milton, SRV	8, 5	D.Brown#, R.Walt		
25	Stellwagen	1	T.Raymond#	on	
Savannah Spa			1. Naymond#		
10,12	W.Bridgewater, Scituate	6 1	D Gloss CODG		
18	Marshfield, Duxbury, Bridg	overton 10 12	D.Clapp, SSBC 6 SSBC		
20	Concord	65 65	R.Walton		
Grasshopper :		0)	R. WALCON		
11,26	Nantucket	1 1	0 0		
Sharp-tailed		1, 1	G.Soucy#, B.Niku	la#	
12,18		Access of the second	10 kr		
18,25	Barnstable(SN), P.I. (Incl Scituate, Salisbury	during Frumbush/		.Berry	
		0, 10	SSBC, BBC		
Seaside Spar: 18		1 0			
	Squantum, Scituate	1, 2	D.Brown, W.Peters		
18,25	Eastham, Newburyport	1, 1	M.Lynch#, BBC (Ge	ove)	
Vesper Sparro					
12,18	Wellfleet, Truro	1, 1	M.Lynch, S.Carrol	11	
Lark Sparrow		100.0			
1,5	Squibnocket (M.V.)	1, 1	W.Manter, V.Laux	2.25.25	
19,26		1, 1	W.Petersen#,B.Nil	cula#	
Dark-eyed Jun					
11,23	SRV, Framingham	1, 1	R.Walton, R.Forst		
26,29	Marshfield, Cambridge	8, 11	D.Clapp, F.Boucha	ard	
Chipping Span					
5,6	P.I., Milton (F.M.)	10, 30	BBC, D.Brown#		
Clay-colored	Sparrow: (details on file)				
19	P.I.	1	W.Petersen#		
White-crowned					
18	Lexington	3 ad.	J.Andrews		
Field Sparrow					
3,8;5	Annisquam; Milton	1, 3; 5	H.Wiggin; D.Brown	1#	
White-throate	and the second				
11;18	Wellesley; P.I., SRV	1; 2, 7	K.Winkler; BBC, R.W	lalton	

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS
Lincoln's Spar	row:		
	Milton, Newton	2, 1	D.Brown#, O.Komar#
6,14 18	Truro, Duxbury, N. Weymouth	1, 1, 1	M. Lynch#, SSBC, D. Brown
18	Wellesley, Framingham	1, 2	K.Winkler, R.Forster
19,20	Lexington, Concord	4.3	J.Andrews, R.Walton
20,21,26,30	Newton	2.4.3.4	N.+O.Komar
23	S.Peabody, Framingham	7,4	R.Heil, R.Forster
25.26	P.I., Wellesley	1, 1	R.Stymeist, K.Winkler
Song Sparrow:			
6	Milton (F.M.)	40	D.Brown
18	S.Shore (8 locations)	139	SSBC
20,30	Cambridge, SRV	20, 18	F.Bouchard, R.Walton

LIST OF ABBREVIATIONS

ad.	adult	F.M.	Fowl Meadow, Milton
alt.	alternate (plumage)	gr.	greater as in Gr.Boston area
b.	banded	Ī.	Island
br.	breeding	M. V.	Martha's Vineyard
dk.	dark (phase)	Mt.A.	Mt. Auburn Cemetery, Cambridge
f.	female	Nant.	Nantucket
	fledge	Newbypt	Newburyport
imm.	immature	ONWR	
Contraction of the	individuals	P.I.	Plum Island
loc.	locations	P'town	Provincetown
lt.	light (phase)	R.P.	Race Point, Provincetown
m.	male	S.N.	Sandy Neck, Barnstable
max.	maximum	Stellw.	
migr.		ABC	Allen Bird Club
ph.	photographed	BBC	Brookline Bird Club
pl.	plumage	BOEM	Bird Observer of Eastern Massachusetts
pr.	pair	CBC	Christmas Bird Count
	throughout	DFWS	Drumlin Farm Wildlife Sanctuary
v.o.	various observers	FBC	Forbush Bird Club
W	winter (2W = second winter)	GBBBC	Greater Boston Breeding Bird Census
w/	with	GMINWR	Great Meadows National Wildlife Refuge
yg.	young	IRWS	Ipswich River Wildlife Sanctuary
#	additional observers	MAS	Massachusetts Audubon Society
A.A.	Arnold Arboretum	MBO	Manomet Bird Observatory
A.P.	Andrews Point, Rockport	MNWS	Marblehead Neck Wildlife Sanctuary
Buzz.	Buzzards (Bay)	NBBC	Newburyport Breeding Bird Census
C.Cod		SSBC	South Shore Bird Club
E.P.		TASL	Take a Second Look (BOEM project)
F.E.		WBWS	Wellfleet Bay Wildlife Sanctuary
F.H.	Fort Hill, Eastham	WMWS	Wachusett Meadows Wildlife Sanctuary
r.n.	roro miri, basonam		

THE AMERICAN ORNITHOLOGISTS' UNION

The American Ornithologists' Union, oldest and largest of the ornithological societies in North America, is celebrating the hundredth anniversary of its founding in 1983. Its guarterly journal, THE AUK, now includes about 1000 pages a year of papers on a wide variety of ornithological topics. The long-awaited sixth edition of the AOU Checklist of North American Birds will be published in time for the centennial meeting. If interested in knowing more about the AOU please write to Membership Chairman Dr. Gustav A. Swanson, Department of Fishery and Wildlife Biology, Colorado State University, Ft. Collins, CO 80523.