Field Records: October 1983



by Robert H. Stymeist, Lee E. Taylor

October's bright blue weather was no exception this year. In spite of an unseasonably warm first two weeks, which made for an extended display of foliage, the month averaged out just 0.4° above normal. The high mark reached 85° on the fourth, tying the record for that date. Record nighttime lows were broken on the third and again on the thirteenth, with 65° and 66° respectively. The first two weeks averaged more than 6° above normal, but the rest of the month was mostly on the cool side, with the last half of the month averaging 4.5° below normal. The monthly low was 32° on October 30; this first freeze of the season came just eight days earlier than average. Many inland suburbs had their first freeze on the twentieth, two to three weeks later than normal. Precipitation totaled 3.7^4 inches, less than an inch more than normal.

LOONS THROUGH HERONS

Both species of loons were migrating past Sandy Hook in Barnstable on the twenty-fifth, a day with a moderate northeast wind. Pied-billed Grebes were reported in fairly good numbers and an inland record of Red-necked Grebe at Lakeville was well described. On October 24, a fairly gusty northeast wind blew birds past Sandy Neck; Bob Pease noticed a bird that "dwarfed the Gannets; with a solid black back and upperwings; a white head and body; bill color not seen; bird never flapped the entire time". Mr. Pease watched what he believed to be an albatross for three to four minutes.

Shearwaters were present at Stellwagon at the end of the month, but not anywhere near the numbers of previous Octobers. A total of 75 Greater Shearwaters, as compared with over fifteen hundred last year, were counted on the BBC trip out of Plymouth. Twenty Manx Shearwaters, on the other hand, were reported as compared with just eight on last year's trip.

Interesting is the report of a possible Band-rumped Storm-Petrel (<u>Oceanodroma castro</u>) seen off Andrews Point in Rockport on October 25, 1983. This sighting should be considered hypothetical, for the species has not yet been proven to occur in Massachusetts by either a specimen or a photograph. Richard Heil of Peabody submitted the following description in the hope that with future possible or confirmed sightings, a clearer picture of the status and distribution of Band-rumped Storm-Petrel in the western North Atlantic can be formed:

A storm-petrel observed Oct. 25, 1983, 150-200 yds. off Andrews Pt., Rockport for ca. 3-4 minutes at approx. 1100 hrs. did not fit the description of either of the two common storm-petrels in our area; the Wilson's and Leach's.

This was the second day of a northeast storm with winds out of the NE at 10-15 MPH, overcast, but with no precipitation at the time of the sighting. Visibility was fairly good, probably 3 miles.

Appearance and behavior was strikingly <u>intermediate</u> between Wilson's and Leach's. Size intermediate or closer to Leach's; wings <u>distinctly pointed</u> like Leach's, but not as long or as crooked at the bend like that species, but quite unlike the broad rounded wings of a Wilson's. The upperparts including the wings were more blackish than the usually grayish-brown Leach's, approximating Wilson's in this regard. Each upper wing possessed a dull whitish band similar to that of Leach's, but darker than Wilson's. The rump was <u>gleaming white</u>, with no observable darker band of feathering through the center typical of Leach's. The precise shape of the rump patch, despite all efforts, just could not be discerned at the distance involved. I have never seen a Leach's with a rump patch anywhere near this white and obvious. The dark tail was not visibly forked. The flight behavior was unlike Leach's bounding, gliding and sharply veering manner, but seemed to approximate that of a Wilson's swallow-like flight, with fairly rapid and shallow wingbeats. It was observed foraging, picking food items from the surface, at times maintaining its position over a spot as it did so. Thus flight appeared to consist of rapid, shallow wingbeats, interspersed with an occasional short glide.

I am very familiar with both Wilson's and Leach's storm-petrels, having observed both from headlands during storms, on numerous pelagic trips and while participating in seabird research for the Manomet Bird Observatory, for which I have logged 56 days at sea. I have also banded several of each species during MBO cruises. My experience with Leach's Storm-Petrels includes sightings of 50+ per day in the Gulf of Maine during Sept. 1979, and 350+ observed from First Encounter Beach, Eastham on Aug. 13, 1979. On May 30, 1982, off Hatteras, N.C., two birds identified as Band-rumped Storm-Petrels by Bob Ake and Paul Dumont (American Birds 36: 840) were pointed out to myself and others on board the boat. I saw them clearly and made note of their appearance and behavior but did not feel confident enough to call them anything but probable in my own mind. In retrospect, those birds gave an identical jizz to the Rockport stormpetrel.

Other reports of storm-driven birds at coastal locations were four Leach's Storm-Petrels at Barnstable, and over 12,000 Gannets at First Encounter Beach in Eastham.

Double-crested Cormorants were migrating during the first half of the month in large numbers whereas only five Great Cormorants were reported, all at inland locations.

Thirteen American Bitterns were noted from five locations, a bit better than the six individuals from two locations of last October. As usual in October, good numbers of Great Blue Herons were reported, 100 in Wellfleet being the best count. The last Green-backed Heron was noted on the eighth and the last Cattle Egret was reported from Rowley on the fifteenth. The roost of Black-crowned Night-Heron at Eastham totaled 85 at mid-month, an immature Yellow-crowned Night-Heron among them. R.H.S.

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|-------------------|--------------------------|-----------------|------------------------------|
| Red-throated Loon | : | | |
| 8-10,10 | P.I., Eastham | 6,6 | J.Grugan, D.Brown# |
| 24,25 | P.I., Barnstable (SN) | 24, 125 | J.Grugan, J.Aylward# |
| Common Loon: | | | |
| 1,25 | P.I., Barnstable (SN) | 3, 75 | J.Grugan, J.Aylward# |
| Pied-billed Grebe | : | 2 | |
| 7,9 | GMNWR, Nantucket | 1,4 | A.Williams, BBC(D.Davis) |
| 10,11 | Westport, Peabody | 5,1 | BBC(A.Blaisdell), D.Hill |
| 20,27 | Cambridge (F. Pond), Lak | eville 4,7 | F.Bouchard, W.Petersen |
| Horned Grebe: | | | |
| 25,26 | Wollaston, Lynn | 50, 4 | S.+R.Higginbotham,C.Blasczak |
| Red-necked Grebe: | | | |
| 22,23-26 | P'town, Lakeville | 1, 1 | B.Nikula, D.Clapp# |
| albatross, sp.: | | | |
| 24 | Barnstable (SN) | 1 | R.Pease |
| Northern Fulmar: | | | |
| 23,30 | Stellwagen | 5. 5-6 | W.Smith, BBC |
| Cory's Shearwater | | | |
| 1 | Nantucket | 2 | F.Bouchard |
| Greater Shearwate | r: | | |
| 1,9 | Nantucket | 14-16, 7 | F.Bouchard, BBC |
| 15,23,30 | Stellwagen | 2, 75, 75 | D.Clapp,W.Smith,BBC |
| Sooty Shearwater: | | | |
| 9,10;23 | Nantucket;Stellwagen | 3, 1; 1 | BBC; W.Smith |
| Manx Shearwater: | | | |
| 15,23,30 | Stellwagen | 2, 3, 20 | D. Clapp, W.Smith, BBC |
| storm-petrel, sp. | : | | |
| 25 | Rockport (AP) | 1 | R.Heil |
| Leach's Storm-Pet | | | |
| 24,25 | Barnstable (SN) | 2,2 | R.Pease# |
| Northern Gannet: | | | |
| 8,9,10 | P.I., outer Cape Cod, Na | ntucket 4, 20+. | 3 J.Grugan, BBC, BBC |
| 15.23 | Stellwagen | | D.Clapp, W.Smith |
| 24,25 | P.I., Eastham | | 2 hrs) J.Grugan, B.Nikula |

LOCATION NUMBER SPECIES/OCTOBER OBSERVERS Great Cormorant: 1, 1 3 imm. Newton, Concord 9 O.Komar, R.Walton 27 Lakeville W.Petersen Double-crested Cormorant: 2500+, 700+ 150, 450 1,2 R.McHale, J.Grugan P.I. 7,8 Topsfield, P.I. T.Walsh, R.Prybis# O.Komar#, R.Walton Newton, Concord 350+, 67 outer Cape Cod, Ipswich 150, 300 Norfolk, Newbypt-Salisbury 800, 500 9 0 BBC, J.Berry 10,16 BBC. L. Pivocek# American Bittern: 1,2,7,23 P.I. 1, 2, 2, 2 v.o. 2,9 Eastham, Salisbury 1, 1 L.Taylor#, M.Lynch# 17,18,31 GMINWR 1+ G.Gove 23,30 Salisbury, E.Boston 2, 1 SSBC, S.Zendeh# . Great Blue Heron: 2,4,8,16 Eastham 55,63,72,53 L.Taylor#, D.Brown, H. Mallers#, G. Gove# 21, 24, 17, 4 v.o. 35, 100 BBC, J.Baird 75, 56 migrating E.Pyburn#, R.Heil 1,7,22,24 P.I. 10,18 Westport area, Wellfleet 19 Salisbury, Ipswich Great Egret: 1,9,23;10 P.I.; Westport 4, 4, 1; 30 v.o.: BBC Snowy Egret: 3 N.Scituate 65 flying to roost H. Mallers 6,16,22 P.I. 83, 6, 2 G.Gove, J.Grugan, L.Pivocek# J.Berry, BBC 5,6 9,10 Ipswich, Westport 12.22 Squantum, E.Boston 1, 3 R.Abrams, S.Zendeh Little Blue Heron: G.Gove; M.Lynch# 6 P.I. 1 ad;1 calico,1 basic 1, 2(1 calico) H.Mallers 7.8-11 Scituate 1, 1 11 Nantucket, Westport BBC(Davis), BBC(Blaisdell) Cattle Egret: 3,15 Ipswich, Rowley 3. 1 J.Berry, H.Weissberg Green-backed Heron: 2.8 E.Boston, GMNWR 3, 1 S.Zendeh#, M.Lynch# Black-crowned Night-Heron: E.Boston, Salisbury Eastham (Hemenway) 3, 7 S.Zendeh#, S.Carroll# 2.9 85 17 B.Nikula Yellow-crowned Night-Heron: 1-17 Eastham l imm. v.o. Dorchester, Yarmouthport 1 imm., 1 ad. J. Murphy, J. Aylward 8,14

WATERFOWL

Over ninety Wood Ducks were seen flying to a night roost in Wayland, and two Eurasian Wigeon were noted from Ipswich. The Tufted Duck continued on South Monomoy; it was first noted there last winter and was seen periodically throughout the summer. Wollaston Bay played host to 1200 Red-breasted Mergansers by the end of the month. R.H.S.

Mate Comme

| Mute Swan: | | | |
|--------------------|---------------------------|--|----------------------|
| 10 | Westport | 267 | BBC (A.Blaisdell) |
| Snow Goose: | | | |
| 6-31 | P.I. | max. 30 10/8 | H.Weissberg# + v.o. |
| 8,16 | Concord, Marshfield | 1, 20 | R.Walton, SSBC |
| 16 | E.Boston, Chatham (3 floc | ks) 2,75 | S.Zendeh#, B.Nikula# |
| 20;23,26 | Plymouth; Monomoy | 12; 1 | D.Davis; W.Bailey# |
| "Blue Goose": | | | |
| 23-24 | P.I. | 1 | v.o. |
| Brant: | | | |
| 23,25 | E. Orleans, Quincy | 50+, 25 | A.Williams, K.Ryan |
| 31 | Eastham, Newburyport | 74, 14 | SSBC, F.Bouchard |
| Canada Goose: | | | |
| 22,30 | P.I., Lakeville | 1000+, 1000+ | BBC, K.Holmes |
| Wood Duck: | | | |
| 22 | Wayland (Heard's pond) | 90+(flying to ni | ght roost) R.Forster |
| Green-winged Teal: | | | |
| 16 | P.I. | 200 | BBC |
| Northern Pintail: | | | |
| 20,23 | Yarmouthport, P.I. | 36, 65 | J.Aylward, BBC(Nove) |
| Blue-winged Teal: | | and a set of the second s | |
| 7 | GMNWR | 50+ | A.Williams |
| | | | |

31

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|--------------------|-----------------------------|----------------|--|
| Northern Shoveler | | | |
| 6,23 | GMNWR, P.I. | 14, 18 | G.Gove, BBC(Nove) |
| Eurasian Wigeon: | | | and the second |
| 19 | Ipswich | 2 | R.Heil |
| American Wigeon: | rponien | - | |
| 2.9 | P.I., Nantucket | 22, 55 | J.Grugan, BBC |
| 10,16 | Westport, Wayland | 29, 3 | BBC, R.Forster# |
| 19 | | | R.Heil, R.Forster |
| | Ipswich, Lincoln | 220, 9 | Atherry A.POIBCEI |
| Canvasback: | | aa 08 | W Detensor M Heleb |
| 27,29 | Lakeville, Cambridge | 30, 98 | W.Petersen, T.Walsh |
| Redhead: | | | |
| 1-19,29 | GMNWR, Cambridge | 1, 3 | G.Gove#, T.Walsh |
| Ring-necked Duck: | | | |
| 6,14 | GMINWR | 3, 2 | G.Gove |
| 11,12;29 | Cambridge | 9,16;50 | F.Bouchard; T.Walsh |
| 15,24 | W.Newbury | 160, 760 | G.Gove#, I.Giriunas# |
| 31 | Lakeville | 1000 | W.Petersen |
| Tufted Duck: | | | |
| 23 | Monomoy | 1 m. | W.Bailey# |
| Greater Scaup: | nonomoy | | |
| 10 | Newburyport | 4 | J. Grugan |
| Lesser Scaup: | Newburyport | - | or or aBan |
| 9 | P.I. | 1 | W.Smith |
| | P.1. | 1 | N. DHI CH |
| Common Eider: | | | T Bannes T Canana |
| 16,24 | Rockport, P.I. | 175, 359 | J.Berry, J.Grugan |
| Black Scoter: | | | |
| 16 | Millis | 1 | B.Cassie |
| 16,26 | Rockport, Lynn | 6, 22 | J.Berry, C.Blasczak |
| Surf Scoter: | | | |
| 16,26 | Rockport, Monomoy | 440(1 hr), 500 | J.Berry, B.Nikula# |
| White-winged Scote | er: | | |
| 24.26 | P.I., Lynn | 60, 350 | J.Grugan, C.Blasczak |
| Bufflehead: | | | |
| 19,27 | Newburyport, Lakeville | 5, 5 | G.Gove, W.Petersen |
| Hooded Merganser: | nerburgport, bunctiffe | ., . | |
| 23, 28 | Braintree, Lincoln | 5, 12 | S.Higginbotham#, R.Forster |
| Common Merganser: | braintice, bincoin | , | StringBandoondans , http://www. |
| 30 | P.I. | 15 | J.Grugan |
| | | 12 | o . or aBan |
| Red-breasted Merga | | 1 1000 1 0 | Vigginbothon D Pounton |
| | ton Bay, Waltham (Camb. Res | .) 1200, 4 5. | Higginbotham, R.Forster |
| Ruddy Duck: | | -1 0- | |
| 10,27 | Westport, Lakeville | 24, 85 | BBC, W.Petersen |
| 31 | Lakeville (Little Quitt | cas) 150+ | D.Briggs |

RAPTORS

There was a good and steady flight of Ospreys this October, with thirty-two reported through the last day of the month; last year only half as many were reported. Four immature Bald Eagles were noted, with the bird seen in Lynn and a day later in East Boston, possibly the same individual. Twenty-four sightings of Peregrine Falcons were reported, thirteen of which came from the Plum Island-Salisbury area. R.H.S.

| Turkey Vulture: | | | |
|-------------------|----------------------------|-------------------|---------------------------------|
| 3,7 | Wayland, Concord(GMNWR) | 1, 1 | T.Walsh, A.Williams |
| 10,15 | Hardwick, Sturbridge | 3, 2 | M.Lynch#, Langer |
| Osprey: | | | |
| 1,7,8 | P.I. | 1, 2, 1 | BBC, P. Roberts#, BBC |
| 2,3,4 | P'town, Everett, Cambridg | | L.Taylor#, J.Berry, F.Bouchard |
| 3,23;4 | Wayland; Squantum | 1, 1; 1 | T.Walsh, E.Morrier: K.Ryan |
| 6,7,18 | | 1, 2, 1 | G.Gove, A. Williams, G.Gove |
| 6,7,17 | Woburn (Horn Pond) | 1 | C.Gove |
| 10;15 | Westport; W. Newbury, Linc | oln 6; 1. 3 | BBC;H.Wiggin#,R.Forster |
| 17;22 | Saugus; E. Boston, Concord | 1; 1, 1 | J.Berry; S.Zendeh, F.Bouchard |
| 22,29,31 | Lincoln, Lakeville, Newbu | ryport 1.1.1 | J.Hines, W.Petersen, F.Bouchard |
| Bald Eagle: | | | |
| thr. | Monomoy | l imm. | v.o. |
| 21,22 | Lynn, E.Boston | l imm., l imm. | R.Heil, S.Zendeh |
| 30 | Mt.Wachusett | l imm. | P. Roberts |
| Northern Harrier: | | | |
| thr. | P.I. | 5-12(10/7) each w | visit v.o. |
| 8-10 | Nantucket | 14 | BBC |
| | | | |

| Sharp-shinned Hawk: | | | |
|----------------------|----------------------------|-------------------|-------------------------------|
| 7,8,9,15 P. | | 1, 1, 1, 1 | P.Roberts, BBC, J.Grugan, BBC |
| | estport, Eastham | 6,1 | BBC, D.Brown# |
| 16,26 Ma | arshfield, Lakeville | 1, 1 | SSBC, K.Ryan |
| Cooper's Hawk: | | | |
| | .I., Concord (GMNWR) | l imm., l | G.Gove#,C.Floyd |
| 10.11 Ea | astham, E.Orleans | 1, 1 | D.Brown, D.+E.Williams |
| | pswich, Newton, Mt. Wachus | setts 1, 1, 1 | J.Berry, O.Komar, P.Roberts |
| Northern Goshawk: | | | |
| 6,7 Cc | oncord(GMNWR),Hingham | 1 imm., 1 ad. | G.Gove, R.Campbell |
| | | 1,1 ad. | K.Anderson, J.Heywood# |
| | hatham, Topsfield(IRWS) | 1 imm., 1 ad. | W.Bailey, J.Bradley |
| | ramingham, Mt. Wachusett | | K.Hamilton, P.Roberts |
| Red-shouldered Hawk: | | | |
| | .Middleboro | 1 | K.Anderson |
| | rookline,Milton (FM) | 1 ad., 1 | R.Stymeist#, R.Abrams |
| Rough-legged Hawk: | | | |
| | pswich, P.I. | 1, 1 | T.Walsh, BBC(I.Giriunas) |
| American Kestrel: | | | |
| | .Boston, P.ISalisbury | 4.6 | S.Zendeh, SSBC |
| Merlin: | | | |
| 1+16;1,2,6 Be | elmont; P.I. | 1;1.1 ad.,2 L.Ta; | ylor#;BBC,P.Roberts,G.Gove |
| 2;4 E | astham, P'town; Squantum | 1, 1; 1 | L.Taylor#, G.Gove; K.Ryan |
| | oncord (GMNWR), Lynn | 1, 3 | S.Carroll#, R.Heil |
| | ewburyport, Nantucket | 1, 2 | E.Morrier, BBC(D.Davis) |
| Peregrine Falcon: | | | |
| | .ISalisbury | 13 sightings | V.O. |
| | astham, Lynn | 1, 3 migrating | D.Brown#, R.Heil# |
| | ayland, Middleboro | 1,1 imm. | D.Gould, C.Silvia# |
| | ittleton E.Orleans | 1,1 imm. | J.Baird, B.Nikula |
| | lonomoy | 1 ad., 1 imm. | v.o. H. Stabins# |
| | astham, Framingham | 1, 1 | R.Heil, R.Forster |

RAILS THROUGH SHOREBIRDS

Though the bulk of shorebird migration occurs in September, good numbers were recorded during October. Lesser Golden-Plover totaled forty-one individuals as compared with just twenty-two last October. Oystercatchers continued at their traditional locations most of the month. Late shorebirds included Spotted Sandpipers at Woburn on October 27 and two at Lakeville on the thirtieth, Solitary Sandpiper in Lexington and Mansfield, Shortbilled Dowitchers at East Boston and Newburyport, and Stilt Sandpipers in Ipswich and Braintree. A Marbled Godwit continued all month in Newburyport Harbor accompanied-by as many as eight Hudsonian Godwits. R.H.S.

| Eastham, Yarmouth | 1, 1 | D.Brown#, B.Sorrie |
|--------------------------|---|---|
| Vellfleet (WBWS) | 1 | J.Baird |
| | | |
| Concord(GMNWR), Ipswich | 1, 1 | A.Williams, fide L.Pivocek |
| | | |
| Newton, GMNWR, Nantucket | 1, 6, 1 | B.Hallet, M.Lynch#, BBC |
| | | |
| IMNWR | 1 | S.Carroll, M.Lynch |
| | | |
| Braintree, Lakeville | 40. 30 | R.Abrams, S.Peck |
| r: | | infinitionally, briteria |
| P.I., Squantum | 300, 300 | J.Grugan, R.Abrams |
| Monomoy, Scituate | 2200, 350 | B.Nikula#, D.Clapp |
| Bridgewater, Newburyport | | K.Ryan, F.Bouchard |
| r: | | |
| P.I., P'town | 11, 1 | R.Stymeist#, G.Gove# |
| Concord, Nantucket | | R.Walton, BBC |
| Newburyport, Concord | | C.Floyd#, R.Forster |
| Marshfield, Quincy | | B.Sorrie, K.Ryan |
| | | biboilie, ingui |
| | 6. 30 | R.Abrams, W.Petersen |
| • | | printer and, while ber ben |
| Concord, Sudbury | 28, 14 | R.Forster, E.Morrier |
| Scituate, Braintree | 12, 16 | W.Petersen, R.Emery# |
| | <pre>Vellfleet (WBWS) Concord(GMNWR),Ipswich Newton,GMNWR,Nantucket EMNWR Braintree, Lakeville r: P.I., Squantum Monomoy, Scituate Bridgewater,Newburyport r: P.I., P'town Concord, Nantucket Newburyport, Concord Marshfield, Quincy : Squantum, Scituate Concord, Sudbury</pre> | Nellfleet (WBWS) 1 Concord(GMNWR), Ipswich 1, 1 Newton, GMNWR, Nantucket 1, 6, 1 BNNWR 1 Braintree, Lakeville 40, 30 r: P.I., Squantum 300, 300 Monomoy, Scituate 2200, 350 Bridgewater, Newburyport 3, 120 r: P.I., P'town 11, 1 Concord, Nantucket 6, 15 Newburyport, Concord 2 imm., 4 imm. Marshfield, Quincy 1, 1 : Squantum, Scituate 6, 30 Concord, Sudbury 28, 14 |

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|--------------------|--------------------------|-----------------|--|
| Amonicon Oustoned | - ahan. | | |
| American Oystercat | | | |
| 1-13,1-23 | Nantucket, Monomoy | 13, max 31 10/4 | F.Bouchard, v.o. |
| Greater Yellowlegs | | | |
| thr. | E.Boston(Belle Isle) | 90 on 10/15, 71 | on 10/30 S.Zendeh |
| 23,26 | P.I., Boston(UMass) | 140, 35+ | SSBC, J.Carter |
| Lesser Yellowlegs: | | | |
| 14-28 | Lexington(Camb.Res.) | 4-1 | R.Forster + v.o. |
| 15,22 | P.I., E.Boston | 32, 3 | J.Grugan, S.Zendeh |
| Solitary Sandpiper | | 54, 5 | o.orugan, o.benden |
| 22,24 | | | |
| | Lexington(Camb.Res.),Ma | ansfield 1, 1 | J.Hines, B.Sorrie |
| Willet: | | | |
| 19 | Ipswich (Great Neck) | 1 | R.Heil |
| Spotted Sandpiper: | | | |
| 27,30 | Woburn, Lakeville | 1, 2 | G.Gove, S.Peak# |
| Whimbrel: | | | |
| 1,2 | P.I., P'town | 6.7 | BBC, G.Gove# |
| 10,16 | Newburyport, Eastham | | |
| | Newburyport, sastnam | 9,1 | E.Morrier, C.Floyd# |
| Hudsonian Godwit: | | 0 | |
| 1-29 | P.INewburyport | max. 8 | v.o. |
| 16,23 | Monomoy | 1 | B.Nikula#, v.o. |
| Marbled Godwit: | | | |
| thr. | Newbury port | 1 | L.Jodrey# + v.o. |
| 16 | Monomoy | 1 | B.Nikula# + v.o. |
| Ruddy Turnstone: | · · · · · · | | |
| 23 | P.I. | 30 | SSBC |
| Red Knot: | | 50 | DDDC |
| | D.T. Coltuate | 11 0 0 | |
| 4,23;22 | P.I.; Scituate | 11, 2; 2 | G.Gove,SSBC;W.Petersen |
| Semipalmated Sandp | | | |
| 22,23 | Scituate, P.I. | 2,6 | W.Petersen, BBC(L.Pivocek) |
| Western Sandpiper: | | | |
| 11,15 | E.Orleans, P.I. | 1, 1 | A.Williams, D.Resnick |
| Least Sandpiper: | | | |
| 16 | E.Boston | 1 | S.Zendeh |
| White-rumped Sandp | | - | b. benden |
| | | 2 20 | |
| 22,23 | Scituate, Monomoy | 3, 30 | W.Petersen, B.Nikula# |
| 27 | Wollaston | 1 | S.Higginbotham |
| Baird's Sandpiper: | | | |
| 1-15,4 | Squantum, P.I. | 1, 1 | R.Abrams + v.o., G.Gove |
| Pectoral Sandpiper | | | |
| 3,6,7,17 | GMNWR | 14, 14, 8, 4 | G.Gove# + v.o. |
| 14,23,28 | Lexington (Camb.Res.) | 11, 9, 8 | R.Forster + v.o. |
| 16 | Newburyport | 14 | |
| | | | G.Gove# |
| 23,28 | Braintree,Bridgewater | 5,6 | R.+S.Higginbotham,K.Ryan |
| Purple Sandpiper: | | | |
| 24 | P.I. | 13 | BBC |
| Dunlin: | | | |
| 19,23 | P.I. | 570, 1000+ | G.Gove, SSBC |
| 22 | Scituate, E.Boston | 250, 52 | W.Petersen, S.Zendeh |
| Stilt Sandpiper: | | | arroverben, broenden |
| 19 | Ipswich(Clarks Pond) | 7 | R.Heil |
| 23 | Braintree (Great Pond) | 5 | |
| | | 2 | S.+R.Higginbotham |
| Short-billed Dowit | | | |
| 2,7 | E.Boston, Newburyport | 5, 3 | S.Zendeh, R.Heil |
| Long-billed Dowitc | her: | | |
| 2-30 | E.Boston (Belle Isle) | total 9 | S.Zendeh |
| 10,19 | Newburyport, P.I. | 15+, 21 | J.Berry, G.Gove |
| 28,31 | Lexington(Camb. Res.) | 1 | R.Forster |
| | Bearing von (ound: Aco.) | + | n.rorster |
| Common Snipe: | Civ locations | 6 1 | |
| thr. | Six locations | 6 individuals | V.O. |
| American Woodcock: | | | and the second |
| 10 | Nantucket | 1 | BBC (D.Davis) |
| Red Phalarope: | | | |
| 30 | Stellwagen | 6 | BBC (H.D'Entremont) |
| | | | |

JAEGERS THROUGH WOODPECKERS

Unlike last year when many jaegers were reported, only a small number were noted this year, and most of these were offshore at Stellwagen Bank. On October 25, a Great Skua was observed as close as 150 yards and in good light at First Encounter Beach in Eastham. The bird had "uniformly brown body and head, lacking any rustiness or golden

hackles, suggesting an immature Great Skua."

Among the gull highlights were reports of a total of three <u>Sabine's Gulls</u> - two seen together on the BBC pelagic trip on October 30 and another, an adult bird in alternate plumage, observed at First Encounter Beach on October 25. A fairly large concentration of Forster's Terns was noted from New Island in Eastham, and two late Black Terns were reported from Chatham on October 30. A handful of reports of alcids came in; the most exciting observation was two Atlantic Puffins seen off Andrews Foint in Rockport.

Late reports included a Common Nighthawk on October 4, a Whip-poor-will on October 1, and a Chimney Swift on October 7.

R.H.S.

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|--------------------|--|----------------------|---|
| Pomarine Jaeger: | | | |
| 15,23,30 | Stellwagen | 1, 4, 3 | D.Clapp,W.Smith,BBC |
| Parasitic Jaeger: | | | |
| 15,23,30 | Stellwagen | 12, 6, 4 | D.Clapp, W.Smith, BBC |
| Great Skua: | | | |
| 25 | Eastham (F.E.) | 1 | B.Nikula |
| Laughing Gull: | | | |
| 21,30 | E.Boston (Belle Isle) | 38, 140 | G.Gove, S.Zendeh# |
| Little Gull: | and the second sec | | |
| 1,25 | | d,1 1st yr,1 imm), | 1 ad BBC, B.Nikula |
| Common Black-heade | | | |
| thr. | E.Boston (Belle Isle) | 1-2 | S.Zendeh# + v.o. |
| Bonaparte's Gull: | | | |
| 15,17 | Newbypt, Lynn | 200, 430 | J.Grugan, C.Blasczak |
| Iceland Gull: | | | |
| 23 | Wayland (Heard's Pond) | 1 ad. | E.Morrier |
| 29,31 | Newbypt, P'town | 1, 1 | E.Nielsen#, SSBC (Fox) |
| Lesser Black-backe | ed Gull: | | |
| 24 | Scituate | 1 ad. | D.Clapp |
| Glaucous Gull: | | | |
| 23 | Waltham (Camb. Res.) | 1 (2W) | G.Gove# |
| Black-legged Kitti | Lwake: | | |
| 15,23 | Stellwagen | 1000+, 2000 | D.Clapp, W.Smith |
| Sabine's Gull: | C. | | |
| 25 | Eastham (F.E.) | 1 ad. (br.pl.) | B.Nikula# |
| 30 | Stellwagen | 2 | BBC |
| Caspian Tern: | | | |
| 3 | Manomet | 1 | MBO staff |
| Roseate Tern: | Tattolice | - | ibo starr |
| 2,4 | P'town, Chatham | 4-6, 4 | G.Gove#, D.Brown# |
| Common Tern: | r cowny onachan | 4 01 4 | G.GOVEN, D.DIOWIN |
| 2,16 | P'town | 2100, 1000+ | G.Gove#, R.Heil |
| 1,23 | Newbypt, P.I. | 20+, 3 | BBC |
| 10,27 | Eastham, Barnstable | 650, 100 | D.Brown#, J.Aylward |
| Forster's Tern: | Lastnam, Darnstable | 050, 100 | D.BIOWRY, J.AyIWald |
| 2 | Eastham, P'town | 55, 1 | G.Gove# |
| 5,23 | Eastham (New Island) | 125+, 40+ | |
| 16,19 | Chatham, Ipswich | | B.Nikula# |
| | | 50+, 6 8, 5 | R.Heil#, R.Heil |
| 23,31 | Salisbury, P'town | 0, 5 | SSBC |
| Black Tern: | Charles | 2 | |
| 30 | Chatham | 2 | W.Bailey# |
| Dovekie: | | | the second second second |
| 25,30 | Eastham, Stellwagen | 2, 2 | B.Nikula, BBC |
| Razorbill: | | | |
| 20,30 | P.I.,Stellwagen | 1, 2 | N.Clayton, BBC |
| Black Guillemot: | | | and the second se |
| 31 | P'town | 1 | SSBC (Fox) |
| Atlantic Puffin: | and the second second | | |
| 25 | Rockport (A.P.) | 2 | R.Heil |
| Mourning Dove: | | | |
| 19 | Ipswich | 550 | R.Heil |
| Black-billed Cucke | | 10 1000 | |
| 3,5 | Newton, Manomet | 1, 1 b. | B.Cassie,MBO staff |
| Yellow-billed Cuck | | | |
| 6,7 | P.I., Woburn | 9, 1 | M.Lynch#,G.Gove |
| 11,15 | Peabody, Marshfield | 1, 3 | D.Hill, D.Clapp |
| 18,23 | Truro, Monomoy | 2, 1 dead | J.Baird, H.Stabins# |
| | | CONTRACT (\$150,000) | and a second |

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|--------------------|-----------------------|---------------|-------------------------------|
| Northern Saw-whet | Owl: | | |
| 4,27;8 | Manomet; P.I. | 2 b., 1 b.; 1 | MBO Staff: BBC |
| Common Nighthawk: | | | |
| 4 | Chatham | l in flight | D. Brown, J. Murphy |
| Whip-poor-will: | | | |
| 1 | Squantum (Squaw Rock) | 1 | D.Brown |
| Chimney Swift: | | | |
| 7 | Woburn (Horn Pond) | 2 | G.Gove |
| Red-headed Woodpe | cker: | | |
| 14,16;15 | Nantucket; Eastham | 1 ad.; 1 | R.Bower, G.Frost; W.Petersen# |
| Red-bellied Woodp | ecker: | | |
| 4,16 | S. Peabody, Nantucket | 1, 1 | R.Heil, E.Andrews |
| Yellow-bellied Say | psucker: | | |
| 1 | P.I., Newton | 4,2 | BBC, O.Komar |
| 4-8,7 | Peabody, Salem | 3-2, 2 | R.Heil, C.Blasczak |

FLYCATCHERS THROUGH WARBLERS

October is an unpredicable month for migration of many of the species in this group. Some of the birds which we think of as residents may or may not move out in large numbers, depending on food supply available in a given year. Also, most of the flycatchers and warblers which we see are stragglers, coming through on the late side compared to their cogeners.

This year Blue Jays were conspicuously moving, particularly at coastal locations, during the first half of October. This was somewhat surprising in light of a good acorn crop in some areas, for the first year in several. American Robins followed just the opposite course as the jays, making their expected move primarily at inland sites, and during the latter half of the month. The banding station at Manomet caught a good flight of Black-capped Chickadees, with the total for the whole month of over 1800 individuals. These were joined at the end of the month by two Boreal Chickadees, a never-common species even less so on the South Shore.

Individuals comprising a total of 21 warbler species were seen in October, with few really remarkable records. The report of three Yellow-breasted Chats in one day from Plum Island is quite good, especially when achieved without the aid of nets! Several warbler species were reported in rather small numbers, though this doesn't necessarily imply small actual numbers migrating. In this category are Magnolia Warbler, Common Yellowthroat, Blackpoll, and American Redstart. Counts for the last two species are so low compared to most previous years that they are probably significant. Another species reported in comparatively low numbers was Ruby-crowned Kinglet, with one good count inland at Mt. Wachusett.

The last week of the month produced several very late flycatcher reports, including two Empidonax and an Eastern Kingbird. Other individuals over a month late compared to norms were a Cliff Swallow at Salisbury and a Golden-winged Warbler banded, at Nantucket.

In the "fancy bird" department for this month was first and foremost the Sedge Wren. This very well-described bird was seen in the garden plots near Newton South High School, during the course of coverage for the BOEM Field Studies Committee sparrow migration project. Other interesting reports included the Common Ravens at three sites and the Loggerhead Shrike at Eastham. L.E.T.

| Empidomax, sp.: | | | |
|------------------|----------------------|------------------|-----------------------|
| 15-30,16 | Lincoln, Sudbury | 1, 1 | R.Forster |
| 30 | Belmont | 1 | F.Bouchard |
| Eastern Phoebe: | | | |
| 1-23,15 | P.I., Waltham | 2 max.(10/19), 3 | v.o., L.Taylor |
| 27,31 | Woburn | 1, 1 | G.Gove |
| Ash-throated Fly | ycatcher: | | |
| 4 | Chatham | l (no details) | D.Brown |
| Western Kingbird | d: | | |
| 16 | Naushon Island | 1 | J.Hatch |
| Eastern Kingbird | 1: | | |
| 10,31 | Nantucket, Truro | 1, 1 | BBC, SSBC |
| Tree Swallow: | | | |
| 1,6 | Cape Cod, Halifax | 560, 1000 | SSBC, K.Anderson |
| 14,27 | Middleboro, Squantum | 1000+, 10 | S.MacDonald, G.Wilson |
| | | | |

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|--|--|--|--|
| Cliff Swallow: 7 | Cold abum | | |
| Blue Jay: | Salisbury | 1 | R.Heil |
| 1,2 | P.I., P'town | 200+, 220 | BBC, L.Taylor# |
| 10 | Pocasset | 250+ | P.Hallowell |
| American Crow: 16,23 | Trout ob Waltham | 2004 1004 | |
| 28 | Ipswich, Waltham Bridgewater | 200 <u>+</u> , 100 <u>+</u> 250 | J.Berry, K.Durham# K.Ryan |
| Fish Crow: | | | n.ityan |
| 5 | Whitman | l | W.Petersen |
| Common Raven: | | 0.1 | |
| 3,7 25 | Mt.Wachusett,Littleton Westborough | 2, 1 | K.Durhan#, J.Baird |
| Black-capped Chick | | 1 | B.Cassie |
| thr. | Manomet | 1815 ъ. | MBO Staff |
| Boreal Chickadee: | | | |
| 26,31 Red broasted Nutbe | Manomet | 1 b., 1 b. | MBO Staff |
| Red-breasted Nutha | P.I., E.Middleboro | 1, 1 | PBC V Anderson |
| 8-10,16 | Nantucket, Andover | 10, 5 | BBC, K.Anderson BBC, K.Durham# |
| 23 | Lexington | 5 | L.Taylor# |
| Brown Creeper: | | | |
| 8-10,16 | Nantucket, Weston | 8, 11 | BBC, J.Heywood# |
| Carolina Wren: 3-4,4-22 | E.Middleboro,Weymouth | 1, 1 | V Andoneon E Disbanda |
| 30 | Lakeville | 1 | K.Anderson, E.Richards K.Holmes |
| House Wren: | | | AT HOLMED |
| 15,20 | Newton, Cambridge | 1, 1 | O.Komar, F.Bouchard |
| Winter Wren: | Manamat Nantuskat | 1 1 2 | |
| 4,9 16,20 | Manomet, Nantucket Chatham, P.I. | 1 b., 2 1, 1 | K.Anderson, BBC |
| 22 | Newburyport, Mt. Wachuset | | B.Nikula, N.Clayton# BBC, P.Roberts |
| 30 | Chatham | 1 | B.Nikula |
| Sedge Wren: | | | |
| 5 Marsh Wren: | Newton | 1 (good details) | 0.Komar |
| 26 | Lakeville | 1 | K.Ryan |
| | | | |
| Golden-crowned Kir | | | |
| Golden-crowned Kir 1-10,8-10 | nglet: P.I., Nantucket | 30 max., 12 | v.o., BBC |
| Golden-crowned Kir 1-10,8-10 23,30 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett | 30 max., 12 30+, 10 | |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl | nglet: P.I., Nantucket Lakeville,Mt.Wachusett Let: | 30+, 10 | v.o., BBC D.Clapp, P.Roberts |
| Golden-crowned Kir 1-10,8-10 23,30 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro | 30+, 10 2, 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato | nglet: P.I., Nantucket Lakeville,Mt.Wachusett Let: Nantucket, E.Middleboro Mt.Wachusett,Woburn cher: | 30+, 10 2, 1 <u>24</u> , 1 | v.o., BBC D.Clapp, P.Roberts |
| Golden-crowned Kin 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett let: Nantucket, E.Middleboro Mt.Wachusett,Woburn | 30+, 10 2, 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn cher: P.I. | 30+, 10 2, 1 2 <u>4</u> , 1 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# |
| Golden-crowned Kin 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett let: Nantucket, E.Middleboro Mt.Wachusett,Woburn cher: P.I. Middleboro, Millis | 30+, 10 2, 1 <u>24</u> , 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn cher: P.I. | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett et: Nantucket, E.Middleboro Mt.Wachusett,Woburn cher: P.I. Middleboro, Millis Truro Millis | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett let: Nantucket, E.Middleboro Mt.Wachusett,Woburn her: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. | 30+, 10 2, 1 24, 1 1 pair, 1 2 1 1, 3 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 21,22 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 21,22 28 Hermit Thrush: 10,16 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 14, 4 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 21,22 28 Hermit Thrush: 10,16 18,23 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn cher: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 10,16 18,23 Wood Thrush: | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston Princeton,Waltham | 30+, 10 2, 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 21,22 28 Hermit Thrush: 10,16 18,23 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 14, 4 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 10,16 18,23 Wood Thrush: 21 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston Princeton,Waltham | 30+, 10 2, 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 21,22 28 Hermit Thrush: 10,16 18,23 Wood Thrush: 21 American Robin: 18,21 22,27 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston Princeton,Waltham Millis | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 14, 4 2, 1 1 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# B.Cassie |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 21,22 28 Hermit Thrush: 10,16 18,23 Wood Thrush: 21 American Robin: 18,21 22,27 Gray Catbird: | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn cher: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.F.) Hardwich, Weston Princeton,Waltham Millis Norfolk, Millis Weston, Wayland | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 1 800, 300 175, 100 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# B.Cassie B.Cassie R.Stymeist#, T.Walsh |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 10,16 18,23 Wood Thrush: 21 American Robin: 18,21 22,27 Gray Catbird: 9,22 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston Princeton,Waltham Millis Norfolk, Millis | 30+, 10 2, 1 24, 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 1 800, 300 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# B.Cassie B.Cassie |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 10,16 18,23 Wood Thrush: 21 American Robin: 18,21 22,27 Gray Catbird: 9,22 Water Pipit: | nglet: P.I., Nantucket Lakeville,Mt.Wachusett .et: Nantucket, E.Middleboro Mt.Wachusett,Woburn cher: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.F.) Hardwich, Weston Princeton,Waltham Millis Norfolk, Millis Weston, Wayland | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 1 800, 300 175, 100 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# B.Cassie B.Cassie R.Stymeist#, T.Walsh A.Williams, BBC |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 21,22 28 Hermit Thrush: 10,16 18,23 Wood Thrush: 21 American Robin: 18,21 22,27 Gray Catbird: 9,22 Water Pipit: 2,18 22,23 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett let: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston Princeton,Waltham Millis Norfolk, Millis Weston, Wayland Bolton, P.I. | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 1 800, 300 175, 100 4, 5 50, 20 32, 56 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# B.Cassie B.Cassie R.Stymeist#, T.Walsh A.Williams, BBC W.Smith#, R.Forster |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 10,16 18,23 Wood Thrush: 21 American Robin: 18,21 22,27 Gray Catbird: 9,22 Water Pipit: 2,18 22,23 26 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett let: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston Princeton,Waltham Millis Norfolk, Millis Weston, Wayland Bolton, P.I. P'town, Concord | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 1 800, 300 175, 100 4, 5 50, 20 | v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# B.Cassie B.Cassie R.Stymeist#, T.Walsh A.Williams, BBC |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 10,16 18,23 Wood Thrush: 21,22 28 Hermit Thrush: 10,16 18,23 Wood Thrush: 21 22,27 Gray Catbird: 9,22 Water Pipit: 2,18 22,23 26 Cedar Waxwing: | nglet: P.I., Nantucket Lakeville,Mt.Wachusett let: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston Princeton,Waltham Millis Norfolk, Millis Weston, Wayland Bolton, P.I. P'town, Concord Sudbury,Harvard(Oxbow). Monomoy | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 1 800, 300 175, 100 4, 5 50, 20 32, 56 40+ | <pre>v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# B.Cassie B.Cassie B.Cassie R.Stymeist#, T.Walsh A.Williams, BBC W.Smith#, R.Forster R.Walton, M.Lynch B.Nikula</pre> |
| Golden-crowned Kir 1-10,8-10 23,30 Ruby-crowned Kingl 8,17 30,31 Blue-gray Gnatcato 15-16 Eastern Bluebird: thr.,21 22 Veery: 21 Swainson's Thrush: 10,16 18,23 Wood Thrush: 21 American Robin: 18,21 22,27 Gray Catbird: 9,22 Water Pipit: 2,18 22,23 26 | nglet: P.I., Nantucket Lakeville,Mt.Wachusett et: Nantucket, E.Middleboro Mt.Wachusett,Woburn ther: P.I. Middleboro, Millis Truro Millis Lincoln, P.I. Cambridge (F.P.) Hardwich, Weston Princeton,Waltham Millis Norfolk, Millis Weston, Wayland Bolton, P.I. P'town, Concord Sudbury,Harvard(Oxbow). | 30+, 10 2, 1 <u>24</u> , 1 1 pair, 1 2 1 1, 3 2 14, 4 2, 1 1 800, 300 175, 100 4, 5 50, 20 32, 56 | <pre>v.o., BBC D.Clapp, P.Roberts BBC, K.Anderson P.Roberts, G.Gove D.Newton# R.Harju, B.Cassie B.Nikula B.Cassie R.Forster, BBC F.Bouchard M.Lynch#, R.Stymeist# G.Gove, L.Taylor# B.Cassie B.Cassie R.Stymeist#, T.Walsh A.Williams, BBC W.Smith#, R.Forster R.Walton, M.Lynch</pre> |

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|------------------------------|--|------------------------------|---|
| Loggerhead Shrike: | | 1 | |
| 4 White-eyed Vireo: | Eastham | 1 | D.Brown# |
| 4,6 Solitary Vireo: | P.I., S.Peabody | 1, 1 ad. | G.Gove, J.Smith# |
| 15,20 Philadelphia Vireo | Belmont, Manomet | 1, 1 b. | L.Taylor, MBO Staff |
| 1 | P.I. | 1 | J.Grugan# |
| Golden-winged Warb | | 2.2 | |
| 8 Tennessee Warbler: | Nantucket | 1 b. | E.Andrews# |
| 2,18 | Newton, Manomet | 2, 1 b. | O.Komar, MBO Staff |
| 22-23 | P.I. | 1 | v.o. |
| Orange-crowned War | | 1, 1 | D. D |
| 4,10 12,23 | Eastham, Hardwick Manomet, P.I. | 1, 1 1 b., 1 | D.Brown#, M.Lynch# MBO Staff, v.o. |
| Nashville Warbler: | | , - | ADO DOMIT, 1.0. |
| 2,5 | Newton, Worcester | 2,1 | O.Komar, S.Carroll# |
| 7,22 | Manomet, P.I. | 1 b., 2 | MBO Staff, BBC |
| Northern Parula: 13-27,23 | Nantucket, Concord | 11 b., 1 | E.Andrews#, R.Forster# |
| Yellow Warbler: | Wanter | 1 | |
| 19 Magnolia Warbler: | Newton | 1 | 0.Komar |
| 1-10 | P.I. | 1 max. | v.o. |
| Cape May Warbler: | | | |
| 1-16,5 | P.I., Newton | 3 max. (10/1), 2 | v.o., O.Komar |
| 9,15 Black-throated Blu | Nantucket, Eastham | 2, 2 | BBC, R.Stymeist# |
| 1,9 | P.I., Nantucket | 4,2 | BBC |
| 15,27 | Waltham, Manomet | 1,2 b. | L.Taylor, MBO Staff |
| Yellow-rumped Wart | | 500 (10/10) | |
| 1-22,7 10,16 | P.I., Woburn Pocasset, Weston | 500 max. (10/18), 300, 55 | 150 v.o., G.Gove P.Hallowell, J.Heywood# |
| Black-throated Gre | | 500, 55 | Tinariowerry orneywoods |
| 8,15 | Nantucket, P.I. | 2, 1 | BBC, J.Grugan |
| 31 | P'town | 1 | R.Fox# |
| Blackburnian Warbl | Ler: Truro | 1 | H.Mallers, R.Titus |
| Pine Warbler: | IIIIO | | n.mailers, Killus |
| 2,20 | Wellfleet, Newton | 7,1 | K.Griffis#, O.Komar |
| Palm Warbler: | | 6 01 | |
| 7,8-9 | Sudbury, Nantucket S.Wellfleet, Belmont | 6, 34 15, 4 | R.Walton, BBC W.Petersen#,K.Durham# |
| 15,16 19,30 | Newton, Malden | 10, 1 | O.Komar, D.Gibson |
| Bay-breasted Warbl | | | |
| 2,8 | P.I., Nantucket | 2, 1 | J.Grugan, BBC |
| Blackpoll: | D T Wellfloot | 4 total, 6 | n e T Meulen# |
| 1-16,2 22,26 | P.I., Wellfleet Cambridge,Framingham | 2, 4 | v.o., L.Taylor# J.Heywood#,R.Forster |
| Black-and-white Wa | | -, - | o mey woods , mi or o oor |
| 8,10 | Nantucket, Hardwick | 2,1 | BBC, M.Lynch# |
| American Redstart 8,10 | Nantucket,Westport | 2, 1 | BBC |
| Connecticut Warble | | | |
| 7 | Natick | 1 | G.Dysart |
| Mourning Warbler: 4,10 | Eastham, P.I. | 1, 1 | J.Murphy#, J.Grugan |
| Common Yellowthrom | at: | | |
| 19-20,22 | Newton, Belmont | 2, 1 | O.Komar, L.Taylor |
| | [1] A. B. M. | | |
| Yellow-breasted C | [1] A. B. M. | $\frac{3}{1}, 1$ | T.Walsh, R.Heil |

TANAGER THROUGH SPARROW

October is appreciated by those of us who like subtleties in shades of brown because it is sparrow migration time! This year 20 sparrow species were reported throughout the region with those of highest interest including a Harris's and a Le Conte's Sparrow. The former individual carried over at the chicken farm in Truro from September. The LeConte's Sparrow was well seen at Plum Island by an observer familiar with the species and was very well described. Of somewhat less interest but nice just the same were one individual each of Grasshopper and Lark sparrows and two Clay-colored Sparrows. The Sharp-tailed Sparrow at Newton on the fifth was described as appearing closest to the Acadian race.

Observers at Plum on October 1 were treated to an Island inundated with White-throated Sparrows, with an estimated 500 individuals in attendance. American Tree Sparrows arrived in small numbers towards the end of the month, right on time. L.E.T.

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|--------------------------|---|------------------------|----------------------------|
| Scarlet Tanager: | Nantucket | | BBC |
| 10 Deer brooted Creek | | 1 | DBC |
| Rose-breasted Grost | | | T C |
| | P.I., Nantucket | 1, 1 | J.Grugan#, BBC |
| Blue Grosbeak: | | | |
| 6,8,9 | S. Peabody, Truro, Belmont | 1, 2, 1 | R.Heil, R.Titus#, L.Taylor |
| Dickcissel: | | | |
| 4,7 | Truro, Newton | 1, 2 | J.Murphy#, O.Komar |
| 8,9 | S.Peabody, Salisbury | 1,1 | R.Heil, S.Carroll# |
| 9,23 | Belmont, Concord | 1, 1 | L.Taylor, R.Walton |
| American Tree Spars | row: | | |
| 10,23 | Nantucket, Belmont | 1, 1 | BBC, L.Taylor# |
| 23,30 | P.I., Concord | 1, 1 | BBC, R.Walton |
| Chipping Sparrow: | | | |
| 1-23,2-9 | P.I., Wellfleet | 15 max. (10/23), 30- | v.o. |
| 10,29 | Truro, Newton | 6,1 | J.Murphy#, O.Komar |
| Clay-colored Sparro | | | contract programmer |
| 1,2 | P.I., Newton | 1, 1 | BBC, B.Hallett# |
| Field Sparrow: | , | -, - | bbc, b.nailecos |
| 1,10-22 | Wellfleet, P.I. | 5, 5 max. | D Provent II o |
| 10,15 | Truro, Framingham | 10, 10 | D.Brown#, v.o. |
| | | 10, 10 | J. Murphy#, R. Forster |
| 22,29 | Sudbury, Newton | 5, 5 | R.Walton, O.Komar |
| Vesper Sparrow: | | | and a second of |
| 1-4,2-15 | Wellfleet, Newton | 6 max., 1 max. | v.o., O.Komar |
| 9,12-23 | Nantucket, Belmont | 1, 1 | BBC, v.o. |
| 19 | Cambridge | 1 | F.Bouchard |
| Lark Sparrow: | | 2.5 | |
| 4 | Chatham | 1 | D.Brown# |
| Savannah Sparrow: | 2 2 2 V V | | |
| 1-15,3 | P.I., Newton | 100 max.(10/1), 3 | 7 v.o., O.Komar |
| 2,8-10 | E.Boston, Nantucket | 40, 36 | S.Zendeh#, BBC |
| 13,22 | Belmont, Sudbury | 30+, 82 | F.Bouchard, R.Walton |
| "Ipswich" Sparrow: | | | |
| 19,22 | Salisbury, Scituate | 5, 5 | E.Pyburn#, W.Petersen |
| 26-30,30 | P.I., E.Boston | 1 max., 1 | v.o., S.Zendeh# |
| Grasshopper Sparro | W: | | |
| 16 | Truro | 1 | R.Heil# |
| LeConte's Sparrow: | | | |
| 21 | P.I. | l (details) | R.Ferren# |
| Sharp-tailed Sparr | OW: | | |
| 1-21,5 | P.I., Newton | 70 max.(10/10), 1 | L.Robinson#, O.Komar |
| Seaside Sparrow: | | | |
| 2 | Eastham, E.Boston | 2,1 | K.Griffis#, S.Zendeh# |
| Fox Sparrow: | | | |
| 30 | Concord | 1 | R.Walton |
| Song Sparrow: | | | |
| 1-16,2 | P.I., Newton | 30+, 41 | v.o., O.Komar |
| Lincoln's Sparrow: | | | tron, ornomat |
| 4,5-11 | Truro, Newton | 1, 6 max.(10/7) | D.Brown#, O.Komar |
| 7,29 | Woburn, Newton | 2, 1 | G.Gove, O.Komar |
| Swamp Sparrow: | Hobarn, new ton | -, - | o.dove, o.komar |
| 1-29,7 | Newton, Woburn | 10 (10/10) 20 | |
| 9 | | 10 max.(10/19),20 8 | |
| | Ipswich | 0 | J.Berry |
| White-throated Spa | | 500.00 | |
| 1,19 | P.I., Newton | 500+, 20 | v.o., O.Komar |
| White-crowned Spar | | 1 (20/2) - | 1000 |
| 1-16,6 | P.I., Belmont | 4 max.(10/1), 2 | v.o., L.Taylor |
| 9,9-19 | Nantucket, Newton | 2, 2 max. | BBC, O.Komar |
| 10,30 | Truro, Concord | 4,2 | J. Murphy#, R. Walton |
| Harris' Sparrow: | and the second se | 3 | 10-00 - 10-000 |
| 1-10, from Sept. | Truro | 1 | J.Murphy# |

JUNCO THROUGH EVENING GROSBEAK

Of the more interesting inbound winter residents among this group, both Snow Bunting and Pine Siskin arrived in typical numbers and in the usual time frame. On the outbound side, the small group of Bobolinks at West Newbury at month's end constituted lingerers by close to a month. A clear total of three Yellow-headed Blackbirds was observed during a one-week period at two sites on Nantucket. These were the only records for this species, a fairly regular coastal fall visitor to the region. L.E.T.

| SPECIES/OCTOBER | LOCATION | NUMBER | OBSERVERS |
|-------------------|---------------------|------------------|-------------------------|
| Dark-eyed Junco: | | | |
| 1,22 | P.I., Sudbury | 20+, 60 | BBC, R.Walton |
| Lapland Longspur: | | 270 | |
| 4,22 | Salisbury, Scituate | 2, 5 | M.Lynch#, W.Petersen |
| Snow Bunting: | | | |
| 20,22 | Princeton, Scituate | 4. 50 | K.Durham, W.Petersen |
| 31 | Salisbury, P'town | 85, 125 | F.Bouchard, SSBC |
| Bobolink: | | | |
| 16,19 | Truro, Newton | 2, 2 | R.Heil, O.Komar |
| 20,31 | Belmont, W.Newbury | 1, 4 | L.Robinson, F.Bouchard |
| Redwinged Blackbi | | -, | |
| 9,31 | Ipswich, Salisbury | 1000+, 175 | J.Berry, F.Bouchard |
| Eastern Meadowlar | | _, _, _, | |
| 9,22 | Bolton, Newburyport | 9.3 | A.Williams, BBC |
| Yellow-headed Bla | | ., . | |
| 16-24,21 | | cket(Quaise) 1 m | .+1 f., 1 m. E.Andrews# |
| Rusty Blackbird: | | | |
| 3,9 | GMNWR, Bolton | 8, 12 | L.Taylor#, A.Williams |
| 11,31 | Peabody, Truro | 6,2 | D.Hill, R.Fox# |
| Common Grackle: | | | |
| 10,22 | Nantucket, Concord | 400. 200 | BBC, F.Bouchard |
| 26,28 | Halifax, Middleboro | 5000+, 5000+ | K.Anderson, K.Holmes |
| Brown-headed Cowb | | | |
| 9,15 | Ipswich, Framingham | 175, 1500 | J.Berry, R.Forster |
| Northern Oriole: | | | |
| 1,5 | P.I., Whitman | 1, 1 | J.Grugan, W.Petersen |
| Purple Finch: | | | |
| 19.22 | Newton, Littleton | 20, 50 | O.Komar, V.Sprong |
| House Finch: | | | , topical |
| 19,22 | Newton, Littleton | 70, 30 | O.Komar, V.Sprong |
| Pine Siskin: | | 10, 50 | ornomat, roptong |
| 8,15-29 | S.Peabody, P.I. | 2, 5 max. | R.Heil, v.o. |
| 16,18 | Sudbury, Wellfleet | 15, 12 | R.Forster#, J.Baird |
| 21,23 | Lynn, Newton | 25, 6 | R.Heil, O.Komar |
| Evening Grosbeak: | -,, | | Andre, oradilar |
| 21,30 | Lincoln, Princeton | 2, 12 | R.Forster, L.Taylor# |
| | | | |

CORRIGENDA: September 1983

In the section, NIGHTHAWKS THROUGH VIREOS, the records of Common Nighthawk through Barn Swallow on page 334 should be inserted ahead of Common Raven on page 333.

| Osprey | : | | |
|--------|------------------------------------|---|-----------------------------|
| thr | Mt. Wachusett total should read | 332 max 70 (9/13) | EMHW(fide P.Roberts) |
| thr | Mt. Wachusett total | 341 max 200 (9/13) | EMHW(fide P.Roberts) |
| Lesser | Black-backed Gull: | | |
| 5,11 | Monomoy should read | 1 ad | W.Petersen#,W.Harrington# |
| 5,11 | Monomoy | 1 ad, 2 ad | W.Petersen#,W.Harrington# |
| Common | Tern: | | |
| 3,15 | Monomoy | 15000, 8000 | B.Nikula#(roosting at dusk) |
| 17 | PI should read | 250 | BBC |
| Common | Tern/Roseate Tern: | and the second se | |
| 3,15 | Monomoy | 15000, 8000 | B.Nikula# |
| | About 1/3 of the mass of roost | ing terns were Roseates. | |
| Common | Tern: and | | |
| 17 | PI | 250 | BBC |