

Field Records:

March 1984

by George W. Gove and Robert H. Stymeist

March 1984 was more of a lion than a lamb. The temperature averaged 31.9 degrees, 6.5 degrees below normal, and it was the coldest March since 1916. Normally the temperature starts to rise in this month; however, this year was only the third time in 114 years of record-keeping that March was actually colder than the month of February. The highest temperature was just 54 degrees, the lowest March high since 52 degrees in 1956. The low was six degrees on the tenth and only two days were above normal all month.

Precipitation totaled 6.82 inches, 2.69 inches more than average; this was the eighth wettest March in 114 years. Measurable amounts fell on four days in a row on March 16-19 making a long wet, foggy, and gloomy period. Snowfall totaled 19.0 inches, 11.4 inches more than average and the most since 1967. The month's first major storm was on March 13 with 6.7 inches of heavy wet snow and sleet and considerable glazing the next day causing hazardous streets and sidewalks. The month's superstorm on March 29-30 dumped 9.4 inches of very heavy snow causing considerable damage to trees. Greater amounts fell in each of these storms in western and northern suburbs, with a foot or so common. The excessive snow brought the seasonal total up to 43.0 inches, 2.1 inches more than the past average. During the blizzard of March 29-30, gusts of wind of 63 mph were noted at Boston, the strongest winds since April 1, 1982. At Blue Hill in Canton, a gust reached 108 mph, the highest in many years. Thunderstorms were noted in several areas. The heavy wet snow clung to trees and limbs taking a tremendous toll. This was the most extensive damage since the visit of Hurricane Donna in September 1960.

R.H.S.

LOONS THROUGH DUCKS

The many reports of large numbers of birds on March 30 and 31 are undoubtedly related to the storm. One hundred Common Loons were noted in Cape Cod Bay on March 31. Horned and Red-necked grebes were building in numbers along the coast, and one Red-necked Grebe was seen inland in Sterling. Large numbers of Northern Fulmar and Northern Gannet were seen off the Cape at month's end with 2000 Gannets counted on the thirty-first. Two storm-petrels were seen in Barnstable Harbor on March 30 and it was thought that they were Leach's Storm-Petrels.

An early Great Egret was noted in Eastham from the third through the twelfth, and Snowy Egrets appeared at month's end. Two Cattle Egrets were seen at Logan Airport on March 20 and one was present in Easton on the twenty-second. An immature Yellow-crowned Night-Heron was noted in Eastham on March 14, and Glossy Ibis were reported from four locations with the early date this year being March 15.

An adult Tundra Swan was reported from Plymouth on the fourth, and another, possibly the same bird, was seen in Lakeville from March 11 through the twenty-fifth. Only two reports of Snow Goose were received for the month. Brant were plentiful along the coast with 2559 counted on the TASL Boston Harbor Census. A Canada Goose with a yellow neck collar marked with P33F was noted in Newburyport Harbor; researchers from Cornell have been so marking geese. Wood Ducks were noted on the first of the month, and most of the species of dabbling ducks were increasing in numbers. The TASL census counted 7078 Common Eider in Boston Harbor, and 10,000 were estimated in Plymouth Harbor. King Eider were reported from at least five locations, and Harlequin Ducks were seen at four locations. Seventeen Barrow's Goldeneye were present in Newburyport Harbor; their numbers generally increase in early spring. Perhaps this species congregates at one location just prior to migrating to breeding grounds. A total of 15,000 Red-breasted Mergansers was estimated from Cape Cod Bay. The observer noted that this was a "spectacular concentration of spring-staging birds located along Cape Cod Bay from Wellfleet to Provincetown Harbor with an additional concentration of 5000 at Herring Cove Beach. Provincetown Harbor is a traditional spring staging area; however, these numbers far exceed anything recorded in Cape waters in the spring."

| SPECIES/DATE | LOCATION | NUMBER | OBSERVERS MARCH 1984 |
|------------------|--|---|--|
| Red-throated Lo | on: | | |
| 3,17 | P.I., Nantucket | 2, 5 | P.Roberts, BBC |
| 24 | Newburyport, Manomet | 2, 5 | T.Walsh, K.Holmes |
| Common Loon: | | | |
| 3,17 | P.I.+Salisbury, Nantucke | t 12. 20 | P.Roberts, BBC |
| 31 | Cape Cod Bay | 100 | W.Petersen# |
| | | 100 | w.recerseny |
| Pied-billed Gre | | | |
| 4,7 | Plymouth, Eastham | 1, 1 | W.Petersen, A.Williams |
| 25 | Falmouth, Wayland | 2, 2 | BBC, K.Hamilton |
| 31 | Eastham | 3 | D.+ R.Emerson |
| Horned Grebe: | | | |
| 3 | Marion, Boston Harbor | 56, 59 | D.Briggs, TASL |
| 9,25 | N.Scituate, Gloucester | 25, 75 | R.Abrams, L.Robinson |
| Red-necked Greb | | 77. | |
| 3,21 | Dennis | 41, 31 | B.Nikula |
| | | | BBC, G.d'Entremont# |
| 3,10 | Cape Ann, N.Scituate | 20, 23 | |
| 17-18,25 | Nantucket, Sterling | 25, 1 | BBC, H.Merriman |
| 31 | Wellfleet, Manomet | 50, 14 | W.Petersen# |
| Northern Fulmar | E Los Sales Company of the Company o | | |
| 30 | Eastham (F.E.) | 120 | B.Nikula |
| storm-petrel sp | | 2 | I Avilvand |
| 30 | Barnstable Harbor | 2 | J.Aylward |
| Northern Gannet | | | |
| 3 | N.Scituate, P.ISalisbur | ry 6, 30 | B.Cassie, P.Roberts |
| 31 | Outer Cape Cod | 2000 | W.Petersen# |
| Great Cormorant | : | | |
| 3,10 | Boston Harbor, N. Scituate | 444, 25 | TASL, G.d'Entremont |
| 17-18,25 | Nantucket, S.Dartmouth | 100, 100 | BBC, R.Laubach |
| Double-crested | | , | , |
| | | , | D. Tudoblo# |
| thr. | Falmouth | 4 | P.Trimble# |
| 24,31 | Newburyport | 1, 20 | H.Merriman, BBC |
| Great Blue Hero | n: | | |
| thr. | E.Boston | 1-2 | S.Zendeh |
| 4,17 | Milton, Westport | 2, 2 | R.Abrams, SSBC |
| Great Egret: | | | 5 |
| 3-12 | Chatham | 1. | B.Waters# |
| | Citatitan | • | Dinaccion |
| Snowy Egret: | N. O | , | C 1144-1-41 |
| 22,23 | N.Quincy | 1 | S.Higginbotham |
| 25 | N.Quincy | 4 | G.Wilson# |
| Cattle Egret: | | | |
| 20,22 | E.Boston (Logan AP), East | ton 2, 1 | I.Nisbet, K.Ryan |
| Black-crowned N | ight-Heron: | | |
| 3,6 | Cambridge, Eastham | 1 imm., 1 | J.Paputseanos, A.Williams |
| 31 | Falmouth, Eastham | | imm. R.Stymeist#,H.Mallers# |
| Yellow-crowned | | , | ,,,,,,,,,,,,,,,,,,, |
| | | 1 fmm | U Railey |
| 14 | Eastham (F.H.) | l imm. | W.Bailey |
| Glossy Ibis: | | | and the second s |
| 15,22 | Chatham, Quincy | 1, 2 | W.Bailey, S.Higginbotham |
| 24,31 | Bridgewater, Middleboro | 3, 1 | W.Petersen#, D.Briggs |
| Tundra Swan: | | | |
| 4 | Plymouth | 1 ad. | W.Petersen# |
| 11-25 | Lakeville | 1 ad. | v.o. |
| Mute Swan: | | | |
| | Assauct Falmouth | 60 91 | SSBC, BBC |
| 17,25 | Acoaxet, Falmouth | 60, 81 | SSBC, BBC |
| Snow Goose: | approximation action of the contract of the co | | and the Trial Control of the Control |
| 4,25 | Salisbury, Newburyport | 1, 1 ad. | BBC, W.Petersen |
| Brant: | | | |
| 3 | Boston Harbor | 2559 | TASL |
| 22,24 | WBWS, Newburyport | 2500, 1000 | P.Trull, BBC |
| Canada Goose: | mana, manaaaypaaa | | |
| | Northwest Califabure | 2000 | ** * |
| thr. | Newburyport-Salisbury | max. 2000 | v.o. |
| Wood Duck: | CENTROLS CENTRAL ENTRE | | Paul Carrier on Train and Control |
| 1,11 | Dover, Lakeville | 1, 3 | W.Reagan, K.Ryan |
| 24,25 | Wayland | 11, 16 | E.Morrier |
| 23 | GMNWR | 5 | R.Walton |
| | Many other reports. | | |
| Green-winged Tea | | | |
| | | 1 6 | BBC, S.Carroll# |
| 3,4 | Winchester, Truro | 1, 6 | |
| 25 | | | .Berry,K.Hamilton,J.Lortie# |
| 31 | W.Bridgewater | 9 | K.Ryan |
| American Black | Duck: | | |
| 3,17 | Boston Harbor, Newburypor | t 1476, 500 | TASL, BBC |
| | | | |

| SPECIES/DATE | LOCATION | NUMBER | OBSERVERS MARCH 1984 |
|---------------------------|--|---------------------|---|
| Northern Pintail: | | | |
| 1,22 | W.Bridgewater, P.I. | 20, 15 | D.Emerson, M.McClellan |
| 25,27 | Ipswich, W.Bridgewater | 12, 16 | J.Berry, S.Higginbotham |
| Blue-winged Teal: 24,25 | Milton, Marshfield | pr., 2 m. | R. Vernon, T. Leverich# |
| 25,31 | Orleans, P.I. | 6, 2 | M.Lynch#, W.Petersen |
| Northern Shoveler | | -, - | , mere en |
| 25 | S.Monomoy | 8 | P.Trull# |
| Gadwall: | | | |
| 4,17 | Plymouth, Westport | 7, 5 | W.Petersen, SSBC |
| 24,25 | W.Harwich, S.Monomoy | 4, 15 | J.Aylward, J.Lortie# |
| Eurasian Wigeon: | | 2 | |
| thr. | E.Orleans | 1 m. | A.Williams, S.Carroll# |
| American Wigeon: 18-30 | Campridge | max. 37(3/18) | D.Flood |
| 24,31 | Cambridge N.Scituate, Falmouth | 11, 2 | R.Titus#, H.Merriman |
| Canvasback: | n.beleuace, raimouth | , - | nilleda, miletzamin |
| 2,3 | Milton, Boston Harbor | 16, 22 | D.Brown#, TASL |
| 17 | Westport, Yarmouth | 200, 300 | SSBC, J.Aylward |
| 25 | Falmouth | 25 | P.Trimble |
| Redhead: | | | |
| 2,4 | Lakeville, Plymouth | pr., 5 | D.Briggs, W.Petersen |
| 24,25 | Halifax, Falmouth | 1, 7 | W.Petersen#, P.Trimble# |
| Ring-necked Duck: | | 25 19 | W.Petersen, A.Williams |
| 4,7 | S.Hanson, Eastham Braintree, Middleboro | 25, 18 20, 50 | R.Abrams, W.Petersen |
| 11,24 24,31 | SRV, Carver | 42, 36 | R.Walton, D.Briggs |
| Greater Scaup: | SKV, Carver | 42, 50 | Kindledi, Diblegg |
| 3,10 | Boston Harbor, Newburypor | t 2266, 400 | TASL, BBC |
| 25 | Falmouth | 1065 | BBC |
| Lesser Scaup: | | | |
| 11 | Braintree, Newburyport | 6, 3 | R.Abrams, J.Berry |
| 26 | Lakevi-lle | 50 | D.Briggs |
| Common Eider: | n | 7079 10 000 | TACL H Mallowell |
| 3,24 | Boston Harbor, Plymouth | 7078, 10,000 300 | TASL, H.Mallers# R.Titus# |
| 31 Vina Fider: | N.Scituate | 300 | K. IICUS# |
| King Eider: | Boston Harbor | 2 | TASL |
| 3-16 | Wollaston | 1 ad. m. | L.Taylor + v.o. |
| 4 | N.Scituate | 1 m. | S.Higginbotham# |
| 31 | Manomet, Sandwich, Eastham | 1 f., 1 imm. m., | 1 m. W.Petersen# |
| Harlequin Duck: | | 100000 E | |
| 3-18 | Cape Ann | max. 7 | V.O. |
| 3,6 | Boston Harbor, E.Orleans | 5 m. + 3 f. | TASL, A.Williams |
| 4-18 | N.Scituate | J m. + J 1. | v.o. |
| 01dsquaw: 4,28 | Newburyport | 50, 75 | BBC |
| 25 | Buzz. Bay - Falmouth | 70 | CCBC |
| Black Scoter: | | | |
| 17-18 | Nantucket | 200 | BBC |
| 18,25 | S.Dartmouth | 25 | R.Laubach |
| Surf Scoter: | | | |
| 4,9 | Scituate, N.Scituate | 14, 30 | D.Clapp, R.Abrams |
| 17-18 | Nantucket | 100 | BBC |
| White-winged Scot | Boston Harbor, Nantucket | 220 500 | TASL, BBC |
| 3,17-18 11 | Middleboro | 1 m. | D.Briggs# |
| Common Goldeneye | | 1000000 | |
| 3,5 | Boston Harbor, GMNWR | 973, 10 | TASL, R.Walton |
| 25 | S.Dartmouth, Sterling | 200, 43 | R.Laubach, H.Merriman |
| 31 | P.ISalisbury | 300 | BBC |
| Barrow's Goldene | ye: | | |
| thr. | Newburyport | max. 11 m. + 6 f. | |
| thr. | Dennis | 1 m. | V.O. |
| 3,4 | Chatham, Hull | pr., 8 | B.Nikula, R.Abrams G.Gove# |
| 31 | Falmouth | 1 m. | G.Gover |
| Bufflehead: | Boston Harbor | 1196 | TASL |
| 11,23 | Lakeville, GMNWR | 30, 7 | K.Ryan#, R.Walton |
| 31 | Falmouth | 650 | H.Merriman |
| Hooded Merganser | | | |
| 3,5 | Winchester, Wayland | 4, 4 | BBC, R.Walton |
| 9,24 | GMNWR, Middleboro | 10 m. + 2 f., 18 | G.Gove, W.Petersen# |

| SPECIES/DATE | LOCATION | NUMBERS | OBSERVERS MARCH 1984 |
|-----------------|------------------------|---------------|----------------------|
| Common Merganse | r: | | |
| 4-16,11 | Braintree, Newburyport | max. 125, 100 | v.o., J.Berry |
| 4,18 | Milton, Arlington | 42, 44 | R.Abrams, L.Taylor |
| 24,31 | Waltham, Bourne | 55, 120 | R.Stymeist |
| Red-breasted Me | rganser: | | |
| 3 | Boston Harbor | 1335 | TASL |
| 31 | Cape Cod Bay | 15,000 | W.Petersen# |
| Ruddy Duck: | | | |
| 24,25-31 | S.Monomoy, P.I. | 2, 1 m. | B.Nikula, v.o. |
| | | | |

RAPTORS THROUGH BOBWHITE

Turkey Vultures moved north early with a report on March 1, though the average arrival was after March 15 with many reports mostly from western areas. Ospreys arrived early in Lakeville and another was noted in Falmouth on March 25. At least seven Bald Eagles were recorded from a wide area of locations. Seven Northern Goshawks were noted from as many locations and Red-shouldered Hawks were moving on scledule from mid-March on. A Red-tailed Hawk was noted on a nest in Lexington on March 15, while several were moving at Mt. Wachusett on the weekend of the 24-25. Early reports of Broad-winged Hawks were noted at Hamilton on the 13th and in Carver on the 24th. An immature Golden Eagle continued in the south Quabbin area from the previous month. Finally in Boston, a Peregrine Falcon was noted three times during the month, each time observed either in pursuit of or with a Rock Dove.

Fourteen Wild Turkeys were observed in Ware, though the majority of reports were from Western Massachusetts.

| SPECIES/DATE | LOCATION | NUMBERS | OBSERVERS MARCH 1984 |
|-----------------|---------------------------|---------------------|--|
| Turkey Vulture: | | | |
| 1,15 | Medway, W.Boylston | 1, 1 | K.Anderson, D.Emerson |
| 23 | Lincoln, Concord | 1, 2 | W.Harrington, W.Wyman |
| 24 | Sudbury, Mt. Wachusett | | R.Forster#, T.Lipsky# |
| 25 | Hardwick, Mt. Wachusett | | |
| 26;27 | Bolton; Concord, Lexingto | | A.Williams; W.Davis, R. Forster |
| Osprey: | | , ., . | ,, |
| 17,25 | Lakevi-lle | 1, 1 | D.+ B.Kiel, D.Clapp |
| 25 | Falmouth | 1 | BBC (J.Bryant) |
| Bald Eagle: | raimoden | • | bbc (5.bryane) |
| 3 | S.Quabbin | 3 ad., 1 imm. | M.Lynch, S.Carroll |
| 3,10 | P.I. | | P.Roberts, G.Gove |
| | | | |
| 17-19,17-21 | Westport, Lakeville | l imm., l imm. | SSBC+ R.Laubach, D.Kiel# |
| 25 | S.Monomoy | 1 imm. | J.Lortie# |
| Northern Harrie | | | |
| thr. | Salisbury-P.I. | max. 5-6 | v.o. |
| | Other reports of 1-2 in | dividuals from many | tocations. |
| Sharp-shinned H | | | |
| thr. | Reports of just single | individuals from ei | ght locations. |
| Cooper's Hawk: | | | |
| 1+3,3 | Chatham, P.I. | 1, 1 ad. | B.Nikula, P.Roberts |
| 10,24 | Marshfield, Sandwich | 1, 1 | D.Clapp, G.d'Entremont# |
| Northern Goshaw | rk: | | |
| 1;4 | Franklin; Newburyport, Bo | xford 1; 1, 1 | K.Anderson; BBC |
| 24,26 | Mt. Wachusett, Chatham | 1, 1 imm. | P.Roberts, D.Holt# |
| 28,30 | Norton, Brookline | 1, 1 | K.Ryan, H.Wiggin |
| Red-shouldered | Hawk: | | |
| 3+11,16 | Orleans, GMNWR | 1 ad., 1 | B.Nikula#, W.Trembley |
| 24 | Millis, Mt. Wachusett | 1, 2 | B.Cassie#, T.Lipsky |
| 24,25 | W.Newbury, Concord | 2, 1 | H.Wiggin#, R.Walton |
| Broad-winged Ha | | | |
| 13 | Hamilton | 1 | R.Heil |
| Red-tailed Hawk | : | | |
| 3 | P.I. | 6 | P.Roberts |
| 8 | Rte 495 (Middleboro-Rte | | K.Anderson |
| 15,24 | Lexington, Millis-Wollas | | L. Taylor, W. Reagan |
| 24,25 | Mt. Wachusett | 4, 7 | T.Lipsky |
| Rough-legged Ha | | 7, / | ************************************** |
| | P.ISalisbury | max. 5 (3/10) | v.o. |
| 1-25 | | | K.Anderson# + v.o. |
| 3-16 | Middleboro | l melanistic | |
| 24 | Marshfield, Bridgewater- | naiitax 1-2, 3 | H.Mallers#, W.Petersen# |
| Golden Eagle: | 0.0.111 | | W. 1 00 11 |
| 3 | S.Quabbin | 1 imm. | M.Lynch, S.Carroll |

| SPECIES/DATE | LOCATION | NUMBERS | OBSERVERS MARCH 1984 |
|-----------------|-------------------------|----------------------|-----------------------------|
| American Kestre | 1: | | |
| 24,31 | Newburyport area | 7, 8 | P.Roberts, B.Cassie# |
| Merlin: | | | |
| 17,26 | S.Dartmouth, Kingston | 1, 1 | SSBC, B.Sorrie |
| Peregrine Falco | n: | | |
| 7,14,23 | Boston | 1 imm. | K.Ryan, B.Hallett, W.Reagan |
| | All three of these obse | ervations - bird was | seen w/pigeon. |
| 24-27 | N.Monomoy | 1 ad. | D.Holt# |
| Ruffed Grouse: | | | |
| 24 | Milton, IRWS | 2, 4 | G.d'Entremont#, R.Stymeist# |
| 26,31 | GMNWR, Sandwich | 2, 1 | A.Williams, H.Mallers |
| Wild Turkey: | | | |
| 10 | Ware | 14 | W.Smith# |
| Northern Bobwhi | te: | | |
| 11,25 | Middleboro, Medfield | 5, 9 | W.Petersen, W.Reagan |
| | | | |

COOT THROUGH ALCIDS

Piping Plover were right on schedule with reports from Plum Island on March 22 and from Monomoy on March 24. The general arrival of Killdeer was the twenty-fourth, and sixty were noted in Millis on March 27. Although oystercatchers were present on Nantucket through January, migrants arrived on the seventeenth at Dartmouth and on 20 March at Monomoy. Lesser Yellowlegs were early arriving on the fourteenth, and a report of a Least Sandpiper on March 31 constitutes the earliest reported date in the eleven years of BOEM records. The three previous early reports were April 2, 1982 from Bolton, April 11, 1981 from Newburyport and April 16, 1979 from Nantucket. A dowitcher species was noted at Plum Island on the twenty-eighth. The bird did not call and, thus, was not identified. Both species have been seen in March in previous years. The early Common Snipe reported may be wintering birds, and the end of the month reports probably are migrants. Two individual Red Phalaropes, one found dead on Nantucket on March 30 and one seen at Eastham on the thirty-first constitutes the only March BOEM records. Because this is a pelagic migrant, it is difficult to assess migration dates from BOEM records.

A dark-phase jaeger species was noted in Eastham, and a $\frac{\text{Mew Gull}}{\text{c}}$ was seen in Falmouth at Salt Pond by about fifteen people from the Brookline and Cape Cod bird clubs. Details were provided by the observer, K. Griffis, who first noted the bird, and are quoted as follows:

Ring-billed Gulls were nearby for comparison, and the bird was slightly smaller and had a shorter, thinner, brighter yellow bill which was unmarked. The head was smaller and more rounded. Head, neck and body were white with some gray streaks on the head and neck. The mantle was similar to the Ringbilled's. Leg color was a brighter, more intense yellow. The orbital ring was red, and the eye color was a pale yellowish-tan. The spots on the primary tips of the folded wings were larger, and the area of white between the black of the tips and the gray of the back or coverts was wider.

A first-winter Lesser Black-backed Gull was noted in Salisbury and Glaucous Gulls were found inland at Clinton and at Lakeville. Five hundred Black-legged Kittiwakes were seen off Provincetown after the storm at month's end, and, the day of the storm. a Dovekie was found alive on the roof of the Barnstable elementary school! An early Forster's Tern was seen in West Dennis on the March 26.

G.W.G.

| SPECIES/DATE | LOCATION | NUMBER | OBSERVERS MARCH 1984 |
|-----------------|-------------------------|-------------------|-----------------------|
| American Coot: | | | |
| 24,25 | Plymouth, Peabody | 13, 5 5 | H.Mallers#, D.Hill |
| 25 | Falmouth | 5 | CCBC |
| Black-bellied H | lover: | | |
| 3,28 | Boston Harbor, Duxbury | 4, 8 | TASL, W.Smith |
| Piping Plover: | | | |
| 22,24 | P.I., Monomoy | 1, 8 | M.McClellan, D.Holt# |
| Killdeer: | DOMEST AND SHAPE | | |
| 3,13 | Bridgewater, Westport | 2, 3 | SSBC, R.Laubach |
| 22,24 | P.I., SRV | 7-15, 6 | M.McClellan, R.Walton |
| 27,31 | Millis, P.I. | 60, 11 | B.Cassie, BBC |
| | Many other reports thro | ughout the month. | |
| American Oyster | rcatcher: | | |
| 17,22-31 | | 1, max. 4 | SSBC, J.Lortie# |
| Greater Yellow | | 202 - Charles (C) | |
| 7.23 | Orleans, WBWS | 2, 3 | H.Stabins#, P.Trull# |

| SPECIES/DATE | LOCATION | NUMBER | OBSERVERS MARCH 1984 |
|------------------------------|---------------------------|---------------------|--|
| Greater Yellowleg | gs (cont.): P.I. | 1 | T.Walsh, H.Merriman# |
| Lesser Yellowlegs | | | I.waish, h.netilmany |
| 14,24,28 Ruddy Turnstone: | P.I. | 1, 1, 1 | T.Walsh, v.o., J.Smith |
| 28 | Duxbury | 4 | W.Smith |
| Red Knot: 25,31 | S.Monomoy, Salisbury | 2, 2 | J.Lortie#, B.Cassie# |
| Sanderling: 4,31 | Boston Harbor, Barnstable | 48, 32 | TASL, W.Smith |
| Least Sandpiper: | Eastham | 1 (details) | R.Titus |
| Purple Sandpiper: | | 250. 25 | II D |
| 11,17 | N.Scituate, Acoaxet | 250+, 35 | W.Petersen, SSBC H.Mallers# |
| 31 | N.Scituate | 300 | n.mailers# |
| Dunlin: 4,17 | Boston Harbor, Westport | 92, 150 | TASL, SSBC |
| 28 | | 225 | W.Smith |
| | Duxbury | 223 | w. Smilli |
| dowitcher sp.: 28 | P.I. | 1 | J.Smith |
| 20 | (Probably Short-billed - | | |
| Common Cuinos | (Frobably Short-billed - | did not call when | Trusheu./ |
| Common Snipe: | Manak 64 a 1.4 | 2 3 | U Potomon T Loverich# |
| 4,25 | Marshfield | 2, 3 | W.Petersen, T.Leverich# |
| 28,31 | Newburyport, Concord | 2, 1 | BBC, R.Walton |
| American Woodcock | | 1 1 | 7 P A 11/11/ |
| 6 | Cambridge, E.Orleans | 1, 1 | J.Paputseanos, A.Williams |
| 10,22 | Marshfield, Millis | 2, 3 | D.Clapp, B.Cassie# |
| 25 | Concord, Somerville | 3, 1 | R.Walton, N.King |
| | Nine others seen in varie | ous locations. | |
| Red Phalarope: | William resid | | |
| 30,31 | Nantucket, Eastham | 1 (dead), 1 | J.VanVorst, D.+ R.Emerson |
| jaeger sp.: | | | 2022 2 |
| 30 | Eastham | 1 (dark) | B.Nikula |
| Little Gull: | | | |
| 25 | Newburyport, Falmouth | 3 ad. + 1 imm., 1 | |
| 31 | Newburyport | l ad. | T.Walsh |
| Common Black-head | | | |
| 3,4 | Gloucester, Annisquam | 1, 1 | BBC, G.d'Entremont# |
| 31 | Newburyport | 1 (2 S.) | T.Walsh |
| Bonaparte's Gull: | | 72.0 | 222 |
| 25 | Falmouth | 61 | BBC |
| Mew Gull: | | 12 12 12 12 12 12 1 | Action 22072 |
| 25 | Falmouth | l (details) | K.Griffis# |
| Ring-billed Gull: | | | |
| 31 | Salisbury-Newburyport | 150 | B.Cassie# |
| Iceland Gull: | | 727 78720 | and the second s |
| 3 | Boston Harbor, Hingham | 8, 15 | TASL, R.Abrams# |
| 17 | P.I., Nantucket | 40, 10 | BBC |
| 25,31 | Falmouth, Salisbury | 2, 30 | P.Trimble, B.Cassie# |
| Lesser Black-back | ced Gull: | | |
| 24 | Salisbury | 1 (1 W.) | M.Lynch# |
| Glaucous Gull: | | | ** |
| 3,4 | Boston Harbor, Annisquam | 2, 1 (2 W.) | TASL, G.d'Entremont# |
| 21,25 | Salisbury, Clinton | 1 ad. + 1 imm., 1 | (2 W.) T.Walsh, H.Merriman |
| 24 | Lakeville | 1 imm. | W.Petersen |
| Black-legged Kitt | iwake: | | |
| 31 | P'town | 500 | W.Petersen |
| Forster's Tern: | | | |
| 26 | W.Dennis | 1 | J.Aylward |
| Dovekie: | | | |
| 30 | Barnstable | 1 | fide R.Comeau |
| | (Found alive on roof of B | arnstable school.) | |
| Razorbill: | 120 | | |
| 17,18 | Nantucket Sound | 29, 29 | BBC |
| Black Guillemot: | | | |
| 3,11 | Rockport, N.Scituate | 1, 4 | BBC, W.Petersen |
| 22,31 | Rockport, P'town | 3, 5 | V.Albee, W.Petersen |
| , | Three others from three | | |
| | THE OTHERS ITOM CHIEF | | * |

MOURNING DOVE THROUGH WOODPECKERS

On an owl-prowl from Weston to Sudbury, a total of five Eastern Screech-Owls and five Great Horned Owls were heard. Thirteen other reports of Great Horned Owls were noted

with five at Brewster alone. Two Snowy Owls continued to be seen at Logan Airport, and at least two were seen all month in the Plum Island area. Short-eared Owls were noted from four locations.

A Red-headed Woodpecker was found in Haverhill, and the Red-bellied Woodpecker continued to be seen in Carlisle all month.

| SPECIES/DATE | LOCATION | NUMBER | OBSERVERS MARCH 1984 | |
|-------------------|-------------------------|--------------------|--|--|
| Mourning Dove: | | | | |
| 14 | Brookline | 26 | B.Rielly# | |
| Eastern Screech-O | wl: | | | |
| 3,11 | Halifax, Weston-Sudbury | 4, 5 | SSBC, BBC | |
| 16,22 | Bedford, Winchester | 1, 1 | G.Gove | |
| 25,31 | Rockport, Brewster | 1, 2 | V.Albee, W.Petersen# | |
| Great Horned Owl: | | | | |
| 2,3 | Milton, E.Middleboro | 1, 1 | D.Brown, SSBC | |
| 10,11 | P.I., Weston-Sudbury | 1, 5 | BBC, BBC | |
| 24,31 | Millis, Brewster | 1, 5 | W.Reagan, W.Petersen | |
| 2000 Barrier | Other reports of single | individuals from f | | |
| Snowy Ow1: | | | | |
| 3 | Boston (Logan), P.I. | 2, 2 | TASL, P.Roberts | |
| 4.10 | Duxbury, P.I. | 1, 1 dark | W.Petersen, G.Gove# | |
| 24.31 | Salisbury, Newburyport | 1, 1 | T.Walsh#, B.Cassie# | |
| Barred Owl: | | | | |
| 3,25 | Middleboro, Wachusett | 1, 1 | SSBC, P.Roberts | |
| Short-eared Owl: | | 25. | | |
| 24 | Monomoy, Salisbury | 1, 1 | D.Holt#, H.Merriman# | |
| 25+31 | E.Boston (Belle Isle) | 2 + 2 | S.Zendeh# | |
| 25 | S.Dartmouth (Gooseberry | Neck) 1 | R.Laubach | |
| Northern Saw-whet | | | | |
| 10-11 | E.Orleans | 1 | B.Tillotson | |
| Belted Kingfisher | : | | | |
| 31 | Falmouth | 7 | R.Stymeist# | |
| Red-headed Woodpe | cker: | | Control of the Contro | |
| 21 | Haverhill | 1 | J.Bishop | |
| Red-bellied Woodp | ecker: | | | |
| thr. Mar. | Carlisle | 1 m. | K.Harte | |
| Pileated Woodpeck | er: | | | |
| 10-31 | Milton (Curry College) | 1 | J.Tonger | |
| | | | | |

EASTERN PHOEBE THROUGH EVENING GROSBEAK

The first spring southerly winds on March 22 brought Tree Swallows, though a south-easterly wind on the 25 and 27 sent several Eastern Phoebes, a few Ruby-crowned Kinglets and Palm Warblers, and many more Tree Swallows and larger numbers of blackbirds into our area.

Common Ravens were seen in their now standard locations - Quabbin and Mt. Wachusett - while another bird or birds was noted in Hingham and in the Blue Hill area of Milton.

A Bohemian Waxwing was noted at the Worcester Airport and there were nine reports of Northern Shrikes. Fox Sparrows were noted from many locations but the maximum for any one location was just three individuals. A Dickcissel was seen for two days in Brewster.

R.H.S.

| SPECIES/DATE | LOCATION | NUMBER | OBSERVERS MARCH 1-84 |
|-----------------|--------------------------|----------|--|
| Eastern Phoebe: | | | |
| 25 | Dedham, Concord, Halifax | 1, 1, 1 | J.Marshall, R.Forster, D.Clapp |
| Horned Lark: | | | |
| 17 | Salisbury, Lexington | 24, 17 | BBC, J.Carter |
| 22,24 | Lancaster, Bridgewater | 30, 100 | H.Merriman, R.Abrams |
| 25,31 | Ipswich, Wellfleet | 25, 20 | J.Berry, H.Mallers# |
| Tree Swallow: | | | |
| 22 | Láncaster, Norton | 1, 30 | H.Merriman, K.Ryan |
| 23,24 | GMNWR, Wayland | 8, 37 | R.Walton (both) |
| 26,28 | Millis, Wayland | 33, 80 | B.Cassie, T.Walsh |
| American Crow: | N.S. | | F. Control of the con |
| 11 | Newburyport (on Riverba | nk) 200+ | J.Berry |
| Fish Crow: | | - | |
| thr.,5 | Mt.A., Newton | pr., 1 | v.o., O.Komar |
| 25 | Lincoln, Lakeville | 1, 1 | R.Stymeist#, K.Holmes |
| Common Raven: | | | |
| 3 | Hardwick, New Braintree | 2, 1 | M.Lynch, S.Carroll |

| SPECIES/DATE | LOCATION | NUMBER | OBSERVERS MARCH 1984 |
|-------------------------------------|---|-------------------|---|
| Common Raven (con | t.): | | |
| 23,24 25 | Hingham, Milton (Blue Hill Hardwick, Mt. Wachusett | | E.Nielsen, G.d'Entremont M.Lynch#, P.Roberts |
| Red-breasted Nuth | atch: Topsfield | 8 | C.Floyd# |
| Brown Creeper: thr. | Norwell | l feeding on gro | ound M.+ B.Litchfield |
| Carolina Wren: 4,17 | Marchfield, Boxford | 1, 1 | D.Clapp, I.Giriunas# |
| 24,25 Golden-crowned Ki | Milton, Lakeville | 1, 1 | R.Vernon, K.Holmes |
| 4,24 25 | Boxford, Lakeville Falmouth | 4, 6 10 | BBC, W.Petersen CCBC (P.Trimble) |
| Ruby-crowned King 23,25 | Cambridge (F.Pond), Falmo | outh 1, 1 | D.Flood, BBC(J.Bryant) |
| Eastern Bluebird: 13;24 23-24 | Manchester; Middleboro, Br Chatham | ridgewater 1;1,1 | R.Heil; W.Petersen, R.Abrams P.Trull# |
| Hermit Thrush: | Norwell, E.Orleans | 1, 1 | G.d'Entremont, B.Nikula# BBC |
| 25 American Robin: | E.Falmouth | | |
| 18,20 | Worcester (airport), Sudbury Valley, W. Newbury | ibury 20+, 1 (1 | st migrant) M.Lynch#,R.Forster R.Forster, H.Wiggin |
| 22,24 25 | Lakeville, Marshfield | 15-25, 15 | K.Holmes, T.Leverich |
| 25,31 | Medfield, P.I. | 6, 75+ | W.Reagan, BBC |
| Gray Catbird: 4,31 | Marshfield, Falmouth | 1, 1 | D.Clapp, M.Lynch# |
| Bohemian Waxwing | Worcester (airport) | 1 | M.Blazis,M.Lynch#,D.Bigwood# |
| Cedar Waxwing: 5,13 25 | Westport, Marshfield Dover | 50±, 42 40 | R.Laubach, D.Clapp J.Marshall |
| Northern Shrike: | | | |
| 3,6 8,10,16 25 | Middleboro, Littleton Barnstable, P.I., Concord Gloucester, Chatham | 1, 1 | SSBC, F.Meyers D.Shifflet-fitton, BBC, J.Carter L.Robinson, B.Nikula# |
| 31 Yellow-throated ' | P.I., Sandwich Vireo: | 1, 1 | B.Cassie, J.Aylward# |
| 25 | Falmouth | 1 | P.Trimble, K.Griffis# |
| Yellow-rumped Wa 24 | S.Hanson | 1 | W.Petersen# |
| Palm Warbler: 29 | Wayland | 2 | R.Forster |
| Dickcissel: | Brewster | 1 | D.Ahlborg |
| Rufous-sided Tow | | pwc) 1 1 | A.Williams, R.Stymeist# |
| 7,24 31 | E.Orleans, Topsfield (I Westport, Falmouth | 2, 5 | R.Laubach#, R.Stymeist# |
| American Tree Sp. 10,16 24,28 | Bridgewater, Braintree Halifax, Wayland | 30+, 25+ 8, 50 | G.d'Entremont# (both) W.Petersen, T.Walsh |
| Chipping Sparrow 30 | : Taunton | 1 | D.Emerson |
| Field Sparrow: 10,26 | Bridgewater, Cambridge | 2, 3 | G.d'Entremont, D.Flood |
| Savannah Sparrow 10 | : Bridgewater, Scituate | 6, 2 | G.d'Entremont (both) |
| Fox Sparrow: | | | U Sprang RBC |
| 1,4 13,17 | Littleton, Boxford Concord, Falmouth | 1, 1 | V.Sprong, BBC R.Walton, M.Lynch# |
| 24 | Marshfield, IRWS | 1, 1 | H.Mallers#, J.Berry |
| 25,27 29 | W.Newbury, Sharon Norwell, Belmont | 2, 3 1, 1 | I.Giriunas#, R.Titus B.Litchfield, J.Benedek |
| White-throated S | | 11 | B.Rielly# |
| Lapland Longspur | : | 4 | BBC (I.Giriunas) |
| . 17 Red-winged Black | Salisbury bird: | -7 | |
| 3,4 24,25 | Woburn, Ipswich IRWS, Peabody | 6, 40 75+, 250 | BBC, J.Berry J.Berry, D.Hill |
| Eastern Meadowla | rk: | | |
| 1,24 | Westport, Dennis | 16, 12 | R.Laubach, J.Aylward# |

| SPECIES/DATE | LOCATION | NUMBER | OBSERVERS | MARCH 1984 |
|-----------------|-------------------------|--------------|----------------|------------|
| Eastern Meadowl | ark (cont.): | | | |
| 25 | Ipswich | 16 | I.Giriunas# | |
| Rusty Blackbird | le · | | | |
| 14,16 | Middleboro, Milton | 1, 3 | D.Davis, G.d' | Entremont |
| 22,23 | Bolton, Needham | 2, 2 | H.Merriman, O | .Komar |
| 24,26 | Wayland, Sudbury | 3, 5 | E.Morrier, T. | Walsh |
| Common Grackle: | | | | |
| 17-18,26 | Nantucket, Cambridge | 75, 50-75 | BBC, D.Flood | |
| Brown-headed Co | wbird: | | | |
| 24 | Halifax | 200+ | W.Petersen# | |
| Purple Finch: | | | | |
| 16 | Lexington | 18+ | J.Carter | |
| Pine Siskin: | | | | |
| thr. | Middleboro, Lincoln (D) | FWS) 35+, 4+ | D.Briggs, R.F. | orster |
| 10,16 | Bridgewater, Milton | 25, 5+ | G.d'Entremont | (both) |
| 28,31 | Weston, Falmouth | 20, 4 | L.Robinson, R | .Stymeist# |
| Evening Grosbea | k: | | | |
| 6, 18 | Carver, Easton | 50+, 30 | K.Anderson, K | .Ryan |

WHERE AND WHEN TO SEND RECORDS


In order to be processed, all records for any given month must be submitted PROMPTLY and NOT LATER THAN the eighth of the following month to:

RUTH EMERY, 225 Belmont Street, Wollaston, MA 02170

INSTITUTE FOR FIELD ORNITHOLOGY Shorebird Workshop by Wayne Petersen August 5 - 11, 1984

The Institute for Field Ornithology, a new program for the study of birds in their natural habitats, has been established at the University of Maine at Machias under the direction of Dr. Charles D. Duncan of the Science/Mathematics faculty. From August 5 to 11 it will offer a Shorebird Workshop by Wayne Petersen, affiliated with the Manomet Bird Observatory, the International Shorebird Survey, and a staff member of BOEM. Topics to be covered are the biology of shorebirds, moult and plumage acquisition, migration, research, identification, aging, and censusing. Fieldwork will be done in the Machias area. Cost of the Workshop is \$210; dormitory room \$30; optional trip to Machias Seal Island \$45; limit 20 students. For more information and registration materials write to Dr. Charles D. Duncan, Science and Mathematics Division, University of Maine, O'Brien Avenue, Machias, ME 04654. Tel. (207) 255-3313.





SPARROW MIGRATION STUDY

begins September 1984

Beginning September 15, 1984, BOEM's Field Studies Committee will conduct the third Fall Sparrow Migration Project. Participants make multiple visits (one every four days) to a well-defined site such as community gardens to count migrant sparrows during September and October.

For instructions, data forms, and information, contact:
Oliver Komar, 61 Wade Street
Newton, MA 02161,
Telephone: (617) 332-5509.

WANTED: Newton Records

NEWTON RECORDS WANTED: An up-to-date Newton checklist of birds (showing seasonal abundance, early and late arrival/departure dates, and nesting information) will be compiled this summer. Please send all information about birds seen, including historical records or references, in the Newton area to Oliver Komar, 61 Wade Street, Newton, MA 02161, telephone 617-332-5509. Include your name, the numbers of birds, the date, and precise location, and the names of the observers.

FOR SALE: Birds of Concord, Ludlow Griscom. Excellent condition. Handbook of Birds of North America, Frank Chapman. Clothbound in good condition. \$10 each or best offer. Contact Jim Berry (617) 356-5505 (evenings or weekends, (617) 223-5786 (weekdays).