

Field Records February 1985

by George W. Gove, Robert H. Stymeist, Lee E. Taylor

The month of February 1985 was mild, dry and sunny. The temperature averaged 32.8° , 2.1° above normal, and the high mark of 70° on February 24 broke the previous high of 67° set in 1930. The first nine days of the month were a continuation of January's cold pattern; in fact, the first day without freezing did not come until February 22, ending a fifty-three day stretch of days with temperatures at 32° or below. This was the longest run since a stretch of 58 days, eight winters ago.

Precipitation totaled 1.83 inches, 1.87 inches under normal, making this the driest February since 1980 (0.88 inch). Snowfall totaled 10.2 inches, 1.4 inches less than average. Total snow for the season reached 20.9 inches, 12.1 inches less than normal.

R.H.S.

LOON THROUGH MERGANSER

Red-necked Grebe numbers started their annual build up off Manomet, increasing to eighty-seven by the end of the month. A Western Grebe, dark morph, was seen at North Scituate on February 18. More than three hundred Great Cormorants were noted flying into Woods Hole in the late afternoon and single Double-crested were seen in East Boston and at Newburyport. An American Bittern was noted at Plum Island on the third.

A <u>Tundra Swan</u> spent the last two weeks of the month at Nantucket and Snow Geese were present throughout the month at East Harwich and on the Vineyard. Brant were present in good numbers in the Duxbury-Plymouth area and at Squantum but the number reported from Eastham seems extremely low; the latter may be due to the presence of hunters. Wood Ducks were seen in two locations, and a male Northern Shoveler continued from December in Plymouth where a male Eurasian Wigeon was also seen. Two male Eurasian Wigeons were at Nantucket. Harlequin Ducks were present on the Cape and South Shore but apparently have forsaken their usual haunts around Magnolia. Several small flocks of Hooded Mergansers wintered at several locations.

G.W.G.

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS FEBRUARY 1985	
Red-throated L	oon:			
2,6	Salisbury, Barnstable	3, 2	J.Berry, P.Trimble	
15,24	Nantucket.C.Ann	8, 2	M.Litchfield, P.Trimble	
Common Loon:				
2,18	Salisbury, C. Ann	10, 10	J.Berry	
19,23	Nantucket, Gloucester	30, 25	M.Litchfield.BBC	
Pied-billed Gr		/		
9.21	Lakeville, Sandwich	1, 1	K.Holmes, P.Trimble	
Horned Grebe:		7.07		
3	Cape Ann, P.I.	19, 12	SSBC, G. Bertrand	
18,24	Cape Ann, Nahant	5, 11	J.Berry,BBC	
Red-necked Gre	be:	- Establish		
3,10	C.Ann, Rockport	12, 20	SSBC, L. Robinson#	
6,23	Manomet	40, 87	D.Evered	
Western Grebe:				
18	N.Scituate	1 (dark morph)	M.Argue+H.Wiggin	
Northern Ganne	t:			
10,21	P'town,Scituate	1 ad., 2	E. Nielsen#, W. Petersen#	
24	Rockport	6	J.Berry	
Great Cormoran	t:			
3,17	C.Ann, Newbypt	45, 30	SSBC.BBC	
19,23	Woods Hole, Salisbury	300+, 12	P.Trimble,BBC	

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS FEBRUARY 1985
Double-crested 16,17	Cormorant: E.Boston, Newbypt	1, 1	G.d'Entremont#,BBC
American Bitter		., .	ord increments, pro
3	P.I.	1	v.o.
Great Blue Hero	Falmouth, Wareham	7, 4	J.Berry, L. Robinson
24,26	Westport, Sandwich	3, 2	R.Laubach, P.Trimble
Black-crowned N 10	Wight-Heron: Eastham	4	E.Nielsen#
Tundra Swan: 15-28	Nantucket	1	E.Andrews
Mute Swan:	Palmouth Nantucket	74, 87	J.Berry, E.Andrews
2,28 Snow Goose:	Falmouth, Nantucket	74, 07	J. Berry, E. Andrews
thr. Brant:	E.Harwich, M.V.	4, 4-10	v.o., V. Laux
10	Eastham, Duxbury	75, 1000+	M.Lynch#,W.Petersen#
20,28	Squantum	800, 1200	O.Kerr#,R.Emery#
24	Plymouth	1000+	S.Carroll#
Canada Goose:	Postham Polmouth	125+, 200	M.Lynch#,P.Trimble
10,19 16,23 Wood Duck:	Eastham, Falmouth P.I., Salisbury	450, 250	BBC BBC
11,12-19 Green-winged Te	Sandwich, Cambridge	1, 1 m.	J.Aylward, L.Robinson
23,24 American Black	Abington, Halifax	1, 2	W.Petersen#
11,23 Northern Pinta	Middleboro, Nantucket	200+, 40	D.Briggs, M.Litchfield
thr.	E.Orleans	1 m.	B.Nikula#
24 Arlingt Northern Shove	ton,Westport,Halifax ler:	1 pr.,5,5 L	.Taylor,R.Laubach,W.Petersen
10-28 Gadwall:	Plymouth	1 m. (fr. Dec	.) v.o.
4,12-28 21	Scituate, Nantucket Plymouth, Sandwich	1, max. 7 m. + 3 7, 15	f. S.Higginbotham, E.Andrews W.Petersen, P.Trimble
Eurasian Wigeon 11-23,21 American Wigeon	Nantucket, Plymouth	2 m., 1 m. E.An	drews+M.Litchfield,W.Petersen
14-23	Nantucket	max. 69	E.Andrews
19,24 Canvasback:	Falmouth, Lexington	8, 26	P.Trimble, L.Taylor
2,4	Falmouth, Wareham	11, 50	J.Berry,L.Robinson
15,16-25 Ya	armouth, Nantucket 85, max	c. 75 (2/23) D.W1	lliams, E. Andrews+M. Litchfield
5-23,16-23 Ring-necked Due	Plymouth, Nantucket	max. 11 (2/23	3), max. 125 (2/23) v.o.
thr.	Lakeville	max. 35 (2/24	
16,19	Nantucket, Falmouth	8, 50	E.Andrews, P.Trimble
Greater Scaup: 2,20	Milton, Squantum	500, 400	R.Abrams, O.Kerr# BBC
23 Lesser Scaup:	Newburyport	26	
21,26 Common Eider:	Plymouth, Sandwich	1, 1 m.	W.Petersen,P.Trimble
thr.	Nantucket, Plymouth	max. 10,000+ (2/ max. 10,000+	(16) M.Litchfield, M.Lynch# (2/24)
King Eider:			
1-16,6	Sandwich	l m., l ad. m. + 1 1 f.	imm. f. v.o.,D.Evered P.Trimble
Harlequin Duck	E.Orleans	1 m.	v.o.
thr. 10-23	Scituate	1 m. 1 m., 2 f.	v.o.
11-23	Manomet	max. 3 (2/19)	
Oldsquaw:	Newburyport	max. 150 (2/2	
Black Scoter: 18,24;25	Rockport; Nantucket	4, 5; 29	J.Berry;M.Litchfield
Surf Scoter:	Pownetshie	60	P.Trimble
21	Barnstable	60	r.irimpie

SPECIES/DATE	LOCATION		NUMBER	OBSERVERS	FEBRUARY	1985
White-winged Sc	oter:					
3,23	Cape Ann		40, 100	SSBC, BBC		
16	Ipswich		250	BBC		
Common Goldeney	e:					
3,23	E.Orleans, Newbypt		1000, 700+	A.Williams, W	.Petersen#	
24	Lakeville		60	W.Petersen#		
Barrow's Golden	eye:					
thr.	N.Chatham, Newbypt	max. 3	m., max. 2 m.+	3 f. (2/23)	B.Nikula#,	v.o.
8,24	Plymouth, Rockport		4, 1 f.	D.Evered, J.	Berry	
Bufflehead:						
3,9	Cape Ann, Newbypt		50, 67	SSBC, M. Lynch	n#	
23	Nant., Gloucester		18, 40	M.Litchfield	, BBC	
Hooded Merganse	r:					
2,11	Falmouth, Somerville		18, 6-10			
17	Lakeville, Falmouth		6, 5 f.+ 4 m.	W.Petersen, E	.Nielsen#	
24,26	Belmont, Watertown	3 m. +	1 f., 2 m. +	1 f. L.Taylo	or, M.Hall	
Common Merganse	r:					
2,4	Milton, Lakeville		50, 50	R.Abrams, K.	Holmes	
10,24	Eastham, Wayland		65, 65	S.Carroll#,	R.Forster	
Red-breasted Me	rganser:					
2,20	Milton, P'town		200, 1000	R.Abrams, P.	Trimble	
28	S.Dartmouth		18	R.Laubach		

RAILS THROUGH ALCIDS

A Clapper Rail was found freshly dead at Wellfleet, and a Sora was seen in Lakeville. It should be noted that the report of a possible Yellow Rail in Nantucket in the December records noted that the bird was in a cattail marsh. This was incorrect; the bird was in a Spartina marsh which was surrounded by a cattail marsh. American Coot were noted at four locations; whether these are wintering birds or migrants is open to speculation.

The first migrant Killdeer were seen toward month's end in a few inland locations. Most of the other shorebirds reported are probably wintering birds with the exception of American Woodcock, several of which were seen and heard on February 24. Purple Sandpiper were reported in lower than usual numbers.

An adult Little Gull was seen on a pelagic trip out of Boston to Stellwagen Bank. Other birds seen on that trip included four Iceland Gulls, 400-500 kittiwakes, and an estimated 700 Razorbills. Common Black-headed Gulls were seen at three locations including two or three birds at Newburyport. The Mew Gulls continued at Plymouth and at Provincetown. See the January records for details. High counts of Iceland Gulls were made at Cape Ann and at Newburyport, and three Lesser Black-backed Gulls were noted at Plymouth, one adult and two first-winter birds. Among the details noted were the all-dark primaries, secondaries, and median wing coverts.

An <u>Ivory Gull</u> was found at Plum Island sitting on a duck banding trap and feeding on a duck carcass near Stage Island. A few observers were fortunate to see this bird during the two days it was there and before it disappeared. One wonders where such a striking and readily identifiable bird can disappear to, especially in such a heavily birded area. There was a report of a Ross' Gull at the same time, but no details were received, and no other observers saw the bird. A leucistic Herring or Iceland Gull, described as having totally white body plumage, possible pink primary veins, and a strikingly adult yellow bill with a red spot, was seen at Nantucket.

Common and Thick-billed murres were present at Cape Ann where up to fifteen Black Guillemots were also noted. Three adult <u>Atlantic Puffins</u> were seen at Provincetown. A movement of Razorbills in midmonth at Nantucket and the number seen at Stellwagen the next day is indicative of a major midwinter flight - very unusual. G.W.G.

Clapper Rail:			
5	WBWS	1 (dead)	R.Prescott
Sora:			
4	Lakeville	1	K.Holmes
American Coot:			
3,11	Plymouth, Lakeville	14, 1	v.o., K.Anderson
11,26	Sandwich	10, 6	J.Aylward, P.Trimble
16,21	Nantucket	6, 6	E.Andrews
Black-bellied H	Plover:		
2	Quincy	2	R.Abrams
Killdeer:			
14,24	Nant., Bridgewater	1, 3	M.Litchfield, W.Petersen#
24,26	Cambridge, Easton	1, 2	L.Taylor, K.Ryan

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS FEBRUARY 1985
Ruddy Turnstone:			
3,9	Cape Ann, Nantucket	1, 10	BBC, E.Andrews
18	N.Scituate 5	(1 ad. + 4 imm.)	H.Wiggin + M.Argue
Red Knot:			
18	N.Scituate	3	H.Wiggin + M.Argue
Sanderling:			
9,10	Nant., Salisbury	100, 82	M.Litchfield, F.Bouchard
20	P'town, Manomet	25, 35	P.Trimble, D.Evered
Purple Sandpiper	:		
thr.	Rockport	max. 35	v.o.
18-23	N.Scituate	max. 125	v.o.
Dunlin:			
3,10	Salisbury, P'town	30, 15	BBC,E.Nielsen#
24	Plymouth	50	M.Lynch#
Common Snipe:			The state of the s
16	Ipswich	2	BBC
American Woodcoc			
24	E.Bridgewater, S. Peabody	1, 1	W.Petersen#,D.Hill
24	Lincoln, Concord		M.Montgomery, R.Walton
	Efficient Concord	I, I (display)	Titlotte gomery , Kt mareou
Little Gull:		1 ad.	T.Rumage
16	Mass.Bay	1 ad.	1. Rumage
Common Black-hea			
2	Salisbury, Winthrop		J.Berry,S.Carroll#
5,17,23		(1 ad. + 1 lmm.)	P.Trimble, BBC, W. Petersen#
thr.	P'town	1 (2W)	v.o.
Bonaparte's Gull	L:		
thr.,3	Quincy, Cape Ann	300, 15	R.Abrams, BBC
Mew Gull:			
3,10	Plymouth, P'town	1 (1W), 1	D.Evered#,E.Nielsen#
Ring-billed Gull			
10,15	Plymouth, Quincy	400, 800	W.Petersen#,R.Abrams
28	Abington	400	W.Petersen#
Iceland Gull:	noziigeon	400	
3	Cape Ann, P.I.	25, 40	SSBC,E.Nielsen#
No. of the second secon	Nantucket, Newbypt	12, 25	M.Litchfield, BBC
10,23		4	T.Rumage
16	Stellwagen	4	1. Kullage
Lesser Black-bac		2 (1-1-11-1	D F1#
2,3	Manomet	3 (details)	D.Evered#
Glaucous Gull:	ENGLISHMAN COLUMN DESCRIPTION OF THE PROPERTY		
2,3:4	Manomet; Salisbury	1 (2W); 4	D.Evered#
10,19;20	Nantucket; P'town	1 ad.; 2	M.Litchfield; P.Trimble
Black-legged Kit	ttiwake:		
3,10	Chatham, P'town	300, 300	E.Nielsen#
16	Stellwagen	400-500	T.Rumage
Ivory Gull:			
2-3	P.I.	1 (1W)	R.Secatore+v.o.
	sitting on banding trap,	237 - 27720 7 P.A.	arcass
Dovekie:		The state of the s	
21	Nantucket	1 (winter plum.) M.Litchfield
	Naticucket	1 (William)	,
Common Murre:	Gloucester	1 (br. pl.)	M.Argue+H.Wiggin
23		I (br. pr.)	HIAL SOCIETY SEE
Thick-billed Mu:		2 (2/22)	
17-24	Rockport	max. 2 (2/23)	v.o.
Razorbill:	2 2 2		- W. 1
10,15		31(in 15 min.)	E.Nielsen#,M.Litchfield
16,20	Stellwagen, Falmouth	700, 12	T.Rummage, P.Trimble
Black Guillemot	:		
thr	Rockport	max. 15 (2/24)	V.O.
3,10	N.Scituate, P'town	6, 1	S.Higginbotham, E.Nielsen#
Atlantic Puffin			
10	P'town	3 ad.	E.Nielsen#
Large alcid sp.			
	Eastham, P'town	3, 9	B.Nikula
16,17	Lastiam, r town	",	

TURKEY VULTURE THROUGH WILD TURKEY

Four or five early migrant Turkey Vultures were seen this month. Up to five Bald Eagles were present in the Lakeville area, where a <u>Golden Eagle</u> was also seen, and two Bald Eagles were in the Newburyport area. Cooper's Hawks were reported from seven locations and Northern Goshawks from five. An adult Red-shouldered Hawk was seen in Orleans throughout the month. In addition to the included reports of Red-tailed Hawks, there were many other reports totalling 20 birds of this species. An adult female

SPECIES/DATE LOCATION NUMBER OBSERVERS FEBRUARY 1985

Merlin was seen feeding on a Horned Lark in Salisbury. A dark subadult Peregrine Falcon was noted on Nantucket where a gray phase <u>Gyrfalcon</u>, possibly the one seen on the Christmas Count there, was also noted.

G.W.G.

Turkey Vulture			2.12.000.000.000.000.000.000
17,22	Athol, Uxbridge	1, 1	R.Stymeist#,C.Quinlan
24	Medfield,Dover	2, 1	W.Reagan, B. Wicks
Bald Eagle:		CONTROL TENENTS DE PARE	
3-16	Quabbin	max. 4 ad. + 3	
thr.	Lakeville	max. 3 ad. + 2	
2-17	Newbypt-P.I.	max. 1 ad. + 1	
thr.	S.Dartmouth	1 imm.	A.Hankin
Northern Harri			
3-17	Newbypt-P.I.	max. 5 (2/17)	v.o.
20,23	P'town, Westport	2, 1 f.	P.Trimble, R. Laubach
Sharp-shinned			
2,15	E.Orleans, Nantucket	1, 1	A.Williams, M.Litchfield
4-24	S.Dartmouth	1	A.Hankin
Cooper's Hawk:			
4,15	Lakeville, Canton	1, 1	K.Holmes,K.Ryan
16,21	Ware, E. Orleans	1, 1 imm.	W.Petersen, P.Trull
24	SRV; Petersham	2, 1; 1 f.	R.Walton, R.Forster; E.Nielsen
Northern Gosha	wk:		
4,10	Brookline, Weston	1 imm., 1	H.Wiggin, W.Reagan
16,17	Quabbin, Harvard	1 imm., 1	SSBC,S.Carroll#
21	Medfield	1	W.Reagan
Red-shouldered	Hawk:		
thr.	Orleans	1 ad.	v.o.
3,24	Worcester, Braintree	1, 1	M.Lynch, S.Carroll
24	Concord	1	R.Walton#
Red-tailed Haw	k:		
10	Marshfield, Salisbury	5, 8	W.Petersen#,P.Roberts
3	Newbypt-Salisbury	11	R.Forster
15,16	Nantucket, Ipswich	3, 7	M.Litchfield, BBC
24	SRV, Medfield	24, 7	R.Walton#, W.Reagan
Rough-legged Ha	awk:		
4,10	Salisbury-P.I., Marshfield	6, 7	D.Evered#, W.Petersen#
24	Bridgewater, Middleboro	2, 2	E. Pearson, W. Petersen#
Golden Eagle:			
24	Lakeville	1	K.Holmes#
American Kestr	el:		
4-10	S.Dartmouth	1	A.Hankin
17	Salisbury, Newbypt	1, 1	BBC
24	Bridgewater	1	E.Pearson
Merlin:	A CONTRACTOR	7707	and a period of the second of
5,10	S.Harwich, Salisbury	1, 1 ad. f.	B.Nikula, P.Roberts
17,18	P'town, Eastham	1, 1	B.Nikula, J.Aylward#
Peregrine Falce		100 Tab	managamata for the form
7	Nantucket	1 dark subad.	M.Litchfield
Gyrfalcon:	1000 - 100 -		Stevensor College Branches
10	Nantucket	1 gray	D.Beattie+G.Perkins
Ruffed Grouse:		- 8)	
23,24	Quabbin, Wayland	1, 2	S.Carroll#,R.Forster
Wild Turkey:		T. (T.)	
22	W.Brookfield	24	M.Lynch#
	HIDLOOKILEIG		

OWLS THROUGH WOODPECKERS

A Great Horned Owl wintered on the A.D. Little land in Cambridge. Snowy Owls occurred in about average numbers for a non-irruptive year. The East Boston report was from Logan Airport, and another individual was seen in downtown Worcester.

Both Red-headed and Red-bellied Woodpeckers were reported, with the only numbers of the latter occurring on Martha's Vineyard where that species is established. The five Pileated Woodpeckers in the eastern part of the Quabbin Reservation constituted a very good single-day count.

Numbers of flickers reported were way down from the unprecedented December total.

L.E.T.

Eastern Screech-Owl:

3,11 Newbypt, Ipswich 1 red, 1 H. Wiggin#, J. Berry

SPECIES/DATE	LOCATION	NUMBER	OBSERVERS FEBRUARY 1985
Great Horned O	w1:		
from Jan14,	2-3 Cambridge, Milford	1, 2 at nest	L.Robinson, A. Williams
10-18	P.I.,Rockport	1, 1	P.Roberts, J.Berry
Snowy Owl:			
2-23,16	P.ISalisbury, E.Boston	3 max., 1	v.o.,T.Rumage
16	Worcester	1	S.Carroll#
Barred Owl:			
23	Hardwick	1	M.Lynch#
Short-eared Ow	1:		
5-9,10	P.ISalisbury, Marshfield	2 max., 1	v.o.,W.Petersen#
21	E.Orleans	2	P.Trull
Northern Saw-w	het Owl:		
2	Nantucket	1	E.Andrews
Belted Kingfis	her:		
9,10	Brookline, Eastham	1, 1	R.Thayer, S.Carroll#
10-26,24	6 locations, Concord	6 singles, 2	v.o.,R.Walton
Red-headed Woo	dpecker:		
thr.	Dover	1	F.Hamlin
Red-bellied Wo	odpecker:		
7,10		6+, 1	V.Laux, M.Argue#
Yellow-bellied	Sapsucker:		,
7-20,7	Manomet, M. V.	1 f., 2	D.Evered, V.Laux
Northern Flick	er:		
2,4	Belmont, Nantucket	1, 8	L.Taylor, M.Litchfield
11,24	Halifax, Saugus	1, 1	D.Briggs,BBC
Pileated Woodp		000000000000000000000000000000000000000	
23	Hardwick	5	M.Lynch#

HORNED LARK THROUGH EVENING GROSBEAK

A flock of sixty-five Fish Crows in Sudbury was the highest count ever at that site in the knowledge of the observer. A House Wren was carefully observed and heard singing at Manomet. American Robins continued to be reported in numbers, especially from Greater Boston southward. The Lexington Ovenbird remained until February 7. Among the irruptive winter species, including Red-breasted Nuthatch, Northern Shrike and the finches, numbers continued low and tended to be from interior sites. The exceptions were the only Pine Grosbeak, from East Orleans, and the sole Common Redpoll, on Nantucket. Evening Grosbeak counts remained notably low, and again surprisingly were mainly from Plymouth County. The Jackdaw count on Nantucket diminished to a single bird in February; no information on the fate of the missing individual was received. In the other direction, the Boxford Varied Thrush was augmented by a second, in Upton. Four-day sessions of warm, southwest wind on February 14-17 and 21-24 stimulated a variety of springtime avian activities. Song Sparrows were vocal on the fifteenth. Also, migrant blackbirds arrived in numbers, redwings beginning about the seventeenth and grackles around the twenty-third.

L.E.T.

Horned Lark			
3-23,3	Salisbury, Worcester	60 max. (2/	23),2 v.o., M.Lynch#
7,24	Middleboro, Halifax	100+, 100+	E. Akers, W. Petersen
American Cr	ow:		
4,11	Concord, Middleboro	86, 600+	D.Stokes#, D.Briggs
Fish Crow:			65 273
2;10	Cambridge, Natick; Sudbury	2,2; 65	J.Heywood, S. Carroll#; R. Forster
Common Rave	en:	in the second	
24	Petersham	2	E.Nielsen#
Jackdaw:			
thr.	Nantucket	1	E.Andrews#
Red-breaste	ed Nuthatch:	_	
16,23;24 1	pswich, W. Newbury; Hardwick, Peter	sham 1.2:10	,15 BBC;E.Nielsen#
Brown Creep		3.5	
24	Hardwick, Petersham	10,20	E.Nielsen#
Carolina Wr	en:		
7,10,24	Somerset, Eastham, Lakeville	2, 1, 1	J. Carton, M. Lynch#, W. Petersen#
24;26	Westport; Sandwich, Hopkinton	4; 2, 1	
House Wren:	Y		
14	Manomet	1 singing	D.Evered
Winter Wren	1:		
21	Sandwich	1	P.Trimble
Golden-crow	med Kinglet:		
23	W. Newbury, Hardwick	3, 15	BBC, S.Carroll#
Eastern Blu	ebird:	59 Fin 1, 200	transmitted and the second of
thr.	Harwich, M.V.	4+, 15	v.o., V.Laux
		TO CENTRAL TO	

Hermit Thrush:			
3,7-9,17-19 American Robin:		h 1, 2 ind., 1	K.Anderson, E.Andrews#, v.o.
2,4-25,18	Chatham, Nant., Marshfield	100, 300 max. (2	2/23),90 B.Nikula,v.o.,D.Clapp
	Waltham, Lakeville, Braintre		L. Taylor, E. Pearson, R. Campbell
Varied Thrush:			
	Feb., 2-7 Boxford, Upton	1 ph., 1 m.	B.Wasserman#, G.Shea#
3,7-9,10	E.Orleans, Nant., Eastham	1, 1, 3 A	.Williams,E.Andrews#,M.Lynch#
Cedar Waxwing:	Williahama Cananad	70 max.(2/6), 45	D Brican B Forstor
thr.,2 3,4-23	Middleboro, Concord Worcester, Nant.	135, 200 max.(2/18	D.Briggs,R.Forster B) M.Lynch,v.o.
Yellow-rumped W			10/15/2000
24	Weston	1	L.Robinson
Pine Warbler: 10	Sudbury	1	R.Walton
Ovenbird:		120	72/02/19/00/
from Jan 7		1	L.Bhimas
Rufous-sided To		1 6 2 1 -	E Bassass A Hankin# B Lynn
	Pembroke, S. Dartmouth, Groton	1 1., 2, 1 m.	E.Pearson, A. Hankin#, P. Lynn
American Tree S	Bolton, P'town	12, 10	M.Lynch#,P.Trimble
17,20 23	P.I., Waltham	25, 70	BBC, L.Taylor
Savannah Sparro		23, 70	200, 2010/201
3,11,23	Ipswich, Nant., Salisbury	6, 5, 2	J.Berry, M.Litchfield, BBC
"Ipswich" Spars			
3-23	P.I.	1 max.	v.o.
Fox Sparrow:			
5,16-19 Song Sparrow:	E.Middleboro, Yarmouthport	1, 1	K.Anderson, J.Aylward
15,26		nging, 8 singing	M.Litchfield, M.Hall
Swamp Sparrow: thr.	Nant.	3 max. (2/5)	E.Andrews#
White-throated		J max. (2/3/	Dimarcion
18,25	Ipswich, Nant.	8, 6	J.Berry,M.Litchfield
White-crowned S 6-11	Nant.	2 imm. max.	M.Litchfield
Dark-eyed Junco		2 NAMES TO SEE	The state of the s
3,7,23 Lapland Longspo	Hardwick, Easton, Waltham	110, 50,55	M.Hall, K. Ryan, L. Taylor
3;9 P.	I.,E.Boston; Salisbury	10, 47; 11 M	.Argue#,R.Stymeist#;W.Smith
Snow Bunting:	25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(2/2) 6	w. s. W. Tomah fi
3-10,3 11-17,17		max.(2/3), 6 max.(2/17), 100	v.o.,M.Lynch# v.o.,B.Nikula
Red-winged Blad		max. (2/1//, 100	V.O., D.MIKUIB
2,7	Sudbury, Easton	60, 10	R.Forster, K.Ryan
17 on, 24 man	ny locations, Middleboro		
Eastern Meadow			
3,9	E.Orleans, Salisbury	2, 2	A.Williams, S.Carroll#
Rusty Blackbir		22 22	
2,10	Middleboro, Whitman	15, 80+	D.Briggs, W.Petersen#
23,24	Hardwick, Wayland	1, 19	M.Lynch#,R.Forster
Common Grackle		1, 2	K.Holmes, P. Trimble
5,21	Lakeville, Sandwich ny locations, Plymouth	tens, 100+	v.o.,M.Lynch#
23 on,24 ma Brown-headed C		cens, roo.	Vioi jiii ki jiii ki
23	Manomet, Middleboro	2, 2	K.Holmes#
Pine Grosbeak:		•	
3	E.Orleans	1	A.Williams
Purple Finch:			
4,25-28	E.Middleboro, S.Dartmout	h 1 m., 3	K.Anderson, A. Hankin#
Red Crossbill:		3	H.Wiggin#
10	Hardwick	3	H.wigginv
Common Redpoll	Nantucket	1 f.	E.Andrews#
13-14 Pine Siskin:	nantucket	***	
10-23,24	Hardwick, Petersham	50 max., 35	v.o., E. Nielsen#
American Goldf			
21,23	Medfield, Petersham	100, 6	W.Reagan, M. Lynch#
Evening Grosbe		25	D D
thr.,3	Middleboro, Lakeville	35 max., 12	D.Briggs#, K.Holmes
23,24	Hardwick, Petersham	8, 8	M.Lynch#,E.Nielsen#