#### THE BIRD OBSERVER SUMMARY FOR FEBRUARY 1974

The month of February began with subzero temperatures and alternating periods of cloudy, then clear weather. The heaviest snow (4 to 8 inches) fell over Cape Cod and the Islands on the 7th. A prolonged southwesterly flow brought warm air across our area on February 14th, with highs in the 40's and a few readings of 50 degrees. This warm spell was short-lived, and by Saturday, February 16th, temperatures dropped about 10 degrees below normal. A heavy rain occurred on Sunday night, February 17th. At midmonth, temperatures were above normal with periods of rain on the 19th, 22nd and 23rd. Boston recorded 1.33 inches of rain, and the wind gusted to 62 m.p.h. on the 23rd. At months end, temperatures remained moderately above normal with a high of 56° at Boston on the 28th.

With the exception of some interesting feeder birds, birding in February is usually dull and nonproductive. Stragglers are being eliminated by the weather, food supplies are depleted and the winter residents are wandering more. The warmer weather during the last week of the month gave promise of spring with the arrivals of the Redwings and Grackles.

Loons and grebes were present in fair numbers, and the Northern Fulmar continued to recuperate on Nantucket. Anseriformes were seasonably low but the following were note-worthy: two <u>Whistling Swans</u>, 22 Gadwalls at Plum Island, 33 Pintails, two European Wigeons, 10 Barrow's Goldeneyes, 15,000 Oldsquaws at Surfside, Nantucket, and as many as 9 Harlequin Ducks at Magnolia.

Good numbers of raptors were seen. The number of Goshawks remained above normal; there were five reports of wintering Red-shouldered Hawks, yet the reports for Rough-legged Hawks were way down. A <u>Golden Eagle</u> as well as a <u>Bald Eagle</u> were found in the Newburyport area. A Gyrfalcon was observed in Eastham, and a <u>Peregrine Falcon</u> was found in Salisbury. A female American Kestrel killed a Bobwhite outside the office window of the Manomet Bird Observatory; certainly an interesting report considering the quail outweighs the Kestrel by about 50 grams.

The <u>Common</u>, Black-headed and Little Gulls continued in Newburyport Harbor. Alcids remained in very low numbers. A <u>Barn Owl</u> was photographed in a heavily populated area of Cambridge. There were three reports of Snowy Owls, and a Long-eared Owl was present in Orleans. The Red-headed Woodpeckers continued in their respective localities, and the Red-bellied Woodpecker was seen again in South Natick.

Early in the month, many reports of dead or dying Blue Jays were reported. Several carcasses were taken to the University of Massachusetts field station in Waltham, however, as yet no diagnosis as to the cause has been determined. The <u>Boreal Chickadee</u> continued at Plum Island, and 185 Fish Crows were at West Roxbury. A <u>Long-billed Marsh Wren</u> continued in Harwich, and a <u>Varied Thrush</u> was in Billerica. An <u>Ovenbird</u> was present in Sandwich for several days, and two reports of <u>Yellow-breasted Chats</u> were received. Dick-cissels were reported from seven localities, and nine <u>Hoary Redpolls</u> were observed among the increasing number of Common Redpolls.

R.H.S.

Common Loon	:		
28	P.I.	34	R.Forster,K.Hamilton
Red-throate	d Loon:		
28	P.I.	5	R.Forster,K.Hamilton
Red-necked	Grebe:		
thr.,16	Dennis, Cape Ann	4,3	B.Nikula, BBC(R&D Hale)
	Manomet	7,1	B.Sorrie, W.Petersen#
Horned Greb	e:		
16,23	Cape Ann, Manomet	6,6	BBC(R&D Hale), W. Petersen#
Pied-billed	Grebe:		
9,10	Dartmouth, Lakeville	4,4	R.O'Hara#,K.Anderson#
Northern Fu	lmar:		
thr.	Nantucket	l(from Dec.28)	E.Andrews
Great Cormo	rant:		
16	Nahant(Egg Rock)	100	W.Petersen#
Double-cres	ted Cormorant:		
24	North Scituate	1	D.Briggs#
Great Blue	Heron:		
thr.	13 localities	22 individuals	v.o.
		16	

	Night Heron:		
thr. American Bitt	Eastham,Chatham tern:	15,6	B.Nikula, v.o.
thr.,13 17,24	Eastham,Chatham Adamsville,Harwich	2,1 1,1	B.Nikula, v.o. T.Athearn,R.Veit#
Mute Swan: thr. Acoaxet		max.45(Feb.27)	
Whistling Swa thr.,27		1,1	v.o.,D&R Emerson
Canada Goose: thr.			
Brant:		500+	P.Regan
2,9 18,23 Snow Goose:	Duxbury,Squantum Chatham,Plymouth	40+,130 22,80	BBC(W.Harrington),E.Morrier J.Bryant,W.Petersen#
9 on Black Duck:	Newburyport	2	v.o.
23 Gadwall:	Newburyport	1000	BBC(C.Littlefield)
	Orleans, Manchester, P.I.	2,4,22	B.Nikula#,J.Berry,R.Forster#
thr. Green-winged	ll localities	33 individuals	v.o.
thr. European Wige	Orleans	10	v.o.
thr. American Wige	Orleans, Cohasset	1,1 m.	v.o.
thr. Northern Shov	Orleans, Belmont	40,21	v.o.
	Orleans, Eastham, E. Orleans	1,6,5	v.o.,J.Bryant,C.Goodrich#
thr. Redhead:	4 localities	10 individuals	v.o.
9 Canvasback:	Falmouth	3	CCBC(D.Baines)
9,28 Greater Scaup	Falmouth, Newburyport	120,17	CCBC(D.Baines),R.Forster#
9 Barrow's Gold	Newburyport	4000	R.Stymeist,R.Veit
9,17	Newburyport, Nantucket	6,2	R.Stymeist#,R.Veit#
18,23 Bufflehead:	Wellfleet,Plymouth	1,1	W.Bailey#,W.Petersen#
23 Oldsquaw:	Plymouth	120	SSBC(W.Petersen)
18 Harlequin Duc	Nantucket(Surfside) k:	12-15,000	E&C Andrews
9-19 Common Eider:	Magnolia	4-9	v.o.
12,17,23 King Eider:	Revere, Nantucket, Plymouth/	2500+,4000+,2500	+/RArnold,R.Veit#,W.Petersen#
15,17-23 19,26,27	Newburyport,Rockport P.I.,Nahant,S.Duxbury	l,1 singles	R.Forster,S&J Harrison W.Petersen#,S.Garrett,D.Brig
White-winged	Scoter:		
17 Surf Scoter:	Nantucket	850	R.Veit
16,23 Black Scoter:		2,1	J.Berry, W.Petersen#
17,18 Ruddy Duck:	Nantucket, Magnolia	120,2	R.Veit#,L.Robinson#
9,17 Hooded Mergan	Falmouth,Orleans ser:	12,10	D.Baines#,B.Nikula#
thr. Common Mergan	6 localities ser:	12 individuals	۷.0.
1,9	Rowley, W. Newbury	9,8	D.Alexander,R.Stymeist#
17 Goshawk: thr.	Adamsville,Squantum	10,4	T.Athearn,R.Pasquier#
C D D	9 localities	singles	V.O.

,

Sharp-shinned			
thr.	7 localities	singles	v.o.
Cooper's Hawk 8,9,10	: P.I., Newbury, N. Middleboro	singles	H.Bates#,R.Veit#,fide D.Briggs
Red-tailed Ha		DINBLOD	
thr.	9 localities	17 individuals	v.o.
Red-shouldere	d Hawk:		
9,15	Salisbury, W. Roxbury	1 ad.,1	M.McClellan#,F.Atwood
16	Orleans	l	C.Goodrich#
19	Ipswich, Newburyport	1,1	W.Petersen#,R.Forster#
Rough-legged	Hawk:	54	
	P.I.,Bridgewater	4,4	M&A Argue#,K.Anderson
17,27	Nantucket, Marshfield	1,1	R.Veit#, D.Brown#
Golden Eagle: 8-9	Salisbury	l ad.	N.Claflin, P.Butler, C.Wyman, R.Veit#
Deld Peeles			R.Veit#
Bald Eagle: 5-10,8-18 Marsh Hawk:	Brewster,Rowley-Newburypo	ort 1 imm.,1 imm.	B.Chase & v.o., D.Alexander & v.
thr.	10 localities	14 individuals	v.o.
Gyrfalcon: 1	Eastham(Marconi Station)	l	W.Bailey
Peregrine Fal			22
8 Merlin:	Salisbury	l	H&M Bates#
thr.	Sandwich	l	R.Pease
Bobwhite: thr.	Middleboro	100+	D.Briggs#
King Rail: 23	Plymouth	l	W.Petersen#
Clapper Rail: 15-28,18	Manomet, Marion	1,2	B.Sorrie,G.Mock,Jr.
Virginia Rail			
	Marshfield, Ipswich	2,1	BBC(W.Harrington), J.Berry
12-26,23	W.Roxbury, Plymouth	1,1	J.Pickup, W.Petersen
Common Gallin			
l	Harwich	l	B.Nikula
Killdeer: 2 on	10 localities	28 individuals	
Black-bellied		CO THATATANGTO	
24	Chatham(North Beach)	15	R.Veit#
Common Snipe:	the second second we have a second seco	1)	N.Verow
	Marshfield, Dartmouth	2,3	W.Harrington, R.O'Hara#
15,26	Bourne, W. Roxbury	12,5	B.Sorrie, J. Pickup
Red Knot:	bourne, w. Noxbur y	20,97	Diborrio, orrionap
16	Revere	130+	W.Petersen#
Purple Sandpi			
16	Rockport	150	BBC(R&D Hale)
Sanderling:			
16	Revere	110	R.Emery#
Glaucous Gull			
15-18,16	Gloucester, W. Roxbury	3,1	v.o.,W.Petersen
Iceland Gull:			
19	P.I.	46	W.Petersen#
Great Black-b	acked Gull:		
15 Herring Gull:	W.Roxbury	1000	F.Atwood
15	W.Roxbury	15,500	F.Atwood
Common Gull: thr.	Newburyport	l ad.	v.o.
Black-headed			
thr. 1,18	Newburyport,Squantum : Chatham,Orleans	1-2,max.7(Feb.17) 2,2	v.o. W.Bailey & v.o.
Laughing Gull			
27	Plymouth	l	D.Briggs#
Little Gull:		a da la como	
thr.	Newburyport	1 ad.,2 imm.	v.o.
		1.9	

•

48

Black-legged				
	Rockport,Eastham	1	imm.,4-5	S&J Harrison, W. Bailey
Razorbill: 16,17	Gloucester, Nantucket Sound	i	1,1	R.O'Hara,R.Veit
Black Guillen			24	v.o.
thr. Monk Parakeet	Rockport :: (Exotic Escape)		4	v.o.
thr.	Haverhill		1	W.Drummond
Ring-necked F 23	Parakeet: (Exotic Escape) Plymouth		1	SSBC(W.Petersen)
Barn Owl:		- 6		
5 Screech Owl:	Cambridge	1(p	hotographed)	G.Miller
2,25,27	Cambridge, Lincoln, S. Dartmo	outh	1,1,1	A.Horn, P.Swift, P.Regan
	Milton, Danvers, Ipswich		1,1,1	H.D'Entremont, E.Pyburn#, J.Berry
Snowy Owl:	Northummont Anos		1	v.o.
thr. 15-19,17	Newburyport Area Eastham,Squantum		1,1	W.Bailey,R.Pasquier#
Barred Owl:	Las chan, by can can		-,-	".Darrog sterabyarer"
	Danvers		1	v.o.
Long-eared Ow	1:			
2,23	Orleans		1	C.Goodrich, B.Nikula, Harris
Short-eared C			1.1	P. Ponston# P. Voit.N. Claflin
thr.;8 6&8	Eastham;Newburyport Squantum		1;1	R.Forster#,R.Veit;N.Claflin E.Morrier
Saw-whet Owl:			+	Dinorrier
thr.	P.I.		1	v.o.
Pileated Wood	lpecker:			
	Carlisle, Dover, Wayland		1,1,2	R. Thompson, F. Royce, J. Mansfield
Red-bellied W			1	U Diagont
3 Red-headed Wo	S.Natick		1	H.Biggart
thr.	Woburn, Littleton, Rockport		1,1,2	v.o.,fide J.Baird,v.o.
Horned Lark:				
9,19	Dartmouth, Ipswich		125,75	R.O'Hara, W.Petersen#
Common Crow:				
10,23	Bridgewater, Natick	1	07,1296	SSBC(Anderson), R. Forster
Fish Crow: 15	W. Rowhumer (Dump)		185	F.Atwood
Boreal Chicks	W.Roxbury(Dump)		10)	r.Acwood
thr.	P.I.		1	v.o.
Red-breasted				
thr.	ll localities	18	individuals	v.o.
Brown Creeper	1			
	12 localities	14	individuals	v.o.
Winter Wren:			0.0	D (1
2,10	Middlesex Fells, Princeton		2,2	R.Stymeist,L.Milton P.Donahue
13 Carolina Wren	Manomet		1	r.bonanue
thr.	10 localities	11	individuals	v.o.
Long-billed M				
1	Harwich		1	B.Nikula
Gray Catbird:				
thr.,14	Lakeville, Middleboro		1,1	S.Erwin, E.Lemmo
15&19,23	Bourne, Plymouth		1,1	B.Sorrie,SSBC(W.Petersen)
Brown Thrashe		ne	Pab 151 2/2 1	/U Pailou P Connie
thr.	S.Wellfleet(WBWS),Plymouth	1/4(	reb.197,3(b.)	/w.balley, b. Sorrie
Varied Thrush	Billerica		1	E.Durgin, N.Smith
Hermit Thrush				Din an Bandin on a
5,6,9	Milton, Manomet, Marion		singles	O.Kerr, M.B.O., G.Mock, Jr.
Eastern Blueb				the state of the s
2,11	W.Yarmouth,Dorchester		3,1	P.Aiken, T.Long
Cedar Waxwing				
7,9	Framingham, Rockport		17,6	R.Forster, H.Bates
Northern Shri thr.	ke: 8 localities	8	individuals	¥ 0
6111 .	V LOCALIVIES	0		
			49	

Loggerhead Sh			
10,24 Ovenbird:	Wellfleet, Barnstable	1,1	C.Goodrich, R.Pease
10-17 Yollow broad	Sandwich	1	v.o.
Yellow-breast 2,2-6	Falmouth, Winchester	1,1	M.Wilson,Stevenson
Eastern Meado thr.,19	wlark: Bridgewater,Ipswich	40+,17	D.Briggs, W.Petersen#
Redwinged Bla thr.,26	ekbird: Abington,Sudbury		
Northern Oric	ole:	300,300	E.Pearson, R.Forster
thr. Rusty Blackbi	7 localities .rd:	10 individuals	v.o.
thr. 17,26	Nantucket Westport Pt., Hingham	18 1,5	R.Veit & S.Perkins
Common Grackl		0.00	BBC(T.Athearn),C.Clark
Brown-headed	Cowbird:	15	R.Forster
17 Dickcissel:	Westport	75	BBC(T.Athearn)
thr.	7 localities	singles	v.o.
Evening Grosb 2,2-18	Byfield, Ipswich	50+,40+	T.Joyce, J.Berry
Purple Finch: 2	Framingham	30	K.Hamilton
Pine Grosbeak 3,7	: Weston,West Yarmouth	3,15	D Dumaina D Aikan
Hoary Redpoll			D.Dumaine, P.Aiken
9 on 14	Rockport(2 places) Vineyard Haven(M.V.)	1,1	R&D Hale
16-20	Eastham	1	M.Hancock# & A.Keith
22-25,25	Mansfield, W. Yarmouth	1 3,2	R.Clem & W.Bailey, v.o. A.Richardson, E.Matthewson
Common Redpol		an ann a' chuireach	
2 on	35 localities	1-50(tot.522)	v.o.
10,16,17 22-25,23	Plymouth, P.I., Nantucket Mansfield, Rockport	50(b.),250+,95 65,65	B.Sorrie, H.Wiggin#, R.Veit A.Richardson, L.Jodrey
Pine Siskin:			
thr.	14 localities	1-50(tot.171)	v.o.
thr.,9	W.Boxford,Falmouth	65,75	R.Chadwich,CCBC(Baines)
Red Crossbill			
16 on,17 2,17	P.I., Framingham Falmouth, Nantucket	max.80(Feb.19),7 5,120	W.Drummond,R.Forster M.Wilson,R.Veit#
White-winged			
thr.	17 localities	1-12(tot.70)	v.o.
thr. Seaside Sparr	P.I. ow:	50+	v.o.
24	Eastham	1	R.Veit#
Tree Sparrow: thr.	Middleboro, W. Roxbury	150+,55	D.Briggs, F.Atwood
Field Sparrow			
thr.,7	Beverly, Wellesley	max.5,9	G.Soucy,K.Hamilton
10,23 White-crowned	Newburyport, Plymouth Sparrow:	9,6	M.Poore,SSBC(W.Petersen)
8,23	Cambridge,S.Dartmouth	1,1	A.Horn, P.Regan
Fox Sparrow:	7 Jacobities	9	
thr.	7 localities	8 individuals	v.o.
2 2 Lapland Longs	pur: Duxbury,P.I.	5,5	BBC(W.Harrington),R.Emery#
10,15-19	Dartmouth, Bourne	1,55	R.O'Hara#, B.Sorrie
Snow Bunting:	sar emotion, southe	1,11	no nara, protrie
9	Dartmouth; Salisbury, P.I.	5;3,2	R.O'Hara#;R.Stymeist#
15&19	Scusset Beach State Resv		B.Sorrie
		ADDENDUM	

# ADDENDUM

l inm.

Red-headed	Woodpecker:	
Nov. 6	Mansfield	

A.Richardson

50

## Abbreviations

ad.	adult	SSBC	South Shore Bird Club
Ъ.	banded	GMNWR	Great Meadows Nat'l. Wildlife Refuge
f.	female	IRWS	Ipswich River Wildlife Sanctuary
imm.	immature	MBO	Manomet Bird Observatory Staff
m.	male	MNWS	Marblehead Neck Wildlife Sanctuary
max.	maximum	WBWS	Wellfleet Bay Wildlife Sanctuary
thr.	throughout	A.A.	Arnold Arboretum
unc.	uncommon	A.P.	Andrews Point
v.o.	various observers	E.P.	Eastern Point
yg.	young	F.H.	Fort Hill, Eastham
#	additional observers	F.M.	Fowl Meadow, Milton
CBC	Christmas Bird Count	Mt.A.	Mt. Auburn Cemetery
BBC	Brookline Bird Club	M.V.	Martha's Vineyard
CCBC	Cape Cod Bird Club	P.I.	Plum Island
PBC	Paskamansett Bird Club	S.N.	Sandy Neck, Barnstable

### Corrigendum

In the <u>Bird Observer</u> Summary for November, 1973, it was stated that the Sharp-tailed Sandpiper seen at Newburyport was a first state record. This was, in fact, the second state record, the first being a bird collected at Plymouth Beach, June 30, 1971.

#### DISASTER ON CAPE COD

The terns of Cape Cod completed a very unsuccessful nesting season during the summer of 1973, an indication that they are losing the battle against natural predators augmented by people, vehicles, and dogs. According to Ian Nisbet of Massachusetts Audubon Society, the tern colonies are not doing quite well enough to maintain their population.

The posting of the breeding colonies by MAS, National Seashore, and various conservation groups of Cape Cod has afforded some protection. However, manpower to thwart violators is inadequate. Furthermore, at night, the terns also have to contend with rats, Blackcrowned Night Herons, and Great Horned Owls. Rats, in particular, disrupted the colony at Plymouth Beach, while at Grey's Beach, Yarmouth, a Great Horned Owl ate about 3,000 chicks.

The colonies at Grey's Beach and Great Island increased in mid-June due to the influx of displaced terns from Plymouth Beach. This late nesting, coupled with a heat wave in early July, killed a large percentage of half-grown birds.

The following is a summary of the colonies' successes and failures last summer, compiled from these sources: Ian Nisbet and James Loughlin of MAS, Lucian Rowell of Cape Cod Bird Club, Richard L. Cunningham of National Seashore, Erma J. Fisk, Charles Schmidt, and the <u>Cape Naturalist</u>, bulletin of the Cape Cod Museum of Natural History.

Monomoy National Wilderness, Chatham (Nisbet)

	,100 pairs -250 pairs	average 1.7 young per pair average 1 young per pair
Arctic Tern:	4 pairs	2 chicks found
Grey's Beach, Yarmouth (Nisbe	t)	
	,000 pairs	average 0.4 young per pair
Roseate Tern: 300-	-400 pairs	no data
Tern Island, Chatham (Nisbet)		
Common Tern:	75 pairs	l chick raised in July
Arctic Tern:	33 pairs	no chicks
Least Tern:	6 pairs	no data