

Founded by
FRANCIS H. HERRICK
in 1905 for the recording
of bird activities.

Edited by
DR. S. CHARLES KENDEIGH



BIRD CALENDAR COMMITTEE
FOR 1938

Dr. S. C. Kendeigh, Chairman
Dr. J. Paul Visscher
Dr. J. W. Aldrich
Mr. R. A. Huggins
Mr. Ralph O'Reilly

Bird Calendar of the
CLEVELAND BIRD CLUB

33rd Year – No. 4

Cleveland Area

February 14, 1938

A summary of the weather conditions during the autumn are as follows:

Month	Mean Temperature	Normal Temperature	Total Precipitation	Normal Precipitation	Total Snowfall	Normal Snowfall
September	63.3	63.9	.99	3.33	0 inches	0 inches
October	50.8	53.6	3.36	2.78	1.0 "	0.2 "
November	40.6	40.9	1.47	2.64	6.0 "	3.9 "
December	30.1	31.2	2.52	2.44	4.1 "	9.2 "

The following people contributed records for the autumn season:

J. W. Aldrich	E. C. Hoffman	Ralph O'Reilly
B. T. Barnes	Franklin Jedlicka	M. B. Skaggs
B. P. Bole, Jr.	C. H. Knight	M. B. Walters
Isabelle Hellwig	Margaret E. Morse	A. B. Williams

Mr. Franklin Jedlicka sends in the longest list of species observed during the four months period, 128 species, and also made the largest number of trips, 35.

The editor wishes to acknowledge the help of Mr. Russell A. Huggins for collecting the reports for this calendar and of Mr. Eugene P. Odum, for assembling and compiling the records.

A summary of the field reports is as follows:

	<u>Sept.</u>	<u>Oct.</u>	<u>Nov.</u>	<u>Dec.</u>
Number of trips	29	23	25	16
Observers per trip	1.4	2.0	2.0	2.6
Total mileage on foot per trip	1.9	2.2	2.3	4.9
Hours per trip	1.7	2.8	2.6	4.7
Total hours of observation in dense woods	26	23	38	43
Total hours of observation in open country	15	25	24	22
Total hours of observation in marshes, along lakes and streams	8	16	13	11

The comparative amount of activity of field workers during the last three years is shown by the following table:

	<u>1937</u>	<u>1936</u>	<u>1935</u>
Number of trips in Sept., Oct., Nov., Dec.	93	126	96
Total trips during the year	321	440	413
Species reported Sept., Oct., Nov., Dec.	169	174	152
Total species during the year	311	223	215

Of the 169 species covered in this report, the following are recorded in this issue of the bulletin for the first time this year: Knot, Black-bellied Plover, Snowy Owl, Connecticut Warbler, and Snow Bunting.

Records of some of the less common species observed during the autumn are as follows:

American Egret (M.E.M., M.B.S., F.J.) Sept. 12 (4); Oct 2 (2); Oct. 6 (6)
 Rough-legged Hawk (M.E.M., N.B.S., R.O'R., M.B.W.) Nov. 6 (1); Nov. 14 (3); Nov. 28 (1); Nov. 2 (1)
 Black-bellied Plover (M.E.M.) Sept. 12 (2); Sept. 18 (4); Oct. 30 (1)
 Ruddy Turnstone (M.E.M.) Sept. 18 (2)
 Knot (M.E.M.) Sept. 18 (1)
 Great Black-backed Gull (F.J.) Sept. 25 (4)
 Yellow-bellied Flycatcher (I.H.) Sept. 6 (2)
 Mockingbird (F.J.) Sept. 25 (1)
 Gray-cheeked Thrush (A.B.W., B.T.B.) Sept. 15 (4); Sept. 19 (1); Sept. 23 (1)
 Philadelphia Vireo (F.J., I.H.) Sept. 12 (1); Sept. 14 (1); Sept. 26 (5)
 Orange-crowned Warbler (F.J.) Sept. 9 (1); Oct. 9 (1)
 Nashville Warbler (I.H., F.J.) Sept. 6 (1); Oct. 9 (2)
 Pine Warbler (F.J.) Sept. 19 (5); Sept. 20 (5)
 Connecticut Warbler (F.J.) Sept. 13 (1)
 Pine Siskin (M.E.M., R.O'R.) Oct. 30 (1); Oct. 31 (heard)
 Snow Bunting (M.E.M., M.B.S., R.O'R.) Oct. 30 (100); Nov. 7 (100); Nov. 28 (13); Dec. 20 (7, Christmas census)

Dr. Aldrich sends in the following records of Snowy Owls in the Cleveland Region:

- Nov. 9: Kirtland township, Kirtland-Chardon Road; one shot by F. W. Roberts, specimen sent to taxidermist.
- Nov. 28 One seen sitting on bunker of golf course, Rockefeller Estate, East Cleveland.
- Dec. 14: Holden Arboretum, two seen by Harry Phillips.
- Dec. 29: Shaw High School football field, East Cleveland, one seen by Charles Donner (possibly the same one seen Nov. 28 on Rockefeller Estate).

Presque Isle, Pennsylvania, while outside the Cleveland region, is often visited by Cleveland bird students, particularly for the shore bird migration. Mr. O'Reilly reports Black-bellied Plover, Golden Plover, and Lapland Longspur there September 26. Mr. Jedlicka reports Semipalmated Plover, Black-bellied Plover, and Least Sandpiper as well as a number of ducks and herons on Sept. 18.

Miss Morse reports flushing a Whip-poor-will in Lakeview Cemetery on the unusually late date of October 17.

Mr. B. T. Barnes sends in the following interesting notes on bird feeding:

"On November 23rd, at the Garden Center, Dr. Aldrich gave an interesting lecture entitled: 'How to Attract the Winter Birds.' In various attempts to carry out some of his suggestions, the following conclusions were reached:

1. If one wishes to feed bluejays and cardinals, but to discourage English sparrows, unshelled peanuts and LARGE sunflower seeds at ten and twelve cents per pound are 'cheaper' than small grains at three to four cents per pound.

2. A little food put out at night, or early in the morning, is eaten by the bluejays and cardinals before the roving flocks of starlings arrive.
3. The bluejays visit the sand pile for grit the first thing each morning, before they come for food.
4. Small grain for quail should be placed in the runways of the 'quail shelter' (which consists of brush and weeds, or cornstalks, stacked around an outdoor fireplace, against a wall or fence, or in a loose pile). The quail learn to dodge into the shelter sooner than the English sparrows and starlings do.
5. The dried peas used in a pigeon feed mixture are too large to be eaten readily by English sparrows, but appear to be acceptable as quail food."

Two Christmas censuses were sent in to the Calendar as follows:

Rocky River, Ohio: (River valley and adjoining upland and lake shore). Dec. 26, 9 hours in field. Clear, no snow; no ice, except along shore and in ponds, temperature 25-40. Thirteen in party, fifteen miles on foot and five miles by automobile. Black Duck, 12; Canvasback, 1; Lesser Scaup, 711; Golden-eye, 12; Red-breasted Merganser, 1; Cooper's Hawk, 1; Marsh Hawk, 1; Sparrow Hawk, 5; Bob-white, 53; Ring-necked Pheasant, 36; Herring Gull, 291; Bonaparte's Gull, 502; Screech Owl, 2; Barred Owl, 1; Flicker, 1; Red-headed Woodpecker, 2; Hairy Woodpecker, 4; Downy Woodpecker, 16; Bluejay, 25; Crow, 4; Black-capped Chickadee, 17; Tufted Titmouse, 33; White-breasted Nuthatch, 24; Red-breasted Nuthatch, 18; Brown Creeper, 4; Robin, 1 (appeared to be cripple); Golden-crowned Kinglet, 16; Starling, 65; English Sparrow, 201; Cardinal, 14; Goldfinch, 5; Slate-colored Junco, 49; Tree Sparrow, 19; Song Sparrow, 7. Total, 34 species, 2153 individuals.

Census reported by Mr. E. C. Hoffman. Names of other members of the party not given.

Cleveland, Ohio: (region east of city, along Lake Erie from mouth of Chagrin to mouth of Grand River, and inland to Gates Mills on west, to Little Mountain on east). December 20; 9 A.M. to 4 P.M. Cloudy and light snowfall all day, 2-5 inches of snow on ground; light to moderate west wind; temperature 26 minimum - 32 maximum. There were 22 observers in six parties (Cleveland Bird Club) so spaced as to cover as effectively as possible an area 15 miles in diameter. Combined mileage: 110 miles by automobile, 38 miles on foot. Lesser Scaup Duck, 17; American Golden-eye, 25; Buffle-head, 2; Hooded Merganser, 1; Red-breasted Merganser, 2; American Merganser, 152; Cooper's Hawk, 1; Sparrow Hawk, 3; Ruffed Grouse, 2; Bob-white, 94; Ring-necked Pheasant, 2; Herring Gull, 70; Ring-billed Gull, 72; Bonaparte's Gull, 1050; Barred Owl, 2; Flicker, 2; Pileated Woodpecker, 4; Red-bellied Woodpecker, 3; Hairy Woodpecker, 16; Downy Woodpecker, 33; Horned Lark, 2; Blue Jay, 57; Black-capped Chickadee, 118; Tufted Titmouse, 64; White-breasted Nuthatch, 52; Red-breasted Nuthatch, 38; Brown Creeper, 1; Golden-crowned Kinglet, 6; Cedar Waxwing, 85; Starling, 33; English Sparrow, 27; Cardinal, 51; Goldfinch, 15; Slate-colored Junco, 141; Tree Sparrow, 298; Song Sparrow, 4; Snow Bunting, 7; Total, 38 species, 2553 individuals. -- John W. Aldrich, David Blythe, B. P. Bole, Jr., Vera Carrothers, M. I. Freeman, Arthur B. Fuller, Isabelle Hellwig, R. A. Huggins, Mrs. R. A. Huggins, Scott. R. Inkley, C. H. Knight, Frances Mandelzweig, Philip N. Moulthrop, Ralph A. O'Reilly, Jr., C. M. Shipman, Mrs. M. B. Skaggs, J. Paul Visscher, Mrs. J. Paul Visscher, M. B. Walters, I. R. Watts, Amos M. White, Arthur B. Williams.

Mr. Charles H. Knight sent in some interesting abundance data computed by him, based on six trips (two in September, three in October, and one in November) over an area in Maple Heights, between Emery and Columbia Roads and bordering Northfield Road. He spent in this area 14 hours in dense woods habitat, 8 in open country, and 2 in a small marsh. It is interesting to compare this – the results of one observer in one restricted area – with averages of all trips over [the] Cleveland area. Mr. Knight observed 56 species on the area, but only widely distributed ones are given for comparison below. While it would not be expected that a small area would necessarily correspond closely with a large and varied area, it will be noted that some of the common widely distributed species were seen with about the same frequency.

<u>Species</u>	Number observed per hour in habitat	
	<u>Knight's area</u>	<u>Cleveland Region</u>
English Sparrow	20.94	1.33
Starling	14.27	14.27
Junco	12.22	21.34
Song Sparrow	7.84	2.51
Robin	6.11	9.25
Bob-white	5.37	1.09
Tree Sparrow	4.16	5.79
Tufted Titmouse	2.94	0.95
White-breasted Nuthatch	2.88	0.83
Killdeer	2.50	2.48
Blue Jay	2.44	1.06
Flicker	2.33	2.22
Black-capped Chickadee	2.00	1.34
Crow	1.88	1.05
Cardinal	1.83	1.65
Downy Woodpecker	0.77	0.46
Hairy Woodpecker	<u>0.22</u>	<u>0.28</u>
Total (excluding English Sparrow)	70.33	66.57

The following tables give the frequency of occurrence of common species as calculated from trip reports in previous calendar issues.

BIRDS OF THE DENSER WOODS

<u>Species</u>	Number observed per hour in habitat (September, October, November)			<u>Remarks</u>
	<u>1937</u>	<u>1936</u>	<u>1935</u>	
1. Hermit Thrush	6.00	6.98	3.10	October only
2. Golden-crowned Kinglet	4.66	3.36	3.52	Oct. & Nov. only
3. Ruby-crowned Kinglet	3.35	7.07	1.06	Oct. only
4. Red-breasted Nuthatch	2.80	0.15	0.70	Oct. & Nov. only
5. Cardinal	1.65	0.78	1.69	
6. Black-capped Chickadee	1.34	2.95	1.50	
7. Olive-backed Thrush	1.31	- - -	- - -	Sept. only
8. Blue Jay	1.06	1.79	1.71	
9. Tufted Titmouse	0.95	1.65	1.27	
10. Redstart	0.85	2.19	0.26	Sept. only
11. White-breasted Nuthatch	0.83	1.47	1.39	
12. Palm Warbler	0.52	0.35	0.32	Oct. only
13. Black-throated Green Warbler	0.51	1.25	1.44	Sept. & Oct. only
14. Downy Woodpecker	0.46	1.46	1.11	
15. Ovenbird	0.31	0.22	0.12	Sept. only
16. Hairy Woodpecker	0.28	0.27	0.38	
17. Brown Creeper	0.28	0.09	0.28	Oct. & Nov. only
18. Red-eyed Vireo	0.24	0.72	0.56	Sept. only
19. Bay-breasted Warbler	0.23	0.46	0.34	Sept. only
20. Towhee	0.18	0.32	0.34	
21. Red-bellied Woodpecker	0.14	0.06	0.00	
22. Wood Thrush	0.12	0.17	0.17	Sept. only
23. Magnolia Warbler	0.12	1.30	0.27	Sept. only
24. Winter Wren	0.06	0.11	0.15	Oct. & Nov. only
25. Ruffed Grouse	0.05	0.03	0.09	
26. Pileated Woodpecker	0.05	0.39	0.09	
27. Wilson Warbler	0.03	0.67	0.03	Sept. only
28. Carolina Wren	0.03	0.03	0.01	
29. Woodcock	0.03	0.04	0.02	Sept. only
30. Barred Owl	<u>0.02</u>	<u>0.00</u>	<u>0.05</u>	
Total (excluding Olive-backed Thrush) =	27.15	36.33	21.98	

About two-thirds of the above species show an abundance lower this year than last. A few have increased in number. The total number of all species seen per hour is down over what it was last year, but not so low as two years ago.

BIRDS OF THE OPEN COUNTRY

<u>Species</u>	Number observed per hour in habitat (September, October, November)			<u>Remarks</u>
	<u>1937</u>	<u>1936</u>	<u>1935</u>	
1. Slate-colored Junco	21.34	21.69	21.86	Oct. & Nov. only
2. Starling	14.01	82.67	55.00	
3. White-throated Sparrow	9.88	20.44	18.76	Oct. only
4. Robin	9.25	53.02	37.01	Sept. & Oct. only
5. Tree Sparrow	5.79	38.87	7.41	Nov. only
6. Goldfinch	5.32	5.63	5.12	Sept. & Oct. only
7. Catbird	2.73	2.05	1.12	Sept. only
8. Song Sparrow	2.51	4.84	3.68	
9. Killdeer	2.48	3.11	1.57	Sept. & Oct. only
10. Flicker	2.22	1.99	1.36	Sept. & Oct. only
11. Chimney Swift	2.07	4.43	1.83	Sept. only
12. Mourning Dove	1.64	1.97	0.68	Sept. & Oct. only
13. Fox Sparrow	1.40	0.75	0.40	Oct. only
14. English Sparrow	1.33	26.51	31.87	
15. White-crowned Sparrow	1.12	1.64	1.00	Oct. only
16. Bob-white	1.09	3.03	3.82	
17. Crow	1.05	5.11	1.87	
18. Meadowlark	1.01	- -	- -	Sept. & Oct. only
19. Bluebird	0.96	2.28	3.20	Oct. only
20. Sparrow Hawk	0.25	0.27	0.40	
21. Field Sparrow	0.23	0.57	0.21	Sept. only
22. Phoebe	0.23	0.96	0.37	Sept. & Oct. only
23. Red-headed Woodpecker	0.20	0.30	0.40	Sept. only
24. Savannah Sparrow	0.14	0.78	0.18	Sept. & Oct. only
25. Red-tailed Hawk	0.12	0.12	0.18	
26. Warbling Vireo	0.07	0.03	0.08	Sept. only
27. Cooper Hawk	0.01	0.14	0.00	
28. Ring-necked Pheasant	0.01	1.14	0.84	
29. Screech Owl	0.00	0.16	0.04	
30. Bronzed Grackle	<u>0.00</u>	<u>21.16</u>	<u>2.33</u>	Sept. only
Total (excluding Meadowlark)				
29 Species	87.45	304.66	202.55	

For some reason nearly all species of open country birds show a decided drop in abundance this autumn over the two preceding years. We have no explanation for this, but suspect it may not be due to actual decrease in number, but to some difference in the manner in which the bird observations were obtained.

BIRDS OF THE OPEN LAKE, LAKESHOR, STREAMS AND MARSHES

<u>Species</u>	Number observed in habitat (September, October and November)			<u>Remarks</u>
	<u>1937</u>	<u>1936</u>	<u>1935</u>	
1. Baldpate	195.5	23.91	0.00	October only
2. Coot	65.88	- - -	- - -	
3. Black Duck	35.82	9.09	34.34	Oct. & Nov. only
4. Ring-billed Gull	17.32	1.96	20.21	
5. Red-winged Blackbird	15.22	9.57	13.49	Sept. & Oct. only
6. Herring Gull	15.17	2.89	60.48	
7. Bonaparte's Gull	7.48	15.67	31.19	
8. Mallard	4.92	14.71	1.32	Oct. & Nov. only
9. Sanderling	4.25	- - -	- - -	Sept. & Oct. only
10. Great Blue Heron	2.96	1.60	0.25	Oct. & Nov. only
11. Lesser Scaup Duck	2.94	2.88	3.45	Oct. & Nov. only
12. Pintail	2.38	- - -	- - -	Oct. only
13. Pied-billed Grebe	1.94	1.76	0.40	Oct. only
14. Shoveller	1.50	- - -	- - -	Oct. only
15. Wood Duck	1.25	7.61	0.00	Oct. only
16. Ruddy Duck	1.00	10.52	0.00	Oct. only
17. Pectoral Sandpiper	0.94	- - -	- - -	Oct. only
18. Belted Kingfisher	0.60	0.94	1.24	Sept. & Oct. only
19. Bald Eagle	0.21	0.11	0.01	
20. Solitary Sandpiper	0.00	0.75	0.07	Sept. only
21. Green Heron	<u>0.00</u>	<u>0.46</u>	<u>1.08</u>	Sept. only
Total - 16 species	302.33	104.43	167.53	

The very marked increase in total number of birds observed in aquatic habitats is largely due to the greater numbers of baldpate and black ducks this year over last. Were it not for these two species, the total numbers this year and last would be the same. The greater abundance indicated for these two species may actually be the case, although it is true that a larger proportion of the observations this year were taken in the relatively richer Pymatuning district and this may account for the difference.

AUTUMN MIGRATION

(Species arranged chiefly in order of last date seen)

<u>Species</u>	<u>First Record</u>	<u>Height of Migration</u>	<u>Last Record</u>	<u>Remarks</u>
Baltimore Oriole			Aug. 28 (2)	
Crested Flycatcher			Sept. 1 (1)	
Blackburnian Warbler	Sept. 5 (1)			Only record
Blue-winged Warbler			Sept. 5 (1)	
Osprey	Sept. 6 (1)			Only record
Yellow-bellied Flycatcher			Sept. 6 (2)	Only record
Tree Swallow			Sept. 6 (4)	
Bank Swallow			Sept. 6 (2)	
Rough-winged Swallow			Sept. 6 (8)	
Barn Swallow			Sept. 6 (6)	
Black-crowned Night-heron			Sept. 12 (2)	Only record
Caspian Tern			Sept. 12 (8)	

<u>Species</u>	<u>First Record</u>	<u>Height of Migration</u>	<u>Last Record</u>	<u>Remarks</u>
Kingbird			Sept. 12 (1)	
Wood Pewee			Sept. 12 (1)	
Knot			Sept. 18 (1)	Only record
Red-breasted Nuthatch	Sept. 19 (1)			
Cape May Warbler	Sept. 8 (1)		Sept. 19 (1)	Only records
Hooded Warbler			Sept. 21 (1)	
Black-billed Cuckoo			Sept. 23 (1)	Dead
Gray-cheeked Thrush	Sept. 15 (4)		Sept. 23 (1)	
Bonaparte's Gull	Sept. 17 (1)	Sept. 23 (1500)		Winters
Black and White Warbler			Sept. 25 (1)	
Slate-colored Junco	Sept. 25 (1)			
Canada Warbler	Aug. 26 (1)		Sept. 26 (1)	
Philadelphia Vireo	Sept. 9 (1)		Sept. 27 (5)	
Ovenbird			Sept. 27 (2)	
Redstart			Sept. 27 (2)	
Yellow-billed Cuckoo			Sept. 29 (1)	
Alder Flycatcher			Sept. 29 (1)	
Brown Creeper	Sept. 30 (1)			
Winter Wren	Sept. 30 (2)			
Yellow-throated Vireo			Sept. 30 (1)	
Black-throated Blue Warbler	Sept. 13 (1)		Sept. 30 (1)	
Virginia Rail			Oct. 2 (1)	Only record
Spotted Sandpiper			Oct. 2 (1)	
Chimney Swift			Oct. 2 (2)	
Long-billed Marsh Wren			Oct. 2 (1)	Only record
Red-eyed Vireo			Oct. 2 (2)	
Black-poll Warbler	Sept. 8 (1)		Oct. 2 (1)	
Horned Grebe			Oct. 3 (1)	Only record
Bittern			Oct. 3 (3)	
Mallard	Aug. 28 (25)	Oct. 3 (59)		Some breed
Black Duck	Aug. 28 (4)	Oct. 3 (1054)		
American Merganser	Oct. 3 (4)			
Florida Gallinule			Oct. 3 (10)	
Semi-palmated Plover	Sept. 12 (2)	Sept. 18 (250)	Oct. 3 (12)	
Lesser Yellowlegs	Aug. 28 (1)		Oct. 3 (5)	
Least Sandpiper	Aug. 28 (2)		Oct. 3 (8)	
Red-backed Sandpiper	Sept. 12 (7)		Oct. 3 (3)	
Rusty Blackbird	Sept. 25 (20)		Oct. 3 (58)	
Savannah Sparrow			Oct. 3 (4)	
American Egret	July 12 (3)		Oct. 6 (6)	
Wilson Warbler	Sept. 12 (1)		Oct. 8 (1)	
Blue-winged Teal	Sept. 12 (10)		Oct. 9 (1)	
House Wren			Oct. 9 (2)	
Catbird			Oct. 9 (1)	
Orange-crowned Warbler	Sept. 9 (1)		Oct. 9 (1)	Only records
Nashville Warbler	Sept. 6 (1)		Oct. 9 (2)	Only records
Northern Yellowthroat			Oct. 9 (1)	
Bay-breasted Warbler	Aug. 24 (1)		Oct. 11 (1)	
Olive-backed Thrush	Sept. 6 (2)	Sept. 17 (5)	Oct. 11 (12)	
Phoebe			Oct. 16 (2)	
Wood Thrush			Oct. 16 (1)	
Lincoln Sparrow			Oct. 16 (2)	Only record
Vesper Sparrow			Oct. 16 (1)	
Tree Sparrow	Oct. 16 (15)			
Woodcock			Oct. 17 (1)	
Whip-poor-will			Oct. 17 (1)	

<u>Species</u>	<u>First Record</u>	<u>Height of Migration</u>	<u>Last Record</u>	<u>Remarks</u>
Yellow-bellied Sapsucker	Sept. 29 (1)		Oct. 17 (1)	
Golden-crowned Kinglet	Sept. 26 (1)	Oct. 17 (20)		Some winter
Blue-headed Vireo			Oct. 21 (1)	Only record
Black-throated Gr. Warbler		Sept. 20 (6)	Oct. 21 (1)	
Pintail	Sept. 18 (3)		Oct. 23 (28)	
Wood Duck			Oct. 23 (6)	
Redhead	Oct. 23 (95)			Only record
Turkey Vulture			Oct. 23 (21)	
Wilson Snipe	Aug. 28 (3)		Oct. 23 (2)	
Pectoral Sandpiper	Aug. 28 (5)		Oct. 23 (1)	
Bluebird			Oct. 23 (4)	
Ruby-crowned Kinglet	Oct. 2 (10)		Oct. 23 (1)	
Field Sparrow			Oct. 23 (2)	
Swamp Sparrow	Sept. 6 (2)		Oct. 23 (2)	Only records
Gadwall	Oct. 23 (2)			Only record
Hermit Thrush	Sept. 23 (1)	Oct. 9 (15)	Oct. 26 (1)	
Myrtle Warbler	Sept. 11 (2)	Oct. 16 (75)	Oct. 26 (7)	
Palm Warbler	Oct. 3 (3)		Oct. 29 (2)	
Fox Sparrow	Oct. 8 (25)		Oct. 29 (2)	
Chipping Sparrow			Oct. 30 (1)	
Snow Bunting	Oct. 30 (100)			
Greater Yellowlegs	Aug. 28 (2)		Oct. 31 (1)	
Sanderling	Sept. 12 (2)		Oct. 31 (12)	
Mourning Dove			Nov. 1 (7)	
White-throated Sparrow	Sept. 18 (5)	Oct. 8 (79)	Nov. 1 (8)	
Magnolia Warbler	Sept. 5 (6)		Nov. 3 (2)	
Shoveller	Sept. 12 (4)		Nov. 4 (8)	
Ring-necked Duck	Oct. 23 (75)		Nov. 7 (25)	
Killdeer			Nov. 7 (1)	
Towhee			Nov. 7 (1)	
Pied-billed Grebe			Nov. 14 (10)	
Baldpate	Sept. 18 (10)	Oct. 3 (3000)	Nov. 14 (35)	
Green-winged Teal	Sept. 18 (1)		Nov. 14 (4)	
Red-winged Blackbird			Nov. 14 (12)	
Cowbird			Nov. 14 (7)	
Kingfisher			Nov. 15 (1)	
Pipit	Oct. 3 (3)		Nov. 15 (1)	
White-crowned Sparrow	Sept. 30 (1)	Oct. 2 (8)	Nov. 15 (2)	
Meadowlark			Nov. 17 (1)	
Loon		Nov. 14 (7)	Nov. 27 (1)	
Flicker			Nov. 27 (1)	
American Golden-eye	Nov. 28 (18)			
Ruddy Duck	Sept. 6 (4)		Nov. 28 (2)	
Red-breasted Merganser	Nov. 28 (4)			
Lesser Scaup Duck	Oct. 23 (12)	Dec. 4 (1750)		Winters
Hooded Merganser	Nov. 15 (10)		Dec. 20 (1)	Only records
Canvas-back	Oct. 23 (11)		Dec. 26 (1)	Only records