

ROBERTSON, W. B., JR. 1962. Florida region. Audubon Field Notes 16: 468.

ROBERTSON, W. B., JR. 1971. Florida region. Amer. Birds. 25: 46.

PERIODICAL LITERATURE

Florida Field Naturalist 17(2): 46-48, 1989.

Florida Birds in the Periodical Literature

FRED E. LOHRER

Archbold Biological Station, P.O. Box 2057, Lake Placid, Florida 33852

This list contains 47 citations to recent (1987-1988) articles about Florida birds except those published in *Florida Field Naturalist* and the seasonal reports in *American Birds*. Authors are encouraged to send reprints of their articles to the compiler for inclusion in this annual feature.

- ANONYMOUS. 1988. Regional reports, pictorial highlights, winter 1987-1988. *Am. Birds* 42: 193.—Includes photo of Buff-bellied Hummingbird, 10 December 1987, Destin, by William E. Dowling.
- ATKINSON, C. T. 1988. Epizootology of *Haemoproteus melagridis* (Protozoa: Haemosporina) in Florida: potential vectors and prevalence in naturally infected *Culicoides* (Diptera: Ceratopoginidae). *J. Med. Entomol.* 25: 39-44.—As studied in Florida wild Turkeys.
- ATKINSON, C. T. 1988. Epizootology of *Haemoproteus melagridis* (Protozoa: Haemosporina) in Florida: seasonal transmission and vector abundance. *J. Med. Entomol.* 25: 45-51.
- BANCROFT, G. T., J. C. OGDEN, AND B. W. PATTY. 1988. Wading bird colony formation and turnover relative to rainfall in the Corkscrew Swamp area of Florida during 1982 through 1985. *Wilson Bull.* 100: 50-59.—Collier and Lee co.
- BEISSINGER, S. R. 1988. A faithful, fickle hawk. *Natural History* 97(1): 43-50.—Based on author's Snail Kite studies in southern Florida.
- BOHALL-WOOD, P. G., AND M. W. COLLOPY. 1988. Foraging behavior of southeastern American Kestrels in relation to habitat use. *Raptor Res. Rept.* 6: 58-65.—Alachua and Levy co.
- BREITWISCH, R. 1988. Sex differences in defense of eggs and nestlings by Northern Mockingbirds, *Mimus polyglottos*. *Anim. Behav.* 36: 62-72.—On Univ. Miami campus, Dade Co.
- BUCHANAN, J. B. 1988. North American Merlin populations: an analysis using Christmas Bird Count data. *Am. Birds* 42: 1178-1180.—Includes data from 5 Florida CBC; Coot Bay, Merritt Island NWR, Sarasota, St. Marks, and St. Petersburg.
- BURGER, J. 1988. Foraging behavior in gulls: differences in method, prey, and habitat. *Colon. Waterbirds* 11: 9-23.—Includes data on Herring and Laughing gulls in Florida.
- BUTLER, R. W. 1988. Population dynamics and migration routes of Tree Swallows, *Tachycineta bicolor*, in North America. *J. Field Ornithol.* 59: 395-402.—Some of 41 recoveries of banded birds were from Florida. A map indicates these birds banded in Ontario and along the Atlantic seaboard.
- CARL, R. A. 1987. Age-class variations in foraging techniques by Brown Pelicans. *Condor* 89: 525-533.—As studied at South Jetty Park, Port Canaveral, Brevard Co.

- CRAWFORD, R. L. 1988 (1986). Wood Thrush song and spring rainfall. *Oriole* 51: 32-34.—At Tall Timbers Res. Sta., Leon Co.
- DELOTELLE, R. S., AND R. T. EPTING. 1988. Selection of old trees for cavity excavation by Red-cockaded Woodpeckers. *Wild. Soc. Bull.* 16: 48-52.—Based on studies done in Florida (near Orlando and Ocala) and in North Carolina.
- EDWARDS, T. C., AND M. W. COLLOPY. 1988. Nest tree preference of Ospreys in north-central Florida. *J. Wildl. Manage.* 52: 103-107.—Alachua Co.
- FULLER, M. R., D. BYSTRACK, C. S. ROBBINS, AND R. M. PATTERSON. 1988. Trends in American Kestrel counts from the North American Breeding Birds Survey. *Raptor Res. Rept.* 6: 22-27.—Briefly mention Florida data.
- HARRINGTON, B. A., J. M. HAGAN, AND L. E. LEDDY. 1988. Site fidelity and survival differences between two groups of New World Red Knots (*Calidris canutus*). *Auk* 105: 439-445.—Florida birds banded at Longboat Key, Sarasota Co.
- HENNEMANN, W. W. 1988. Energetics and spread-winged behavior in Anhingas and Double-crested Cormorants: the risks of generalization. *Am. Zool.* 28: 845-851.—Experimental birds captured in Florida.
- HOFFMAN, M. L., AND M. W. COLLOPY. 1988. Distribution and nesting ecology of the American Kestrel (*Falco sparverius paulus*) near Archer, Florida. *Raptor Res. Rept.* 6: 47-57.—Alachua and Levy co.
- HOFFMAN, M. L., AND M. W. COLLOPY. 1988. Historical status of the American Kestrel (*Falco sparverius*) in Florida. *Wilson Bull.* 100: 91-107.
- HOOPER, R. G. 1988. Longleaf pines used for cavities by Red-cockaded Woodpeckers. *J. Wildl. Manage.* 52: 392-398.—Florida studies done in Osceola and Ocala national forests.
- KING, B. 1988. Pied-billed Grebe catching fish attracted by man. *Brit. Birds* 81: 178-179.—At Lake Eola, Orlando, Orange Co.
- KING, B. 1988. Sanderlings flocking with turnstones to take bread. *Brit. Birds* 81: 180-181.—In Brevard and Volusia co.
- LEE, D. S. 1988. The Little Shearwater (*Puffinus assimilis*) in the western North Atlantic. *Am. Birds* 42: 213-220.—Includes excerpt from letter from Robert D. Barber giving details of a bird found dead on Playalinda Beach, 18 August 1971.
- MAYFIELD, H. F. 1988. Do Kirtlands Warblers migrate in one hop. *Auk* 105: 204-205.—Probably. Includes mention of 7 fall and 8 spring Florida migration records.
- MCKENZIE, P. M., P. J. ZWANK, AND E. B. MOSER. 1988. Mottled Duck population trends based on analysis of Christmas Bird count data. *Am. Birds* 42: 512-516.—Includes data from 12 Florida counts, 1963-1985.
- MONTALBANO, F., AND F. A. JOHNSON. 1988 (1986). Implications of migration chronology upon waterfowl harvest opportunities in Florida. *Proc. Annu. Conf. Southeast Assoc. Fish Wildl. Agencies* 40: 470-475.—Based on weekly surveys conducted on 11 Florida national wildlife refuges, 1976-1981.
- MOORE, J., M. FREEHLING, D. HORTON, AND D. SIMBERLOFF. 1987. Host age and sex in relation to intestinal helminths of Bobwhite Quail. *J. Parasitol.* 73: 230-233.—At Tall Timbers Res. Sta., Leon Co.
- MOORE, J., D. SIMBERLOFF, AND M. FREEHLING. 1988. Relationships between Bobwhite Quail social-group size and intestinal helminth parasitism. *Am. Nat.* 131: 22-32.
- NESBITT, S. A. 1988. Nesting, renesting, and manipulating nesting of Florida Sandhill Cranes. *J. Wildl. Manage.* 52: 758-763.—At Paynes Prairie, Alachua Co.
- OGDEN, J. C., AND A. SPRUNT, IV. 1988. Population trends and reproductive strategies by south Florida wading birds. P. 6 in Dabrymple, G. H., W. F. Loftin, and F. S. Bernardino (eds.). *Wildlife in the Everglades and Latin American wetlands*. Florida International Univ., Miami.
- PATTON, S. R. 1988. Abundance of gulls at Tampa Bay landfills. *Wilson Bull.* 100: 431-442.—Pinellas and Hillsborough co.

- POWELL, G. V. N., A. H. POWELL, AND N. K. PAUL. 1988. Brother, can you spare a fish? *Natural History* 97(2): 34-38.—Pandhandling Great White Herons in the Florida Keys, Monroe Co.
- RICHARD, A. 1988. Burrowing Owls on Long Island (New York). *Kingbird* 38: 16-17.—Three records of Florida Burrowing Owls (*Athene cunicularia floridana*); 28 December 1976, 3 December 1978, and 29 March 1982. No specimens saved but identity of the 1976 bird was confirmed by ornithologists at the American Museum of Natural History and it was later transported to Miami on 6 January 1977 for release.
- RISING, J. D. 1988. Geographic variation in sex ratios and body size in wintering flocks of Savannah Sparrows (*Passerculus sandwichensis*). *Wilson Bull.* 100: 183-203.—Includes analysis of birds collected in Alachua, Escambia, and Okeechobee co.
- RODGERS, J. A., JR., S. T. SCHWIKERT, AND A. S. WENNER. 1988. Status of the Snail Kite in Florida: 1981-1985. *Am. Birds* 42: 30-35.
- RODGERS, J. A., JR., A. S. WENNER, AND S. T. SCHWIKERT. 1988. The use and function of green nest material by Wood Storks. *Wilson Bull.* 100: 411-423.—As studied at 6 colonies in north and central Florida.
- ROOT, T. 1988. Energy constraints on avian distributions and abundances. *Ecology* 69: 330-339.—Based on analysis of Christmas Bird Count results, 1962-1971, including about 40 Florida counts.
- ROOT, T. 1988. Environmental factors associated with avian distributional boundaries. *J. Biogeogr.* 15: 489-505.
- SCHREIBER, R. W., AND P. J. MOCK. 1988. Eastern Brown Pelicans: what does 60 years of banding tell us? *J. Field Ornithol.* 59: 171-182.—Analysis of 3,106 recoveries of birds banded in Florida and the Carolinas, 1925-1983.
- SIMONS, T., S. K. SHERRD, M. W. COLLOPY, AND M. A. JENKINS. 1988. Restoring the Bald Eagle. *Am. Sci.* 76: 253-260.—The story of efforts to restore Bald Eagles to Oklahoma, Mississippi, Alabama, Georgia, and North Carolina using eggs collected in Alachua and Marion co. and the Ocala National Forest. Includes information on ability of Florida birds to lay second clutches after the first clutch has been taken for propagation efforts.
- SMALLWOOD, J. A. 1988. A mechanism of sexual segregation by habitat in American Kestrels (*Falco sparverius*) wintering in south-central Florida. *Auk* 105: 36-46.—Glades and Highlands co.
- SMITH, P. W. 1988. The Eurasian Collared-Dove arrives in the Americas. *Am. Birds* 41: 1371-1379.—Includes discovery and status of Florida's population.
- STEDMAN, S., AND A. STEDMAN. 1988. A remarkable traveler. *N. Am. Bird Bander* 13: 49.—Male Indigo Bunting banded 9 January 1984, Casey Key, Sarasota Co., netted next winter on Andros Island, finally flew into a window and died in Nova Scotia, 26 May 1986.
- STEDMAN, S. AND A. STEDMAN. 1988. Scrub Jay cooperates with banders. *N. Am. Bird Bander* 13: 8.—Laurel Quadrangle, Sarasota Co.
- SYKES, P. W. 1988. Georgia, Florida, Regional summaries, 1987-1988 Christmas Bird Counts. *Am. Birds* 42: 534-535.
- TURNBULL, R. E., D. H. BRAKHAGE, AND F. A. JOHNSON. 1988 (1986). Lesser Scaup mortality from commercial trotlines on Lake Okeechobee, Florida. *Proc. Annu. Conf. Southeast. Fish Wildl. Agencies* 40: 465-469.
- YATES, M. A., K. E. RIDDLE, AND F. P. WARD. 1988. Recoveries of Peregrine Falcons migrating through eastern and central United States, 1955-1985. Pp. 471-483 in Cade, T. J., J. H. Enderson, C. G. Thelander, and C. M. White (eds.). *Peregrine Falcon populations. The Peregrine Fund, Inc, Boise, Idaho.*—Birds recovered in Florida banded in Alaska's Mackenzie Valley, Keewatin (Canada), and Wisconsin. One spring bird banded on Dry Tortugas recovered on Gulf Coast of Texas.