

**10-VOLUME INDEX TO *THE MISSISSIPPI KITE*:
2001-2010**

Terence L. Schiefer
Department of Entomology
Mississippi State University
Mississippi State, Mississippi 39762-9775
&
Marion H. Schiefer
P. O. Box 1505
Starkville, MS 39760

This is a 10-year index to bird species and authors included in volumes 31-40 of *The Mississippi Kite* (2001-2010). Common names of species follow the AOU Check-list of North American Birds, 7th Edition, including the 42nd through 51st supplements to the Check-list, as published in *The Auk*, July 2000-July 2010. Where common names have changed during the period from 2001 through 2010, both names are included in the index and are cross-referenced. Species groups that are often referred to by a genus or common name (e.g., *Empidonax* sp., *Plegadis* sp., jaeger sp.) are also included in the index.

Anding, S., see Mengel, J., and _____

Anhinga, 31:9, 43; 32:2, 4, 8; 33:7; 34:4; 35:8; 36:10, 21; 37:40; 38:26, 53; 39:15; 40:13

Ani, Groove-billed, 31:24; 34:18; 35:22; 38:28, 60; 39:23

Avocet, American, 31:18, 50; 32:13; 33:15; 34:12; 35:15; 36:26; 37:26, 44; 38:27, 57; 39:19

Bittern, American, 31:9, 43; 32:8; 33:7; 34:4; 35:9; 36:21; 37:40; 38:26, 54; 39:15

_____, Least, 31:9, 43; 32:8; 33:7; 34:4; 35:9; 36:21; 37:40; 38:26, 54; 39:15

Blackbird, Brewer's, 31:33, 63; 32:21; 33:29; 34:28, 33; 35:34; 38:32

_____, Red-winged, 32:35, 37; 38:32

_____, Rusty, 31:33, 63; 33:29; 34:28, 33; 38:32, 66; 39:31

_____, Yellow-headed, 31:33; 32:21; 33:28; 34:28, 33; 35:34; 38:33, 66;
39:31

Bluebird, Eastern, 34:41; 38:30

_____, Mountain, 38:22, 33; 39:8; 40:12

Bobolink, 31:33, 63; 32:21; 33:28; 34:27, 33; 35:33; 36:39; 37:51;
38:32, 66; 39:31

Bobwhite, Northern, 31:49; 38:25, 53; 39:14

Booby, Masked, 35:8; 38:21, 33; 39:8; 40:11

Bowen, B., J. Dubuisson, S. Epps, F. Henne, M. Hodges, P. Kochtitzky,
and S. Smith, In Memory of Judy Toups, 37:25-29

Boyajian, N., Beating a Dead Horse, 37:6-7

Brant, 38:21, 33; 39:8; 40:11

Bufflehead, 31:14, 46; 33:11; 35:6; 38:25; 39:13

Bunting, Indigo, 31:33, 63; 32:21, 27, 37; 33:28; 35:33; 36:39; 38:32;
39:30

_____, Lark, 38:22, 33; 39:8; 40:12

_____, Lazuli, 35:33; 38:22, 33; 39:8; 40:8, 12

_____, Painted, 31:33, 63; 32:21, 34, 37; 33:28; 34:27; 35:33; 36:39;
37:51; 38:32, 66; 39:31

_____, Snow, 31:32; 38:20, 22, 33; 39:8; 40:12

Burger, Jr., L.W., see Wood, D.R., F.J. Vilella, and _____

Canvasback, 31:13; 33:10; 34:8; 35:5; 36:19; 38:25

Caracara, Crested, 36:24; 38:22, 33; 39:8; 40:11

Cardinal, Northern, 32:37; 35:38; 38:32

Catbird, Gray, 31:28, 58; 32:18, 31, 36-37; 33:23; 34:22; 35:27; 36:34;
37:48; 38:30; 39:27

Chat, Yellow-breasted, 31:31, 61; 32:20, 26-27, 37-38; 33:26; 38:31, 64;
39:29

Chickadee, Carolina, 32:35, 37; 34:41; 38:30

Chuck-will's-widow, 31:24, 55; 32:16, 25-27, 35, 37; 33:20; 34:18;
36:31; 37:46; 38:29; 39:23

Chukar, 38:18

Collared-Dove, Eurasian, 31:23, 54; 32:15; 33:19; 34:17; 35:21; 36:31;
37:46; 38:28; 39:23

Coot, American, 31:17, 49; 32:12; 35:13; 37:43; 38:27, 56

Cormorant, Double-crested, 31:8, 43; 32:1-5, 8; 35:8; 36:10, 12, 21;
38:26; 40:13

_____, Great, 38:21, 33; 39:8; 40:11

_____, Neotropic, 34:4; 35:8; 36:12-15, 21; 37:40; 38:19, 21, 33, 53;
39:8, 15; 40:4, 11

Cowbird, Bronzed, 31:34, 63; 34:28; 35:34; 36:39; 38:16, 21-22, 33, 66;
39:8, 31; 40:8, 11

_____, Brown-headed, 32:35, 37; 38:32

_____, Shiny, 31:33; 35:34; 38:21-22, 33; 39:8; 40:12

Crane, Sandhill, 31:17, 49; 32:12; 33:14; 34:11; 35:13; 36:25; 37:43;
38:27, 56; 39:19

Creeper, Brown, 31:27; 33:22; 34:21; 38:30; 39:26

Crossbill, Red, 31:64; 35:34; 38:16, 21-22, 33; 39:6, 8; 40:9, 11

Crow, American, 38:29

_____, Fish, 31:57; 38:29

Cuckoo, Black-billed, 31:24; 32:34, 37; 33:19; 34:18; 37:46; 38:28;
39:23

_____, Yellow-billed, 31:24, 54; 32:36, 38; 33:19; 34:18; 35:22; 36:31;
38:28, 60; 39:23

Curlew, Long-billed, 31:51; 34:13; 35:16; 36:26; 37:44; 38:33, 57

Davis, W.M., Winter Foraging of Eastern Phoebe at a North Mississippi
Sewage Lagoon, 31:1-3

Dickcissel, 31:33, 63; 33:28; 34:27; 35:33; 36:39; 37:51; 38:32, 66

Dove, Common Ground-, see Ground-Dove, Common

_____, Eurasian Collared-, see Collared-Dove, Eurasian

_____, Inca, 32:15; 33:19; 34:18; 35:22; 38:6, 13, 22, 33, 59; 39:5, 8, 23;
40:6, 11

_____, Mourning, 38:28

_____, Rock, see Pigeon, Rock

_____, Ruddy Ground-, see Ground-Dove, Ruddy

_____, White-winged, 31:23, 54; 33:19; 34:18; 35:22; 36:31; 37:46;
38:25, 28; 39:23

Dowitcher, Long-billed, 31:21, 52; 33:17; 34:15; 35:18; 36:28; 37:45;
38:28, 58; 39:21

_____, Short-billed, 31:21, 52; 33:17; 34:15; 35:18; 36:28; 38:28

Dubuisson, J., see Bowen, B., _____, S. Epps, F. Henne, M. Hodges, P. Kochtitzky, and S. Smith

Duck, American Black, 31:12, 46; 32:10; 33:10; 34:8; 36:19; 38:25

_____, Black-bellied Whistling-, see Whistling-Duck, Black-bellied

_____, Fulvous Whistling-, see Whistling-Duck, Fulvous

_____, Long-tailed, 31:14; 32:10; 33:11; 35:6; 36:19; 37:39; 38:25, 52; 39:13

_____, Mottled, 33:10; 34:8; 38:25; 39:12

_____, Ring-necked, 31:13; 32:10; 33:10; 34:8; 35:5; 36:19; 37:39; 38:25; 39:13

_____, Ruddy, 31:14; 33:11; 34:9; 35:6; 38:25

_____, Wood, 31:12, 46; 32:10; 33:10; 34:41; 36:18; 38:25

Dunlin, 31:20, 52; 33:16; 34:15; 35:12, 17; 36:27; 38:27, 58; 39:20

Eagle, Bald, 31:15, 47; 32:11; 33:12; 34:10; 35:11; 36:23; 37:42; 38:26, 55; 39:17

_____, Golden, 31:15, 48; 32:11; 33:12; 35:12; 36:24; 37:42; 38:26, 55; 39:18

Egret, Cattle, 31:10, 44; 32:8; 33:8; 34:5; 35:9; 36:5, 10, 22; 37:41; 38:26; 40:13

_____, Great, 31:9, 43; 32:2, 4; 34:5; 36:5, 10; 38:26, 54; 39:16; 40:13

_____, Reddish, 31:10, 44; 32:8; 33:1, 8; 35:9; 36:22; 38:26, 54; 39:16

_____, Snowy, 31:10, 43-44; 33:8; 34:5; 35:9; 36:10, 22; 38:26, 54; 39:16; 40:13, 16

Eider, King, 38:21, 33; 39:8; 40:11

Empidonax sp., 32:17

Epps, S., see Bowen, B., J. Dubuisson, _____, F. Henne, M. Hodges, P. Kochtitzky, and S. Smith

Falcon, Peregrine, 31:16, 48; 32:12; 33:13; 34:11; 35:13; 36:24; 37:42; 38:27, 56; 39:18

_____, Prairie, 31:16, 49; 34:11; 38:11, 20, 22, 33; 39:4, 8; 40:5, 11

Finch, House, 31:34; 32:22; 38:33

_____, Purple, 31:64; 32:22; 33:29; 34:28; 35:34; 36:40; 38:33, 66; 39:31

Flamingo, American, 39:14

_____, Greater, see Flamingo, American

Flicker, Northern, 32:34, 37; 34:41; 38:29

Flycatcher, Acadian, 31:25, 56; 32:17, 34, 37; 33:21; 34:20; 35:24; 36:32; 38:29

_____, Alder, 35:24; 38:20, 22, 33; 39:8; 40:11

_____, Ash-throated, 31:26; 38:6, 15, 22, 33; 39:8; 40:11

_____, Great-crested, 31:26, 56; 32:36-37; 33:21; 34:20, 41; 38:29

_____, Least, 31:26, 56; 32:17, 37; 33:21; 34:20; 35:24; 36:32; 37:47; 38:29, 61; 39:25

_____, Olive-sided, 31:25; 33:21; 34:20; 35:24; 36:32; 38:29; 39:25

_____, Scissor-tailed, 31:26, 56; 33:21; 34:21; 35:25; 36:33; 37:47; 38:33, 61; 39:25

_____, Sulphur-bellied, 38:22, 33; 39:8; 40:11

_____, Vermilion, 31:26, 56; 32:17; 33:21; 34:20; 35:25; 36:32; 37:47;
38:29, 61; 39:25

_____, Willow, 31:26; 38:20, 22, 33, 60; 39:5, 6, 8, 25; 40:7, 9, 11

_____, Willow/Alder, complex, 38:6

_____, Yellow-bellied, 31:25, 55; 33:21; 34:20; 35:24; 36:32; 37:47;
38:29, 60

Frigatebird, Magnificent, 31:9; 33:7; 34:4; 35:9; 36:21; 38:33

Gadwall, 31:46; 32:10; 34:8; 35:4; 36:19; 37:38; 38:25

Gallinule, Purple, 31:17, 49; 32:12; 33:13; 34:11; 35:13; 36:24; 37:26,
43; 38:27, 56; 39:18

Gannet, Northern, 31:8; 33:7; 34:4; 35:8; 36:20; 38:26

Gnatcatcher, Blue-gray, 31:28, 57; 32:18, 34, 37; 33:23; 34:22; 36:34;
37:48; 38:30; 39:27

Godwit, Hudsonian, 35:16; 38:11, 22, 33; 39:8; 40:5, 11

_____, Marbled, 31:19, 51; 32:13; 33:15; 34:14; 35:16; 36:26; 38:27;
39:20

Goldeneye, Common, 31:14, 46; 32:10; 34:9; 35:6; 36:19; 38:25; 39:13

Golden-Plover, American, 31:18, 49; 33:14; 34:12; 35:14; 36:25; 37:43;
38:27, 56; 39:19

_____, Pacific, 38:17

Goldfinch, American, 31:34, 64; 32:22; 33:29; 35:38; 37:51; 38:33

_____, Lesser, 33:29; 35:35; 36:40; 38:6, 17, 22, 33; 39:8; 40:9, 12

Goose, Cackling, 35:4; 36:18; 37:38; 38:33, 52; 39:12 (see also Canada
Goose)

_____, Canada, 31:12, 45; 32:10; 33:10; 34:7; 36:18; 37:38; 38:25, 52;
39:12

_____, Greater White-fronted, 31:11, 45; 32:9; 33:9; 34:7; 35:4; 36:18;
37:38; 38:25; 39:12

_____, Ross's, 31:12, 45; 32:9; 33:10; 34:7; 35:4; 36:18; 37:38; 38:33,
52; 39:12

_____, Snow, 31:12, 45; 32:9; 33:9; 34:7; 35:4; 36:18; 37:38; 38:25;
39:12

Goshawk, Northern, 38:10, 20, 22, 26; 39:4, 8; 40:11

Grackle, Boat-tailed, 38:32

_____, Common, 38:32

_____, Great-tailed, 35:34; 38:6, 16, 22, 33; 39:8; 40:8, 12

Grebe, Eared, 31:8, 43; 32:7; 33:7; 34:4; 35:7; 36:20; 37:40; 38:26, 53;
39:14

_____, Horned, 31:8, 43; 34:4; 35:7; 38:26, 53; 39:14

_____, Pied-billed, 31:8, 42; 32:7; 34:4; 35:7; 36:20; 38:26; 39:14

_____, Red-necked, 33:6; 35:7; 36:20; 38:9, 21, 33, 53; 39:3, 8, 14;
40:11

_____, Western, 32:8; 35:8; 37:40; 38:9, 20-21, 33, 53; 39:3, 8, 14; 40:4,
11

Grosbeak, Black-headed, 34:27; 38:16, 21-22, 32; 39:8; 40:8, 12

_____, Blue, 31:32; 32:35, 37; 33:28; 34:27; 36:39; 38:32

_____, Evening, 38:33

_____, Rose-breasted, 31:32, 63; 32:21, 35, 37; 33:28; 34:27; 35:33;
36:39; 38:32, 66; 39:30

Ground-Dove, Common, 31:23, 54; 33:19; 34:18; 35:22; 36:31; 37:46;
38:28, 59

_____, Ruddy, 35:22; 38:22, 33; 39:5, 8; 40:11

Gull, Black-headed, 33:18; 38:12, 19, 22, 33; 39:8; 40:11

_____, Bonaparte's, 31:22, 53; 33:18, 39; 34:16; 35:19; 38:28, 58; 39:21

_____, California, 36:29; 38:6, 12, 20, 22, 33; 39:4, 6, 8; 40:11

_____, Franklin's, 31:22, 53; 32:14; 33:18; 34:16; 35:19; 36:29; 37:45;
38:28, 58; 39:21

_____, Glaucous, 38:12, 20, 22, 28; 39:8; 40:6, 11

_____, Great Black-backed, 31:53; 33:18; 38:12, 22, 33; 39:8; 40:11

_____, Herring, 31:22, 53; 32:15; 33:18; 35:20; 36:29; 38:28

_____, Laughing, 31:22, 52; 32:14; 33:17-18; 34:16; 35:18; 36:29;
37:45; 38:28, 58; 39:21

_____, Lesser Black-backed, 31:22, 53; 32:15; 35:20; 36:29; 38:12, 20,
22, 33, 59; 39:5, 8, 21; 40:11

_____, Little, 33:40-41; 34:16; 35:19; 38:12, 20, 22, 28; 39:4, 8; 40:5, 11

_____, Ring-billed, 31:22; 32:14; 33:18, 34; 34:16; 35:20; 36:29; 38:28,
59; 39:21

_____, Ross's, 33:40-41

_____, Sabine's, 32:15; 33:38-46; 37:45; 38:13, 20, 22, 33; 39:8, 21;
40:6, 11

_____, Slaty-backed, 38:22; 39:8; 40:11

_____, Thayer's, 35:20; 36:29; 38:20, 22, 33, 59; 39:4-5, 6, 8; 40:5, 11

Harrier, Northern, 31:2, 15, 47-48; 32:11; 33:12; 35:12; 38:26, 55

Hawk, Broad-winged, 31:15, 48; 32:35, 37; 33:12; 34:10; 35:12; 36:23;
38:26

_____, Cooper's, 31:48; 32:36-37; 33:12; 34:10, 41; 35:12; 38:26

_____, Ferruginous, 35:12, 45; 36:23; 37:42; 38:22, 33, 55; 39:4, 6, 8;
40:4, 11

_____, Harris's, 38:22, 33; 39:8; 40:11

_____, Red-shouldered, 34:41; 38:26

_____, Red-tailed, 31:48; 33:12; 34:40-41; 38:26

_____, Rough-legged, 31:15; 32:11; 36:23; 38:11, 17, 20, 22, 33, 55;
39:8, 18; 40:5, 11

_____, Sharp-shinned, 31:48; 32:11, 35, 38; 33:12; 34:10; 36:23; 38:26

_____, Swainson's, 31:15, 48; 33:12; 38:10, 19-20, 22, 26, 55; 39:4, 8,
18; 40:11

Henne, F., Harris's Sparrow (*Zonotrichia querula*) Records in Attala
County, Mississippi, 35:38-39

_____, see Bowen, B., J. Dubuisson, S. Epps, _____, M. Hodges, P.
Kochtitzky, and S. Smith

Heron, Black-crowned Night-, see Night-Heron, Black-crowned

_____, Great Blue, 31:9, 15; 32:4; 36:10, 21; 38:26; 39:16; 40:13

_____, Green, 31:44; 32:9; 34:5; 35:9; 36:22; 38:26, 54; 40:13

_____, Little Blue, 31:44; 32:8; 33:8; 36:10; 37:40; 38:26; 40:13, 16, 20

_____, Tricolored, 31:10, 44; 32:8; 33:8; 34:5; 35:9; 36:10, 22; 37:40;
38:26, 54; 39:16; 40:13

_____, Yellow-crowned Night-, see Night-Heron, Yellow-crowned

Hodges, M., see Bowen, B., J. Dubuisson, S. Epps, F. Henne, _____, P. Kochtitzky, and S. Smith

Hummingbird, Allen's, 32:16; 33:20; 35:24; 36:32; 38:6, 14-15, 20, 22, 33; 39:8; 40:7, 11

_____, Anna's, 35:23; 36:31-32; 37:46; 38:6, 14, 22, 33, 60; 39:8; 40:6-7, 11

_____, Black-chinned, 31:55; 32:16; 33:20; 34:19; 35:23; 38:33, 60; 39:24

_____, Broad-billed, 38:20, 22, 33; 39:8; 40:6, 11

_____, Broad-tailed, 31:25, 55; 32:16; 33:20; 35:23; 38:6, 14, 20, 22, 33; 39:8; 40:11

_____, Buff-bellied, 31:25; 32:16; 33:20; 34:19; 35:23; 38:33; 39:23

_____, Calliope, 31:25; 32:16; 33:20; 34:19; 35:23; 38:6, 14, 18, 20, 22, 33; 39:8; 40:7, 11

_____, Ruby-throated, 31:25, 55; 32:16, 30-31, 35, 38; 33:20; 34:19; 35:23; 36:31; 37:46; 38:29; 39:23-24

_____, Rufous, 31:25, 55; 32:16; 33:20; 34:19-20; 35:23; 36:32; 37:46; 38:29, 60; 39:24

_____, Rufous/Allen's, 39:24

_____, White-eared, 38:6, 14, 22, 33; 39:8; 40:11

Ibis, sp., 37:41 (see also *Plegadis* sp.)

_____, Glossy, 31:10, 44; 32:9; 33:8; 34:6; 35:10; 36:22; 37:41; 38:9, 17, 18, 20-21, 26; 39:4, 7, 8, 16; 40:11, 13

_____, White, 31:10, 44; 32:3, 9; 33:8; 34:6; 35:10; 36:10, 22; 38:26, 54; 39:16

_____, White-faced, 31:10, 44; 33:8; 34:6; 35:10; 36:22; 37:41; 38:9-10,
19-21, 26; 39:4, 8, 16; 40:4, 11, 13-17, 20

Jabiru, 38:54; 39:6; 40:9

Jackson, J.A., Judy Toups: For the Birds, 37:8-13

Jaeger, sp., 32:14; 34:16; 35:18

_____, Long-tailed, 31:52; 33:34-37; 38:20, 22, 33; 39:5, 8; 40:11

_____, Parasitic, 33:35; 38:22, 28; 39:8; 40:11

_____, Pomarine, 31:22; 33:34; 38:13, 22, 33; 39:8; 40:11

Jay, Blue, 32:35, 37; 36:33; 38:29

Jennier, J., Summer Whip-poor-wills (*Caprimulgus vociferus*) in
Simpson County, Mississippi, 32:25-28

Junco, Dark-eyed, 31:32, 63; 33:28; 34:27, 32; 35:33, 38; 38:32; 39:30

Kestrel, American, 31:16, 48; 34:41; 35:12; 36:24; 38:27

Killdeer, 31:18, 37-38, 50; 32:12; 33:14; 34:12; 35:14; 38:27; 39:19

Kingbird, Cassin's, 38:6, 15, 20, 22, 29; 39:8; 40:7, 11

_____, Eastern, 31:26, 56; 32:17, 36-37; 33:21; 34:20; 35:25; 36:32;
38:29; 39:25

_____, Gray, 31:26, 56; 38:15, 20, 22, 29; 39:8; 40:11

_____, Western, 31:56; 33:21; 34:20; 35:25; 36:32; 37:47; 38:29; 39:25

Kingfisher, Belted, 38:29

Kinglet, Golden-crowned, 31:28; 32:36-37; 36:34; 38:30

_____, Ruby-crowned, 31:28, 57; 32:35, 37-38; 33:23; 34:22; 38:30;
39:26

Kite, Mississippi, 31:15, 47; 32:11; 33:12; 34:10; 35:11; 36:23; 37:41;
38:26, 55; 39:17

_____, Swallow-tailed, 31:14, 47; 32:11, 36, 38; 33:12; 34:9-10; 35:11;
36:23; 37:25, 41; 38:26, 55; 39:17

_____, White-tailed, 38:21, 33; 39:8; 40:10-11

Kittiwake, Black-legged, 32:15; 33:40-41; 38:13, 20, 22, 28; 39:5, 8;
40:9, 11

_____, Red-legged, 33:40-41

Knight, G.C., Birds around the State: January-December 2000, 31:41-66

_____, Birds around the State: January-December 2001, 32:6-24

_____, Birds around the State: January-December 2002, 33:5-31

_____, Birds around the State: January-December 2003, 34:2-30

_____, Birds around the State: January-December 2004, 35:2-36

_____, Birds around the State: January-December 2005, 36:16-42

_____, Birds around the State: January-December 2006, 37:36-53

_____, Judy Toups' Friends, 37:14-16

_____, Birds around the State: January-December 2007, 38:50-68

_____, 2008 Mississippi Bird Records Committee Report, 39:2-8

_____, Mississippi Bird Records Committee Annual Report-2009, 40:2-
12

_____, and S. Knight, First Mississippi Record of Long-tailed Jaeger,
33:34-37

_____, and S. Knight, First Record of Neotropic Cormorant in the
Mississippi Delta, 36:12-15

_____, see Schiefer, T.L., _____, M.S. Woodrey, and N. Winstead

Knight, S., see Knight, G.C. and _____, 33:34-37

_____, see Knight, G.C. and _____, 36:12-15

Knot, Red, 31:20; 33:1-2; 34:14; 35:16; 36:27; 38:27, 57

Kochtitzky, P., see Bowen, B., J. Dubuisson, S. Epps, F. Henne, M. Hodges, _____, and S. Smith

Lark, Horned, 31:57; 35:26; 38:29

Limpkin, 38:22, 33; 39:8; 40:11

Linden, D.R., First State Nesting Record for White-faced Ibis (*Plegadis chihi*) and Nesting Range Extension for Tree Swallow (*Tachycineta bicolor*) into Washington County, Mississippi, 40:13-20

Litton, J.L., see Stevens, M.P., and _____, 32:1-5

_____, see Stevens, M.P., and _____, 36:2-7

Longspur, Chestnut-collared, 38:22; 39:8; 40:12

_____, Lapland, 31:32, 63; 32:21; 33:28; 34:32; 35:33; 38:32, 65

_____, McCown's, 38:22; 39:8; 40:12

_____, Smith's, 38:22, 33; 39:8; 40:12

Loon, Common, 31:8, 42; 32:7; 33:6; 34:3; 35:7; 36:20; 37:40; 38:26; 39:14

_____, Pacific, 31:7; 33:6; 34:3; 35:7; 36:20; 37:39; 38:9, 20-21, 33, 53; 39:3, 6, 8, 14; 40:3-4, 9, 11

_____, Red-throated, 31:7, 42; 34:3; 35:7; 36:20; 37:39; 38:26, 53

_____, Yellow-billed, 38:17

- Machado, T., Judy Toups, a Tribute, 37:17-19
- Mallard, 33:10; 37:38; 38:25
- Martin, Purple, 31:27, 57; 32:17, 35, 37; 33:22; 34:21; 36:33; 37:47;
38:30, 61; 39:26
- McKee, D., see Stevens, M.P., and _____
- McWhorter, V., Eastern Phoebe: First Documented Nesting at the
Okatibbee Wildlife Management Area, Lauderdale County,
Mississippi, 31:39-40
- Meadowlark, Eastern, 31:63; 38:32
- _____, Western, 31:33, 63; 32:21; 33:28; 34:27, 33; 35:34; 36:39; 38:6,
19, 21-22, 32; 39:8; 40:11
- Mengel, J., and S. Anding, Breeding of the American Oystercatcher,
Haematopus palliatus, confirmed in Mississippi, 33:1-4
- Merganser, Common, 31:14, 47; 32:11; 34:9; 35:6; 36:20; 37:39; 38:8-9,
19, 21, 33, 53; 39:3, 8, 13; 40:11
- _____, Hooded, 31:14, 47; 32:10; 33:11; 34:9; 35:6; 36:20; 37:39; 38:25,
52
- _____, Red-breasted, 31:14, 47; 36:20; 38:25
- Merlin, 31:16, 48; 32:11-12; 33:12-13; 34:10; 35:12; 36:24; 37:42;
38:27, 56; 39:18
- Mockingbird, Northern, 32:34, 37; 38:30
- Moorhen, Common, 31:17, 49; 32:12; 33:13; 34:11; 35:13; 36:24; 37:43;
38:27, 56; 39:19
- Nighthawk, Common, 31:24, 55; 32:25, 35, 37; 33:20; 34:18; 37:46;
38:28
- _____, Lesser, 35:22; 38:22, 33; 39:5, 8; 40:11

Night-Heron, Black-crowned, 31:10, 44; 32:9; 34:5; 36:2-7, 10; 38:26, 54; 40:13

_____, Yellow-crowned, 31:44; 32:9; 35:10; 36:22; 38:26; 39:16

Noddy, Brown, 38:22, 28; 39:8, 22; 40:11

Nuthatch, Brown-headed, 31:27; 38:30

_____, Red-breasted, 31:27, 57; 32:17; 33:22; 35:26; 36:34; 38:30, 62

_____, White-breasted, 38:30

Oriole, Baltimore, 31:34, 64; 32:22, 34, 37; 33:29; 34:28; 35:34; 36:40; 38:32; 39:31

_____, Bullock's, 33:29; 34:28; 38:22, 33; 39:8; 40:12

_____, Orchard, 31:34, 64; 32:22, 34, 37; 33:29; 34:28; 36:39; 38:32, 66; 39:31

Osprey, 31:14, 47; 32:11, 34, 37; 33:1, 11; 34:9; 35:11; 37:41; 38:26, 55; 39:17

Ovenbird, 31:30, 60; 32:31, 34, 37; 35:29; 36:37; 37:49; 38:31, 64; 39:28

Owl, Barn, 31:24, 54; 32:15; 33:20; 34:18; 36:31; 37:46; 38:28; 39:23

_____, Barred, 34:40-41; 38:28

_____, Burrowing, 31:54; 34:18; 35:22; 38:13, 22, 28; 39:8; 40:6, 11

_____, Eastern Screech-, see Screech-Owl, Eastern

_____, Great Horned, 31:54; 38:28

_____, Long-eared, 38:22, 33; 39:8; 40:11

_____, Northern Saw-whet, 31:55; 38:19, 22, 28; 39:8; 40:11

_____, Short-eared, 31:24, 54-55; 32:16; 33:20; 34:18; 35:22; 36:31;
38:28, 60; 39:23

_____, Snowy, 38:22, 33; 39:8; 40:11

Oystercatcher, American, 33:1-4, 14; 34:12; 35:14; 36:25; 37:43; 38:33

Parrot, Red-crowned, 38:18

Parula, Northern, 31:29, 59; 32:34, 37; 33:24; 34:23; 35:27; 36:35; 38:31

_____, Tropical, 38:22; 39:8; 40:12

Pease, J., Judy Toups, a Leader Extraordinaire, 37:20-21

Pelican, American White, 31:8, 43; 32:8; 33:7; 34:4; 35:8; 36:20-21;
37:40; 38:26; 39:15

_____, Brown, 32:8; 33:7; 35:8; 36:21; 37:40; 38:33; 39:15

Peterson, S.J., Birds around the State: January-December 1999, 31:6-36

Petrel, Storm-, sp., see Storm-Petrel sp.

_____, Wilson's Storm-, see Storm-Petrel, Wilson's

Pewee, Eastern Wood-, see Wood-Pewee, Eastern

_____, Western Wood-, see Wood-Pewee, Western

Phalarope, sp., 33:17

_____, Red, 32:14; 33:17; 38:12, 18, 22, 33; 39:8; 40:9, 11

_____, Red-necked, 31:22; 33:17; 34:16; 35:18; 36:29; 38:12, 20, 22, 33;
39:8; 40:5, 11

_____, Wilson's, 31:22, 52; 32:14; 33:17; 34:15-16; 35:18; 36:28; 37:45;
38:33, 58; 39:21

Phoebe, Eastern, 31:1-3, 26, 39-40, 56; 32:36-37; 33:21; 38:29

- _____, Say's, 38:22, 29; 39:8; 40:11
- Pigeon, Band-tailed, 38:22, 33; 39:8; 40:11
- _____, Rock, 38:28
- _____, White-crowned, 37:46; 38:22, 33; 39:5, 8; 40:11
- Pintail, Northern, 31:12; 34:8; 35:5; 36:19; 38:25
- Pipit, American, 31:28; 32:18; 33:23; 34:22; 35:27; 38:30
- _____, Sprague's, 31:58; 37:48; 38:15, 20, 22, 30; 39:8; 40:8, 12
- Plegadis* sp., 31:44; 33:8; 34:6; 35:10; 36:22; 37:41
- Plover, American Golden-, see Golden-Plover, American
- _____, Black-bellied, 31:17, 49-50; 33:2, 14; 34:12; 35:14; 36:25; 37:43;
38:27, 56; 39:19
- _____, Mountain, 38:11, 22, 33; 39:8; 40:11
- _____, Pacific Golden-, see Golden-Plover, Pacific
- _____, Piping, 31:18, 50; 33:14; 34:12; 35:14; 36:25; 38:27
- _____, Semipalmated, 31:18, 50; 32:12; 33:14; 34:12; 35:14; 36:25;
38:27, 57
- _____, Snowy, 31:18, 50; 32:12; 33:14; 34:12; 35:14; 36:25; 38:27
- _____, Wilson's, 31:18; 34:12; 35:14; 36:25; 37:43; 38:27
- Quail, California, 38:18
- Rail, Black, 38:22, 27; 39:8; 40:11
- _____, Clapper, 38:27

_____, King, 31:16; 32:12; 33:13; 34:11; 35:13; 36:24; 37:42; 38:27;
39:18

_____, Virginia, 31:16-17, 49; 32:12; 33:13; 36:24; 37:42; 38:27, 56;
39:18

_____, Yellow, 31:49; 33:13; 35:13; 38:11, 20, 22, 27; 39:8; 40:5, 11

Redhead, 31:13; 32:10; 33:10; 34:8; 35:5; 36:19; 37:39; 38:25, 52; 39:13

Redstart, American, 31:30, 60; 32:19, 34, 37; 33:25; 35:29; 38:31

_____, Painted, 38:22, 33; 39:8; 40:12

Robin, American, 31:58; 32:34, 37; 38:30; 39:27

Ruff, 31:21; 37:44; 38:6-7, 11, 20, 22, 33; 39:8; 40:5, 11

Sanderling, 31:51; 32:13; 33:16; 34:14; 35:16; 36:27; 37:44; 38:27;
39:20

Sandpiper, Baird's, 31:20, 51; 32:13-14; 33:16; 34:14; 35:17; 36:27;
37:44; 38:27; 39:20

_____, Buff-breasted, 31:21, 52; 32:14; 33:16-17; 34:15; 35:17; 36:28;
37:44; 38:28, 58; 39:21

_____, Least, 31:20; 32:13; 33:16; 34:14; 35:17; 36:27; 37:44; 38:27;
39:20

_____, Pectoral, 31:20, 52; 32:14; 33:16; 34:14; 35:17; 36:27; 38:27

_____, Purple, 38:22, 33; 39:8; 40:11

_____, Semipalmated, 31:20, 51; 33:16; 34:14; 35:16; 36:27; 38:27

_____, Solitary, 31:19, 51; 32:13; 33:15; 34:13; 35:15; 36:26; 38:27, 57;
39:20

_____, Spotted, 31:19, 51; 32:13; 33:15; 34:13; 35:15; 37:44; 38:27, 57;
39:20

- _____, Stilt, 31:21, 52; 32:14; 33:16; 34:15; 35:17; 36:28; 38:27, 58
- _____, Upland, 31:19, 51; 32:13; 33:15; 34:13; 35:15; 36:26; 37:44;
38:27, 57; 39:20
- _____, Western, 32:13; 33:16; 34:14; 35:17; 36:27; 38:27; 39:20
- _____, White-rumped, 31:20, 51; 32:13; 33:16; 34:14; 35:17; 36:27;
38:27, 58; 39:20
- Sapsucker, Yellow-bellied, 31:25, 55; 32:36, 38; 33:20-21; 37:47; 38:29;
39:25
- Scaup, Greater, 31:13, 46; 32:10; 33:11; 34:9; 35:5; 36:19; 37:39; 38:25
- _____, Lesser, 31:13; 32:10; 33:11; 34:9; 35:5; 38:25, 52
- Schiefer, M., Introduction, 37:3-5
- _____, M.H., see Schiefer, T.L., and _____
- Schiefer, T.L., First Record of Sabine's Gull in Oktibbeha County,
Mississippi, with a Review of Mississippi Records, 33:38-46
- _____, Addendum to "Birds around the State: January-December, 1997,"
34:32-33
- _____, Review of Harris's Sparrow (*Zonotrichia querula*) Records in
Mississippi, 35:40-51
- _____, Articles by Judy Toups Published in *The Mississippi Kite*, 37:30-
33
- _____, Welcome to Mississippi: a Letter from Judy Toups, 37:22-24
- _____, Appendix B. Bylaws of the Mississippi Ornithological Society's
Mississippi Bird Records Committee as of December 2004, *in*
T.L. Schiefer, First Report of the Mississippi Bird Records
Committee, 38:34-48
- _____, First Report of the Mississippi Bird Records Committee, 38:2-48

- _____, Birds around the State: January-December 2008, 39:10-33
- _____, G.C. Knight, M.S. Woodrey, and N. Winstead, Appendix A. List of voucher specimens for the Checklist of Birds of Mississippi, *in* T.L. Schiefer, First Report of the Mississippi Bird Records Committee, 38:24-33
- _____, and M.H. Schiefer, 10-Volume Index to the Mississippi Kite: 2001-2010, 40:22-53
- Scoter, Black, 31:13, 46; 32:10; 33:11; 34:9; 35:6; 36:19; 38:33, 52; 39:13
- _____, Surf, 31:13, 46; 33:11; 34:9; 35:6; 37:39; 38:25, 52; 39:13
- _____, White-winged, 31:13; 33:11; 35:6; 36:19; 38:33; 39:13
- Screech-Owl, Eastern, 34:41; 38:28
- Selasphorus* sp., 31:55; 32:16; 34:20; 35:23; 36:32; 37:47
- Shearwater, Audubon's, 38:21, 33; 39:8; 40:11
- _____, Great, 38:21; 39:8; 40:11
- _____, Greater, see Shearwater, Great
- _____, Sooty, 38:21, 33; 39:8; 40:11
- Shoveler, Northern, 31:46; 33:10; 34:8; 35:5; 36:19; 38:25 (see also Shoveler, Northern X American Wigeon)
- _____, Northern X American Wigeon, 31:12
- Shrike, Loggerhead, 38:29, 61; 39:25
- Siskin, Pine, 31:34, 64; 32:22; 33:29; 35:34; 36:40; 38:33, 66; 39:31
- Skimmer, Black, 32:15; 33:1; 35:21; 36:31; 37:10-11; 38:28

Smith, S., see Bowen, B., J. Dubuisson, S. Epps, F. Henne, M. Hodges,
P. Kochtitzky, and _____

Snipe, Common, see Snipe, Wilson's

_____, Wilson's, 31:21; 33:17; 34:15; 35:18; 36:28; 38:28

Solitaire, Townsend's, 38:22, 33; 39:8; 40:12

Sora, 31:17, 49; 32:12; 33:13; 34:11; 35:13; 36:24; 37:42; 38:27, 56;
39:18

Sparrow, American Tree, 31:61; 33:26; 38:15-16, 18, 22, 32; 39:8; 40:12

_____, Bachman's, 31:31, 61; 32:20; 33:26; 34:25; 35:31; 36:38; 37:50;
38:32, 64; 39:29

_____, Chipping, 31:31, 61; 37:50; 38:32; 39:29

_____, Clay-colored, 31:31, 61; 32:20; 35:31; 37:50; 38:33, 64; 39:29;
40:8

_____, European Tree, 38:18

_____, Field, 31:31; 33:26; 34:25; 35:31, 38; 38:32

_____, Fox, 31:32, 62; 32:21; 34:26; 37:50; 38:32, 65

_____, Grasshopper, 31:31, 62; 32:20; 33:27; 34:26; 35:31-32; 36:38;
37:50; 38:32, 65; 39:29-30

_____, Harris's, 31:62-63; 33:27; 34:32; 35:32, 38-51; 36:39; 38:16, 20,
22, 32, 65; 39:6, 8; 40:12

_____, Henslow's, 31:31, 62; 32:20; 33:27; 34:26; 35:32; 38:32; 39:30

_____, House, 38:33

_____, Lark, 31:31, 61; 32:20; 33:26-27; 34:25-26; 35:31; 36:38; 37:50;
38:32, 64-65; 39:29

- _____, Le Conte's, 31:32, 62; 32:20-21; 33:27; 34:26; 35:32; 36:38; 37:50; 38:32, 65; 39:30
- _____, Lincoln's, 31:32, 62; 32:21; 33:27; 34:26; 35:32; 36:38; 37:50; 38:32, 65; 39:30
- _____, Nelson's, 32:21; 33:27; 34:26; 35:32; 38:32; 39:30
- _____, Nelson's Sharp-tailed, see Sparrow, Nelson's
- _____, Savannah, 31:31, 61; 32:20, 35, 38; 34:26; 35:31; 37:50; 38:32, 65
- _____, Seaside, 34:26; 35:32; 38:32
- _____, Song, 36:38; 38:32
- _____, Swamp, 32:36, 38; 33:27; 34:26; 36:38; 38:32
- _____, Vesper, 31:31, 61; 32:20; 33:26; 35:31; 38:32
- _____, White-crowned, 31:32, 63; 32:21; 33:27-28; 34:27; 35:33; 36:39; 38:32, 65; 39:30
- _____, White-throated, 31:32, 62; 32:21, 36, 38; 33:27; 34:27; 35:32; 36:38; 37:51; 38:32; 39:30
- Spoonbill, Roseate, 31:10-11, 44-45; 32:9; 33:8-9; 34:6; 35:10; 36:8-10, 22-23; 37:41; 38:10, 18, 20-21, 33, 54; 39:4, 8, 16; 40:4, 11
- Starling, European, 38:30
- Stevens, M.P., and J.L. Litton, Additional Nesting Records of the Double-crested Cormorant in the Delta Region of Mississippi, 32:1-5
- _____, and _____, Nesting and Nest Site Characteristics of Black-crowned Night-Herons (*Nycticorax nycticorax*) at Swan Lake, Yazoo National Wildlife Refuge, Hollandale, Mississippi, 36:2-7

- _____, and D. McKee, First Breeding Record of Roseate Spoonbill
(*Platalea ajaja*) in Mississippi, 36:8-10
- Stilt, Black-necked, 31:18, 50; 32:13; 33:14; 34:12; 35:15; 36:25-26;
37:26, 43; 38:27, 57; 39:19
- Stork, Wood, 31:11, 45; 32:9; 33:9; 34:7; 35:11; 36:23; 37:41; 38:26, 54;
39:16-17
- Storm-Petrel, sp., 39:15
- _____, Wilson's, 38:21, 33; 39:8; 40:11
- Swallow, Bank, 31:27, 57; 33:22; 36:33; 38:30
- _____, Barn, 31:27, 57; 32:17, 34, 37; 34:21; 35:26; 38:30
- _____, Cave, 35:26; 36:34; 38:19, 22, 25, 30, 61; 39:6, 8, 26; 40:7, 9, 11
- _____, Cliff, 31:27, 57; 36:34; 37:48; 38:30, 61; 39:26
- _____, Northern Rough-winged, 31:57; 32:34, 37; 35:26; 36:33; 38:30;
39:26
- _____, Tree, 31:27, 57; 32:17, 36, 38; 33:22; 34:21; 36:33; 37:47; 38:30,
61; 39:26; 40:13, 16, 18-19
- Swan, sp., 33:10; 34:8; 35:4
- _____, Black, 31:12
- _____, Trumpeter, 34:8; 37:38; 38:21, 33; 39:8; 40:11
- _____, Tundra, 31:46; 32:10; 33:10; 34:8; 38:8, 19, 21, 25; 39:3, 8;
40:11
- Swift, Chimney, 31:24; 32:16, 35, 37; 33:20; 34:19; 38:29, 60
- Tanager, Scarlet, 31:61; 32:35, 38; 33:26; 34:25; 35:30; 36:37; 38:31;
39:30

_____, Summer, 31:31, 61; 32:20, 35, 38; 33:26; 35:30; 36:37; 38:31

_____, Western, 35:30; 36:37; 38:22, 31; 39:8; 40:8, 12

Teal, Blue-winged, 31:12, 46; 33:10; 34:8; 35:5; 36:19; 38:25; 39:13

_____, Cinnamon, 35:5; 37:39; 38:17, 21, 33; 39:8, 13; 40:11

_____, Green-winged, 31:13, 46; 35:5; 37:39; 38:25

Tern, Arctic, 38:20, 22; 39:8; 40:6, 11

_____, Black, 31:23, 54; 32:15; 33:19; 34:17; 35:21; 36:31; 37:45;
38:28, 59; 39:22

_____, Bridled, 33:19; 38:13, 22, 33; 39:8; 40:11

_____, Caspian, 31:22, 53; 32:15; 33:18; 34:17; 35:20; 36:30; 37:45;
38:28; 39:22

_____, Common, 31:22, 53; 32:15; 33:18; 34:17; 35:20-21; 36:30;
37:45; 38:28, 59; 39:22

_____, Forster's, 31:22, 53; 32:15; 33:18; 34:17; 35:21; 37:45; 38:28,
59; 39:22

_____, Gull-billed, 34:16; 35:20; 36:29; 38:28

_____, Least, 31:22-23, 53; 32:15; 33:18-19; 34:17; 35:21; 36:30;
37:cover photo 37(1), 8, 10, 17, 21, 45; 38:28, 59; 39:22

_____, Roseate, 38:22, 33; 39:8; 40:11

_____, Royal, 35:20; 36:30; 38:28

_____, Sandwich, 35:20; 36:30; 38:33 (see also Tern, Sandwich X
Elegant Tern)

_____, Sandwich X Elegant Tern, 36:30

_____, Sooty, 33:19; 35:21; 36:30; 37:45; 38:13, 18, 20, 22, 28; 39:8, 22; 40:6, 11

Thrasher, Brown, 32:35, 37; 38:30

Thrush, sp., 32:31

_____, Bicknell's, 32:36-37

_____, Gray-cheeked, 31:28, 58; 32:36-37; 33:23; 34:22; 35:26; 36:34; 38:30; 39:27

_____, Hermit, 31:58; 32:36-37; 33:23; 34:22; 35:27; 37:48; 38:30

_____, Swainson's, 31:28, 58; 32:36, 38; 33:23; 34:22; 35:26; 36:34; 38:30; 39:27

_____, Wood, 31:28, 58; 32:18, 36, 38; 33:23; 34:22; 35:27; 36:34; 38:30; 39:27

Titmouse, Tufted, 32:36, 38; 34:41; 38:30

Towhee, Eastern, 32:36-37; 38:31 (see also Towhee, Spotted X Eastern Towhee)

_____, Green-tailed, 38:22, 33; 39:8; 40:12

_____, Spotted, 35:30; 38:6, 15, 22, 31; 39:8; 40:8, 12 (see also Towhee, Spotted X Eastern Towhee)

_____, Spotted X Eastern Towhee, 35:31; 36:38

Turcotte, B., How to Make a Killdeer Nest, 31:37-38

_____, Well-kept Secrets, 31:4-5

Turkey, Wild, 33:13; 34:11; 35:6; 37:39; 38:25; 39:14

Turnstone, Ruddy, 31:20; 33:1, 15; 34:14; 35:16; 36:27; 38:27, 57

Veery, 31:58; 32:36, 38; 33:23; 34:22; 35:26; 36:34; 38:30; 39:27

Vilella, F.J., see Wood, D.R., and _____

_____, see Wood, D.R., _____, and L.W. Burger, Jr.

Violet-ear, Green, see Violetear, Green

Violetear, Green, 31:24; 38:20, 22, 33; 39:8; 40:6, 11

Vireo, Bell's, 31:26; 33:22; 36:33; 38:15, 18, 19, 22, 33, 61; 39:8; 40:7,
11

_____, Black-capped, 38:22, 33; 39:8; 40:11

_____, Black-whiskered, 36:33; 38:22, 33; 39:8; 40:7, 11

_____, Blue-headed, 31:56; 32:17; 33:22; 34:21; 36:33; 38:29; 39:25

_____, Philadelphia, 31:27, 56; 32:17; 33:22; 35:25; 36:33; 37:47; 38:29,
61; 39:26

_____, Red-eyed, 31:27, 56; 32:17, 31, 35, 37; 33:22; 34:21; 35:25;
36:33; 38:29, 61; 39:26

_____, Warbling, 31:27; 33:22; 34:21; 35:25; 36:33; 37:47; 38:29, 61

_____, White-eyed, 31:26; 32:31, 36, 38; 33:22; 34:21; 35:25; 38:29;
39:25

_____, Yellow-throated, 31:56; 32:37-38; 34:21; 37:47; 38:29

Vulture, Black, 31:11; 38:26

_____, Turkey, 31:45; 33:9; 35:11; 38:33

Wagtail, Citrine, 38:22, 33; 39:8; 40:12

Warbler, Bachman's, 38:22, 33; 39:8; 40:12

_____, Bay-breasted, 31:29-30, 60; 32:19, 31, 34, 37; 33:25; 34:24;
38:31

- _____, Black-and-white, 31:60; 32:19, 34, 37; 33:25; 35:29; 38:31
- _____, Blackburnian, 31:59; 33:24; 35:28; 38:31
- _____, Blackpoll, 31:30; 33:25; 34:24; 35:28; 36:36; 38:31
- _____, Black-throated Blue, 31:29; 34:23; 35:28; 38:31, 63
- _____, Black-throated Gray, 38:15, 22, 33; 39:8; 40:12
- _____, Black-throated Green, 31:59; 32:34, 37; 33:24; 34:23; 35:28; 38:31, 63; 39:28
- _____, Blue-winged, 31:28, 58; 32:31, 35, 37; 33:23; 35:27; 36:35; 38:30, 62 (see also Warbler, Brewster's, Warbler, Lawrence's, and Warbler, Blue-winged X Golden-winged Warbler)
- _____, Blue-winged X Golden-winged Warbler, 36:35; 38:62
- _____, Brewster's, 31:28; 33:24
- _____, Canada, 31:61; 34:25; 35:30; 36:37; 38:31; 39:29
- _____, Cape May, 32:18, 35, 37; 33:24; 34:23; 35:28; 36:36; 37:49; 38:31, 63; 39:28
- _____, Cerulean, 31:30, 60; 32:19; 33:25; 34:24; 35:29; 36:36; 37:49; 38:31, 63; 39:28
- _____, Chestnut-sided, 31:29, 59; 32:18, 35, 37; 36:35; 38:31; 39:28
- _____, Connecticut, 35:30; 38:22, 33, 64; 39:8; 40:8, 12
- _____, Golden-winged, 31:28, 58; 32:18, 36-37; 33:23-24; 34:23; 35:27; 36:35; 37:48; 38:30, 62; 39:27 (see also Warbler, Brewster's, Warbler, Lawrence's, and Warbler, Blue-winged X Golden-winged Warbler)
- _____, Hooded, 31:30, 60-61; 32:31, 36-37; 33:26; 34:25; 35:30; 36:37; 38:31, 64; 39:29

- _____, Kentucky, 31:30, 60; 32:19, 31, 37; 33:26; 35:30; 36:37; 38:31;
39:28
- _____, Lawrence's, 34:23
- _____, Magnolia, 31:29, 59; 32:18, 31, 37; 33:24; 35:28; 36:36; 37:49;
38:31
- _____, Mourning, 31:30; 32:19; 33:26; 34:25; 35:30; 36:37; 38:31;
39:28
- _____, Nashville, 31:29, 58-59; 32:18; 33:24; 34:23; 35:27; 36:35;
37:48; 38:31, 62-63; 39:27
- _____, Orange-crowned, 31:58; 32:34, 37; 34:23; 35:27; 36:35; 38:31;
39:27
- _____, Palm, 31:29, 59; 32:19, 35, 37; 33:25; 34:24; 35:28; 36:36;
37:49; 38:31, 63; 39:28
- _____, Pine, 38:31
- _____, Prairie, 31:29, 59; 32:35, 37; 33:25; 34:24; 35:28; 37:49; 38:31
- _____, Prothonotary, 31:30, 60; 32:19, 31, 35, 37; 33:25; 34:24; 35:29;
36:36; 37:6; 38:31; 39:28
- _____, Swainson's, 31:30, 60; 32:19, 36, 38; 33:25; 34:24-25; 35:29;
36:36-37; 37:49; 38:31, 63-63; 39:28
- _____, Tennessee, 31:29, 58; 32:18, 36, 38; 33:24; 34:23; 36:35; 38:31
- _____, Townsend's, 38:22, 33; 39:8; 40:12
- _____, Wilson's, 31:31, 61; 32:19; 33:26; 34:25; 35:30; 36:37; 37:50;
38:31, 64; 39:29
- _____, Worm-eating, 31:60; 32:36, 38; 35:29; 36:36; 38:31; 39:28
- _____, Yellow, 31:29, 59; 32:18, 37-38; 33:24; 34:23; 35:27-28; 36:35;
37:49; 38:31

- _____, Yellow-rumped, 31:29, 59; 32:18, 37-38; 36:36; 38:31
- _____, Yellow-throated, 31:29, 59; 32:19; 33:25; 34:24; 35:28; 38:31, 63
- Waterthrush, Louisiana, 31:30; 35:30; 36:37; 37:50; 38:31
- _____, Northern, 31:30, 60; 32:19, 34, 37; 33:25-26; 37:50; 38:31
- Waxwing, Cedar, 31:28; 32:35, 37; 33:23; 34:23; 36:34; 37:48; 38:30, 62
- Whimbrel, 31:19; 33:2, 15; 34:13; 35:16; 36:26; 38:27
- Whip-poor-will, see Whip-poor-will, Eastern
- _____, Eastern, 31:24; 32:16, 25-28, 36, 38; 33:20; 34:19; 35:22; 36:31; 38:29
- Whistling-Duck, Black-bellied, 31:45; 34:7; 35:3; 36:18; 37:38; 38:6, 8, 19, 21, 33, 52; 39:8, 11; 40:3, 11
- _____, Fulvous, 31:11; 35:4; 36:18; 38:17, 19, 21, 33; 39:8, 12; 40:3, 11
- Wigeon, American, 31:12, 46; 35:4; 37:38; 38:25 (see also Shoveler, Northern X American Wigeon)
- _____, Eurasian, 38:19, 21, 33; 39:8; 40:11
- Willet, 31:19, 51; 32:13; 33:15; 34:13; 35:15; 36:26; 37:44; 38:27, 57; 39:20
- Winstead, N., see Schiefer, T.L., G.C. Knight, M.S. Woodrey, and _____
- Wood, D.R., and F.J. Vilella, Spring Migration Songbird Banding at Davis Bayou, Gulf Islands National Seashore 2000-2001, 32:29-38
- _____, F.J. Vilella, and L.W. Burger, Jr., Red-cockaded Woodpecker Reproduction, Nest Loss, and Cavity Kleptoparasitism in a Mississippi Loblolly-Shortleaf Pine Ecosystem, 34:34-52
- Woodcock, American, 31:21-22, 52; 32:14; 36:28; 38:28, 58

Woodpecker, Downy, 32:36-37; 34:41; 38:29

_____, Hairy, 38:29

_____, Ivory-billed, 38:22, 33; 39:8; 40:11

_____, Pileated, 32:35, 37; 34:41; 38:29

_____, Red-bellied, 32:35, 37; 34:35, 37, 41, 44-45; 38:29

_____, Red-cockaded, 34:34-52; 35:24; 38:29

_____, Red-headed, 31:25; 34:37, 41; 38:29

Wood-Pewee, Eastern, 31:25, 55; 32:17, 36-37; 33:21; 34:20; 35:24;
36:32; 38:29; 39:25

_____, Western, 35:24; 38:6, 18, 22, 33; 39:8; 40:11

Woodrey, M.S., see Schiefer, T.L., G.C. Knight, _____, and N. Winstead

Wren, Bewick's, 31:5, 27; 32:17; 33:22; 35:26; 37:48; 38:30, 62; 39:26

_____, Carolina, 31:4-5; 32:35, 37; 38:30

_____, House, 31:57; 32:17, 36-37; 33:22; 34:21; 38:30

_____, Marsh, 32:18; 37:48; 38:30, 62; 39:26

_____, Rock, 31:5; 37:48; 38:22, 33, 62; 39:6, 8; 40:11-12

_____, Sedge, 31:57; 33:23; 34:22; 35:26; 36:34; 37:48; 38:30, 62; 39:26

_____, Winter, 31:27, 57; 32:17; 33:22-23; 34:22; 35:26; 38:30

Yellowlegs, Greater, 31:19, 50; 32:13; 33:15; 34:13; 35:15; 36:26; 37:44;
38:27; 39:20

_____, Lesser, 31:19, 50-51; 32:13; 33:15; 34:13; 35:15; 36:26; 38:27;
39:20

Yellowthroat, Common, 31:30; 32:35, 37; 34:25; 38:31, 64; 39:29