

## Eastern Regional News

Eastern Bird Banding Association

Founded 1923

## Atlantic Flyway Review: (Western Ridge) Region III - Fall 2016

Elizabeth W. Brooks, Coordinator 5540 Jericho Hill Road Alfred Station, NY 14803 brookser@earthlink.net

We always welcome new reporting stations for the Fall AFR reports. If you are interested in contributing your fall banding data, please contact me.

Powdermill Nature Preserve 400-0791 Rector County: Westmoreland, PA Bander(s) / Compiler: Luke DeGroote email address: degrootel@carnegiemnh.org Chief Assistant(s): Mary Shidel, Katie Barnes, Nick Glover

In fall 2016 we banded 6,545 new birds, which was on par (6<sup>th</sup> place) with our capture rates for the last ten years. Recapture rates were fairly consistent as well; we processed 2,689 (4<sup>th</sup> highest over 10 years) for a total count of 9,234. However, we cannot help but wonder how much higher those totals could have been in better (cooler) weather conditions.

After the warmest month on record to-date (July 2016), the fall season started out and remained a warm one. Our total net hr. (19,594 hr.) came in almost 2,000 hr. lower that our average of the last five years (21,567). Most of that was due to early weather-related closures. On 30 of our 72 banding days we closed early due to high temperatures. The majority of these warm days fell in August, but

early-closure days also included 10 days throughout the month of September and 4 days in October (16, 18-20); on 2 November the temperature hit 80F just before our normal closing time.

No species were below 2 sd, but several were above: Carolina Chickadee (n=13), Cooper's Hawk (n=1), Northern Mockingbird (n=1), Orchard Oriole (n=2), Warbling Vireo (n=4) and Yellow-billed Cuckoo (n=7). Both the Cooper's Hawk and the Northern Mockingbird were especially exciting for us—we had not banded either since 2007! Three species showed up in particularly good numbers: Blue Jays (n=34; fall mean=13), Ovenbirds (n=137, fall mean=60) and Swainson's Thrushes (n=593, fall mean=222).

We had three foreign recoveries this fall, all of them Northern Saw-whet Owls. On 19 October we encountered an adult female Saw-whet that had been banded in 2013 near Carlisle, PA (106 miles east of our station).

On 1 November, we recaught another owl from that same location, a hatch-year female banded just five days earlier. Our third recovered Saw-whet, from 25 Oct, was also an adult female, originally banded on 31 Oct 2015, in Friedensburg, PA (162 mi ENE of Powdermill). Additionally, a second-year female Saw-Whet banded *here* on 11/16/15 was re-caught on 10/26/16 in Powhatan, Virginia (almost 200 km SSE).

9.		<u>«</u>	7.	6.	5.	4	3.	2.	1.			Tal	% HY 2016	% HY 2015	Birds/100 nh 2016	Birds/100 nh 2015	Total Spe	Total Spe	No. Banded 2016	No. Banded 2015	Most Spe	Most Cor	Lgst Daily Catch	% Caught in traps	Number (	Total net Hrs	No. Nets	Days operated	First day/Last day		Table 1.
10   210 CEWA	230 COYE	240 REVI	290 RTHU	299 GRCA	309 MAWA	373 AMGO	409 MYWA	499 RCKI	593 SWTH		Powdermill PA	Table 2. Most Con	16	15	) nh 2016	) nh 2015	Total Species 2016	Total Species 2015	led 2016	led 2015	Most Species Diversity	Most Common Best day	y Catch	t in traps	Number of traps in Use	Hrs.	No. Nets Used or Range	rated	Last day		Table 1. AFR III Fall 2016 Summary
27/	66.5	77.9	90.3	83.9	59.9	38.6	60.6	46.1	77.2	% HY		mmon Spec	76.1	65.4	33.4	27.8	105	101	6,545	6,024	42 on 9/16/16	31% MYWA	276 on 10/20/16	0	0	19,594	29 to 67	72	8/14/16 to 11/15/16	Powdermill PA	6 Summary
7 PI DW	7 WOTH	7 TUTI	9 BCCH	10 SWTH	13 RCKI	23 NOCA	25 HOFI	62 WTSP	105 GRCA		PennState PA	cies, AFR R		4	4	8	5		15	94	16/16	YWA	)/20/16			94	67		11/15/16	rmill	
77	Н 13	71	100	1   50	69	A 61	60	45	A 65	YH%	e	Most Common Species, AFR Region III, Fall 2016	58%	68%	86	92	35	40	335	340	11 on 10/15/16	WTSP	42	0	0	446	4 to 10	48	9/8/16 to 10/26/16	Penn State PA	
117 COYE		232 MAWA	267 BLBW	371 SWTH	443 TEWA	459 BLNW	565 CMWA	858 BLPW	1082 BTBW		Allegheny Front	all 2016									15/16	P					0		0/26/16	tate	
YE 81		_	_		_		_		BW 65	YH%	Front	_	69.8%	83.06%	88	66	77	66	5,423	2,924	36 on 9/24	35% BLPW	829	0	0	6135	27 to 30	45	8/13/16 to 10/2/16	Allegheny Front WV	
		89 39	70   41	68 57	68 72	88 99	69 81	53 91		YE	Mt. 1		%	5%			,		23	24	9/24	LPW	9			5	30		10/2/16	y Front V	
35 CEDW	35 SWTH	39 ВССН	41 DEJU	57 AMGO	72 RCKI	99 SOSP	81 COYE	91 GRCA	100 WTSP		Nebo MD		7.	7		5	,		1,	7	21 o	15% COYE, 22% WTSP	45 on 9/13			3,			8/22/16 t	Mt.	
35	69	72	48	61	42	79	81	95	41	YH%			72%	77%	37	52.6	70	63	1,163	786	21 on 9/26	E, 22% WT	45 on 9/13, 45 on 10/7	0	0	3,132	16	47	8/22/16 to 11/08/16	Mt. Nebo MD	
50 MAWA	58 BCCH	59 REVI	75 BLHV	OWSN 08	120 RCKI	123 WTSP	143 SCJU	213 MYWA	493 AMGO		Ruthven		79	86					2	3						6				Ru	
96.0	96.8	88.1	81.8	65.0	80.0	90.8	76.9	87.7	72.2	%HY			79.40%	86.60%	32.6	49.3	85	88	2,328	3,441	na	MYWA	16 on 10/9	0	0	6,191	21	68	9/1 to 11/7	Ruthven ON	

We had 312 visitors at the lab during the fall banding season, including classes from four nearby universities, several local schools and many families. In September, seven people participated in our Advanced Bander Training Workshop. Additionally, we hosted a North American Banding Council (NABC) certification session attended by 10 candidates and evaluated by 10 trainers with over 200 years of combined banding experience. One candidate was certified at the trainer level, three candidates at the bander level, and five candidates at the assistant level.

The Arboretum at Penn State 404-0775 State College, Centre, PA Bander Nick T. Kerlin Address: 500 East Marylyn Ave. E71 State College, PA 16801 email address: bluebird6771@verizon.net Chief Assistant Dr. Margaret Brittingham

The banding program is part of the Avian Education Program of the Arboretum at Penn State (main campus at University Park). Banding was first conducted on a trial basis at this location in the fall of 2010. Overall it was a mediocre season in numbers and species. Weather conditions had no effect on banding totals, as there was no presence of any major weather influence. One and a half days were rescheduled due to rain and another day was shortened by two hours for the same reason. For the first time in seven seasons of fall banding, no Song Sparrows were caught. Noteworthy, since in three of the previous years they were in the top five banded birds. Result of a natural population down trend? Missed because of "wrong" day for banding when they moved through the area? Did other stations find this species in lower numbers? The "five best birds" (based upon past presence and volunteers' preference) were Connecticut Warbler, Black-throated Green Warbler, Blackpoll Warbler, Lincoln's Sparrow and Purple Finch.

There were no foreign (outside of local area) recaptures. Forty-seven birds were recaptured on one or more days after being banded at the Arboretum. Noteworthy local recaptures included a Blue Jay — banded 8 Oct 2010 as a HY bird and a Northern Cardinal - banded 15 Apr 2011 as AHY (after hatch year) bird.

The banding site was open for public visitation during all hours of operation with organized group programs through prior arrangement. A total of 149 people visited during the period. Daily summaries were posted on the local State College Bird Club listsery.

Eight community volunteers and 26 Penn State students (most from the Wildlife and Fisheries major) contributed 476 hours. of time to banding operations and public outreach activities during the season. The annual "Bander-in-Training" program had 12 participants with three continuing to assist beyond the minimum required three days. Special thanks to Dr. Margaret Brittingham (Avian Education Program coordinator, Professor of Wildlife Resources), Shari Edelson (Director of Horticulture/Curator of The Arboretum at Penn State), Penn State Operation and Physical Plant employees (trail maintenance/support).

Allegheny Front 390-0791
Dolly Sods, Grantco CO, WV
Migration Observatory Banding Station
Project Leaders:
Joan Bell Pattison and Todd Schnopp
pattison914@gmail.com

Allegheny Front Migration Observatory (AFMO) is located at Dolly Sods, Grant County, West Virginia. AFMO is 10 km southeast of Davis, WV, high on top of the Allegheny Front in the Monongahela National Forest. This fall, AFMO opened on 13 Aug and closed on 2 Oct 2016. AFMO is the oldest, continuous bird banding station in North America. This was our 59th consecutive year of bird banding at AFMO. A total of 5,423 birds were banded representing 77 species with a Station effort of 88 birds per 100 net hours.

A total of 266,759 birds have been banded since Ralph K. Bell founded AFMO and banded his first bird on 8 Sep 1958. A total of 125 species have been banded since 1958.

The overall percentage of hatch-year birds (using known age birds only) was 69.8% compared with 83.06% in 2015 and 75.84% in 2014. There were

Apr - Sep 2018