

# ORNITOLOGIA NEOTROPICAL

EDITOR

ANDRÉ-ALEXANDER WELLER

## INDEX TO VOLUME 24, 2013

(Authors, key words, families, latin names)

An International Journal of Neotropical Ornithology  
published by

THE NEOTROPICAL ORNITHOLOGICAL SOCIETY

- Accipiter bicolor*, 213–223, 243–256  
*Accipiter striatus*, 213–223, 243–256  
 Acosta-Pérez, V., 107–111  
*Actitis macularius*, 321–334  
*Aegolius harrisi*, 243–256  
*Agave salmiana*, 107–111  
 Age structure, 421–431  
*Agelaioides badius*, 157–168, 201–212, 213–223  
*Agelaius thibis*, 67–83  
 Agüero, M. L., 85–93  
*Aimophila ruficeps*, 279–297  
 Alder Flycatcher, 359–363  
*Allophylus edulis*, 213–223  
*Amazilia beryllina*, 279–297  
*Amazilia rosenbergi*, 321–334  
*Amazona ochrocephala*, 35–53  
*Amazonetta brasiliensis*, 157–168  
 American Robin, 401–411  
*Ammodramus humeralis*, 213–223  
 Analysis of similarity, 157–168  
*Anas bahamensis*, 67–83  
*Anas cyanoptera*, 67–83  
*Anas flavirostris*, 67–83  
*Anas georgica*, 67–83  
*Anas platalea*, 67–83  
*Anas platyrhynchos*, 67–83  
*Anas sibilatrix*, 67–83  
*Anas versicolor*, 67–83  
 Anatidae, 85–93  
 Andean Condor, 101–105  
 Andes, 413–420  
*Anhinga anhinga*, 213–223  
 Annual fecundity, 401–411  
*Aphelocoma ultramarina*, 279–297  
 Aposematism, 365–367  
 Aramburú, R. M., 257–265  
*Aramides cajanea*, 213–223  
*Aramides ipecaba*, 213–223  
*Aramides wolfi*, 321–334  
*Aratinga a. acuticaudata*, 257–265  
*Aratinga auricapillus aurifrons*, 55–66  
*Aratinga erythrogastra*, 321–334  
*Aratinga pertinax*, 35–53  
*Ardea alba*, 67–83, 157–168, 213–223  
*Ardea cocoi*, 67–83, 213–223  
*Arenaria interpres*, 67–83  
 Arendt, W. J., 335–343  
 Areta, J. I., 123–138  
 Argentina, 101–105, 123–138, 157–168, 169–182, 201–212  
 Argentine, 213–223  
*Arremon taciturnus*, 35–53  
 Artificial roosts, 225–229  
 Arturi, M., 213–223  
*Asio flammeus*, 243–256  
 Astié, A. A., 311–320  
*Atalotriccus pilaris*, 35–53  
*Athene cunicularia*, 243–256  
*Atlapetes pileatus*, 279–297  
 Attademo, A. M., 15–26  
*Attila bolivianus*, 459–468  
 Austral Migration, 387–399  
 Avian seed dispersal, 459–468  
 Avifauna, 321–334  
 Avifaunal richness, 335–343  
 Azevedo-Júnior, S. M., 387–399  
 Azpiroz, A. B., 243–256  
 Azpúrua, J. C., 445–457  
*Baccharis notoserghila*, 157–168  
*Baccharis punctulata*, 157–168  
*Baccharis* sp., 213–223  
 Bahamonde-Vinueza, D., 469–474  
 Bananaquit, 335–343  
 Barksdale, T., 231–234  
 Barreto, G., 433–444  
*Basileuterus culicivorus*, 157–168, 213–223  
*Basileuterus fraseri*, 321–334  
*Basileuterus griseiceps*, 445–457  
*Basileuterus leucoblepharus*, 213–223  
*Basileuterus rufifrons*, 279–297  
 Batesian mimicry, 365–367  
 Beltzer, A. H., 15–26  
 Berg, K., 321–334  
 Berkunsky, I., 257–265  
 Bird assemblage, 213–223  
 Bird collections, 243–256  
 Bird community, 35–53  
 Bird diversity, 157–168, 279–297  
 Bird richness, 371–386  
 Bird seasonality, 213–223

- Black-banded Owl, 169–182  
*Blepharocalyx salicifolius*, 213–223  
 Blossey, B., 157–168  
 Blue-crowned Parakeet, 257–265  
 Boal, C. W., 335–343  
 Bodrati, A., 169–182  
*Bombycilla cedrorum*, 279–297  
 Bonaccorso, E., 27–34  
 Borghi, C. E., 101–105  
 Botflies, 257–265  
 Brazil, 95–99  
 Breeding behavior, 401–411  
 Breeding biology, 95–99, 345–357  
 Breeding season, 113–120, 421–431  
 British Virgin Islands, 335–343  
 Brood parasitism, 95–99, 311–320  
*Bubo virginianus*, 243–256  
*Bubulcus ibis*, 67–83  
 Burns, K. J., 139–155  
*Busarellus nigricollis*, 243–256  
*Buteo albicaudatus*, 213–223  
*Buteo magnirostris*, 35–53, 213–223  
*Buteo swainsoni*, 243–256  
*Buteogallus meridionalis*, 243–256  
*Buteogallus urubitinga*, 243–256  
*Butorides striata*, 213–223  
 Caatinga, 387–399  
 Cabrera-Cruz, S. A., 299–309  
*Cacicus cela*, 35–53  
*Cacicus solitarius*, 213–223  
*Cacicus uropygialis*, 321–334  
 Cadena-Ortiz, H., 469–474  
 Cailly-Arnulphi, V., 101–105  
*Calidris alba*, 67–83  
*Calidris bairdii*, 67–83  
*Calidris canutus*, 67–83  
*Calidris pusilla*, 225–229  
*Campophilus गयाquilensis*, 321–334  
*Campophilus leucopogon*, 213–223  
 Campos, V. C., 365–367  
*Campostoma imberbe*, 279–297  
*Campostoma obsoletum*, 35–53, 213–223  
*Campylopterus largipennis*, 35–53  
*Campylorhynchus brunneicapillus*, 371–386  
 Canonical correspondence analysis, 157–168  
*Capito niger*, 459–468  
*Capito squamatus*, 321–334  
*Caprimulgus longirostris*, 35–53  
*Caprimulgus maculicaudus*, 35–53  
*Caracara plancus*, 157–168, 213–223, 243–256  
*Cardellina pusilla*, 279–297  
*Cardinalis cardinalis*, 279–297  
 Cardoso, T. A. L., 225–229  
*Carduelis chloris*, 201–212  
*Carduelis magellanica*, 213–223  
 Carman, E., 113–120  
*Carpodacus mexicanus*, 279–297  
 Carrasco, L., 321–334  
 Castellanos, I., 107–111  
*Cathartes aura*, 213–223, 243–256, 321–334  
*Cathartes burrovianus*, 243–256  
*Cathartes melambrotus*, 475–480  
*Cathartes guttatus*, 279–297  
*Cathartes ustulatus*, 35–53, 321–334, 459–468  
*Catherpes mexicanus*, 279–297  
 Cavity-nesting bird, 107–111  
*Celeus elegans*, 35–53  
*Celeus flavus*, 35–53  
*Celeus grammicus*, 35–53  
*Celeus torquatus*, 35–53  
 Central Brazil, 1–13  
*Cephalopterus penduliger*, 321–334  
 Cerrado, 1–13  
 Chaco Serrano, 267–278  
*Charadrius alexandrinus*, 67–83  
*Charadrius collaris*, 67–83  
*Charadrius falklandicus*, 67–83  
*Charadrius modestus*, 67–83  
*Charadrius semipalmatus*, 225–229  
*Charadrius vociferus*, 67–83  
 Charre, G.-M., 279–297  
 Chewing lice, 257–265  
 Chick description, 113–120  
 Chile, 67–83, 345–357  
*Chloroceryle amazona*, 213–223  
*Chloroceryle americana*, 213–223  
*Chlorostilbon lucidus*, 157–168, 201–212, 213–223  
 Chocó, 321–334  
*Chroicocephalus maculipennis*, 67–83

- Chusquea bamboo*, 123–138  
*Chusquea* sp., 413–420  
*Ciccaba bubula*, 169–182  
*Ciccaba bubula albomarginata*, 169–182  
Cicchino, A., 257–265  
*Cinclodes fuscus*, 67–83  
*Cinclodes onstaleti*, 67–83  
*Cinclodes patagonicus*, 67–83  
*Circus buffoni*, 243–256  
*Circus cinereus*, 67–83, 243–256  
*Cirsium vulgare*, 157–168  
Clutch size, 267–278  
Coastal urbanization, 225–229  
*Coccyzus lansbergi*, 321–334  
*Coccyzus melacoryphus*, 213–223  
Cockle, K.-L., 169–182  
*Coereba flaveola*, 335–343  
*Colaptes auratus*, 279–297  
*Colaptes campestris*, 213–223  
*Colaptes melanochlorus*, 157–168, 213–223  
*Colibri thalassinus*, 183–200  
Colombia, 413–420, 433–444  
Colorado Z., G. J., 359–363  
*Columba livia*, 201–212, 279–297  
*Columbina buckleyi*, 321–334  
*Columbina inca*, 279–297  
*Columbina picui*, 213–223  
Conservation, 321–334  
Conservation status, 445–457  
*Contopus cooperi*, 279–297  
*Contopus pertinax*, 279–297  
*Contopus sordidulus*, 279–297  
*Contopus virens*, 35–53  
Cook, A., 321–334  
*Coragyps atratus*, 243–256, 475–480  
Corcuera, P., 279–297  
Cortés, G. D., 243–256  
*Coryphospingus cucullatus*, 213–223  
*Coscoroba coscoroba*, 67–83  
Costa, L. M., 95–99  
Costa Rica, 113–120, 235–240  
Cotingidae, 235–240  
Courtship, 85–93  
Cowbirds, 95–99  
*Cranioleuca pyrrhophia*, 213–223  
*Crax rubra*, 321–334  
*Crotophaga ani*, 35–53  
*Crotophaga major*, 35–53  
Cruz-Bernate, L., 433–444  
*Cryptoleucopteryx plumbea*, 321–334  
*Crypturellus berlepschi*, 321–334  
*Crypturellus cinereus*, 35–53  
*Crypturellus undulatus*, 35–53  
*Cyanocompsa brissonii*, 213–223  
*Cyanocorax chrysops*, 213–223  
*Cyanocorax morio*, 231–234  
*Cyanocorax violaceus*, 35–53  
*Cyanocorax yncas*, 279–297  
*Cyanoloxia glaucoacaerulea*, 213–223  
*Cyclarhis gujanensis*, 157–168, 213–223  
*Cygnus melancoryphus*, 67–83  
*Cynanthus latirostris*, 279–297, 371–386  
Davanço, P. V., 401–411  
*Dendrocincla fuliginosa*, 35–53  
*Dendroica castanea*, 321–334  
*Dendroica fusca*, 35–53  
*Dendroica striata*, 35–53  
*Dendrotyx leucophrys hypospodicus*, 113–120  
Diet, 469–474  
*Diglossa baritula*, 279–297  
*Dipsacus fullonum*, 157–168  
Discriminant function analysis, 433–444  
Distribution, 123–138, 169–182  
DNA-based sexing, 433–444  
*Dolospingus*, 139–155  
*Dolospingus fringilloides*, 139–155  
*Donacospiza albifrons*, 213–223  
*Drymornis bridgesii*, 213–223  
*Dumetella carolinensis*, 279–297  
Echeverry-Gálvis, M. A., 421–431  
Ectoparasites, 257–265  
Ecuador, 27–34, 321–334, 469–474  
Eggs, 413–420  
*Egretta caerulea*, 321–334  
*Egretta thula*, 67–83  
*Elaenia parvirostris*, 157–168, 201–212, 213–223  
*Elaenia spectabilis*, 213–223  
*Elanoides forficatus*, 243–256, 321–334  
*Elanus leucurus*, 243–256

- Embernagra longicauda*, 95–99  
*Embernagra platensis*, 213–223  
*Empidonax alnorum*, 359–363  
*Empidonax flaviventris*, 279–297  
*Empidonax minimus*, 279–297  
*Empidonax traillii*, 359–363  
*Empidonax virescens*, 321–334  
 Endangered species, 321–334  
 Endemic species, 321–334  
 Endemism, 445–457  
 Enríquez Toledo, H. H., 231–234  
 Environmental factors, 201–212  
 Estades, C. F., 67–83  
 Estuaries, 67–83  
 Etter, A., 35–53  
*Eucometis penicillata*, 35–53  
*Eugralla paradoxa*, 123–138  
*Euphagus cyanocephalus*, 279–297  
*Eurypyga helias*, 35–53  
*Euscarthmus meloryphus*, 213–223  
 Exotic plants, 157–168  
*Falco femoralis*, 243–256  
*Falco peregrinus*, 243–256, 387–399  
*Falco sparverius*, 213–223, 243–256  
 Feeding ecology, 1–13  
 Ferruginous Pygmy-Owl, 469–474  
 Fire-eyed Diucon, 345–357  
 Fledgling, 95–99  
 Formoso, A., 257–265  
*Forpus coelestis*, 321–334  
 Francisco, M. R., 401–411  
 Freile, J. F., 469–474  
 Frugivory, 1–13  
*Fulica armillata*, 67–83  
*Fulica leucoptera*, 15–26, 67–83  
*Fulica rufifrons*, 67–83  
*Furnarius rufus*, 157–168, 201–212, 213–223  
*Galbula ruficauda*, 365–367  
*Galbula tombacea*, 35–53  
 Galbulidae, 365–367  
 Gallery forest, 213–223  
*Gallinago paraguanae*, 67–83, 213–223  
*Gallinula galeata*, 15–26  
*Gallinula melanops*, 15–26, 67–83  
 García Borboroglu, P., 85–93  
 Generalist seed-eater, 55–66  
*Geothlypis aequinoctialis*, 157–168, 213–223  
*Geothlypis nelsoni*, 279–297  
*Geothlypis tolmiei*, 279–297  
*Geotrygon purpurata*, 321–334  
*Geranoaetus albicaudatus*, 243–256  
*Geranoaetus melanoleucus*, 243–256  
*Geranoaetus polyosoma*, 243–256  
*Geranospiza caerulescens*, 213–223, 243–256  
*Glaucidium brasilianum*, 243–256, 469–474  
*Glaucidium peruanum*, 469–474  
*Glaucis birsutus*, 35–53  
*Gleditsia triacanthos*, 157–168  
*Gnorimopsar chopi*, 213–223  
 Golden-capped Parakeet, 55–66  
*Grallaria ridgelyi*, 27–34  
 Grallaridae, 27–34  
 Grey-headed Warbler, 445–457  
 Guana Island, 335–343  
*Guarea macrophylla*, 459–468  
 Guatemala, 231–234  
 Guilds, 201–212  
*Guira guira*, 157–168, 213–223  
*Gymnophithys leucaspis*, 35–53  
 Habitat degradation, 225–229  
 Habitat restoration, 55–66  
 Habitat variables, 371–386  
 Habitat, 183–200  
 Haematophagous bug, 257–265  
*Haematopus ater*, 67–83  
*Haematopus palliatus*, 67–83  
*Hemitriccus margaritaceiventer*, 213–223  
*Henicorbina leucosticta*, 35–53  
 Hernández, L. L., 445–457  
*Herpetotheres cachinnans*, 35–53  
*Heteromenopon laticapitis*, 257–265  
*Heteronetta atricapilla*, 67–83  
 High-tide, 225–229  
*Himantopus melanurus*, 67–83  
 Home range, 27–34  
*Hylocharis chrysura*, 213–223  
*Hylocharis leucotis*, 279–297  
*Hymenops perspicillata*, 67–83  
*Hypocnemoides melanopogon*, 35–53  
 IBA La Patasola, 413–420

- Icteria virens*, 279–297  
 Icteridae, 231–234  
*Icterus abeillei*, 279–297  
*Icterus bullockii*, 279–297  
*Icterus cayanensis*, 157–168, 213–223  
*Icterus cucullatus*, 279–297  
*Icterus galbula*, 279–297  
*Icterus parisorum*, 279–297  
 Incubation behavior, 267–278  
 Interspecific nest parasitism, 95–99  
 Ischigualasto, 101–105  
 Isthmus of Tehuantepec, 299–309  
 Jocotoco Antpitta, 27–34  
 Juiña, M., 27–34  
 Karubian, J., 321–334  
*Knipolegus cyanirostris*, 213–223  
 Ladder-backed Woodpecker, 107–111  
*Lanius ludovicianus*, 279–297  
 Lara, C., 183–200  
*Larosterna inca*, 67–83  
*Larus dominicanus*, 67–83  
*Laterallus* sp., 213–223  
*Lathrotriccus euleri*, 213–223  
 Latitudinal variation, 401–411  
*Legatus leucophaius*, 35–53  
 Lek behavior, 183–200  
*Lepidocolaptes angustirostris*, 157–168, 213–223  
*Lepidothrix coronata*, 459–468  
*Leptasthenura platensis*, 213–223  
*Leptopogon amaurocephalus*, 35–53  
*Leptotila rufaxilla*, 35–53  
*Leptotila verreauxi*, 35–53, 213–223  
*Lessonia rufa*, 67–83  
*Leucochloris albicollis*, 201–212, 213–223  
*Leucophaeus modestus*, 67–83  
*Leucophaeus pipixcan*, 67–83  
 Leveau, L. M., 201–212  
*Ligustrum lucidum*, 157–168  
*Limosa baemastica*, 67–83  
*Lipaugus vociferans*, 35–53  
 Literature search, 243–256  
 Litz, J., 321–334  
 Long-term monitoring, 67–83  
 Losada-Prado, S., 421–431  
 Mabee, T. J., 299–309  
 MacGregor-Fors, I., 371–386  
*Machaeropterus regulus*, 35–53  
*Machetornis rixosa*, 157–168, 201–212, 213–223  
 Magdalena valley, 421–431  
 Maier, M., 243–256  
 Malagamba-Rubio, A., 371–386  
 Mallon, J. M., 475–480  
*Manacus manacus*, 35–53  
 Marateo, G., 213–223  
*Margarops fuscatus*, 335–343  
 Marín, M., 345–357  
 Martínez-García, V., 183–200  
 Masked Saltator, 413–420  
 Mason, N. A., 139–155  
*Megascops choliba*, 35–53, 243–256  
*Megascops sanctaecatarinae*, 243–256  
*Melanerpes candidus*, 213–223  
*Melanerpes cruentatus*, 35–53  
*Melanotis caerulescens*, 279–297  
 Melo, C., 55–66  
*Melospiza georgiana*, 279–297  
*Melospiza lincolni*, 279–297  
*Melospiza melodia*, 279–297  
 Mexico, 107–111, 183–200, 279–297, 299–309  
*Micrastur plumbeus*, 321–334  
*Micrastur semitorquatus*, 35–53  
 Migrant bird visitation, 459–468  
*Milvago chimachima*, 35–53, 213–223, 243–256  
*Milvago chimango*, 157–168, 201–212, 213–223, 243–256, 267–278  
*Mimus gilvus*, 35–53  
*Mimus polyglottos*, 371–386  
*Mimus saturninus*, 157–168, 201–212, 213–223  
*Mionectes oleaginea*, 35–53  
 Miranda, J. E., 445–457  
 Mites, 257–265  
*Mitrephanes phaeocercus*, 279–297  
*Mniotilta varia*, 279–297  
 Molecular phylogenetics, 139–155  
*Molothrus aeneus*, 279–297  
*Molothrus ater*, 279–297  
*Molothrus bonariensis*, 95–99, 157–168, 201–212, 213–223, 267–278, 311–320, 345–357  
*Molothrus rufoaxillaris*, 157–168, 213–223

- Molt cycle, 421–431  
*Momotus momota*, 35–53  
 Monitoring, 335–343  
 Montalti, D., 157–168  
 Montezuma Oropendola, 231–234  
 Moreno, C. E., 107–111  
 Moreno-Palacios, M., 421–431  
 Morphological sexing, 433–444  
 Mosquera, D., 475–480  
 Muridae, 231–234  
*Myadestes occidentalis*, 279–297  
*Myiarchus swainsoni*, 213–223  
*Myiarchus tuberculifer*, 279–297, 459–468  
*Myiarchus tyrannulus*, 35–53  
*Myiodynastes luteiventris*, 459–468  
*Myiodynastes maculatus*, 157–168, 213–223  
*Myiophobus fasciatus*, 157–168, 213–223  
*Myiopsitta monachus*, 157–168, 201–212, 213–223  
*Myiozetetes cayennensis*, 35–53  
*Myiozetetes luteiventris*, 459–468  
*Myiozetetes similis*, 35–53, 459–468  
*Myrmeciza atrothorax*, 35–53  
*Myrmoborus leucophrys*, 35–53  
*Myrmotherula axillaris*, 35–53  
 Natural fragmentation, 35–53  
 Natural history, 235–240, 345–357  
 Nearctic Migration, 387–399  
 Nearctic–Neotropical migrants, 299–309  
*Neomorphus radiolosus*, 321–334  
 Neotropical migrant, 321–334  
 Nest, 413–420  
 Nest concealment, 311–320  
 Nest description, 235–240  
 Nest predation, 267–278, 311–320  
 Nest site, 267–278, 311–320  
 Nest types, 113–120  
 Nesting, 85–93, 169–182  
 Nestling growth, 345–357  
 Nestlings, 257–265  
 Nest-site selection, 107–111  
*Netta peposaca*, 67–83  
 Néve, G., 279–297  
*Nothofagus forest*, 123–138  
*Numenius phaeopus*, 67–83  
*Nycticorax nycticorax*, 67–83  
*Nyctidromus albicollis*, 35–53  
*Nyctiphrynus rosenbergi*, 321–334  
*Nyctomys sumichrasti*, 231–234  
 Ocampo-Peñuela, N., 35–53  
 Ochre-flanked Eugralla, 123–138  
*Ochthornis littoralis*, 459–468  
 Olguín, P. F., 15–26  
 Oliveira, L. S., 401–411  
 Ornelas, J. F., 183–200  
*Ornithocoris toledoii*, 257–265  
*Ornithonyssus bursa*, 257–265  
*Ortalis erythroptera*, 321–334  
*Ortalis motmot*, 35–53  
*Orthopsittaca manilata*, 35–53  
 Ortiz Mendoza, C. A., 413–420  
*Oryzoborus angolensis*, 139–155  
*Oryzoborus atrirostris*, 139–155  
*Oryzoborus crassirostris*, 139–155  
*Oryzoborus funereus*, 139–155  
*Oryzoborus maximiliani*, 139–155  
*Oryzoborus nuttingi*, 139–155  
*Oryzoborus*, 139–155  
*Oxyura* spp., 67–83  
*Pachyramphus marginatus*, 35–53  
*Pachyramphus polychopterus*, 157–168, 213–223  
 Pacific Pygmy-Owl, 469–474  
 Palacio, F. X., 157–168  
 Pale-breasted Thrush, 401–411  
 Pale-throated Serra-Finch, 95–99  
 Palm tree forest, 213–223  
*Pandion haliaetus*, 67–83, 243–256, 321–334  
*Parabuteo unicinctus*, 243–256  
*Paragoniotes anomalus*, 257–265  
*Pardirallus sanguinolentus*, 67–83  
*Paroaria coronata*, 157–168  
*Parula pitiayumi*, 201–212, 213–223  
 Parulidae, 445–457  
*Passer domesticus*, 201–212, 371–386  
 Passerines, 299–309  
*Patagioenas cayennensis*, 35–53  
*Patagioenas goodsoni*, 321–334  
*Patagioenas maculosa*, 201–212, 213–223  
*Patagioenas picazuro*, 157–168, 201–212, 213–223

- Patagonia, 123–138  
 Pearly-eyed Thrasher, 335–343  
*Pelecanus thagus*, 67–83  
 Peluc, S. I., 267–278  
*Penelope jacquacu*, 35–53  
 Pereira, G. A., 387–399  
 Pérez-Emán, J. L., 445–457  
*Phacellodomus striaticollis*, 157–168, 213–223  
*Phaethornis griseogularis*, 35–53  
*Phalacrocorax brasilianus*, 67–83, 157–168, 213–223  
*Phalaropus tricolor*, 67–83  
*Phalornis* sp. 257–265  
*Phleocryptes melanops*, 67–83  
*Phoenicopterus chilensis*, 67–83  
*Phylloscartes ventralis*, 213–223  
*Piaya cayana*, 213–223  
 Picidae, 107–111  
*Picoides scalaris*, 107–111  
*Piculus litae*, 321–334  
*Picumnus squamulatus*, 35–53  
 Pineda-López, R., 371–386  
 Pinheiro, C. E. G., 365–367  
*Pipra chloromeros*, 459–468  
*Pipra erythrocephala*, 35–53  
*Pipra fasciicauda*, 459–468  
 Pipridae, 459–468  
*Piranga flava*, 213–223  
*Piranga rubra*, 321–334  
*Pitangus sulphuratus*, 35–53, 157–168, 201–212, 213–223, 267–278  
 Plant phenology, 55–66  
*Plegadis chibi*, 67–83  
*Pluvialis dominica*, 67–83  
*Pluvialis squatarola*, 67–83  
*Podiceps major*, 67–83  
*Podiceps occipitalis*, 67–83  
*Podilymbus podiceps*, 67–83  
*Polioptila dumicola*, 157–168, 213–223  
 Ponce-Mendoza, A., 279–297  
*Poncirus trifoliata*, 157–168  
*Poospiza cabanisi*, 213–223  
*Poospiza melanoleuca*, 157–168, 213–223  
*Poospiza nigrorufa*, 213–223  
 Population dynamics, 67–83  
 Population size, 101–105  
*Porphyrio martinicus*, 15–26  
 Porras, C., 235–240  
*Pouteria salicifolia*, 213–223  
 Prado, F. A., 459–468  
*Premnoplex brunnescens*, 321–334  
*Procnias tricarunculatus*, 235–240  
*Progne chalybea*, 201–212, 213–223  
*Progne tapera*, 201–212, 213–223  
*Prosopis laevigata*, 107–111  
*Psarocolius bifasciatus*, 35–53  
*Psarocolius decumanus*, 35–53  
*Psarocolius montezuma*, 231–234  
*Pseudastur occidentalis*, 321–334  
*Pseudoleistes virescens*, 213–223  
*Pseudoscops clamator*, 243–256, 469–474  
*Pseudoseisura lophotes*, 213–223, 267–278  
 Psittacidae, 55–66  
*Psittacobrosus* cf. *anduzei*, 257–265  
*Pteroglossus azara*, 35–53  
*Pteroglossus castanotis*, 35–53  
*Pteroglossus torquatus*, 321–334  
*Pulsatrix perspicillata*, 469–474  
 Pyle's formula, 359–363  
*Pytilia pulchra*, 321–334  
 Quindío, 413–420  
 Radar ornithology, 299–309  
 Radio-telemetry, 27–34  
 Ragusa-Netto, J., 1–13  
*Rallus sanguinolentus*, 213–223  
 Ramphastidae, 1–13  
*Ramphastos brevis*, 321–334  
*Ramphastos toco*, 1–13  
*Ramphastos tucanus*, 35–53  
*Ramphastos vitellinus*, 35–53  
*Ramphocelus icteronotus*, 321–334  
*Ramphotrigon megacephala*, 35–53  
 Raptors, 243–256  
 Regional Migration, 387–399  
 Reproduction, 235–240  
 Reproductive cycle, 85–93  
*Rhodospingus cruentus*, 321–334  
*Rhynchotus rufescens*, 213–223  
 Riascos, Y., 433–444  
 Riparian forest, 35–53



- Rodentia, 231–234  
 Rodríguez-Cajaville, M. J., 243–256  
*Rollandia rolland*, 67–83  
*Rostrhamus sociabilis*, 157–168, 243–256  
 Rufous-tailed Jacamar, 365–367  
*Rupornis magnirostris*, 157–168, 243–256  
*Rynchops niger*, 67–83  
*Saltator aurantirostris*, 213–223  
*Saltator coerulescens*, 213–223  
*Saltator similis*, 213–223  
 Sánchez, J. E., 113–120, 235–240  
 Sandoval, L., 113–120, 235–240  
 Santos, A. A., 1–13  
*Sarcoramphus papa*, 475–480  
 Savanna, 35–53  
 Scavenging, 475–480  
*Schoeniophylax phryganophilus*, 157–168  
*Sclerurus rufigularis*, 35–53  
 Scrub forest, 107–111  
*Scutia buxifolia*, 213–223  
 Seasonality, 387–399  
*Sebastiania commersoniana*, 213–223  
 Seedeaters, 139–155  
 Seed-finches, 139–155  
 Semipalmated Plover, 225–229  
 Semipalmated Sandpiper, 225–229  
*Serpophaga nigricans*, 213–223  
*Serpophaga subcristata*, 157–168, 201–212, 213–223  
 Sex determination, 433–444  
 Sexual dimorphism, 433–444  
 Shiny Cowbird, 95–99, 345–357  
 Sibling species, 359–363  
*Sicalis flaveola*, 157–168, 213–223  
*Sicalis luteola*, 157–168  
 Silva, P. A., 55–66  
*Sirystes sibilator*, 459–468  
 Sousa, L. M. S., 401–411  
 South America, 401–411  
 Southern Lapwing, 433–444  
 Species abundance, 201–212  
 Species composition, 335–343  
 Species richness, 201–212  
 Spectacled Owl, 469–474  
*Spizziapteryx circumcineta*, 243–256  
*Sporagra magellanica*, 201–212  
*Sporophila*, 139–155  
*Sporophila albogularis*, 139–155  
*Sporophila bouvreuil*, 139–155  
*Sporophila caerulescens*, 139–155, 213–223  
*Sporophila castaneiventris*, 139–155  
*Sporophila cinnamomea*, 139–155, 213–223  
*Sporophila collaris*, 139–155  
*Sporophila corvina*, 139–155  
*Sporophila falcirostris*, 139–155  
*Sporophila hypochroma*, 139–155  
*Sporophila hypoxantha*, 139–155  
*Sporophila intermedia*, 139–155, 421–431  
*Sporophila leucoptera*, 139–155  
*Sporophila lineola*, 139–155, 387–399  
*Sporophila luctuosa*, 139–155  
*Sporophila melanogaster*, 139–155  
*Sporophila minuta*, 139–155  
*Sporophila nigricollis*, 139–155  
*Sporophila palustris*, 139–155  
*Sporophila peruviana*, 139–155  
*Sporophila plumbea*, 139–155  
*Sporophila ruficollis*, 139–155  
*Sporophila schistacea*, 139–155  
*Sporophila simplex*, 139–155  
*Sporophila telasco*, 139–155  
*Sporophila torqueola*, 139–155, 371–386  
*Stelgidopteryx ruficollis*, 213–223  
*Stephanophorus diadematus*, 213–223  
*Stercorarius chilensis*, 67–83  
*Sterna hirundinacea*, 67–83  
*Sterna trudeani*, 67–83  
 Striped Owl, 469–474  
*Strix*, 169–182  
*Sturnus vulgaris*, 201–212  
 Subtropical forest, 213–223  
*Suiriri suiriri*, 213–223  
*Sula variegata*, 67–83  
 Sulphur-bellied Flycatcher, 459–468  
 Surveys, 335–343  
 Swainson's Thrush, 459–468  
 Swing, K., 475–480  
*Synallaxis frontalis*, 213–223  
*Syndactyla rufosuperciliata*, 213–223  
*Syriigma sibilatrix*, 201–212, 213–223

- Tachuris rubrigastra*, 67–83  
*Tachycineta leucorrhoa*, 213–223  
*Tachyeres leucocephalus*, 85–93  
*Tachyphonus surinamus*, 35–53  
*Tangara cayana*, 35–53  
*Tangara chilensis*, 35–53  
*Tangara johanna*, 321–334  
*Tapera naevia*, 213–223  
 Territoriality, 85–93  
*Tersina viridis*, 35–53  
*Thalasseus elegans*, 67–83  
*Thamnophilus amazonicus*, 35–53  
*Thamnophilus caerulescens*, 213–223  
*Thamnophilus palliatus*, 35–53  
*Thamnophilus punctatus*, 35–53  
*Thamnophilus ruficapillus*, 213–223  
*Thraupis bonariensis*, 213–223  
*Thraupis episcopus*, 459–468  
*Thraupis sayaca*, 213–223  
 Three-wattled Bellbird, 235–240  
 Throw-catch behavior, 365–367  
*Thryothorus leucotis*, 35–53  
 Tikal, 231–234  
*Tinamus major*, 35–53  
 Toco Toucan, 1–13  
*Tolmomyias flaviventris*, 35–53  
*Tolmomyias sulphurescens*, 35–53  
 Traill's Flycatcher, 359–363  
*Triatoma sordida*, 257–265  
*Trichilia quadrijuga*, 459–468  
*Tringa flavipes*, 67–83  
*Tringa melanoleuca*, 67–83  
*Tringa semipalmata*, 67–83  
 Trochilidae, 183–200  
*Troglodytes aedon*, 35–53, 213–223  
*Trogon collaris*, 459–468  
*Trogon viridis*, 35–53  
 Trophic guilds, 213–223  
 Tropical Andes, 321–334  
 Tropical dry forest, 421–431  
 Tumbesian, 321–334  
 Turdidae, 267–278, 401–411  
*Turdus albicollis*, 35–53, 459–468  
*Turdus amaurochalinus*, 213–223, 267–278, 311–320  
*Turdus assimilis*, 321–334  
*Turdus chiguanco*, 267–278  
*Turdus chiguanco anthracinus*, 267–278  
*Turdus fumigatus*, 35–53  
*Turdus hauxwelli*, 459–468  
*Turdus ignobilis*, 35–53  
*Turdus leucomelas*, 35–53, 401–411  
*Turdus maculirostris*, 321–334  
*Turdus migratorius*, 401–411  
*Turdus nigriceps*, 267–278  
*Turdus rufiventris*, 213–223, 267–278  
 Turimiquire, 445–457  
*Tyrannetes stolzmanni*, 35–53, 459–468  
 Tyrannidae, 345–357  
*Tyrannus melancholicus*, 213–223, 459–468  
*Tyrannus niveigularis*, 321–334  
*Tyrannus savanna*, 213–223  
*Tyto alba*, 243–256  
 Upland dry forest, 35–53  
 Urban avifauna, 371–386  
 Urban ecology, 371–386  
 Urban parks, 279–297  
 Urbanization, 279–297, 371–386  
 Uruguay, 243–256  
 Valdivian forest, 123–138  
*Vanellus chilensis*, 67–83, 213–223, 433–444  
 Vegetation, 279–297  
 Vegetation composition, 183–200  
 Venezuela, 445–457  
*Veniliornis chocoensis*, 321–334  
*Veniliornis mixtus*, 213–223  
*Veniliornis passerinus*, 35–53  
*Veniliornis spilogaster*, 213–223  
 Vergara-Tabares, D. L., 267–278  
 Vidoz, F., 123–138  
 Villegas-Patracá, R., 299–309  
*Vireo olivaceus*, 35–53, 213–223, 321–334  
 Vocal repertoire, 183–200  
 Vocalizations, 169–182  
*Volatinia jacarina*, 213–223, 421–431  
 Vukasovic, M. A., 67–83  
*Vultur gryphus*, 101–105  
 Waterbirds, 67–83  
 Willow Flycatcher, 359–363  
 Wind energy, 299–309

Wunderle, J. M., 335–343  
*Xiphorhynchus ocellatus*, 35–53  
*Xolmis cinerea*, 213–223  
*Xolmis pyrope*, 345–357  
Young, 413–420  
*Yucca filifera*, 107–111

Zavala Hurtado, J.-A., 279–297  
*Zenaida auriculata*, 213–223  
Zeppelini, D., 225–229  
*Zonotrichia capensis*, 213–223  
Zuria, I., 107–111



**REVIEWERS FOR ORNITOLOGÍA NEOTROPICAL, VOLUME 24**

Each manuscript submitted for publication in *Ornitología Neotropical* is mostly reviewed by two or three specialists including a member of the editorial board, and occasionally by a fourth one. The following persons kindly reviewed one or more (\*) manuscripts for Volume 24: F. Angulo, L. dos Anjos\*, H. Araujo, C. B. de Araújo, J. I. Areta\*, A. B. Arzinaut, A. A. Astié, W. Beltrán, I. Berkunsky\*, P.-P. Bitton, J. Blake\*, M. S. Bó, D. Boersma, D. Bradley, D. Brightsmith\*, D. Brooks, J. Buler, G. S. Cabanne, S. Calmé, R. Cintra, K. Cockle, S. Cordoba, V. Cueto, K. Delhey, C. G. Duca\*, R. Durães\*, J. C. Eitniear\*, P. Enriquez, C. Estades, A. Faggi, M. Fasola, V. Ferretti, K. Fierro-Calderon, R. Figueroa, E. M. Figueroa-Esquivel, M. Foster, R. Fraga\*, D. González, H. F. Greeney\*, E. Guevara, T. Hallman, F. Hayes, S. K. Herzog\*, D. Hoffmann\*, J. P. Isacch, G. L. Jorquera, D. Juri, G. Kattan, G. M. Kirwan, O. Komar, A. Kusch, R. P. Larkin, S. Latta, D. Lebbin, L. Leveau, B. Loiselle, G. Londoño, R. H.

Macedo, L. Manica, G. Marateo, E. de Martino, I. McGregor-Fors\*, E. Mellink\*, D. Mennill, C. Merkord, H. Mikkola, R. Moore, J. Moreno, G. Morrison, J. Navarro, A. Navarro Siguenza\*, R. L. Neves, F. Newell, R. Quintana, J. M. Ochoa Quintero, V. Ojeda\*, J. F. Pacheco\*, J. Parra, M. de la Peña, S. Peluc, J. Pérez-Emán, M. A. Pizo, B. Poulin, P. Pyle\*, P. Ramírez-Bastida, M. Raposo\*, L. Reyes, W. D. Robinson\*, K. Roesler\*, D. Rogers, G. Rompre, E. Ruelas Inzunza\*, M. Sallaberry, S. Salvador\*, C. Sánchez, L. Sandoval\*, J. H. Sarasola, I. Sazima, S. Schindler, A. Schmitz, K.-L. Schuchmann, C. Sharpe, A. Shepard, L. F. Silveira, J. Socolar, A. Solano-Ugalde, R. B. Srygley, J. A. Stratford, J. Svobodová, D. Swanson, J. M. Thiollay\*, D. T. Tuero, E. Varga Lopes\*, M. F. Vasconcelos, C. Vereá, F. Vilella\*, G. H. Volpato\*, P. Ward, A.-A. Weller\*, T. Whiklo, J. W. Wiley\*, J. Wunderle\*, J. Zook, I. Zuria\*. Page-setting was done by A.-A. Weller.