

LITERATURE CITED

- ADAMCIK, R. S., A. W. TODD, AND L. B. KEITH. 1978. Demographic and dietary responses of Great Horned Owls during a snowshoe hare fluctuation. *Can. Field-Nat.* 92:156–166.
- ADAMCIK, R. S., A. W. TODD, AND L. B. KEITH. 1979. Demographic and dietary responses of Red-tailed Hawks during a snowshoe hare fluctuation. *Can. Field-Nat.* 93:16–27.
- AGEE, J. K. 1993. Fire ecology of the Pacific Northwest forests. Island Press, Washington, DC.
- AKAIKE, H. 1973. Information theory and an extension of the maximum likelihood principle. Pp. 267–281 in B. N. Petran and F. Csaki (eds.), International symposium on information theory. Second edition. Akadémiai Kiadó, Budapest, Hungary.
- ALVAREZ-BUYLLA, E. R., AND M. SLATKIN. 1994. Finding confidence limits on population growth rates: three real examples revised. *Ecology* 75:255–260.
- ANDERSON, D. R., J. BART, T. C. EDWARDS, JR., C. B. KEPLER, AND E. C. MESLOW. 1990. 1990 Status review: Northern Spotted Owl (*Strix occidentalis caurina*). USDI Fish and Wildl. Serv., Portland, OR.
- ANDERSON, D. R., AND K. P. BURNHAM. 1992. Demographic analysis of Northern Spotted Owl populations. Pp. 319–328 in Draft recovery plan for the Northern Spotted Owl. USDI Fish and Wildl. Serv., Portland, OR.
- ANDERSON, D. R., K. P. BURNHAM, AND C. G. WHITE. 1985. Problems in estimating age-specific survival rates from recovery data of birds ringed as young. *J. Anim. Ecol.* 54:89–98.
- ANDERSON, D. R., K. P. BURNHAM, AND C. G. WHITE. 1994. AIC model selection in overdispersed capture-recapture data. *Ecology* 75:1780–1793.
- ANONYMOUS. 1982. Average annual precipitation, 1960–1980, in southwest Oregon. Oregon State Univ. Extension Serv., Oregon State Univ., Corvallis OR.
- ATZET, T., AND L. A. MCCRIMMEN. 1990. Preliminary plant associations of the southern Oregon Cascades Province. USDA For. Serv., Siskiyou National Forest, Grants Pass, OR.
- ATZET, T., AND D. L. WHEELER. 1984. Preliminary plant associations of the Siskiyou Mountain Province. USDA For. Serv., Siskiyou National Forest, Grants Pass, OR.
- BALDWIN, J. L. 1973. Climates of the United States. U.S. Dep. Commerce, Washington, DC.
- BARROWCLOUGH, G. F., AND R. J. GUTIÉRREZ. 1990. Genetic variation and differentiation in the Spotted Owl (*Strix occidentalis*). *Auk* 107:737–744.
- BARROWS, C. W. 1980. Summer roost selection by Spotted Owls: an adaptation to heat stress. M.S. thesis. California State Univ., Long Beach, CA.
- BARROWS, C. W. 1981. Roost selection by Spotted Owls: an adaptation to heat stress. *Condor* 83:302–309.
- BARROWS, C. W. 1985. Breeding success relative to fluctuations in diet for spotted owls in California. Pp. 50–54 in R. J. Gutierrez and A. B. Carey (eds.), Ecology and management of the spotted owl in the Pacific Northwest. USDA For. Serv. Gen. Tech. Rep. PNW-185. Portland, OR.
- BARROWS, C. W. 1987. Diet shifts in breeding and nonbreeding Spotted Owls. *J. Raptor Res.* 21:95–97.
- BARROWS, C., AND K. BARROWS. 1978. Roost characteristics and behavioral thermoregulation in the Spotted Owl. *West. Birds* 9:1–8.
- BART, J. 1995a. Evaluation of population trend estimates calculated using capture-recapture and population projection methods. *Ecol. Appl.* 5:662–671.
- BART, J. 1995b. Amount of suitable habitat and viability of Northern Spotted Owls. *Conserv. Biol.* 9:943–946.
- BART, J., AND S. EARNST. 1992. Suitable habitat for Northern Spotted Owls: an update. Pp. 281–317 in Draft recovery plan for the Northern Spotted Owl, USDI, Fish and Wildl. Serv., Portland, OR.
- BART, J., AND E. D. FORSMAN. 1992. Dependence of Northern Spotted Owls *Strix occidentalis caurina* on old-growth forests in the western USA. *Conserv. Biol.* 62:95–100.
- BART, J., AND D. S. ROBSON. 1992. Methods and recommendations for population monitoring. Pp. 1–16 (Appendix A) in Draft recovery plan for the Northern Spotted Owl, Vol. 2. U.S. Dep. Interior, Washington, DC.
- BENT, A. C. 1938. Life histories on North American birds of prey. Part 2. U.S. Natl. Mus. Bull. No. 170. Washington, DC.
- BLAKESLEY, J. A., A. B. FRANKLIN, AND R. J. GUTIÉRREZ. 1992. Spotted Owl roost and nest site selection in northwestern California. *J. Wildl. Manage.* 56:388–392.
- BLONDEL, J., A. GOSLER, J. D. LEBRETON, AND R. H. McCLEERY (EDS.). 1990. Population biology of passerine birds: an integrated approach. Springer-Verlag, Berlin.
- BOLSINGER, C. L., AND K. L. WADELL. 1993. Area of old-growth forests in California, Oregon and Washington. USDA For. Serv. Res. Bull. PNW-RB-197.
- BOTSFORD, L. W., T. C. WAINWRIGHT, J. T. SMITH, S. MASTRUP, AND D. F. LOTT. 1988. Population dynamics of California quail related to meteorological conditions. *J. Wildl. Manage.* 52:469–477.
- BOYCE, M. S. 1987. A review of the U.S. Forest Service's viability analysis for the Spotted Owl. National Council of the Paper Industry for Air and Stream Improvement, Inc., Corvallis, OR.
- BOYCE, M. S., J. S. MEYER, AND L. IRWIN. 1994. Habitat-based PVA for the Northern Spotted Owl. Pp. in N. Ferguson and B. F. J. Manly (eds.), Proc. conference on statistics in ecology and environmental monitoring. Univ. Otago, Dunedin, New Zealand.
- BROWNIE, C., D. R. ANDERSON, K. P. BURNHAM, AND D. S. ROBSON. 1985. Statistical inference from band recovery data: a handbook. USDI Fish and Wildl. Serv., Resour. Publ. 156.
- BROWNIE, C., AND J. D. NICHOLS. 1983. Estimation of time-specific survival rate from tag-resighting samples: a generalization of the Jolly-Seber Model. *Biometrics* 39:437–45.
- BUCHANAN, J. B. 1991. Spotted Owl nest site characteristics in mixed conifer forests of the eastern Cascade Mountains, Washington. M.S. thesis. Univ. Washington, Seattle.
- BUCHANAN, J. B., L. L. IRWIN, AND E. L. McCUTCHEON.

1993. Characteristics of Spotted Owl nest trees in the Wenatchee National Forest. *J. Rapt. Res.* 27: 1–7.
- BUCHANAN, J. B., L. L. IRWIN, AND E. L. MCCUTCHEON. 1995. Within-stand nest site selection by Spotted Owls in the eastern Washington Cascades. *J. Wildl. Manage.* 59:301–310.
- BURNHAM, K. P., AND D. R. ANDERSON. 1992. Database selection of an appropriate biological model: the key to modern data analysis. Pp. 16–30 in D. R. McCullough and R. H. Barrett (eds.), *Wildlife 2001: populations*. Elsevier Applied Science, London.
- BURNHAM, K. P., D. R. ANDERSON, AND G. C. WHITE. 1994a. Evaluation of the Kullback-Leibler discrepancy for model selection in open population capture-recapture models. *Biometrical J.* 36:299–315.
- BURNHAM, K. P., D. R. ANDERSON, AND G. C. WHITE. 1994b. Estimation of vital rates of the Northern Spotted Owl. Pp. 1–44 (Appendix J) in Final supplemental environmental impact statement, on management of habitat for late-successional and old-growth forest related species within the range of the Northern Spotted Owl. Vol. 2. USDA For. Serv., Portland, OR.
- BURNHAM, K. P., D. R. ANDERSON, AND G. C. WHITE. 1995a. Model selection strategy in the analysis of capture-recapture data. *Biometrics* 51:888–898.
- BURNHAM, K. P., D. R. ANDERSON, AND G. C. WHITE. 1995b. Selection among open population capture-recapture models when capture probabilities are heterogeneous. *J. Appl. Stat.* 22:611–624.
- BURNHAM, K. P., D. R. ANDERSON, G. C. WHITE, C. BROWNIE, AND K. H. POLLOCK. 1987. Design and analysis methods for fish survival experiments based on release-recapture. American Fisheries Society Monogr. 5.
- CALIFORNIA FORESTRY ASSOCIATION. 1993. A petition to remove the California Spotted Owl from the federal list of threatened species. California Forestry Assoc., Sacramento, CA.
- CAMPBELL, R. W., E. D. FORSMAN, AND B. M. VAN DER RAAY. 1984. An annotated bibliography of literature on the spotted owl. Land Manage. Rept. No. 24. British Columbia Ministry of Forests, Victoria, Canada.
- CAREY, A. B., S. P. HORTON, AND B. L. BISWELL. 1992. Northern Spotted Owls: influence of prey base and landscape character. *Ecological Monogr.* 62:223–250.
- CAREY, A. B., AND K. C. PEELER. 1995. Spotted Owls: resource and space use in a mosaic landscape. *J. Rapt. Res.* 29: In press.
- CAREY, A. B., J. A. REID, AND S. P. HORTON. 1990. Spotted Owl home range and habitat use in southern Oregon coast ranges. *J. Wildl. Manage.* 54:11–17.
- CARROLL, J. E., AND R. H. LAMBERSON. 1993. The owl's odyssey, a continuous model for the dispersal of territorial species. *J. Appl. Mathematics* 53:205–218.
- CARROLL, R. J., AND D. RUPPERT. 1988. Transformation and weighting in regression. Chapman and Hall, New York.
- CASWELL, H. 1989. Matrix population models: construction, analysis, and interpretation. Sinauer Assoc., Inc., Sunderland, MA.
- CAUGHLEY, G. 1977. Analysis of vertebrate populations. J. Wiley and Sons, New York.
- CAUGHLEY, G. AND L. C. BIRCH. 1971. Rate of increase. *J. Wildl. Manage.* 35:658–663.
- CAUGHLEY, G., AND A. R. E. SINCLAIR. 1994. *Wildlife ecology and management*. Blackwell Sci., Cambridge MA.
- CHÁVEZ-LEÓN, G. 1989. Characteristics of fragmented habitats used by the Northern Spotted Owl (*Strix occidentalis caurina*) in northwestern California. M.S. thesis. Humboldt State Univ., Arcata, CA.
- CLOBERT, J., J. D. LEBRETON, AND D. ALLAINE. 1987. A general approach to survival rate estimation by recaptures or resightings of marked birds. *Ardea* 75: 133–142.
- COHEN, J. E., S. W. CHRISTENSEN, AND C. P. GOODYEAR. 1983. A Stochastic age-structured population model of striped bass (*Morone saxatilis*) in the Potomac River. *Can. J. Fisheries and Aquatic Sci.* 40:2170–2183.
- COHEN, W. B., T. A. SPIES, AND M. FIORELLA. 1995. Estimating the age and structure of forests in a multi-ownership landscape of western Oregon, USA. *Int. J. Remote Sensing* 16:721–746.
- CONROY, M. J. 1993. Testing hypotheses about the relationship of habitat to animal survivorship. Pp. 331–342 in J. D. Lebreton and P. M. North (eds.), *Marked individuals in the study of bird population*. Birkhäuser Verlag, Basel.
- CORMACK, R. M. 1964. Estimates of survival from the sighting of marked animals. *Biometrika* 51:429–438.
- COWARDIN, L. M., D. S. GILMER, AND C. W. SHAFFER. 1985. Mallard recruitment in the agricultural environment of North Dakota. *Wildl. Monogr.* 92.
- COX, D. R. 1983. Some remarks on overdispersion. *Biometrika* 70:269–274.
- DAWSON, W. L. 1923. The birds of California. Book-lovers Edition, Vol. 3. South Moulton Company, San Diego, Los Angeles and San Francisco, CA.
- DAWSON, W. R., J. D. LIGON, J. R. MURPHY, J. P. MYERS, D. SIMBERLOFF, AND J. VERNER. 1987. Report of the scientific advisory panel on the Spotted Owl. *Condor* 89:205–229.
- DINERSTEIN, E., AND L. PRICE. 1991. Demography and habitat use by greater one-horned rhinoceros in Nepal. *J. Wildl. Manage.* 55:401–411.
- DIXON, W. J., M. B. BROWN, L. ENGELMANN, AND R. I. JENNICH. 1990. *BMDP statistical software manual*, Vol. 1. Univ. Calif. Press, Berkeley, CA.
- DOAK, D. 1989. Spotted Owls and old growth logging in the Pacific Northwest. *Conserv. Biol.* 3:389–396.
- DUNBAR, D. L., B. P. BOOTH, E. D. FORSMAN, A. E. HETHERINGTON, AND D. WILSON. 1991. Status of the Spotted Owl (*Strix occidentalis*) and Barred Owl (*Strix varia*) in southwestern British Columbia. *Can. Field-Nat.* 105:464–468.
- DUNCAN, J. R. 1992. Influence of prey abundance and snow cover on Great Gray Owl breeding dispersal. Ph.D. diss. Univ. Manitoba, Winnipeg, MB.
- DVORÁK, J., J. L. HALVERSON, P. GULICK, K. A. RAUEN, U. K. ABBOTT, B. J. KELLEY, AND F. T. SHULTZ. 1992. cDNA cloning of a Z- and W-linked gene in gallinaceous birds. *J. Heredity* 83:22–25.
- EASTERBROOK, G. 1994. *The Birds. The New Republic* 210:22–29.

- EBERHARDT, L. L. 1970. Correlation, regression, and density dependence. *Ecology* 51:306–310.
- EBERHARDT, L. L. 1985. Assessing the dynamics of wild populations. *J. Wildl. Manage.* 49:997–1012.
- EFRON, B. 1982. The jackknife, the bootstrap and other resampling plans. *Soc. Industrial and Appl. Math. Series* 38.
- ESTES, J. A. 1990. Growth and equilibrium in sea otter populations. *J. Anim. Ecol.* 59:385–401.
- FERNANDEZ-DUQUE, E., AND C. VALEGGIA. 1994. Meta-analysis: a valuable tool in conservation research. *Conserv. Biol.* 8:555–561.
- FITTON, S. D. 1991. Vocal learning and call structure of male Northern Spotted Owls in northwestern California. M.S. thesis. Humboldt State Univ., Arcata, CA.
- FOLLIARD, L. 1993. Nest site characteristics of Northern Spotted Owls in managed forests of northwest California. M.S. thesis. Univ. Idaho, Moscow, ID.
- FORSMAN, E. D. 1976. A preliminary investigation of the Spotted Owl in Oregon. M.S. thesis. Oregon State Univ., Corvallis, OR.
- FORSMAN, E. D. 1980. Habitat utilization by Spotted Owls in the west-central cascades of Oregon. Ph.D. diss. Oregon State Univ., Corvallis, OR.
- FORSMAN, E. D. 1981. Molt of the Spotted Owl. *Auk* 98:735–742.
- FORSMAN, E. D. 1983. Methods and materials for locating and studying Spotted Owls. USDA For. Serv. Gen. Tech. Rep. PNW-162.
- FORSMAN, E. D. 1988. A survey of Spotted Owls in young forests in the northern coast range of Oregon. *Murrelet* 69:65–68.
- FORSMAN, E. D., C. R. BRUCE, M. A. WALTER, AND E. C. MESLOW. 1988. A current assessment of the Spotted Owl population in Oregon. *Murrelet* 68:51–54.
- FORSMAN, E. D., A. R. GIESE, D. J. MANSON, AND S. G. SOVERN. 1995. Renesting by Spotted Owls. *Condor* 97:1078–1080.
- FORSMAN, E. D., AND E. C. MESLOW. 1986. The Spotted Owl. Pp. 742–761 in Audubon wildlife report: 1986. Nat. Aud. Soc., New York.
- FORSMAN, E. D., E. C. MESLOW, AND M. J. STRUB. 1977. Spotted Owl abundance in young versus old-growth forests, Oregon. *Wildl. Soc. Bull.* 5: 43–47.
- FORSMAN, E. D., I. A. OTTO, D. AUBUCHON, J. C. LEWIS, S. G. SOVERN, K. J. MAURICE, AND T. KAMINSKI. 1994. Reproductive chronology of the northern flying squirrel. *Northwest Sci.* 68:273–276.
- FORSMAN, E. D., E. C. MESLOW, AND H. M. WIGHT. 1984. Distribution and biology of the Spotted Owl in Oregon. *Wildl. Monogr.* 87:1–64.
- FOSTER, C. C., E. D. FORSMAN, E. C. MESLOW, G. S. MILLER, J. A. REID, F. F. WAGNER, A. B. CAREY, AND J. B. LINT. 1992. Survival and reproduction of radio-marked adult Spotted Owls. *J. Wildl. Manage.* 56:91–95.
- FRANKLIN, A. B. 1992. Population regulation in Northern Spotted Owls: theoretical implications for management. Pp. 815–827 in D. R. McCullough and R. H. Barrett (eds.), *Wildlife 2001: populations*. Elsevier Applied Sciences, London, England.
- FRANKLIN, A. B., J. P. WARD, R. J. GUTIÉRREZ, AND G. I. GOULD, JR. 1990. Density of Northern Spotted Owls in northwest California. *J. Wildl. Manage.* 54:1–10.
- FRANKLIN, J. F., AND C. T. DYRNES. 1973. Natural vegetation of Oregon and Washington. USDA For. Serv. Gen. Tech. Rept. PNW-GTR-8.
- GAO (GENERAL ACCOUNTING OFFICE). 1989. Endangered species: Spotted Owl petition evaluation beset by problems. RCED 89–79. U.S. General Accounting Office, Washington, DC.
- GARCIA, E. R. 1979. A survey of the Spotted Owl in southwestern Washington. Pp. 18–28 in P. P. Schaeffer, and S. M. Ehlers (eds.), *Owls of the west: their ecology and conservation*. Proc. Nat. Aud. Soc. Symposium. Nat. Aud. Soc. Western Education Ctr., Tiburon, CA.
- GERRODETTE, T. 1987. A power analysis for detecting trends. *Ecology* 68:1364–1372.
- GERRODETTE, T., D. GOODMAN, AND J. BARLOW. 1985. Confidence limits for population projections when vital rates vary randomly. *Fisheries Bull.* 83:207–215.
- GOODMAN, L. A. 1960. On the exact variance of products. *J. Am. Stat. Assoc.* 55:708–713.
- GOODMAN, L. A. 1968. An elementary approach to the population projection-matrix, to the population reproductive value, and to related topics in the mathematical theory of population growth. *Demography* 5:382–409.
- GOULD, G. I., JR. 1977. Distribution of the Spotted Owl in California. *West. Birds* 8:131–146.
- GRINNELL, J., AND A. H. MILLER. 1944. The distribution of the birds of California. *Pacific Coast Avifauna*, No. 27. The Nuttall Ornithological Club, Berkeley, CA.
- GUTIÉRREZ, R. J. 1985. An overview of recent research on the Spotted Owl. Pp. 39–49 in R. J. Gutierrez and A. B. Carey (eds.), *Ecology and management of the Spotted Owl in the Pacific Northwest*. USDA For. Serv. Gen. Tech. Rep. PNW-185.
- GUTIÉRREZ, R. J. 1994a. Changes in the distribution and abundance of Spotted Owls during the past century. *Studies in Avian Biol.* 15:293–300.
- GUTIÉRREZ, R. J. 1994b. Conservation planning: lessons from the Spotted Owl. Pp. 51–58 in W. W. Covington and L. F. DeBano (eds.), *Sustainable ecological systems: implementing an ecological approach to land management*. USDA For. Serv. Gen. Tech. Rept. RM-247.
- GUTIÉRREZ, R. J., AND A. B. CAREY (TECH EDs.). 1985. Ecology and management of the Spotted Owl in the Pacific Northwest. USDA For. Serv. Gen. Tech. Rept. PNW-185.
- GUTIÉRREZ, R. J., A. B. FRANKLIN, AND W. S. LAHAYE. 1995. "Spotted owl." A. Poole and F. Gill (eds.), *The birds of North America no. 179. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, DC*.
- GUTIÉRREZ, R. J., A. B. FRANKLIN, W. LAHAYE, V. J. MERETSKY, AND J. P. WARD. 1985. Juvenile Spotted Owl dispersal in northwestern California: preliminary results. Pp. 60–65 in R. J. Gutierrez and A. B. Carey (eds.), *Ecology and management of the Spotted Owl in the Pacific Northwest*. USDA For. Serv. Gen. Tech. Rept. PNW-185.
- GUTIÉRREZ, R. J., AND S. HARRISON. In Press. Ap-

- plications of metapopulation theory to Spotted Owl management: a history and critique. In D. R. McCullough (ed.), *Wildlife metapopulations*. Island Press, Covelo, CA.
- GUTIÉRREZ, R. J., D. M. SOLIS, AND C. SISCO. 1984. Habitat ecology of the Spotted Owl in northwestern California: implications for management. Pp. 368–373 in *Proceedings of 1993 annual convention of the Society of American Foresters*. Soc. Am. Foresters, Bethesda, MD.
- HAMER, T. E. 1988. Home range size of the Northern Barred Owl and Northern Spotted Owl in western Washington. M.S. thesis. Western Washington Univ., Bellingham, WA.
- HAMER, T. E., E. D. FORSMAN, A. D. FUCHS, AND M. L. WALTERS. 1994. Hybridization between Barred and Spotted Owls. *Auk* 111:487–492.
- HARRISON, S., A. STAHL, AND D. DOAK. 1993. Spatial models and Spotted Owls: exploring some biological issues behind recent events. *Conserv. Biol.* 7:950–953.
- HENDERSON, J. A., D. H. PETER, R. D. LESHER, AND D. C. SHAW. 1989. Forested plant associations of the Olympic National Forest. USDA For. Serv. Ecological Tech. Paper R6-ECOL-TP 001-88.
- HOLTHAUSEN, R. S., M. G. RAPHAEL, K. S. MCKELVEY, E. D. FORSMAN, E. E. STARKEY, AND D. E. SEAMAN. 1995. The contribution of federal and nonfederal habitat to persistence of the Northern Spotted Owl on the Olympic Peninsula, Washington: report of the reanalysis team. USDA For. Serv. Gen. Tech. Rept. PNW-GTR-352.
- HOSMER, D. W., AND S. LEMESHOW. 1989. Applied logistic regression. John Wiley and Sons, New York, NY.
- HUNTER, J. E. 1994. Habitat configuration around Spotted Owl nest and roost sites in northwestern California. M.S. thesis. Humboldt State Univ., Arcata, CA.
- HUNTER, J. E., R. J. GUTIÉRREZ, AND A. B. FRANKLIN. 1995. Habitat configuration around Spotted Owl sites in northwestern California. *Condor* 97:684–693.
- JOHNSON, D. H. 1980. The comparison of usage and availability measurements for evaluating resource preference. *Ecology* 61:65–71.
- JOHNSON, D. H. 1992. Spotted Owls, Great Horned Owls, and forest fragmentation in the central Oregon Cascades. M.S. thesis. Oregon State Univ., Corvallis, OR.
- JOHNSON, K. N., J. F. FRANKLIN, J. W. THOMAS, AND J. GORDON. 1991. Alternatives for management of late-successional forests in the Pacific Northwest—a report to the Agriculture Committee and the Merchant Marine and Fisheries Committee of the United States House of Representatives.
- JOLLY, G. M. 1965. Explicit estimates from capture-recapture data with both death and immigration-stochastic model. *Biometrika* 52:225–247.
- JOLLY, G. M. 1982. Mark-recapture models with parameters constant in time. *Biometrics* 38:301–321.
- KEYFITZ, N. 1972. On future population. *J. Amer. Stat. Assoc.* 67:347–363.
- KLOMP, H. 1972. Regulation of the size of bird populations by means of territorial behavior. *Netherlands J. Zool.* 22:456–488.
- KOENIG, W. W., AND R. L. MUMME. 1987. Population ecology of the cooperatively breeding Acorn Woodpecker. Princeton Univ. Press, Princeton, NJ.
- KOSTRZEWA, A., AND R. KOSTRZEWA. 1990. The relationship of spring and summer weather with density and breeding performance of the buzzard *Buteo buteo*, Goshawk *Accipiter gentilis* and Kestrel *Falco tinnunculus*. *Ibis* 132:550–559.
- KROEL, K. W., AND P. J. ZWANK. 1992. Renesting of Mexican Spotted Owl in southern New Mexico. *J. Raptor Res.* 26:267–268.
- KÜCHLER, A. W. 1977. The map of the natural vegetation of California. Pp. 909–938 in M. Barbour and J. Major (eds.), *Terrestrial vegetation of California*. J. Wiley and Sons, New York, NY.
- LAHAYE, W. S. 1988. Nest site selection and nesting habitat of the Northern Spotted Owl (*Strix occidentalis caurina*) in northwestern California. M.S. thesis. Humboldt State Univ., Arcata, CA.
- LAMBERSON, R. H., R. MCKELVEY, B. R. NOON, AND C. VOSS. 1992. A dynamic analysis of Northern Spotted Owl viability in a fragmented forest landscape. *Conserv. Biol.* 6:505–512.
- LAMBERSON, R. H., B. R. NOON, C. VOSS, AND K. S. MCKELVEY. 1994. Reserve design for territorial species: effects of patch size and spacing on the viability of the Northern Spotted Owl. *Conserv. Biol.* 8:185–195.
- LANDE, R. 1987. Extinction thresholds in demographic models of territorial populations. *Amer. Natur.* 130:624–635.
- LANDE, R. 1988. Demographic models of the Northern Spotted Owl. *Oecologia* 75:601–607.
- LANDE, R., G. ORIANS, AND J. WIENS. 1994. A best guess scenario—Spotted Owl demography and option 9. *Inner Voice* 6:6–7.
- LAYMON, S. A. 1988. Ecology of the Spotted Owl in the central Sierra Nevadas, California. Ph.D. diss. Univ. California, Berkeley, CA.
- LEBRETON, J. D., K. P. BURNHAM, J. CLOBERT, AND D. R. ANDERSON. 1992. Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecol. Monogr.* 62: 67–118.
- LEFKOVITCH, L. P. 1965. The study of population growth in organisms grouped by stages. *Biometrics* 21:1–18.
- LEHMKUHL, J. F., AND M. G. RAPHAEL. 1993. Habitat pattern around Northern Spotted Owl locations on the Olympic Peninsula, Washington. *J. Wildl. Manage.* 57:302–315.
- LESLIE, P. H. 1945. On the use of matrices in certain population mathematics. *Biometrika* 33:183–212.
- LESLIE, P. H. 1948. Some further notes on the use of matrices in population mathematics. *Biometrika* 35: 213–245.
- LEWIS, J. C., AND B. C. WALES. 1993. Northern Spotted Owl pair successfully renests. *J. Field Ornithol.* 64:323–325.
- LOERY, G., K. H. POLLOCK, J. D. NICHOLS, AND J. E. HINES. 1987. Age-specificity of Black-Capped Chickadee survival rates: analysis of capture-recapture data. *Ecology* 68:1038–1044.
- LUNDBERG, A. 1980. Vocalizations and courtship

- feeding of the Ural Owl (*Strix uralensis*). *Ornis Scand.* 11:65–70.
- MARSHALL, J. T., JR. 1942. Food and habitat of the Spotted Owl. *Condor* 44:66–67.
- MARZLUFF, J. M., AND R. P. BALDA. 1992. The Pinion Jay: behavioral ecology of a colonial and cooperative corvid. Academic Press Inc., San Diego, CA.
- MAX, T. A., R. A. SOUTER, AND K. A. O'HALLORAN. 1990. Statistical estimators for monitoring Spotted Owls in Oregon and Washington in 1987. USDA Forest Service Research Paper PNW-RP-420. Pacific Northwest Research Station, Portland, OR.
- MCCULLAGH, P., AND J. A. NELDER. 1983. Generalized linear models. Chapman and Hall, New York, NY.
- MCCULLOUGH, D. R. 1982. Population growth rate of the George Reserve deer herd. *J. Wildl. Manage.* 46:1079–1083.
- MCDONALD, D. B., AND H. CASWELL. 1993. Matrix methods for avian demography. Pp. 139–185 in D. M. Power (ed.), *Current ornithology*, Vol. 10. Plenum Press, New York, NY.
- MCKELVEY, K., B. R. NOON, AND R. H. LAMBERTSON. 1993. Conservation planning for species occupying fragmented landscapes: the case of the Northern Spotted Owl. Pp. 424–450 in P. Kareiva, J. Kingsolver, and R. Huey (eds.), *Biotic interactions and global change*. Sinauer Assoc., Sunderland, MA.
- MEARNS, R., AND I. NEWTON. 1988. Factors affecting breeding success of Peregrines in south Scotland. *J. Anim. Ecol.* 57:903–916.
- MESLOW, E. C. 1993. Spotted Owl protection: unintentional evolution toward ecosystem management. *Endangered Species Update* 3/4:34–38.
- MIELKE, P. W., K. J. BERRY, P. J. BROCKWELL, AND J. S. WILLIAMS. 1981. A class of nonparametric tests based on multiresponse permutation procedures. *Biometrika* 68:720–724.
- MILLER, G. S., K. NELSON, AND W. C. WRIGHT. 1985. Two-year-old female Spotted Owl breeds successfully. *West. Birds* 16:69–73.
- MILLER, G. S. 1989. Dispersal of juvenile Northern Spotted Owls in western Oregon. M.S. thesis. Oregon State Univ., Corvallis, OR.
- MILLS, L. S., R. J. FREDRICKSON, AND B. B. MOORHEAD. 1993. Characteristics of old-growth forests associated with Northern Spotted Owls in Olympic National Park. *J. Wildl. Manage.* 57:315–321.
- MOEN, C. A., A. B. FRANKLIN, AND R. J. GUTIÉRREZ. 1991. Age determination of subadult Northern Spotted Owls in northwest California. *Wildl. Soc. Bull.* 19:489–493.
- MORRIS, W. G. 1934. Forest fires in western Oregon and western Washington. *Oregon Historical Quarterly* 35(4):313–339.
- MUNGER, T. T. 1930. Ecological aspects of the transition from old forests to new. *Science* 72:327–332.
- MURPHY, D. D., AND B. R. NOON. 1992. Integrating scientific methods with habitat conservation planning: reserve design for Northern Spotted Owls. *Ecol. Appl.* 2:3–17.
- NELSON, L. J., D. R. ANDERSON, AND K. P. BURNHAM. 1980. The effect of band loss on estimates of annual survival. *J. Field Ornith.* 51:30–38.
- NERO, R. W. 1980. The Great Gray Owl: phantom of the northern forest. Smithsonian Institution Press, Washington, DC.
- NEWTON, I. 1976. Population limitation in diurnal raptors. *Can. Field-Nat.* 90:274–300.
- NEWTON, I. 1979. Population ecology of raptors. Poyser, Berkhamsted, England.
- NEWTON, I. 1986. The sparrowhawk. T. and A. D. Poyser, Calton, England.
- NEWTON, I., I. WYLIE, AND P. ROTHERY. 1993. Annual survival of sparrowhawks *Accipiter nisus* breeding in three areas of Britain. *Ibis* 135:49–60.
- NOAA. 1990–1994. Climatological data for Washington, Vols. 93–96. U.S. National Oceanic and Atmospheric Administration, Asheville, NC.
- NICHOLS, J. D., B. R. NOON, S. L. STOKES, AND J. E. HINES. 1981. Remarks on the use of mark-recapture methodology in estimating avian population size. Pp. 121–136 in C. J. Ralph and J. M. Scott (eds.), *Estimating the numbers of terrestrial birds. Studies in Avian Biol.* 6.
- NOON, B. R., AND C. M. BILES. 1990. Mathematical demography of Spotted Owls in the Pacific northwest. *J. Wildl. Manage.* 54:18–27.
- NOON, B. R., K. S. MCKELVEY, D. W. LUTZ, W. S. LAHAYE, R. J. GUTIÉRREZ, AND C. A. MOEN. 1992. Estimates of demographic parameters and rates of population change. Pp. 175–186 in J. Verner, K. S. McKelvey, B. R. Noon, R. J. Gutierrez, G. I. Gould, Jr., and T. W. Beck (eds.), *The California Spotted Owl: a technical assessment of its current status*. USDA For. Serv. Gen. Tech. Rep. PSW-GTR-133.
- NOON, B. R., AND J. R. SAUER. 1992. Population models for passerine birds: structure, parameterization and analysis. Pp. 441–464 in D. R. McCullough and R. H. Barrett (eds.), *Wildlife 2001: populations*. Elsevier Applied Sciences, London, England.
- NORTH, P. M. 1993. Stand structure and truffle abundance associated with Northern Spotted Owl habitat. Ph.D. diss. Univ. Washington, Seattle, WA.
- NORUŠIS, M. J. 1990. SPSS/PC+ Statistics 4.0 for the IBM PC/XT/AT and PS/2. SPSS Inc., Chicago, IL.
- OEHLERT, G. W. 1992. A note on the delta method. *Am. Statistician* 46:27–29.
- OLSEN, P. D., AND J. OLSEN. 1989a. Breeding of the Peregrine Falcon *Falco peregrinus*: II. Weather, nest quality, and the timing of egg laying. *Emu* 89:1–5.
- OLSEN, P. D., AND J. OLSEN. 1989b. Breeding of the Peregrine Falcon *Falco peregrinus*: III. Weather, nest quality, and breeding access. *Emu* 89:6–14.
- PATON, P. W. C., C. J. ZABEL, D. L. NEAL, G. N. STEGER, N. G. TILGHMAN, AND B. R. NOON. 1991. Effects of radio tags on Spotted Owls. *J. Wildl. Manage.* 55:617–622.
- PATTERSON, I. J. 1980. Territorial behavior and the limitation of population density. *Ardea* 68:53–62.
- PETERMAN, R. M. 1990. Statistical power analysis can improve fisheries research and management. *Can. J. Fish. and Aquatic Sci.* 47:2–15.
- PITELKA, F. A., P. Q. TOMICH, AND G. W. TREICHEL. 1955. Ecological relations of jaegers and owls as lemming predators near Barrow, Alaska. *Ecol. Monogr.* 25:85–117.
- POLLOCK, K. H. 1981a. Capture-recapture models

- allowing for age-dependent survival and capture rates. *Biometrics* 37:521–529.
- POLLOCK, K. H. 1981b. Capture-recapture models: a review of current methods, assumptions and experimental design. Pp. 426–435 in C. J. Ralph and J. M. Scott (eds.), *Estimating the numbers of terrestrial birds*. Studies in Avian Biol. 6.
- POLLOCK, K. H., J. E. HINES, AND J. D. NICHOLS. 1985. Goodness-of-fit tests for open capture-recapture models. *Biometrics* 41:399–410.
- POLLOCK, K. H., J. D. NICHOLS, C. BROWNIE, AND J. E. HINES. 1990. Statistical inference from capture-recapture experiments. *Wildl. Monogr.* 107.
- PRADEL, R. J., J. CLOBERT, AND J. D. LEBRETON. 1990. Recent developments for the analysis of multiple capture-recapture data sets: an example concerning two Blue Tit populations. *The Ring* 13:193–204.
- RAPHAEL, M. G., J. A. YOUNG, K. MCKELVEY, B. M. GALLEHER, AND K. C. PEELER. 1994. A simulation analysis of population dynamics of the Northern Spotted Owl in relation to forest management alternatives. Appendix J3 in *Final environmental impact statement of management of habitat for late-successional and old-growth forest related species within the range of the Northern Spotted Owl*, Vol. 2. USDA For. Serv. and USDI Bur. Land Manage., Portland, OR.
- RAVELING, D. G., AND M. E. HEITMEYER. 1989. Relationships of population size and recruitment of Pintails to habitat conditions and harvest. *J. Wildl. Manage.* 53:1088–1103.
- RICHARDS, J. E. 1989. Spotted Owl food habits and prey availability on the east slope of the Washington Cascades. M.S. thesis. Colorado State Univ., Fort Collins, CO.
- RICHARDSON, E. 1980. BLM's billion-dollar checkerboard. Forest History Soc., Santa Cruz, CA.
- RIPPLE, W. J., D. H. JOHNSON, K. T. HERSHHEY, AND E. C. MESLOW. 1991. Old-growth and mature forests near Spotted Owl nests in western Oregon. *J. Wildl. Manage.* 55:316–318.
- ROSENBERG, D. K. 1991. Characteristics of northern flying squirrel and Townsend's chipmunk populations in second- and old-growth forests. M.S. thesis. Oregon State Univ., Corvallis, OR.
- ROTELLA, J. J., AND J. T. RATTI. 1992. Mallard brood survival and wetland habitat conditions in southwestern Manitoba. *J. Wildl. Manage.* 56:499–507.
- RUSCH, D. H., E. C. MESLOW, P. D. DOERR, AND L. B. KEITH. 1972. Response of Great Horned Owl populations to changing prey densities. *J. Wildl. Manage.* 36:282–296.
- RYAN, B. F., B. L. JOINER, AND T. A. RYAN, JR. 1980. Minitab handbook. Second edition. Duxbury Press, Boston, MA.
- SANDLAND, R. L., AND P. KIRKWOOD. 1981. Estimation of survival in marked populations with possibly dependent sighting probabilities. *Biometrika* 68:531–541.
- SAS INSTITUTE. 1990a. SAS® Language: Reference, Vers. 6, 1st ed. SAS Institute, Inc., Carey, NC.
- SAS INSTITUTE. 1990b. SAS/STAT® User's Guide, Ver. 6, 4th ed., Vol. 2. SAS Institute, Inc., Carey, NC.
- SAS INSTITUTE. 1993. SAS/STAT® Software: Changes and Enhancements, Release 6.07. SAS Tech. Rep. P-229. SAS Institute, Inc., Carey, NC.
- SEBER, G. A. F. 1965. A note on the multiple recapture census. *Biometrika* 52:249–259.
- SEBER, G. A. F. 1973. Estimation of animal abundance and related parameters. Griffin, London, England.
- SEBER, G. A. F. 1982. The estimation of animal abundance and related parameters. Second edition. Macmillan, New York, NY.
- SEBER, G. A. F. 1986. A review of estimating animal abundance. *Biometrics* 42:267–292.
- SIMBERLOFF, D. 1987. The Spotted Owl fracas: mixing academic, applied, and political ecology. *Ecology* 68:766–772.
- SINCLAIR, A. R. E. 1989. Population regulation in animals. Pp. 197–241 in J. M. Cherrett (ed.), *Ecological concepts*. Blackwell Scientific Publ., Oxford, England.
- SISCO, C. L. 1990. Seasonal home range and habitat ecology of Spotted Owls in northwestern California. M.S. thesis. Humboldt State Univ., Arcata, CA.
- SKALSKI, J. R., A. HOFFMAN, AND G. S. SMITH. 1993. Testing the significance of individual- and cohort-level covariates in animal survival studies. Pp. 9–28 in J. D. Lebreton and P. M. North (eds.), *Marked individuals in the study of bird populations*. Birkhäuser Verlag, Basel, Switzerland.
- SMITH, D. R., AND D. R. ANDERSON. 1987. Effects of lengthy ringing periods on estimators of annual survival. *Acta Ornithol.* 23:69–76.
- SOKAL, R. R., AND F. J. ROHLF. 1981. *Biometry*. 2nd ed. W. H. Freeman and Co., San Francisco, CA.
- SOLIS, D. M., JR. 1983. Summer habitat ecology of Spotted Owls in northwestern California. M.S. thesis. Humboldt State Univ., Arcata, CA.
- SOLIS, D. M. AND R. J. GUTIÉRREZ. 1990. Summer habitat ecology of Northern Spotted Owls in northwestern California. *Condor* 92:739–748.
- SOUTHERN, H. N. 1970. The natural control of a population of Tawny Owls (*Strix aluco*). *J. Zool. London* 162:197–285.
- SOVERN, S. G., E. D. FORSMAN, B. L. BISWELL, D. N. ROLPH, AND M. TAYLOR. 1994. Diurnal behavior of the Spotted Owl in Washington. *Condor* 96:200–202.
- STOKES, S. L. 1984. The Jolly-Seber model applied to age-stratified populations. *J. Wildl. Manage.* 48: 1053–1059. (also see the corrigendum in *J. Wildl. Manage.* 49:282).
- TAYLOR, A. L., AND E. D. FORSMAN. 1976. Recent range expansion of the Barred Owl in western North America, including the first records for Oregon. *Condor* 78:560–561.
- TAYLOR, B. L., AND T. GERRODETTE. 1993. The uses of statistical power in conservation biology: the vulture and Northern Spotted Owl. *Conserv. Biol.* 7:489–500.
- TAYLOR, I. R., A. DOWELL, AND G. SHAW. 1992. The population ecology and conservation of Barn Owls (*Tyto alba*) in coniferous plantations. Pp. 16–21 in A. Galbraith et al. (eds.), *The ecology and conservation of European owls*. U.K. Nature Conservation No. 5, Joint Nature Conservation Committee, Peterborough, U.K.

- TEENSMA, P. D. A., J. T. RIENSTRA, AND M. A. YEITER. 1991. Preliminary reconstruction and analysis of change in forest stand age classes of the Oregon Coast Range from 1850 to 1940. USDI Bur. Land Manage., Oregon State Office, Tech. Note T/N OR-9.
- THOMAS, J. W., E. D. FORSMAN, J. B. LINT, E. C. MESLOW, B. R. NOON, AND J. VERNER. 1990. A conservation strategy for the Northern Spotted Owl. Report of the Interagency Scientific Committee to address the conservation of the Northern Spotted Owl. USDA For. Serv., USDI Bur. Land Manage., Fish and Wildl. Serv., and Natl. Park Serv. U.S. Government Printing Office 791-171/20026, Washington DC.
- THOMAS, J. W., ET AL. 1993a. Viability assessments and management considerations for species associated with late-successional and old-growth forests of the Pacific Northwest. The report of the Scientific Analysis Team. USDA For. Serv., Portland, OR.
- THOMAS, J. W., M. G. RAPHAEL, R. G. ANTHONY, E. D. FORSMAN, A. G. GUNDERSON, R. S. HOLTHAUSEN, B. G. MARCOT, G. H. REEVES, J. R. SEDELL, AND D. M. SOLIS. 1993b. Forest ecosystem management: an ecological, economic, and social assessment. Report of the Forest Ecosystem Management Assessment Team. USDA For. Serv. and USDI Bur. Land Manage., Portland OR.
- THOMPSON, F. R., III, AND E. K. FRITZELL. 1989. Habitat use, home range, and survival of territorial male Ruffed Grouse. *J. Wildl. Manage.* 53:15-21.
- TULJAPURKAR, S. D. 1982. Population dynamics in variable environments. 11. Correlated environments, sensitivity analysis, and dynamics. *Theoretical Pop. Biol.* 21:114-140.
- TULJAPURKAR, S. D., AND S. H. ORZACK. 1980. Population dynamics in variable environments, 1. Long-run growth and extinction. *Theoretical Pop. Biol.* 18:314-342.
- USHER, M. B. 1972. Developments in the Leslie matrix model. Pp. 29-60 in R. Jeffers (ed.), *Mathematical models in ecology*. Blackwell, Oxford, England.
- USDA. 1988. Final supplement to the environmental impact statement for an amendment to the Pacific Northwest regional guide, 2 Vols. USDA For. Serv., Portland, OR.
- USDA. 1989. Siskiyou National Forest land and resource management plan. USDA For. Serv., Grants Pass, OR.
- USDA. 1992. Final environmental impact statement on management for the Northern Spotted Owl in the national forests. USDA For. Serv., Portland, OR.
- USDA AND USDI. 1994a. Final supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the Northern Spotted Owl, 2 Vols. USDA For. Serv. and USDI Bur. Land Manage., Portland, OR.
- USDA AND USDI. 1994b. Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the Northern Spotted Owl. USDA For. Serv. and USDI Bur. Land Manage., Portland, OR.
- USDC. 1994. Climatological data annual summary, Oregon 1993. Vol. 99, No. 13. National Oceanic and Atmospheric Administration, U.S. Dep. Commerce, Asheville, NC.
- USDI. 1973. Threatened wildlife of the United States. USDI Fish and Wildl. Serv. Resource Publ. 114 (Rev. Resour. Publ. 34).
- USDI. 1990. Endangered and threatened wildlife and plants: determination of threatened status for the Northern Spotted Owl. *Fed. Register* 55:26114-26194.
- USDI. 1992a. Draft recovery plan for the northern spotted owl. U.S. Dep. Interior, Washington, DC.
- USDI. 1992b. Final draft recovery plan for the Northern Spotted Owl, 2 Vols. U.S. Dep. Interior, Washington, DC.
- USDI. 1994. Desert tortoise (Mojave population) recovery plan. USDI Fish and Wildl. Serv., Portland, OR.
- USDI BUREAU OF LAND MANAGEMENT. 1992a. Roseburg District resource management plan and environmental impact statement. Draft. Vol. 1. Roseburg, OR.
- USDI BUREAU OF LAND MANAGEMENT. 1992b. Salem District draft resource management plan and environmental impact statement, 2 Vols. USDI Bur. Land Manage., Salem, OR.
- USDI BUREAU OF LAND MANAGEMENT. 1995. Final Medford District resource management plan and environmental impact statement. Vol. 1. USDI Bur. Land Manage., Medford, OR.
- VAN BALLEMBERGHE, V. 1983. Rate of increase of white-tailed deer on the George Reserve: a re-evaluation. *J. Wildl. Manage.* 47:1245-1247.
- VAN HORNE, B. 1983. Density as a misleading indicator of habitat quality. *J. Wildl. Mange.* 47:893-901.
- VERNER, J., R. J. GUTIÉRREZ, AND G. I. GOULD. 1992. The California Spotted Owl: general biology and ecological relations. Pp. 55-78 in J. Verner, K. S. McKelvey, B. R. Noon, R. J. Gutierrez, G. I. Gould, Jr., and T. W. Beck (tech. coords.), *The California spotted owl: a technical assessment of its current status*. USDA For. Serv. Gen. Tech. Rep. PSW-GTR-133.
- VICKERY, P. D., M. L. HUNTER, JR., AND J. V. WELLS. 1992a. Is density an indicator of breeding success? *Auk* 109:706-710.
- VICKERY, P. D., M. L. HUNTER, JR., AND J. V. WELLS. 1992b. Use of a new relationship index to evaluate relationship between habitat quality and breeding success. *Auk* 109:697-705.
- WARD, J. P., JR. 1990. Spotted Owl reproduction, diet and prey abundance in northwest California. M.S. thesis. Humboldt State Univ., Arcata, CA.
- WARD, J. P., A. B. FRANKLIN, AND R. J. GUTIÉRREZ. 1991. Using search time and regression to estimate abundance of territorial Spotted Owls. *Ecol. Appl.* 1:207-214.
- WEDDERBURN, R. W. M. 1974. Quasi-likelihood functions, generalized linear models, and the Gauss-Newton method. *Biometrika* 61:439-447.
- WHITE, G. C. 1983. Numerical estimation of survival rates from band-recovery and biotelemetry data. *J. Wildl. Manage.* 47:716-728.
- WILSON, R. R., M. P. WILSON, AND J. W. DURKIN.

1986. Breeding biology of the Barn Owl (*Tyto alba*) in central Mali. *Ibis* 128:81–90.
- ZABEL, C. J., K. MCKELVEY, AND J. P. WARD, JR. 1995. Influence of primary prey on home range size and habitat use patterns of Spotted Owls (*Strix occidentalis*). *Can. J. Zool.* 73:433–439.
- ZAR, J. H. 1984. Biostatistical analysis, 2nd edition. Prentice-Hall, Englewood Cliffs, New Jersey, USA.