Fall 2009 Overview and Report

By Craig Caldwell

1270 W. Melrose Dr. Westlake, OH 44145 craig_caldwell@sbcglobal.net

Many record-high temperatures were set in early and mid-August and in late October, and a few in November. Scattered record-lows occurred around the end of August, the end of September, and the middle of October. None of the records, however, deviated much from the previous highs and lows. Rainfall was a different story: much heavier than normal rains across the north-central part of the state during the third week of August resulted in some new daily records that were triple the old ones. Similar rains in the Ohio Valley during the second week of September produced at least one record that was five times the previous high for the day. October saw heavy rains, up to triple the normal amount, in the western two-thirds of the state. Rainfall otherwise was about normal or moderately lower than usual. The only snow was an overnight fall of up to two inches in the far northeast corner of the state (records gleaned from http://www.weather.gov and http://www.extremeweather.com).

This year's migration appeared normal, if the term can be applied to such a variable phenomenon. Most species arrived or departed at the expected times and in expected numbers. However, see the accounts for American White Pelican, American

Avocet, the three phalaropes, Yellow-bellied Flycatcher, and Red-breasted Nuthatch for some notable exceptions to the general pattern.

Waterfowl observations were greatly expanded this year by a series of Lake Erie survey flights conducted by the Division of Wildlife. Phenomenal counts were obtained of several species, such as Redhead, scaup, Common Loon, and Double-crested Cormorant.

The 2008 shorebird bonanza was not repeated because the wetland near Bellevue that flooded then did not flood again. Nevertheless, respectable numbers of all the expected species were found. The Conneaut flats, Hoover Reservoir, the south beach of East Fork Lake, Pickerel Creek Wildlife Area, and the state fish hatchery at Grand Lake St. Marys remain reliable sites for seeing these migrants.

Warbler sightings were numerous and widespread, though few extremes were noted. The much-sought Le Conte's and Nelson's sparrows were thick along Mentor Marsh's Wake Robin Trail, where *Phragmites* had been cut back to allow bird-friendly vegetation to grow. Fall sightings of winter finches were at low ebb following the invasion of 2008–2009.

The sightings described in the Species Accounts are drawn from three sources. First are the many reports provided directly to *The Ohio Cardinal*; these range from notes about a few unusual sightings to Microsoft Excel files containing the observer's entire record of the four months. The second source is the state listsery, "Ohio-birds" (http://birdingonthe. net/mailinglists/OHIO.html); postings there tend to emphasize the more highly sought species and so are mined primarily for those data. The third

source is eBird (http://ebird.org). A complete "dump" of all entries for the season yielded almost 69,000 individual records. Fortunately, this dataset is an Excel file and can easily be sorted to find early and late dates, maximum numbers, and other data.

Ohio's birds can be divided into two categories, Core List and Review List species. Core species are, in practical terms, those that occur annually or once did. Review species are found less than annually, or their annual occurrence has only been for a few recent years. The Ohio Bird Records Committee (OBRC) maintains these lists and is the repository of the documentation supporting them.

All but 12 of Ohio's 295 "core" species were reported, 50% more "misses" than in fall 2008. Nineteen review species were reported, six more than last year. One of them, Ruddy Shelduck, is undoubtedly an escapee or hatchery release. It is included because it is a curiosity, but its status could change within the state. Trumpeter Swan is included because, despite the fact that they breed in the state, there are as yet no documented occurrences of truly wild birds in Ohio since introduction efforts began in the midwestern states. Review species' names are underlined in the species accounts. Reports whose documentation has been accepted by the OBRC include the names of the observers; those for which no documentation was submitted or whose documentation was not considered sufficient are listed anonymously.

No documentation was submitted to the OBRC for seven of the review species listed. The committee urges birders to report all sightings of Review List species, of Core List species found at unusual times, of nesting by birds previously not known to nest in the state, and of course sightings of birds never before found in Ohio. Information on how to document rarities is available at http://www.ohiobirds.org/records/ documentation.php.

Taxonomic order and nomenclature are those of the Check-List of North American Birds, 7th Edition (1998) as updated through the 50th Supplement (2009). This document is published by the North American Classification Committee of the American Ornithologists' Union and is available at http://www.aou.org/ checklist/north/print.php. County names are in bold italics. Shortened names and a few sets of initials are used for locations and for three organizations that occur repeatedly; these abbreviations are listed below. The term "fide" is used in some citations; it means "in trust of" and is used where the reporter was not the observer.

Big Island = Big Island Wildlife Area, *Marion*

BSBO = Black Swamp Bird Observatory

BRAS = Black River Audubon Society
Buck Creek = Buck Creek State Park,
Clark

Caesar Creek = Caesar Creek State
Park. *Warren*

Cedar Point = Cedar Point National Wildlife Refuge, *Lucas*

Clear Fork = Clear Fork Reservoir,

Morrow and Richland

Conneaut = the mudflats to the west of Conneaut Harbor, *Ashtabula* CVNP = Cuyahoga Valley National Park, Summit and Cuyahoga East Fork = East Fork State Park, Clermont

Headlands = Headlands Dunes State Nature Preserve, Headlands Beach State Park, and adjoining waters, *Lake*

Hueston Woods = Hueston Woods State Park including Acton Lake, **Butler** and **Preble**

Killbuck Marsh = Killbuck Marsh Wildlife Area, *Wayne* and *Holmes*

Killdeer Plains = Killdeer Plains

Wildlife Area, **Wyandot** Magee = Magee Marsh Wildlife Area, **Ottawa** and **Lucas**

Miami Whitewater = Miami
Whitewater Forest, *Hamilton*Mill Creek = Mill Creek Wildlife
Sanctuary, *Mahoning*m. obs. = multiple observers

Navarre = Navarre Marsh Unit of Ottawa National Wildlife Refuge, **Ottawa**

OBBA II = Ohio Breeding Bird Atlas II ONWR = Ottawa National Wildlife Refuge, **Lucas** and **Ottawa** OWU = Ohio Wesleyan University,

Delaware

Pickerel Creek = Pickerel Creek Wildlife Area, **Sandusky** Pipe Creek = Pipe Creek Wildlife Area, **Erie**

Rocky Fork = Rocky Fork State Park, *Highland*

Shawnee Lookout = Shawnee Lookout County Park, *Hamilton* Springville Marsh = Springville Marsh State Nature Preserver, *Seneca* Willow Point = Willow Point Wildlife Area, *Ottawa*

Winous Point = Winous Point Shooting Club, **Ottawa** **Greater White-fronted Goose:** Single birds were seen in Wellington, *Lorain*, on 25 Oct (Clyde Witt) and at the Hoover Reservoir dam, *Franklin*, on 10 Nov (Ruth Richards).

Snow Goose: The earliest report was of one seen 31 Aug in Millersburg, *Holmes* (Bruce Glick); small numbers were reported through the end of the period from several other counties in the northern half of the state. The high count was 45, mostly the blue morph, at Headlands on 05 Nov (Jerry Talkington).

Ross's Goose: One was seen at Pickerington Ponds on several dates between 16 and 25 Oct (Dave Slager, Ben Warner). One was at Mount Gilead State Park, *Morrow* on 01 Nov (Earl Boehm) and two (one of which was the blue morph) were at Seneca Lake, *Noble*, on 08 Nov (Thais and Drue Tepper).

Brant: One stayed at Conneaut 23 Sep to 06 Oct and four were there 15 Oct (Craig Holt, Mark Vass). Gabe Leidy saw one fly past the mouth of the Huron River, *Erie*, on 10 Oct and Jerry Talkington found five at Headlands on 25 Oct.

Cackling Goose: Five 'Richardson's' were at Conneaut on 08 Oct (Craig Holt). A single bird consorted with Canada Geese in Findlay, *Hancock*, on 23 Oct (Dave Vander Pluym); eight were at Kauser Wetland, *Paulding*, on 31 Oct (Doug and Micki Dunakin); and one was in Perrysburg, *Wood*, on 28 Oct and 04 Nov (Claire Britton).

Canada Goose: Several counts from areas adjoining Lake Erie exceeded 500, and the high was 1,350 along the

Port Clinton beachfront on 04 Nov (Kenn Kaufman). There were many reports of smaller numbers from over 60 inland counties.

Mute Swan: These were found in scattered locations throughout the period. The highest count was 10, at Lake Logan State Park, *Hocking*, on several dates (Todd Deal) and Metzger Marsh on 16 Oct (Kenn Kaufman).

Trumpeter Swan: Most of the sightings were in the western Lake Erie marshes; the ONWR banding teams found two to four almost daily from mid-Aug through Sep (Tom Bartlett, m. obs.), and 37 were counted during the 04 Oct census (fide Aaron Bartley). Inland, single birds were seen 10 Oct and 29 Nov in *Wayne* (Su Snyder) and several were at Killdeer Plains on 14 Nov (Craig Caldwell). There are, as yet, no documented occurrences of wild Trumpeter Swans in Ohio since introduction efforts began in the midwestern states.

Tundra Swan: The earliest reports of these migrants were on 01 Nov: the ONWR census counted 60 (fide Aaron Bartley) and Chris Decker found 14 at Silver Creek Metro Park, **Medina**. Flocks were seen in the northern half of the state through the end of the period, with a high count of 1,200 in Sandusky Bay near the Cedar Point Amusement Park, **Erie**, on 22 Nov (Rob and Sandy Harlan).

Ruddy Shelduck: One that almost surely had escaped from an aviary but is of interest nonetheless was reported 20, 22, and 30 Aug from Big Island, and what is assumed to be the same bird was reported 03, 08, and 14 Nov from Killdeer Plains (m. obs.).

Wood Duck: These were reported from over 40 counties. They were seen throughout the period and the high count was 174 on the 24 Oct census at Cedar Point (Elliot Tramer).

Gadwall: This species was reported beginning 10 Sep at Conneaut (Clyde Witt); the high count was 1,230, also on the 24 Oct census at Cedar Point (Elliot Tramer).

American Wigeon: The earliest report was of one at Conneaut on 02 Aug (Mark Vass) and they were seen through the end of the period. The high count was 500 on the 01 Nov ONWR census (fide Aaron Bartley).

American Black Duck: With 25 counties represented, a few were reported in Aug and moderate numbers from Sep to the end of the period. The high count was 143 at Cedar Point on 24 Oct (Elliot Tramer).

Mallard: This species was seen throughout the state and period. The western Lake Erie marshes had several counts of 1,000 to 2,000 in Oct (m. obs.) and Winous Point held an estimated 3,000 on 11 Oct (Tom Bartlett and Shane Roberts). Inland, Pickerington Ponds had up to 300 on several dates in Oct (Dave Slager) and more than 500 were at Winton Woods County Park, *Hamilton*, on 25 Oct (Kirk Westendorf).

[American Black Duck x Mallard]: There were 10 reports of one or two individuals of this hybrid in Oct and Nov.

Blue-winged Teal: A sighting of 70 at Pickerel Creek on 15 Aug was an early high number (Doug Overacker).

Tom Bartlett and Shane Roberts found 350 at Winous Point on 30 Sep and 11 Oct. Smaller numbers were reported from nearly 30 other widely distributed counties.

Northern Shoveler: Small numbers were found throughout the state, starting with four at Conneaut on 19 Aug (fide BRAS). The largest flocks were of 44 in *Hancock* on 28 Sep (Betty Hardesty) and 60 at Mosquito Lake, *Trumbull*, on 01 Nov (Craig Holt).

Northern Pintail: Small numbers were reported from 17 counties. Magee Marsh held 220 on 20 Sep (Kenn Kaufman) and a phenomenal 527 were counted at Cedar Point on 24 Oct (Elliot Tramer).

Green-winged Teal: The earliest report was of two at Conneaut on 08 Aug (Craig Holt). Approximately 125 were at Sandy Ridge Metropark, *Lorain*, on 20 Sep (Rob and Sandy Harlan); and Bill Jones found 150 to 250 at Mill Creek during several Oct visits; and the 01 Nov ONWR census counted 205 (fide Aaron Bartley). They were reported from more than 30 other counties as well.

Canvasback: The few reported directly to *The Ohio Cardinal* were one at Navarre on 18 Oct (BSBO); three at Wellington Reservoir, *Lorain*, on 01 Nov (Su Snyder); 16 in *Hancock* on 28 Nov (Betty Hardesty); and one at Berlin Reservoir, *Mahoning*, on 30 Nov (Craig Holt). A flock of 38 at Bressler Reservoir, *Allen*, on 18 Oct, was among those posted on the state listserv (Rick Asamoto). Five hundred were counted on the 23 and 24 Nov Lake Erie aerial survey (Keith Lott).

Redhead: The earliest was a single bird at Big Island on 30 Aug (Megan Shoemaker); the next reports were from *Hancock* on 28 Sep (m. obs.). Small numbers were reported from a few other counties through the end of the period. More than 1,300 were counted on Lake Erie during the 23 and 24 Nov aerial survey (Keith Lott). A single flock of approximately 150 was seen 30 Nov at Crooked Run State Park, *Brown* (Suzanne Clingman).

Ring-necked Duck: Leo Deininger reported one was present at Shaker Lakes, Cuyahoga, "...all summer until 16 Sept!" Up to eight were seen at the Sewage Lagoons, *Paulding*, from 20 Aug through Sep (Doug and Micki Dunakin). They were widely reported statewide in moderate numbers through the end of the period. The high count of 624, at Cedar Point, was on 24 Oct (Elliot Tramer), and the highest count away from Lake Erie was over 300 in Winton Woods County Park, Hamilton, on 07 Nov (Jay and Jack Stenger).

Greater Scaup: The earliest was on Findlay Reservoir, Hancock, on 17 Oct (Lauren Harter). There were a few other Oct and Nov sightings of one or two birds, and eight were at Mosquito Lake, *Mahoning*, on 25 Nov (Craig Holt).

Lesser Scaup: This species was first reported 06 Sep at the Grand Lake St. Marys hatchery, *Auglaize* (Chris and Ben Bowers); the next reports were from Conneaut and ONWR on 04 Oct (m. obs.). They were seen in numbers up to about 50 in 25 counties through the end of the period.

scaup sp.: Comprehensive surveys of Lake Erie, begun this year, found very large flocks of waterfowl out of sight of land. An example is the 75,000 scaup estimated in Maumee Bay on 24 Nov (Keith Lott). It is of course impossible to identify these scaup to species level from a moving plane.

Harlequin Duck: Jerry Talkington saw a single bird on 01, 03, and 05 Nov at Headlands.

Surf Scoter: One was found on 08 Oct at Bressler Reservoir, *Allen* (Rick Asamoto). Small numbers were reported from several Lake Erie vantage points in Nov; the high was nine in *Cuyahoga* on 20 Nov (Clyde Witt). Other inland records come from Mosquito Lake, *Trumbull*, on 01 and 25 Nov (Craig Holt); Millersburg, *Holmes*, on 06 Nov (Diane Van Schoyck); and Wellington Reservoir, *Lorain*, on 16 Nov (Su Snyder).

White-winged Scoter: The first was seen at Conneaut on 15 Oct (Craig Holt). One was near the *Cuyahoga* shore on BSBO's 08 Nov inaugural Lake Erie pelagic cruise (John Pogacnik, m. obs.). Other single birds were seen at Sims Park, *Cuyahoga*, on 17 and 28 Nov (Nancy Anderson) and three were at the Eastlake power plant, *Lake*, on 28 Nov (Gabe Leidy and Emil Bacik).

Black Scoter: Sightings were regular throughout Nov at Sims Park, *Cuyahoga*, with a high count there of 18 on 21 Nov (Nancy Anderson, m. obs.). Small numbers were also seen at *Ashtabula*, *Lake*, and other *Cuyahoga* sites. Inland reports came from Pine Lake, *Mahoning*, on 05 Nov, Berlin Reservoir, *Portage*, on

30 Nov (both Craig Holt), and Bresler Reservoir, *Allen*, on 22 Nov (Rick Asamoto).

Long-tailed Duck: A male and female were at Sims Park, *Cuyahoga*, on 14 Nov (Nancy Anderson). Three flew past Lakeshore Reservation, *Lake*, on 27 Nov (John Pogacnik) and four were at the Eastlake power plant, *Lake*, on 28 Nov (Gabe Leidy and Emil Bacik). The 27 and 29 Oct aerial survey found 31 on Lake Erie (Keith Lott).

Bufflehead: One seen at Mercer Wildlife Area, *Mercer* (Chris and Ben Bowers) and two at Stokely Ponds, *Paulding*, on 20 Aug (Doug and Micki Dunakin) might have summered in those places. Migrants were seen from 25 Oct at Wellington Reservoir, *Lorain* (Clyde Witt), and through the end of the period at multiple sites. The high count was 416 on the 21 Nov Kelleys' Island census (Tom and Paula Bartlett).

Common Goldeneye: The earliest were two at Nesmith Lake, *Summit*, on 04 Nov (Gregory Bennett), and the high count was 41 at Kelleys' Island on 21 Nov (Tom and Paula Bartlett). Single birds were seen further inland, in *Richland* on 19 Nov (Su Snyder) and *Franklin* on 21 Nov (Dave Slager).

Hooded Merganser: The few seen at Pickerel Creek and ONWR in Aug were probably breeders; the one at Conneaut during that period is more of a question mark (m. obs.). Migrants were seen in almost 30 widely separated counties starting in early October; the high count was 150 in *Trumbull* on 14 Nov (Clyde Witt).

Common Merganser: One at Findlay Reservoir, *Hancock*, on 11 Aug could have been a non-breeding summer holdover (Betty Hardesty). The earliest migrants, a flock of 27, flew over Conneaut on 22 Aug (Tim Lenz, m. obs.). Small numbers were reported from September to the end of the period from those same sites and four other counties (m. obs.). The three seen on the Ohio River from *Clermont* on 19 Nov, although officially in Kentucky, are the only ones reported from the south (Deborah Hausrauth).

Red-breasted Merganser: The earliest report was of a single bird at Conneaut on 30 Sep (Craig Holt). Numbers built through Oct to the high count of 5,000 on both the 15 Nov Lake Erie cruise (m. obs.) and on 19 Nov at Wildwood, *Cuyahoga* (David Kriska, m. obs.) They were also reported from 16 other counties as far south as *Clermont*.

Ruddy Duck: This species was reported from 28 counties throughout the state. The earliest report was of seven at Clear Fork Reservoir, *Richland*, on 11 Oct (John Herman). The high count was approximately 2,500 at Bresler Reservoir, *Allen*, on 14 Nov (Andy Sewell).

Northern Bobwhite: Three reports were gleaned from eBird: on 02 Aug, three were seen in **Brown** (Joshua Eastlake); one was in **Hancock** on 14 Sep (Rick Aracil and Lauren Harter); and one was at Twin Creek Park, **Montgomery**, on 25 Sep (John Hull).

Ring-necked Pheasant: One or two were reported on various Nov dates in *Darke*, *Fayette*, *Franklin*,

Greene, Holmes, Mahoning, Paulding, Portage, Warren, and Wyandotte (m. obs.). Linda Kurth saw a group of seven outside Weston, Wood, on 18 Nov.

Ruffed Grouse: The sole records of live birds are of one heard drumming near Trail, *Holmes*, on 01 Aug (James F. Yoder) and an eBird report of one at an *Ashtabula* farm on 09 Sep (Sean Artman). One was found dead in *Mahoning* on 06 Oct (Ben Morrison).

Wild Turkey: Reported in 34 counties, with dates throughout the period. Hens with poults were seen in *Hancock* (Robert Sams) and *Trumbull* (David and Judy Hochadel), both on 04 Aug. There were many counts in the teens and a few exceeded 20; the high count was 40 near Grafton, *Lorain*, on 18 Nov (Geoff Winningham).

Red-throated Loon: At least 12 were sighted, all in Nov, in contrast to only four in the fall of 2008. About half of the reports were from Lake Erie (Ashtabula, Cuyahoga, and Lake, m. obs.), and inland reports were from as far south as Caesar Creek, where one was found 19 Nov (Jason Cade). The only count exceeding three was 13 on the 23 Nov aerial survey of Lake Erie (Keith Lott).

Common Loon: Reports came from almost 30 counties throughout the state. A single bird in breeding plumage flew past Headlands on 25 Aug (Ray Hannikman); there were scattered reports in Sep and Oct, but as usual most of the sightings were in Nov. Kevin Lott reported 300 on Lake Erie north of downtown Lorain

during the 24 Nov aerial survey, and more than 1,000 total on the lake for that day and 23 Nov combined. The high inland count of over 400 was at Caesar Creek on 19 Nov (Jason Cade).

Pacific Loon: One was reported in a large flock of Common Loons off Rocky River Park, *Cuyahoga*, on 19 Nov. The record was not accepted by the OBRC because the majority of the committee believed that the reported details did not rule out other species.

Pied-billed Grebe: These were reported from 41 counties, starting with presumed breeders on 01 Aug in several locations. Many reports were from the Lake Erie marshes but most of the birds were found at inland sites. The high count was 55 at the *Hardin* wetlands on 09 Oct (Randy Shonkwiler).

Horned Grebe: This species, like Pied-billed Grebe, was widely distributed. The earliest report was of a single bird at Caesar Creek on 29 Sep (Laura Keene). Keith Lott reported 221 on Lake Erie between Cleveland and Conneaut on the 05 Nov aerial survey, and the highest inland count was 36 on 18 Nov at Alum Creek Reservoir, *Delaware* (Bill Shively).

Red-necked Grebe: A single bird was reported on 14 Nov at Camp Luther, *Ashtabula* (Jeffrey Miller). On 28 Nov, one was at Pleasant Hill Lake, *Richland* (Gary Cowell and Su Snyder) and two at Cowan Lake, *Clinton* (Bob Powell). There were solo sightings on Lake Erie near Conneaut on several Nov dates, so it is hard to know how many individuals were actually seen.

Eared Grebe: Two birds were seen at Bressler Reservoir, *Allen*, on five dates between 18 Oct and 22 Nov (Rick Asamoto).

Aechmophorus sp.: An individual of this genus was reported at Lake Rockwell, **Portage**, on 26 Nov (Karin Tanquist and Pat McCoy). The observers were unable to determine whether it was a Western or Clark's Grebe, and their documentation was accepted by the OBRC at the genus level.

American White Pelican: In contrast to 2008's multiple reports, only one was seen this year. This bird, reported 21 Aug at Grand Lake St. Mary's, *Mercer*, was apparently a straggler from the six reported there in Aug, 2008, as at least one had been seen intermittently during the intervening year (Jill Bowers).

Double-crested Cormorant:

These were reported in small numbers statewide throughout the period. The highest counts by land-bound observers were 753 on the 21 Nov Kelleys' Island survey (Tom and Paula Bartlett) and approximately 1,700 flying southward over the City of Delaware water treatment plant, **Delaware**, on 17 Oct (Bill Shively). The aerial Lake Erie survey counted over 11,000 between Toledo and Cleveland on 14 Oct (Keith Lott).

American Bittern: The three sightings reported directly to *The Ohio Cardinal* were of single birds 02 Sep at Mentor Lagoons, *Lake* (Ray Hannikman and Jerry Talkington); 27 Sep at Ellis Lake Wetlands, *Warren* (Mike Busam); and 27 Oct along the Wake Robin Trail, *Lake* (Jerry

Talkington and Suzanne Wagner). Sightings from other sources included one at each of ONWR on 02 Aug (Ed Pierce, m. obs.); Highbanks Metro Park, **Delaware**, on 29 Aug (Matt Brooker); ONWR on 12 Sep (Claire Britton); a **Geauga** yard on 28 Sep (Inga Schmidt); and in western **Richland** on 17 Oct and 22 Nov (Albert L. Troyer).

Least Bittern: Two were found 02 Aug in ONWR (Ed Pierce, m. obs.). Single birds were at Ira Road in CVNP on 03 Aug (Tom and Mary Ann Romito), at Cedar Point on 25 Aug (Elliot Tramer), and in **Delaware** on 27 Aug (Al La Sala). At least one was often seen at Conneaut from mid-Jul to 19 Aug (Craig Holt, m. obs.).

Great Blue Heron: These were reported statewide throughout the period. Most reports were of five or fewer birds, though there were many counts in double digits. The high count was 123 on 19 Sep ONWR census (*fide* Aaron Bartley).

Great Egret: This species was widely reported from the beginning of the period through Oct, with a few Nov sightings. More than 800 were counted on the 11 Aug ONWR survey (Tom Bartlett, m. obs.).

Snowy Egret: Almost all of the sightings were in the lakeside marshes of *Erie, Lucas, Ottawa*, and *Sandusky*. The high count of 30 was at ONWR on 11 Aug (Tom Bartlett, m. obs.). Two were seen in Winton Woods County Park, *Hamilton*, on 27 Sep (John Marvin) and one was at Shawnee Lookout on the same date (Joe Kappa). The last was seen near the ONWR Visitor Center on 13 Oct (Randy Shonkwiler).

Little Blue Heron: Single immature birds were seen 12 Aug at Lake Logan, **Hocking** (James Fry); 15 Aug at ONWR (Doug Overacker); 24 Aug at Pickerington Ponds (Su Snyder): and 29 Aug at Three Creeks Metro Park, *Franklin* (Dave Slager). The Lake Logan bird was seen repeatedly until 11 Sep, on which date two were present (m. obs.). There were several sightings at Pickerel Creek in Aug and Sep, and an adult was seen at Three Creeks Metro Park. Franklin, on 13 Sep (Kim and Ed Dolgin). The only count exceeding one was of five at ONWR on 06 Aug (Charles Crawford).

Cattle Egret: Gabe Leidy and Emil Bacik watched eight leave the Turning Point Island roost, *Erie*, at dawn on 21 Aug. Three were in *Sandusky* on 24 Aug (Su Snyder). Singles were found in *Harrison*, *Knox*, *Lake*, *Montgomery*, and *Richland* (m. obs.) until the last in *Holmes* on 20 Nov (Paul Hershberger).

Green Heron: These were reported in 38 widely distributed counties. Most reports were of one or two birds, but Laura Keene found 20 at Englewood Preserve, *Montgomery*, on 08 Aug and Bill Jones found the same number at Mill Creek on 21 Aug. The latest was 08 Nov at the Cleveland Flats, *Cuyahoga* (Wes Hatch).

Black-crowned Night-Heron:

Most of the reports were of multiple birds. Two to four were present from mid-Aug to mid-Sep at Mill Creek (Bill Jones), and Craig Holt said they were, "...a constant presence at Conneaut 8/27-11/10". The high count of 20 at ONWR on 14 Aug (Kenn Kaufman), and reports came from ten counties in addition to the three noted.

Black Vulture: As would be expected, almost all of the reports were from the southern half of the state. Butler, Clermont, Hamilton, Preble, and Warren each had several sightings, and one or two reports came from 13 other counties. The small northeastern population was represented by four in Mohican State Forest, Ashland, on 09 Sep (Gary Cowell) plus several sightings in Holmes (m. obs.). The high count was 70 at a roost in Hueston Woods on 27 Nov (Jay Stenger, m. obs.).

Turkey Vulture: This species was reported from almost 70 counties. Seventy-five presumed residents were at Hoover Reservoir, Franklin, on 22 Aug (Dave Slager). Migration produced much larger numbers. Elliot Tramer wrote about *Lucas*, "A stupendous flight took place over the Toledo area on October 15. It was a miserable, drizzly, cold day with a low cloud ceiling - hardly good weather for a raptor flight, or so I thought. I counted 1,287 vultures with very limited viewing time... [and] Steve Stockford counted over 3,000 at Oak Openings Preserve Metropark (OOPM) that day."

Osprey: Reports were too plentiful to detail all of them, good news for those who remember the Osprey's plight during the DDT period. Most of the sightings, which were from 34 widely-dispersed counties, were of one or two birds, but a few larger concentrations were reported. For instance, Ken Ostermiller saw six at Pickerington Ponds on 01 Aug; Bob Herp noted an apparent family of five in Parkman, *Geauga*, on 02 Aug; and Jay Stenger's party saw six at Shawnee Lookout on 04 Oct. The latest report was of

one at the Upper Sandusky Reservoir, **Wyandot**, on 21 Nov (Josh Muchow), three weeks after the penultimate season sighting.

Mississippi Kite: Gerry Klug reported seeing one flying over Toledo, *Lucas*, on 30 Oct. The OBRC accepted the record from his detailed description of the event.

Bald Eagle: Almost 40 counties were noted in the reports, with seemingly every major body of water hosting one or more birds. As expected, the counties near Lake Erie were well represented, but a surprise was the high numbers at Conneaut. Nine were present there on 21 Aug (Craig Holt) and this count equaled the highest from the western Lake Erie marshes. Inland Ohio was also included, with sightings, for example, in *Clinton*, *Franklin*, *Hamilton*, *Paulding*, and *Wayne*.

Northern Harrier: This rare nester was reported 01 Aug from *Richland* (Carl Ball). Reports of one or two birds were scattered throughout the state from mid-Aug to the end of the period. The high count was seven seen on 30 Aug at the *Hardin* wetlands (Richard Counts); this seems early for that area's typical wintering concentration.

Sharp-shinned Hawk: One or two were reported in 30 counties. Although the Aug and early Sep sightings probably included resident birds, the high count of seven at Gorman Nature Center, *Richland*, on 11 Oct (Gary Cowell) and the latest report, near Lebanon, *Warren*, on 27 Nov (René and Bill Layne-Magill) more likely represented migrants.

Cooper's Hawk: This species was widespread and found in suburban areas as well as in wilder places. Al La Sala discovered recently fledged young in southern *Delaware* on 09 Aug. The high count was 12 at Gorman Nature Center, *Richland*, on 11 Oct (Gary Cowell).

Northern Goshawk: A sighting in the Aullwood area, *Montgomery*, on 05 Oct was earlier than usual *(fide* Ed and Bev Neubauer), whereas 14 Nov was a more typical date for the bird that Jeffrey Miller's group saw at Conneaut.

Red-shouldered Hawk: Craig Holt noted that immature birds found during Aug in Ashtabula and Mahoning were "signs of nesting success in far NE Ohio." They were reported from 24 other counties. The nine in CVNP on 12 Sep (Dwight Chasar, m. obs.) and the five at Caesar Creek on 13 Sep (Jason and Neill Cade) probably included some migrants.

Broad-winged Hawk: The sightings of this species were nearly all, as expected, in Aug and Sep, with a few to mid-Oct. Mid-Sep is its peak migration time at this latitude, so the 604 that Elliot Tramer counted in 45 minutes at Oak Openings, *Lucas*, on 16 Sep were right on schedule. The single bird at Buck Creek on 08 Nov was very late (Doug Overacker).

Red-tailed Hawk: The 67 counties from which these were reported span the state. There were six Aug reports of "flightless young" submitted to the Ohio Breeding Bird Atlas II (*fide* Matthew Shumar); that category includes fledged young still dependent

on their parents. Most reports were of one or two birds, but the 13 seen on 04 Oct at Shawnee Lookout, *Hamilton*, is an impressive number for a relatively small area (Jay Stenger, m. obs.). The 12 Sep CVNP census found 20 (Dwight Chasar, m. obs.), and a hawk-watching trio near Walnut Creek, *Holmes*, counted 42 on 01 Nov (Leon Miller, m. obs.).

Rough-legged Hawk: Three sightings were reported directly to *The Ohio Cardinal*: birds were found in *Hamilton* on 15 Nov (Dan Striley), in *Summit* on 17 Nov (Dwight and Ann Chasar), and in *Highland* on 22 Nov (Dave Slager). At least 10 more were submitted to *The Bobolink* and eBird, from which the earliest sighting and high counts were gleaned. These were, respectively, one bird near Walnut Creek, *Holmes*, on 11 Oct (James F. Yoder and Mark Yoder) and four in *Geauga* on 29 Nov (Matthew Valencic).

Golden Eagle: Eight reports came from The Bobolink, eBird, and the state listserv. Carl Ball saw one in Ottawa on 10 Oct. no doubt southbound. and Cheryl Harner saw one at the Charleston Falls Preserve, Miami, on 28 Nov. One was seen in **Holmes** on each of 18 Oct and 01 Nov (Michael Hershberger and Allen Hershberger) and two were southbound in **Tuscarawas** on 20 Oct (Hallie Mason). Two sightings at The Wilds, **Muskingum**, were probably the same bird; one was 27 Nov (Scott Albaugh) and the other 29 Nov (Craig Moore).

American Kestrel: There were reports throughout the state during the period, perhaps evidence of a

slight increase in their population. One was noted regularly at Armleder Park, *Hamilton* (m. obs.). Craig Holt noted six in three Ashtabula townships in August, which he hopes indicates breeding success. Some other high counts were five at Funk Bottoms, *Wayne*, on 02 Sep (Su Snyder) and five at Killdeer Plains on 14 Nov (Doug Overacker); the latter were likely settling in for the winter.

Merlin: This species was widespread, being reported from 23 counties. The earliest was a pair at Holden Arboretum, *Lake*, on 15 Aug (Haans Petruschke), and the number of sightings increased into Nov. Cemeteries in *Cuyahoga*, *Hamilton*, and *Trumbull* hosted them beginning in early Oct (m. obs.).

Peregrine Falcon: Urban and suburban residents were noted in several counties throughout the period (m. obs.). More rural Sandy Ridge Metropark, *Lorain*, and the Boston area of CVNP also had sightings in all four months (m. obs.) Many northern counties had sightings of one or two starting in Sep, though *Preble* and *Clermont* were also represented.

Yellow Rail: One was first seen 19 Oct at the farm of Tim Hochstetler, Holmes. Dan Sanders first publicized it on the state listserv two days later, and on 22 Oct Gabe Leidy obtained an excellent photograph that, with his accompanying detailed report, made it easy for the OBRC to accept the record. Unfortunately, the bird had lost a leg during hay mowing, though it appeared to be coping with the injury. Gabe's sighting seems to have been the last.

King Rail: Single birds were seen at Winous Point on 20 Aug (Robert Sams) and Navarre on 24 Aug (BSBO).

Virginia Rail: These were seen on 03 Aug at Killbuck Marsh and 03 Oct at Headlands (both Dave Slager and Ben Warner). BSBO had multiple sightings at Navarre in Aug and Sep. Brad Sparks found three along the Mentor Marsh Wake Robin Trail, Lake, on 17 Oct, and the last report was of one at Ira Road in CVNP on 02 Nov (Tom and Mary Ann Romito).

Sora: Up to five birds were regular at Conneaut in August (Craig Holt, m. obs.) and one was seen at Mill Creek on many dates into Sep (Bill Jones). There were single sightings in six other counties, and the latest were on 03 Oct at widely separated Mentor Marsh, *Lake* (Chris Pierce), and Fernald Nature Preserve, *Hamilton* (John Marvin).



Due to an unfortunate encounter while its Walnut Creek, **Holmes**, field was being mowed, this Yellow Rail lost a leg. The bird was seen for several days, including on 21 Oct, when Gabe Leidy obtained this close photograph.

Common Moorhen: A family of both parents and four recently fledged young graced Killbuck Marsh on 03 Aug (Dave Slager). Up to four were seen several times at ONWR between 06 Aug and 23 Sep (m. obs.), and Killdeer Plains and Big Island also had multiple Sep sightings. The latest report, by a wide margin, was of one near Killbuck Marsh on 06 Nov (Bruce Glick).

American Coot: These were reported from almost 40 counties throughout glaciated Ohio; sightings spanned the whole reporting period. Sites in *Clark* and *Mahoning* had 100 to 200 on several days. Approximately 1,200 were counted 24 Oct at Cedar Point (Elliot Tramer) and on 16 Nov at Wellington Reservoir, *Lorain* (Su Snyder), and the high count of 1,650 was at Rocky Fork Lake, *Highland*, on 21 Nov (Robert Foppe).

Sandhill Crane: The few sightings reported directly to The Ohio Cardinal included the earliest and latest. The 24 that Su Snyder found on Prairie Lane, **Wayne**, on 02 Aug included the local nesting pair, and the 110 she counted flying over Funk Bottoms, Wayne, on 28 Nov was only two fewer than last vear's high count at that site. Fourteen other counties were represented in reports to eBird and the state listsery. These included two adults and a juvenile at Aquilla Wildlife Area, *Geauga*, on 02 Aug (Andrew Morrison) and the period's high count of 207 along the Great Miami River near Middletown, Butler, on 27 Nov (Ben Britton).

Black-bellied Plover: The earliest record was from Conneaut, a single

bird on 02 Aug (Craig Holt, Mark Vass). Up to eight birds were found during that period in 13 other counties. The high count was 16, on the 11 Aug ONWR survey (Tom Bartlett, m. obs.), and the latest report was of seven on the 01 Nov ONWR census (fide Aaron Bartley).

American Golden-Plover: The first report was from ONWR on 14 Aug (Kenn Kaufman) and the last was of five in Perrysburg, *Wood*, on 28 Oct (Claire Sutton). The high count was 27 at Funk Bottoms Wildlife Area, *Wayne*, on 06 Sep (Ken Ostermiller); they were seen there on many dates between 15 Aug and 03 Oct (m. obs.).

Semipalmated Plover: These were reported from 25 counties from 01 Aug at Pickerel Creek (m. obs.) to 02 Nov at Magee Marsh (Tom Bartlett, m. obs.). Tom's survey group also had the high count of 45, at ONWR on 11 Sep.

<u>Piping Plover</u>: Matthew Studebaker found one at Conneaut on 22 Aug. Laura Keene quickly posted the sighting and her photographs, but the bird was not seen after 23 Aug. The record has been accepted by the OBRC.

Killdeer: This species was reported nearly everywhere that boasted mudflats or short grass; more than 60 counties were included and sightings spanned the reporting period. Some high counts include 400 to 500 at Englewood Preserve, *Montgomery*, on several Aug dates (m. obs.); over 1,000 at Funk Bottoms on 15 Aug (James F. Yoder); and 250 at Buck Creek on 18 Oct (Doug Overacker).

American Avocet: This year's 32 sightings stand in great contrast to the four in 2008, which were all in Lake and Ashtabula. Conneaut did have one or two on several dates between 01 Aug and 18 Sep (m. obs.), and other northern sites included Maumee Bay State Park, *Lucas*, on 27 Aug (Darlene Friedman); ONWR on several Aug dates (Tom Bartlett, m. obs.); and Winous Point in Sep and Oct (Tom Bartlett, m. obs.). They were also found as far from Lake Erie as Acton Lake in Hueston Woods on 03 Sep (Laura Keene, m. obs.); Caesar Creek on 21 Sep (Rick Asamoto); and the three at the new Grange Insurance Audubon Center, *Franklin*, on 26 and 27 Sep (m. obs.). Three at Clear Fork Reservoir on 03 Aug were only the second *Richland* record of the species (Gary Cowell, Jr., m. obs.).



More American Avocets were reported in Ohio this fall than in previous years, and records came from throughout the state. Conneaut, **Ashtabula**, hosted these four individuals on 19 Aug (photographed by Ethan Kistler), and the peak count here was 20 individuals a few weeks later.

The high count was 20 at Conneaut on 07 Sep (Chris Pierce) and the latest appearance was 01 Nov at Mosquito Lake (Craig Holt).

Spotted Sandpiper: The reports were spread among more than 30 counties, from the 22 individuals found at Cowan Lake, *Clinton*, on 02 Aug (Larry Gara) to one at the Grand Lake St. Marys hatchery, *Auglaize*, on 27 Oct (John Hall). The Cowan Lake sighting was also the highest count.

Solitary Sandpiper: The earliest reports were on 01 Aug: There were 44 at Englewood Reserve, *Montgomery*, on 01 Aug (Rick Asamoto) and small numbers at three other sites. Englewood had double-digit numbers on several other dates (m. obs.), as did Ayers Dairy Farm and adjoining land near Perrysville, *Ashland* (Gary Cowell). Mill Creek had the last report, of one on 01 Nov, at ONWR (*fide* Aaron Bartley).

Greater Yellowlegs: These were seen through almost the whole period, with the last report coming from Conneaut on 23 Nov (Craig Holt). The high count was 100 at Pickerel Creek on 26 Aug (Ken Ostermiller) and, as is normal, other western Lake Erie marshes had sightings as well. Inland sightings included three in Englewood, Montgomery, on 02 Aug (Larry Gara); 14 near Shreve, Wayne, on 24 Oct (Su Snyder); and one or two at various sites in Auglaize, Delaware, Franklin, Hancock, Marion, and Paulding.

Willet: All but one of the reports were of single birds. Conneaut, which generally has reliable shorebird habitat and regular observers, had many

sightings between 02 Aug and 15 Sep including two birds on 07 Sep (Chris Pierce, m. obs.). ONWR had reports on 01 and 18 Aug and 10, 11, and 20 Sep (m. obs.). The only inland report was from Blanchard Landing, *Hancock*, on 04 Aug (Robert Sams).

Lesser Yellowlegs: This species, like Greater Yellowlegs, was found most often and in the largest numbers in the western Lake Erie marshes. ONWR had 250 on 10 Aug (Tom Bartlett, m. obs.). Representative inland sightings include one individual on the Great Miami River in Fairfield, Butler, on 13 Sep (Mike Busam and Charlie Saunders); up to 20 and Englewood Preserve, *Montgomery*, until 08 Nov (m. obs.); and up to 10 at Pickerington Ponds from Aug until 24 Oct (Dave Slager, m. obs.). The latest report was of one at Caesar Creek on 11 Nov (Bob Powell).

Upland Sandpiper: The first of the season flew over Funk Bottoms on 01 Aug (James E. Yoder, m. obs.). The one found on the 04 Aug ONWR survey (Tom Bartlett, m. obs.) may have stayed for the many observers who reported one there on 15 Aug. At 3:16 a.m. on 30 Aug, Dave Slager's automated recorder caught a flight call over Columbus. Later that same day, one was on the sand flats of Conneaut, an unusual habitat for the species (Gabe Leidy). The latest report was of one more characteristically in a newly mown field, in Valley City, Medina, on 17 Sep (Gabe Leidy).

Whimbrel: The first sighting of the period was at Buck Creek on 05 Aug (Rick Asamoto). One was at Conneaut on 11 Aug (Jerry Talkington and Suzanne Wagner) and one flew over

that site on 22 Aug (m. obs.). Clyde Witt found one there on 11 Sep and at ONWR on 20 Sep, and one just to the west of Huron harbor, *Erie*, on 19 and 20 Sep was seen by many who attended the Midwest Birding Symposium.

Hudsonian Godwit: One was seen at Pickerel Creek from 18 to 24 Aug (m. obs.). The 11 Sep ONWR survey found two (Tom Bartlett, m. obs.). On 26 and 27 Oct, one was at the Grand Lake St. Mary's fish hatchery, *Auglaize* (*fide* Bill Whan, John Hall), and two flew past John Pogacnik's lakeshore waterbird survey site in *Lake*. The latest was at ONWR on 05 Nov (Elliot Tramer).

Marbled Godwit: This species is usually more common here than Hudsonian Godwit, but this fall there were fewer sightings of the marbled. One was at Pickerel Creek on 18 Aug (Laura Keene) and two on 21 Aug (Gabe Leidy and Emil Bacik); one of them could have tarried to be seen there 01 and 02 Sep (David Vander Pluym, m. obs.). Winous Point surveys found one on 21 and 23 Sep (Tom Bartlett, m. obs.). The last, and southernmost, report was of two at Hoover Nature Preserve, *Delaware*, on 05 Oct (Charlie Bombaci).

Ruddy Turnstone: Up to 10 were seen 02 to 29 Aug at Conneaut (m. obs.); the latest sighting was there, as well—one bird on 15 Oct (Craig Holt). Single birds were found at Hueston Woods on 18 Aug (David Russell), Caesar Creek on 31 Aug (Frank Frick), and ONWR on 10 and 11 Sep (Tom Bartlett, m. obs.). Seven were at Trish's Beach, *Lorain*, on 16 Aug (Mike Sandy) and four were at Berlin

Reservoir, *Mahoning*, on 14 Sep (Ben Morrison).

Red Knot: Many observers found two early juveniles at Pickerel Creek on 24 to 26 Aug. One or two individuals were seen at Conneaut 23 Aug to 12 Sep (m. obs.). Maumee Bay State Park, *Lucas*, had one on 01, 06, and 07 Sep (Kenn Kaufman, Rob and Sandy Harlan, Laura Keene).

Sanderling: This species, too, was fairly common at Conneaut; it was seen often between 02 Aug and 10 Oct (m. obs.), with a high count of 22 on 05 Sep (Laura Keene). Far to the south, Lola Irvin and Terry Hines saw two juveniles at East Fork on 01 Sep. One was seen 19 and 20 Sep and 17 and 24 Oct at Buck Creek, which probably means that two or three individuals were there (Doug Overacker). Maumee Bay State Park, *Lucas*, hosted the latest, one on 13 Nov (Kenn Kaufman).

Semipalmated Sandpiper: This species was found at practically all of the shorebird sites; 29 counties had sightings. The high count was 400 at Winous Point on 13 Aug (Tom Bartlett, m. obs.) and the latest report was near Shreve, *Wayne*, on 05 Nov (Bruce Glick and Robert Hershberger).

Western Sandpiper: The earliest was seen 14 Aug at Conneaut (Gary Cowell), and one was at Pickerel Creek on two late Aug dates (Kenn Kaufman, Brad Sparks). One or two frequented the north end of Hoover Reservoir between 11 and 14 Sep (m. obs.) and three were at ONWR on 16 Sep (Kenn Kaufman). The last report was from ONWR on 22 Sep (fide Aaron Bartley)

<u>Little Stint</u>: A possible juvenile of this species was reported 19 Aug at Conneaut but could not be relocated on subsequent days. The OBRC has not received documentation of this sighting.

Least Sandpiper: This species was, as usual, widely reported throughout the period. The high count of 300 was at ONWR on 11 Aug (Tom Bartlett, m. obs.) and there were many sightings in other Lake Erie marshes and at Conneaut. Representative inland counties with sightings included Auglaize, Clermont, Darke, Franklin, Hamilton, Paulding, Union, and Trumbull.

White-rumped Sandpiper: One or two individuals were found at ONWR from 21 Aug to 22 Sep (Tom Bartlett, m. obs.) and at Conneaut from 05 Aug to 12 Sep (m obs.). Oct sightings were at Magee Marsh (Tom Bartlett, m. obs.) and Conneaut (Craig Holt). The largest count was eight, at Pickerel Creek on 23 Aug (Andy Sewell). The latest sighting, which was six weeks after the next latest, was of six at the Woods Road Wetland, *Darke*, on 01 Nov (Regina Schieltz).

Baird's Sandpiper: One or two were seen at Conneaut from mid-Aug to 30 Sep (m. obs.). The high count of four was at ONWR on 23 Sep (Kenn Kaufman). The only reports from the southern half of the state were at Englewood Preserve, *Montgomery*, on 09 Aug (Rick Asamoto) and Armleder Park, *Hamilton*, on 05 Oct (Jonathan Frodge and Samantha Sayre). The one at Magee Marsh on 27 Oct (Tom Bartlett, m. obs.) was the latest reported.

Pectoral Sandpiper: This species was widely dispersed, with sightings in Clermont, Clinton, Marion, Franklin, Hancock, Montgomery, Ottawa, and Preble being representative. High counts included 100 at Pickerel Creek on 22 Aug (Ken Ostermiller); 125 at ONWR on 11 Sep (Tom Bartlett, m. obs.); and 49 at the Shreve Fish Pond, Wayne, on 17 Oct (Su Snyder). A very late individual at Shreve Fish Pond on 28 Nov was the last (Su Snyder).

Purple Sandpiper: One on the outer breakwall of Cleveland Harbor provided a treat for BSBO's cruise participants on 15 Nov. Another just made this report by appearing at Headlands on 30 Nov (Bruce Glick and Robert Hershberger).

Dunlin: There were four early sightings between 15 Aug at Pickerel Creek (Doug Overacker) and mid-Sep. There were many sightings from all over the state from 20 Sep through the end of the period. The 75 at the Woods Road Wetlands, Darke (Regina Schieltz) and the 65 at Thomas Wetlands, **Paulding**, on 31 Oct (Doug and Micki Dunakin) were among the highest inland counts, though small to moderate numbers were also seen in Auglaize, Darke, **Franklin**, and several southwestern counties. The high count was 1,200 on 13 Nov at ONWR (Elliot Tramer).

<u>Curlew Sandpiper</u>: A juvenile was reported at Conneaut on 12 Sep. The OBRC has not received documentation of this sighting.

Stilt Sandpiper: The season opened on 01 Aug with one at Pickerington Ponds (Bernie Master); five at

Englewood Preserve, Montgomery (John Moore); and 20 at ONWR (Brad Sparks). They had, of course, begun arriving in July. The high count was 35 at ONWR on 10 Sep (Tom Bartlett, m. obs.). One at each of Caesar Creek (Jay Lehman) and Buck Creek (Doug Overacker) in early Oct were the only sightings south of the Columbus area. The latest reports (27 Oct) were shared by Magee Marsh (Tom Bartlett, m. obs.) and the Shreve Fish Pond, *Wayne* (Su Snyder).

Buff-breasted Sandpiper: The first report was on 03 Aug from ONWR, and one or two were seen there on several dates to 24 Sep (Tom Bartlett, m. obs.). Berlin Reservoir had one on 28 Aug (Ben Morrison), which may have stayed to be the one seen 07 Sep (m. obs.). One was at Conneaut on 18 Sep (Craig Holt) and one at the Shreve Fish Pond, Wayne, on 20 Sep (Kevin Kline and Dennis Kline). These records are in contrast to those of 2008, which had only one sighting, in Sep.

Short-billed Dowitcher: There were double-digit reports from ONWR and Pickerel Creek on several Aug dates and single-digit reports from there and other central and northern sites through mid-Sep. The only sightings after Sep were of single birds at ONWR on 04 Oct (fide Aaron Bartley); Fostoria Reservoir, Hancock, on 20 Oct (Betty Hardesty); and Mill Creek on 24 Oct (Bill Jones).

Long-billed Dowitcher: Two rather early birds were at ONWR on 01 Aug (Brad Sparks) and another frequented Pickerel Creek 15 to 18 Aug (m. obs.). As usual, sightings increased significantly in mid-Sep,

with many double-digit counts at Magee Marsh, ONWR, and Winous Point well into Oct (Tom Bartlett, m. obs.). Small numbers were seen away from Lake Erie in *Darke, Franklin*, *Hamilton, Hancock, Mahoning*, *Montgomery*, and *Wayne*. The high count of 61 was at ONWR on 01 Nov (fide Aaron Bartley), and there was only one other Nov report before the last sighting, at Mill Creek on 22 Nov (Bill Jones).

Wilson's Snipe: One or two were seen almost daily at Conneaut from mid-Aug to 09 Sep (Craig Holt, m. obs.). They were regular until 24 Sep at ONWR and until 11 Oct at Winous Point (Tom Bartlett, m. obs.) and until the end of the period at Mill Creek (Bill Jones). There were single sightings at other scattered sites as well. The high count of 21 was at the Shreve Fish Pond, Wayne, on 26 Sep (Su Snyder).

American Woodcock: Springville Marsh had both the earliest and latest sightings of the period, with one seen there for three weeks starting 23 Aug and two on 07 Nov (Tom Bartlett, m. obs.). Other single birds were seen in Hamilton, Hancock, Lorain, Mahoning, Ottawa, Paulding, Summit, Warren, Wood, and Wyandot.

Wilson's Phalarope: Many observers enjoyed one that stayed at Pickerel Creek for several days in mid-Aug. Though ONWR and Conneaut also had sightings, more reports were from inland counties including *Darke* and *Montgomery*. The high count of 20 was at the Grand Lake St. Mary's hatchery, *Auglaize*, on 01 Oct (Larry Gara) and the last sighting, on 18 Oct, was also there (Ned Keller, Rick Asamoto).

Red-necked Phalarope: The species was surprisingly numerous this year. One was seen at Pickerel Creek 15 to 30 Aug (m. obs.). One or two were seen on several dates in Sep at ONWR (m. obs.) and one or two graced Conneaut 02 to 04 Oct (m. obs.). Slightly inland, Laura Gooch recorded one at Lake View Cemetery, Cuyahoga, on 11 Oct. Farther south, John Herman found two at Clear Fork Reservoir, Richland, on 29 Sep, for Richland's second record.

Red Phalarope: These, too, were seen at several locations, all on or quite near Lake Erie. One was at ONWR on 11 Sep (Tom Bartlett, m. obs.). Two immature birds at Conneaut on 30 Sep (Craig Holt) were apparently replaced by two or three different ones 02 to 06 Oct (m. obs.). A flyby at Headlands on 07 Oct (Emil Bacik) and one along the Mentor Marsh Wake Robin Trail, *Lake*, on 08 Oct (Jerry Talkington, m. obs.) could have been the same individual. The latest was another Headlands flyby on 06 Nov (Jerry Talkington).

Black-legged Kittiwake: An unusual inland record was a bird seen at Caesar Creek on 10, 13, and 16 Oct (Ruhikant Meetei, m. obs.). The BSBO boat trip off Cleveland on 08 Nov produced brief views of one (m. obs.), and one was seen at Camp Luther, *Ashtabula*, on 14 Nov (Jeffrey Miller). John Pogacnik's Lakeshore waterbird surveys in *Lake* found one on both 20 and 29 Nov.

Sabine's Gull: John Pogacnik saw one on his 30 Aug survey in *Lake*. Gabe Leidy and Emil Bacik found one at Huron Harbor, *Erie*, on 17 Oct and a rather late one 27 Nov at the Eastlake power plant in *Lake*.

Bonaparte's Gull: These were seen at Buck Creek from 02 Aug to the end of the period, with a high count of 100 on 15 Nov (Doug Overacker). Sightings along Lake Erie started in earnest in late Sep with a few thousand seen on the 15 Nov BSBO cruise (Kenn Kaufman) and at ONWR, Metzger Marsh, and Huron harbor on several dates. No large flocks rivaling the one of 50,000 at Huron last year were reported. Some high inland counts included 200 at Lake Loramie State Park, **Shelby**, on 31 Oct (Brad Sparks); 170 at East Fork on 01 Nov (Paul Krusling and Joe Kappa); and 300 at Pleasant Hill Lake, **Richland**, on 05 and 10 Nov (Robert Hershberger).

Little Gull: Single birds were seen 11 Nov at Conneaut (Ray Hannikman); 14 Nov at Camp Luther, Ashtabula (Jeffrey Miller); 27 Nov in Lake (John Pogacnik); and 28 Nov at the Eastlake power plant, Lake (Gabe Leidy and Emil Bacik).

Laughing Gull: One was at Huron Harbor, *Erie*, on 21 Aug (Gabe Leidy and Emil Bacik). Inland, single birds were at Indian Lake, *Logan*, on 30 Sep (Dan Sanders) and East Fork on 13 Oct (Rob Edelin and Virginia Fantetti). Pleasant Hill Lake, *Richland*, hosted a juvenile 21 through 24 Sep (John Herman).

Franklin's Gull: These were reported at several inland sites from 15 Sep at Findlay Reservoir, *Hancock* (Betty Hardesty) to 29 Nov at Buck Creek (Doug Overacker) and East Fork (Robert Foppe). Ten were at Hoover Reservoir, *Franklin*, on 28 Sep (Dave Slager), and up to four were at East Fork between 13 and 31 Oct (m. obs.).

Ring-billed Gull: Many thousands were reported along Lake Erie throughout the period. Reports came from all over the state, and some high inland counts include 2,000 at Lex House, *Richland*, on 15 Oct (Carl Ball); 2,000 at Evans Lake, *Mahoning*, on 20 Oct (Craig Holt); and 800 to 1,000 at Findlay Reservoir, *Hancock*, on several dates (m. obs).

Herring Gull: A few counts in the hundreds were reported from several sites on the western Lake Erie shore, though most counts there were below 25. Numbers were higher from Lorain east, with several hundred seen at almost every point along the Cleveland shoreline during the 08 and 15 Nov BSBO cruises. Conneaut, too, had several counts above 300 (m. obs.) Inland sightings were widespread and most were of small numbers, but 150 to 700 were at the Findlay Reservoir, **Hancock**, on several Oct and early Nov dates (m. obs.) and more than 100 were at Evans Lake, *Mahoning*, on 20 Oct (Craig Holt).

Lesser Black-backed Gull: About half of the reports were from inland water bodies, with multiple sightings of one to six at Findlay Reservoir, **Hancock**, between 16 Oct and 03 Nov (m. obs.) and a high count of 16 on 27 Oct (Betty Hardesty). The southernmost were at Pleasant Hill Lake, Ashland, on 30 Sep (Su Snyder, m. obs.) and at Clear Fork Reservoir, **Richland**, on several dates in Sep and Oct (Gary Cowell, John Herman). One or two were at Conneaut between late Aug and late Oct (m. obs.) and three were at the Avon Lake power plant, *Lorain*, on 21 Nov (Craig Caldwell).



Franklin's Gulls are annual in Ohio in numbers that reflect wind patterns coming from their typical Great Plains migration corridor. Dave Slager identified 10 Franklin's Gulls, including the two he photographed above, on 28 Sep in the **Franklin** portion of Hoover Reservoir.

Great Black-backed Gull: Counts at Conneaut grew from one on 23 Aug to seven on 10 Nov (Craig Holt, m. obs.). Small numbers were observed at other Lake Erie shore locations from early Sep through the end of the period. The only inland report was of two at the *Ottawa* landfill on 04 Nov (Kenn Kaufman).

Caspian Tern: These were reported from 25 counties statewide, with a high count of 225 at Winous Point on 12 Aug (Tom Bartlett, m. obs.). The highest inland counts were of 32 at Knox Lake, *Knox*, on 01 Aug (Charlie Bombaci) and 21 at Caesar Creek on 01 Sep (Larry Gara). The latest report was of three at Maumee Bay State Park, *Lucas*, on 21 Oct (Kenn Kaufman).

Black Tern: Surprisingly, the sole report from the western marshes, their only Ohio breeding area, was of a single bird at Pickerel Creek on 22 Aug (Chris Pierce). Migrants were seen at several inland sites, with notable

counts of 25 at Buck Creek on 18 Aug (Rick Asamoto) and 35 at Acton Lake, Hueston Woods on the same date (David Russell). The three Sep reports were of four at Big Island on the 7 Sep (Charlie Bombaci); five seen over Fairport Harbor, *Lake*, on the 29 Sep (Ray Hannikman, m. obs.) and one at Indian Lake, *Logan*, on the 30 Sep (Dan Sanders). There were no Oct or Nov sightings.

Common Tern: These were seen in small numbers statewide on many dates from Aug to mid-Oct. The high count overall was 500 at Magee Marsh on 08 Oct (Michael Harvey), and the highest inland count was 18 at Buck Creek on 07 Sep (Doug Overacker). Craig Holt noted "NONE!!" in his many visits to Conneaut, writing, "...to not see a single one was very alarming." (A total of four was seen on two visits by other observers, though.) The last sighting was on the 15 Nov BSBO cruise near Cleveland.

Forster's Tern: There were many Aug reports of this species and progressively fewer through Sep into early Oct. In addition to the Lake

Erie sites, nine inland counties were represented. The highest count of 320 was on 21 Oct at Maumee Bay State Park, *Lucas* (Kenn Kaufman). There were no reports between the one to seven individuals seen at various parts of ONWR on 01 Nov (Aaron Bartley) and the last of the season, a very late bird at the Delaware water plant, *Delaware*, on 27 Nov (Bill Shively).

Pomarine Jaeger: Many participants enjoyed the one found off Cleveland during the 15 Nov BSBO cruise. John Pogacnik saw one fly by his *Lake* survey station on 29 Nov.

Parasitic Jaeger: Three were reported: on the 08 Nov BSBO cruise, *Cuyahoga*; at Bayshore Power Plant, *Lucas*, on 11 Nov; and at Headlands on 23 Nov. The OBRC has not received documentation of these sightings.

Long-Tailed Jaeger: One was reported from *Lake* on 30 Aug. The OBRC has not received documentation of this sighting.



Caspian Terns appear in fall in Ohio in small flocks, and these often include parents and young; the young birds are easily identified by the dark patterning in their back feathers, and many will continue begging for food from their parent during migration. These two individuals were part of a group of nine that Dave Slager photographed in Franklin on 03 Aug

jaeger sp: Nancy Anderson narrowed a 27 Nov sighting off Sims Park, *Cuyahoga*, to either Pomarine or Parasitic.

Rock Pigeon: These were reported from almost 60 counties, urban and rural. Most reports were uncounted or of small numbers, but the 400 at the OSU's Waterman Farm, *Franklin*, on 13 Nov must have been quite a sight (Dave Slager).

Eurasian Collared-Dove: Two were reported from Celina, *Mercer*, on 27 Oct. Another was reported to have remained from summer to at least 12 Aug near Baltic, *Coshocton*. Though it appears that a small breeding colony is present in Celina, and perhaps another in the *Holmes/Coshocton* area, Eurasian Collared-Dove is still a review species and the OBRC has not received documentation of these sightings.

Mourning Dove: This species was reported from 70 counties. Some of the large flocks included almost 400 at the *Hardin* wetlands on 30 Aug (Richard Counts); 400 in *Hancock* on 08 Sep (Betty Hardesty); and 200 at Pickerington Ponds on 09 Oct (Dave Slager).

Yellow-billed Cuckoo: Most reports were of single birds, but five were counted at Barrs Mills Marsh, *Tuscarawas*, on 15 Aug (Ed Schlabach). Surveys found two at Kelleys' Island on both 16 Aug and 17 Sep (Tom Bartlett, m. obs.) and in CVNP on 12 Sep (Dwight Chasar, m. obs.); a few other sites also had two. There were several sightings (or "hearings") at Buck Creek (Doug Overacker) and Shawnee Lookout

(m. obs.). The latest sighting was at Carlisle Reservation, *Lorain*, on 26 Oct (Martin Ackerman).

Black-billed Cuckoo: There were 13 records, three of which were a few days apart at Carlisle Reservation, Lorain (m. obs.). Three were at Barrs Mills Marsh, Tuscarawas, on 15 Aug (Ed Schlabach). The last report was on 18 Sep at East Harbor State Park, Erie (William Jackson).

Barn Owl: Daniel Kramer banded 14 in three nests in Aug and five in one nest on 18 Oct, all in *Holmes*. One or two were seen or heard on other Amish farms in *Wayne* and *Holmes* on 13 Sep (Jay Lehman), 14 Sep (Wes Hatch), 26 Oct (Laura Keene), and 26 and 30 Nov (Perry Yoder and Michael Hershberger, respectively). Steve Jones last heard the one resident near his job site in East Liberty, *Logan*, on 11 Sep.

Eastern Screech-Owl: The reports were distributed throughout the state and during the whole period. There were several reports of single birds at each of Shaker Lakes, *Cuyahoga* (Leo Deininger); Mill Creek (Bill Jones); Kelleys' Island (Tom Bartlett, m. obs.); and Springville Marsh (Tom Bartlett). Up to three were found on the OWU campus on many dates (m. obs.)

Great Horned Owl: One or two were regular at Springville Marsh throughout the period (Tom Bartlett, m. obs.) and at Sandy Ridge Reservation, *Lorain*, from late Sep to early Nov (fide BRAS). One was seen 28 Aug, 11 Sep, and 15 Nov at Armleder Park, *Hamilton* (Kirk Westendorf and Eric Burkholder). They were reported from 16 other counties as well. **Barred Owl:** There were many reports of calling birds at Camp Berry, *Hancock*, and at several *Hamilton* locations during Aug and a few more at other sites through the end of the period (m. obs.). Three were heard simultaneously in Carlisle Reservation, *Lorain*, on 07 Sep (*fide* BRAS). One individual, perched only a few feet above the ground, was being mobbed by chickadees and titmice; this was on 23 Nov in Armleder Park, *Hamilton* (Kirk Westendorf). Single reports came from nine counties.

Long-eared Owl: The one seen 21 Aug in Salt Fork State Park, *Clermont*, was probably one of our rare nesting birds (Robb Clifford). One at Kelleys' Island was arriving for the winter (Tom Bartlett, m. obs.).

Short-eared Owl: The first arrivals noted were the three found all the way south at Miami Whitewater County Park, *Hamilton*, on 07 Nov (Paul Wharton). One was at Armleder Park, *Hamilton*, on 20 Nov (Kirk Westendorf), 10 were at the *Hardin* Wetlands on 28 Nov (Richard Counts), three were at Killdeer Plains on 29 Nov (Lawrence DeAtley), and another was at Buck Creek the same day (Doug Overacker).

Northern Saw-whet Owl: One was "10 feet up in a beech tree" near Fredericksburg, *Wayne*, on 08 Nov (John Troyer). Jimmie Campbell found one in *Hocking* on 11 Oct. Kelly Williams-Sieg's team banded 37 between 17 Oct and 25 Nov at her research site near Chillicothe, *Ross*. Four were near the Germantown Metropark Nature Center, *Montgomery*, on 13 Nov (John Moore), and Tom Bartlett's survey found one at Kelleys' Island on 21 Nov.

Common Nighthawk: The moderate number of single birds seen in Aug probably consisted of nesters, which are quite uncommon now. Migration was underway by 28 Aug, when approximately 100 were seen over Armleder Park, *Hamilton* (Kirk Westendorf and Eric Burkholder). The high count by far was 1,038, south of New Bedford, Coshocton, on 03 Sep (Adam H. Yoder, m. obs.). Stragglers were seen 20 Oct at Shaker Lakes, Cuyahoga (Laura Gooch); 20 Oct at Oakwoods Nature Preserve, Hancock (Robert Sams); and on 24 Oct at New Richmond, Clermont (Donald Morse, Jr.).

Whip-poor-will: Four were seen in Perrysburg, *Wood*, on 05 Sep (Claire Britton), one was at ONWR on 14 Sep (Tom Bartlett, m. obs.), and one was perched in a wooded area by the Huron pier, *Erie*, on 10 Oct (Gabe Leidy and Sherrie Duris).

Chimney Swift: Swifts, presumably residents and the first migrants, were reported statewide in small numbers well into Oct. Jonathan Frodge watched about 40 mobbing a Peregrine Falcon in *Hamilton* on 11 Aug; the falcon had a full crop and was ignoring them. A concentration of 500 to 700 was seen 23 and 24 Aug at John Sells Middle School, Delaware (Andi and Stephen Wolfe) and about 1,000 were noted at French Park, *Hamilton*, on 25 Sep (Mark Gilsdorf). The latest report of a large flock was of 120 at Frohring Meadows, *Geauga*, on 19 Oct (Inga Schmidt), and the latest report overall was of five at Mill Creek on 11 Nov (Bill Jones)

Ruby-throated Hummingbird:

Small numbers were widely seen through September, and the latest report was at Oakwoods Nature Preserve, *Hancock*, on 20 Oct (Robert Sams). Fifteen were at feeders and in a yard in Hamilton, **Butler**, on 08 Aug (John Strathern) and the same number were counted at Springville Marsh on 29 Aug (Tom Bartlett, m. obs.). Visits to several feeders in *Hancock* produced 37 total on each of 01 and 08 Sep (Betty Hardesty). An albino individual, presumed to be this species, visited several feeders in Bainbridge Township, Geauga, between 07 and 15 Sep (Bill Takacs).

Rufous Hummingbird: Four were reported this year, in large contrast to 2008's single bird. One was reported 14 Oct in *Ashland* (Gary Cowell) and another in Butler, *Richland*, between 14 and 18 Oct (m. obs.). An adult female in Loudonville, *Ashland*, whose presence was first widely known on 20 Oct when Allen Chartier banded it, had apparently been seen by the homeowner since sometime in Sep. It remained at least until 24 Oct (m obs.). One in Centerville, *Wayne*, between 24 Oct and 09 Nov was banded 29 Oct (Su Snyder, Ken Ostermiller).

Allen's Hummingbird: A Selasphorus hummingbird began visiting Mae Miller's feeder in Sugarcreek, Holmes, in mid-Oct. It was reported to the birding community on 11 Dec, when Allen Chartier banded it and identified it as an Allen's. He posted photographs and measurements the next day. His careful work and detailed report to the OBRC enabled the bird to be accepted as the first state record of the species. Many hundreds of birders saw it before Ms. Miller noted its departure just after Christmas.



True albino birds — those with no pigmentation in their feathers, skin, and iris — are less frequently encountered than birds with leucism and other forms of altered pigmentation. This Ruby-throated Hummingbird appears to be an albino; the original color image submitted shows pink feet and irises. The bird was photographed from 07 to 14 Sep in Bainbridge, Geauga, by Bill Takacs.

Belted Kingfisher: This species was reported from 47 counties and throughout the period.

Red-headed Woodpecker: These, too, were widely reported Aug through Nov. Some notable counts were 10 at East Fork on 05 Sep (Robert Foppe) and eight in the Station Road area of CVNP on 06 Oct (Dwight and Ann Chasar). Twelve adults and immatures were stashing acorns in the drowned trees along Messner Road in Killbuck Marsh on 27 Oct (Su Snyder). The Sandy Ridge Reservation, *Lorain*, colony also had as many as 12 (m. obs.). Elliot Tramer noted that they left the Oak Openings area, *Lucas*, in mid-Sep, which he attributed to a poor mast crop there.

Red-bellied Woodpecker: This common species was reported from yards, parks, and rural areas in 61 counties. Multiple stops Oct 19 around Lowellville, *Mahoning*, found 15

(Craig Holt) and a similar effort in **Hancock** found 19 on 24 Nov (Betty Hardesty). Dwight Chasar's census teams counted 108 in CVNP on 12 Sep.

Yellow-bellied Sapsucker: Though this species is primarily seen as a migrant, a few do breed in the extreme northeast corner of the state. The one Craig Holt saw in Monroe Township, Ashtabula, on 05 Aug was probably from this population, and was the only Aug sighting. BSBO banded nine migrants at Navarre (double their average count) between 22 Aug and 01 Nov and many were seen throughout the state during that period. The latest report was from John Bryan State Park, Greene, on 30 Nov (John Hall).

Downy Woodpecker: These were reported statewide and throughout the period. The 12 Sep CVNP census found 113. The high count from a more limited area was 33 at French Creek Reservation, *Lorain*, on 08 Sep (*fide* BRAS).

Hairy Woodpecker: As expected, there were fewer reports of this species than of Downy Woodpecker; still, they were noted in 43 counties. John Zahnen saw six, which appeared to be a family group, at Armleder Park, *Hamilton*, on 09 Aug, and six were on a private property in *Highland* on 14 Nov (Paul Krusling).

Northern Flicker: A concentration of 20 near Mt. Hope, *Holmes*, on 13 Sep included 10 in one tree (Michael Hershberger). Mark Gilsdorf found 18 in a three-hour trek through Shawnee Lookout on 26 Sep. Many of the 21 counted on Kelleys' Island on 21 Nov were probably migrants from Canada

(Tom Bartlett, m. obs.), but the six which Doug Overacker saw at Buck Creek on the same date could have all been residents.

Pileated Woodpecker: There were approximately 270 individual sightings reported. The high count of five was reached on 18 Aug by Clyde Witt and on 06 Oct by Dwight and Ann Chasar, both in the Station Road area of CVNP.

Olive-sided Flycatcher: Single birds were reported from more than 20 locations. Dates and places ranged from Magee Marsh on 15 Aug (Carl Ball); through Shaker Lakes, *Cuyahoga*, on 31 Aug (Leo Deininger); Alliance, *Stark*, on 11 Sep (Ben Morrison); French Park, *Hamilton*, on 25 Sep (Mark Gilsdorf); to the last at Franchion Lewis Park, *Licking*, on 02 Oct (Mike Smith).

Eastern Wood-Pewee: The several Aug reports with fairly high counts probably represented mixes of breeders and migrants. The 10 at Carlisle Reservation, Lorain, on the 5 Aug (fide BRAS); 15 at Fernald Nature Preserve, *Hamilton*, on the 15 Aug (John and David Marvin); and 12 at Magee Marsh on the 28 Aug (Kenn Kaufman) were typical of these reports. At least 20 in a small area of northeastern *Coshocton* on 26 Sep were notable (Adam H. Yoder). Ten were banded at Navarre, with the last on 12 Oct (BSBO), and the latest noted overall was at Magee Marsh on 24 Oct (Kenn Kaufman).

Yellow-bellied Flycatcher: One that appeared at Shaker Lakes, *Cuyahoga*, on 03 Aug was quite

early (Leo Deininger), as was one at Gahanna Woods, *Franklin*, on 06 Aug (James Holsinger). The next sighting was at Sheldon's Marsh on 23 Aug (Andy Sewell), and the 11 banded at Navarre 27 Aug through 26 Sep spanned their usual migration period (BSBO). The last sighting was in the Landfill Conservation Area, *Hancock*, on 04 Oct (Robert Sams).

Acadian Flycatcher: Five at Highbanks Metro Park, *Delaware*, on 02 Aug were probably nesters (Dave Slager), and the adults feeding young at Cox Preserve, *Medina*, on 21 Aug surely were (Terri Martincic). Several were seen during Oct in Amish country, with the last being two near Holmesville, *Holmes*, on 24 Oct (Kevin Kline, m. obs.).

Alder Flycatcher: The only report was of two juveniles near Apple Creek, *Wayne*, on 29 Aug (Aaron Miller).

Willow Flycatcher: Up to six were found in widely separated locations in Aug and Sep, and the last was seen on the 04 Oct ONWR census (*fide* ONWR).

Least Flycatcher: Small numbers were found statewide until the last report from New Bedford, *Holmes*, on 08 Oct (Jacob M. Hostetler). Three at Navarre on 01 and 02 Sep were the only sightings there during their long banding season (BSBO).

Eastern Phoebe: This widespread, hardy, and human-tolerant species was frequently seen until 03 Nov, when one was seen at Sandy Ridge Reservation, Lorain (*fide* BRAS). The last was a straggler near Layland, *Coshocton*,

on 26 and 27 Nov (Adam H. Yoder). Eighteen were banded at Navarre 06 Aug through 24 Oct (BSBO) and the 12 Sep CVNP census found 66 (Dwight Chasar, m. obs.).

Say's Phoebe: One frequented the yard of Ken and Gretchen Beers near Yellow springs, *Greene*, 26 to 29 Nov (m. obs.). Their documentation, which included photographs, was accepted by the OBRC.

<u>Vermilion Flycatcher</u>: Kent and Jim Miller and Ben Morrison found one at Headlands on 02 Oct; unfortunately, it was not seen after that day. The record was accepted by the OBRG.

Great Crested Flycatcher: About 60 sightings of from one to three individuals in Aug and Sep stretched to the latest on 10 Oct at Magee Marsh (Carl Ball).

Western Kingbird: One was reported 18 Sep in *Ottawa*. The OBRC has not received documentation of this sighting.

Eastern Kingbird: The 16 Aug Kelleys' Island survey found 60, which were probably mostly migrants (Tom Bartlett and Pat Hayes). Sightings were widespread in Aug and scarce in Sep; the latest was in Sharon Woods Metro Park, *Franklin*, on 18 Sep (Charlie Bombaci).

Northern Shrike: The first of the season was near Walnut Creek, *Holmes*, on 24 Oct (Timothy Hochstetler). One was present from 02 Nov to the end of the period in Homerville, *Medina* (Greg Emmert, m. obs.). Others were reported on various Nov dates in *Franklin*, *Geauga*, *Mahoning*, *Ottawa*, and *Paulding*,

White-eyed Vireo: One was singing in Shawnee Lookout on 16 Aug (Susan and Linda Osterhage). A bird club trip to East Fork on 05 Sep found four (Bill Stanley, m. obs.) and the 12 Sep CVNP census counted 12 (Dwight Chasar, m. obs.). The latest was in Doug and Micki Dunakin's yard in *Paulding* on 28 Oct.

Bell's Vireo: One of these scarce breeders was heard singing in Springfield, *Clark*, on 17 Aug (Doug Overacker); one was behind the ONWR Visitors Center on 20 Sep (*fide* ONWR); and a very late bird was at the Miami Whitewater wetlands on 10 Oct (Ned Keller, m. obs.).

Yellow-throated Vireo: There were widespread sightings in Aug and Sep and the last individual was seen 18 Oct at Magee Marsh (anon. eBird participant).

Blue-headed Vireo: These were reported from over 25 counties. One was singing at Oak Openings, *Lucas*, on 08 Aug (Elliot Tramer). There were several late Oct sightings in northern counties, with the last being seen there on 05 Nov at Veterans Park, *Lake* (Jerry Talkington, m. obs.). The last reported overall was 07 Nov at Armleder Park, *Hamilton* (Darleen Graham and Deb Hausrauth).

Warbling Vireo: No doubt because they are mostly silent in Aug and rather plain all the time, there were few reports early in that month. Migrants were widely noted by Sep, with 26 found during the 12 Sep

CVNP census (Dwight Chasar, m. obs.). The latest report was quite late, on 24 Oct near Sugarcreek, *Tuscarawas* (Ed Schlabach).

Philadelphia Vireo: The first of these migrants was reported 23 Aug from New Bedford, *Holmes* (Jacob M. Hostetler). One rather confused individual was singing on 26 Sep in *Clermont* (Darlena Graham and Lola Erwin). There were several widely separated reports from mid-Sep until the latest at Van Buren State Park, *Hancock*, on 17 Oct (Lauren Harter).

Red-eyed Vireo: The Navarre banding station captured 47 between 23 Aug and 11 Oct (BSBO), 10 were along the Magee Marsh boardwalk on 01 Sep (Dave Vander Pluym, m. obs.), and the 12 Sep CVNP census found 32 (Dwight Chasar, m. obs.). The last were seen on 13 Oct in *Hancock* (Betty Hardesty) and near the Magee Marsh Sportsmans Center (Randy Shonkwiler).

Blue Jay: Most observers who provided full sighting lists had many encounters throughout the period; 68 counties were represented. The 12 Sep CVNP census counted 356 (Dwight Chasar, m. obs.), flocks of 60 were reported from three locations in Sep, and Betty Hardesty found 47 at various *Hancock* sites on 27 Oct.

American Crow: This species, like its jay cousin, was ubiquitous. Some notable flocks included 210 at CVNP's Hunt Farm on 12 Sep (Dwight and Ann Chasar), approximately 200 at Doug and Micki Dunakin's property in *Paulding* on 16 Oct, and 110 at Smithville, *Wayne*, on 09 Nov (Leo

Deininger). The prize is shared by Craig Holt, who estimated that 3,000 streamed over his Poland, *Mahoning*, location as dusk approached on 09 Nov and Gary Cowell, who noted approximately 3,500 at the Mansfield Airport and vicinity, *Richland*, on 19 Nov.

Common Raven: Single birds were reported 31 Aug in *Cuyahoga*, on 21 Nov in *Harrison*, and on 26 Nov in *Holmes*. The OBRC has not received documentation of these sightings.

Horned Lark: Robert Sams saw recently fledged young on 05 Aug in *Hancock*; small numbers in most other Aug reports probably also represented breeders. Definite migrants were noted at Conneaut beginning 21 Aug (Craig Holt) and reports of large flocks began 01 Sep, with 200 near Stonelick Lake, *Clermont* (Bill Doss). Hueston Woods had a flock of 146 on 26 Nov (Jay Stenger).

Purple Martin: There were sightings of up to 150 throughout Aug at several locations. As in 2008, the largest concentration was at Nimisilla State Park, *Summit*, with "many 1,000's" reported on 11 Aug (Rob and Sandy Harlan) and 1,400 on 27 Aug (Gregory Bennett). The last report was of one whom Robert Hershber says "stayed and survived on mealworm handouts...into the winter season" near Maysville, *Wayne*, and was Ohio's latest record (Atlee Yoder).

Tree Swallow: These were reported from 39 counties. The highest counts were of approximately 1,500 at

Pickerel Creek on 23 Aug (Andy Sewell); 2,000 on 07 Sep at the main reservoir and sewage lagoons, *Paulding* (Doug and Micki Dunakin); and 1,500 at Winous Point on 11 Oct (Tom Bartlett and Shane Roberts). The last report was of a single bird in *Hancock* on 03 Nov (Betty Hardesty).

Northern Rough-winged Swallow: There were scattered reports until the last on 09 Nov at Fernald Nature Preserve, *Hamilton* (Allan Claybon). Flocks of 75 at Winous Point on 20 Aug (Robert Sams) and 140 on the Great Miami River in Hamilton, *Butler* (Charlie Saunders), were the largest.

Bank Swallow: Up to 35 were seen at several, mostly northern, sites until the latest sighting of five on 01 Oct at Pickerington Ponds (Brad Sparks). The highest count was 100 at Pickerel Creek on 24 Aug (Kenn Kaufman).

Cliff Swallow: Sightings were mostly of single-digit groups except for a few with 10 to 25 birds and a flock of 93 on 01 Aug near Mt. Eaton, *Wayne* (Aden Yoder). The last were seen 11 Sep at Berlin Reservoir, *Portage* (Laura Dornan).

<u>Cave Swallow</u>: One was reported near Conneaut on 14 Nov; the OBRC has not received documentation of this sighting. This is the smallest number reported since the state's first record in 2005.

Barn Swallow: There were multiple reports from throughout the state. Recently fledged young were seen 06 Aug in *Hamilton* (Wayne Wauligman), 09 Aug in *Delaware* (Al

La Sala), and most notably on 07 Nov in *Mahoning* (Michael Hershberger). Concentrations exceeding 100 birds were seen in *Cuyahoga*, *Erie*, *Hancock*, *Holmes*, *Lucas*, *Ottawa*, and *Sandusky* during Aug (m. obs.), and a flock estimated at 500 was in *Paulding* on 07 Sep (Doug and Micki Dunakin). The last was a very late bird at Armleder Park, *Hamilton*, on 25 Nov, which Kirk Westendorf said he "[tried] to turn into a Cave Swallow."

Carolina Chickadee: These were widely noted in the southern three-quarters of the state. Ann Oliver found approximately 20 in her yard and adjoining Rapid Run Park, *Hamilton*, on 27 Sep; 36 were counted at the Cincinnati Nature Center, *Clermont*, on 10 Oct (Bill Stanley, m. obs.) and 80 on the OWU campus on the same day (Sean Williams).

Black-capped Chickadee: These were seen across the northern part of the state. The 17 Sep Kelleys' Island survey found 97 (Tom Bartlett and John Lortz). Numbers at the Ira Road area of CVNP increased to a peak of 32 on 23 Nov (Tom and Mary Ann Romito). The 12 Sep CVNP census found 379 (Dwight Chasar, m. obs.).

[Carolina x Black-capped chickadee]: Tom Bartlett's Springville Marsh survey team noted up to four on several dates.

Tufted Titmouse: This species was reported throughout the state and

period. The Cincinnati Bird Club found 24 at East Fork on 05 Sep (fide Bill Stanley).

Red-breasted Nuthatch: Elliot Tramer commented on "a modest invasion this fall." The earliest noted was a surprise along the Magee Marsh boardwalk on 28 Aug (Kenn Kaufman). Sightings were thin in the south, though the farthest south was at East Fork on 25 Oct (Kirk Westendorf). Claire Britton found eight around Perrysburg, Wood, on 21 Nov and Su Snyder counted six in Byers Woods, Ashland, on 28 Nov. Most other single observer counts were of one or two.

White-breasted Nuthatch: These were seen statewide throughout the period. The 12 Sep CVNP census found 132 (Dwight Chasar, m. obs.) and French Creek Reservation, *Lorain*, had 20 on 09 Nov (BRAS).

Brown Creeper: This species breeds sparingly in Ohio, so three singing at Killbuck Marsh on 01 Aug were not a big surprise (Adam H. Yoder). The earliest sighting south of the breeding range was on 03 Oct at Armleder Park, *Hamilton* (Kirk Westendorf). BSBO banded 81 at Navarre between 19 Sep and 01 Nov.

Carolina Wren: These were found throughout the state during the whole period. Ned Keller saw one carrying food to a nest in *Hamilton* on 06 Sep. Fifteen were found on two dates, 11 Sep at Miami Whitewater wetlands (Russell Taylor) and 21 Nov at Rocky Fork State Park, *Highland* (Noel Cutright).

House Wren: This species was found statewide into Oct, with the last report coming from the 01 Nov ONWR survey. The Navarre banding team captured 52 between 05 July and 18 Oct, and Sean Williams counted 14 on the OWU campus on 25 Sep.

Winter Wren: The first were noted 12 Sep in CVNP (Dwight Chasar, m. obs.) and Camp Berry, *Hancock* (Robert Sams and Jeff Loughman). The high count of 17 graced Kelleys' Island on 17 Oct (Tom Bartlett and Pat Hayes). The only reports in the south of the state were several sightings in contiguous *Butler*, *Clermont*, *Hamilton*, and *Warren*.

Sedge Wren: Several were heard and seen singing in various *Hamilton*, *Preble*, and *Union* locations in early Aug (m. obs.). Four were found at ONWR on 15 Aug (Chris Pierce) and one to three were seen along the Wake Robin Trail, *Lake*, from 13 Sep to the latest reported date of 01 Nov (Jerry Talkington and Suzanne Wagner). The prize, however, goes to the several friends who found 12 at Funk Bottoms, *Wayne*, on 03 Oct (Robert Hershberger, m. obs.).

Marsh Wren: Most of the reports came in Aug and Sep from nesting areas; the last was on 06 Nov at Columbia Reservation, Lorain (BRAS). The eBird entry noted, "This very vocal bird appeared to be a juvenile."

Golden-crowned Kinglet: The earliest report was on 11 Sep at Charleston Falls Park, Miami (Daniel Seger). BSBO banded 285 in Oct at Navarre. The 17 Oct Kelleys' Island survey counted 449 (Tom Bartlett and

Pat Hayes), and one-day high counts of 20 to 30 were found at several other sites. They were seen through the end of the period.

Ruby-crowned Kinglet: The earliest report was from Camp Berry, Hancock, on 12 Sep (Robert Sams and Jeff Loughman). Doug and Micki Dunakin found birds in *Paulding* from 13 Sep to 04 Nov and BSBO banded 245 at Navarre between 19 Sep and 01 Nov. Fifty were at the Lorain dredge spoil site on 18 Oct (BRAS). There were few reports in Nov, and the last was seen 26 Nov along the Little Miami River in *Hamilton* (Mark Gilsdorf).

Blue-gray Gnatcatcher: Eight at Buck Creek on 09 Aug (Doug Overacker) could have been a mix of breeders and migrants; the 10 at Shawnee Lookout Park, *Hamilton*, on 30 Aug were probably mostly the latter (Mark Gilsdorf). They were seen in small numbers, mostly in central and southern counties. The next to last was seen on 03 Oct at Farbach-Warner preserve, *Hamilton* (Albert Scruggs and Julie Morris) and the last almost a month later, 01 Nov at ONWR (*fide* Aaron Bartley).

Northern Wheatear: Emory Yoder identified one at his farm in *Holmes* on 12 Sep, and it was viewed by almost 600 birders from Ohio and at least eight other states (*fide* Robert Lane) until 15 Sep. It appeared to be either an adult female or a hatch-year bird of either sex; their plumages are virtually identical in fall. A written account by Rob Harlan and photographs by many observers made acceptance of this third state record easy for the OBRC.

Eastern Bluebird: Late-brood fledglings were seen in *Hancock* on 04 Aug (Robert Sams) and *Medina* on 24 Aug (Terri Martincic). They were noted in many parks and preserves statewide during the whole period, though most sightings were in Oct and Nov. The highest counts, many to almost 60, were in Oct.

Veery: The single birds seen 03 Aug in CVNP (Tom and Mary Ann Romito) and 13 Aug in Hueston Woods (David Russell) were probably breeders. Migrants were seen at a few locations, and 15 were banded at Navarre between 24 Aug and 20 Oct (BSBO).

Gray-cheeked Thrush: The earliest were seen on 05 Sep, seven at Perrysburg, *Wood* (Claire Britton), and one at Kaleidoscope Tree Farm, *Hancock* (Lauren Harter). BSBO banded 163 at Navarre between 06 Sep and 08 Oct. Pre-dawn



Steve Landes photographed this Northern Wheatear on 13 Sep during its four-day visit to **Holmes**.

listeners counted 42 on 25 Sep at a *Coshocton* home (Adam H. Yoder and David H. Yoder). A moderate number were seen throughout the state from late Sep to mid-Oct, and the latest was noted during a 24 Oct survey at Navarre (BSBO).

Swainson's Thrush: The earliest was seen 24 Aug at Navarre (BSBO). The teams banded 350 there between 29 Aug and 01 Nov, which was the last sighting date. Only Blackpoll Warblers were more numerous. High counts sighted away from the touchdown sites near Lake Erie included 15 at Ellis Lake Wetlands. **Butler**, on 26 Sep (Mike Busam) and 20 at Blendon Woods Metro Park, *Franklin*, on 27 Sep (Thomas Slemmer), but the flight-call counters in *Coshocton* tallied 254 on 25 Sep (Adam H. Yoder and David H. Yoder).

Hermit Thrush: The first sighting was near Baltic, *Coshocton*, on 06 Sep (James E. Yoder and Adam H. Yoder). BSBO banded 238 at Navarre between 01 Oct and 01 Nov. Doug and Micki Dunakin had one or two on their property in *Paulding* from 03 to 20 Oct, and Sean Williams counted 19 on the OWU campus on 10 Oct. Small numbers were at scattered locations through the end of the period, and a few can be expected in any winter month.

Wood Thrush: There were scattered reports until the latest sighting, on 27 Oct at Villa Angela, *Cuyahoga* (Nancy Anderson). The high count was 25 in the Days Dam area Lorain, on 24 Aug (BRAS).

American Robin: Small numbers of residents or their winter replacements were seen throughout the period. Some notable migratory concentrations included 1,900 near Sugarcreek, *Tuscarawas*, on 04 Sep (Albert E. Miller and Wayne E. Miller); 900 at Camp Berry, *Hancock*, on 04 Oct (Lauren Harter); 600 on 29 Oct on the OWU campus (Sean Williams); and 300 at the Ohio State University wetlands on 08 Nov (Dave Slager).

Gray Catbird: A nest with young was noted 03 Aug near Mansfield, *Richland* (Gary Cowell). Migrants were apparently moving by mid-Sep; for example 75 were at Springville Marsh on 12 Sep (Tom Bartlett, m. obs.) and 30 were seen at Ellis Lake Wetlands, *Butler*, on 27 Sep (Mike Busam). There were eight Nov reports, as far apart at *Erie* and *Hamilton*.

Northern Mockingbird: In

contrast to 2008's north-heavy sightings, this year this species was found statewide throughout the period. Several recently hatched birds were seen in early Aug, and one was observed on 19 Sep in *Hamilton* (Wayne Wauligman, m. obs.). Reports were of four or fewer birds, except for the 11 Robert Hershberger found within 0.5 mile of his house on 01 Oct.

Brown Thrasher: A few were seen through Oct, mostly in central and southern Ohio. The only Nov sightings were at Camp Friedlander, *Hamilton*, on the 12 Oct (Robert Foppe) and Camp Dennison, *Hamilton*, on the 21 Oct (Kirk Westendorf).

European Starling: The season editor is grateful for the number of observers who counted and reported this species; 70 counties (rural as well as urban) were represented. Some notable flocks included 2,000 at Funk Bottoms, *Wayne*, on 10 Sep (Su Snyder); 18,000 on the OWU campus on 23 Sep (Sean Williams); 5,000 at ONWR on 01 Nov (*fide* Aaron Bentley); and 2,100 at Miami Whitewater on 29 Nov (Neill Cade).

American Pipit: The first was noted 06 Sep at Springville Marsh (Tom Bartlett, m. obs.). The largest of the three triple-digit flocks reported was of 200 near Mt. Eaton, *Wayne*, on 28 Oct (Aden Yoder), and there were five reports of between 15 and 30 individuals. They were seen through the end of the period.

Cedar Waxwing: Small numbers were seen throughout the period at many locations. Dependent young were noted on 27 Sep in *Coshocton* (Adam H. Yoder). Sean Williams counted 680 on the OWU campus on 06 Sep, and large numbers continued through Oct. Blue Creek Conservation Area, *Lucas*, had 120 feeding in honeysuckle on 03 Oct (Elliot Tramer) and flocks totaling 250 were in the Ira Road area of CVNP on 02 Nov (Tom and Mary Ann Romito).

Blue-winged Warbler: One singing on 16 Aug at Shawnee Lookout (Susan and Linda Osterhage) and one seen 17 Aug at Ira Road, CVNP (Tom and Mary Ann Romito) were probably nesters. Likely migrants were seen from the end of Aug to the last sighting, on 27 Sep in *Harrison* (Brad Sparks).

Golden-winged Warbler: Nine reports were received of sightings between 29 Aug in *Holmes* (James F. Yoder) and 28 Sep in *Hamilton* (Lori Brumbaugh). The others were in *Butler*, *Coshocton*, *Delaware*, *Lucas*, *Ottawa*, and *Stark*.

[Golden-winged x Blue-winged warbler]: Ray Hannikman and Emil Bacik discovered a 'Lawrence's' Warbler at Headlands on 16 Aug. James E. Yoder found a 'Brewster's' Warbler near New Bedford, *Coshocton*, on 13 Aug.

Tennessee Warbler: The first was seen near Sugarcreek, *Tuscarawas*, on 08 Aug (Ed Schlabach); it was next reported on 22 Aug at Buck Creek (Doug Overacker). The last sighting was 27 Oct at Litzenberg Farm Park, *Hancock* (Betty Hardesty). Most reports were of five or fewer birds, but Gary Cowell found 10 along a mile of the B & O Trail, *Richland*, on 02 Oct.

Orange-crowned Warbler: These were reported from over 20 locations between 16 Aug and 01 Nov. Seven were at Camp Berry, *Hancock*, on 17 Oct (Robert Sams); seven were banded at Navarre between 05 and 25 Oct (BSBO); and there were multiple sightings at Villa Angela, *Cuyahoga*, between 26 Sep and 01 Nov (Nancy Anderson).

Nashville Warbler: Doug and Micki Dunakin noted the earliest in their *Paulding* yard on 27 Aug. Sean Williams found 14 on the OWU campus on 25 Oct; Julie West's team banded 10 at Dike 14, *Cuyahoga*, on 27 Sep (*fide* Laura Gooch); and BSBO banded 50 at Navarre until 27 Oct.

Robert Hershberger found "a very tardy one [north] of Berlin" on 29 Nov

Northern Parula: The several reports were dated between 15 Aug at three sites and 17 Oct at Buck Creek (Doug Overacker). Most were of one or two birds, but five were in Area M of the Delaware Wildlife Area, *Delaware*, on 15 Aug (Charlie Bombaci).

Yellow Warbler: Local breeders and migrants were noted widely in Aug. There were a moderate number of Sep reports, and the last was of three quite late birds in *Hancock* on 03 Nov (Betty Hardesty).

Chestnut-sided Warbler: The first were seen 23 Aug at both Carlisle Reservation, *Lorain* (Erik Bruder), and Navarre, where BSBO banded 13 between that date and 30 Sep. There were scattered reports during Aug and many in Sep. The last bird was in *Holmes* on 29 Oct (Micah Hershberger).

Magnolia Warbler: BSBO banded 124 at Navarre between 23 Aug and 11 Oct, the earliest and latest dates reported. There seems to have been a late-Sep push in central and southern Ohio, as there were many reports (some with double-digit counts) in Butler, Clermont, Franklin, and Hamilton in the last 10 days of the month.

Cape May Warbler: The first was seen 23 Aug at Sheldon's Marsh, *Erie* (Andy Sewell). Small numbers were seen in at least 25 locations, with most sightings being in the second half of Sep. The 25 at Magee Marsh on 27

Oct were notable (Lauren Harter, m. obs.). The next to last report was on 10 Oct at the Miami Whitewater wetlands (Ned Keller, m. obs.) and the last much later, on 21 Oct at Metzger Marsh, *Lucas* (Kenn Kaufman).

Black-throated Blue Warbler:

The first was seen 27 Aug at Navarre; BSBO banded 65 there until 13 Oct. Surprisingly, the last bird was seen on 17 Oct at The Wilderness Center, **Stark**, rather than in the south (Su Snyder). Most reports were of one or two individuals, but six were seen at Kelleys' Island on 17 Sep (Tom Bartlett and John Lortz) and five at Blendon Woods Metro Park, **Franklin**, on 25 Sep (Dave Slager and Ben Warner).

Yellow-rumped Warbler: As

always, these rather late migrants were seen in all parts of the state and sometimes in large numbers. The first was seen on 28 Aug at Carlisle Reservation, *Lorain* (BRAS), and they were present into the winter season. Tom and Mary Ann Romito found 30 to 40 during each of their Oct weekly surveys at Ira Road, CVNP. The Miami Whitewater wetlands held 200 on 10 Oct (Ned Keller, m. obs.), and Springville Marsh had 250 on 25 Oct (Tom Bartlett, m. obs.).

Black-throated Green Warbler:

The first was seen at Sheldon's Marsh, *Erie*, on 23 Aug (Andy Sewell) and several were seen in eight counties by the end of Aug. The OWU campus had 24 on 25 Sep (Sean Williams), and the last report was of one banded 25 Oct at Navarre (BSBO).

Blackburnian Warbler: The first was found on 22 Aug in *Coshocton*

(Adam H. Yoder) and six were at the Battelle–Darby Creek Metro Park, *Franklin*, on 03 Sep (Dave Slager). There were many Sep sightings throughout the state, and the last was seen 11 Oct at Avoca Park, *Hamilton* (Kirk Westendorf).

Yellow-throated Warbler: The earliest report, from Litzenberg Farm Park, *Hancock*, on 11 Aug, was almost surely a migrant (Dorothy Barker), as that is far from the species' usual nesting areas. There were several Aug and early Sep sightings in the southwest that could have been nesters. The only Oct sighting was at Fernald Nature Preserve, *Hamilton*, on Oct 11 (Paul Wharton, m. obs.). A late individual was in a *Franklin* yard on 12 Nov (Bernie Master); an even later one visited a feeder in Goshen Township, **Clermont**, almost daily between 16 and 25 Nov (Laura Bradley).

Pine Warbler: The first report was of one at Holden Arboretum, *Lake*, on 19 Aug (Rebecca Thompson). Four were singing in a pine grove in Indian Hill, *Hamilton*, on 01 Sep (Frank Renfrow), and a few others were seen in Sep and a smattering in Oct. The last sightings were both of two birds on 22 Oct, at Sharon Woods Metro Park, *Franklin* (Bill Tacon) and Winton Woods County Park, *Hamilton* (John Marvin).

Kirtland's Warbler: One wowed the participants at the Midwest Birding Symposium on 18 Sep. Jim Lindway's party found the bird at 9 a.m. in East Harbor State Park, *Ottawa*, which is almost adjacent to the symposium site. The bird was very cooperative for the rest of the day as dozens of admirers and listers viewed it.

Prairie Warbler: All seven reports are described. Two found in *Adams*, on 09 Aug at Chaparral Prairie State Nature Preserve (Rob and Sandy Harlan) and on 05 Sep at the Edge of Appalachia Preserve (Paul Krusling), could have been nesters. One was near Sugarcreek, *Tuscarawas*, on 07 Sep (Ed Schlabach). One was in Mount Airy Forest, *Hamilton*, on 19 Sep (Paula Miller) and one at Twin Creek Metro Park, *Montgomery*, on 25 Sep (John Hull). Wildwood State Park, *Cuyahoga*, had one on each of 27 Sep and 04 Oct (Nancy Anderson).

Palm Warbler: The earliest reported was seen by Doug and Micki Dunakin in their *Paulding* yard on 09 Sep. Bill



The private community of Lakeside was the site host for the successful Midwest Birding Symposium. During the first morning of talks, 18 Sep, a Kirtland's Warbler was identified at nearby East Harbor State Park, Ottawa, fortunately causing a slow exodus rather than a stampede of birders to this site. This cooperative individual was studied and photographed by many, including Bernie Master, who submitted this photograph.

Jones found one on each of 21 Sep, 01 Oct, and 11 Oct at Mill Creek, and a few others were scattered around the state during that period. The last sighting was from ONWR on 01 Nov (fide Aaron Bartley).

Bay-breasted Warbler: This species was seen in over 25 counties, starting on 27 Aug in Battelle—Darby Creek Metro Park, *Franklin* (Ben Warner). BSBO banded 17 at Navarre between 05 Sep and 07 Oct, not long before the last was seen at the Riverbend Recreation Area, *Hancock*, on 13 Oct (Betty Hardesty).

Blackpoll Warbler: These were widespread and numerous. The earliest was at The Wilderness Center, *Stark*, on 23 Aug (Aden Yoder). BSBO banded 538 between 06 Sep and 24 Oct at Navarre; it was their most numerous species. The latest date of 01 Nov was shared by BSBO at Navarre and Nancy Anderson at Villa Angela, *Cuyahoga*.

Cerulean Warbler: Three reports were from *Franklin*. One was seen at Innis Park on 03 Sep (Rob Thorn), and the sightings at Blendon Woods Metro Park on 09 and 10 Sep were probably of one bird (Charlie Bombaci, Bruce Simpson). Migrants were seen in *Holmes* on 18 and 22 Aug (James E. Yoder) and one was singing at The Wilderness Center, *Stark*, on 29 Aug (Aden Yoder).

Black-and-white Warbler: One at East Fork on 01 Aug could have been a breeder (Bill Stanley), and probable migrants were seen from that date in the northwest. Reports were sparse until late Aug; they were numerous

in Sep. The latest was at 10 Oct at Shaker Lakes, *Cuyahoga* (Amy Eugene).

American Redstart: A few individuals of this widespread nesting and migrant species were found in early Aug. There were several double-digit counts in Sep, and the last was seen 13 Oct at Litzenberg Farm Park, *Hancock* (Betty Hardesty).

Prothonotary Warbler: Probable nesters were found 01 Aug along the B & O Trail, *Richland*, (Gary Cowell) and 02 Aug at Magrish Preserve, *Hamilton* (Kirk Westendorf). As usual, most had departed the state before Sep, but a very late individual was seen at Armleder Park, *Hamilton*, on 01 Oct (John Zahnen).

Worm-eating Warbler: The four reports were of single birds at Shawnee Lookout on 16 and 29 Aug (Susan and Linda Osterhage); two at the Hoover Nature Preserve, *Delaware*, on 10 Sep (Charlie Bombaci); and one at Caesar's Creek on 13 Sep (Jason and Neill Cade).

Ovenbird: One or two were reported from 17 counties in starting 24 Aug in *Paulding* (Doug and Micki Dunakin), with seven on 27 Sep at Sharon Woods Metro Park, *Franklin*, being notable (Dave Slager). The last was seen at Navarre on 27 Oct (BSBO).

Northern Waterthrush: The first was seen 24 Aug at Pickerel Creek (Kenn Kaufman), and BSBO banded 31 through 08 Oct. One or two birds were seen in a few counties until 08 Oct.

Louisiana Waterthrush: The only reports were from California Woods, *Hamilton*, on 02 Aug (Kirk Westendorf) and Hueston Woods on 22 Aug (John Shrader).

Kentucky Warbler: The few reports spanned from 12 Aug in Holmes (Adam H. Yoder) to 26 Sep at Navarre (BSBO).

Connecticut Warbler: The first was seen 06 Sep at Carlisle Reservation, *Lorain* (Erik Bruder), and BSBO banded six at Navarre between 11 Sep and 10 Oct. There were several sightings in *Paulding*, *Franklin*, and *Holmes* during the second half of Sep (m. obs.). The latest was seen at Miami Whitewater on 11 Oct (Albert Scruggs).

Mourning Warbler: Right on schedule, this species first appeared 23 Aug in *Wayne* (Perry Yoder). Two were banded and another seen at the Reick Center, *Hancock*, on 11 Sep (Lauren Harter, m. obs.). The latest report was from ONWR on 05 Oct (Dave Vander Pluym, m. obs.).

Common Yellowthroat: This widespread nester was reported from 43 counties, with the last migrant seen 01 Nov at Villa Angela, *Cuyahoga* (Nancy Anderson). Tom Bartlett's team counted 100 at Springville Marsh on 12 Sep.

Hooded Warbler: The 02 Aug sighting in Carlisle Reservation, *Lorain*, was probably a nester (m. obs.), but the one in California Woods, *Hamilton*, on 03 Aug was far from the species' usual breeding areas (Jim Zook). The last migrants were seen 24 Oct at Villa Angela, *Cuyahoga* (Nancy Anderson) and Blendon Woods Metro Park, *Franklin* (m. obs.).

Wilson's Warbler: The first was seen 23 Aug in *Paulding* (Doug and Micki Dunakin). One to three were seen on multiple dates, and 16 were seen on 06 Sep on the OWU campus (Sean Williams). Other scattered sightings throughout the state led to the latest at Blendon Woods Metro Park, *Franklin*, on 24 Oct (Thomas Slemmer).

Canada Warbler: A small party found the earliest two migrants in northeast *Coshocton* on 23 Aug (Jacob M. Hostetler and Adam H. Yoder). There were about 25 sightings in Sep and the latest was at the Denison University Biological Preserve, *Licking*, on 03 Oct (Mike Smith).

Yellow-breasted Chat: Most of the reports were during Aug and from the southwestern counties, so many of them were probably nesters. The only reports after Aug were from Van Buren State Park, *Hancock*, on 13 Sep (Robert Sams) and at Headlands on 03 Oct (Erik Bruder).

Eastern Towhee: This species was widely reported throughout the period. The 15 at Buck Creek on 08 Aug were notable (Doug Overacker).

American Tree Sparrow: The first two were seen 30 Sep at Sandy Ridge Reservation, *Lorain*, (BRAS), followed quickly by a flock of 50 in Van Buren State Park, *Hancock*, on 06 Oct (Betty Hardesty). Another notable flock was of 60 at Pickerington Ponds on 21 Nov (Dave Slager and Ben Warner). They were seen through the end of the period into winter.

Chipping Sparrow: Dependent young were seen in early Aug as far apart as *Summit* (Tom and Mary Ann Romito) and *Hamilton* (Wayne Wauligman). A flock of approximately 65 was at the City of Delaware Water Plant, *Delaware*, on 14 Oct (Bill Shively). Reports were sparse in Nov but continued to the end of the period.

Clay-colored Sparrow: One that summered in *Holmes* was seen into Aug (Tim Hochstetler). One was on Kelleys' Island on 17 Sep (Tom Bartlett and John Lortz). Mike Busam found two at Ellis Lake Wetlands, *Butler*, on 27 Sep, and at least one of them was seen by many observers through 29 Sep. One at Headlands on 03 Oct (Eric Bruder); one along Mentor Marsh's Wake Robin Trail, *Lake*, on 08 Oct (Suzanne Wagner and Jerry Talkington); and one at Mill Creek on 18 Oct (Bill Jones) complete the reports extracted from all sources.

Field Sparrow: These were seen throughout the period; the 50 at East Fork on 05 Sep was a noteworthy count (Bill Stanley, m. obs.).

Vesper Sparrow: One was singing near New Philadelphia, *Tuscarawas*, on 03 Aug (Hallie Mason). There were eight reports from sites near Findlay, *Hancock*, from early Aug until late Oct (Robert Sams, m. obs.). One near New Bedford, *Coshocton*, on 15 Nov was the last (James E. Yoder).

Lark Sparrow: The season editor suspects that one at Headlands on 04 Sep (Ben Winger, m. obs.) and one at Villa Angela, *Cuyahoga*, on 05 Sep (Nancy Anderson) were the same bird. These were the only reports for the season.



With increasing understanding of their habitat needs and more field time being spent in these habitats, sightings of Le Conte's Sparrows are becoming more common in fall migration. Dave Slager photographed this Le Conte's Sparrow on 05 Oct in **Franklin**.

Savannah Sparrow: These fairly widespread breeders were found starting in early Aug. Thirty-three were at the *Hardin* wetlands on 30 Aug (Richard Counts) and up to 30 were seen on several Oct dates at Pickerington Ponds (Dave Slager). Small numbers were fairly regular at Armleder Park, *Hamilton*, through Nov (Kirk Westendorf).

Grasshopper Sparrow: Those found in *Clark*, *Franklin*, *Marion*, *Union*, and *Wyandot* in early Aug were most likely breeders (m. obs.). There were no reports from that time until 05 Oct at Pickerington Ponds (Dave Slager) and then 31 Oct at Lake Loramie State Park, *Shelby* (Brad Sparks).

Henslow's Sparrow: One to three were seen at ONWR between

01 and 21 Aug, probably breeders giving way to migrants (Erik Bruder, Tom Bartlett, m. obs.). The latest was reported 18 Oct at Pickerington Ponds (Dave Slager).

Le Conte's Sparrow: One or two were seen along the Wake Robin Trail in Mentor Marsh, *Lake*, between 29 Sep and 05 Nov (Jerry Talkington, Suzanne Wagner, m. obs.). The other reports were of one at a newly created wetland adjacent to the *Hancock* landfill on 03 Oct (Dave Vander Pluym), one on 05 and 18 Oct at Pickerington Ponds (Dave Slager, m. obs.), and one in *Tuscarawas* on 27 Oct (Robert Schlabach).

Nelson's Sparrow: The first was seen 27 Sep at Mill Creek (Bill Jones). A group of friends found six to eight at Funk Bottoms on 03 Oct (Jacob M. Hostetler, m. obs.). The Wake Robin Trail, *Lake*, was a haven for



As with Le Conte's Sparrow, better coverage of appropriate habitat is turning up more Nelson's Sparrow records in fall. Dave Russell submitted this photograph of a hatch-year Nelsons's Sparrow that he banded 01 Oct at Shaker Trace in Miami Whitewater Forest, **Hamilton**.

this species as well, with up to five being seen 29 Sep to 30 Oct (Jerry Talkington, Suzanne Wagner, m. obs.). One to three were seen on several dates in that period at Pickerington Ponds (Dave Slager), and single birds were found in *Hamilton*, *Hancock*, *Holmes*, and *Tuscarawas* (m. obs.).

Fox Sparrow: BSBO banded eight at Navarre between 08 Oct and 01 Nov and 12 were at Springville Marsh on 19 Nov (Robert Sams). They were also reported from 21 other counties through the end of the period.

Song Sparrow: This species was reported from almost 65 counties throughout the period and probably had the most sightings of any bird. Notable concentrations included 100 at the Miami Whitewater wetlands on 10 Oct (Ned Keller, m. obs.) and 100 on 24 Oct at Pickerington Ponds (Dave Slager), and there were many reports with double-digit counts.

Lincoln's Sparrow: The earliest was seen 23 Aug at Sheldon's Marsh (Andy Sewell) and latest was at Armleder Park, *Hamilton*, on 20 Nov (Joe Kappa). Small numbers of them were widespread between those dates, though there were only two other Nov sightings. Interesting concentrations of 10 were at Pickerington Ponds on 05 Oct (Dave Slager) and Miami Whitewater wetlands 10 Oct (Ned Keller).

Swamp Sparrow: Nesting birds were thick in the many marshy areas in Aug; singing males were noted in at least three counties. Double-digit numbers were widely reported through Oct. The latest of the season were reported 29 Nov in several locations, and they remained into December.

White-throated Sparrow: The first individual, seen on 25 Aug in a *Hancock* yard, was almost a month earlier than usual (Betty Hardesty). They began appearing in many counties during the third week of Sep and were seen through the end of the period. BSBO banded 290 at Navarre; Kelleys' Island had 203 on 17 Oct (Tom Bartlett and Pat Hayes), and 60 were seen on 26 Oct at Ira Road, CVNP (Tom and Mary Ann Romito).

White-crowned Sparrow: The first report was from a *Summit* yard on 13 Sep (Michael Fitts). They were soon widespread through the end of the period. The 17 Oct Kelleys' Island survey found 79 (Tom Bartlett and Pat Hayes).

Golden-crowned Sparrow: The individual that frequented a *Paulding* feeder from 27 Mar to 25 April 2009 and was banded during that time returned 17 Nov and was still present as of this writing, in Mar 2010 (Ron Sakalosky).

Dark-eyed Junco: Birds from northeast Ohio's small breeding population were seen in early Aug in *Cuyahoga*, *Lake*, and *Summit*. Those seen along the Buckeye Trail in *Summit* on 03 and 04 Sep could have been residents or migrants (Clyde Witt), whereas the one on 15 Sep at Oak Openings, *Lucas*, was the first definite migrant (Elliot Tramer). One of the 'Oregon' subspecies group was seen several times between 26 Nov and 02 Dec in a *Franklin* yard (Bernie Master).

Lapland Longspur: The first was reported 06 Oct at Conneaut (Mark Vass); three were seen there on 17 Oct

(Robert and Denise Lane) and two on 06 Nov (Craig Holt). Single birds were seen at a few other locations through the end of the period. Approximately 200 were seen near the Thomas Wetland, *Paulding*, on 05 Nov (Doug and Micki Dunakin); such large flocks are uncommon in Ohio but when present are most often seen in the far western counties.

Snow Bunting: One seen 08 Oct at Navarre was a bit earlier than usual; more typical were the three seen over Lake Erie on the 29 Oct aerial waterfowl survey (Keith Lott). During the second half of Nov, they were reported in flocks of up to 50 in *Clark, Geauga, Hancock, Lake*, and *Ottawa*.

Summer Tanager: Several reported from *Adams*, *Butler*, *Clermont*, and *Hamilton* in early Aug were probably breeders; those reported in the same areas into mid-Sep most likely included migrants. The last sighting in the disjunct breeding area of Oak Openings, *Lucas*, was on 17 Sep (Elliot Tramer). A juvenile male seen at Willow Point on 20 Oct, was very late (Larry Richardson).

Scarlet Tanager: This species was reported statewide in Aug and Sep, with the last reports but one being in mid-Oct. That last report was from the College Hill neighborhood of *Hamilton* on the late date of 06 Nov (Steve Pelikan).

Northern Cardinal: This popular species was widely reported, sometimes in large numbers. For instance, the 12 Sep CVNP census found 113 (Dwight Chasar, m. obs.) and Linda Househower counted 66 in Bluffton, *Allen*, on 29 Sep.

Rose-breasted Grosbeak: These were widely reported into Oct, with 15 found at Ellis Lake Wetlands, *Butler*, on 27 Sep (Mike Busam). A fallout in northeast *Coshocton* on 26 Sep yielded 36 (Adam H. Yoder). The last report was from Kelleys' Island on 17 Oct (Tom Bartlett and Pat Hayes).

Blue Grosbeak: There were reports from several *Hamilton* sites; the most were from Armleder Park, where up to three were seen throughout Aug (m. obs.). A singing male on Prairie Lane, *Wayne*, until 12 Aug was near the northern edge of their usual breeding range, as were singles seen in *Coshocton* and *Tuscarawas* (m. obs.). The last report was of two at Fernald Nature Preserve, *Hamilton*, on 11 Oct (Paul Wharton, m. obs.).

Indigo Bunting: The highest count was 30, found at several locations from Aug to mid Sep. The last were reported 24 Oct from Shawnee Lookout (Bill Stanley).

Dickcissel: As usual, reports were widely scattered. Armleder Park, *Hamilton*, hosted them again this year, with up to three seen through 04 Oct (m. obs). A migrant was seen along the Wake Robin Trail, *Lake*, on 13 Sep (Jerry Talkington). The latest sighting was at Pickerington Ponds on 25 Oct (Dave Slager).

Bobolink: These were present at the Thomas Wetlands, *Paulding*, until 26 Sep (Doug and Micki Dunakin). Kenn Kaufman noted, "Flocks may have been coming in to roost..." when he counted 70 at Pickerel Creek on 24 Aug. Robert Hershberger counted 158 flyovers near Mt. Hope, *Holmes*, on 06 Sep. The latest report was of one

near Walnut Creek, *Holmes*, on 24 Oct (James F. Yoder).

Red-winged Blackbird: Hundreds were seen at Mill Creek throughout Oct (Bill Jones). The 900 at Springville Marsh on 23 Aug grew to 5,500 on 18 Oct (Tom Bartlett, m. obs.). Killdeer Plains hosted 4,000 on 22 Oct (Bill Shively and Jack Priser). Robert Sams calculated a phenomenal 27,000 at Winous Point on 20 Aug.

Eastern Meadowlark: Small numbers reported in Aug and Sep peaked at 40 at The Wilds, *Muskingum*, on 17 Oct (Heather Nagy and Kathy Mock). They were seen at many sites through the end of the period.

Rusty Blackbird: A very early male bird in downtown Cleveland on 08 Aug was well described (Jonathan White). Scattered small groups were seen starting in Sep through the end of the period. Large flocks reported include 125 on 09 Oct at Grand River Wildlife Area, *Trumbull* (Dave and Judy Hochadel); 250 on 22 Oct at Killdeer Plains (Bill Shively and Jack Priser); and approximately 700 near Miami Whitewater wetlands on 29 Nov (Neill Cade).

Brewer's Blackbird: There were five reports of small numbers of this uncommon species, which, however, does nest nearby in southern Michigan: Three were at ONWR on 02 Oct (fide ONWR); one at Glenwood Gardens, Hamilton, on 04 Oct (John Marvin); two in southwestern Lorain on 23 Nov (Larry Richardson); 12 in southeastern Ottawa on 26 Nov (John Pogacnik); and at least seven in the huge mixed blackbird flock near

Miami Whitewater wetlands on 29 Nov (Neill Cade).

Common Grackle: A flock of at least 2,000 passed over Betty Hardesty in *Hancock* on 18 Aug, rather early for migration massing. More typical in timing were the approximately 3,000 at Lex House, Richland, on 22 Oct (Carl Ball) and 6,000 along the Great Miami River in Hamilton, *Butler*, on 11 Nov (Mike Busam and Charlie Saunders).

Brown-headed Cowbird: Small numbers were widespread, with many double-digit counts and a few in triple digits. The mixed blackbird flock near Miami Whitewater wetlands on 29 Nov included approximately 1,500 (Neill Cade).

Orchard Oriole: All but two of the 17 reports were in Aug, with the last being on 08 Sep at French Creek Reservation (BRAS).

Baltimore Oriole: What were probably both nesters and migrants were seen throughout the state until the last reports on 13 Sep from Buck Creek (Doug Overacker) and *Tuscarawas* (*fide* Ed Schlabach). The 16 Aug Kelleys' Island survey found 33 (Tom Bartlett and Pat Hayes); most other reports were of fewer than 10 individuals.

Purple Finch: The two at Ira Road, CVNP, on 02 Aug had probably nested nearby (Tom and Mary Ann Romito). Small numbers of winter visitors were seen throughout the state beginning about 15 Sep. Dave Vander Pluym banded 12 in an *Allen* woodland on 25 Oct.

House Finch: Reports were well distributed throughout the state and period. Two high counts were of 50 at West Creek Park, *Cuyahoga*, on 12 Oct (Gabe Leidy) and 60 in Hamilton, *Butler*, on 15 Oct (Mike Busam and Charlie Saunders).

Red Crossbill: The sole report was of one at Litzenberg Memorial Woods, *Hancock*, on 25 Oct (Lauren Harter).

Common Redpoll: One was reported in a Kirtland, *Lake*, yard on 10 Oct (anon. eBird contributor). One was in Cullen Park, *Lucas*, on 12 Nov (Mark Faust). Another sighting, at Oak Openings, *Lucas*, on 22 Nov, could have been the same bird (Matt Kemp).

Pine Siskin: Two were seen at the BSBO feeder on 29 Oct (Kenn Kaufman). One was banded at Shaker Lakes on 21 Sep and another at Navarre on 08 Oct (BSBO). The rest of the sightings were in Nov, with reports from more than 10 sites across the northern half of the state. Siskin sightings may have been increased by the larger than usual number of nesting pairs which remained in the state this summer.

American Goldfinch: Many families with young were noted into late Aug (OBBA II data, *fide* Matthew Shumar). Birds were seen throughout the period, with a group of 300 at Miami Whitewater wetlands on 10 Oct (Ned Keller, m. obs.) and several of 200 at other locations.

Evening Grosbeak: Two were seen at feeders on 14 Nov, one in Elyria, *Lorain (fide BRAS)*, and one in *Ashtabula* (Rob Krajeski). Neither remained for public viewing.

House Sparrow: These were reported throughout the state in all types of habitats.

Errata

There was an erroneous image caption in the Summer 2009 season report. The American White Pelican photograph on page 154 shows 24 individuals, whereas the caption suggests that there were 28. Twenty-eight birds were indeed reported, but four had taken to the air before this photo was taken. Additionally, we failed to credit Su Snyder as the photographer.

The editorial staff of *The Ohio Cardinal* thanks all of the individuals and organizations who made their field data available to us through reports submitted directly to us by mail and e-mail, as well as through online resources managed by the Ohio Ornithological Society and other means.

Mike Acheson Martin Ackerman Scott Albaugh Nancy Anderson Rick Aracil Sean Artman Rick Asamoto Emil Bacik Carl Ball Doroth Barker Paula Bartlett Tom Bartlett Aaron Bartley Cindy Beckman Gretchen Beers Ken Beers Gregory Bennett Black River Audubon Society (BRAS) Black Swamp Bird Observatory (BSBO) Earl Boehm Mark Bogosian Charles Bombaci Aaron Boone Ben Bowers Chris Bowers Iill Bowers Laura Bradley Ben Britton Claire Britton Matt Brooker Erik Bruder Lori Brumbaugh Eric Burkholder Mike Busam Jason Cade Neill Cade Craig Caldwell Allan Chartier Ann Chasar Dwight Chasar Allan Claybon Rob Clifford

Suzanne Clingman

Richard Counts

Gary Cowell Pat Coy Charles Crawford Noel Cutright Jeff Davis Todd Deal Lawrence DeAtley Chris Decker Leo Deininger Cheryl Dinkelbach Fred Dinkelbach Ed Dolgin Kim Dolgin Laura Dornan Bill Doss Doug Dunakin Micki Dunakin Sherrie Duris Ioshua Eastlake Robert Edelin Greg Emmert Lola Erwin Amy Eugene Virginia Fantetti Mark Faust Bob Finkelstein Bonnie Fish Michael Fitts Robert Foppe Frank Frick Darlene Friedman Jonathan Frodge James Fry Larry Gara Jerry Gillan Mark Gilsdorf Jerry Gillan Bruce Glick Laura Gooch Chris Goulart Darlene Graham Ray Hannikman Betty Hardesty Sally Hardesty Rob Harlan Sandy Harlan

Cheryl Harner Lauren Harter Michael Harvey Wes Hatch Deborah Hausrauth Pat Haves John Herman Bob Herp Allen Hershberger Micah Hershberger Michael Hershberger Paul Hershberger Robert Hershberger Terry Hines Dave Hochadel **Judy Hochadel** Tim Hochstetler William Hochstettler James Holsinger Craig Holt Jacob M. Hostetler Linda Househower John Hull Lauren Hunter Lola Irvin William Jackson Bill Jones Steve Jones Susan Jones Joe Kappa Kenn Kaufman Laura Keene Ned Keller Mark Kemp Paul Kiplinger Dennis Kline Kevin Kline Jerry Klug Rob Krajeski Daniel Kramer David Kriska Paul Krusling Linda Kurth Steve Landes Denise Lane Robert Lane

Al La Sala Bill Layne-Magill René Layne-Magill Jay Lehman Gabe Leidy Tim Lenz Iim Lindway John Lortz Keith Lott Jeff Loughman Paula Lozano Geoff Malosh Terri Martincic David Marvin John Marvin Hallie Mason Bernie Master Jim McCormac Ruhikant Meetei Lois Meyst Peter Meyst Aaron Miller Albert E. Miller Jeffrey Miller Jim Miller Kent Miller Leon Miller Mae Miller Paula Miller Wavne E. Miller Kathy Mock Craig Moore John Moore Julie Morris Andrew Morrison Ben Morrison Donald Morse, Jr. Josh Muchow Heather Nagy Bev Neubauer Ed Neubauer Ann Oliver Hope Orr Linda Osterhage Susan Osterhage Ken Ostermiller Ottawa National Wildlife Refuge

Doug Overacker Steve Pelikan Haans Petruschke Chris Pierce Ed Pierce John Pogacnik **Bob Powell** Susan Prior **Jack Priser** Frank Renfrow Ruth Richards Larry Richardson Shane Roberts Mary Ann Romito Tom Romito David Russell Ron Sakalosky Antonio Salvadori Robert Sams Dan Sanders Mike Sandy Charlie Saunders Samantha Savre Regina Schieltz Ed Schlabach Inga Schmidt John Schrader Albert Scruggs Daniel Seger Andy Sewell Bill Shively Megan Shoemaker Randy Shonkwiler Matthew Shumar Bruce Simpson Dave Slager Thomas Slemmer Mike Smith Su Snyder **Brad Sparks** Bill Stanley Jack Stenger Jay Stenger John Strathern Dan Striley

Matthew Studebaker

Bill Takacs

Jerry Talkinton

Karen Tanquist Russell Taylor Dru Tepper Thais Tepper Rob Thorn Sandy Tkach Elliot Tramer Albert L. Troyer John Troyer Matt Valencic Dave Vander Pluym Diane Van Schoyck Mark Vass Suzanne Wagner Ben Warner Dave Watkins Wayne Wauligman Kirk Westendorf Bill Whan Paul Wharton Jonathan White Sean Williams Kelly Williams-Sieg Ben Winger Geoff Winningham Jeff Wirt Andi Wolfe Stephen Wolfe Chris Wood Betsv Worden Adam H. Yoder Aden Yoder Atlee Yoder David H. Yoder Emory Yoder James E. Yoder Iames F. Yoder Mark Yoder Perry Yoder Autumn Young John Zahnen Bill Zimmerman Jim Zook