

Shorebird Survey in Portage Summit
and Medina Counties, Spring 1985

Larry O. Rosche

<u>Species</u>	<u>Location</u>	<u>Location</u>	<u>Location</u>
<u>Black-bellied Plover</u>	<u>Barberton</u>	<u>Lodi</u>	
	4/27 3	5/4 1	
	5/27 3		
	5/28 2		
<u>L. Golden Plover</u>	<u>Barberton</u>		
	3/31 1		
<u>Semipalmated Plover</u>	<u>Barberton</u>	<u>Kent</u>	<u>L. Rockwell</u>
	4/27 2	5/7 1	5/18 9
	5/12 10		
	5/14 30		
	5/27 20		
	5/30 10		
<u>Killdeer*</u>	<u>Barberton</u>		
	3/9 20		
<u>Greater Yellowlegs</u>	<u>Barberton</u>	<u>Kent</u>	<u>L. Rockwell</u>
	4/14 5	4/10 8	4/10 3
	4/20 6	4/22 3	5/8 1
	4/27 2	5/7 3	
	5/4 6		
	5/12 3		
	5/18 1		
<u>Lesser Yellowlegs</u>	<u>Barberton</u>	<u>Kent</u>	<u>L. Rockwell</u>
	4/14 1	4/10 1	4/10 1
	4/20 10	5/7 30	5/8 26
	4/27 30		5/18 10
	5/1 40		
	5/6 35		
	5/12 6		
	5/14 10		
<u>Solitary Sandpiper</u>	<u>Barberton</u>	<u>Kent</u>	<u>L. Rockwell</u>
	4/20 1	4/16 1	4/29 1
	4/28 2	4/22 2	5/8 10
	5/4 4	5/7 6	5/18 2
	5/12 1	5/26 2	
<u>Spotted Sandpiper*</u>	<u>Barberton</u>	<u>Kent</u>	<u>L. Rockwell</u>
	4/20 4	5/7 6	4/27 2
	4/27 10		5/8 4
	5/18 30+		5/26 8
<u>Whimbrel</u>	<u>Lodi</u>		
	5/26 40+		
<u>Ruddy Turnstone</u>	<u>Barberton</u>		
	5/18 1		
	5/28 14		
<u>Semipalmated Sandpiper</u>	<u>Barberton</u>		<u>L. Rockwell</u>
	5/12 10		5/18 3
	5/18 15		5/26 10
	5/27 75		
	5/28 250		
	5/30 300+		
<u>Western Sandpiper</u>	<u>Barberton</u>	<u>Spencer SWA</u>	<u>L. Rockwell</u>
	5/30 1	5/26 2	5/26 1

* Species considered to be fairly common to abundant nesters

Shorebird Survey (cont.)

<u>Least Sandpiper</u>	<u>Barberton</u>			<u>L. Rockwell</u>
	4/27	10		5/8 25
	5/12	100+		5/18 10
	5/14	60		
	5/18	20		
	5/27	4		
	5/30	2		
<u>White-rumped Sandpiper</u>	<u>Barberton</u>	<u>Spencer</u>	<u>SWA</u>	<u>L. Rockwell</u>
	5/14	1	5/26 1	5/26 3
	5/18	1		
	5/27	10		
	5/28	15		
	5/30	3		
<u>Pectoral Sandpiper</u>	<u>Barberton</u>	<u>Kent</u>		<u>L. Rockwell</u>
	3/25	51	4/16 13	4/13 20
	3/29	370	5/7 20	5/8 2
	3/31	2		
	4/5	21		
	4/12	200+		
	4/20	100		
	4/25	40		
	5/12	2		
<u>Dunlin</u>	<u>Barberton</u>			<u>L. Rockwell</u>
	3/29	1		5/18 12
	5/4	16		
	5/6	30		
	5/12	20		
	5/14	40		
	5/18	20		
	5/27	4		
	5/28	15		
	5/30	2		
<u>Stilt Sandpiper</u>	<u>Barberton</u>			
	5/18	5		
<u>Short-billed Dowitcher</u>	<u>Barberton</u>			<u>L. Rockwell</u>
	5/5	5		5/7 7
	5/6	25		
	5/18	5		
<u>Long-billed Dowitcher</u>	<u>Barberton</u>			
	4/27	3		
<u>Common Snipe #</u>	<u>Barberton</u>	<u>Kent</u>		<u>L. Rockwell</u>
	4/14	3	4/20 10	4/10 1
	5/8	1	5/1 1	5/8 1
<u>American Woodcock *</u>		<u>Kent</u>		<u>L. Rockwell</u>
		3/16	7	3/17 4
		5/21	9	
<u>Wilson's Phalarope</u>	<u>Barberton</u>	<u>Kent</u>		
	4/28	1	5/7 1	
<u>Red-necked Phalarope</u>	<u>Barberton</u>			
	5/28	1		
	5/30	1		

* Species considered fairly common to abundant as nesters.

Species considered rare nester.

Shorebirds at Bayshore Dredge Spoil Disposal facility, Spring 1985, Lucas Co., Ohio

Species	Date/Numbers		Dr. Elliot Tramer														
	4/17	4/19	4/22	4/24	4/29	5/1	5/3	5/6	5/8	5/10	5/13	5/15	5/17	5/20	5/22	5/24	5/29
Semipalmated plover									2	1		8	3	5	3		
Killdeer	4	5			2	8	3	1	2	4	3	5	2	1	1		1
Golden plover										2							
Black-bell.plover							2	6		9	9	10			20	3	
Greater yellowlegs	1	1	3		5			1				1					
Lesser yellowlegs		7	15		9	5	1	11	2		1	9			1		
Willet				5				2									
Spotted sandpiper			1	1		1		4	6	13	9	14	25	5	3	1	4
Whimbrel															1		
Avocet		3	32														
Ruddy turnstone									4		2	6	17	19	82	22	6
Short-b. dowitcher								3		17		1	3				
Red knot															1	1	
Sanderling								1					1	3			
Semipalm.sandpiper										2		8+	35	1	350	150	120
Western sandpiper															1		
Least sandpiper				2	1			30	10	12		10+	25	2		2	
Baird's sandpiper													3				
Pectoral sandpiper	10	7	125		5												
Dunlin	18		1		40	3		320	400	600	50	900	225	300	1500	800	285
Stilt sandpiper												1	1				
Wilson's phalarope								1									

TOTALS																	
Species	4	5	6	3	6	4	3	10	8	9	6	12	11	8	11	7	5
Individuals	33	23	177	8	62	17	6	379	427	660	74	973+	341	336	2045	979	316

Water Bird Survey for Several Large Inland Lakes in Portage and Summit Counties Spring 1985

Larry O. Rosche

Species	Lake Rockwell Area @							Mogadore Res.					Akron Lakes *					Barberton Salt Pond					
	3/6	3/16	3/24	3/29	4/3	4/14	4/19	3/13	3/28	4/5	4/14	4/20	3/9	3/17	3/31	4/6	4/14	3/9	3/17	3/31	4/12	4/19	
C. Loon				1	1	4	1			3		1			3	3							
Pb Grebe	1	4	2	4	4	2	1	2	2	3	2	1	9	2	16	18	2	2		1	2	1	
H. Grebe	1			1	1	3		3		2	1		7	1	5	3							
Tundra Swan	9																						
GW Fronted G.					1																		
Canada G.	750	400+	280	200	300	223	40	34	38	20	10	4	450	400	38	1	14			2	2	2	
Wood Duck			8	20	21	22	22		6	14	20	12					2						
Grn-wng T.			2	7	2	1												10		40	12	10	
A. Black D.	150	60	22	26	26	12	2		2	6	2		250	20	22	2	2	200	10	10	2	2	
Mallard	350	200+	50	80	38	40	10	24	20	40	60	20	200	200	140	88	60	220	20	50	10	40	
N. Pintail	80		21																2	2			
Bl-wng T.			2		12	40	8				12				3	2	20		2	55	70	80	
N. Shoveler					2											2				6	4	1	
Gadwall	2	3	5	2	8	6	7	6		2										10		2	
A. Wigeon	40	8	16	6	28	26		2		2	4		2		2	10	1	10	8	30	2		
Canvasback	30				9								55	2				5		12			
Redhead	40								20				86							8			
Ring-neck D.	146	150	140	64	150	84	18	363	485	121	48		60		13	10	4	25	40	100	30	4	
Gr. Scaup	2															2				2			
Ls. Scaup	16	100+	20	20	40	40	10	22	8	300	30	20	30	220	354	507	40	30	100	320	400	40	
Oldsquaw																				1			
WWing Scot.						1																	
C Goldeneye	10	10	10		14			1					40			1		1		2	2	2	
Bufflehead	6	8	10	4	6	12		20	2	60	20	60	6		2		10	6	15	30	108	80	
Hooded Merg.	4	20	40	50	22	18		16		20			4	35	28	10			10	2			
Common Merg.	10	4	16	6	4	1																	
Red-br. Merg.	10	95	150	200	300	300	40			20		6	2	10	86	40	60						
Ruddy Duck		6	13	6	65	70	8	5	205		105	80	2		27	243	20	13	10	40	98	80	

@ Lake Rockwell Area includes Pippin Lake and Ravenna Rd. wetland area.

* Akron Lakes include Lake Nesmith, Long Lake, Springfield Lake, and Summit Lake.