

INDEX TO VOLUME V.

- ACANTHIS brewsterii*, 401.
 exilipes, 413.
 hornemannii, 413.
 linaria, 358.
Accentor, Golden-crowned, 315.
Accipiter atricapillus striatulus,
 145.
 cooperi, 20, 145, 246, 271, 316,
 350.
 velox, 20, 145, 271, 350.
Actitis macularia, 20, 145, 149, 151,
 270, 349, 389, 433.
Actodromas couesi, 197.
Æchmophorus clarkii, 401.
 occidentalis, 15, 140, 201.
Ægialitis meloda circumcincta, 147.
 mongola, 197.
 nivosa, 110.
 pyrrhothorax, 197.
 semipalmata, 327.
 vocifera, 20, 145, 270, 349.
 wilsonia, 186.
Æstrelata hasitata, 81.
 jamaicensis, 81.
Agelaius gubernator, 139.
 phœniceus, 22, 150, 152, 154,
 207, 262, 272, 315, 389.
 phœniceus bryantii, 397.
 phœniceus sonoriensis, 397.
 tricolor, 262.
Agyrtria alleni, 263.
Aimophila cahooni, 93, 94.
 mcleodii, 92, 94.
 rufescens, 94.
Aix sponsa, 18, 65, 142, 269, 346,
 378, 389.
Ajaja ajaja, 269.
Alauda arvensis, 180.
Albatross, Spectacled, 394.
 Wandering, 394.
 Yellow-nosed, 107, 318.
Alca impennis, 329.
 torda, 134, 135, 281, 382.

 Allen, F. H., Tameness of the Pine
 Siskin, 426.
 Allen, J. A., descriptions of two new
 subspecies of the Seaside Sparrow
 (*Ammodramus maritimus*), 284;
 description of a new species of the
 genus *Tityra* from Ecuador, 287;
 notes on Louisiana birds, 324;
 notice of his paper 'On the Struc-
 ture of Birds in relation to Flight,'
 418; note on the correct name of
 Symphemia semipalmata inornata
 Brewst., 423; further notes on
 Seaside Sparrows, 426; see also
 Faxon, W., and Scott, W. E. D.
Amaurospiza æquatorialis, 411.
 axillaris, 412.
 American Ornithologists' Union,
 fifth meeting of the, 95.
Ammodramus australis, 274, 398.
 caudacutus, 422.
 caudacutus nelsoni, 422.
 caudacutus subvirgatus, 397.
 henslowii, 22, 210, 389, 390.
 leconteii, 210.
 maritimus, 285, 286, 426.
 maritimus peninsulæ, 284-
 287, 398, 426.
 maritimus sennetti, 286, 287,
 398, 426.
 nigrescens, 284, 285.
 sandwichensis, 358.
 sandwichensis alaundinus, 358.
 sandwichensis brunnescens,
 265.
 sandwichensis savanna, 150,
 152, 154, 273, 326.
 savannarum passerinus, 22,
 273.
 savannarum perpallidus, 15.
Ampelis cedrorum, 23, 31, 150, 152,
 275, 360, 389.
Anas acuta, 62.

- Anas albeola*, 67.
americana, 63, 141, 269, 346, 378.
arborea, 59.
autumnalis, 60.
bahamensis, 62.
boschas, 17, 61, 141, 268, 312, 313, 314, 316, 346, 378.
cærulescens, 59.
canadensis, 59.
carolinensis, 17, 64, 141, 269, 346, 378.
clypeata, 64.
collaris, 66.
cyanoptera, 141.
discors, 17, 63, 269, 346, 378.
dominica, 68.
fimbriata, 62.
 (Fuligula) *rufitorques*, 66.
fulvigula, 61, 108, 378, 444.
ilathera, 62.
jacquini, 59.
marila, 65.
maxima, 61.
mexicana, 64.
obscura, 61, 268, 312, 346, 389, 390, 444.
perspicillata, 67.
 (Querquedula) *discors*, 64.
rubida, 68.
rubirostris, 62.
spinosa, 68.
sponsa, 65.
strepera, 61, 141, 173, 268.
urophasianus, 62.
vallisneria, 66.
viduata, 60.
Anhinga anhinga, 71, 268, 377.
Anhinga, 268, 377.
Anous stolidus, 80.
Anser albifrons, 58, 311.
albifrons gambeli, 58, 142, 143, 311.
carulescens, 59.
gambeli, 58.
hyperboreus, 58.
pictus, 311.
Anthus cervinus, 307, 410.
pensilvanicus, 159, 276, 362, 434.
pratensis, 307.
spraguei, 15.
Antrostomus carolinensis, 272.
vociferus, 21, 149, 151, 272, 389.
Aphalus capensis, 292, 293, 301.
Aphelocoma californica hypoleuca, 397.
insularis, 396.
Aquila chrysaëtos, 145, 313, 315, 350.
- Aramides maculatus*, 52.
Aramus giganteus, 50, 51.
guarauna, 50.
pictus, 51.
scolopaceus, 51.
scolopaceus giganteus 51.
Archibuteo lagopus sancti-johannis, 145, 350.
Ardea bahamensis, 83.
cærulea, 268, 269.
candidissima, 268, 269.
egretta, 19, 143, 268, 269, 348.
exilis, 50.
herodias, 143, 183, 268, 269, 347.
lentiginosa, 49.
nævia, 49.
nycticorax, 49.
occidentalis, 195.
pealei, 184, 401.
purpurea, 196.
rufa, 184.
rufescens, 184.
tricolor ruficollis, 268, 269.
violacea, 48.
virescens, 19, 84, 144, 269, 348.
virescens frazari, 83, 394.
wardi, 183, 195.
wuerdemanni, 195, 394.
Ardeola exilis, 50.
Ardetta eurhythmia, 196.
exilis, 50.
neoxena, 394.
Arenaria interpres, 110, 147.
Asio accipitrinus, 146, 350.
wilsonianus, 20, 146, 350.
 Atkinson, G. F., notice of his 'Preliminary catalogue of the birds of North Carolina,' 311.
 Auk, Great, 278, 330, 331, 380, 422.
 Auklet, Whiskered, 410.
Auriparus flaviceps, 166.
 Averill, C. K., Jr., feeding habits of *Sitta canadensis*, 118; the Yellow Rail in Connecticut, 319.
 Avocet, 16.
Aythya affinis, 65, 142, 203, 269, 346, 379.
americana, 66, 142.
collaris, 66, 142, 269, 379.
marila nearctica, 18, 142, 379.
vallisneria, 66, 142.
Aythya vallisneria, 66.
 BAIRD, Spencer Fullerton, memorial address upon, 1.
 Baldpate, 269, 346, 378.
Bartramia longicauda, 145, 270, 389.

- Basileuterus culicivorus, 450.
 culicivorus godmani, 450.
 godmani, 450.
- Becard, Xantus's, 425.
- Beckham, C. W., occurrence of the Florida Blue Jay (*Cyanocitta cristata florincola*) in Southwestern Texas, 112; a Philadelphia Vireo and a cobweb, 115; death of, 445.
- Bendire, C. E., eggs of the Ivory Gull (*Gavia alba*), 202; notes on the habits, nests, and eggs of the genus *Sphyrapicus* Baird, 225; notes on the nest and eggs of *Peuceea aestivalis bachmani* Aud., Bachman's Sparrow, 351; notes on the habits, nests and eggs of the genus *Glaucidium* Boie, 366.
- Bennett, A. L., Surf Scoter (*Oidemia perspicillata*) in Kansas, 203.
- Berlepsch, H. v., descriptions of new species and subspecies of birds from the neotropical region, 449.
- Berlepschia, 194.
- Bernicla canadensis, 59.
- Bird, Inca, 27.
 Man-of-war, 170, 173, 319, 378.
 Black-billed Tropic, 241.
- Bittern, 268.
 American, 269, 347.
 Least, 19.
- Blacicus flaviventris, 158.
 martinicensis, 158.
- Blackbird, Brewer's, 15.
 Crow, 15, 113.
 Red-winged, 22, 150, 272, 315.
 Rusty, 273.
 Yellow-headed, 362.
- Blue Peter, 270.
- Bluebird, 22, 25, 151, 153, 277.
 Mountain, 168.
 Western, 167.
- Bobolink, 150, 151, 272.
- Bob-white, 20, 317, 349.
 Cuban, 395.
 Florida, 270.
- Bogdanow, M. N., death of, 333.
- Bonasa umbellus, 20, 149, 151, 153, 314, 338, 339, 340, 349, 389.
 umbellus sabinii, 145.
- Booby, Blue-footed, 241.
 Brewster's, 241, 242.
- Botaurus exilis, 19.
 lentiginosus, 49, 143, 268, 269, 328, 347.
- Botaurus minor, 49.
- Brachyrhamphus kittlitzii, 410.
- Brant, Black, 143.
- Branta canadensis, 17, 59, 143, 347.
 canadensis hutchinsii, 143.
 canadensis minima, 143.
 canadensis occidentalis, 143.
 hutchinsii, 311.
 nigricans, 143.
- Brewster, W., descriptions of supposed new birds from Lower California, Sonora, and Chihuahua, Mexico, and the Bahamas, 82; the Prairie Horned Lark (*Otocoris alpestris praticola*) on the coast of Massachusetts, 111; on three apparently new subspecies of Mexican birds, 136; *Quiscalus quiscula agleus* at Charleston, South Carolina, 208; breeding of the Golden-crested Kinglet (*Regulus satrapa*) in Worcester County, Massachusetts, with a description of its nest and eggs, 337; notes on the birds of Winchendon, Worcester County, Massachusetts, 386; a second Maine (and fourth New England) specimen of Swainson's Hawk (*Buteo swainsoni*), 424; *Cistothorus palustris marianae* on the coast of Georgia, 432; see also Merrill, J. C.
- Brodie, W., bird notes from Toronto, 211.
- Brown, H., *Ionornis martinica* in Arizona, 109; on the nesting of Palmer's Thrasher, 116.
- Brown, J. C., *Carpodacus purpureus* at Portland, Maine, in winter, 209.
- Bubo virginianus, 18, 271, 313, 351, 389.
 virginianus subarcticus, 146.
- Bucephala albeola, 67.
- Buffle-head, 347, 379.
- Bullfinch, Cassin's, 410.
- Bunting, Bay-winged, 150.
 Beautiful, 399.
 Cow, 207.
 Indigo, 22, 152, 274.
- Bush-tit, Lead-colored, 166.
 Lloyd's, 43, 400.
- Butalis griseisticta, 197.
- Buteo borealis, 18, 149, 223, 271, 350, 389.
 borealis calurus, 145, 205.
 cooperi, 401.

- Buteo fuliginosus*, 185, 401.
latissimus, 20, 350.
lineatus, 20, 271, 350.
pennsylvanicus, 247.
swainsoni, 145, 424.
 Butler, A. W., on a new subspecies of *Ammodramus sandwichensis* from Mexico, 264.
 Buzzard, Turkey, 245, 248, 316, 350.
 CAIRINA *moschata*, 63.
Calamospiza melanocorys, 438-444.
Calcarius lapponicus, 181, 438, 440, ornatus, 14, 321.
Calidris arenaria, 179.
Callipepla elegans bensoni, 194.
Calliste cucullata, 157.
Campephilus principalis, 185, 186.
Campylorhynchus brunneicapillus, 116, 162.
zonatus, 449.
zonatus costaricensis, 449.
 Canvasback, 142.
Carbo mexicanus, 71.
Cardellina rubrifrons, 36, 385.
 Cardinal, 22, 119, 274.
 Texas, 119.
Cardinalis cardinalis, 22, 119, 274, 421.
Carduelis elegans, 211.
magellanicus, 412.
Carpodacus cassini, 412.
frontalis, 412.
frontalis rhodocolpus, 401.
frontalis ruberrimus, 397.
hæmorrhous, 412.
mexicanus frontalis, 401.
purpureus, 12, 150, 152, 154, 209, 273, 389.
purpureus californicus, 357.
roseipectus, 412.
Carpodectes antoniae, 194.
 Cassique, Yellow-tailed, 27.
 Catbird, 24, 151, 153, 277, 388.
Catharista atrata, 270.
Cathartes aura, 18, 145, 179, 245, 248, 270, 316, 350.
Catherpes mexicanus conspersus, 162.
 Cedarbird, 150, 152.
Centrocercus urophasianus, 367.
Centurus blakei, 159.
caymanensis, 158.
nyeanus, 159.
Ceophlœus pileatus, 111, 149, 240, 271, 313, 389, 390.
Cephus mandtii, 311.
motzfeldi, 401.
Certhia familiaris americana, 19, 153.
Certhia familiaris mexicana, 165.
familiaris occidentalis, 362.
mexicana, 450.
mexicana albescens, 450.
Certhiola sharpei, 157.
Ceryle alcyon, 21, 149, 151, 153, 251, 271.
 Chadbourne, A. P., *Puffinus borealis* at Gardiner's Bay, N. Y., 202; *Molothrus ater* again in Massachusetts in winter, 207.
Chaetura brachyura, 158.
cinereiventris, 158.
pelagica, 21, 149, 151, 154, 272, 389.
vauxi, 256.
 Chamberlain, M., the Yellow-nosed Albatross (*Thalassogeron culminatus*) in the Gulf of St. Lawrence, 107; notice of his 'Catalogue of Canadian birds,' 189; notice of his 'Systematic Table of Canadian Birds,' 198.
 Chapman, F. M., observations on the nocturnal migration of birds, 37; a list of birds observed at Gainesville, Florida, 267; *Oidemia perspicillata* in Florida, 319; birds at Aiken, S. C., 324; list of additions to the North American avifauna and of eliminations and changes in nomenclature proposed since the publication of the A. O. U. Check-List, 393.
Charadrius dominicus, 308-310.
dominicus fulvus, 309, 310.
fulvus americanus, 192.
fulvus dominicus, 192.
fulvus virginicus, 192.
squatarola, 110.
virginicus, 309.
Charitonetta albeola, 67, 142, 203, 347, 379.
Chasiempis dolei, 197.
 Chat, Long-tailed, 36.
 Yellow-breasted, 24, 116, 405.
Chaulelasmus streperus, 61.
Chelidon erythrogaster, 23, 31, 150, 152, 154, 360, 389.
Chen caerulescens, 59, 311, 394.
hyperborea, 58, 142.
hyperborea nivalis, 183, 379.
 Chickadee, 151, 153.
 Carolina, 25, 277.
 Hudsonian, 410.
 Kowak, 400.
 Mountain, 118.
 Plumbeous, 46, 400.
 Siberian, 410.

- Chicken, Prairie, 349.
Chlæphaga poliocephala, 198.
Chondestes grammacus, 186, 438.
Chordeiles popetue, 37, 154.
 popetue chapmani, 37, 396.
 henryi, 37.
 sennetti, 37, 396.
 virginianus, 21, 149, 151, 256,
 314, 389.
 virginianus chapmani, 186,
 272, 396.
 virginianus henryi, 256.
 virginianus sennetti, 256, 396.
Chræcocephalus atricilla, 75.
Chroicocephalus atricilla, 75.
Chrysomitris boliviana, 412.
 capitalis, 412.
 icterica, 412.
 longirostris, 412.
 magellanica, 412.
 notata, 412.
 sclateri, 412.
 siemiradzkii, 412.
 stejnegeri, 412.
 xanthogastra, 412.
Chrysotis caymanensis, 159.
 Chuck-will's-widow, 272.
Cinclus mexicanus, 362.
Circus hudsonius, 145, 151, 271,
 350.
Cistothorus marianæ, 188, 400.
 palustris, 24.
 palustris marianæ, 432.
 palustris paludicola, 165, 362,
 400.
Clangula albeola, 67.
 americana, 67.
 glaucion, 67.
 glaucion americana, 67.
 glaucium, 67.
 hyemalis, 203.
 Clark, H. L., notice of his 'Birds of
 Amherst,' 105.
Clivicola riparia, 23, 31, 152, 154,
 329, 389.
Coccothraustes vespertina, 113, 114,
 208, 357, 425, 439.
 vulgaris, 439.
Coccyzus americanus, 20, 271.
 americanus occidentalis, 396.
 erythrophthalmus, 21, 149,
 151, 389.
 maynardi, 159, 396.
 minor, 185.
Colaptes auratus, 21, 149, 151, 154,
 271, 325, 389.
 cafer, 16, 240, 256.
 gundlachi, 159.
 Coleman, G. A., *Coccothraustes*
 vespertina in Nebraska, 425.
Colinus graysoni, 401.
 ridgwayi, 401.
 virginianus, 20, 313, 316, 349.
 virginianus cubanensis, 395.
 virginianus floridanus, 270.
Collocalia fuciphaga, 333, 335.
Columba fasciata vioscæ, 86, 395.
 leucocephala, 185.
Columbigallina passerina, 270.
 passerina pallescens, 395.
Colymbus auritus, 373.
 carolinensis, 156.
 dominicensis, 155.
 dominicus, 155.
 holboellii, 156.
 podiceps, 156.
 Comeau, N. A., the Yellow-nosed
 Albatross (*Thalassogeron culmi-*
 natus), 318.
Compsothlypis americana, 24, 150,
 152, 275, 326, 389, 431, 433.
Contopus borealis, 148, 151, 154,
 257, 389, 390.
 richardsoni, 257, 258.
 virens, 21, 150, 151, 154, 272,
 389.
Conurus carolinensis, 148, 185.
 Coot, 267, 273.
 American, 270, 348.
Corethrura cayennensis, 54.
 guatemalensis, 54.
 Cormorant, Florida, 377.
Corvus americanus, 21, 150, 151,
 154, 179, 312, 316, 389, 414.
 americanus floridanus, 272.
 americanus hesperis, 262, 397.
 corax carnivorus, 397.
 corax principalis, 397.
 corax sinuatus, 198, 241, 262,
 329.
 corone orientalis, 196.
 levaillantii, 196.
 ossifragus, 21, 272.
 Cory, C. B., description of a sup-
 posed new form of *Margarops*
 from Dominica, 47; an appar-
 ently new *Elainea* from Barba-
 does, West Indies, 47; the birds
 of the West Indies, including the
 Bahama Islands, the Greater and
 the Lesser Antilles, excepting
 the Islands of Tobago and Trini-
 dad, 48, 155; the European Kes-
 trel in Massachusetts, 110; the
 European Kestrel in Massachu-
 setts—a correction, 205; descrip-

- tion of a new *Myiarchus* from the West Indies, 266.
- Corydomorphæ, 207.
- Cotinga ridgwayi, 194.
- Coturnix coturnix 314.
- Coues, E., new forms of North American *Chordiles*, 37; notice of his 'Key to North American Birds,' 101; note on *Rostratulina*, 204; *Corydomorphæ*, 207; notes on the nomenclature of the muscles of volation in birds' wings, 435.
- Coues, E. B., nesting of the Prairie Warbler (*Dendroica discolor*) in the vicinity of Washington, D. C., 405.
- Cowbird, 15, 21, 151, 272.
- Crane, Sandhill, 205, 348.
- Creciscus jamaicensis, 55.
- Creepers, Black-and-white, 150, 433.
- Brown, 19, 153.
- Mexican, 165.
- Crex crex, 177.
- galeata, 56.
- minuta, 54.
- Crithagra brasiliensis, 412.
- Crocæcephalus minutus, 171.
- Crossbill, 324, 325.
- American, 22, 152, 317.
- Mexican, 114.
- Red, 115, 208, 340.
- White-winged, 152, 410.
- Crow, 150, 179, 312, 316.
- American, 21, 151.
- California, 397.
- Clarke's, 262.
- Fish, 21, 272.
- Florida, 272.
- Crybastes gossii, 54.
- minutus, 55.
- Cuckoo, Black-billed, 21, 149, 151.
- California, 396.
- Mangrove, 185.
- Maynard's, 396.
- Yellow-billed, 20, 271.
- Cupidonia cupido brewsteri, 402.
- Curlew, 14.
- Cyanocephalus cyanocephalus, 262, 413.
- Cyanocitta cristata, 21, 150, 151.
- 154, 389, 434.
- cristata florincola, 112, 272, 324.
- stelleri, 261.
- stelleri annectens, 396.
- stelleri frontalis, 261.
- Cyanolesbia nehrkorni, 200.
- Cyanopterus clypeata, 65.
- discors, 63.
- inornatus, 63.
- Cyanospiza cyanella, 412.
- Cypseloides niger, 424.
- Cypselus apus, 329.
- DAFILA acuta, 62, 142, 269, 316, 346, 378.
- bahamensis, 62.
- urophasianus, 62.
- Daption capensis, 198.
- Davison, J. L., breeding of the Cerulean Warbler (*Dendroica cærulea*) in Niagara County, New York, 430.
- Demiegretta ringeri, 196.
- Dendragapus canadensis, 317.
- obscurus fuliginosus, 145, 367.
- Dendrocincla castanoptera, 195.
- lafresnayei, 195.
- rufo-olivacea, 194.
- Dendrocygna arborea, 59.
- autumnalis, 60.
- viduata, 60.
- Dendrocygnus arborea, 60.
- spinosa, 68.
- sponsa, 65.
- viduata, 60.
- Dendroica æstiva, 16, 21, 24, 150, 152, 154, 389, 433.
- æstiva morcomi, 34, 138, 361, 399.
- æstiva sonorana, 137, 400.
- auduboni, 16, 34, 361.
- blackburniæ, 150, 153, 326, 389, 391, 433.
- cærulea, 323, 325, 430, 431.
- cærulescens, 149, 150, 153, 154, 276, 326, 389, 391, 433.
- carbonata, 401.
- castanea, 153, 326, 433.
- coronata, 16, 34, 149, 150, 153, 154, 276, 326, 388, 389, 391, 430, 433.
- discolor, 22, 24, 276, 405.
- dominica, 276.
- dominica albiflora, 276.
- graciæ, 34.
- kirtlandi, 148.
- maculosa, 153, 326, 388, 389, 391, 433.
- nigrescens, 34, 104, 361.
- occidentalis, 35, 361.
- olivacea, 34.
- palmarum, 170, 182, 276, 324, 326, 433.
- palmarum hypochrysea, 182, 276.

- Dendroica pennsylvanica*, 150, 153, 154, 326, 389, 433.
striata, 153, 182, 276, 326, 432.
tigrina, 187, 211, 275.
townsendi, 35, 361.
vigorsii, 24, 276, 326.
virens, 150, 153, 154, 326, 389, 391, 433.
vitellina, 157.
- Dickcissel, 23.
 Die Dipper, 268.
- Diomedea exulans*, 394.
melanophrys, 394.
- Diplopteryx chirurgus*, 292.
 Diver, Red-throated, 171.
- Dolichonyx oryzivorus*, 150, 151, 154, 272, 314, 389.
- Dove, 270.
 Carolina, 119.
 Ground, 270.
 Mexican Ground, 395.
 Mourning, 20, 270, 349.
 Turtle, 17.
- Dowitcher, 110.
 Long-billed, 147, 184.
- Dryobates borealis*, 271.
pubescens, 16, 21, 151, 154, 271.
pubescens gairdnerii, 240, 251, 252.
villosus, 21, 149, 151, 154, 389, 390.
villosus audubonii, 271.
villosus harrisii, 213, 214, 218, 240, 251.
villosus hyloscopus, 252.
- Duck, American Scaup, 18.
 Black, 108, 268, 346, 390, 444.
 Blue Mountain, 81.
 Buffle-head, 203.
 Florida, 378, 444.
 Florida Black, 268.
 Gadwall, 173.
 Golden-eye, 203.
 Isle of Shoal, 175.
 King Eider, 175.
 Lesser Black-head, 203.
 Lesser Scaup, 269, 346, 379.
 Long-tailed, 203.
 Ring-necked, 269, 379.
 Ruddy, 269, 347, 379, 416.
 Shoveller, 17.
 Wood, 18, 269, 346, 379.
- Dutcher, W., bird notes from Long Island, N. Y., 169.
- Dwight, J., Jr., two records for Long Island, New York, 324.
- Dysporus cyanops*, 71.
- Dysporus fiber*, 72.
hernandezi, 73.
leucogaster, 72.
piscator, 73.
sula, 72.
- EAGLE, Bald, 18, 149, 271, 350.
 Golden, 313, 315, 350.
- Eames, E. H., notes on *Helminthophila leucobronchialis*, 427; *Dendroica cærulea* at Seymour, Connecticut, 431.
- Ectopistes migratorius*, 270, 314, 349, 389.
- Egret, American, 19, 269, 348.
 Great White, 268.
 Little White, 268.
 Reddish, 184.
- Eider, King, 174.
- Elainea barbadensis*, 47, 158.
pagana, 158.
- Elanoides forficatus*, 270.
- Elliot, D. G., description of a new species of Hummingbird of the genus *Agyrtria*, 263; the *Jacania*, 288.
- Emberiza aldunatei*, 194.
cyanella, 412.
- Embernagra rufivirgata*, 352, 442.
- Emmet, R. T., the Black Duck in Chihuahua, 108.
- Empidonax acadicus*, 21, 272, 422.
cineritius, 90, 396.
difficilis, 90, 91, 258.
flaviventris, 3, 151.
hammondi, 258.
minimus, 3, 150, 151, 389, 434.
obscurus, 258.
pusillus, 258.
pusillus traillii, 151, 154, 422.
- Eremophila alpestris*, 111.
- Ereunetes occidentalis*, 184.
pusillus, 185, 349.
- Erismatura dominica*, 68.
rubida, 68, 142, 269, 347, 379, 416.
spinosa, 68.
- Erythra minuta*, 54.
- Eucometis cristata*, 454.
cristata affinis, 451, 453.
spodocephala, 451-453.
spodocephala pallida, 451-453.
spodocephala stictothorax, 451-453.
- Euetheia canora*, 322, 399.
- Euryzona sepiaria*, 196.
- Evermann, B. W., birds of Carroll County, Indiana, 344.
- FALCO æsalon*, 395.

- Falco columbarius*, 146, 271, 350.
columbarius suckleyi, 146.
mexicanus, 139.
peregrinus anatum, 146.
rusticolus, 197.
sparverius, 20, 146, 271, 350.
tinnunculus, 110, 205, 395.
- Faxon, W., and Allen, J. A., notes on the summer birds of Holderness, Bethlehem, and Franconia, N. H., 149.
- Finch, Grass, 18.
 Pine, 209, 325.
 Purple, 12, 150, 152, 209, 273.
 Rufous-crowned Summer, 40.
- Fisher, A. K., *Rallus longirostris crepitans* breeding on the coast of Louisiana, 108; *Megascops asio floridanus* in Louisiana, 111; *Quiscalus quiscula aglæus* in Louisiana, 113.
- Fisher, G. J., polydactylism in birds, 218.
- Fishhawk, 350.
- Flicker, 21, 271.
 Red-shafted, 16.
- Flycatcher, Acadian, 21, 272.
 Crested, 21, 149, 151, 272.
 Great-crested, 200.
 Hammond's, 258.
 Least, 150, 151.
 Olive-sided, 151, 390.
 St. Lucas, 90, 396.
 Slender-billed, 137.
 Traill's, 151.
 Wright's, 258.
 Yellow-bellied, 151.
- Fowl, Sage, 367.
- Fratercula arctica*, 134, 135, 171.
- Fregata aquila*, 69, 170, 173, 378.
- Fringilla canariensis*, 413.
 gayi, 194.
 maderensis, 412, 413.
 morelleti, 413.
- Fulica americana*, 57, 144, 267, 270, 273, 348.
 atra, 57.
 caribæa, 58.
 martinica, 57.
 noveboracensis, 56.
 spinosa, 289, 290, 292, 297, 298, 299.
- Fuligula affinis*, 65.
 americana, 66.
 collaris, 66.
 ferina var. *americana*, 66.
 marila, 65.
 mariloides, 66.
- Fuligula rubida*, 68.
 rufitorques, 66.
- Fulix affinis*, 65.
 collaris, 66.
- GADWALL, 173, 268.
- Galbraith, C. S., Bachman's Warbler (*Helminthophila bachmani*) in Louisiana, 323.
- Galeoscoptes carolinensis*, 24, 151, 153, 154, 277, 329, 388, 389, 434.
- Galinuela galeata*, 56.
- Gallinago delicata*, 144, 270, 328, 330, 331, 348.
- Gallinula chloropus*, 56.
 galeata, 56, 270, 328, 348.
 galeata sandvicensis, 197.
 martinica, 57.
- Gallinule*, Florida, 270, 328, 348.
 Purple, 109, 270.
- Gannet, 130-135, 278, 282.
- Gavia alba*, 202.
- Gelochelidon anglica*, 76.
 aranaea, 76.
 cayennensis, 77.
 nilotica, 76, 374.
- Geothlypis agilis*, 187, 323, 326.
 coryi, 157.
 formosa, 24, 422.
 macgillivrayi, 35, 362.
 philadelphia, 153, 323, 434.
 tanneri, 157.
 trichas, 24, 151, 153, 154, 276, 326, 389, 434.
 trichas occidentalis, 35, 362.
- Glaucidium gnoma*, 146, 366, 370.
 gnoma californicum, 366, 370.
 gnoma hoskinsii, 136, 372, 395.
 phalænoides, 366, 371.
- Glaucion clangula*, 422.
- Glaucionetta clangula americana*, 15, 67, 142, 203, 347.
 islandica, 16, 142, 347.
- Gnatcatcher*, Blue-gray, 25, 166, 277.
 Plumbeous, 166.
- Gnathospiza raimondi*, 412.
- Godwit, Marbled, 349.
- Golden-eye, American, 15, 347, 379.
 Barrow's, 16, 347.
- Goldfinch, 150, 207.
 American, 22, 152, 273.
 European, 211.
- Goose, Blue, 394.
 Canada, 17, 347.
 Greater Snow, 183, 379.
 White-fronted, 143.

- Gormley, M. H., nesting of the Black Swift, 424.
- Goss, N. S., feeding habits of *Pelecanus erythrorhynchos*, 25; notes on *Gymnostinops montezumæ*, 27; new and rare birds found breeding on the San Pedro Martir Isle, 240; how far West has *Anas obscura* been found?, 444.
- Gosse, P. H., death of, 446.
- Grackle, Boat-tailed, 273.
Bronzed, 19, 113, 208, 324.
Florida, 113, 208, 273.
Purple, 19, 22, 324.
- Graculus dilophus var. floridanus, 70.
floridanus, 70.
mexicanus, 71.
- Grassquit, Melodious, 322.
- Grebe, 203.
Horned, 373.
Pied-billed, 268, 345, 373.
Western, 15, 201.
- Grosbeak, Blue, 22, 119.
Evening, 113, 114, 208, 425.
Kodiak Pine, 397.
Pine, 321.
Rose-breasted, 150, 152.
Western Blue, 399.
- Grouse, Canada, 317.
Ruffed, 20, 149, 151, 314, 338-340, 349.
Sooty, 367.
- Grus canadensis, 50, 144.
mexicana, 50, 144, 205, 348.
poliophæa, 50.
- Guara alba, 269.
- Guillemot, Kittlitz's, 410.
- Guiraca argentina, 412.
cærulea, 22.
cærulea eurhyncha, 119, 399, 412.
cyanea, 412.
- Gull, American Herring, 345, 374.
Bonaparte's, 345, 374.
Great Black-backed, 107, 318.
Herring, 107.
Ivory, 202.
Laughing, 107, 374, 377.
Little, 170, 171, 393.
Point Barrow, 393.
Ring-billed, 107, 345, 374.
Western, 241.
- Gymnostinops montezumæ, 27, 99.
- HABIA ludoviciana, 150, 152, 154, 327, 389.
melanocephala, 359, 438-444.
- Hæmatopus frazari, 84, 395.
- Hæmatopus galapagensis, 85.
palliatu8, 85, 86.
- Haliæetus leucocephalus, 18, 145, 149, 271, 350.
- Haliplana anæstetha, 77.
discolor, 77.
fuliginosa, 78.
- Hancock, J. L., the northern range of *Oporornis formosa* in Illinois, 210; impeded migration and destruction of birds at Chicago, 432.
- Hardy, F. P., testimony of some early voyagers on the Great Auk, 380.
- Harporhynchus, bendirei, 116, 117, 118, 161.
crissalis, 161.
curvirostris palmeri, 116, 161.
rufus, 16, 24, 151, 154, 277, 325, 388, 389, 434.
- Harrier, Marsh, 350.
- Harris, G. E., early nesting of *Otocoris alpestris praticola*, 320.
- Hasbrouck, E. M., *Dendroica cærulea* in the District of Columbia, 323.
- Hawk, American Sparrow, 20, 271.
Broad-winged, 20, 350.
Cooper's, 20, 246, 271, 316, 350.
Hen, 149.
Little Black, 185.
Marsh, 151, 271.
Pigeon, 271, 350.
Red-shouldered, 20, 271, 350.
Red-tailed, 18, 271, 350.
Rough-legged, 350.
Sharp-shinned, 20, 271, 350.
Sparrow, 350.
Swainson's, 424.
Western Red-tailed, 205.
- Helinaia swainsonii, 187, 323, 325.
- Helminthophila bachmanii, 187, 323, 325, 428.
celata, 275, 323.
celata lutescens, 34, 360, 361.
chrysoptera, 391.
cincinnatiensis, 401.
lawrencei, 401, 421, 427.
leucobronchialis, 115, 148, 401, 421, 427.
luciae, 33.
peregrina, 152, 187, 326.
pinus, 24, 427.
ruficapilla, 150, 152, 323, 326, 389.
ruficapilla gutturalis, 33, 360.
virginiae, 33.

- Helmitherus vermivorus, 23, 275.
 Heron, Bahama Green, 83.
 Black-crowned Night, 20,
 268, 269, 348.
 Frazar's Green, 83, 394.
 Great Blue, 268, 269, 347.
 Green, 19, 269, 348.
 Little Blue, 268, 269.
 Louisiana, 268, 269.
 Night, 327, 328.
 Snowy, 269.
 Ward's, 183.
 Wuerdemann's, 195, 394.
 Hesperocichla nœvia, 365.
 Heteractitis incanus, 237.
 Himantopus knudseni, 197.
 Himantione parva, 197.
 Holder, J. B., death of, 220.
 Hopkins, C. L., notes relative to
 the sense of smell in the Turkey
 Buzzard (*Carthartes aura*), 248.
 Hudson, W. H., see Sclater, P. L.
 Hummingbird, Flores's, 396.
 Ruby-throated, 21, 151, 272.
 Hydraleator cristatus, 299, 302.
 gallinaceus, 290, 292, 293,
 302.
 novæ-hollandiæ, 303.
 Hydrochelidon fissipes, 79.
 fuliginosa, 78.
 lariformis, 79.
 nigra, 79.
 nigra surinamensis, 79, 140,
 376.
 plumbea, 79.
 surinam, 79.
 Hydrophasianus chirurgus, 289,
 297, 292, 293, 294, 303, 304.
 sinensis, 304.
 Ibis, White, 269.
 Icteria virens, 24, 116, 389, 392, 405,
 virens longicauda, 36, 438,
 441-444.
 Icterus bairdi, 158.
 bullocki, 119, 262.
 galbula, 22, 150, 152, 154,
 273, 388, 389.
 gularis, 454-456.
 gularis yucatanensis, 454-456.
 spurius, 22, 119, 186, 211, 273,
 413.
 wagleri, 92.
 wagleri castaneopectus, 91.
 Ictinia mississippiensis, 270.
 Indigo-bird, 150.
 Ionornis martinica, 57, 109, 270.
 JACANA gymnostoma, 402.
 indica, 292.
 jacana, 291, 292, 294, 295.
 Jacana nigra, 292, 294, 295, 296, 297.
 spinosa, 289, 290, 292, 294,
 297, 402.
 violacea, 51.
 Jay, Black-headed, 396.
 Blue, 21, 150, 151, 434.
 Canada, 316.
 Florida Blue, 112, 272, 324.
 Oregon, 226.
 Xantus's, 397.
 Jeffries, J. A., a description of an
 apparently new species of *Tro-*
 chilus from California, 168.
 Johnson, H. P., the Yellow-breasted
 Chat breeding in Malden, Mass.,
 116.
 Joree, 274.
 Junco hyemalis, 149, 150, 152, 154,
 325, 388, 389, 391.
 hyemalis carolinensis, 398.
 hyemalis oregonus, 359.
 hyemalis shufeldti, 398.
 Junco, 325, 388.
 Carolina, 398.
 KESTREL, 395.
 European, 110, 205.
 Keyes, C. R., occurrence of *Coc-*
 cythraustus vespertina in Iowa,
 114; Blackbird flights at Burling-
 ton, Iowa, 207; *Dendroica tigrina*
 at Iowa City in November,
 211.
 Killdeer, 20, 270, 349.
 Kingbird, 21, 149, 151, 200, 272.
 Kingfisher, 149.
 Belted, 21, 151, 271.
 Kinglet, Golden-crested, 15, 337,
 388.
 Golden-crowned, 153.
 Ruby-crowned, 15, 166, 277.
 Kite, Mississippi, 270.
 Swallow-tailed, 270.
 Kittiwake, 134.
 Knot, 110.
 Kumlien, F., reason or instinct?,
 434.
 Kumlien, L., observations on bird
 migration at Milwaukee, 325;
 see also Kumlien, F., 434-435.
 LAGOPUS rupestris atkensis, 410.
 Lanius ludovicianus, 275, 312.
 ludovicianus excubitorides,
 31, 360.
 ludovicianus gambeli, 360,
 399.
 Lark, Horned, 181.
 Prairie Horned, 111, 170, 180,
 206.
 Larus affinis, 197.

- Larus argentatus*, 75.
argentatus smithsonianus,
 107, 345, 374.
argentatus var. *vegæ*, 310.
atricilla, 75, 107, 374, 377.
barroviianus, 393.
cachinnans, 310, 402.
delawarensis, 107, 345, 374.
franklinii, 75.
marinus, 75, 107, 318.
minutus, 170, 171, 393.
occidentalis, 241.
philadelphia, 76, 171, 345,
 374.
schistisagus, 197.
smithsonianus, 75.
vegæ, 310.
zonorhynchus, 75.
Lateralis gosseii, 54.
 Lawrence, G. N., description of a
 new species of Wren from the
 Island of Tobago, West Indies,
 404.
Leucosticte griseinucha, 410.
Leucosticte, Aleutian, 410.
Limnopardalus variegatus, 52.
Limosa fedoa, 349.
limosa melanuroides, 197.
 Linden, C., death of, 220.
 Loggerhead, 275.
 Longspur, Chestnut-collared, 14,
 321.
 Lapland, 181.
 McCown's 14, 321.
 Loomis, L. M., notice of the pres-
 ence of *Quiscalus quiscula aeneus*
 in upper South Carolina, 113;
 on the further occurrence of *Oto-
 coris alpestris praticola* in Ches-
 ter County, South Carolina, 206;
Seiurus noveboracensis notabilis
 in South Carolina, 324.
 Loon, 149, 268, 345, 373, 390.
 Red-throated, 147, 149, 170, 374.
 Sheldrake, 171.
Lophodytes cucullatus, 69, 141, 268,
 346, 378.
Loxia curvirostra minor, 22, 115,
 152, 154, 208, 317, 324, 325,
 340, 389, 390.
curvirostra stricklandi, 114,
 358.
leucoptera, 152, 410.
Loxigilla barbadensis, 158.
richardsoni, 158.
 Lucas, F. A., the Bird Rocks of the
 Gulf of St. Lawrence in 1887,
 129; notice of his 'Notes on the
 Osteology of the Spotted Tina-
 mou (*Nothura maculosa*), 198;
 Great Auk notes, 278; abnor-
 malities in the ribs of birds, 329.
Lunda cirrhata, 328.
 MACRORHAMPHUS griseus, 110.
scolopaceus, 147, 184.
 Magpie, American, 317.
 Mallard, 17, 268, 313, 314, 346, 378.
Mareca americana, 63.
Margarops montanus albiventris,
 157.
montanus rufus, 47, 157.
 Martin, Cuban, 399.
 Purple, 23, 31, 150, 152, 275.
 McIlwraith, K. C., Prothonotary
 Warbler in Ontario, 322.
 Meadowlark, 15, 22, 388.
 Mexican, 273.
 Western, 413.
Megalopterus stolidus, 80.
Megascops asio, 20, 351, 389.
asio floridanus, 111, 271, 324.
asio kennicottii, 146, 369.
asperus, 87.
hastatus, 194.
vermiculatus, 194.
vinaceus, 88.
Melanerpes carolinus, 21, 271.
erythrocephalus, 21, 271, 433.
formicivorus bairdi, 240.
torquatus, 240, 255.
Melanoptila glabrirostris, 329.
Meleagris gallopavo, 18, 204, 270,
 314, 349.
Melospiza fasciata, 22, 150, 152, 154,
 211, 274, 326, 389.
fasciata guttata, 359.
fasciata heermanni, 359.
fasciata montana, 17, 139,
 359.
georgiana, 150, 152, 274, 327,
 328, 389.
lincolni, 18, 148, 359.
Merganser americanus, 141, 346.
serrator, 141, 346, 378.
 Merganser, American, 346.
 Hooded, 268, 346, 378.
 Red-breasted, 346, 378.
Mergus albellus, 422.
anotarius, 422.
cucullatus, 69.
 Merlin, 395.
 Merriam, C. H., what birds indicate
 proximity to water, and at what
 distance, 119; *Euethia canora*
 from Sombrero Key, Florida,
 322; description of the breeding

- plumage of Chadbourne's Field Sparrow (*Spizella arenacea*), with evidence of its specific distinctness, 402.
- Merrill, J. C., notes on the birds of Fort Klamath, Oregon, with remarks on certain species by William Brewster, 139, 251, 357.
- Merula migratoria, 25, 151, 153, 155, 211, 277, 316, 327, 389, 434.
- migratoria propinqua, 167, 365.
- Metopidius æneus, 299.
- africanus, 289, 292, 293, 301.
- albinucha, 293, 300.
- gallinaceus, 293.
- indicus, 293, 299.
- œnea, 289.
- Micrathene whitneyi, 372.
- Micropalama himantopus, 110.
- Miller, G. S. Jr., description of an apparently new *Poocates* from Oregon, 404.
- Milvulus tyrannus, 158.
- Mimocichla ravidia, 156.
- Mimus caudatus, 160.
- polyglottos, 24, 119, 159, 183, 276, 314, 421.
- Mitrephanes phæocercus, 137.
- phæocercus tenuirostris, 137.
- Mniotilta varia, 23, 150, 152, 275, 326, 389, 433, 434.
- Mockingbird, 24, 119, 159, 183, 276, 314.
- Molothrus ater, 15, 21, 151, 207, 272, 441-443.
- Moore, H. F., *Protonotaria citrea* in Montgomery County, Pennsylvania, 210.
- Morris, R. O., *Larus atricilla* at Springfield, Mass., 107.
- Motacilla ocularis, 410.
- Murre, 131-135, 281, 382.
- Muscisaxicola occipitalis, 194.
- Myadestes townsendii, 167, 365.
- Myiarchus berlepschii, 266.
- crinitus, 21, 149, 151, 154, 272, 389.
- cristatus, 200.
- denigratus, 158.
- Myiobius ridgwayi, 457.
- xanthopygus, 457.
- Myiodynastes luteiventris, 385.
- NANNOCNUS, 196.
- Nettion carolinensis, 64.
- Nighthawk, 21, 149, 151, 314.
- Chapman's, 186, 272.
- Nomonyx dominicus, 68.
- Nonpareil, 119.
- Norton, R., *Ceophlœus pileatus* in Franklin County, Massachusetts, 111.
- Notherodius scolopaceus, 51.
- Northura maculosa, 106, 198.
- Nucifraga caryocatactes leptorhynchus, 422.
- caryocatactes pachyrhynchus, 422.
- Numenius cyanopus, 197.
- longirostris, 14, 145.
- Nuthatch, Brown-headed, 277, 432.
- Pygmy, 165, 362.
- Red-bellied, 118, 393.
- Red-breasted, 153, 165.
- Slender-billed, 165.
- White-breasted, 25, 153, 277.
- Nyctala acadica, 146, 351, 369, 389, 390.
- Nyctanassa, 196.
- Nyctea nyctea, 315, 351.
- Nyctherodius violaceus, 48.
- Nyctiardea gardeni, 49.
- grisea nævia, 49.
- violacea, 48.
- Nycticorax americanus, 49.
- gardeni, 49.
- nycticorax nævius, 20, 49, 144, 198, 269, 327, 328, 348.
- violaceus, 48.
- vulgaris, 49.
- Nyctidromus, 205.
- Nyctidromus albicollis derbyanus, 46.
- albicollis merrilli, 44, 402.
- Nyroca affinis, 66.
- americana, 66.
- collaris, 66.
- ferruginea, 64.
- vallisneria, 66.
- OCEANITES oceanicus, 80.
- wilsoni, 80.
- Oceanodroma hornbyi, 401.
- leucorhoa, 132, 250.
- leucorhoa macrodactyla, 394.
- Œstrelata caribæa, 81.
- hesitata, 81.
- jamaicensis, 81.
- Oidemia perspicillata, 67, 202, 203, 319.
- Old-squaw, 203.
- Old-wife, 203.
- Olor buccinator, 143, 347.
- columbianus, 143, 176, 347.
- Onychoprion fuliginosus, 78.
- Oporornis formosa, 210.

- Oreomyza bairdi*, 197.
Oriole, Baltimore, 22, 150, 152, 273, 388.
 Bullock's, 119.
 Chestnut-breasted, 91.
 Orchard, 22, 119, 186, 273.
Oropendula, 27.
Oroscoptes montanus, 159.
Ortygometra carolina, 55.
 flaviventris, 54.
 jamaicensis, 55.
 minuta, 54.
Osprey, 350.
Osprey, American, 271.
Otocoris alpestris, 111, 148, 181, 442, 443.
 alpestris arenicola, 15, 259, 260.
 alpestris praticola, 111, 148, 170, 180, 206, 320.
 alpestris strigata, 259.
Otophanes mcleodii, 89.
Oven-bird, 24, 150, 153, 276, 338, 339.
Owl, Acadian, 369.
 American Barn, 20, 180, 271.
 American Long-eared, 20.
 Barred, 20, 248, 350.
 California Pygmy, 366.
 Chihuahua Screech, 88.
 Elf, 372.
 Ferruginous Pygmy, 366, 371.
 Florida Barred, 271, 324.
 Florida Screech, 111, 271, 324.
 Great Gray, 110.
 Great Horned, 18, 271, 313, 351.
 Hawk, 410.
 Hoskins' Pygmy, 136, 372, 395.
 Kennicott's, 369.
 Lapp, 410.
 Long-eared, 350.
 Pygmy, 366.
 Saw-whet, 351.
 Screech, 20, 351.
 Short-eared, 350.
 Snowy, 315, 351.
 Spotted Screech, 87.
Oyster-catcher, Frazar's, 84, 395.
 PALMÉN, J. A., notice of his contributions to the knowledge of the bird fauna of the Siberian coasts of the Arctic Sea, 306.
 Palmer, W., see Smith, H. M.
Pandion haliaëtus carolinensis, 146, 271, 350.
Paraque, Merrill's, 44.
Pardirallus variegatus, 52.
 Park, A. F., breeding of the Prairie Horned Lark in Eastern New York—a correction, 111.
Paroquet, Carolina, 148, 185.
Parra ænea, 299.
 africana, 289, 290, 292, 301.
 albinucha, 289, 290, 300.
 atrata, 299.
 atricollis, 300.
 brasiliensis, 289, 290, 296.
 capensis, 290, 292, 301.
 chilensis, 290.
 chirurgus, 289.
 cordifera, 289, 290, 297.
 cristata, 289, 290, 299, 303.
 cuprea, 299.
 gallinaceus, 289, 290, 292, 302.
 gymnostoma, 51, 289, 290, 297, 298.
 hypomelæna, 290, 296.
 indica, 289, 290, 299.
 intermedia, 290, 294.
 jacana, 51, 289, 290, 292, 294, 295, 296, 297, 298.
 luzoniensis, 289, 304.
 melanochloris, 299.
 melanopygia, 290, 296, 297.
 melanoviridis, 299.
 nigra, 289, 290, 296, 297.
 novæguineæ, 290, 303.
 ænea, 289.
 phœnicura, 304.
 sinensis, 289, 304.
 spinosa, 289, 290.
 superciliosa, 299.
 variabilis, 289, 297, 298, 299.
 violacea, 51, 290, 297, 299.
 viridis, 289, 290, 296.
Parrot, Thick-billed, 395.
Parus atricapillus, 151, 153, 155, 363, 389.
 atricapillus septentrionalis, 119.
 atricristatus, 119.
 atricristatus castaneifrons, 400.
 bicolor, 25, 277, 421.
 bicolor texensis, 400.
 carolinensis, 25, 277.
 carolinensis agilis, 46, 400.
 cinctus obtectus, 410.
 gambeli, 118, 359, 362, 363.
 hudsonicus, 153, 410.
 rufescens, 363.
 stoneyi, 400.
 wollweberi, 166.

- Passer domesticus*, 22, 152, 200, 312,
 314, 315, 412.
 griseigularis, 412.
 montanus saturatus, 196.
Passerella iliaca, 18.
 iliaca megarhyncha, 359.
 iliaca unalascensis, 359.
Passerina amœna, 359.
 ciris, 119.
 cyanea, 22, 150, 152, 154, 274,
 389.
 versicolor pulchra, 399.
Pediocætes phasianellus columbianus, 145.
Pelecanus aquilus, 69.
 erythrorhynchus, 25, 99, 141,
 147, 346, 377.
 fuscus, 25, 70, 377.
 leucogastra, 72.
 piscator, 72.
 sula, 72.
Pelican, American White, 346, 377.
 Brown, 25, 70, 377.
 Frigate, 173.
 White, 25, 99.
Peocilonetta bahamensis, 62.
Perisoreus canadensis, 316.
 obscurus, 226, 261.
Petrel, Guadalupe, 394.
 Leach's 132, 280.
Petrochelidon lunifrons, 23, 31,
 150, 152, 154, 360, 389.
Peucea æstivalis, 274, 355.
 æstivalis bachmanii, 274, 351.
 arizonæ, 401.
 homochlamys, 398, 412.
 mexicanus, 401.
 ruficeps, 40, 41.
 ruficeps boucardi, 40, 41, 42,
 401.
 ruficeps eremœca, 40, 41, 401.
 ruficeps scottii, 41, 42, 398, 412.
 ruficeps var. boucardi, 412.
Pewee, Richardson's, 258.
 Wood, 21, 150, 151, 272.
Phacellodomus inornatus, 194.
Phæornis myiadestina, 197.
Phæospiza thomensis, 317.
Phaëthon æthereus, 74.
 flavirostris, 73.
Phaëton æthereus, 74, 241, 244.
 flavirostris, 73.
Phainopepla nitens, 31.
Phainopepla, 31
Phalacrocorax dilophus cincinatus,
 141.
 dilophus floridanus, 70, 377.
 floridanus, 70.
Phalacrocorax mexicanus, 71.
 perspicillatus, 401.
 resplendens, 71.
 townsendi, 71.
Phalænoptilus nuttalli californicus,
 396.
 nuttalli nitidus, 396.
Phalarope, Wilson's, 177.
Phalaropus tricolor, 144, 177.
Phasianurus vigorsii, 62.
Pheasant, Golden, 315.
Philacte canagica, 311.
Philohela minor, 20, 270, 330, 331,
 348, 389.
Phœbe, 21, 150, 151, 272.
Phoyx, 196.
Phrygilus aldunatii, 412.
 atriceps, 194, 412.
 formosus, 194.
 gayi, 194.
 punensis, 194, 412.
 saturatus, 412.
Pica pica hudsonica, 261, 317, 414.
Picicorvus columbianus, 262.
Picoides arcticus, 151, 240, 254, 390.
Picolaptes rikeri, 194.
Picumnus minutus, 212.
Picus auratus, 212.
 bengalensis, 212.
 carolinus, 212.
 luridus, 212, 214.
 macei, 212.
 martius, 212.
 medius, 212.
 tridactylus, 212.
 villosus harrisii, 228, 254.
 viridis, 214.
Pigeon, Passenger, 270, 349.
 Viosca's, 86, 395.
 White-crowned, 185.
 Wild, 314, 349.
Pindar, L. O., Pine Grosbeak in
 Fulton Co., Kentucky, 321.
Pinicola enucleator, 321.
 enucleator kodiaka, 397.
Pintail, 269, 346, 378.
Pipilo chlorurus, 359, 412, 438-444.
 erythrophthalmus, 22, 150,
 207, 274, 388, 389.
 erythrophthalmus alleni, 274.
 maculatus arcticus, 16.
 maculatus megalonyx, 139,
 359, 438-444.
 maculatus oregonus, 359.
Pipit, American, 159, 276.
 Meadow, 410.
Piranga erythromelas, 23, 30, 150,
 152, 181, 322, 327, 389, 433

- Piranga hepatica*, 30.
ludoviciana, 29, 359, 438, 441-444.
rubra, 23, 30, 181, 274.
rubra cooperi, 30.
rubriceps, 399.
- Platyparis albiventris*, 425.
Platyrhynchus xanthopygus, 457.
Plautus impennis, 278, 331, 380, 422.
Plectrophenax nivalis townsendi, 397.
- Plotus aninga*, 71.
- Plover, Black-bellied, 110.
 Golden, 308.
 Snowy, 110.
- Podiceps dominicus*, 155.
holbolli, 156.
- Podilymbus carolinensis*, 156.
dominicus, 155.
podiceps, 140, 156, 268, 345, 373.
- Polioptila cærulea*, 25, 166, 277, 324.
cærulea cæsiogaster, 157.
plumbea, 166.
- Poocætes gramineus*, 22, 150, 152, 154, 273, 389.
gramineus affinis, 404.
gramineus confinis, 18, 358.
- Poor-will, Frosted, 396.
- Poospiza boliviana*, 412.
- Porphyrio martinica*, 57.
- Porphyrospiza pulchra*, 412.
- Porphyryla martinica*, 57.
- Porzana alfari*, 194.
carolina, 20, 38, 39, 55, 144, 269, 328, 348, 414, 422.
concolor, 54.
flaviventer, 55.
flaviventris, 54, 55.
jamaicensis, 55.
minuta, 55.
novaboracensis, 56, 147, 177, 319.
phæopyga, 196.
- Price, W. W., occurrence of *Vireo flavoviridis* at Riverside, California, 210; nesting of the Red-faced Warbler (*Cardellina rubrifrons*) in the Huachuca Mountains, Southern Arizona, 385; Xantus's Becard (*Platyparis albiventris*) in the Huachuca Mountains, Southern Arizona, 425.
- Procellaria diabolica*, 81.
hasitata, 81.
jamaicensis, 81.
obscura, 82.
- Procellaria oceanica*, 80.
- Progne cryptoleuca*, 399.
subis, 23, 31, 150, 152, 275, 389.
- Protonotaria citrea*, 170, 182, 210, 275, 322, 325.
- Pryer, H. J. S., death of, 332.
- Psaltriparus lloydi*, 43, 400.
melanotis, 44.
minimus, 364.
minimus californicus, 364.
plumbeus, 44, 166, 364.
- Pseudochloris mendozae*, 412.
- Psittacula cyanochlora*, 461, 462.
deliciosa, 461, 462.
exquisita, 461, 462.
guianensis, 462.
passerina, 460, 462.
passerina vivida, 460.
spengeli, 461, 462.
- Psittirostra psittacea*, 197.
- Ptarmigan, Turner's, 410.
- Pterocyanea discors*, 63.
- Pterodroma caribbea*, 81.
- Publications received, 106, 200, 317, 422.
- Puffin, 134, 135, 171, 328.
- Puffinus auduboni*, 81, 82, 173.
borealis, 108, 170, 173, 202.
major, 81.
obscurus, 81.
stricklandi, 81.
- Pyrhospiza humii*, 412.
punicea, 412.
- Pyrhula cassini*, 197, 410.
cineracea, 197.
griseiventris, 197.
kurilensis, 197.
pyrrhula europæa, 197.
pyrrhula kamtschatica, 197.
rosacea, 197.
- Pyrhuloxia sinuata*, 119.
sinuata beckhami, 398.
sinuata peninsulae, 398.
- Pyrhuloxia*, Arizona, 398.
 St. Lucas, 398.
- QUAIL, Messina, 314.
- Querquedula carolinensis*, 64.
clypeata, 65.
cyanoptera, 64.
discors, 63.
inornata, 64.
- Quiscalus caymanensis*, 158.
major, 273.
purpureus, 329.
quiscula, 19, 22, 113, 208, 324.
quiscula æneus, 15, 19, 113, 207, 208, 324, 389.
quiscula aglæus, 113, 208, 273.

- RAIL, Carolina, 38, 39, 328, 414.
 King, 20, 176, 269.
 Scott's, 305, 394.
 Virginia, 20.
 Yellow, 147, 177, 319.
- Rallina castanea, 54.
- Rallus carolinus, 55.
 concolor, 54.
 coryi, 53.
 crepitans, 53.
 elegans, 20, 52, 53, 176, 269.
 flaviventer, 54.
 giganteus, 50.
 jamaicensis, 55.
 lariformis, 79.
 longirostris, 53.
 longirostris caribæus, 53, 319, 394.
 longirostris crepitans, 53.
 longirostris scottii, 305, 394.
 longirostris var. caribæus, 53.
 maculatus, 52.
 minutus, 54.
 superciliaris, 54.
 variegatus, 52.
 virginianus, 53.
- Raven, 329.
 Mexican, 241.
 Northern, 396.
- Razorbill, 134, 135, 382.
- Recurvirostra americana, 16.
- Redstart, 151.
 American, 24, 36, 153, 276, 433.
 Painted, 36.
- Redwing, Bahaman, 397.
 Sonoran, 397.
- Reed, J. H., an albino Blackpoll Warbler, 432.
- Regulus calendula, 15, 166, 277, 365.
 cuvieri, 401.
 satrapa, 15, 153, 326, 337, 388, 389, 393, 433.
 satrapa olivaceus, 364.
- Rhamphastos cuvieri, 122.
- Rhamphocinclus sanctæ-luciæ, 157.
- Rhoads, S. N., occurrence of *Larus marinus* on the southern coast of New Jersey, 318.
- Rhodospingus cruentus, 411.
 mentalis, 412.
- Rhodospiza obsoleta, 411.
- Rhyncaspis clypeata, 64.
- Rhynchophanes mccownii, 14, 321.
- Rhynchopsitta pachyrhyncha, 395.
- Richmond, C. W., an annotated list of birds breeding in the District of Columbia, 18.
- Ridgway, R., Spencer Fullerton Baird, 1; notice of his descriptions of new American birds, 194; notice of his 'Notes on *Ardea wuerdemanni*', 195; notice of his paper on '*Trogon ambiguus* breeding in Arizona,' 195; description of a new *Tityra* from western Mexico, 263; supplementary remarks on the genus *Psittacula* Brisson, 460.
- Rissa pollicaris, 310.
 tridactyla, 134, 310.
- Rives, W. C., Jr., Cory's Shearwater at Newport, R. I., 108.
- Robin, 151, 316, 327.
 American, 25, 153, 277.
 Western, 167.
- Roddy, H. J., feeding habits of some young Raptores, 244.
- Rostratula, 204.
- Rufirallus concolor, 54.
- Rynchops nigra, 74, 376.
- SALPINCTES obsoletus, 162.
- Sanderling, 179.
- Sandpiper, Bartramian, 270.
 Least, 349.
 Pectoral, 349.
 Purple, 178, 184.
 Semipalmated, 349.
 Solitary, 270, 330, 349.
 Spotted, 20, 149, 151, 270, 349.
 Stilt, 110.
 Western, 184.
- Sapsucker, Red-breasted, 229.
 Red-naped, 226.
 Williamson's, 235.
 Yellow-bellied, 225, 271, 430.
- Saunders, W. E., first occurrence of the Western Red-tail in Ontario, 205; the Evening Grosbeak in Ontario, 208.
- Sayornis phœbe, 21, 150, 151, 272.
- Schistospiza griseocristata, 411.
- Sclater, P. L., and Hudson, W. H., notice of their 'Argentine Ornithology,' 199.
- Scolecophagus carolinus, 207, 273.
 cyanocephalus, 15, 262.
- Scoter, Surf, 202, 203.
- Scott, W. E. D., on the avifauna of Pinal County with remarks on some birds of Pima and Gila Counties, Arizona, with annotations by J. A. Allen, 29, 159;

- supplementary notes from the Gulf Coast of Florida, with a description of a new species of Marsh Wren, 183; a summary of observations on the birds of the Gulf Coast of Florida. 373; Bachman's Warbler (*Helminthophila bachmani*) at Key West, Florida, in July and August, 428; *Dendroica coronata* at Key West in summer, 430.
- Seebohm, H., notice of his 'Geographical Distribution of the Charadriidæ', 189.
- Seiurus aurocapillus, 24, 150, 153, 154, 276, 315, 326, 327, 338, 389, 434.
motacilla, 24, 276, 421.
noveboracensis, 150, 153, 326, 327, 434.
noveboracensis notabilis, 35, 148, 324.
- Sennett, G. B., notes on the *Peucaea ruficeps* group, with description of a new subspecies, 40; descriptions of a new species and two new subspecies of birds from Texas, 43; unexpected occurrence of certain shore birds in Texas in midsummer and in breeding plumage, 110; dichromatism in the genus *Nyctidromus*, 205; a new form of Clapper Rail, 305; an addition to the list of North American birds, 319.
- Setophaga picta, 36.
rutililla, 24, 36, 151, 153, 154, 276, 326, 389, 433.
- Sharpe, R. B., notice of his catalogue of the family Fringillidæ, 410.
- Shearwater, Audubon's, 173.
Cory's, 108, 170, 173, 202.
- Shorelark, 15.
- Shoveller, 269, 346.
- Shrike. Loggerhead, 275, 312.
White-rumped, 31.
- Shufeldt, R. W., notice of his 'Review of the muscles used in the classification of birds,' 104; notice of his report on birds' sterna and skulls collected by Dr. Streets, 198; observations on the pterylosis of certain Picidæ, 212; notes on *Melanerpes torquatus*, 319; osteological notes upon Puffins and Ravens, 328; the sternum in the Solitary Sandpiper and other notes, 330; notice of his paper on the osteology of the Icteridæ and Corvidæ, 413; notice of his 'Osteology of *Porzana carolina*,' 414; the osteology of *Habia melanocephala* with comparative notes upon the skeletons of certain other conirostral birds and of Tanagers, 438.
- Sialia arctica, 168, 366.
mexicana, 167, 365, 366.
sialis, 22, 25, 151, 153, 155, 277, 389, 433.
- Simorhynchus pygmaeus, 410.
- Siskin, Pine, 152, 426.
- Sitta canadensis, 118, 153, 165, 363, 389, 393.
carolinensis, 25, 153, 277.
carolinensis aculeata, 165, 363.
pusilla, 277, 432.
pygmaea, 165, 362, 363.
- Skimmer, Black, 376.
- Skylark, 180.
Missouri, 15.
- Slade, D. D., the Wild Turkey in Massachusetts, 204.
- Smith, H. M., and Palmer, W., additions to the avifauna of Washington and vicinity, 147.
- Smythe, E. A., Jr., the Old-squaw (*Clangula hyemalis*) in South Carolina, 203.
- Snipe, 331.
English, 328.
Wilson's, 270, 330, 348.
- Snow, F. H., notice of his description of a new ornithichnite, 105; *Aechmophorus occidentalis* in Kansas, 201.
- Snowbird, 149, 150, 152.
- Snowflake, Prybilof, 397.
- Solitaire, Townsend's, 167.
- Somateria spectabilis, 174.
- Sora, 20, 269, 348.
- Sparrow. Acadian Sharp-tailed, 397.
Bachman's, 274, 351.
Bay-winged, 152.
Boucard's, 42.
Cahoon's, 93.
Chadbourne's Field, 402.
Chipping, 22, 150, 152, 274.
English, 315.
European, 200.
European House, 22.
Field, 22, 150, 152, 274.
Fox-colored, 18.
Grasshopper, 22, 273.

- Sparrow, Henslow's, 22, 210.
 House, 152.
 Intermediate White-crowned, 17.
 Leconte's, 210.
 Lincoln's, 18.
 McLeod's, 92.
 Pine-woods, 274.
 Plateau, 265.
 Rufous-crowned, 41.
 Savanna, 150, 152, 273.
 Scott's, 42, 398.
 Scott's Seaside, 284, 287, 398.
 Song, 17, 22, 150, 152, 274.
 Swamp, 150, 152, 274.
 Texan Seaside, 286, 398.
 Texas, 352.
 Vesper, 22, 273.
 Western Field, 398.
 Western Tree, 367.
 Western Yellow-winged, 15.
 White-crowned, 181.
 White-throated, 17, 149, 150, 152, 274, 388, 426.
- Spatula clypeata, 17, 64, 65, 142, 269, 346.
- Spermophila albitorquus, 411.
 colombiana, 412.
 cucullata, 412.
 gutturalis, 158.
 morelleti, 412.
 morelleti parva, 412.
 parva, 402, 412.
 plumbea, 412.
 polionota, 412.
 whiteleyana, 412.
- Sphyrapicus ruber, 226, 229, 236, 240, 255.
 thyroideus, 228, 235, 240, 254, 255.
 varius, 151, 154, 225, 240, 271, 325, 430.
 varius nuchalis, 214, 216, 226, 240, 255, 332.
 williamsoni, 235.
- Spindalis salvini, 157.
 zena townsendi, 157, 194.
- Spinus notatus, 412.
 pinus, 152, 209, 325, 358, 426.
 psaltria, 358.
 tristis, 22, 150, 152, 154, 207, 273, 358, 389.
 americana, 23.
 townsendi, 401.
- Spizella arenacea, 402.
 breweri, 359.
 monticola ochracea, 367.
 pallida, 311.
- Spizella pusilla, 22, 150, 152, 274, 389.
 pusilla arenacea, 398.
 socialis, 22, 150, 152, 154, 274, 389.
 socialis arizonæ, 358.
- Spoonbill, Roseate, 269.
- Sporophila morelleti, 402.
- Stejneger, L., propatagialis cucullaris, 120; notice of his papers on Japanese birds, 195; notice of his papers on Hawaiian birds, 196; notice of his 'Catalogue of the Birds inhabiting the Commander Islands,' 197; notice of his 'Notes on the Northern Palearctic Bullfinches', 197; Palmén's contributions to the knowledge of the bird fauna of the Siberian coasts of the Arctic Sea, 306.
- Stelgidopteryx serripennis, 23, 31, 360.
- Stercorarius parasiticus, 197.
- Sterna aculeata, 77.
 anglica, 76.
 anosthæta, 77.
 (Anous) stolidus, 80.
 antillarum, 79, 141, 375, 376.
 argentea, 79.
 cantiaca, 77.
 cayennensis, 76.
 dougalli, 78, 375.
 forsteri, 375, 376.
 fuliginosa, 78.
 hirundo, 77, 346, 375, 376.
 maxima, 76, 374, 376.
 minuta, 79.
 minuta americana, 79.
 nigra, 79.
 nilotica, 76.
 paradisea, 78.
 regia, 76.
 sandvicensis aculeata, 77, 374, 376.
 stolidus, 80.
 superciliaris, 79.
 surinamensis, 79.
 wilsoni, 77.
- Sternula antillarum, 79.
 frenata, 79.
- Stint, Long-toed, 394.
- Stone, W., *Helminthophila leucobronchialis* in Pennsylvania, 115; *Sylvania mitrata* at Germantown, Pennsylvania, in November, 116; an abnormal Scarlet Tanager, 322.
- Strix patincola, 20, 180, 271.

- Sturnella magna*, 22, 211, 388, 389.
magna mexicana, 273.
magna neglecta, 15, 262, 329, 413, 414.
Sula bassana, 130, 131, 132, 133, 134, 135, 278, 282.
brewsteri, 241, 242.
cyanops, 71.
dactylatra, 71.
fiber, 72.
fusca, 72.
gossi, 241.
leucogastra, 72.
parva, 72.
piscator, 72, 73.
sula, 72.
Surnia ulula, 410.
ulula caparoch, 390.
 Swallow, Bank, 23, 31, 152.
 Barn, 23, 31, 150, 152.
 Cliff, 23, 31, 150.
 Eave, 152.
 Rough-winged, 23, 31.
 Tree, 19, 31, 275.
 Violet-green, 16, 31.
 White-bellied, 16, 150, 152, 433.
 Swan, Trumpeter, 347.
 Whistling, 176, 347.
 Swift, Black, 424.
 Chimney, 21, 149, 151, 272.
 Vaux's, 256.
 Swift, E., capture of the Brown-headed Nuthatch near Elmira, N. Y., 432.
 Swinburne, J., breeding of the Evening Grosbeak (*Coccothraustes vespertina*) in the White Mountains of Arizona, 113; occurrence of the Chestnut-collared Longspur (*Calcarius ornatus*) and also of McCown's Longspur (*Rhyacophanes mccownii*) in Apache Co., Arizona, 321.
Sycalis brasiliensis, 412.
 jamaicæ, 412.
 raimondi, 412.
 taczanowskii, 412.
Sylbeocyclus carolinensis, 156.
 dominicus, 155.
Sylvania canadensis, 151, 153, 389, 392, 393.
 microcephala, 401.
 mitrata, 116, 276.
 pusilla, 323, 433.
 pusilla pileolata, 36, 362.
Symphemia semipalmata, 185.
Symphemia semipalmata inornata, 145, 185, 395, 423.
 semipalmata speculifera, 424.
 speculifera, 424.
Synallaxis coryi, 458.
 fuliginosa, 459.
Synthliborhamphus antiquus, 401.
 wumizusume, 401.
Syrnium maingayi, 201.
 nebulosum, 20, 248, 350, 389.
 nebulosum alleni, 271, 324.
 TACHYCINETA *bicolor*, 16, 19, 31, 150, 152, 275, 360, 389, 433, 434.
 thalassina, 16, 31, 360.
Tachypetes aquilus, 69, 319.
 Tanager, Cooper's, 30.
 Hepatic, 30.
 Louisiana, 29.
 Scarlet, 23, 150, 152, 181, 322, 433.
 Summer, 23, 181, 274.
 Tattler, Wandering, 237.
 Teal, Blue-winged, 17, 269, 346, 378.
 Green-winged, 17, 269, 34, 378.
 Tern, Black, 376.
 Cabot's, 374, 376.
 Common, 346, 375, 376.
 Forster's, 375, 376.
 Gull-billed, 374.
 Least, 375.
 Roseate, 375.
 Royal, 374.
Thalasseus acufflavivus, 77.
 cayanus, 76.
 regius, 76.
Thalassidroma wilsonii, 80.
Thalassogeron culminatus, 107, 318.
Thaumatias cæruleiceps, 264.
 Thorne, P. M., abnormal plumage of *Xanthocephalus xanthocephalus*, 112.
 Thrasher, 277.
 Bendire's, 116, 117, 118, 161.
 Brown, 24, 151, 277, 388.
 Crissal, 161.
 Palmer's, 116, 161.
 Sage, 159.
 Thrush, Audubon's Hermit, 167.
 Bicknell's, 153.
 Brown, 16, 325.
 Dwarf Hermit, 167.
 Gray-cheeked, 277.
 Hermit, 151, 153, 277, 338.
 Olive-backed, 153.

- Thrush, Willow, 167.
 Wood, 25.
 Thryothorus bewickii, 324.
 bewickii bairdi, 402.
 bewickii murinus, 163, 402.
 guadeloupensis, 157.
 ludovicianus, 24, 183, 277, 421.
 ludovicianus berlandieri, 277.
 ludovicianus miamensis, 187.
 Thurber, E. C., notice of his 'List of Birds of Morris County, New Jersey,' 421.
 Tichodroma muraria, 423.
 Tinamou, Spotted, 106, 198.
 Titmouse, Black-capped, 119.
 Bridled, 166.
 Chestnut-fronted, 400.
 Hudsonian, 153.
 Mountain, 359, 362.
 Texan Tufted, 400.
 Tufted, 25, 277.
 Tityra albitorques, 287.
 nigriceps, 287.
 personata, 287.
 personata griseiceps, 263.
 Torrey, B., a second instance of the breeding of the White-throated Sparrow in Eastern Massachusetts, 426.
 Totanus crassirostris, 424.
 flavipes, 270, 327, 330, 331, 332, 349.
 melanoleucus, 110, 145, 327, 330, 331, 349.
 ochropus, 330, 332.
 solitarius, 144, 270, 330, 349.
 speculiferus, 423.
 Towhee, 16, 22, 150, 207, 274, 388.
 White-eyed, 274.
 Townsend, C. H., notice of his 'Field-notes on the mammals, birds, and reptiles of Northern California', 104.
 Treat, W. E., *Helminthophila celata* in Connecticut, 323.
 Tringa alpina, 307.
 alpina pacifica, 307.
 canutus, 110.
 chirurgus, 289, 292, 303.
 cooperi, 401.
 damacensis, 394.
 maculata, 349.
 maritima, 178, 184.
 minutilla, 308, 349, 366.
 ruficollis, 308.
 temminckii, 308.
 Trochilus alexandri, 169.
 anna, 168.
 Trochilus calliope, 257.
 colubris, 21, 151, 154, 272, 329.
 floresii, 396.
 lucifer, 169.
 rufus, 257.
 violajugulum, 168, 396.
 Troglodytes aëdon, 24, 155, 164, 277, 326, 434.
 aëdon aztecus, 164, 400.
 aëdon marianæ, 163.
 aëdon parkmanii, 16, 163, 164, 362.
 alascensis, 410.
 americana, 164.
 cahooni, 94.
 hiemalis, 153, 155, 388, 389, 392.
 hiemalis pacificus, 362.
 tobagensis, 404.
 Trogon ambiguus, 195.
 Trumbull, G., notice of his 'Names and Portraits of Birds,' 414.
 Turdus aliciae, 277, 310, 422.
 aliciae bicknelli, 153, 422.
 aonalaschkæ, 167, 365.
 aonalaschkæ auduboni, 167, 365.
 aonalaschkæ pallasii, 151, 153, 155, 277, 327, 328, 338, 389, 393.
 celænops, 196.
 fuscescens, 151, 153, 155, 389.
 fuscescens salicicolus, 167.
 jouyi, 195.
 mustelinus, 25.
 ustulatus, 365.
 ustulatus swainsonii, 153, 434.
 Turkey, Wild, 18, 204, 270, 314, 349.
 Turner, L. M., notice of his 'Contributions to the Natural History of Alaska,' 409.
 Turnstone, 110, 147.
 Turtur stimpsoni, 197.
 Tympanuchus americanus, 349.
 cupido, 402.
 Tyrannus carolinensis, 200.
 tyrannus, 21, 121, 149, 151, 154, 272, 389, 433.
 verticalis, 257.
 ULULA, cinerea, 110.
 cinerea lapponica, 410.
 Uria lomvia, 331.
 troile, 131-135, 281, 382.
 Urinator imber, 140, 149, 268, 345, 373, 389, 390.
 lumme, 147, 170, 374.

- VANELLUS chilensis**, 290.
Veery, 151, 153.
Verdin, 166.
Vireo alleni, 157.
altiloquus barbatulus, 185, 186.
belli pusillus, 33.
caymanensis, 157.
crassirostris flavescens, 157.
flavifrons, 23, 275.
flavoviridis, 210.
gilvus, 23, 150, 152, 327, 389.
gilvus swainsoni, 32, 258, 360, 399.
huttoni stephensi, 32.
noveboracensis, 23, 275.
noveboracensis maynardi, 187, 399.
olivaceus, 21, 23, 150, 152, 154, 275, 327, 389, 434.
philadelphicus, 115, 152.
solitarius, 152, 275, 389.
solitarius alticola, 275, 324, 399.
solitarius cassinii, 32, 258, 360.
solitarius plumbeus, 32.
vicinior, 33.
Vireo, Black-whiskered, 186.
 Blue-headed, 152, 275.
 Cassin's, 32, 258.
 Gray, 33.
 Key West, 187, 399.
 Least, 33.
 Mountain Solitary, 275, 399.
 Philadelphia, 115, 152.
 Plumbeous, 32.
 Red-eyed, 23, 150, 152, 275.
 Stephens's, 32.
 Warbling, 23, 150, 152, 258.
 Western Warbling, 32, 399.
 White-eyed, 23, 275.
 Yellow-throated, 23, 275.
Volatina jacarina, 158.
Voorhees, C. G., a third specimen of Lawrence's Warbler, 427.
Vulture, Black, 270.
 Turkey, 18, 179, 270.
WAGTAIL, Swinhoe's 410.
Warbler, Audubon's 34, 361.
 Bachman's 187, 323, 325, 428.
 Bay-breasted, 153, 433.
 Black-and-white, 23, 152, 275.
 Black-and-yellow, 153, 388, 433.
 Blackburnian, 150, 153, 433.
 Blackpoll, 153, 182, 276, 432.
 Warbler, Black-throated Blue, 149, 150, 153, 276, 391, 433.
 Black-throated Gray, 34, 104.
 Black-throated Green, 150, 153.
 Blue, 431.
 Blue Yellow-backed, 150, 152.
 Blue-winged, 24.
 Calaveras, 33, 361.
 Canadian, 151, 153, 392, 393.
 Cape May, 187, 210, 275.
 Cerulean, 324, 431.
 Chestnut-sided, 150, 153, 433.
 Connecticut, 187, 323.
 Grace's, 34.
 Green Blackcap, 323.
 Hermit, 35.
 Hooded, 116, 276.
 Kentucky, 24.
 Kirtland's, 148.
 Lawrence's, 427.
 Lucy's, 33.
 Lutescent, 34.
 Macgillivray's, 35.
 Mourning, 153, 323.
 Myrtle, 276.
 Nashville, 150, 152, 323.
 Olive, 34.
 Orange-crowned, 275.
 Palm, 170, 182, 276.
 Parula, 24, 275, 431, 433.
 Pileolated, 36.
 Pine, 24, 276.
 Prairie, 24, 276, 405.
 Prothonotary, 170, 182, 210, 275, 322, 325.
 Red-faced, 36, 385.
 Sonora Yellow, 137, 400.
 Swainson's 187, 323, 325.
 Tennessee, 152, 187.
 Townsend's, 35.
 Virginia's, 33.
 Western Yellow, 34, 399.
 Worm-eating, 23, 275.
 Yellow, 16, 24, 152.
 Yellow Palm, 276.
 Yellow-rumped, 16, 34, 149, 150, 153, 388, 433.
 Yellow-throated, 276.
Water-thrush, 150, 153.
 Grinnell's, 35, 148, 324.
 Louisiana, 24, 276.
Waxwing, Cedar, 23, 31, 275.
Wayne, A. T., habits of the Purple Gallinule (*Ionornis martinica*), 109; *Loxia curvirostra minor* again at Yemassee, S. C., 115;

- Loxia curvirostra minor* taken again at Yemassee, S. C., 208; *Ammodramus lecontei* at Yemassee, S. C., 210; *Ammodramus henslowii* wintering in large numbers at Yemassee, S. C., 210.
- Whip-poor-will, 21, 149, 151, 272.
Eared, 89.
- Willet, Western, 185, 395.
- Williams, R. S., Upper Missouri River birds, 14; spotted eggs of *Parus gambeli*, 118.
- Wood, A. H., *Ulula cinerea* in Steuben Co., New York, 110.
- Woodcock, 20, 330, 331.
American, 270, 348.
- Woodpecker, Arctic Three-toed, 151.
Downy, 16, 21, 151, 271.
Golden-winged, 149, 151.
Hairy, 21, 149, 151.
Harris's, 213, 214, 218, 252.
Lewis's, 319.
Pileated, 111, 149, 271, 313.
Red-bellied, 21, 271.
Red-cockaded, 271.
Red-headed, 21, 271.
Red-naped, 216.
Southern Hairy, 271.
White-headed, 253.
Yellow-bellied, 151, 325.
- Wren, Alaskan, 410.
Baird's, 163.
Cactus, 116, 162.
Cahoon's, 94.
Cañon, 162.
- Wren, Carolina, 24, 183, 277.
Florida, 187.
House, 24, 277.
Long-billed Marsh, 24, 165.
Marian's, 163.
Marian's Marsh, 188, 400.
Parkman's, 163.
Rock, 162.
Tule, 400.
Western House, 16, 400.
Winter, 153, 388, 392.
Wood, 165.
- XANTHOCEPHALUS xanthocephalus, 112, 262, 362, 414.
- Xema atricilla, 75.
furcata, 401.
- Xenopus albolavatus, 240, 253.
- YELLOWBIRD, Summer, 150.
- Yellow-legs, 270, 349.
Greater, 110, 349.
- Yellow-throat, Maryland, 24, 151, 153, 276.
Western, 35.
- Yunx torquilla, 212.
- ZENAIDURA macroura, 17, 20, 119, 145, 270, 349, 389.
- Zonotrichia albicollis, 17, 149, 150, 152, 154, 274, 388, 389, 390, 426, 434.
boucardi, 41.
coronata, 358, 438-444.
intermedia, 17, 358.
leucophrys, 139, 181, 434.
strigiceps, 412.
whitii, 412.

 ERRATA.

Page 299, line 13 from top, for *Metopidius indicus* read *Jacana indica*.
Page 346, lines 7 and 14 from top, for *Mergus* read *Merganser*.