

INDEX TO VOLUME IX.

- ACCIPITER atricapillus*, 67.
 bicolor, 328.
 cooperi, 212, 233, 288.
 gundlachi, 272.
 velox, 43, 74, 212, 233, 328,
 354, 361.
Actitis macularia, 14, 43, 212, 232,
 329.
Æchmophorus clarkii, 65.
 occidentalis, 41.
Ægialitis meloda, 15, 212, 306.
 nivosa, 192.
 semipalmata, 15, 147, 212,
 354.
 vocifera, 14, 48, 134, 204, 212,
 233, 272, 290, 329, 354, 360.
 wilsonia, 15, 48, 212.
Agelaius gubernator, 45.
 humeralis, 272.
 phœniceus, 30, 35, 38, 133,
 136, 204, 205, 237, 286, 364.
 phœniceus bryanti, 213.
 xanthomus, 229.
Agyrtria tobaci, 377.
Aithurus polytmus, 277.
Aix sponsa, 42, 66, 74, 211, 232, 272,
 384.
Ajaja ajaja, 9, 211.
Alca impennis, 198.
 Allen, C. S., the breeding habits of
 the Fish Hawks on Plum Island,
 New York, 313.
 Allen, J. A., notice of his 'The
 North American species of the
 genus *Colaptes*', etc., 177.
Amazilia fuscicaudata, 325.
 sophiæ, 325.
Amazona agilis, 128.
 collaria, 128.
Amblycercus holosericeus, 249.
 American Ornithologists' Union,
 ninth congress of, 56.
 American Ornithologists' Union
 Check-List of North Amer-
 ican Birds, fourth supple-
 ment to the, 105.
- Ammodramus bairdii*, 365.
 caudacutus becki, 107, 175.
 caudacutus nelsoni, 107.
 henslowii, 31, 39, 213.
 henslowii occidentalis, 106.
 princeps, 204.
 sandwichensis, 45, 355.
 sandwichensis alaudinus, 45,
 338, 355, 355.
 sandwichensis savanna, 33,
 36, 133, 137, 204, 213.
 savannarum passerinus, 28,
 31, 39, 137, 213, 338.
 savannarum perpallidus, 338.
Ampelis cedrorum, 138, 213, 340.
Amphispiza belli, 288.
 belli nevadensis, 288.
 bilineata, 234, 338.
Anas americana, 42, 160, 165, 198,
 211, 231, 304.
 boschas, 41, 160-162, 165,
 198, 211, 231, 354, 383, 385.
 breweri, 162.
 carolinensis, 198, 199, 211,
 231, 353, 359, 384.
 cyanoptera, 232.
 discors, 69, 211, 231, 329, 359,
 360, 383.
 fulvigula, 211, 214.
 hyperboreus, 196.
 maxima, 165.
 obscura, 74, 165, 223, 231,
 335.
 penelope, 165.
 strepera, 42, 152, 191, 198, 231.
Anhinga anhinga, 192, 211, 231,
 288.
Anhinga, 191, 231.
Ani, 273, 369.
Anous stolidus, 211, 289.
Anser albatus, 196.
 albifrons gambeli, 345, 384.
 Anthony, A. W., birds of south-
 western New Mexico, 357.
Anthus pensilvanicus, 28, 33, 37,
 46, 214, 342, 367.

- Anthus richardi*, 289.
 spragueii, 342.
Antrostomus carolinensis, 35, 213,
 235, 276.
 rufomaculatus, 174.
 sericeocaudatus, 175
 vociferus, 35, 174, 201, 213,
 218, 235, 307.
Aphelocoma californica, 301.
 californica obscura, 188.
 floridana, 213.
 woodhousei, 364.
Aquila chrysaetos, 43, 200, 201,
 287.
 fulva, 186.
Ara tricolor, 129.
Aramus giganteus, 11, 212.
Arbelorhina cyanea, 23.
 lucida, 23.
Ardea candidissima, 10, 211, 360
 cœrulea, 10, 194, 211, 232,
 272, 286, 329, 397.
 egretta, 10, 211, 329.
 herodias, 9, 42, 232, 286, 329.
 occidentalis, 9, 211, 272.
 rufescens, 10, 211.
 tricolor ruficollis, 10, 48, 211.
 virescens, 10, 48, 134, 211,
 232, 272, 290, 329.
 wardi, 211.
 wuerdemanni, 211.
Arenaria interpres, 15, 48, 147, 212,
 306.
 melanocephala, 354.
Arremon aurantirostris, 173.
 aurantiirrostris saturatus, 173.
Asio accipitrinus, 234, 355.
 wilsonianus, 234, 361.
Atthis heloisa, 377.
Atticora cyanoleuca montana, 22.
Attwater, H. P., list of birds ob-
 served in the vicinity of San
 Antonio, Bexar County, Texas,
 229, 337; Warblers destroyed by a
 'norther,' 303.
Auk, Great. 100.
Auklet, Cassin's, 353.
Auriparus flaviceps, 344, 368.
 flaviceps ornatus, 287.
Avocet, American, 12, 232, 360.
Aythya affinis, 42, 211, 232, 304.
 americana, 162, 232, 304, 384.
 collaris, 74, 162, 211, 232, 384.
 marila nearctica, 42, 198, 304,
 345, 384.
 vallisneria, 42, 162, 198, 232,
 384.
BALDPATE, 42, 231, 304.
Bartramia longicauda, 14, 31, 48,
 212, 232, 289, 305, 329.
Basileuterus delatritii, 22, 173-
 salvini, 173.
Batchelder, C. F., *Thryothorus*
 ludovicianus in Massachusetts,
 73; *Vireo olivaceus* in British
 Columbia and Washington, 395.
Beetle-head, 144.
Bendire, C. E., notice of his 'Direc-
 tions for collecting, preparing,
 and preserving birds' eggs and
 nests, 175; notice of his 'Life
 histories of North American
 birds', 375.
Bird, Bee, 339,
 Butcher, 387.
 May, 274.
 Phebee, 286.
 Reed, 286.
 Tropic, 229.
 Whale, 294.
 White Bank, 299.
Bittern, American, 9, 42, 232, 290.
 Cory's, 141.
 Least, 9.
Blacicus caribæus, 272.
Blackbird, 369.
 Bicolored, 45.
 Brewer's, 45, 238, 364.
 Red-winged, 30, 35, 38, 133,
 136, 337, 364.
 Savanna, 273.
 Yellow-headed, 237, 364.
Blakiston, T. W., death of, 75.
Bluebill, 345.
Bluebird, 31, 141.
 Arctic, 369.
 Mountain, 47.
 Western, 47, 310, 369.
Blue-legs, 348.
Bobo, 323, 326.
Bobolink, 33, 35, 72.
Bob-white, 120, 385.
 Texan, 233.
Bolles, F., notice of his 'Land of
 the lingering snow,' 62; young
 Sapsuckers in captivity, 109.
Bonasa umbellus, 67-69, 134, 384-
 387.
 umbellus sabini, 43.
 umbellus togata, 194.
Botaurus exilis, 9, 142, 211.
 lentiginosus, 9, 42, 211, 232,
 290, 383.
 neoxenus, 141, 211, 214.
Brachygalba fulviventris, 184.
Brachyramphus marmoratus, 353.

- Brant, 305.
 Black, 42, 354.
 Branta bernicla, 305.
 canadensis, 42, 232, 334-386.
 canadensis hutchinsii, 385.
 nigricans, 42, 354.
 Brimley, H. H., *Pavoncella pugnax*
 in North Carolina, 299.
 Buarremon gutturalis, 25.
 Bubo virginianus, 212.
 virginianus saturatus, 355.
 virginianus subarcticus, 234,
 361.
 Bufflehead, 42, 232.
 Bull-head, 144.
 Bulweria bulweri, 176.
 Bunting, Indigo, 138, 339.
 Lark, 339, 366.
 Lazuli, 231, 366.
 Painted, 236, 339.
 Snow, 68, 282.
 Burmeister, H., death of, 399.
 Buteo abbreviatus, 361.
 borealis, 28, 30, 126, 212, 234.
 borealis calurus, 354, 361.
 brachyurus, 212, 328.
 latissimus, 212, 328.
 lineatus, 135.
 lineatus alleni, 212, 234.
 lineatus elegans, 234.
 swainsoni, 234, 328, 361.
 Butler, A. W., notes on the range
 and habits of the Carolina Par-
 akeet, 49; some notes concern-
 ing the Evening Grosbeak, 238.
 Buzzard, Red-tailed, 126.
 Turkey, 125, 203, 204, 397.

 CAIRINA moschata, 165.
 Calamospiza melanocorys, 339, 366.
 Calcarius lapponicus, 282.
 ornatus, 337, 365.
 Calidris arenaria, 13, 72, 212.
 Callipepla californica, 43, 196.
 gambeli, 198, 360, 386.
 squamata, 360.
 squamata castaneogastris,
 233.
 Callothrus robustus, 25, 26, 237,
 250.
 Campephilus guatemalensis, 327.
 principalis, 67, 68, 212, 218.
 Campistolaimus labradorius, 194,
 389.
 Campylorhynchus brunneicapillus,
 288, 342, 368.
 Campylopterus hemileucurus, 324.

 Canvasback, 42, 198, 232.
 Capito salvini, 184.
 Caracara, Audubon's, 234.
 Cardinal, 31, 339.
 Gray-tailed, 106.
 Texan, 339.
 Cardinalis cardinalis, 31, 204, 213,
 339.
 cardinalis canicaudus, 65,
 106.
 Carduelis elegans, 301.
 Carpodacus hæmorrhous, 196.
 mexicanus, 196.
 mexicanus frontalis, 287, 364.
 purpureus, 29, 137.
 purpureus californicus, 355.
 Catbird, 140, 342.
 Catharista atrata, 126, 204, 212, 215,
 233, 328.
 Cathartes aura, 125, 190, 203, 204,
 212, 215, 233, 272, 328, 361,
 397.
 Catherpes mexicanus conspersus,
 287, 342.
 mexicanus punctulatus, 368.
 Cedarbird, 138.
 Centropus purpureus, 184.
 Centurus bahamensis, 270.
 blakei, 270.
 hoffmanni, 327.
 radiolatus, 275, 374.
 superciliaris, 272.
 Ceophlæus pileatus, 135, 213, 218,
 286, 355.
 Certhia familiaris americana, 29,
 134, 140, 343.
 familiaris mexicana, 343.
 familiaris occidentalis, 47,
 310.
 Ceryle alcyon, 44, 48, 135, 212, 234,
 274, 362, 373.
 cabanisi, 234, 323.
 Chætura brunneitorques, 324.
 pelagica, 136, 205, 213, 235,
 285, 307.
 Chamberlain, M., notice of his
 revised edition of Nuttall's 'Man-
 ual,' 59.
 Chapman, F. M., notice of his
 paper on the birds of Corpus
 Christi, 65; notice of his paper,
 'On the color pattern of the
 upper tail-coverts in *Colaptes*
 auratus,' 66; notice of his 'Origin
 of the avifauna of the Bahamas,
 179; notice of his 'Preliminary
 study of the Grackles of the

- subgenus *Quiscalus*, 180; on the breeding of *Helminthophila pinus* with *H. leucobronchialis*, at Englewood, New Jersey, 302; melanism in a caged Wood Thrush, 303.
- Charadrius dominicus*, 14, 17-20, 144, 147, 148, 199, 212, 232, 289, 329, 384, 389.
- squatarola*, 14, 143, 212, 300, 306, 360.
- vanellus*, 289.
- Charitonetta albeola*, 42, 211, 232.
- Chat, Long-tailed, 367.
- Yellow-breasted, 342.
- Chauleasmus streperus*, 191.
- Chelidon erythrogaster*, 22, 46, 48, 138, 206, 213, 307, 340, 356, 366.
- Chen hyperborea*, 196, 232, 384, 385.
- hyperborea nivalis*, 196, 211.
- rossii*, 385.
- Cheney, S. P., notice of his 'Wood notes wild', 280.
- Cherrie, G. K., a preliminary list of the birds of San Jose, Costa Rica, 21, 247, 322; notice of two papers by him on Costa Rican birds, 173.
- Chickadee*, 67, 281.
- Black-capped, 140.
- Carolina, 35, 37.
- Chestnut-backed, 47.
- Mountain, 47.
- Plumbeous, 344.
- Chicken, Prairie, 66, 189, 231, 283.
- Chiroxiphia linearis*, 322.
- Chlorostilbon angustipennis*, 325.
- salvini*, 325.
- Chondestes grammacus*, 213, 338, 397.
- grammacus strigatus*, 338, 365.
- Chordeiles minor*, 276.
- texensis*, 235, 324, 362.
- virginianus*, 136, 190, 205, 276, 308.
- virginianus chapmani*, 213, 276.
- virginianus henryi*, 235, 309.
- Chrysolophus pictus*, 385, 362.
- Chrysotis festiva*, 89.
- levaillanti*, 288.
- Chuckle-head, 144
- Chuck-will's-widow, 35, 235, 276.
- Cinclus mexicanus*, 46, 386.
- Circus hudsonius*, 212, 233, 289, 328, 355, 361.
- Cistothorus marianæ*, 214.
- palustris*, 204, 214, 286, 343.
- palustris paludicola*, 343, 357.
- stellaris*, 202, 204, 214, 284, 343.
- Clangula hyemalis*, 191, 305, 330, 354-397.
- Clivicola riparia*, 46, 213, 340, 356, 367.
- Coccythraustes vespertinus*, 67, 68, 187, 190, 203, 238, 283.
- Coccyzus americanus*, 48, 135, 205, 212, 234, 274, 327, 372.
- americanus occidentalis*, 44, 393.
- dominicæ*, 184.
- erythrophthalmus*, 135, 212, 327.
- minor*, 184, 212, 274, 326, 372.
- minor dominicæ*, 184.
- minor maynardi*, 48, 184, 372.
- Cœreba bahamensis*, 48, 49.
- Colaptes auratus*, 30, 36, 38, 66, 135, 161, 163, 177-179, 204, 205, 213, 235.
- cafer*, 44, 99, 161, 163, 177-179, 235, 309, 362.
- cafer saturator*, 177, 179, 309.
- chrysocaulosus*, 178, 272.
- chrysoides*, 177-179.
- gundlachi*, 178.
- hybridus*, 161, 163.
- mexicanoides*, 177, 178.
- mexicanus saturator*, 196.
- rufipileus*, 177, 179.
- Colinus cubanensis*, 271, 272.
- leylandi*, 329.
- virginianus*, 67, 68, 120, 204, 281, 283, 384, 385.
- virginianus floridanus*, 212.
- virginianus texanus*, 233.
- Columba albilinea*, 328.
- caribea*, 122.
- fasciata*, 43.
- inornata*, 122.
- leucocephala*, 48, 122, 212, 272.
- livia*, 164.
- rufina*, 123.
- Columbigallina passerina*, 48, 72, 123, 124, 212, 233, 272, 329.
- passerina bahamensis*, 124.
- Colymbus auritus*, 211.
- nigricollis californicus*, 192.
- Compsothlypis americana*, 31, 35, 37, 38, 48, 138, 213, 273, 303, 308, 340.
- Contopus blancoi*, 229.
- borealis*, 236, 251, 363.

- Contopus brachytarsus*, 251.
 richardsonii, 44, 236, 251, 363.
 richardsonii peninsulæ, 106.
 virens, 136, 213, 236, 251, 281, 308.
Conuropsis carolinensis, 278.
Conurus carolinensis, 49, 206, 212, 218, 278, 301, 384, 385.
 chloropterus, 228.
 finschi, 327.
 flaviventer, 129.
 gundlachi, 229.
 nanus, 128.
 petzii, 327.
 Coombs, F. E., notes on a few Louisiana birds, 204.
 Coot, 12.
 American, 12, 232, 360.
 Cormorant, Double-crested, 192.
 Violet-green, 309.
 Correo de Agua, 323.
Corvus americanus, 33, 69, 136, 222, 231, 283, 287, 317, 318, 332, 354.
 americanus floridanus, 213.
 caurinus, 45.
 corax, 88.
 corax principalis, 385.
 corax sinuatus, 45, 62, 136, 364.
 cryptoleucus, 364.
 hawaiensis, 282.
 ossifragus, 213.
 Cory, C. B., a list of birds taken on Maraguana, Watling's Island, and Inagua, Bahamas, during July, August, September, and October, 1891, 48; remarks on a collection of birds made by Wilmot W. Brown, Jr., on Mona and Porto Rico during February and a part of March, 1892, 228; description of an apparently new *Centurus* from Great Bahama Island, Bahamas, 270; in Cuba with Dr. Gundlach, 271.
 Coues, E., wintering of the Canvasback in Arizona, 198; nesting of the Golden Eagle in Arizona, 201; original description of Lewis's Woodpecker, 394.
 Cowbird, 136, 237, 302, 364, 386.
 Bronzed, 25, 237.
 Dwarf, 237.
 Crane, Little Red-eyed, 11.
 Minute, 11.
 Striated, 11.
 Crane, Sandhill, 42, 232.
Creagrus furcatus, 172.
 Creeper, Brown, 29, 140, 343.
 Californian, 47, 310.
 Crossbill, American, 45, 137, 190, 196.
Crotophaga ani, 272, 273, 369.
 sulcirostris, 325.
 Crow, 69, 126, 136, 283, 287, 317, 318, 332, 354.
 American, 33, 222.
 Carrion, 204.
 John, 125.
 Northwest, 45.
Crymophilus fulcarius, 67, 294-299.
 Cuckoo, Black-billed, 135.
 Black-eared, 274.
 California, 44, 393.
 Mangrove, 274.
 Yellow-billed, 234, 274, 372.
 Curlew, Black, 14.
 Eskimo, 16.
 European, 390.
 Foolish, 348.
 Hudsonian, 21, 43, 306, 345.
 Long-billed, 14, 232, 350, 354, 360, 390.
 Cuyéo, 324.
Cyanocitta cristata, 136, 231, 385.
 cristata florincola, 213.
 stelleri, 45, 309, 355.
 stelleri frontalis, 355.
Cyanocorax cayanus, 282.
 cyanomelas, 282.
 cyanopogon, 282.
 heilprini, 282.
Cyclorhis flavipectus subflavescens, 23.
Cypseloides niger, 276, 324.
Cypselus phænicobius, 272, 276.
Cyrtonyx montezumæ, 231, 360.

DAFILA acuta, 74, 198, 211, 232, 335, 384.
Deconychura typica, 173.
Dendragapus canadensis, 190.
 obscurus, 385.
 obscurus fuliginosus, 43, 309.
Dendrocynna arborea, 272.
 fulva, 69.
Dendroica æstiva, 21, 46, 138, 213, 286, 307, 340, 367.
 æstiva morcomi, 65.
 audubonii, 46, 310, 357, 367.
 blackburniæ, 21, 35, 37, 38, 49, 132-134, 139, 213, 308, 341.
 cærulea, 21, 35, 213.

- Dendroica caerulescens*, 36-38, 132-134, 138, 139, 213, 273, 308.
castanea, 37, 307.
chrysoparia, 341.
coronata, 33, 37, 132, 204, 213, 303, 340.
discolor, 36, 48, 49, 214, 273, 307.
dominica, 21, 31, 32, 35, 48, 49, 213, 273.
dominica albilora, 303, 341.
kirtlandi, 63.
maculosa, 49, 133, 134, 139, 213, 340.
nigrescens, 46, 357, 367.
nigrifrons, 207.
occidentalis, 46.
palmarum, 29, 36, 49, 214, 273.
palmarum hypochrysea, 214, 273, 397.
pennsylvanica, 35, 36, 133, 139, 396.
petechia gundlachi, 48, 49.
striata, 37, 38, 49, 213, 307.
tigrina, 38, 49, 213.
townsendi, 367.
vigorsii, 28-30, 139, 213, 341.
virens, 31, 36-38, 49, 132, 133, 139, 213, 341.
- Dendroornis lawrencei*, 173.
lawrencei costaricensis, 173.
mentalis, 288.
nana, 173.
nana costaricensis, 173.
- Dickcissel, 234, 339.
Diplopterus *nævius*, 326.
Dipper, American, 46.
Doctor-bird, 277.
Dolichonyx oryzivorus, 33, 35, 48, 72, 213, 286.
Doughbird, 16.
Dove, 69.
 Blue, 125.
 Blue-headed, 271.
 Ground, 72, 123, 124, 233.
 Inca, 233.
 Mourning, 135, 233, 360.
 Partridge, 124.
 Pea, 123.
 Red-necked, 125.
 White-winged, 123, 124, 233.
 Zenaida, 123.
- Dowitcher, 13.
 Long-billed, 13, 345, 354.
- Dryobates borealis*, 212.
jardinii, 327.
pubescens, 37, 69, 114, 135, 195, 212.
- Dryobates scalaris bairdi*, 234, 358, 362.
 villosus, 135.
 villosus audubonii, 212.
 villosus harrisi, 44, 309.
- Duck, American Scaup, 42.
 American Scoter, 157.
 Black, 165, 223, 231, 335.
 Fulvous Tree, 69.
 Harlequin, 69.
 Labrador, 194, 389.
 Lesser Scaup, 42, 232.
 Muscovy, 165.
 Pied, 194.
 Ring-necked, 232.
 Ruddy, 42, 345.
 Scaup, 345.
 Scoter, 157.
 Wood, 42, 74, 232.
- Dutcher, W., a specimen of *Numenius arquatus* said to have been taken on Long Island, N. Y., 390.
- Dwight, J., Jr., summer birds of the crest of the Pennsylvania Alleghanies, 129; the Prairie Horned Lark in northeastern Pennsylvania, 202.
- Eagle, Bald, 43, 135, 386.
 Golden, 43, 200, 201, 287.
- Ectopistes migratorius*, 67, 286, 385, 386.
- Egret, American, 10.
 Reddish, 10.
- Eider, American, 305, 334.
 Pacific, 198.
- Elainea pagana subpagana*, 250.
Elanoides forficatus, 126, 212, 233.
Elanus leucurus, 212, 233.
- Elliot, D. G., the inheritance of acquired characters, 77; hybridism and a description of a hybrid between *Anas boschas* and *Anas americana*, 160; *Pitta granatina* Temminck et auctores, 218.
- Emberiza leucocephala*, 176.
 pusilla, 176.
- Empidonax acadicus*, 213, 236, 251.
 difficilis, 44, 352, 363.
 flaviventris, 134, 136, 236, 251.
 fulvifrons, 196.
 fulvifrons pallescens, 196.
 fulvifrons pygmaeus, 196, 364.
 hammondi, 288, 364.
 minimus, 136, 236.
 pusillus, 44, 363.
 pusillus trailii, 136, 236.
 wrightii, 364.
- Engyptila jamaicensis*, 123.
 verreauxi, 329.

- Ereunetes occidentalis*, 13, 43, 212, 354, 389.
 pusillus, 13, 212, 389.
Erismatura rubida, 42, 211, 345.
Eucorystes wagleri, 249.
Euetheia bicolor, 48.
 canora, 272.
 lepida, 272.
 pusilla, 247.
Euphonia affinis, 23, 24.
 annæ, 23, 24.
 elegantissima, 24.
 gnatho, 23, 24.
 gouldi, 23.
 gracilis, 24.
 hirundinacea, 24.
 laniirostris, 23, 24.
 luteicapilla, 23, 24.
 minuta, 23, 25.
Euplocamus albocristatus, 162.
 horsfieldi, 162.
 lineatus, 162.
 melanonotus, 162.
FALCO *albigularis*, 327.
 caribbæarum, 253, 254.
 columbarius, 43, 127, 205, 212, 328.
 columbarius suckleyi, 65.
 dominicensis, 252-254, 260, 261.
 fusco-cærulescens, 361.
 mexicanus, 361.
 pealei, 176.
 peregrinus anatum, 127, 212, 234, 355.
 rusticolus gyrfalco, 282.
 rusticolus obsoletus, 203, 300.
 sparverioides, 252, 272.
 sparverius, 43, 135, 205, 212, 234, 252-263, 266, 267, 328, 361.
 sparverius æquatorialis, 254, 257, 268-270.
 sparverius australis, 257, 263, 267-269.
 sparverius cinnamominus, 257, 268, 269.
 sparverius deserticolus, 257, 262-267.
 sparverius isabellinus, 260, 262.
 sparverius peninsularis, 257, 267.
Falcon, Aplomado, 361.
 Prairie, 361.
Fannin, J., notice of his 'Check list of British Columbia birds,' 65.
Faxon, W., the Prairie Horned Lark (*Otocoris alpestris praticola*) breeding in New Hampshire and Massachusetts, 201.
Finch, California Purple, 355.
 Grass, 137.
 House, 287, 364.
 Purple, 29, 137.
Fisher, A. K., *Myiarchus nuttingi* in Arizona, 394.
Flicker, 30, 36, 38, 135, 235.
 Northwestern, 309.
 Red-shafted, 44, 235, 362.
Floricola constanti, 324.
 leocardia, 324.
 longirostris, 324.
Flycatcher, Acadian, 236.
 Ash-throated, 236, 363.
 Buff-breasted, 364.
 Crested, 136, 236.
 Hammond's, 364.
 Least, 136, 236.
 Little, 44, 363.
 Mexican Crested, 236.
 Olive-sided, 236, 364.
 Scissor-tailed, 235.
 Traill's, 136.
 Vermilion, 236.
 Western, 44, 363.
 Wright's, 364.
 Yellow-bellied, 136, 236.
Fregata aquila, 211.
Fulica americana, 12, 212, 232, 360.
Fuligula ferina, 162.
 ferinoides, 162.
 homeyeri, 162.
 nyroca, 162.
GADWALL, 42, 198, 231.
Galeoscoptes carolinensis, 140, 214, 273, 307, 342.
Gallinago delicata, 12, 31, 42, 68, 69, 199, 212, 232, 329, 354, 360, 384.
Gallinula galeata, 12, 49, 212, 232, 272.
Gallinule, Florida, 12, 232.
 Martinico, 290.
 Martinique, 290.
 Purple, 12, 232.
 Scarlet-fronted, 12.
Gallus ferrugineus, 164.
Gannet, 229.
Gault, B. F., the Chestnut-sided Warbler nesting in Missouri, 396.
Gelochelidon nilotica, 48, 211, 345.
Geococcyx californianus, 234, 362, mexicanus, 288.

- Geothlypis agilis*, 202.
 beldingi, 180, 188.
 caninucha icterotis, 22.
 formosa, 21, 342.
 macgillivrayi, 22, 46, 342, 367.
 palpebralis, 107.
 philadelphia, 22, 133, 134, 139, 342.
 poliocephala palpebralis, 107.
 trichas, 21, 31, 139, 214, 273, 307, 342.
 trichas ignota, 214.
 trichas occidentalis, 342, 356, 367.
Geotrygon cristata, 125.
 montana, 124.
Glaucidium gnoma, 170.
 gnoma californicum, 44.
 phalænoides, 327.
 siju, 272.
Glaucionetta clangula americana, 335, 353.
 islandica, 42, 397.
Gnatcatcher, Black-tailed, 368.
 Blue-gray, 31, 35-37, 344, 368.
 Plumbeous, 368.
Golden-eye, American, 335, 353.
 Barrow's, 42.
Goldfinch, American, 137, 337, 356.
 Arizona, 337.
 Arkansas, 365.
 European, 301.
 Mexican, 337, 341.
 Western, 106.
Goose, Canada, 42, 232, 385.
 Hutchins's, 385.
 Lesser Snow, 232.
 Sea, 298.
 Snow, 385.
 White-fronted, 345.
 Wild, 69, 386.
Goshawk, 67.
Gowrie, Ringed, 276.
Grackle, Bronzed, 238.
 Great-tailed, 205, 238.
 Purple, 136, 319.
Grallaria guatemalensis, 175.
Grallaria lizanoi, 173.
Granatellus francescæ, 288.
Grebe, American Eared, 192.
 Pied-billed, 345.
 Western, 41.
Grosbeak, Black-headed, 366.
 Blue, 36.
 Evening, 67, 68, 187, 190, 203, 238.
 Rose-breasted, 138, 302, 339.
 Western Blue, 339.
Grouse, Canada, 190.
 Oregon Ruffed, 43.
 Ruffed, 67-69, 134, 385-387.
 Sharp-tailed, 189, 385, 387.
 Sooty, 43, 309.
Grus mexicana, 42, 212, 232, 383.
Guara alba, 9, 14, 211, 271, 272.
 rubra, 9.
Guinea-fowl, 121.
Guiraca cærulea, 36, 213.
 cærulea eurhyncha, 339.
Gull, American Herring, 221.
 Bonaparte's, 41, 304.
 Glaucous-winged, 41.
 Great Black-backed, 223, 304, 332.
 Herring, 99, 304, 332, 388.
 Western, 41, 309.
Gymnocichla chiroleuca, 175.
Gyrfalcon, 282.
Gyrfalcon, Black, 203, 300.
HABIA ludoviciana, 27, 48, 138, 213, 302, 308, 339.
 melanocephala, 366.
Habropyga melpada, 229.
Hæmatopus palliatus, 48, 212.
Haliæetus leucocephalus, 43, 135, 212, 386.
Harporhynchus crissalis, 368.
 curvirostris palmeri, 368.
 rufus, 32, 140, 214, 307, 342.
Hartert, E., notice of his 'Katalog des Vogelsammlung im Museum der Senckenbergischen Naturforschenden Gesellschaft,' 185.
Hawk, American Sparrow, 43, 234, 257, 361.
 Chilean Sparrow, 268.
 Cooper's, 233.
 Desert Sparrow, 263.
 Duck, 127, 234, 355.
 Ecuador Sparrow, 269.
 Fish, 286, 313.
 Florida Red-shouldered, 234.
 Harris's, 233.
 Marsh, 233, 361.
 Mexican Black, 127.
 Pigeon, 43, 127.
 Red-shouldered, 135.
 Red-tailed, 28, 30, 126, 234.
 St. Lucas Sparrow, 267.
 Sharp-shinned, 74, 233, 354, 361.
 South American Sparrow, 267.
 Sparrow, 135, 252.
 Swainson's, 234, 361.

- Hawk, West Indian Sparrow, 253.
Zone-tailed, 361.
- Helinaia swainsoni, 191, 213.
- Helminthophila bachmani, 213.
celata, 213, 340, 367, 397.
celata lutescens, 46, 357.
chrysoptera, 35, 213.
leucobronchialis, 302, 306.
peregrina, 213, 340.
pinus, 213, 302, 340.
ruficapilla, 307, 340.
ruficapilla gutturalis, 340.
virginia, 367.
- Helmitherus vermivorus, 34, 35.
49, 213, 307.
- Hemiprocne zonaris, 276.
- Hen, Clucking, 11.
Heath, 67, 203.
Mangrove, 11.
- Heron, Black-crowned Night, 10,
42, 232.
Great Blue, 9, 42, 232.
Great White, 9.
Green, 10, 134, 232.
Little Blue, 10, 194, 232.
Louisiana, 10.
Night, 318, 319, 321.
Snowy, 10, 360.
White, 126.
Yellow-crowned Night, 10,
232.
- Hesperiphona vespertina, 190.
- Hesperocichla naevia, 47.
- Himantopus mexicanus, 12, 48, 212,
215.
- Hirundo rustica, 108.
- Histrionicus histrionicus, 69.
- Hitchcock, F. H., the Black Tern
at Prince Edward Island, 71.
- Holden, E. F., *Junco hyemalis* in
eastern Massachusetts in June, 72.
- Howell, A. H., brief notes from
Long Island, 306; abnormal eggs
of *Spizella socialis*, 395.
- Hulbert, H. W., Robert W. Shufeldt,
3d, 398.
- Hummingbird, 69, 136, 195.
Allen's, 44.
Black-chinned, 235, 363.
Broad-tailed, 363.
Calliope, 44, 363.
Long-tailed, 277.
Mango, 277.
Ruby-throated, 235.
Rufous, 44, 363.
Vervain, 277.
- Hydrochelidon nigra surinamensis,
71, 211.
- Hyetornis pluvialis, 274, 372.
- IBIS alba, 14.
- Ibis, Scarlet, 9.
White, 9, 271.
White-faced Glossy, 192, 345,
360.
Wood, 9.
- Icteria virens, 22, 308, 342.
virens longicauda, 367.
- Icterus audubonii, 238.
bullocki, 237, 238, 364.
galbula, 213, 250, 290, 308.
hypomelas, 272.
parisorum, 364.
spurius, 35, 36, 213, 236, 238,
250, 308.
- Ictinia mississippiensis, 107, 126,
192, 212, 233.
plumbea, 107.
- Ionornis martinica, 12, 212, 232,
289, 290.
- JACANA spinosa, 15, 272.
- Jack, 346.
- Jäckel, A. J., notice of his 'System-
atische Uebersicht der Vögel Bay-
erns,' etc., 186.
- Jay, Blue, 136.
Blue-fronted, 355.
California, 301.
Canada, 395.
Oregon, 45, 309.
Steller's, 45, 309.
Woodhouse's, 364.
- Jeffries, J. A., death of, 311.
- Junco annectens, 365, 366.
caniceps, 365, 366.
carolinensis, 107.
hyemalis, 32, 67, 72, 133, 134,
137, 338.
hyemalis carolinensis, 107,
137.
hyemalis oregonus, 45.
hyemalis shufeldti, 365.
hyemalis thurberii, 106, 288.
ridgwayi, 365.
townsendi, 188, 287.
- Junco, 133.
Gray-headed, 365.
Oregon, 45.
Pink-sided, 365.
Ridgway's, 365.
Shufeldt's, 365.
Slate-colored, 32, 137, 338.
Thurber's, 106.
Townsend's, 287.
- KEYSER, L. S., notice of his 'Bird-
dom,' 63.

- Killdeer, 14, 134, 233, 354, 360.
 Kingbird, 68, 136, 236, 280.
 Arkansas, 236, 363.
 Cassin's, 363.
 Kingfisher, Belted, 44, 135, 234, 274, 362.
 Texan, 234.
 Kinglet, Golden-crowned, 38, 140, 344.
 Ruby-crowned, 38, 47, 344, 368, 385.
 Western Golden-crowned, 47.
 Kite, Mississippi, 126, 233.
 Swallow-tailed, 126, 233.
 White-tailed, 233.
 Kittiwake, 353.
 Knot, 13, 146-148, 289, 306.
- LAGOPUS lagopus, 300.
 rupestris reinhardti, 282.
 Lampornis mango, 277.
 nigricollis, 377.
 Lanius ludovicianus, 213, 340, 387.
 ludovicianus excubitorides, 46, 340, 367.
 robustus, 194.
 Lapwing, European, 289.
 Lark, Horned, 194.
 Prairie Horned, 28, 31, 38, 201, 202, 237.
 Streaked Horned, 45.
 Larus argentatus, 225.
 argentatus smithsonianus, 99, 211, 221, 304, 332, 388.
 atricilla, 48, 211.
 delawarensis, 211.
 dominicanus, 389.
 glaucescens, 41.
 marinus, 223, 304, 332.
 occidentalis, 41, 309.
 philadelphia, 41, 211, 304.
 Lawrence, R. H., a preliminary list of the birds of the Gray's Harbor region, Washington, 39; *Aphelocoma californica* in Washington, 301; further notes on birds of the Gray's Harbor region, Washington, 352; *Coccyzus americanus occidentalis* in Washington, 393.
 Legatus albicollis, 250.
 Leverkusen, P., notice of his 'Fremde Eier im Nest,' 185.
 Limosa fedoa, 212.
 sp., 13.
 Limpkin, 11.
 Longspur, Chestnut-collared, 337, 365.
 Lapland, 282.
 Mc Cown's, 337, 365.
- Loomis, L. M., a further review of the avian fauna of Chester County, South Carolina, 28.
 Loon, 41, 286, 292.
 Pacific, 353.
 Red-throated, 353.
 Lophodytes cucullatus, 211, 231.
 Lophornis adorabilis, 324.
 Lophortyx californicus brunneus, 196.
 Lophotrix stricklandi, 327.
 Lophotriccus squammicristatus minor, 173.
 zeledoni, 173.
 Lorius garrulus, 90.
 rajah, 90.
 Loxia curvirostra bendirei, 196.
 curvirostra minor, 45, 134, 137, 190.
 leucoptera, 397.
 Loxigilla violacea, 48, 49.
 Lucas, F. A., notice of his 'Notes on the osteology of the Paridæ, *Sitta* and *Chamaea*,' 172; notice of his paper, 'On the structure of the tongue in Hummingbirds,' 172; notice of his 'Catalogue of skeletons of birds collected at the Abrolhos Islands,' etc., 172; an egg of the Great Auk, 198; habits of the Herring Gull, 388; up to date, 395.
 Lunda cirrhata, 41.
- MACFARLANE, R., notice of his notes on Arctic birds, 64.
 Mackay, G. H., habits of the Eskimo Curlew (*Numenius borealis*) in New England, 16; *Calidris arenaria* in Massachusetts in winter, 72; habits of the Black-bellied Plover (*Charadrius squatarola*) in Massachusetts, 143; *Anas carolinensis* and *Gallinago delicata* in winter, 199; the migration of *Charadrius dominicus* in Massachusetts in 1891, 199; habits of the American Herring Gull (*Larus argentatus smithsonianus*) in New England, 221; migration of *Urinator imber*, 292; the spring migration of the Scoters in 1892, 292; the Red Phalarope (*Crymophilus fulicarius*) on Nantucket Island, Massachusetts, 294; correction, 300; water birds at Nantucket, Massachusetts, 304; habits of the Oldsquaw (*Clangula hymalis*) in New England, 330;

- habits of the Hudsonian Curlew in Massachusetts, 345; *Totanus flavipes* and *Charadrius dominicus*, 389; *Tryngites subruficollis*, 389.
- Macrorhamphus griseus*, 13, 212, 290.
- scolopaceus*, 13, 212, 345, 354.
- Mallard, 41, 165, 198, 231, 354.
- Margarops fuscatus, 48, 49.
- Margornis brunnescens, 173.
- Marshall, W. B., some birds recently added to the collection of the New York State Museum, 203; a specimen of *Numenius arquatus* said to have been taken on Long Island, N. Y., 390.
- Martin, Purple, 138, 340.
- McCormick, L. M., notes on a few birds from northern Ohio, 397.
- Meadowlark, 30, 38, 136, 237, 271.
- Western, 237, 355, 364.
- Mearns, E. A., a study of the Sparrow Hawks (subgenus *Tinnunculus*) of America, with especial reference to the continental species (*Falco sparverius* Linn.), 252.
- Megarhynchus pitangua*, 251.
- Megascops asio*, 189.
- asio aikeni*, 108.
- asio floridanus*, 212, 216.
- asio macfarlanei*, 108.
- asio mcallii*, 234.
- asio saturatus*, 108.
- brasilianus*, 327.
- flammeolus*, 170.
- flammeolus idahoensis*, 105, 169.
- nudipes*, 327.
- Melanerpes aurifrons*, 235.
- carolinus*, 201, 213.
- erythrocephalus*, 29, 135, 213, 231, 308.
- torquatus*, 355, 394.
- Melanotis caerulescens*, 288.
- Meleagris gallopavo*, 72, 169, 196, 286.
- gallopavo ellioti*, 167, 233.
- gallopavo mexicana*, 168, 169, 233, 360.
- gallopavo osceola*, 105, 169, 212, 215.
- Mellisuga minima*, 277.
- Melopelia leucoptera*, 123, 124, 233.
- Melophyrrha nigra*, 272.
- Melospiza fasciata*, 37, 38, 68, 85, 138, 338.
- fasciata fallax*, 85.
- Melospiza fasciata guttata*, 45, 86.
- fasciata heermanni*, 85.
- fasciata montana*, 85.
- fasciata rivularis*, 86, 188.
- fasciata samuelis*, 86.
- georgiana*, 204, 213, 339.
- lincolni*, 338.
- Merganser americanus*, 41.
- serrator*, 211, 223, 304.
- Merganser, American*, 41, 223.
- Hooded, 231.
- Red-breasted, 304.
- Merriam, C. H., the Dwarf Screech Owl (*Megascops flammeolus idahoensis* Merriam), 169; the Carolina Paroquet (*Conurus carolinensis*) in Missouri, 301; notice of his 'The geographical distribution of life in North America with special reference to the mammalia,' 377.
- Merrill, H., *Pelecanus erythrorhynchos* in Maine, 292; *Lagopus lagopus* in Maine, 300.
- Merula migratoria*, 29-33, 141, 204, 206, 214, 286, 290, 304, 345.
- migratoria propinqua*, 47, 69, 369.
- Meyer, A. B., another specimen of the Labrador Duck, 389.
- Micropalama himantopus*, 13, 212, 232.
- Micropallas whitneyi*, 362.
- Micropus melanoleucus*, 362.
- Miller, G. S., Jr., *Melanerpes carolinus* in Madison County, New York, in winter, 201; *Crymophilus fulicarius* in Provincetown Harbor, 298; two Cape Cod records, 396.
- Miller, O. T., notice of her 'Little brothers of the air,' 279.
- Milvulus forficatus*, 235.
- tyrannus*, 251, 322.
- Mimocichla rubripes*, 272, 273.
- Mimus gundlachi*, 48, 49.
- polyglottos*, 28, 30, 36, 39, 68, 74, 214, 236, 285, 338, 342.
- polyglottos orpheus*, 48.
- Minor ornithological publications, 66, 187, 282, 383.
- Mitrephorus pallescens*, 196.
- Minotilta varia*, 31-33, 35, 48, 138, 213, 273, 303, 307, 340.
- Mockingbird, 28, 30, 36, 39, 68, 74, 236, 285, 338, 342.
- Molothrus ater*, 136, 204, 213, 237, 302, 364, 386.
- ater obscurus*, 237, 364.

- Molothrus cabanisii*, 202.
Momotus lessoni, 322.
 Morris, R. O., notes from Springfield, Massachusetts, 74; *Perisoreus canadensis* in Massachusetts, 395.
 Mountain-witch, 125.
Muscicapa fulvifrons, 196.
Myiadestes townsendii, 369.
Myiarchus cinerascens, 236, 358, 363.
 crinitus, 136, 213, 218, 236, 251, 307.
 lawrencei nigricapillus, 251.
 lawrencei olivascens, 196.
 mexicanus, 236.
 mexicanus magister, 196.
 nuttingi, 394.
 sagræ, 49, 272.
Myiodynastes audax, 251.
 luteiventris, 250.
Myiozetetes texensis, 250.
Myrmiceza intermedia, 173.
- NEWTON, A., notice of his 'Fossil birds,' 183.
 Nighthawk, 136, 190.
 Cuban, 276.
 Texas, 362.
 Western, 235, 309, 362.
Nomonyx dominicus, 272.
Numenius arquatus, 390.
 borealis, 16, 212.
 hudsonicus, 14, 21, 43, 212, 306, 345, 384.
 longirostris, 14, 212, 232, 350, 354, 360, 390.
Numida meleagris, 121, 272.
 Nuthatch, Red-breasted, 38, 343.
 White-breasted, 37, 140.
Nyctala acadica, 44, 170.
Nyctea nyctea, 67-69, 135, 286, 355.
Nyctibius jamaicensis, 275, 276.
 pallidus, 276.
Nycticorax nycticorax nævius, 10, 42, 212, 232, 318, 319, 321.
 violaceus, 10, 48, 212, 232, 329.
Nyctidromus albicollis, 324.
- OBERHOLSER, H. C., the Golden Eagle in Ohio, 200.
Oceanodroma leucorhoa macrodactyla, 187.
- Oidemia americana*, 153-158, 293, 354.
 bimaculata, 159.
 deglandi, 154, 156-160, 293, 294, 305, 354, 385, 397.
 fusca, 158.
 nigra, 157.
 perspicillata, 42, 154, 156-160, 293, 294.
 Old-man-bird, 274.
 Young, 274.
 Oldsquaw, 305, 330, 354.
 Oldwife, 330.
Olor buccinator, 384.
 columbianus, 42, 384, 386.
Oporornis formosa, 21.
Oreortyx pictus, 43.
 pictus confinis, 188, 287.
 Oriole, Audubon's, 238.
 Baltimore, 290.
 Bullock's, 237, 238, 364.
 Orchard, 35, 36, 236, 238.
 Scott's, 364.
Oroscoptes montanus, 342, 367.
 Osprey, 289.
 American, 43, 127, 286, 361.
Otocoris alpestris, 194, 204.
 alpestris adusta, 364.
 alpestris praticola, 28, 31, 38, 201, 202, 237.
 alpestris strigata, 45.
 Oustalet, E., notice of his work on the birds of Patagonia, 281.
 Ouzel, 386.
 Ovenbird, 35, 139, 341.
 Owl, American Barn, 43, 234.
 American Long-eared, 234, 361.
 Barn, 127, 128, 202, 276, 288.
 Barred, 4, 135.
 Burrowing, 234, 361.
 California Pygmy, 44.
 Dusky Eared, 127.
 Dusky Horned, 355.
 Dwarf Screech, 105, 169.
 Elf, 362.
 Flammulated Screech, 170.
 Florida Barred, 234.
 Florida Burrowing, 1.
 Great Gray, 44.
 Pygmy, 170.
 Sawwhet, 44, 170.
 Screech, 127, 189.
 Short-eared, 234, 355.
 Snowy, 67-69, 135, 355.
 Spotted, 393.
 Texan Screech, 234.
 Western Horned, 234, 361.

- PACHYRHAMPHUS albinucha**, 175.
 ornatus, 173.
Packard, A. S., notice of his 'Labrador coast,' 171.
Pajaro Ardilla, 326.
Pale-belly, 144, 199.
Palmer, T. S., notes on some birds of Grays Harbor, Washington, 308.
Pandion haliaëtus carolinensis, 43, 127, 212, 286, 289, 313, 361.
Parabuteo unicinctus harrisi, 205, 233, 328.
Paroquet, Carolina, 278, 301, 384, 385.
 Yellow-bellied, 128.
Parrakeet, Carolina, 49, 206.
Parrot, Black-billed, 128.
 Yellow-billed, 128.
Partridge, 125, 194.
 California, 43.
 Chestnut-bellied Scaled, 233.
 Gambel's, 386.
 Massena, 231.
 Mountain, 124.
 San Pedro, 287.
 Scaled, 360.
 Spanish, 125.
 Water, 11.
Parula, 303.
Parus atricapillus, 67, 140, 204, 281.
 atricapillus turneri, 195.
 atricristatus, 343.
 bicolor, 36, 214.
 bicolor texensis, 343.
 carolinensis, 35, 37, 204, 214.
 carolinensis agillis, 344.
 gambeli, 47.
 rufescens, 47.
Passer domesticus, 137, 206, 231, 286, 319, 395.
Passerella iliaca, 204, 213, 339.
 iliaca unalascensis, 288.
Passerina amœna, 231, 366.
 ciris, 205, 213, 236, 339.
 cyanea, 138, 213, 247, 283, 308, 339.
Pavoncella pugnax, 299.
Pediocætes phasianellus, 189, 385, 387.
 phasianellus campestris, 196, 283.
Pelecanus californicus, 353.
 erythrorhynchus, 192, 292.
 fuscus, 206, 211, 386.
Pelican, American White, 292.
 Brown, 386.
 California Brown, 353.
Pelzeln, A. v., death of, 74.
Perisoreus canadensis, 395.
 obscurus, 45, 309.
Peristera cinerea, 329.
Petrochelidon lunifrons, 138, 340, 356, 366.
Peucæa æstivalis, 213.
 æstivalis bachmani, 31, 73, 213.
 cassini, 73, 338, 359, 366.
 ruficeps boucardi, 366.
 ruficeps eremœca, 73, 338, 341.
Pewee, Large-billed Wood, 106.
 Western Wood, 44, 236, 363.
 Wood, 136, 236, 281.
Phaëthon flavirostris, 229.
Phalacrocorax dilophus, 192.
 dilophus albociliatus, 196.
 dilophus floridanus, 48, 211.
 pelagicus robustus, 309.
 sp., 353.
Phalænoptilus nuttalli, 235.
 nuttalli nitidus, 235, 362.
Phalarope, Northern, 295, 298.
 Red, 67, 294-299.
Phalaropus lobatus, 295, 296, 298, 299, 387.
Pheasant, Chinese, 66, 67.
 Golden, 385.
 Japanese, 68.
 Mongolian, 385.
Philohela minor, 12, 66, 69, 212, 286, 385, 386.
Phœbe, 236.
 Say's, 236, 363.
Phœbe-bird, 136.
Phœnicophæus erythrognathus, 184.
Phœnicopterus ruber, 211.
Piaya cayana, 184.
 cayana mehleri, 326.
Picolaptes compressus, 173, 175.
 gracilis, 173, 175.
Picus torquatus, 394.
Pigeon, Band-tailed, 43.
 Blue, 122.
 Ring-tailed, 122.
 White-bellied, 123.
 White-crowned, 122.
 Wild, 67, 286, 386.
Pintail, 232, 353.
Pipilo chlorurus, 339, 366.
 erythrophthalmus, 29, 138, 339.
 erythrophthalmus alleni, 213.
 fuscus mesoleucus, 366.
 maculatus arcticus, 339.
 maculatus magnirostris, 107.

- Pipilo maculatus megalonyx*, 107, 366.
 maculatus oregonus, 356.
Pipit, American, 28, 33, 37, 46, 342, 367.
 Richard's, 289.
 Sprague's, 342.
Piranga bidentata, 25.
 erythromelas, 138, 213, 339.
 hepatica, 366.
 leucoptera, 25.
 ludoviciana, 309, 310, 366.
 rubra, 25, 35, 213, 307, 339.
Pitangus caudifasciatus, 272.
 derbianus, 250.
Pithys bicolor olivaceus, 175.
Pitta coccinea, 220.
 granatina, 218.
 granatina borneënsis, 221.
Platypsaris aglaia hypophæus, 175.
 aglaia obscurus, 175.
Plautus impennis, 100, 198.
Pleasants, J. H., Jr., an overlooked volume, 206.
Plectrophenax nivalis, 68, 282.
Plegadis autumnalis, 211.
 guarauna, 192, 345, 360.
Plover, American Golden, 14, 17-20, 144, 147, 148, 199, 232, 289, 389.
 American Killdeer 290.
 Black-bellied, 14, 143, 300, 306, 360.
 Piping, 15, 306.
 Ringneck, 147.
 Semipalmated, 15, 354.
 Wilson's, 15.
Podilymbus podiceps, 211, 214, 345.
Polioptila cærulea, 31, 35-37, 48, 214, 273, 307, 344, 368.
 californica, 368.
 plumbea, 368.
Polyborus cheriway, 212, 215, 234, 328.
Poocætes gramineus, 31, 137, 204, 213, 337.
 gramineus confinis, 337, 365.
Poorwill, 235.
 Frosted, 235, 362.
Porphyrio smaragnotus, 290.
Porter, L. H., abnormal plumage of *Habia ludoviciana*, 302.
Porzana carolina, 11, 212, 232, 329.
 concolor, 11.
 coturniculus, 108, 175.
 flaviventris, 11.
 jamaicensis, 11, 212.
 jamaicensis coturniculus, 108, 175.
Porzana noveboracensis, 67.
 silonota, 175.
Potoo, 127, 275.
 Brown, 127.
 White, 127, 276.
 White-headed, 276.
Premnoplex brunnescens, 173.
Priotelus temnurus, 272.
Progne chalybea, 22.
 cryptoleuca, 213.
 subis, 138, 205, 213, 307, 340.
 subis hesperia, 356.
Protonotaria citrea, 191, 213, 387.
Psaktriparus grindæ, 196.
 minimus californicus, 195, 287.
Pseudoscops grammicus, 127.
Pseudogryphus californianus, 288.
Psilorhinus mexicanus, 250.
Ptarmigan, Greenland, 282.
 Willow, 300.
Ptilopus melanauchen, 81.
 melanocephalus, 81.
 melanospilus, 81.
 xanthorrhous, 81.
Ptilorhis magnifica, 282.
 wilsoni, 282.
Ptychoramphus aleuticus, 353.
Publications received, 70, 196, 290, 387.
Puffin, Tufted, 41.
Pyrgisoma cabanisi, 248.
 leucotis, 249.
Pyrocephalus rubineus mexicanus, 236.
Pyrrhuloxia sinuata, 339.

QUAIL, 67, 68, 120, 271, 281, 385.
 Gambel's, 198.
Quail-dove, Blue-headed, 125.
 Ruddy, 124.
Quandy, 330.
Quiscalus crassirostris, 370.
 gundlachi, 272.
 macrourus, 238.
 major, 205, 213.
 quiscula, 136, 180-182, 319.
 quiscula æneus, 136, 180-182, 238.
 quiscula aglæus, 180-182, 213.

RAGSDALE, G. H., distribution of the species of *Peucea* in Cooke County, Texas, 73.
Rail, Black, 11.
 Carolina, 11.
 Clapper, 74.
 Farallon, 175.

- Rail, King, 396.
 Red, 11.
 Virginia, 309, 385.
 Yellow, 67.
- Rain-bird, 273, 274.
- Rallus crepitans, 74, 212.
elegans, 68, 212, 272, 396.
longirostris caribæus, 11,
scottii, 212.
virginianus, 68, 212, 309, 385.
- Raub, M. W., the Golden Eagle in
 Pennsylvania, 200.
- Raven, 62, 88, 136.
 American, 45, 364.
 White-necked, 364.
- Recurvirostra americana, 12, 232,
 360.
- Redbreast, 147, 148.
 Robin, 274.
- Redhead, 232, 304.
- Redstart, 341.
 American, 34-36, 140, 342.
 Painted, 367.
- Redtail, Western, 354, 361.
- Regulus calendula, 38, 47, 134, 214,
 344, 368, 385.
satrapa, 38, 140, 344.
satrapa olivaceus, 47.
- Rhoads, S. N., the breeding habits
 of the Florida Burrowing Owl
 (*Speotyto cunicularia florida-*
dana), 1.
- Rhodinocichla rosea, 288.
- Rhynchophanes mccownii, 337, 365.
- Ridgway, R., notice of his papers
 on Central American and South
 American Birds, 174; notice of
 his 'Directions for collecting
 birds,' 175; *Zonotrichia albicol-*
lis in California, 302; spring ar-
 rivals at Washington, D. C.,
 307; notice of his 'The Humming
 Birds', 376.
- Rissa tridactyla pollicaris, 353.
- Roadrunner, 234, 362.
- Robin, 29-33, 68, 286, 304, 373.
 American, 141.
 Western, 47, 369.
- Rostrhanus sociabilis, 212.
- Ruff, 300.
- Rupornis ruficauda, 328.
- Rynchops nigra, 211.
- SALPINCTES guadalupeensis, 84.
obsoletus, 47, 310, 357, 368.
- Saltator grandis, 27.
magnoides, 27.
- Salvadori, T., notice of his cata-
 logue of the Parrots, 277.
- Sanderling, 13, 72.
- Sandpiper, Baird's, 345.
Bartramian, 14, 31, 232, 305.
Buff-breasted, 389.
Least, 13, 232, 354, 360.
Pectoral, 13, 232.
Red-backed, 43, 147, 149.
Semipalmated, 13.
Solitary, 13, 232.
Spotted, 14, 43, 232.
Stilt, 13, 232.
Western, 43.
White-rumped, 13.
- Sapsucker, 109.
Williamson's, 362.
Yellow-bellied, 37, 235.
- Sarcoramphus papa, 288.
- Saurothera merlini, 272.
vetula, 273, 369.
- Saxicola cyantha, 282.
- Sayornis aquatica, 250.
phæbe, 136, 205, 213, 236,
 286.
saya, 236, 363.
- Scardafella inca, 233, 288.
- Scaup, 198.
 American, 304.
 Lesser, 304.
- Schlegelia wilsoni, 282.
- Sclater, P. L., notice of his papers
 on the geographical distribution
 of birds, 183.
- Sclater, P. L., and Shelley, G. E.,
 notice of their catalogue of the
 Scansores and Cocyges, 184.
- Scolecophagus carolinus, 205.
cyanocephalus, 45, 238, 364.
- Scoter, American, 153, 156, 293,
 354.
 Black, 158.
 Surf, 42, 157, 293, 294.
 Velvet, 159.
 White-winged, 157, 293, 294,
 354.
- Scotiaptex cinerea, 44.
- Scott, W. E. D., observations on
 the birds of Jamaica, West Indies.
 II. A list of birds recorded from
 the Island, with annotations, 9,
 120, 273, 369; a description of the
 adult male of *Botaurus neoxenus*
 (Cory), with additional notes on
 the species, 141; notes on the
 birds of the Caloosahatchie region
 of Florida, 209.
- Scytalopus argentifrons, 175.
- Seiurus aurocapillus, 21, 35, 49,
 139, 214, 273, 307, 341.

- Seiurus motacilla*, 21, 34, 139, 214, 303, 342.
noveboracensis, 21, 133, 134, 139, 214, 307, 341.
noveboracensis notabilis, 303, 341.
Selasphorus floresii, 377.
 Sennett, G. B., description of a new Turkey, 167.
Setophaga picta, 367.
ruticilla, 22, 34-36, 140, 214, 273, 307, 341, 342.
 Shelley, G. E., see Sclater, P. L.
 Shoveler, 198, 232.
 Shrike, Loggerhead, 35, 340.
 White-rumped, 46, 340, 367.
 Shufeldt, R. W., notice of his 'Myology of the Raven,' 62; notice of his 'Contributions to the comparative osteology of arctic and subarctic water-birds,' 173; notice of his papers on the osteology and classification of the North American Pigeons, Woodpeckers, and Kites, 174.
 Shufeldt, R. W., 3d., death of, 398, 400.
Sialia arctica, 47, 231, 369.
 mexicana, 47, 310, 369.
 mexicana anabelæ, 188.
 sialis, 31, 141, 194, 204, 214, 345.
Siphonorhis americanus, 276.
 Siskin, Pine, 356.
Sitta canadensis, 38, 140, 191, 343.
 carolinensis, 37, 140.
 carolinensis aculeata, 107.
 carolinensis lagunæ, 107.
 pusilla, 214.
 pygmæa leuconucha, 188.
Sittasomus æquatorialis, 175.
 amazonus, 175.
 chapidensis, 175.
 olivaceus, 175.
 Skua, Richardson's, 289.
 Snipe, 69.
 Red-breasted, 390.
 Wilson's, 12, 31, 42, 68, 199, 232, 260.
 Snow, F. H., the Pacific Eider in Kansas, 198.
 Snowbird, 67, 72.
 Solitaire, Townsend's, 369.
Somateria dresseri, 305, 334.
 spectabilis, 68, 289.
 v.-nigra, 198.
 Sora, 232.
 Southwick, W. C., *Seiurus noveboracensis notabilis* in New Jersey, 303.
 Sparrow, Bachman's, 31.
 Bell's, 288.
 Black-chinned, 365.
 Black-throated, 234, 338.
 Boucard's, 366.
 Brewer's, 365.
 Cassin's, 338, 359, 366.
 Chipping, 72, 137, 281, 338, 395.
 Clay-colored, 338, 365.
 English, 137, 319, 395.
 Field, 31, 137, 338.
 Fox, 339.
 Gambel's, 309, 356.
 Golden-crowned, 356.
 Grasshopper, 28, 31, 39, 137, 338.
 Harris's, 338.
 Henslow's, 31, 39.
 Intermediate, 45.
 Lark, 338.
 Lincoln's, 338.
 Rock, 338, 341.
 Rusty Song, 45.
 Sage, 288.
 Savanna, 33, 36, 133, 137, 355.
 Song, 37, 38, 68, 138, 338.
 Swamp, 339.
 Thick-billed, 288.
 Vesper, 31, 337.
 Western Chipping, 338, 365.
 Western Grasshopper, 338.
 Western Henslow's, 106.
 Western Lark, 338, 365.
 Western Savanna, 45, 338, 365.
 Western Vesper, 337, 365.
 White-crowned, 338, 356, 365.
 White-throated, 33, 132, 281, 338.
Spatula clypeata, 198, 211, 232.
Speotyto cunicularia floridana, 1, 212, 216.
 cunicularia hypogæa, 6, 234, 361.
Sphecotheres flaviventris, 282.
Sphyrapicus thyroideus, 362.
 varius, 37, 109, 134, 135, 205, 213, 235, 275, 374.
Spindalis pretrii, 272.
 zena, 48.
Spinus mexicanus, 249.
 pinus, 204, 355.
 psaltria, 365.
 psaltria arizonæ, 337.
 psaltria mexicanus, 249, 337, 341.

- Spinus tristis*, 137, 213, 337, 355.
tristis pallidus, 106.
Spiza americana, 234, 248, 339.
Spizaetus ornatus, 328.
Spizella atrigularis, 365.
 breweri, 365.
 pallida, 338, 365.
 pusilla, 31, 137, 204, 213, 338.
 pusilla arenacea, 338.
 socialis, 72, 137, 213, 281, 307,
 338, 395.
 socialis arizonæ, 338, 365.
 Spoonbill, Roseate, 9.
Sporadinus maugæi, 229.
 riccordii, 272.
Sporophila moreleti, 27.
 Sprigtail, 198.
Sturnænas cyanocephala, 125, 271,
 272.
 Steinadler, 186.
 Stejneger, L., notice of his 'Notes
 on Japanese birds,' etc., 176;
 notice of his 'Notes on the cubital
 coverts in the Birds of Paradise
 and Bowerbirds,' 176.
Stelgidopteryx serripennis, 22, 46,
 213, 307, 340, 356.
Stellula calliope, 377.
 Stephens, F., notes on *Syrnium*
 occidentale, 392.
Stercorarius parasiticus, 211, 214,
 289.
Sterna antillarum, 211.
 dougalli, 211.
 fluviatilis, 191.
 forsteri, 191, 211.
 fuliginosa, 211, 289.
 hirundo, 211, 304.
 maxima, 191, 211.
 sandvicensis acufflava, 211.
 tschegrava, 211.
 Stilt, Black-necked, 12.
 Stone, W., notice of his 'Summer
 birds of Harvey's Lake, Luzerne
 Co., Pennsylvania,' etc., 176; a
 correction, 202; winter birds of
 Cape May, New Jersey, 203;
 notice of his 'Catalogue of the
 Corvidæ, Paradiseidæ, and Ori-
 olidæ in the collection of the
 Academy of Natural Sciences of
 Philadelphia,' 282; notice of his
 'Birds collected by the West
 Greenland expedition,' 282.
Strix flammea furcata, 127, 128, 276.
 pratincola, 43, 202, 212, 216,
 234, 288.
 pratincola furcata, 272.
 pratincola guatemalæ, 327.
Sturnella hippocrepis, 271, 272.
 magna, 30, 38, 136, 204, 237.
 magna mexicana, 213, 250.
 magna neglecta, 237, 355,
 364.
 Suchetet, A., notice of his 'Les
 oiseaux hybrides,' etc., 382.
Sula sula, 229.
 Sultana, 12.
 Swallow, Bank, 46, 340, 367.
 Barn, 46, 138, 340, 366.
 Cliff, 138, 340, 366.
 Rough-winged, 340, 356.
 Tree, 46, 138, 340.
 Violet-green, 46, 367.
 Swan, Whistling, 42.
 Swift, Black, 276.
 Chimney, 136, 235, 285
 Palm, 276.
 White-collared, 276.
 White-throated, 362.
Sylvania canadensis, 22, 132-134,
 139, 342.
 mitrata, 214, 235, 303, 306,
 342.
 pusilla, 60, 341, 342, 367.
 pusilla pileolata, 22, 46, 357.
Symphemia semipalmata, 14, 48,
 149, 212.
 semipalmata inornata, 212.
Syrnium nebulosum, 135.
 nebulosum alleni, 4, 205,
 212, 234.
 occidentale, 392.
 virgatum, 327.
 TACHYGINETA *bicolor*, 46, 138, 206,
 213, 286, 340.
 thalassina, 46, 356, 367.
 Tanager, Hepatic, 366.
 Louisiana, 310, 366.
 Scarlet, 138, 339.
 Summer, 35, 339.
Tanagra cana, 25.
Tantalus loculator, 9, 211.
 Taylor, A. O'D., occurrence of the
 Black Gyrfalcon in Rhode Island,
 300.
 Teal, Blue-winged, 231, 360
 Cinnamon, 232.
 Green-winged, 198, 199, 231,
 353, 359.
Teretistris fernandinæ, 273.
 Tern, Black, 71.
 Common, 304.
 Gull-billed, 345.
 Noddy, 289.
 Sooty, 289.

- Thamnophilus albicrista*, 175.
 doliatus, 250.
 trinitatis, 175.
Thrasaëtus harpyia, 328.
Thrasher, Brown, 32, 140, 342.
 Crissal, 368.
 Palmer's 368.
 Sage, 342, 367.
Thrush, Audubon's Hermit, 344,
 369.
 Dwarf Hermit, 344, 369.
 Gray-cheeked, 344.
 Hermit, 33, 66, 132, 133, 141,
 202, 344.
 Olive-backed, 132, 140, 141,
 344.
 Russet-backed, 47.
 Varied, 47.
 Wilson's, 35, 140, 344.
 Wood, 38, 132, 140, 141, 303.
Thryothorus bewickii, 29, 30, 36,
 307, 385.
 bewickii bairdi, 343, 368.
 bewickii spilurus, 288, 357.
 ludovicianus, 73, 204, 343.
 ludovicianus miamensis, 214.
 Tick-bird, 273.
 Tijo-tijo, 325.
 Tit, California Bush, 287.
 Titmouse, Black-crested, 343.
 Texan Tufted, 343.
 Tufted, 36.
Tityra personata, 322.
Todirostrum cinereum, 250.
Todus multicolor, 272.
 pulcherrimus, 275.
 viridis, 274, 373.
 Tody, Green, 274, 373.
 Sharpe's, 275.
Totanus flavipes, 13, 48, 49, 212,
 232, 384, 389.
 melanoleucus, 13, 149, 212,
 232, 354.
 solitarius, 13, 212, 232, 329.
 Towhee, 29, 138, 339.
 Arctic, 339.
 Cañon, 366.
 Green-tailed, 339, 366.
 Oregon, 356.
 Spurred, 366.
 Treat, W. E., *Ereunetes occiden-*
talis in Connecticut, 389.
Tringa alpina pacifica, 43, 147, 149,
 212, 354.
 bairdii, 345, 397.
 canutus, 13, 146-148, 212, 289,
 290, 306, 397.
 fuscicollis, 13, 212.
Tringa maculata, 13, 48, 212, 232,
 329, 360.
 maritima, 212.
 minutilla, 13, 48, 49, 212,
 232, 354, 360.
Trochilus alexandri, 235, 363.
 alleni, 44.
 calliope, 44, 363, 377.
 colubris, 69, 136, 191, 195,
 205, 213, 235, 308, 324, 386.
 foresii, 108, 377.
 heloisa, 377.
 platycercus, 363.
 rubromitratus, 108.
 rufus, 44, 352, 363.
 violajugulum, 377.
Troglodytes ædon, 140, 214, 307,
 319, 343.
 ædon aztecus, 343, 368.
 ædon parkmanii, 343.
 hiemalis, 132-134, 140.
 hiemalis pacificus, 47, 309.
 insularis, 288.
 Trumbull, G., our Scoters, 153.
Tryngites subruficollis, 329, 389.
Turdus alicia, 214, 344.
 aonalschkæ, 344, 369.
 aonalschkæ auduboni, 107,
 344, 369.
 aonalschkæ pallasii, 33, 66,
 132-134, 141, 202, 214, 344,
 345.
 fuscescens, 35, 140, 214, 344.
 migratorius, 290.
 mustelinus, 38, 132, 140, 141,
 214, 303, 307.
 sequoiensis, 107, 188.
 ustulatus, 47.
 ustulatus swainsonii, 132,
 134, 140, 141, 214, 344.
 Turkey, Florida Wild, 105.
 Mexican, 233, 360.
 Rio Grande, 167.
 Wild, 72.
 Turnstone, 15, 147, 306.
 Black, 354.
Turtur risoria, 125.
Tympanuchus americanus, 66, 386.
 cupido, 67, 203.
 pallidicinctus, 231.
Tyranniscus parvus, 250.
Tyrannus dominicensis, 48, 213.
 magnirostris, 272.
 melancholicus satrapa, 251.
 tyrannus, 68, 136, 205, 213,
 236, 280, 308.
 verticalis, 236, 363.
 vociferus, 363.

- URIA lomvia**, 68.
Urinator imber, 41, 211, 286, 292,
 353.
 lumme, 211, 353.
 pacificus, 353.
Urococyx erythrognathus,
 184.
Urubitinga anthracina, 127, 328.
 urubitinga ridgwayi, 328.
- VERDIN**, 287, 344, 368.
Verrill, G. E., *Carduelis elegans* in
 Connecticut, 301.
Vireo altiloquus barbatulus, 213.
 atricapillus, 340, 341.
 bellii, 236, 237, 340.
 crassirostris, 48, 49.
 flavifrons, 23, 31, 35, 192, 213,
 340.
 flavoviridis, 22, 288.
 gilvus, 46, 213, 307.
 gundlachi, 273.
 huttoni obscurus, 288.
 noveboracensis, 31, 213, 340.
 noveboracensis maynardi,
 213.
 olivaceus, 22, 36, 37, 48, 49,
 138, 213, 283, 308, 340, 395.
 philadelphicus, 23, 138.
 solitarius, 37, 38, 133, 138,
 213, 340, 341.
 solitarius alticola, 138, 213.
 solitarius cassinii, 367.
 solitarius lucasanus, 106.
 solitarius plumbeus, 367.
 superciliosus, 173.
 vicinior, 367.
 vicinior californicus, 108.
Vireo, Bell's, 236, 237, 340
 Black-capped, 340, 341.
 Blue-headed, 37, 38, 340, 341.
 Cassin's, 367.
 Gray, 367.
 Plumbeous, 367.
 Red-eyed, 36, 37, 138, 340,
 395.
 St. Lucas Solitary, 106.
 Solitary, 133, 138.
 Warbling, 46.
 White-eyed, 31, 340.
 Yellow-throated, 31, 35, 192,
 340.
Volatinia splendens, 27.
Vulture, Black, 126, 233, 328.
 John Crow, 126.
 Turkey, 126, 190, 233, 361.
- WARBLER**, Audubon's, 46, 310, 367.
 Bay-breasted, 307. $\frac{2}{3}$
 Black-and-white, 31-33, 35,
 138, 303, 340.
 Blackburnian, 35, 37, 38, 132,
 133, 139, 341.
 Black-fronted, 207.
 Blackpoll, 37, 38, 307.
 Blackthroated Blue, 36-38,
 132, 133, 138.
 Black-throated Gray, 46, 367.
 Black-throated Green, 31,
 36-38, 132, 133, 139, 341.
 Blue-winged, 340.
 Brewster's, 306.
 Calaveras, 340.
 Canadian, 132, 133, 139, 342.
 Cape May, 37.
 Cerulean, 35.
 Chestnut-sided, 35, 36, 133,
 139, 396.
 Golden-cheeked, 341.
 Golden-winged, 35.
 Hermit, 46.
 Hooded, 235, 303, 306, 342.
 Kentucky, 342.
 Kirtland's, 63.
 Lutescent, 46.
 Macgillivray's, 46, 342, 367.
 Magnolia, 133, 139, 340.
 Mourning, 133, 139, 342.
 Myrtle, 33, 37, 132, 340.
 Nashville, 307, 340.
 Orange-crowned, 340, 367.
 Palm, 29, 36.
 Parula, 31, 35, 37, 38, 138,
 340.
 Pileolated, 46.
 Pine, 28-30, 139, 341.
 Prairie, 35.
 Prothonotary, 191, 387.
 Swainson's, 191.
 Sycamore, 303, 341.
 Tennessee, 340.
 Townsend's, 367.
 Virginia's, 367.
 Wilson's, 60, 341, 342, 367.
 Worm-eating, 34, 35.
 Yellow, 46, 138, 340, 367.
 Yellow-throated, 31, 32, 35.
- Water-thrush**, 133, 139, 341.
 Grinnell's, 303, 341.
 Louisiana, 34, 303, 342.
- Waxwing, Cedar**, 340.
- Wayne, A. T.**, late breeding of
Columbigallina passerina, 72; a
 belated migrant, 72; the Whip-
 poorwill wintering near Charles-
 ton, South Carolina, 201.

- Wheatear, 282.
 Whippoorwill, 35, 201, 235.
 Widgeon, 165, 198.
 American, 165.
 Willet, 14, 149.
 Wilson, S. B., notice of his 'Aves
 Hawaiienses,' 63.
 Woodcock, 66-69, 286, 385, 386.
 American, 12.
 Woodpecker, Baird's, 234 362.
 Downy, 37, 69, 114, 135, 195.
 Golden-fronted, 235.
 Hairy, 135.
 Harris's, 44, 309.
 Lewis's, 355, 394.
 Pileated, 135, 286, 355.
 Radiolated, 275.
 Red-headed, 29, 135.
 Yellow-bellied, 109, 135, 275.
 Woodruff, L. B., some bird notes
 from Litchfield, Connecticut, 202.
 Wren, 319.
 Baird's, 343, 368.
 Bewick's, 29, 30, 36.
 Cactus, 288, 342, 368.
 Cañon, 287, 342.
 Carolina, 73, 343.
 Dotted Cañon, 368.
 House, 140, 319, 343.
 Long-billed Marsh, 343, 357.
 Parkman's, 343.
 Rock, 47, 310, 342, 368.
 Short-billed Marsh, 284, 343.
 Vigors's, 288, 357.
 Western House, 343, 368.
 Wren, Western Winter, 47.
 Winter, 132, 133, 140, 309.
 XANTHOCEPHALUS xanthocephalus,
 237, 364.
 Xantholæma intermedia, 184.
 Xenopsaris albinucha, 175.
 Xiphidiopicus percussus, 272.
 Xiphocolaptes albicollis, 175.
 procurvus, 175.
 Xiphorhynchus pusillus, 250.
 YELLOWLEGS, 13, 232.
 Greater, 13, 149, 232, 354.
 Smaller, 389.
 Yellowrump, 303.
 Yellowthroat, Maryland, 31, 139,
 342.
 Mirador, 107.
 Western, 342, 356, 367.
 ZENAIDA zenaida, 123.
 Zenaidura macroura, 69, 135, 204,
 212, 233, 272, 329, 360.
 Zonotrichia albicollis, 33, 132, 281,
 302, 338.
 capensis costaricensis, 248.
 coronata, 356.
 leucophrys, 273, 338, 365.
 leucophrys gambeli, 309, 356.
 leucophrys intermedia, 45,
 310, 356, 365.
 querula, 338.
 Zopilotillo, 325.

ERRATA.

- Page 127, lines 23 and 45, for "PATOO" read "POROO".
 " 205, line 35, for "Great-tailed" read "Boat-tailed."
 " 229, " 3, " "*Phæton*" read "*Phætho*".
 " 276, " 8, " "*flammeola*" read "*flammea*."
 " 294, " 32, " "*Hammuck*" read "*Hummuck*."
 " " 33, " "*on*" read "*over*."
 " 295, transfer the two sentences in lines 35, 36, and 37, beginning,
 "One May 10," and ending, "flying about," to end of paragraph, line 42.
 Page 296, line 23, for "loral space" read "patch."
 " 306, " 16, for "northwest" read "northeast."