

## INDEX TO VOLUME XI.

---

- ABRORNIS, 233.  
 Acanthis linaria, 333.  
 Acanthorhynchus tenuirostris, 142, 144.  
 Accipiter, 233.  
     atricapillus, 267, 302.  
     cooperi, 136, 251, 252, 267.  
     pallens 170.  
     velox, 136, 251, 267, 302.  
 Acridotheres, 233.  
 Acrocephalus, 233.  
 Actenoides, 234.  
 Actitis macularia, 123, 136, 302.  
 Ægialitis vocifera, 302.  
     wilsonia, 123.  
 Ægithina, 233, 234.  
 Æronautes melanoleucus, 186.  
 Æstelata brevipes, 170.  
     hasitata, 162, 241.  
     hypoleuca, 170.  
     jamaicensis, 119.  
     leucoptera, 170.  
     longirostris, 170.  
 Æthopyga, 235.  
 Agelaius phoeniceus, 138.  
 Aimophila mcleodi, 67.  
     rufescens, 44.  
     rufescens pallida, 43.  
     superciliosa, 66.  
 Aithurus polytmus, 125, 126.  
 Aix sponsa, 135.  
 Albatross, Wandering, 282.  
 Alcedo, 233.  
 Allen, Charles Slover, M. D., obituary of, 86.  
 Allen, Francis H., irregular abundance of birds in the breeding season in different years at the same locality, 334.  
 Allen, J. A., notice of his paper on Venezuelan Birds, 66; notice of his 'List of Birds collected in Northeastern Sonora and Northwestern Chihuahua,' 66. Oven-bird (*Seiurus aurocapillus*), 91.  
 American Ornithologists' Union Check-list of North American birds, sixth supplement to the, 46; eleventh congress of the, 51.  
 Ammodramus caudacutus, 139.  
     caudacutus nelsoni, 333.  
     henslowii, 139, 332.  
     lecontei, 256, 332.  
     maritimus, 139, 259.  
     maritimus peninsulæ, 80.  
     sandwichensis, 66.  
     sandwichensis alaudinus, 305.  
     sandwichensis savanna, 335.  
     savannarum passerinus, 139.  
     savannarum perpallidus, 305.  
 Ampelis cedrorum, 139, 307.  
 Amphispiza belli, 219.  
     bilineata, 218.  
 Anas boschas, 301.  
     carolinensis, 301.  
     labradoria, 5.  
     labradorica, 176.  
 Anous stolidus, 120.  
 Anthony, A. W., notice of his Birds of San Pedro Martir, Lower California, 167; notes on the genus *Heleodytes*, with a description of a new subspecies, 210; *Oceanodroma townsendi* off San Diego, California, 321; *Icterus parisorum* in western San Diego County, California, 327.  
 Anthothreptes, 235.  
 Anthracoceros, 233.  
 Anthus, 233.  
     pensilvanicus, 80, 222, 307.  
     spragueii, 80, 181.  
 Antrostomus rufomaculatus, 169.  
     saturatus, 169.  
     vociferus, 137, 253.  
     vociferus arizonæ, 48.  
     vociferus macromystax, 48.  
 Apgar, Austin C., notice of his 'Pocket Key of Birds,' 65.

- Aphelocoma cyanotis, 154, 327.  
     floridana, 244.  
     sieberii arizonæ, 220.  
     woodhousei, 268.  
 Aplopelia larvata, 61.  
 Aptenodytes longirostris, 280.  
 Aquila chrysaetos, 69, 77, 267, 303.  
 Arachnothera, 235.  
 Aramides cayanaea, 243.  
     cayanaea chiricote, 243.  
     gutturalis, 243.  
 Aramus giganteus, 122.  
 Arbelorhina cærulea, 143.  
     cyanea, 143.  
 Ardea cærulea, 121.  
     candidissima, 121, 183.  
     egretta, 121.  
     herodias, 121, 122, 135, 302.  
     tricolor ruficollis, 121.  
     virescens, 121, 122, 136.  
 Ardetta exilis, 121, 122, 163.  
 Arenaria interpres, 226.  
 Argly, 12.  
 Artamides, 234.  
 Artamus, 233.  
 Asio accipitrinus, 71, 136.  
     wilsonianus, 333.  
 Astur, 236.  
 Audubon, John James, portrait and  
     letter of, 309.  
 Audubon, Miss M. R., see Shufeldt,  
     R. W.  
 Auk, Great, 191.  
 Auriparus flaviceps, 219.  
 Avery, Dr. William Cushman,  
     obituary notice of, 190, 263.  
 Aythya affinis, 225.  
     marila nearctica, 225.  
  
 BAGG, Egbert, birds of Oneida  
     County, New York, 162.  
 Bald-head, 304.  
 Bald-pate, 123.  
 Banana-bird, 126.  
 Bangs, Outram, another record of  
     the breeding of the Saw-whet  
     Owl in eastern Mass., 77; dis-  
     tribution of the Hudsonian  
     Chickadee, 81.  
 Basileuterus rufifrons, 67.  
     rufifrons juyi, 245.  
 Basilinna leucotis, 325.  
 Batrachostomus, 233, 234.  
 Bee-bird, 237.  
 Bendire, Charles E., *Tympanuchus*  
     *americanus attwateri*, Attwater's  
     or Southern Prairie Hen,  
     130.  
  
 Bird, Cashew, 127.  
     Cedar, 139.  
     Frigate, 85.  
     Indigo, 139.  
     Man-o'-War, 120.  
     Tortoise-shell, 121.  
 Bird Protection, A. O. U. Commit-  
     tee on, 87.  
 Bishop, Louis B., Black Tern  
     (*Hydrochelidon nigra surinamen-  
     sis*) in Connecticut, 74; Whist-  
     ling Swan (*Olor columbianus*) in  
     Connecticut, 74; *Helminthophila*  
     *leucobronchialis*, 79; remarks on  
     the nest of *Cistothorus palustris*,  
     80.  
 Bittern, 163.  
     American, 302.  
 Black-back, 127.  
 Blackbird, 124, 215.  
     Brewer's, 220, 221, 305.  
     Red-winged, 102, 138.  
     Yellow-headed, 221.  
 Bluebird, 140, 151, 215, 257.  
     Mountain, 216, 217, 270, 308.  
     San Pedro, 159.  
     Western, 270.  
 Bobolink, 26, 27, 29, 32, 70, 102,  
     179, 180, 255, 305.  
 Bobwhite, 136.  
     Cuban, 324.  
     Florida, 324.  
 Bolles, Frank, obituary notice of,  
     184.  
 Bonasa umbellus, 67, 68, 69, 136,  
     302.  
     umbellus togata, 70.  
 Bond, Frank, the Mockingbird in  
     Wyoming, 258.  
 Botaurus exilis, 183.  
     lentiginosus, 70, 302.  
 Brant, 224, 225.  
 Branta bernicla, 224.  
     canadensis, 70, 84, 226, 302.  
     nigricans, 163.  
 Brasher, Reginald I., Northern  
     Phalaropes off the New Hamp-  
     shire coast, 250.  
 Brewster, William, notes and  
     song-flight of the Woodcock  
     (*Philohela minor*), 291; breeding  
     of the Prairie Horned Lark (*Oto-  
     coris alpestris praticola*) near  
     Pittsfield, Mass., 326; note on the  
     habits of the Northern Shrike,  
     329.  
 Brimley, C. S., notes from Raleigh,  
     N. C., 332.

- Broderipus, 234.  
Brown, Edward J., the Black Tern at Washington, 73; *Dendroica striata* in summer at Washington, D. C., 79; bird notes from Virginia, 259.  
Brown, Nathan Clifford, the Yellow-breasted Chat in Maine, 333.  
Bubo, 233.  
    virginianus, 136.  
    virginianus subarcticus, 268.  
Buceros, 234.  
Buchanga, 233, 234.  
Bull-finch, Black, 126.  
Bunting, Chestnut-collared, 217.  
    Indigo, 32.  
    Lark, 219.  
    Lazuli, 306.  
Buphagus skua antarcticus, 282.  
Bush-Tit, Lead-colored, 218, 270.  
Butaster, 233.  
Buteo albicaudatus, 48.  
    albicaudatus sennetti, 48.  
    borealis, 136, 267, 302.  
    borealis calurus, 267.  
    latissimus, 136.  
    lineatus, 197, 270.  
    swainsoni, 267, 302.  
Buthraupis ceruleigularis, 169.  
Buzzard, Turkey, 250.
- CACABIS chucor, 70.  
Cacatua, 233.  
Cacomantis, 233.  
Calamospiza melanocorys, 219.  
Calcarius lapponicus, 180, 249.  
    ornatus, 217.  
Calidris arenaria, 122, 183, 225.  
Callipepla elegans, 66.  
    elegans bensoni, 66.  
    gambeli, 68, 128.  
    squamata, 221.  
Calœnas, 233.  
Calornis, 233.  
Campbird, 304.  
Campephilus imperialis, 66.  
Camprober, 304.  
Camptolaimus labradorius, 4-12, 176.  
Campylorhynchus, 48.  
Capercaillie, 70, 71.  
Caprimulgus, 234.  
    macromystax, 48.  
    vociferus macromystax, 48.  
Cardinal, 101, 139, 222.  
Cardinalis cardinalis, 139.  
Carpodacus cassini, 269.  
Carpodacus frontalis, 255, 260.  
    purpureus, 1, 182.  
Carpophaga, 233.  
    ænea, 239.  
Cashew-bird, 127.  
Catbird, 140, 307.  
Cathartes aura, 124, 136, 267, 302.  
Catharus melpomene clarus, 245.  
Cedar-bird, 139.  
Centrocercus urophasianus, 302.  
Centrocoecyx, 234.  
Centurus radiolatus, 124.  
Ceophlœus pileatus, 137.  
Certhia familiaris, 244.  
    familiaris montana, 270, 307.  
Certhiola, 143.  
Ceryle alcyon, 136, 220, 303.  
    torquata, 177.  
Ceyx, 236.  
    argentina, 237.  
    cyanopectus, 237.  
    melanura, 237.  
Chætura, 233.  
    pelagica, 137.  
Chalcococcyx, 233.  
Chalcophaps, 233.  
Chalcostetha, 233.  
Chapman, Frank M., remarks on the origin of bird migration, 12; notice of his 'Notes on Birds and Mammals observed near Trinidad, Cuba,' 67; notice of his second trip to the Island of Trinidad, 90; ornithological lectures at the Museum of Natural History, 90; notice of his 'Birds of the Island of Trinidad,' 173.  
Charadrius dominicus, 75.  
    squatarola, 123, 183, 225.  
Charitonetta albeola, 84, 333.  
Chat, Yellow-breasted, 70, 140, 331.  
'Check-List of North American Birds,' proposed new edition of, 87.  
Chelidon erythrogastra, 139, 222, 306.  
Cherrie, Geo. K., notice of his 'Exploraciones zoológicas efectuadas en la parte meridional de Costa Rica,' 245.  
Chickadee, Carolina, 134, 135, 140.  
    Columbian, 47.  
    Hudsonian, 81.  
    Mountain, 270, 308.  
    Plumbeous, 261.  
    Long-tailed, 270, 308.  
Chicken, Prairie, 68.  
Chim-chim, 127.

- Chionis minor, 282.  
 Chloropsis, 234.  
 Chondestes grammacus strigatus, 222, 306.  
 Chordeiles acutipennis texensis, 51.  
   minor, 125.  
   texensis, 51.  
   virginianus, 137.  
   virginianus henryi, 268, 303.  
 Chrysococcyx, 233.  
 Chrysocolaptes, 234.  
   xanthocephalus, 239.  
 Chrysotis canifrons, 174.  
 Cinclus mexicanus, 69, 258, 269, 307.  
 Cinyris, 236.  
 Circus hudsonius, 136, 267, 302.  
 Cisticola, 238.  
   cisticola, 238.  
   exilis, 238.  
 Cistothorus griseus, 47.  
   palustris, 80, 140.  
   stellaris, 333.  
 Cittocincla, 235.  
 Clark, Hubert Lyman, high plumage in the Ptarmigan, 177.  
 Climacteris, 233.  
 Clivicola riparia, 306, 333, 335.  
 Coale, Henry K., ornithological notes on a flying trip through Kansas, New Mexico, Arizona and Texas, 215.  
 Coccythraustes vespertinus montanus, 269.  
 Coccyzus americanus, 70, 124, 136.  
   erythrophthalmus, 69, 183.  
   minor, 124.  
 Cockatoo, 239.  
 Cocoa-bird, 126.  
 Cœligena elemenciæ, 327.  
 Cœreba cœrulea, 142, 144.  
   cyanea, 142, 144.  
   flaveola, 119, 127.  
 Colaptes auratus, 137, 334.  
   cafer, 268, 303.  
 Colinus virginianus, 68, 69, 123, 129, 136.  
   virginianus cubanus, 324.  
   virginianus floridanus, 324.  
 Collocalia, 236.  
 Columba erythrothorax, 61.  
   fasciata, 267.  
   leucocephala, 123.  
   taczanowskii, 170.  
 Columbigallina passerina, 47, 123.  
   passerina terrestris, 47, 48.  
 Colymbus dominicensis, 119.  
 Compsothlypis americana, 14, 139.  
 Congress on Ornithology, in Chicago, 89.  
 Contopus borealis, 268, 304.  
   richardsonii, 268, 304.  
   virens, 137.  
 Conuropsis, 49.  
   carolinensis, 49.  
 Conurus, 49.  
   carolinensis, 49.  
 Cooke, W. W., ten new birds for Colorado, 182.  
 Cooper Ornithological Club, 89.  
 Coot, American, 84.  
   Bald-head, 122.  
   Red-head, 122.  
   White-head, 122.  
 Copsychus, 233.  
 Corethura, 317.  
   elegans, 243.  
   reichenovi, 243.  
 Cormorant, Brandt's, 97.  
   Common, 21.  
   Double-crested, 18-25, 175.  
 Corone, 233.  
 Corvus, 235.  
   americanus, 138, 305.  
   americanus caurinus, 50.  
   caurinus, 50.  
   corax, 244.  
   corax principalis, 137, 138.  
   corax sinuatus, 138, 269.  
   ossifragus, 138.  
 Coturnicops, 242, 317.  
 Cowbird, 138, 305.  
 Cox, Ulysses O., description of a new species of *Pipilo* from Mount Orizaba, Mexico, 161.  
 Crab-catcher, 121.  
 Crane, 173.  
 Crane, 121.  
   Little Brown, 183, 248, 324.  
   Sandhill, 68, 248, 324.  
   Whooping, 242, 248.  
 Craniorrhinus, 234.  
 Crepuscus, 242.  
 Creeper, Brown, 38.  
   Rocky Mountain, 270, 307.  
 Crossbill, American, 38.  
   American Red, 305.  
   Red, 182.  
   White-winged, 108.  
 Crotophaga ani, 124.  
 Crow, 69, 138, 228, 231.  
   American, 305.  
   Clarke's, 269, 327.  
   Fish, 138.

- Crow, John, 124.  
*Crymophilus fulcarius*, 74, 181,  
225, 227.  
*Cryptolopha*, 233.  
Cuckoo, 70, 234.  
    Asiatic, 335.  
    Black-billed, 69, 183.  
    Ground, 164.  
    Yellow-billed, 136.  
*Cuculus canorus telephonus*, 335.  
*Culicicapa*, 233.  
*Cupidonia cupido*, 68.  
Curlew, Eskimo, 75, 76.  
    Long-billed, 302.  
Curtis, Charles P., Jr., the Double-  
    crested Cormorant, 175.  
*Cyanocephalus cyanocephalus*, 260,  
269.  
*Cyanocitta cristata*, 137.  
    *cristata florincola*, 70.  
    *stelleri macrolopha*, 217, 268.  
    *stelleri annectens*, 304.  
*Cyanomyas*, 236.  
*Cyclopsitta*, 234.  
*Cypselus phœnicobius*, 125.
- DAFILA *acuta*, 84.  
Dapper, Diving, 119.  
*Dasyrotropha*, 233, 234.  
*Dasylophus*, 233, 234.  
Davis, William F., Staten Island  
    Crows and their roosts, 228.  
Delaware Valley Ornithological  
    Club, 197.  
*Dendragapus obscurus*, 267, 302.  
*Dendrobiastes*, 233.  
*Dendroeca carbonata*, 244.  
*Dendroica æstiva*, 140, 307.  
    *æstiva sonorana*, 218.  
    *auduboni*, 218, 269, 307.  
    *cærulea*, 163.  
    *cærulescens*, 182, 183, 260.  
    *coronata*, 335.  
    *discolor*, 140.  
    *kirtlandi*, 258.  
    *maculosa*, 142, 144, 335.  
    *palmarum*, 181.  
    *palmarum palmarum*, 333.  
    *pennsylvanica*, 182.  
    *petechia*, 127.  
    *petechia flaviceps*, 67.  
    *petechia gundlachi*, 67.  
    *striata*, 79.  
    *tigrina*, 140, 142, 143, 144.  
    *townsendi*, 269.  
    *vigorsii*, 14, 15, 140.  
*Dicaeum*, 236.
- Dickcissel, 34, 35, 126.  
*Dicurus*, 234.  
*Diomedea exulans*, 282.  
Dionne, C. E., an abundance of  
    Murre in the environs of  
    Quebec, 175.  
Dipper, American, 269, 307.  
*Dolichonyx oryzivorus*, 180, 305.  
    *oryzivorus albinucha*, 48.  
Dove, Ground, 123.  
    Mourning, 136, 220, 267, 302.  
    Pea, 123.  
*Dryobates borealis*, 137.  
    *pubescens*, 137.  
    *pubescens oreæccus*, 268, 303.  
    *scalaris lucasanus*, 178.  
    *villosus*, 136.  
    *villosus hyloscopus*, 268, 303.  
*Dryococcyx*, 233, 234.  
Duck, Blue Mountain, 119.  
    Buffle-head, 84.  
    Labrador, 4-12, 175.  
    Long-tailed 12.  
    Pied, 6.  
    Pin-tail, 84.  
    Shoveller, 84.  
    Wood, 135.  
Dutcher, William, the Labrador  
    Duck—another specimen, with  
    additional data respecting extant  
    specimens, 4; in re Dutcher on  
    the Labrador Duck, 175; the  
    Labrador Duck, an overlooked  
    specimen and record, 176.
- EAGLE, Bald, 69, 136.  
    Golden, 69, 77, 267, 303.  
*Ectopistes migratorius*, 70.  
*Edolisoma*, 234.  
Edson, John W., the Parasitic  
    Jaeger at Bellingham Bay, Wash-  
    ington, 73.  
Eider, American, 223, 226.  
    King, 103, 223.  
*Elainea cofa*, 126.  
Elanus, 233.  
Elliot, D. G., notice of his Mono-  
    graph of the Pittidæ, Part I, 62;  
    Part II, 173; Part III, 243.  
*Emberiza ciopsis ijimæ*, 170.  
*Empidonax acadicus*, 82, 137, 259.  
    *flaviventris*, 78, 82.  
    *hammondi*, 304.  
    *minimus*, 304.  
    *obscurus*, 268.  
    *pusillus*, 66.  
    *pusillus trailli*, 322.

- Empidonax wrightii*, 304.  
*Engyptila*, 61.  
     *albifrons*, 50, 61.  
     *jamaicensis*, 123.  
*Ereunetes occidentalis*, 325.  
     *pusillus*, 325.  
*Erythropsitta*, 234.  
*Eucichla guaiana*, 243.  
     *gurneyi*, 62.  
     *schwanei*, 62.  
*Eudynamis*, 234.  
*Euethia bicolor*, 126.  
*Eugenes fulgens*, 326.  
*Eumyas*, 233.  
*Euphonia jamaica*, 127.  
*Euptilotis neoxenus*, 66.  
*Eurystomus*, 233.  
*Euryzona*, 317.  
*Excalfactoria*, 233.
- FALCO**, 234.  
     *columbarius*, 246, 267.  
     *mexicanus*, 267.  
     *richardsonii*, 267, 302.  
     *sparverius*, 136, 268, 303.
- Falcon*, Prairie, 267.
- Fannin, John, the Canada Goose and Osprey laying in the same nest, 322.
- Field, George W., notes on birds of Port Henderson, Jamaica, West Indies, 117.
- Finch*, California House, 255.  
     Cassin's Purple, 269.  
     Crimson-fronted House, 218.  
     House, 216, 220, 260.  
     Lark, 222.  
     Lincoln's, 218.  
     Pine, 269.  
     Purple, 1, 38.
- Fisher, A. K., the capture of *Basilinna leucotis* in southern Arizona, 325; occurrence of *Aphelocoma cyanotis* in western Texas, 327.
- Flicker*, 103, 137.  
     Red-shafted, 268, 303.
- Flycatcher*, Acadian, 82, 137, 259.  
     Crested, 137.  
     Hammond's, 304.  
     Least, 257, 304.  
     Olive-sided, 268, 304.  
     Traill's, 66.  
     Vermilion, 218, 220.  
     Wright's, 268, 304.  
     Yellow-bellied, 78, 82, 110.
- Formicarius analis*, 170.
- Formicarius nigricapillus*, 170.  
     *nigrifrons glaucopectus*, 170.
- Fregata aquila*, 77, 85, 120.
- Fulica americana*, 84, 122.
- Fuligula labradorica*, 176.
- GALEOSOPTES carolinensis**, 140, 307.
- Gallinago delicata*, 301.
- Gallinula galeata*, 122, 163, 242.  
     *garmani*, 242.  
     *sandwichensis*, 242.
- Gallinule*, Purple, 242.
- Gallus*, 233.
- Ganlin*, Blue, 121.  
     White, 121.
- Garefowl*, 191.
- Garman, H., notice of his list of the vertebrate animals of Kentucky, 244.
- Gault, B. T., Kirtland's Warbler in northeastern Illinois, 258.
- Gelochelidon nilotica*, 259.
- Geocichla*, 233.
- Geococcyx californianus*, 268.
- Geopelia*, 233.
- Geothlypis*, 174.  
     *macgillivrayi*, 269, 307.  
     *trichas*, 140.  
     *trichas melanops*, 67.  
     *trichas occidentalis*, 307.
- Geotrygon mystacea*, 246.
- Gie-me-a-bit*, 125.
- Glaucidium cobanense*, 43.  
     *fisheri*, 41, 43.  
     *gnoma*, 268.
- Glaucionetta*, 176.  
     *clangula americana*, 226.
- Glossoptila campestris*, 144.
- Gnatcatcher*, Blue-gray, 109, 140.
- Golden-eye*, 176, 226, 260.
- Goldfinch*, 139, 215.  
     American, 305.  
     Arizona, 218.
- Goose*, Canada, 84, 102, 215, 226, 302, 322.  
     Goshawk, American, 267, 302.
- Grackle*, Bronzed, 244.  
     Purple, 138, 244.  
     Rusty, 242.
- Gracula*, 233.
- Grass-bird*, 126.
- Grass-quit*, 126.
- Grosbeak*, Black-headed, 269, 306.  
     Blue, 34, 109.  
     Cardinal, 215.  
     Evening, 1, 106, 108, 248.

- Grosbeak, Pine, 1, 69, 70, 108, 305.  
  Rose-breasted, 27, 29.  
  Western Evening, 108, 269.
- Grouse, Dusky, 267, 302.  
  Prairie Sharp-tailed, 302.  
  Red, 174.  
  Ruffed, 69, 71, 136, 302.  
  Sage, 302.
- Grus canadensis, 183, 324.  
  lilfordi, 243.  
  mexicana, 324.
- Guara alba, 121.  
  rubra, 121, 324.
- Guillemot, Pigeon, 96.
- Gull, American Herring, 73, 84.  
  Bonaparte's, 182.  
  Heermann's, 95, 97.  
  Herring, 215.  
  Western, 95, 97, 301.
- HABIA ludoviciana, 332.  
  melanocephala, 269, 306.
- Halcyon, 236.  
  chloris, 237.  
  coromanda, 237.  
  gularis, 237.
- Haliaeetus, 233.  
  leucocephalus, 136.
- Haliaster, 233.
- Hapalocercus fulviceps, 66.
- Harpactes, 233.
- Harporynchus palmeri, 219.  
  rufus, 69, 140.
- Hawk, Broad-winged, 136.  
  Cooper's, 136, 208, 251, 267.  
  Fish, 84.  
  Marsh, 136, 267, 302.  
  Pigeon, 267.  
  Red-shouldered, 197, 270.  
  Red-tailed, 105, 136, 267.  
  Sennett's White-tailed, 48.  
  Sharp-shinned, 136, 267, 302.  
  Sparrow, 136, 268, 302.  
  Swainson's, 267, 302.  
  Western Red-tail, 267, 302.
- Hazard, R. G., breeding habits of  
  the King Penguin (*Aptenodytes*  
  *longirostris*), 280.
- Heleodytes affinis, 48, 210, 211, 212.  
  brunneicapillus, 48, 211.  
  brunneicapillus bryanti, 212.
- Helminthophila bachmani, 333.  
  celata, 269, 307.  
  celata lutescens, 220.  
  chrysoptera, 83.  
  lawrencii, 259.  
  leucobronchialis, 79.
- Helminthophila luciae, 217.  
  peregrina, 83.  
  pinus, 259, 260.
- Helmitherus vermivorus, 222.
- Hemiphaga, 233.
- Hemiprocne zonaris, 125.
- Hen, Attwater's Prairie, 46, 130.  
  Clucking, 122.  
  Heath, 69.  
  Mangro', 122.  
  Southern Prairie, 130.
- Henicorhina pittieri, 245.
- Henshaw, H. W., an ingenious pair  
  of House Finches, 255.
- Heron, Black-crowned Night, 183.  
  Great Blue, 135, 302.  
  Green, 136.  
  Night, 136.  
  Snowy, 183.  
  Yellow-crowned Night, 177.
- Hesperocichla naevia, 258, 260.
- Hierococcyx, 233.
- Himantopus mexicanus, 122.
- Hine, Jane L., observations on  
  the Ruby-throated Hummingbird,  
  253.
- Hirundo, 236.
- Histrionicus histrionicus, 69, 323.
- Homer, F. LeRoy, the Carolina  
  Wren in winter in Mercer  
  County, Pennsylvania, 330.
- Homoptila, 61.  
  brachyptera, 62.  
  reichenbachi, 61.  
  verreauxi, 62.
- Honey-sucker, 142.
- Hornbill, 235.
- Howell, Arthur H., notes on some  
  Long Island Birds, 82.
- Hummer, 125.
- Hummingbird, 137, 244.  
  Bee, 126.  
  Broad-tailed, 268.  
  Calliope, 304.  
  Ruby-throated, 253.
- Hydrochelidon nigra surinamensis,  
  74, 163.
- Hyloterpe, 234.
- Hypothymis, 236.
- IANTHÆNAS, 233.
- Ibis, Scarlet, 324.
- Icteria virens, 140, 331.
- Icterus bullocki, 305.  
  cucullatus nelsoni, 220.  
  gularis yucatanensis, 51.  
  leucopteryx, 126.

- Icterus parisorum*, 327.  
     *spurius*, 138.  
 Ingalls, Chas. E., nesting of the Red-bellied Nuthatch in Templeton, Mass., 331.  
 Iole, 236.  
 Ionornis, 242.  
 Irena, 235.  
  
**JACK-SPARROW**, 126.  
 Jaeger, Parasitic, 96.  
     Pomarine, 96, 97.  
 Jay, Arizona, 220.  
     Black-headed, 304.  
     Blue, 101, 103, 137, 260.  
     California, 220.  
     Long-crested, 217, 268.  
     Piñon, 260, 269.  
     Rocky-mountain, 268, 304.  
     Woodhouse's, 268.  
 John-che-wit, 127.  
 Jouy, Pierre Louis, notice of his paper on birds of Central Mexico, 245; obituary notice of, 262.  
 Junco annectens, 216, 217, 269, 306.  
     *caniceps*, 217, 269.  
     *hyemalis*, 188, 217.  
     *hyemalis pinosus*, 47, 265, 266.  
     *hyemalis shufeldti*, 269, 306.  
     *hyemalis thurberi*, 217.  
     *pinosus*, 47, 266.  
 Junco, 182, 215, 216.  
     Gray-headed, 269.  
     Pink-sided, 269, 306.  
     Point Pinos, 47, 265.  
     Shufeldt's, 269, 306.  
     Slate-colored, 30, 215.  
  
**KELLOGG**, V. L., notes on Kansas Birds, 260.  
 Kennard, Fred. H., the habits and individualities of the Red-shouldered Hawk (*Buteo lineatus*) in the vicinity of Brookline, Mass., 197; the young of the Red-shouldered Hawk (*Buteo lineatus*), 270.  
 Killdeer, 30, 102, 302.  
 Kimcoll, F. H., change of habits in our native birds, 261.  
 Kingbird, 135, 137, 304.  
     Gray, 178.  
 Kingfisher, 136.  
     Belted, 96, 303.  
     Ringed, 177.  
 Kinglet, Ruby-crowned, 308.  
  
 Kinglet, Western Golden-crowned, 308.  
 Knowlton, F. H., see Richmond, Chas. W.  
 Kohn, Gustave, Missouri Titlark in Louisiana, 181.  
  
**LAGOPUS alleni**, 177.  
     *lagopus*, 177.  
     *rupestris*, 194.  
     *scoticus*, 177.  
 Lagage, 233.  
 Lampornis mango, 125.  
 Lanius, 233.  
     *borealis*, 329.  
     *ludovicianus*, 70, 139.  
     *ludovicianus excubitorides*, 307.  
 Lark, Desert Horned, 304.  
     Horned, 215, 217, 244.  
     Prairie Horned, 105, 106, 107, 326.  
 Larus argentatus smithsonianus, 68, 73, 84.  
     *atricilla*, 120.  
     *californicus*, 301.  
     *philadelphia*, 182.  
 Lawrence, R. H., the California Vulture in the San Gabriel Range, 76; the Western Winter Wren in southern California, 181.  
 Lepidogrammus, 233, 234.  
 Leptoptila, 61.  
     *albifrons*, 61, 62.  
     *brachyptera*, 50, 61, 62.  
     *erythrothorax*, 61.  
     *fulviventris*, 62.  
     *jamaicensis*, 61.  
 Limnogeranus, 242.  
 Limnopardalus rytirhynchus, 243.  
     *vigilantis*, 243.  
 Limosa hæmastica, 163.  
 Livermore, J., the Yellow-crowned Night Heron in Rhode Island, 177.  
 Lockwood, Rev. Samuel, obituary notice of, 189.  
 Locustella, 233.  
     *hondoensis*, 170.  
 Loggerhead, 124.  
 Longspur, Lapland, 180.  
 Loomis, Leverett M., a further review of the Avian Fauna of Chester Co., South Carolina, 26, 94; the Bobolink on the coast of South Carolina, 355; Point Pinos Junco (*Junco hyemalis pinosus*), 265.



- Loon, 69.  
Lophotriccus subcristatus, 66.  
Lophotriorchis, 233.  
Loriculus, 234, 235.  
    chrisonotus, 235.  
    hartlaubii, 235.  
    mindorensis, 235.  
    philippensis, 235.  
    regulus, 235.  
    siquijorensis, 235.  
    worcesteri, 235.  
Lowe, Willoughby P., a list of the birds of the Wet Mountains, Huerfano County, Colorado, 266; the Scarlet Ibis (*Guara rubra*) in Colorado, 324.  
Loxia curvirostra, 244.  
    curvirostra minor, 305.  
Loxigilla violacea, 126.  
Lucas, Frederick A., the tongue of the Cape May Warbler, 141.  
Lyncornis, 233.
- MACKAY, George H., habits of the Double-crested Cormorant (*Phalacrocorax dilophus*) in Rhode Island, 18; further news of the Gull 'Dick,' 73; the 1893 migration of *Charadrius dominicus* and *Numenius borealis* in Massachusetts, 75; stray notes from Massachusetts, 84; correction, 175; notes on certain Water-Birds in Massachusetts, 223; the Northern Phalarope—a correction, 324.  
Macronus, 234.  
Macropteryx, 233.  
Macropygia, 235.  
Macrorhamphus griseus, 122.  
Magpie, American, 268, 304.  
    Black-billed, 216.  
Mallard, 102, 104, 301.  
Martin, Purple, 139.  
Matthews, R. S., Baird's Sandpiper near Washington, D. C., 325.  
May-bird, 124.  
McIlwraith, Thomas, notice of a new edition of his 'Birds of Ontario,' 190, 240.  
Meadowlark, 35, 102, 103, 138, 215, 305.  
    Western, 70.  
Mearns, E. A., explorations by, 341.  
Meatbird, 304.  
Meathawk, 304.
- Megalurus, 238.  
    palustris, 238.  
    ruficeps, 238.  
Megapodius, 233, 234.  
Megascops asio, 136.  
    asio aikeni, 46, 47.  
    asio kennicottii, 49.  
    asio macfarlanei, 47.  
    asio maxwelliæ, 268.  
    asio saturatus, 49.  
    flammeola, 77.  
    pinosus, 39.  
    ridgwayi, 40.  
Melanerpes torquatus, 260, 268, 303.  
Melanopitta, 238.  
    sordidus, 238.  
    steerii, 238.  
Meleagris gallopavo, 69.  
Mellisuga minima, 126.  
Melopelia leucoptera, 123.  
Melospiza fasciata, 139.  
    fasciata mexicana, 67.  
    fasciata montana, 216, 306.  
    lincolni, 50, 181, 306.  
    lincolni striata, 50.  
Merganser serrator, 225, 301.  
Merganser, Red-breasted, 183, 225, 260, 301.  
Mergus serrator, 183.  
Merlin, Richardson's, 267, 303.  
Merops, 236.  
    bicolor, 237.  
    philippinus, 237.  
Merriam, C. Hart, the Water Ouzel in the Coast Range south of Monterey, California, 258.  
Merula, 233.  
    migratoria, 140.  
    migratoria propinqua, 216, 270, 308.  
Microhierax, 233.  
Micropus, 233.  
    melanoleucus, 268.  
Middendorff, Dr. Alexander Theodor von, obituary notice of, 264.  
Miller, Gerrit S., Jr., the Plumbeous Vireo in Central New York, 79; the Ground Cuckoo of Andros Island, 164; *Dryobates scalaris lucasanus* in San Diego County, California, 178.  
Miller, Olive Thorne, popular vs. scientific ornithology, 85; notice of her 'A Bird-lover in the West,' 243.  
Milvulus forficatus, 222.  
Mimus hillii, 119, 127.  
    orpheus, 127.

- Mimus polyglottos, 69, 134, 220, 258.  
 Minor ornithological publications,  
     67.  
 Mirafrã, 233.  
 Mitchell, Robert H., capture of  
 Clarke's Nutcracker in Crittenden  
 County, Arkansas, 327.  
 Mixornis, 235.  
 Mniotilta varia, 139.  
 Mockingbird, 34, 104, 140, 222, 258.  
 Molothrus ater, 138, 305.  
 Monticola, 233.  
 Morris, Robert O., rare visitants  
 to the Connecticut Valley in  
 1893, 181.  
 Motacilla, 233.  
 Mulleripicus, 234.  
 Munia, 235.  
 Murre, California, 95, 96, 97.  
 Murrelet, Marbled, 96, 97.  
 Muscipapa, 233.  
 Myadestes townsendi, 217, 270.  
 Myiarchus crinitus, 137.  
     inquietus, 66, 67.  
     stolidus, 126.  
     yucatanensis, 71, 168.  
 Myristicivora, 233.  
 Myrmelastes lawrencii, 171.  
  
 NEHRLING, Henry, notice of his  
 'Our Native Birds of Song and  
 Beauty,' 166.  
 Nelson, E. W., and T. S. Palmer,  
 descriptions of five new birds  
 from Mexico, 39.  
 Newton, A., notice of his 'Diction-  
 ary of Birds,' Part II, 56.  
 Nighthawk, 137.  
     Western, 268, 303.  
 Nightingale, 127.  
     English, 127.  
     French, 127.  
     Spanish, 127.  
 Ninox, 236.  
     lugubris, 236.  
     philippensis, 236.  
 Nonpareil, 222.  
 Norton, A. H., *Xanthocephalus*  
*xanthocephalus* and *Spiza ameri-*  
*cana* in Maine, 78.  
 Nucifraga caryocatactes, 179.  
     columbiana, 179, 305, 327.  
     multiguttata, 179.  
     multipunctata, 179.  
 Numenius borealis, 75.  
     longirostris, 302.  
 Nutcracker, Clarke's, 260, 305, 327.  
  
 Nuthatch, Brown-headed, 101.  
     Pygmy, 270.  
     Red-breasted, 38, 270, 307,  
         331.  
     Slender-billed, 270, 307.  
 Nyctala acadica, 77, 183.  
 Nyctea nyctea, 183.  
 Nyctibius jamaicensis, 125.  
 Nycticorax nycticorax nævius, 121,  
     122, 136, 183.  
     violaceus, 121, 177, 333.  
  
 OCEANODROMA markhami, 170.  
     melania, 169, 170.  
     townsendi, 169, 170, 321.  
 Ogilvie-Grant, W. R., notice of his  
 'Catalogue of the Game Birds  
 in the British Museum,' 171.  
 Oidemia deglandi, 183.  
 Old-squaw, 111.  
 Olor columbianus, 74.  
 Oreortyx pictus, 68, 193, 194, 195.  
     pictus plumiferus, 195.  
 Oriole, Baltimore, 110, 215.  
     Bullock's, 305.  
     Orchard, 138.  
     Scott's, 327.  
 Oriolus, 234.  
 Oroscoptes montanus, 307.  
 Orthotomus, 236.  
 Ortygometra, 317.  
 Ortygops, 242, 317.  
 Osmotreron, 236, 237.  
     vernans, 237.  
 Osprey, 136, 322.  
     American, 303, 320.  
 Otocoris alpestris arenicola, 217,  
     244, 304.  
     alpestris lucolaema, 244.  
     alpestris pallida, 168.  
     alpestris praticola, 326.  
     alpestris rubra, 168, 219.  
 Ouzel, Water, 258.  
 Ovenbird, 91, 134, 140.  
 Owl, Aiken's Screech, 46.  
     American Barn, 320.  
     Barn, 253.  
     Flammulated, 78.  
     Great-horned, 136.  
     Horned, 217.  
     Long-eared, 303.  
     MacFarlane's Screech, 47.  
     Pygmy, 268.  
     Rocky Mountain Screech,  
         268.  
     Saw-whet, 77, 183.  
     Screech, 124, 136, 261.

- Owl, Short-eared, 38, 136.  
Snowy, 69, 100, 106, 107, 183.  
Western Horned, 268.  
White, 124.  
*Oxycerca*, 235.
- PADDA, 233.  
Palmer, T. S., see Nelson, E. W.  
Palmer, William, plumages of the young Hooded Warbler, 282; four additions to the birds of the Virginias, 333; the Ruff and Western Sandpiper near Washington, D. C., 325; an Asiatic Cuckoo on the Prybilof Islands, Alaska, 325.  
Palmer, E. D., capture of another Flammulated Owl in California, 78.  
Pandion, 233.  
    *haliaëtus carolinensis*, 84, 136, 303.  
Panyptila cayennensis, 171.  
Parrot, Racquet-tailed, 239.  
Partridge, Chukor, 70.  
    Common, 129.  
    Gambel's, 128.  
    Plumed, 101.  
Parula, 133.  
Parus, 235.  
    *atricapillus septentrionalis*, 270, 308.  
    *bicolor*, 140.  
    *carolinensis*, 140.  
    *carolinensis agilis*, 261.  
    *gambeli*, 270, 308.  
    *hudsonicus columbianus*, 47.  
    *hudsonicus evura*, 49.  
    *hudsonicus ungava*, 49.  
    *inornatus griseus*, 270.  
Passer, 233.  
Passerina amœna, 222, 306.  
    *ciris*, 222.  
    *cyanea*, 139.  
Patoo, 125.  
Pavoncella pugnax, 325.  
Pediocætes phasianellus, 68.  
    *phasianellus campestris*, 302.  
    *phasianellus columbianus*, 68.  
Pelargopsis, 234.  
Pelecanus fuscus, 85.  
Pelican, Brown, 85.  
Penelopides, 234.  
    *affinis*, 236.  
    *basilanicæ*, 236.  
    *manillæ*, 236.  
Penelopides mindorensis, 236.  
    *panini*, 235.  
    *samarensis*, 236.  
Penguin, King, 280.  
Pericrocotus, 234.  
Pernis, 233, 234.  
Perisoreus canadensis capitalis, 268, 304.  
Perissoglossa, 140, 144.  
Petchary, 126.  
Petrel, Black-capped, 241.  
    Jamaican, 119.  
    Storm, 169.  
    Townsend's, 322.  
    Wilson's, 101.  
Petrochelidon fulva, 127.  
    *lunifrons*, 139, 306.  
Peucæa notostica, 67.  
    *ruficeps boucardi*, 221.  
Pewee, 137.  
    Black, 218.  
    Western Wood, 268, 304.  
Phainopepla nitens, 219.  
Phabotreron, 236.  
    *amethystina*, 237.  
Phalacrocorax carbo, 21, 163.  
    *dilophus*, 18.  
Phalænoptilus nuttalli, 268.  
Phalaridion, 317.  
Phalarope, Northern, 27, 29, 96, 110, 227, 250, 302, 324.  
    Red, 181, 225, 226, 227.  
    Wilson's, 110.  
Phalaropus lobatus, 74, 226, 227, 302.  
Phasianus nyctemerus, 70.  
    *pictus*, 70.  
    *torquatus*, 70.  
Pheasant, Mongolian, 70.  
Philentoma, 234.  
Philohela minor, 84, 136, 291.  
Phlogœnas, 235.  
Phœbe, 137.  
    Say's, 304.  
Phylloscopus, 233.  
Pica pica hudsonica, 268, 304.  
Picicorvus, 179.  
    *columbianus*, 179, 260, 269, 327.  
Picoides americanus dorsalis, 268, 303.  
    *arcticus*, 303.  
Picumnus obsœletus, 66.  
Pigeon, 234.  
    Band-tailed, 267.  
    Bronzed, 239.  
    Ground, 236.  
Passenger, 38, 115.

- Pigeon, Wild, 70.  
 Pinicola enucleator, 305.  
   enucleator + *Carpodacus*  
   purpureus, 1.  
 Pipilo, 216.  
   aberti, 218.  
   chlorurus, 220, 269, 306.  
   erythroptthalmus, 139, 244.  
   fuscus mesoleucus, 216, 220,  
   269.  
   maculatus arcticus, 306.  
   maculatus megalonyx, 216,  
   244.  
   orizabæ, 161.  
 Pipit, American, 101, 105, 111, 307.  
   Sprague's, 80.  
 Piranga ludoviciana, 260, 269, 306.  
 Pitangus caudifasciatus, 67, 124,  
   126.  
   jamaicensis, 67.  
 Pitta angolensis, 63.  
   arcuata, 63.  
   celebensis, 243.  
   concinna, 243.  
   koeki, 243.  
   loriæ, 243.  
   maxima, 62.  
   moluccensis, 62, 63.  
   nepalensis, 243.  
   oatesi, 63.  
   rosenbergi, 63.  
   rubrinucha, 243.  
   sordida, 63.  
   steerii, 243.  
   venusta, 62.  
 Pitta, Blue-tailed, 243.  
   Celebes, 243.  
   Nepal, 243.  
 Platypsarís aglaia, 169.  
 Plover, American Golden, 75, 76,  
   102, 109.  
   Black-bellied, 183, 227.  
   Golden, 68.  
   Gray, 123.  
   Guinea-hen, 122, 123.  
 Podilymbus podiceps, 119.  
 Poliophilopus, 235.  
 Polioptila cærulea, 140.  
 Polyoaëtus, 233.  
 Poocætes gramineus, 139.  
   gramineus confinis, 305.  
 Poorwill, 268.  
 Porphyryla, 242.  
   martinica, 242.  
 Porzana, 317.  
   carolina, 302.  
   cinereiceps, 171.  
   galapagoensis, 243.  
   Porzana jamaicensis, 260.  
     leucogaster, 171.  
 Pratincola, 233.  
 Prioniturus, 234.  
 Prionochilus, 235.  
 Procellaria brevipes, 170.  
   torquata, 170.  
 Progne dominicensis, 127.  
   subis, 68, 139, 164.  
   subis hesperia, 171.  
 Psaltriparus melanotis iulus, 245.  
   plumbeus, 218, 219, 270.  
 Pseudolalage, 234.  
 Psittacus carolinensis, 49.  
 Ptarmigan, 177.  
 Ptilocichla, 235.  
 Ptilocolpa, 233.  
 Ptilopus, 236.  
 Ptiloxena, 67.  
 Publications Received, 71, 173,  
   249, 319.  
 Puffinus auduboni, 85.  
   gavia, 322.  
   major, 85.  
 Pycnonotus, 235.  
 Pyrocephalus rubineus mexicanus,  
   218.  
 Pyrrhocentor, 233.
- QUAIL, 123.  
   Blue, 221.  
   California, 70.  
   Japanese, 320.  
   Spanish, 127.  
 Quiscalus æneus, 333.  
   crassirostris, 126.  
   quiscula, 138.  
   quiscula æneus, 70.  
 Quit, Blue, 127.  
 Quok, 121.
- RAGSDALE, George H., obliteration  
 of the tarsal scutella in *Accipiter*  
*cooperi* in Texas, 251; tempera-  
 ture and nest-building, 260.  
 Rail, Black, 260.  
   King, 136.  
 Rain-bird, 125, 127.  
 Raine, Walter, notice of his 'Bird-  
 Nesting in North-West Canada,'  
   247.  
 Rallina, 317.  
 Rallites, 317.  
 Rallus beldingi, 242.  
   caribæus, 242.  
   coryi, 242.

- Rallus crepitans*, 242.  
  *elegans*, 136, 242.  
  *equatorialis*, 242, 243.  
  *gularis*, 74.  
  *longirostris*, 242.  
  *longirostris caribæus*, 122.  
  *longirostris cubanus*, 67,  
    242.  
  *obsoletus*, 242.  
  *saturatus*, 242.  
  *scottii*, 242.  
  *virginianus*, 163.  
*Ramphocelus*, 66.  
*Ramphocelus*, 66.  
  *atrosericeus capitalis*, 66.  
*Raven*, 137, 269.  
  White-necked, 220.  
*Red-legs*, 122.  
*Redpoll*, 108, 333.  
*Redstart*, 134, 140.  
  American, 307.  
*Regulus calendula*, 67, 308.  
  *satrappa olivacea*, 308.  
*Rhipidura*, 233.  
*Rhynchophanes mccowni*, 216.  
*Rhynchopsitta pachyrhyncha*, 66.  
*Richmond*, Chas. W., notice of his  
  paper on a collection of birds  
  from Eastern Nicaragua and Rio  
  Frio, Costa Rica, 170.  
*Richmond*, Chas. W., and F. H.  
  Knowlton, birds of South Central  
  Montana, 298.  
*Ridgway*, Robert, note on *Rouge-*  
  *tius aldabranus*, 74; on geo-  
  graphical variation in *Stalia*  
  *mexicana* Swainson, 145; notice  
  of his paper on the genus  
  *Myiarchus*, 168; notice of his  
  paper on a small collection of  
  birds from Costa Rica, 169;  
  notice of his paper on a collection  
  of birds made in Alaska, 169;  
  notice of his paper on a new  
  Storm Petrel from the coast of  
  Western Mexico, 169; notice of  
  his revision of the genus *Formi-*  
  *carius* Boddaert, 169; *Picicorvus*  
  an untenable genus, 179; geo-  
  graphical, versus sexual, variation  
  in *Oreortyx pictus*, 193; *Colinus*  
  *virginianus cubanensis* not a  
  Florida Bird, 324.  
*Rissa tridactyla*, 162.  
*Road-runner*, 220, 221, 268.  
*Robin*, 30, 68, 71, 102, 104, 106, 109,  
  135, 140, 215.  
  Western, 216, 270, 308.  
*Robin-red-breast*, 124.  
*Robinson*, Wirt, taming Chipping  
  Sparrows, 328.  
*Rougetius abbotti*, 74.  
  *aldabranus*, 74.  
  *bernieri*, 74.  
  *gularis*, 74.  
*Ruff*, 325.  
*Rynchops nigra*, 162, 181.  
  
SAGE, Jno. H., notes on some Con-  
  necticut Birds, 181.  
*Salpinctes obsoletus*, 222, 269, 307.  
*Salvadori*, T., notice of his Cata-  
  logue of Pigeons, 60.  
*Sanderling*, 122, 183, 225.  
*Sandpiper*, Baird's, 301, 325.  
  Least, 98, 122, 301, 325.  
  Semipalmated, 98.  
  Spotted, 136, 302.  
  Western, 95, 325.  
  Western Solitary, 302.  
*Sapsucker*, 178.  
  Red-naped, 268, 303.  
  Williamson's, 268, 303.  
*Sarcophanops*, 235.  
*Sarcops*, 233, 234.  
*Sarothrura*, 317.  
*Saurothera andria*, 164, 165.  
  *bahamensis*, 164, 165.  
  *vetula*, 124.  
*Sayornis phæbe*, 137.  
  *saya*, 216, 304.  
*Scaup*, 225.  
*Schrenck*, Dr. Leopold von, obitu-  
  ary notice of, 264.  
*Scolecophagus atroviolaceus*, 67.  
  *cynocephalus*, 305.  
*Scops*, 233, 234.  
*Scoter*, Surf, 97.  
  White-winged, 97, 183.  
*Scytalopus argentifrons*, 169.  
*Seiurus aurocapillus*, 70, 91, 140.  
*Selasphorus platycercus*, 244, 326.  
*Setaria*, 234.  
*Setophaga ruticilla*, 140, 307.  
*Sewy-sewy*, 127.  
*Sharpe*, R. Bowdler, notice of his  
  paper on the 'Zoogeographical  
  Areas of the World,' 63; notice of  
  his Catalogue of the Fulicariæ  
  and Alectorides, 242.  
*Shearwater*, Audubon's, 85.  
  Black-vented, 97.  
  Dark-bodied, 30, 96, 97.  
  Greater, 85.  
  Pink-footed, 30, 96.

- Shine-eye, 126.  
 Short, Ernest H., notice of his birds of Western New York, 168.  
 Shrike, Logger-head, 139.  
   Northern, 248, 329.  
   White-rumped, 220, 221, 307.  
 Shufeldt, R. W., notes on photographing a live specimen of Gambel's Partridge, 128; random notes on some of the parasites of birds, 186; notice of his 'Comparative Oölogy of North American Birds,' 314.  
 Shufeldt, R. W., and Miss M. R. Audubon, the last portrait of Audubon, together with a letter to his son, 309.  
 Sialia arctica, 69, 216, 270, 308.  
   cæruleocollis, 148, 155.  
   mexicana, 145, 146, 150, 151, 154, 155, 270.  
   mexicana anabelæ, 145, 150, 159.  
   mexicana bairdi, 148, 149, 150, 157.  
   mexicana occidentalis, 145, 148, 149, 150, 156.  
   sialis, 140.  
 Siphia, 234.  
 Siskin, Pine, 38, 305.  
 Sitta, 235.  
   canadensis, 270, 307, 331.  
   carolinensis, 140.  
   carolinensis aculeata, 270, 307.  
   mexicana, 45.  
   pygmæa, 270.  
 Skillen, James, the change from winter to spring plumage in the male Bobolink (*Dolichonyx oryzivorus*), 180.  
 Skimmer, Black, 181.  
 Skua, Great, 174.  
   Southern, 282.  
 Snipe, Wilson's, 102, 301.  
 Snowflake, 101, 103, 109.  
 Solitaire, Townsend's, 270.  
 Somateria dresseri, 69, 223, 323.  
   spectabilis, 69, 223, 323.  
 Sora, 302.  
 Sparrow, Black, 126.  
   Brewer's, 218, 219, 306.  
   Chipping, 139, 256, 323.  
   English, 216, 261.  
   Field, 102, 139.  
   Fox, 215.  
   Grasshopper, 34.  
   Harris's, 183.  
 Sparrow, Henslow's 34, 139.  
   Intermediate, 306.  
   Jack, 126.  
   Leconte's, 34, 102, 256, 332.  
   Lincoln's, 306.  
   Mountain Song, 306.  
   Nelson's, 333.  
   Savanna, 66.  
   Sea-side, 139.  
   Sharp-tailed, 139.  
   Song, 30, 102, 139, 215.  
   Tree, 301.  
   Vesper, 111, 139, 218.  
   Western Chipping, 218, 306.  
   Western Grasshopper, 305.  
   Western Lark, 306.  
   Western Savanna, 305.  
   Western Vesper, 305.  
   Western White-crowned, 218.  
   White-throated, 102, 182.  
   Yellow-winged, 139.  
 Spatula clypeata, 84.  
 Speotyto cunicularia hypogæa, 222.  
 Sphyrapicus thyroideus, 268, 303.  
   varius nuchalis, 222, 268, 303.  
 Spilornis, 234.  
 Spindalis nigricephala, 127.  
 Spinus pinus, 269, 305.  
   psaltria, 69.  
   psaltria croceus, 245.  
   tristis, 69, 138, 305.  
 Spiza americana, 78, 79, 119, 126.  
 Spizaëtus, 233.  
 Spizella breweri, 306.  
   monticola ochracea, 301.  
   pusilla, 139.  
   socialis, 69, 139, 256, 328.  
   socialis arizonæ, 306.  
 Starling, 234.  
 Steere, J. B., the distribution of genera and species of non-migratory land birds in the Philippines, 231.  
 Stejneger, Leonhard, notice of his 'Notes on Japanese Birds in the Science College Museum, Tokyo, Japan,' 170.  
 Stelgidopteryx serripennis, 139, 308.  
 Stellula calliope, 304.  
 Stercorarius catarrhactes, 174.  
 Sterna americana, 119.  
   anæthetus, 119.  
   antillarum, 183, 259.  
   fuliginosa, 120.  
   hirundo, 16, 120.  
   maxima, 85, 120.  
   sandvicensis acufflava, 120.

- Sterna tschegrava, 85.  
Stone, Witmer, summer birds of the Pine Barrens of New Jersey, 133; capture of *Ceryle torquata* at Laredo, Texas, 177; some summer birds of the Pocono Mountains, Pennsylvania, 182: notice of his 'Revision of the Genus *Anous*,' 317; notice of his 'Review of the Old World Rallinæ,' 317.  
Strix, 233.  
    flammea furcata, 124.  
    pratincola, 253.  
Sturnella magna, 138.  
    magna neglecta, 305.  
Sturnia, 233.  
Surber, Thaddeus, capture of the Golden Eagle at Covington, Virginia, 77.  
Surnia ulula caparoch, 301.  
Surniculus, 234.  
Swallow, Bank, 306.  
    Barn, 102, 139, 306.  
    Cliff, 139, 306.  
    Rough-winged, 139, 218, 308.  
    Tree, 133, 135, 139, 306.  
    Violet-green, 269, 301.  
Swan, Whistling, 74.  
Swift, Chimney, 110, 137.  
    White-throated, 186, 268.  
Sylvania canadensis, 182.  
    microcephala, 244.  
    mitrata, 84, 140, 282.  
    pusilla, 50, 181, 269.  
    pusilla pileolata, 50, 307.  
Sylvia occidentalis, 154.  
Symphemia semipalmata inornata, 302.  
  
TACHYCINETA bicolor, 139, 306.  
    thalassina, 269, 301.  
Tachyphonus rubifrons, 169.  
Tallowhead, 304.  
Tanager, Cooper's, 222.  
    Crimson-headed, 269.  
    Louisiana, 110, 260, 306.  
Tanagra palmarum, 171.  
    palmarum melanoptera, 171.  
Tanygnathus, 238.  
    everettii, 238.  
    luconensis, 238.  
Tatler, Wandering, 95.  
Teal, Cinnamon, 260.  
    Green-winged, 301.  
Tern, 259.  
    Black, 73, 74.  
    Bridled, 120.  
    Caspian, 85.  
    Common, 16.  
    Least, 183.  
    Noddy, 120.  
    Roseate, 120.  
    Royal, 85.  
    Sooty, 120.  
Thalassidroma melania, 169.  
Thompson, Ernest E., hybrid *Pini-  
cola enucleator* + *Carpodacus  
purpureus*, 1.  
Thrasher, Bendire's, 219.  
    Brown, 140.  
    Curved-billed, 219.  
    Palmer's, 219.  
    Sage, 307.  
Triponax, 234.  
Thrush, Audubon's Hermit, 270, 308.  
    Gray-cheeked, 104, 110.  
    Hermit, 66, 104.  
    Olive-backed, 308.  
    Varied, 258, 260.  
    Wood, 140.  
Thryothorus ludovicianus, 140, 330.  
Tiga, 233, 234.  
Titlark, Missouri, 181.  
Titmouse, Black-capped, 215.  
    Gray, 270.  
    Tufted, 140.  
Todus viridis, 124.  
Tom-fool, 126.  
Totanus flavipes, 123, 301, 325.  
    melanoleucus, 123, 302.  
    solitarius cinnamomeus, 302.  
Towhee, 38, 134, 244.  
    Arctic, 306.  
    Cañon, 216, 218, 219, 220, 269.  
    Green, 220.  
    Green-tailed, 269, 306.  
Treat, Willard E., *Phalaropus lobatus* — a correction, 74.  
Treron, 233.  
Tringa bairdii, 301, 325.  
    canutus, 163, 259.  
    fuscicollis, 163, 259.  
    maculata, 325.  
    minutilla, 122, 301.  
Trochilus colubris, 137, 244.  
    platycercus, 268.  
Troglodytes aëdon, 69, 140, 164.  
    aëdon aztecus, 219, 269, 307.  
    hiemalis pacificus, 169, 181.  
Trogon chrysomelas, 171.  
Turdus aonalaschkæ, 66, 244.  
    aonalaschkæ auduboni, 270, 308.

- Turdus aonalaschkæ pallasii*, 182.  
*fuscescens*, 335.  
*fuscescens salicicola*, 222.  
*mustelinus*, 140.  
*ustulatus*, 244.  
*ustulatus swainsonii*, 308.  
 Turnix, 233.  
 Turnstone, 226.  
 Turtur, 236.  
 Tyler, Martha G., the Barn Owl in Northern Vermont, 253.  
*Tympanuchus americanus*, 68, 69.  
*americanus attwateri*, 46, 130.  
*attwateri*, 46, 70.  
*Tyrannus dominicensis*, 14, 126, 178.  
*tyrannus*, 137, 304.  
*vociferans*, 219.  
 URIA lomvia, 175.  
 Urinator imber, 69.  
 lumme, 164.  
 VERRILL, A. H., and G. E., notice of their notes on the fauna of the Island of Dominica, 246.  
*Vireo calidris*, 14, 127, 246.  
*gilvus*, 307.  
*gilvus swainsoni*, 50.  
*huttoni insularis*, 51.  
*huttoni obscurus*, 51.  
*modestus*, 127.  
*noveboracensis*, 139.  
*olivaceus*, 139, 334, 335.  
*philadelphicus*, 181.  
*solitarius cassini*, 220.  
*solitarius plumbeus*, 79, 162, 269.  
*swainsoni*, 50.  
 Vireo, 215.  
 Orange-crowned, 307.  
 Plumbeous, 79, 269.  
 Red-eyed, 139, 334.  
 Warbling, 307.  
 White-eyed, 134, 139.  
 Voorhees, Clark Greenwood, Connecticut notes, 259.  
 Vulture, California, 76.  
 Turkey, 136, 250, 267, 302.  
 WALLACE, Alfred Russel, notice of his paper on the Palearctic and Nearctic Regions, 318.  
 Warbler, Audubon's, 221, 269, 307.  
 Bachman's, 333.  
 Black-and-White, 109, 139.  
 Warbler, Blackburnian, 26, 27.  
 Black-capped Flycatching, 220.  
 Black-poll, 79, 109.  
 Black-throated Blue, 27, 183, 260.  
 Canadian, 27, 29.  
 Cape May, 141.  
 Chestnut-sided, 26.  
 Golden-winged, 83.  
 Hooded, 84, 133, 140, 282.  
 Kirtland's, 258.  
 Lucy's, 217, 218, 219.  
 Macgillivray's, 269, 307.  
 Myrtle, 103, 111.  
 Orange-crowned, 109, 269, 307.  
 Palm, 26, 27, 38, 105, 181, 333.  
 Parula, 15, 134, 139.  
 Pileolated, 307.  
 Pine, 15, 104, 105, 134, 140.  
 Pine-creeping, 15.  
 Prairie, 133, 134, 140.  
 Prothonotary, 320.  
 Tennessee, 83.  
 Townsend's, 269.  
 Western Yellow, 221.  
 Wilson's, 181, 269.  
 Yellow, 104, 109, 140, 307.  
 Yellow Palm, 26.  
 Yellow-throated, 31, 109.  
 Warren, Oscar B., *Calcarius lapponicus* in winter at Palmer, Marquette Co., Michigan, 180.  
 Water-thrush, Grinnell's, 109.  
 Louisiana, 101.  
 Watson, Amelia M., taming of a Chipping Sparrow, 256.  
 Waxwing, Bohemian, 108.  
 Cedar, 307.  
 Wayne, Arthur T., Sprague's Pipit (*Anthus spraguei*) on the coast of South Carolina, 80; effect of the great cyclone of August 26-27 upon certain species of birds, 85; notes on the capture of the Gray Kingbird (*Tyrannus dominicensis*) near Charleston, South Carolina, 178; notes on the distribution of the Bobolink in South Carolina, 179; Leconte's Sparrow in large numbers near Charleston, South Carolina, 256; the Sandhill Crane (*Grus mexicana*),—a correction, 324.  
 Western Pennsylvania Ornithological Society, 191.



- Whip-poor-will, 137, 253.  
 White-belly, 123.  
 White, Francis Beach, Turkey  
 Vulture in eastern Massachusetts, 250.  
 Whitehead, 304.  
 White-wing, 123.  
 Whitfield, R. P., the food of Wild  
 Ducks, 323.  
 Willet, Western, 302.  
 Woodcock, 68, 69, 70, 136, 291.  
     American, 32, 84.  
 Woodpecker, 37, 124.  
     Alpine Three-toed, 268, 303.  
     Arctic Three-toed, 303.  
     Batchelder's, 268.  
     Cabanis's, 303.  
     California, 220.  
     Downy, 137, 215.  
     Hairy, 136.  
     Lewis's, 260, 268, 303.  
     Mountain Downy, 303.  
     Pileated, 137, 174.  
     Red, 239.  
     Red-headed, 37.  
 Wren, Bewick's, 34, 36.  
     Cactus, 210, 214, 220.  
     Cañon, 269.  
     Carolina, 34, 140, 330.  
     House, 140.  
     Long-billed Marsh, 80, 140.  
     Rock, 218, 222, 269, 307.  
     Western Bewick's, 220.  
     Western House, 269, 307.  
     Western Winter, 169, 181.  
 Wren, White-throated, 218.  
     Winter, 182.  
     Worthington's Marsh, 47.  
 Wright, Mabel Osgood, notice of  
 her 'The Friendship of Nature,'  
 314.  
 XANTHOCEPHALUS xanthocephalus,  
 78.  
 Xantholæma, 234.  
 Xanthopygia, 233.  
 YELLOW-LEGS, 301.  
     Greater, 302.  
 Yellow-throat, Maryland, 110, 140.  
     Western, 307.  
 Young, Curtis Clay, Yellow-  
 bellied Flycatcher (*Empidonax*  
*flaviventris*) on Long Island, 78.  
 Yungipicus, 234.  
     kizuki, 170.  
     kizuki seebohmi, 170.  
 ZAPORNIA, 317.  
 Zenaida macroura, 136, 267, 302.  
     zenaida, 123.  
 Zeocephus, 234.  
 Zonotrichia albicollis, 335.  
     leucophrys gambeli, 219.  
     leucophrys intermedia, 219,  
     306.  
     querula, 183, 215.  
 Zosterops, 235.

ERRATA.

- Page 47, line 14, for 'April' read 'Jan.'  
 " 51, " 4, " 'last' read 'lack.'  
 " 67, " 10, " 'Myiardi' read 'Myiarchus.'  
 " 77, " 19, " 'Nyctale' read 'Nyctala.'  
 " 89, " 24, " 'Carington' read 'Carrington.'  
 " 117, " 3 and 6 of footnote, for 'Clark' read 'Field.'  
 " 120, " 23, for 'sandivicensis' read 'sandvicensis.'  
 " 185, " 18, " '1889' read '1891.'  
 " 219, " 24, " 'vociferus' read 'vociferans.'  
 " 243, " 22, *dele* common after *Corethura*.  
 " 268, " 14, for 'oroæcus' read 'oreæcus.'  
 " 325, " 14, for '*pavoncella*' read '*Pavoncella*.'  
 Plate IV, bottom line, for 'preeing' read 'preening.'