

INDEX TO VOLUME XIII.

- ACANTHIS* *linaria* *rostrata*, 245.
Acanthiza *pusilla*, 44.
Accipiter *cooperii*, 212, 293.
 velox, 177.
Actitis *macularia*, 215, 281, 292.
Ægialitis *meloda* *circumcincta*, 256.
 pamirensis, 331.
 thoracica, 331.
 vocifera, 215, 281.
Agelaius *phœniceus*, 4, 212, 221, 242,
 294.
Aix *sponsa*, 199, 215.
Alauda *arvensis*, 303.
 Allen, Francis H., the Hudsonian
 Chickadee breeding in southern
 Vermont, 345.
 Allen, J. A., note on the taxonomic
 value of the tongue in birds,
 114; Gätke's 'Heligoland', 137;
 notice of his paper on 'Alleged
 Changes of Color in the Feathers
 of Birds without Molting', 166;
 comment on 'Some questions of
 Nomenclature', 187; comment
 on 'A question of Nomenclature',
 191; [zoölogical nomenclature],
 269.
Amazilia *alicaë*, 333.
 Ameghino, Florentino, notice of
 his 'Sur les Oiseaux Fossiles de
 Patagonie', 61.
 American Ornithologists' Union,
 Thirteenth Congress of, 55;
 Check-List of North American
 Birds, Second Edition, noticed,
 69; Committee on Protection of
 Birds, report of, 98.
Ammodramus *caudacutus*, 271, 275.
 caudacutus *becki*, 273.
 caudacutus *nelsoni*, 245, 272,
 273, 275.
 caudacutus *subvirgatus*, 273,
 276.
 leconteii, 207, 208, 214.
Ammodramus *sandwichensis* *sav-*
 anna, 241, 283, 292, 294.
 savannarum *passerinus*, 294.
Ampelis *cedrorum*, 114, 213, 284,
 295.
Anas *boschas*, 200.
 carolinensis, 215.
 chlorotis, 162.
 erythrophthalma, 170.
 maculosa, 162.
 obscura, 182, 199.
 penelope, 255.
 scutulata, 162.
 strepera, 201.
Anser *albifrons* *gambeli*, 162.
 anser, 164.
 fabalis, 244.
 ferus, 164.
 sandvicensis, 162.
 segetum, 244.
 Anthony, A. W., a new subspecies
 of the genus *Dryobates*, 31; *Puf-*
 finus tenuirostris off San Diego,
 California, 171; *Clangula* *hyema-*
 lis at San Diego, California, 172;
 the Black-vented Shearwater (*Puf-*
 finus opisthomelas), 223; the Road-
 runner as a rat-killer, 257.
Anthus *pensilvanicus*, 214.
Antrostomus *carolinensis*, 214.
 vociferus, 282.
Apelocoma *californica*, 120.
 couchi, 36, 37.
 gracilis, 34.
Aquila *chrysaëtos*, 81, 82, 256.
 glaucoptis, 266.
Ardea *cærulea*, 215.
 egretta, 178, 215.
 occidentalis, 172.
 tricolor *ruficollis*, 215.
 virescens, 215, 281, 292.
Ardetta *exilis*, 11.
 neoxena, 11, 59, 79.
Arenaria *interpres*, 181.

- Asarcornis, 162.
 scutulata, 162.
 Asio accipitrinus, 88, 257.
 Aythya, 162.
 affinis, 202, 215.
 americana, 201.
 collaris, 202, 215.
 marila, 202.
 marila nearctica, 162.
 vallisneria, 89, 201.
- BAILY, WM. L., Western Sandpiper (*Ereunetes occidentalis*) more abundant than the Semipalmated (*E. pusillus*), 174; summer birds of Northern Elk County, Pa., 289.
- Baker, Carl F., an important factor in the study of western bird-life, 20.
- Ball, Helen A., *Pinicola enucleator* at Worcester, Mass., 259.
- Barbour, Erwin H., the occurrence in Nebraska of *Vireo flavoviridis*, 263.
- Bartramia longicauda, 89.
- Basket, James Newton, intergradation in song of *Sturnella magna* and *S. m. neglecta* in Missouri, 258.
- Beal, F. E. L., notice of his paper on 'The Meadowlark and Baltimore Oriole', 336.
- Beddard, Frank E., notice of his 'Text-book of Zoögeography', 73.
- Belding, L., songs of the Western Meadowlark, 29.
- Bendire, Charles, notice of his paper on 'The Cowbirds,' 71.
- Berier, DeLagnel, the Pine Grosbeak in New Jersey, 175.
- Bernicla nigrescens, 4.
- Berry, Mabel C., first occurrence of the Blue Grosbeak in New Hampshire, 342.
- Bishop, Louis B., descriptions of a new Horned Lark and a new Song Sparrow, with remarks on Sennett's Nighthawk, 129.
- Bittern, Cory's Least, 11, 79.
 Least, 11.
- Blackbird, 298, 307, 311.
 Brewer's, 120.
 Red-winged, 4, 221, 294.
 Rusty, 221.
 Yellow-headed, 120.
- Blackcap, 306, 311.
- Bluebird, 222, 238, 285, 297.
 Western, 124.
- Bluethroat, Red-spotted, 142.
- Bobolink, 158, 294.
- Bob-white, 221, 281.
- Bonasa umbellus, 281, 292.
- Botaurus lentiginosus, 215.
- Brackett, Foster H., the Belted Piping Plover in Massachusetts, 256; the Red-headed Woodpecker in eastern Massachusetts, 258.
- Braislin, William C., the Golden Eagle in New Jersey, 81; notes on Long Island birds, 87.
- Brant, Black, 4.
- Branta canadensis, 92.
- Brewster, William, descriptions of a new Warbler and a new Song Sparrow, 44; occurrence of the Wood Ibis (*Tantalus loculator*) in Bristol County, Mass., 341.
- Brock, Henry H., the King Rail again in Maine, 79; *Crymophilus fulicarius* in Maine, 173; *Crex crex* in Maine, 173; recent occurrence of the Florida Gallinule in southern Maine, 255; recent capture of the Golden Eagle near Portland, Maine, 256.
- Brown, Nathan Clifford, Baird's Sandpiper in Maine, 80; the Ipswich Sparrow—a correction, 84; the American Crossbill at sea, 176; second occurrence of the Blue-gray Gnatcatcher in Maine, 264.
- Browne, Montagu, notice of his 'Artistic and Scientific Taxidermy and Modelling,' etc., 247.
- Bruner, Lawrence, notice of his 'List of Nebraska Birds,' 245.
- Bubo arcticus, 154.
 pacificus, 154.
 subarcticus, 153.
 virginianus, 155, 293.
 virginianus arcticus, 156.
 virginianus occidentalis, 155.
 virginianus pacificus, 156.
 virginianus saturatus, 155, 257.
- Bucco bicinctus, 332.
- Buckley, T. E., see Harvie-Brown, J. A.
- Bunting, Indigo, 283, 291, 295.
 Lazuli, 121.
- Bush-tit, Californian, 123.
- Buteo borealis, 212, 293.

- Buteo borealis harlani*, 342.
borealis lucasanus, 342.
lineatus, 222.
- Butorides robinsoni*, 333.
- CALCARIUS lapponicus, 86.
- Calidris arenaria*, 215.
- Callipepla californica vallicola*, 81,
116, 265.
californica vallicola + *C. gambelii* deserticola, 265.
gambelii, 185.
- Callotyrus robustus*, 71.
- Camarhynchus bindloei*, 330.
compressirostris, 330.
incertus, 330.
- Campephilus principalis*, 213.
- Cardinal, 218, 238.
- Cardinalis cardinalis*, 213, 218, 238.
robinsoni, 333.
- Carduelis carduelis*, 238.
- Carpodacus mexicanus frontalis*,
120.
purpureus, 214, 222, 283, 291,
292, 294, 342.
- Casareta casarca*, 164, 243.
rutila, 164.
- Case, C. M., Solitary Vireo (*Vireo solitarius*) nesting in Connecticut, 343.
- Casuarus casuarus*, 164.
galeatus, 164.
- Catbird, 218, 238, 285, 296, 335.
- Cathartes aura*, 116, 212, 222, 341.
- Catharista atrata*, 212.
- Cedarbird, 283, 291, 295.
- Ceophloeus pileatus*, 213, 220, 346.
- Certhia familiaris albescens*, 315.
familiaris alticola, 315, 316.
familiaris americana, 213,
220, 292, 296, 346.
familiaris mexicana, 315, 316.
mexicana, 315, 316.
mexicana albescens, 315.
- Ceryle alcyon*, 238, 281.
- Chadbourne, Arthur P., evidence suggestive of the occurrence of 'individual dichromatism' in *Megascops asio*, 321; the Hudsonian Chickadee (*Parus hudsonicus*), Red-breasted Nuthatch (*Sitta canadensis*), and Golden-crowned Kinglet (*Regulus satrapa*) in Plymouth County, Mass., in summer, 346; iridescence in feathers, as explained by an old author, 347.
- Chætura pelagica*, 82, 214, 282, 293.
Chaffinch, 302, 306.
- Chamberlain, Montague, notice of his 'Common Birds of Eastern Canada,' 67.
- Chamaea fasciata henshawi*, 122.
- Chapman, Frank M., the standing of *Ardeetta neoxena*, 11; notice of his paper on 'The Changes of Plumage in the Dunlin and Sanderling,' 164; notice of his paper 'On the Changes of Plumage in the Snowflake (*Plectrophenax nivalis*),' 165; the Turkey Vulture in the Catskills, 341; the Wild Pigeon at Englewood, N. J., 341; feeding habits of Purple Finches, 342; *Dendroica palmarum* in New York City, 343.
- Charadrius dominicus*, 80, 89, 91,
142.
pluvialis, 146.
squatarola, 181, 182.
- Charitonetta*, 163.
albeola, 202, 215.
- Chat, Yellow-breasted, 285.
- Chelidon erythrogaster*, 4, 214, 283,
295.
- Chen hyperboreus*, 193.
hyperboreus nivalis, 161, 243.
nivalis, 193.
- Cherrie, George K., *Ardeetta neoxena* from Wisconsin, 79; an apparently new *Chordeiles* from Costa Rica, 135; notice of his 'Contribution to the Ornithology of San Domingo,' 333.
- Chewink, 178, 291, 294.
- Chickadee, Black-capped, 220, 285,
297.
Hudsonian, 345, 346.
- Chloronerpes striatus*, 333.
- Chondestes grammacus*, 84, 179.
grammacus strigatus, 120.
- Chordeiles acutipennis*, 333.
virginianus, 159, 215, 282.
virginianus asseriensis, 136.
virginianus sennetti, 134.
- Cinclus aquaticus*, 169.
- Circus hudsonius*, 212.
- Cistothorus palustris*, 242.
stellaris, 194, 214, 347.
- Clangula*, 163.
clangula, 164.
clangula americana, 215.
glaucion, 164.
hyemalis, 164, 172, 202.

- Clivicola riparia, 283.
 Coccothraustes vespertinus, 259.
 Coccozyus americanus, 259, 281, 333.
 americanus occidentalis, 347.
 erythrophthalmus, 212, 281.
 293.
 ferrugineus, 75.
 Cocornis agassizi, 75.
 Colaptes auratus, 212, 220, 281, 293.
 cafer, 85, 118.
 Colinus virginianus, 215, 221.
 Collocalia, 83, 114.
 Columbigallina passerina terrestris,
 215.
 Compothlypis americana, 45, 214,
 283, 295.
 americana usneæ, 44.
 Comstock, F. M., the Parasitic
 Jaeger near Cleveland, Ohio,
 171.
 Contopus borealis, 85, 282.
 richardsonii, 120.
 virens, 214, 282, 293.
 Cook, A. J., food of Woodpeckers
 and Flycatchers, 85.
 Cormorant, 312.
 Double-crested, 90.
 Corvus americanus, 212, 283, 288,
 294.
 corax principalis, 83.
 Cory, Charles B., notice of his
 'Hunting and Fishing in Flor-
 ida', etc., 246.
 Coscoroba candida, 163.
 coscoroba, 163.
 Cosmonessa, 163.
 Cotinga cuprea, 266.
 rubra, 266.
 Coues, Elliott, an early descrip-
 tion of *Phalacrocorax dilophus*,
 78; name of the Large-billed
 Puffin, 255; Merrem's Work,
 265; Mandt's Inaugural Disserta-
 tion, 266; *Thriothorus* or *Thryo-*
 thorus, 344.
 Covert, Adolphe B., Baird's Sand-
 piper in Michigan, 255.
 Cowbird, 283.
 Crane, Corn, 173.
 Creagrus furcatus, 75.
 Creeper, Brown, 306, 346.
 Mexican, 315.
 Crex crex, 173.
 Crossbill, American, 176, 179.
 White-winged, 210.
 Crow, 220, 283, 285, 337.
 Crymophilus, 65.
 Crymophilus fulcarius, 173.
 Cuckoo, Black-billed, 281, 293.
 California, 347.
 Yellow-billed, 281, 333.
 Curlew, Eskimo, 80, 89, 91, 182.
 Long-billed, 181.
 Pink, 209.
 Cyanecula abbotti, 331.
 suecica, 142.
 Cyanocitta cristata, 212, 221, 282,
 294.
 Cygnus cygnus, 163.
 musicus, 163.
 Cyphorinus pusillus, 345.
 Cypseloides, 83.
 Cypselus apus, 303.

 DAFILA acuta, 200.
 Davis, W. M., the soaring of birds
 and currents of air, 92.
 Deane, Ruthven, additional records
 of the Passenger Pigeon (*Ecto-*
 pistes migratorius) in Wisconsin
 and Illinois, 81; some notes on
 the Passenger Pigeon (*Ectopistes*
 migratorius) in confinement, 234;
 record of a fourth specimen of
 the European Widgeon (*Anas*
 penelope) in Indiana, 255.
 De Haven, I. N., Brännich's Murre
 at Cape Charles, Virginia, 271.
 Delaware Valley Ornithological
 Club, 193.
 Dendrocopos montanus, 190.
 Dendroica æstiva, 214, 283, 295.
 auduboni, 121.
 aureola, 75.
 blackburniæ, 292, 296.
 cærulea, 179.
 cærulescens, 214, 242, 292,
 295.
 castanea, 88, 181.
 coronata, 214, 220.
 discolor, 214.
 dominica, 214, 343.
 maculosa, 283, 292, 295.
 palmarum, 181, 214, 343.
 palmarum hypochrysea, 214.
 pennsylvanica, 283, 292, 296.
 ruficapilla, 263.
 striata, 214, 345.
 tigrina, 84, 87, 181, 207, 214.
 vigorsii, 214.
 virens, 283, 292, 296.
 Dendroplex longirostris, 333.
 Diomedea chionoptera, 161.

- Diver, Great Northern, 77.
Doleromyia pallida, 333.
Dolichonyx oryzivorus, 213, 294.
 Dove, Carolina, 281.
 Turtle, 310.
 Dowitcher, 180.
 Long-billed, 88, 180.
Dryobates borealis, 210, 213.
 major, 190.
 montanus, 191.
 pubescens, 213, 281, 293, 330, 346.
 pubescens meridionalis, 330.
 pubescens nelsoni, 330.
 villosus, 174, 281, 293, 346.
 villosus auduboni, 213.
 villosus harrisi, 34, 85.
 villosus hyloscopus, 34.
 villosus montanus, 32, 34, 190.
Dryolinna alabranus, 332.
 Duck, Black, 182.
 Canvas-back, 90, 201.
 Dusky, 199.
 Harlequin, 78, 202, 229.
 Long-tailed, 202.
 Pintail, 200.
 Ringneck, 202.
 Ruddy, 203.
 Scaup, 202.
 Wood, 199.
Dulus dominicus, 333.
 Dunlin, 150, 164.
 Dutcher, William, *Chen hyperborea* and *C. nivalis*, 193.
 Dwight, Jonathan, Jr., the Sharp-tailed Sparrow (*Ammodramus caudacutus*) and its geographical varieties, 271; the Mockingbird (*Mimus polyglottos*) in Canada, 344.
 EAGLE, Golden, 256.
 Eaton, Elan Howard, bird notes from Erie County, N. Y., 178.
Ectopistes migratorius, 4, 81, 215, 234, 290, 341.
 Egret, American, 178.
 Eider, American, 202.
 King, 203, 347.
Elainea cherriei, 334.
Elasmonetta, 162.
 chlorotis, 162.
 Elliot, D. G., in memoriam: George Newbold Lawrence, 1; descriptions of an apparently new species and subspecies of Ptarmigan from the Aleutian Islands, 24; notice of his monograph of the Pittidæ, 60; notice of his North American Shore Birds, 64; notice of his African expedition, 196, 268.
Emberiza citrinella, 303.
Empidonax difficilis, 85.
 minimus, 282, 292, 293.
 pusillus, 85.
Ereunetes occidentalis, 88, 174.
 pusillus, 174.
Erimatura æquatorialis, 162.
 jamaicensis, 163.
 rubida, 163, 203.
Erithacus rubecula, 300.
Eupsychortyx pallidus, 332, 333.
 FALCO sparverius, 88, 212, 281, 293.
 sparverius deserticolus, 116.
 Faxon, Walter, John Abbot's drawings of the birds of Georgia, 204; *Helminthophila rubricapilla* vs. *Helminthophila ruficapilla*, 263; the Louisiana Water-Thrush in Berkshire County, Mass., 344.
Ficedula ludoviciana, 44.
 Finch, Grass, 291, 294.
 House, 120.
 Lark, 120.
 Lazuli, 120.
 Painted, 261.
 Purple, 222, 283, 294, 342.
 Fisher, A. K., notice of his 'Hawks and Owls from the Standpoint of the Farmer,' 73;
 Flicker, 280, 281, 293.
 Red-shafted, 118.
 Flycatcher, Ash-throated, 119.
 Crested, 280, 282.
 Least, 282, 293.
 Olive-sided, 282.
 Scissor-tailed, 83.
 Forbush, Edward H., notice of his remarks on 'The usefulness of Birds as Insect Destroyers,' 336; notice of his 'The Crow in Massachusetts,' 337.
 Foster, L. S., *Pinicola enucleator* in Westchester County, N. Y., 175.
Fratercula arctica, 189.
 arctica glacialis, 185, 189.
Fringilla chlorura, 185, 188.
 caudacuta, 272.
 cælebs, 302.

- Fringilla iliaca, 266.
 littoralis, 272.
 Fulmarus glacialis, 162.
 glacialis glupischa, 162.
 glacialis minor, 162.
 glacialis rogersii, 162.
 Furness, Caroline E., the Pine Grosbeak at Poughkeepsie, N. Y., 175.
- GADWALL, 201.
 Galeoscoptes carolinensis, 214, 219, 238, 285, 296.
 Galeripitta, 60.
 cucullata, 60.
 Gallinago delicata, 215, 341.
 Gallinula galeata, 215, 255.
 Gallinule, Florida, 255.
 Ganong, W. F., do young Loons eat fresh-water clams? 77.
 Gaylord, Horace A., *Pyrocephalus rubineus mexicanus* in Los Angeles County, Cal., 258; *Zonotrichia albicollis* and *Mniotilta varia* at Pasadena, Cal., 260.
 Gelochelidon anglica, 161.
 nilotica, 161, 215.
 Geococcyx californianus, 117, 257.
 Geospiza fatigata, 330.
 pachyrhynca, 330.
 Geothlypis flaveolatus, 331.
 philadelphia, 179.
 trichas, 214, 285, 296.
 Gilman, Arthur Scott, a Brown Thrasher (*Harporhynchus rufus*) in Massachusetts in winter, 176.
 Glaucion, 163.
 Glaucionetta, 163.
 clangula americana, 163, 202.
 islandica, 202.
 Gnat-catcher, Blue-gray, 264.
 Western, 123.
 Goldfinch, American, 283, 291, 294.
 European, 238.
 Golden-eye, 202.
 Barrow's, 202.
 Goode, George Brown, notice of death of, 349.
 Goosander, 203.
 Goose, Canada, 92.
 Grackle, Bronzed, 294.
 Purple, 283.
 Rusty, 221.
 Gracula chrysoptera, 266.
 nobilis, 266.
 Grosbeak, Black-headed, 120.
 Blue, 213, 342.
 Grosbeak, Evening, 259.
 Pine, 21, 58, 175, 176, 177, 259, 266.
 Rose-breasted, 159, 241, 295.
 Grouse, Canadian Ruffed, 281.
 Ruffed, 126, 292.
 Grus mexicana, 68, 207, 215.
 Guara alba, 215.
 rubra, 207, 215.
 Guiraca carulea, 213, 342.
 Gull, American Herring, 78, 88.
 Herring, 312.
 Laughing, 54.
 Little, 149.
 Mew, 168.
 Ring-billed, 182.
 Gundlach, Juan, biographical notice of, 267.
- HABIA ludoviciana, 292, 295.
 melanocephala, 120.
 Hæmatopus palliatus, 215.
 Hales, Henry, peculiar traits of some Scarlet Tanagers, 261.
 Haliæetus leucocephalus, 212.
 Harelda, 163.
 glacialis, 163.
 Harporhynchus redivivus, 121.
 rufus, 176, 213, 218, 285.
 Harvie-Brown, J. A., and T. E. Buckley, notice of their 'A Vertebrate Fauna of the Moray Basin,' 251.
 Hatch, J. Maurice, occurrence of the Great White Heron at Escondido, California, 172; the Western Martin and the California Cuckoo at Escondido, Cal., 347.
 Hawk, American Sparrow, 222, 293.
 Cooper's, 293.
 Desert Sparrow, 116.
 Red-shouldered, 222, 293.
 Sharp-shinned, 88, 281, 177.
 Headley, F. W., notice of his 'The Structure and Life of Birds,' 68.
 Helminthophila vermivorus, 213, 284.
 Helinaia swainsoni, 213.
 Helminthophila bachmani, 264.
 celata lutescens, 121.
 chrysoptera, 179.
 peregrina, 87.
 rubricapilla, 263.
 rubricapilla gutturalis, 264.
 ruficapilla, 263.
 Heron, Great White, 172.
 Green, 281, 291, 292.

- Heteractitis, 66.
Heterorhina pusilla, 345.
Hirundo puella, 114.
 rustica, 300.
 urbica, 302.
Histrionicus, 163.
 histrionicus, 78, 202, 229.
Hoffmann, Ralph, summer birds (July 15-Aug. 13, 1894) of the Rhine, 297.
Hollister, N., Evening Grosbeak in southern Wisconsin, 259; a recent record of the Passenger Pigeon in Wisconsin, 341.
Holzner, Frank Xavier, habits of the Valley Partridge, 81.
Howe, Reginald Heber, Jr., abnormal plumage of a Pine Grosbeak, 176; three winter notes from Longwood, Mass., 178; notice of his 'Every Bird, a Guide to the Identification of the Birds of Woodland, Beach and Ocean,' 247; four winter records of the Short-eared Owl on Massachusetts Coast, 257; the wintering of the Towhee at Longwood, Mass., 260; the Nonpariel at Longwood, Mass., 261; correction, 266.
Hudson, W. H., notice of his 'British Birds,' 70.
Hummingbird, Black-chinned, 118.
 Buff-breasted, 332.
 Ruby-throated, 282, 293.
 Rufous, 119.
Huxley, Thomas Henry, biographical notice of, 93.
Hydrochelidon nigra, 160.
 nigra surinamensis, 216.
 surinamensis, 160.
Hyetornis fieldi, 334.
Hylophilus griseiceps, 333.
- IBIS rubra, 209.
Ibis, Scarlet, 209.
 White-faced Glossy, 79.
 Wood, 341.
Icteria virens, 214, 285.
Icterus cucullatus nelsoni, 120.
 galbula, 283.
 parisorum, 265.
 spurius, 212.
Insignipitta, 60.
 elliotti, 60.
 gurneyi, 60.
Ionornis martinica, 215.
- JAEGER, Parasitic, 171.
Jay, Blue, 221, 282, 294.
 California, 120.
Job, Herbert K., the Ducks of Plymouth County, Mass., 197.
Judd, Sylvester D., feeding habits of the English Sparrow and Crow, 285; notice of his paper 'Four common Birds of the Farm and Garden,' 335.
Junco hyemalis, 178, 213, 218, 242, 283, 292, 294.
 hyemalis oregonus, 245.
 oregonus, 183.
Junco, Slate-colored, 178, 218, 283.
Kent Ornithological Club, 98.
Killdeer, 215, 281.
Kingbird, 282, 291, 293.
 Cassin's, 119.
Kingfisher, Belted, 239, 281, 293.
Kinglet, Golden-crowned, 220, 346.
 Ruby-crowned, 220.
Kirkwood, F. C., notice of his 'List of the Birds of Maryland,' 67.
Knight, O. W., the Pine Grosbeak in captivity, 21; the Golden Eagle in Maine, 82; a few notes from Maine, 177;
Knot, 86, 91.
- LAGOPUS evermanni, 25.
 leucurus, 186, 189.
 rupestris townsendi, 26.
Lanius atricapillus, 266.
 ludovicianus, 245.
 ludovicianus excubitorides, 121.
Lano, Albert, *Olor buccinator* in western Minnesota, 78; *Buteo borealis harlam* in Minnesota, 342.
Lapwing, 311.
Lark, Horned, 181, 210.
 Hoyt's Horned, 130.
 Meadow, 229.
 Prairie Horned, 294.
Larus argentatus smithsonianus, 88.
 atricilla, 54, 215.
 Carrovianus, 161.
 canus, 168.
 delawarensis, 181.
 franklini, 186, 189, 207, 215.
Lawrence, George N., biographical notice of, 1.
Lawrence, Robert B., a new Long Island, N. Y., record for the Red-bellied Woodpecker (*Melanerpes carolinus*), 82.

- Leptotila insularis, 333.
 Lepus arcticus, 186, 190.
 glacialis, 186, 190.
 Limosa fedoa, 215.
 Loomis, Leverett M., notice of his
 'California Water Birds, No. II,'
 168; do., No. III, 329.
 Loon, 90.
 Lophodytes cucullatus, 203, 215, 220.
 Loxia curvirostra minor, 176, 179.
 leucoptera, 207, 213.
 Lucas, Frederic A., notice of his
 'The Weapons and Wings of
 Birds,' 72; the deltoid muscle in
 the Swifts, 82; the taxonomic
 value of the tongue in birds, 109;
 the skull of the young Cormorant,
 172; Notice of his paper on
 'Osteological and Pterylographical
 Characters of the Procnia-
 tidæ,' 334.
 Lydekker, Richard, notice of the
 'Birds' of the 'Royal Natural
 History,' edited by, 156, 252.
 Lytton, Thomas, Lord Lilford,
 notice of death of, 348.

 MACKAY, George H., the Terns of
 Muskeget Island, Massachusetts,
 Part II, 47; 'Gull Dick' again,
 78; the 1895 migration of *Chara-
 drius dominicus* in Massachusetts,
 80; a correction, 86; Nantucket
 and Muskeget Island notes, 88;
 Gätke's Birds of Heligoland, 89;
 sundry notes, 182;
 Macropteryx, 83.
 coronata, 114.
 Macrorhamphus griseus, 180.
 scelopaceus, 88, 180.
 Magpie, European, 311.
 Mallard, 200.
 Mareca americana, 200.
 Maris, Willard Lorraine, notice of
 death of, 193.
 Marmon fratercula, 189.
 Martin, 302.
 House, 324.
 Purple, 283.
 Western, 347.
 Meadowlark, 4, 222, 258, 283, 294,
 335.
 Western, 29, 258.
 Megalestris catarrhactes, 161.
 skua, 161.
 Megascops asio, 321.

 Melanerpes carolinus, 82, 213, 220.
 erythrocephalus, 213, 220,
 258, 293.
 formicivorus bairdii, 85, 117.
 torquatus, 85.
 Meleagris gallopavo, 221.
 Mellisuga coccinea, 266.
 Melospiza fasciata, 114, 214, 218,
 242, 283, 294.
 fasciata juddi, 132.
 fasciata merrilli, 46.
 georgiana, 114, 218.
 lincolni, 87, 114.
 Merganetta froenata, 162.
 Merganser castor, 164.
 comatus, 162.
 merganser, 164, 203.
 serrator, 203.
 Merganser, Hooded, 203.
 Red-breasted, 203.
 Mergus albellus, 163.
 merganser, 220.
 serrator, 215.
 Merops spiza, 226.
 Merriam, Florence A., nesting
 habits of *Phainopepla nitens*
 in California, 38; notes on some
 of the birds of Southern Cali-
 fornia, 115; notice of her 'How
 Birds affect the Farm and
 Garden', 337.
 Merula merula intermedia, 331.
 migratoria, 213, 219, 285, 297.
 migratoria propinqua, 245.
 Michigan Ornithological Club, 194.
 Micropalama himantopus, 88, 180.
 Micropus, 83.
 Miller, Gerrit S., Jr., description
 of a new Jay from Mexico, 34.
 Milvulus forficatus, 68, 83.
 Mimus polyglottos, 213, 239, 344.
 Mitchell, Walter I., birds killed by
 a storm, 348.
 Mniotilta varia, 214, 260, 283, 295.
 Mockingbird, 167, 222, 237, 335, 344.
 Molothrus ater, 71, 212, 283.
 badius, 72.
 bonariensis, 71.
 rufoaxillaris, 72.
 Montgomery, Thomas H., notice
 of his paper on migration of
 birds as a check upon geographi-
 cal variation, 335.
 Mormon glacialis, 189.
 Morris, Robert O., rare visitors to
 the Connecticut River Valley in
 Massachusetts in 1895, 86;

- Motacilla alba*, 301.
 eques, 44.
 ludoviciana, 44.
 lugens, 240.
 pusilla, 44.
 torquata, 44.
 Mulliken, W. E., Baird's Sandpiper
 in Michigan, 174.
 Murre, Brünnich's, 171.
 Murrelet, Ancient, 168.
Muscicapa ferruginea, 266.
Myiarchus cinerascens, 85, 119.
 crinitus, 282.
 tyrannulus, 332.

 NASH, C. W., bird notes from
 Toronto, Canada, 347.
 Nesochen, 162.
 sandwichensis, 162.
Nesocittes micromegas, 333.
Nesotriccus ridgwayi, 75.
 Nighthawk, 160, 282.
 Sennett's, 134.
 Nonpariel, 261.
 Norton, Arthur H., recent observa-
 tions on *Histrionicus histrionicus*
 in Maine, 229.
Numenius borealis, 80, 92, 182.
 longirostris, 215.
 Nuthatch, Red-breasted, 84, 346.
 White-breasted, 285, 297, 346.
Nyctala acadica, 292, 293.
Nyctea nyctea, 207, 213.
Nycticorax nycticorax naevius, 215.
 violaceus, 215.
Nyroca africana, 164.
 nyroca, 164.

 OBERHOLSER, Harry C., a question
 of nomenclature, 190; critical re-
 marks on the Mexican forms of
 the genus *Certhia*, 314; notices
 of his paper on new subspecies of
 Dryobates pubescens, 330.
Oceanodroma tristrami, 161.
Oidemia americana, 89, 186, 189,
 203.
 carbo, 163.
 deglandi, 88, 89.
 perspicillata, 89.
Olor buccinator, 78.
Opisthocomus cristatus, 72.
 Oriole, Arizona Hooded, 120.
 Baltimore, 158, 283, 336.
Oriolus caudatus, 271.

Ornatipitta, 60.
 boschi, 60.
 guaiana, 60.
 schwaneri, 60.
Ortalis vetula mcCalli, 253.
Otocoris alpestris, 181, 207, 210.
 alpestris arenicola, 130.
 alpestris hoyti, 130.
 alpestris leucolaema, 130.
 alpestris pallida, 185, 188.
 alpestris praticola, 130, 294.
 Ouzel, Water, 310.
 Ovenbird, 284, 296.
 Owl, American Barn, 117.
 Barred, 222, 293.
 Burrowing, 117.
 Dusky Horned, 257.
 Florida Burrowing, 99.
 Great Horned, 293.
 Saw-whet, 291, 293.
 Short-eared, 257.
 Screech, 321.
 Western Horned, 117.

 PALMER, William, the Scissor-
 tailed Flycatcher in Virginia and
 Maryland, 83; second occurrence
 of the Lark Sparrow in Virginia,
 84; on the Florida Ground Owl
 (*Speotyto floridana*), 99; a note
 on *Buteo borealis lucasanus* Ridg-
 way, 342; breeding of the Yellow-
 throated Warbler (*Dendroica*
 dominica) in Virginia, near Wash-
 ington, 343.
 Partridge, Valley, 81.
Parus americanus, 44.
 ater, 300.
 ater britannicus, 327.
 atricapillus, 285, 292, 297.
 bicolor, 214, 220.
 borealis, 336.
 britannicus, 327.
 carolinensis, 214, 220.
 cæruleus, 300.
 dresseri, 327.
 fringillaris, 44.
 hudsonicus, 345, 346.
 inornatus, 122.
 major, 300.
 palustris, 300, 327.
 palustris dresseri, 327.
Passer domesticus, 114.
Passerculus sandwichensis savanna,
 214.
Passerella iliaca, 214, 217, 265.

- Passerina amœna*, 121.
 ciris, 261.
 cyanea, 213, 283, 295.
Pavoncella pugnax, 68.
Peabody-bird, 217.
Peabody, P. B., White-faced Glossy Ibis breeding in Minnesota, 79.
Pelecanoides exsul, 161.
Penelope iacupema, 266.
 leucolophos, 266.
Perisoreus infaustus, 158.
Petrochelidon lunifrons, 121, 295.
Peucedramus olivaceus aurantiacus, 330.
Pewee, Wood, 282, 293.
 Western Wood, 120.
Phaëthon flavirostris, 239.
Phainopepla nitens, 38, 265.
Phalacrocorax carbo, 312.
 dilophus, 78, 89, 90, 178.
 urile, 172.
Phalarope, Red, 173.
Phalaropus, 65.
Phasianus ignitus, 253.
Philohela minor, 215.
Phlegopsis saturata, 331.
Phœbe, 282, 293.
 Black, 120.
Phororhacos, 61, 62, 63.
 inflatus, 61.
 longissimus, 61.
Picus montanus, 190, 191.
Pigeon, Passenger, 4, 81, 234, 290, 341.
 Wild, 292, 341.
Pinicola enucleator, 21, 58, 175, 176, 177, 259.
Pipilo chlorurus, 185, 265.
 erythrophthalmus, 178, 213, 218, 260, 283, 294.
Piranga erythromelas, 214, 261, 283, 294.
 rubra, 213.
Pitta angolensis, 60.
 arcuata, 60.
 cucullata, 60.
 cyanonota, 60.
 forsteni, 60.
 inspeculata, 60.
 mackloti, 60.
 nympha, 60.
 oreas, 60.
 palliceps, 60.
 propinqua, 60.
 soror, 60.
 streptitans, 60.
 vigorsi, 60.
Plectrophenax nivalis, 165, 242.
Plegadis guarauna, 79.
Plover, American Golden, 80, 89, 142.
 Black-bellied, 89, 181.
 Field, 291.
 Golden, 146.
 Killdeer, 281.
Podilymbus podiceps, 215.
Polioptila cœrulea, 214, 264.
 cœrulea obscura, 123.
Poocætes gramineus, 214, 283, 294.
Porzana carolina, 207, 215.
 noveboracensis, 173, 179, 347.
Prentiss, D. Webster, notes on the birds of Bermuda, 237.
Priocella, 162.
Priotelus gracilis, 114.
Procnias, 334.
Procnatiadæ, 344.
Progne subis, 214, 283.
 subis hesperia, 347.
Protonotaria citrea, 214.
Psaltriparus minimus californicus, 163.
Pteronetta, 162.
 hartlaubi, 162.
Publications Received, 76, 169, 253, 338.
Puffin, Large-billed, 255.
Puffinus auduboni, 161.
 borealis, 161.
 creatopus, 228.
 fuliginosus, 341.
 gavia, 161.
 gravis, 161.
 griseus, 161, 228.
 kuhli, 161.
 major, 161.
 opisthomelas, 161, 223.
 tenuirostris, 171.
Pulchripitta, 60.
 iris, 60.
Pyrocephalus rubineus mexicanus, 258.

QUAIL, Valley, 116.
Querquedula circia, 164.
 hartlaubi, 162.
 querquedula, 164.
Quiscalus insularis, 333.
 major, 212.
 quiscula, 245, 283.

RAIL, Clapper, 86.
 King, 78, 86

- Rail, Yellow, 173, 179, 347.
Raine, W., discovery of the eggs of the Belted Piping Plover, 256; nidification of the Dusky Horned Owl, 257.
Rallus crepitans, 86.
 elegans, 79, 86, 215.
 longirostris saturatus, 185.
Raven, American, 83.
Redbreast, 300.
Redhead, 201.
Redshank, 151.
Redstart, 285, 296.
 Black, 299, 311.
Regulus calendula, 214, 220.
 satrapa, 214, 220, 346.
Resler, Arthur, note on the *flexor hallucis brevis* in the Night Heron (*Nycticorax nycticorax nevius*), 172.
Rhea americanus, 164.
 rhea, 164.
Rhoads, Samuel N., additions to the avifauna of Tennessee, 181; 'Ord's Zoölogy' again, 192; notice of his List of Birds of Tennessee, 244.
Richmond, Charles W., notice of papers by, on Dr. W. L. Abbott's collections of birds made in Central Asia, and in the Seychelles and other islands, 331; notice of papers by, on new species of birds 331. See also Robinson, Wirt.
Ridgway, R., notice of papers by, on new species of birds, 330.
Ridgway, R., and Lucas, F. A., notice of their papers on the family Procnitidae, 334.
Rissa brevirostris, 161.
 tridactyla kotzebeui, 161.
 tridactyla pollicaris, 161.
Road-runner, 117, 257.
Robin, 219, 285, 297.
Robinson, Wirt, and Richmond, Charles W., notice of paper by on birds observed on the Island of Margarita, etc., 332.
Rotzell, W. E., notice of his 'Birds of Narberth, Pa., and Vicinity', 244.
Ruticilla titys, 299.
SAGE, John H., Thirteenth Congress of the American Ornithologists' Union, 55.
Salvadori, T., notice of his Catalogue of the Chenomorphae, Crypturi, and Ratitae, 162.
Salvin, Osbert, notice of his Catalogue of the Gaviæ, 161.
Sanderling, 150, 181.
Sandpiper, Baird's, 174, 180, 255.
 Buff-breasted, 180.
 Marsh, 151.
 Purple, 180.
 Semipalmated, 88, 180.
 Solitary, 88.
 Spotted, 281, 291, 292.
 Silt, 180.
 Western, 88, 174.
 Wood, 151.
Sapsucker, Yellow-bellied, 293.
Saunders, Howard, notice of his Catalogue of the Tubinares, 160.
Sayornis nigricans, 85, 120.
 phæbe, 282, 293.
 saya, 140.
Scardafella ridgwayi, 333.
Sclater, P. L., notice of his remarks on 'Rules for Naming Animals,' 325.
Scoleophagus carolinus, 212, 221, 242.
 cyanocephalus, 120.
Scolopax rusticola, 68.
Scoters, 203.
Scoter, American, 89.
 White-winged, 88.
Seebohm, Henry, biographical notice of, 96; his collection of birds, 195.
Seiurus aurocapillus, 213, 284.
 motacilla, 86, 284, 296, 344.
 noveboracensis, 213, 245, 292, 296.
Selasphorus rufus, 119.
Setophaga ruticilla, 214, 285, 296.
Schalow, Herman, notice of his 'Ueber eine Vogelsammlung aus Westgrönland,' 243.
Shearwater, Black-vented, 223.
 Slender-billed, 171.
Sheldrake, Pond, 203.
Short, Ernest H., notice of his 'Birds of Western New York,' 245.
Shoveller, 201.
Shrike, Great Gray, 309.
 Red-backed, 309.
 White-rumped, 121.
Shufeldt, R. W., the Cormorant Rookeries of the Lofoten Islands, 312.

- Sialia azurea*, 189.
 mexicana occidentalis, 124.
 sialis, 214, 222, 285, 297.
 sialis azurea, 185.
Sitta canadensis, 84, 213, 220, 346.
 carolinensis, 213, 220, 285, 297.
 pusilla, 213.
 Skylark, 303, 304, 306.
 Smith, Clarence A., notice of death of, 267.
 Snipe, Wilson's, 341.
 Snowbird, 294.
 Snowflake, 165.
Somateria mollissima borealis, 163.
 mollissima dresseri, 89, 202.
 spectabilis, 203, 347.
 Sparrow, Chipping 283.
 Dakota Song, 132.
 English, 239, 285, 294, 348.
 Field, 222, 283, 294.
 Fox, 217.
 Grasshopper, 294.
 Harris's, 176.
 Hedge, 310.
 House, 306.
 Ipswich, 84.
 Lark, 84.
 Leconte's, 208.
 Lincoln's, 87.
 Merrill's, 46.
 Savanna, 283, 291, 294.
 Song, 283, 291, 294.
 Tree, 181.
 Vesper, 283.
 White-throated, 159, 178, 217, 260.
 Sparrow-bunting, 159.
Spatula clypeata, 201, 215.
Speotyto brachyptera, 333.
 cunicularia hypogæa, 108, 117.
 floridana, 99.
Sphyrapius ruber, 85.
 thyroideus, 85.
 varius, 213, 220, 292, 293.
Spinus tristis, 213, 218, 241, 242, 283, 294.
Spizella monticola, 181, 218.
 pusilla, 214, 222, 283, 294.
 socialis, 214, 283, 294.
 Spoonbill, Roseate, 209.
 Sprague, U. A., the Dwarf Thrush in Colorado, 85.
Squatarola, 65.
 helvetica, 65.
Steganopus, 65.
Stelgidopteryx serripennis, 214.
Sterna cantiaca, 161.
 dougalli, 49, 52.
 fluvialis, 161.
 hirundo, 52, 161.
 macroura, 161.
 paradisæa, 53, 161, 245.
 sandvicensis, 161.
Stercorarius crepidatus, 161.
 parasiticus, 161, 171.
 Stone, Witmer, a revision of the North American Horned Owls, with description of a new subspecies, 153; some questions of nomenclature, 183; notice of his paper on 'The Molting of Birds with special reference to the plumage of the smaller Land Birds of Eastern North America,' 240; notice of his paper on 'Birds collected in North Greenland,' etc., 243; Golden Eagles in Virginia, 256;
Strix pratincola, 117.
Sturnella magna, 5, 213, 258, 283, 294.
 magna neglecta, 29, 258.
 Swallow, Bank, 283.
 Barn, 283, 295.
 Cliff, 121, 295.
 Eave, 307.
 White-bellied, 4.
 Swan, 79.
 Swann, H. Kirke, notice of his 'Handbook of British Birds,' 328.
 Swift, 304.
 Chimney, 82, 282, 293.
 Pied, 159.
 White-throated, 159.
Sylvia pusilla, 44.
 torquata, 44.
Sylvania canadensis, 179, 285, 292, 296.
 mitrata, 214, 285.
Symphemia semipalmata, 88, 180.
 semipalmata inornata, 215.
Synthliboramphus antiquus, 168.
Syrnium nebulosum, 222.
 nebulosum alleni, 212, 293.
 occidentale, 265.
Syrnhaptes paradoxus, 251.
 TACHORNIS, 83.
 gracilis, 114.
Tachycineta bicolor, 4, 114.
Tadorna casarca, 243.
 cornuta, 164.
 tadorna, 164.

- Tanager, Scarlet, 241, 261, 283, 295.
 Tantalus loculator, 245, 341.
 Taylor, H. H., the Carolina Wren in Connecticut, 84.
 Teal, Blue-winged, 200.
 Green-winged, 200.
 Tern, Arctic, 53.
 Roseate, 49, 52.
 Wilson's, 51, 52.
 Tetraogallus caucasicus, 253.
 Thayer, Abbott H., the law which underlies protective coloration, 125; further remarks on the law which underlies protective coloration, 318.
 Thrasher, Brown, 176, 218, 285, 335.
 Californian, 121.
 Thriothorus, 344.
 Thrush, Dwarf, 75.
 Gray-cheeked, 182.
 Hermit, 219, 285, 291, 297.
 Louisiana Water, 86.
 Water, 291, 296.
 Wilson's, 297.
 Wood, 285, 297.
 Thyrothorus bewickii, 344.
 bewickii bairdi, 344.
 bewickii leucogaster, 344.
 Iudovicianus, 84, 214, 219.
 Thurber, E. C., Southern California bird notes, 265; notice of death of, 349.
 Tit, Blue, 300.
 Coal, 300, 308.
 Long-tailed, 308.
 Swamp, 300, 306.
 Titmouse, Great, 300.
 Plain, 122.
 Torrey, Bradford, Virginia notes, 179.
 Totanus flavipes, 215.
 melanoleucus, 207, 215.
 solitarius, 88, 215.
 Towhee, 260, 280, 283.
 Anthony's, 165.
 Townsend, C. H., notice of his 'Birds from Cocos and Malpelo Islands,' etc., 75.
 Tringa alpina, 164.
 bairdi, 80, 174, 180, 255.
 canutus, 86, 91.
 maritima, 180.
 minutilla, 215.
 Trochilus alexandri, 118.
 colubris, 282, 293.
 Troglodytes aëdon, 214, 285, 296.
 aëdon aztecus, 122.
 Troglodytes hiemalis, 178, 219, 292, 296.
 leucogaster, 345.
 marianæ, 345.
 parvulus, 301.
 Trogon curucui, 266.
 ferrugineus, 266.
 flammeus, 266.
 hæmorrhoidalis, 266.
 strigilatus, 265.
 viridis, 262.
 Tryngites subruficollis, 180.
 Turdus alicæ, 182.
 aonalschkæ, 85.
 aonalschkæ pallasi, 213, 219, 285, 292, 297.
 fuscescens, 213, 292, 297.
 merula, 298.
 mustelinus, 213, 285, 297.
 Tufts, Harold F., Wilson's Snipe in Nova Scotia in Winter, 341.
 Turkey, Wild, 292.
 Turtur abbotti, 332.
 Tyrannus tyrannus, 282, 293.
 verticalis, 85.
 vociferans, 85, 119.
 URIA lomvia, 171.
 mandtii, 266.
 Urinator imber, 77, 90.
 Uropsila leucogaster, 345.
 VAUGHAN, C. Wheaton, Baird's Sand-piper at East Hampton, Long Island, N. Y., 80.
 Vireo flavoviridis, 263.
 gilvus, 87, 284.
 noveboracensis, 214, 238.
 olivaceus, 214, 284, 295.
 solitarius, 214, 295, 345.
 Vireo, Red-eyed, 283, 295.
 Solitary, 291, 295, 343.
 Warbling, 87, 283.
 White-eyed, 238.
 Yellow-green, 263.
 Vulture, Turkey, 116, 222, 341.
 WAGTAIL, Mountain, 310.
 Pied, 149.
 White, 149, 304.
 Warbler, Audubon's, 121.
 Bay-breasted, 181.
 Black-and-White, 260, 284, 295.
 Black-and-Yellow, 179.
 Blackburnian, 179, 291, 295.
 Black-poll, 345.

- Warbler, Black-throated Blue, 179, 295.
 Black-throated Green, 179, 284, 295.
 Canadian, 285, 291, 295.
 Cape May, 84, 87, 182.
 Cerulean, 179.
 Chestnut-sided, 88, 280, 284, 295.
 Golden-winged, 179, 285.
 Hooded, 179, 280.
 Lutescent, 121.
 Magnolia, 284, 295.
 Mourning, 179.
 Northern Parula, 44.
 Palm, 182, 343.
 Parula, 284, 295.
 Summer, 295.
 Swainson's, 207.
 Tennessee, 87.
 Worm-eating, 284.
 Yellow, 179, 284.
 Yellow-throated, 343.
 Warren, B. H., notice of his Taxidermy, etc., 334.
 Water-Thrush, Large-billed, 284.
 Louisiana, 344.
 Wayne, Arthur T., the Cape May Warbler (*Dendroica tigrina*) in the maritime portions of South Carolina, 84; the Red-breasted Nuthatch (*Sitta canadensis*) on Long Island, S. C., 84.
 Webber, Herbert J., notice of his paper on the Mockingbird and *Yucca aloifolia*, 167.
 Wharton, Henry T., notice of death of, 97.
 Whip-poor-will, 282.
 White, George R., *Porzana noveboracensis* near Ottawa, Canada, 173.
 Widgeon, European, 255.
 Widmann, O., the Peninsula of Missouri as a winter home for birds, 216; Bachman's Warbler (*Helminthophila bachmani*) in Greene County, Arkansas, 264.
 Willet, 88.
 Wilson, Sidney S., Harris's Sparrow in spring dress in autumn, 176.
 Wittich, Charles A., notice of his 'The Evolution of Song,' 249.
 Woodcock, 126, 292.
 Woodpecker, California, 117.
 Downy, 220, 281, 293, 346.
 Hairy, 220, 281, 293, 346.
 Pileated, 220, 346.
 Red-bellied, 82, 220.
 Red-headed, 220, 258, 293.
 Rocky Mountain, 32.
 Woodruff, Frank M., the Raven in Illinois, 83; on birds reported as rare in Cook County, Ill., 179.
 Worthington, W. W., another Harlequin Duck record for Long Island, 78.
 Wren, Carolina, 84, 219.
 House, 280, 285, 295, 335.
 Short-billed Marsh, 182, 347.
 Vigers's, 121.
 Western House, 122.
 Winter, 178, 219, 295.
 Wren-tit, 122.
 XANTHOCEPHALUS xanthocephalus, 120.
 Xema sabinei, 245.
 Xenopicus albolarvatus, 85.
 YELLOW-HAMMER, 303, 305, 306, 309.
 Yellow-throat, Maryland, 285, 296.
 Young, R. T., summer birds of the Anthracite Coal Regions of Pennsylvania, 278.
 ZANTHOPYGIA narcissina, 240.
 Zenaidura macroura, 215, 261.
 Zonotrichia albicollis, 159, 178, 214, 217, 260.
 harrisi, 176.

ERRATA.

- Page 161, line 21, for '*policaris*' read '*pollicaris*.'
 " 176, " 7, for 'decreased .20 of an inch' read 'decreased to .20 of an inch.'
 " 178, line 21, for 'on the 25th' read '25th of December.'
 " 232, " 15, for 'cave' read 'cove.'
 " " 37, for 'new' read 'old.'
 " 233, last line, for 'as regards' read 'beyond.'
 " 260, line 15 for 'Oct. 8' read 'Oct. 2.'