

INDEX TO VOLUME XV.

[New generic, specific and subspecific names are printed in **heavy-faced** type.]

- ACANTHIS** *linaria*, 15.
Accipiter *atricapillus striatulus*,
 127, 308.
 cooperi, 127, 307.
 velox, 127.
Actitis *macularia*, 27, 52, 76, 134,
 307, 316.
Ægialitis *meloda*, 76.
 meloda circumcincta, 27, 62.
 montana, 307.
 semipalmata, 27, 127.
 vocifera, 27, 307.
Aëronautes *melanoleucus*, 307.
Agelaius *phœniceus*, 14, 76, 309.
Aglaia *cynocephalus*, 226.
Aimophila *mcleodi*, 226.
 petenica, 227.
 ruficeps, 226.
 ruficeps sororia, 226.
 sartorii, 227.
 supercilliosa, 224.
Albatross, *Black-footed*, 317.
 Short-tailed, 267.
Allen, Francis H., *Bicknell's Thrush*
 on Mt. Ktaadn, Maine, 60; notice
 of his 'Nature's Diary,' 71; habits
 of the Maryland Yellowthroat,
 75.
Allen, J. A., a defense of Canon
 XL of the A. O. U. Code, 298-
 303.
Amazilia *cinnamomea saturata*, 340.
 cerviniventris, 34, 36.
 cerviniventris chalconota,
 32-36, 188.
American Ornithologists' Union,
 Fifteenth Congress of, 43-48;
 report of Committee on Protec-
 tion of North American Birds,
 81-114, 288; constitution of Com-
 mittee for Protection of North
 American Birds, 80.
Ammodramus *caudacutus*, 76.
 guttatus, 266.
 halophilus, 265.
 Ammodramus leconteii, 16, 188.
 maritimus, 189.
 nigrescens, 270.
 petenicus, 227.
 princeps, 213.
 sanctorum, 264.
 sandwichensis alaudinus, 15.
 sandwichensis savanna, 76.
Ampelis *cedrorum*, 17, 136.
 garrulus, 17.
Amphispiza *belli*, 58, 59, 190.
 belli cinerea, 59.
 belli clementæ, 230.
 belli nevadensis, 59, 190.
 bilineata desarticola, 229.
 bilineata grisea, 340.
 nevadensis, 59.
 Anas carolinensis, 307.
Anous *stolidus ridgwayi*, 36, 316.
Anthony, A. W., two new birds
 from the Pacific Coast of Amer-
 ica, 36-38; the Petrels of South-
 ern California, 46; a new name
 for *Dryobates v. montanus*, 54;
 Petrels of Southern California,
 140-144; the Pacific Kittiwake
 (*Rissa tridactyla pollicaris*) in
 Lower California, 267; avifauna
 of the Revillagigedo Islands,
 311-318.
Anthus *pensilvanicus*, 19, 129.
Antrostomus *carolinensis*, 61, 330.
 vociferus, 332.
Apgar, Austin C., notice of his
 'Birds of the United States east
 of the Rocky Mountains,' 278.
Aphelocoma *woodhousei*, 309.
Aphriza *virgata*, 127.
Aquila *chrysaetos*, 54, 308.
Ardea *cærulea*, 195.
 egretta, 51.
 herodias, 126, 316.
Arenaria *interpres*, 27, 51, 318.
 melanocephala, 127.
Arremon, 223.

- Arremon conirostris, 228.
 Arremonops, 223.
 chloronota, 157.
 conirostris canens, 339.
 richmondi, 228.
 rufivirgata sumichrasti, 157.
 venezuelensis, 227.
 Asio accipitrinus, 234.
 wilsonianus, 308.
 Astragalinus mexicanus jouyi, 320.
 Atlapetes, 223.
 pileatus dilutus, 228
 Atthis morcomi, 325.
 Audubon, John James, notice of his life and work, 198-205.
 Audubon, Maria R., notice of her 'Audubon and his Journals,' 78, 198-205.
 Audubon Societies for the Protection of Birds, 82-112, 288.
 Audubon Society of the State of New York, 78.
 Auklet, Paroquet, 124.
 Rhinoceros, 124.
 Automolus rufipectus, 339.
 Avocet, American, 307.
 Aythya affinis, 134.
 americana, 50.
 marila nearctica, 126, 189.
 BANGS, Outram, some new races of birds from eastern North America, 173-183; Cairns's Warbler (*Dendroica caerulescens cairnsi*) in Georgia on migration, 192; notice of his papers on birds from Colombia, 339.
 Bartsch, Paul, see Nowotny, Dr.
 Basileuterus belli, 159.
 cubicivorus, 159.
 Baskett, James Newton, notice of his 'The Story of the Birds,' 71.
 Baur, G., notice of his paper 'Birds of the Galapagos Archipelago,' 208; obituary of, 286.
 Belding, Lyman, the song of the Western Meadow Lark, 56.
 Bendire, Charles Emil, memoir of, 1-6.
 Bent, A. C., Black Gyrfalcon (*Falco rusticolus obsoletus*) in Rhode Island, 54; Mockingbird (*Mimus polyglottos*) at Taunton, Mass., 59.
 Bergen, Thomas B., early arrival of the Kingbird at Cambridge, Mass., 268.
 Bird, Cedar, 136.
 Bird, Man-o'-War, 314, 316, 318.
 Red tailed Tropic, 39.
 Surf, 127.
 Yellow-billed Tropic, 314, 316, 317.
 Bittern, American, 281, 307.
 Least, 195, 281.
 Blackbird, Brewer's, 309.
 Red-winged, 309.
 Rusty, 193.
 Yellow-headed, 193.
 Blanchan, Neltje, notice of her 'Bird Neighbors,' 66.
 Blanford, W. T., notice of his 'Birds of British India,' 336.
 Bluebird, 137, 174, 182, 194.
 Chestnut-backed, 311.
 Florida, 182.
 Mountain, 311.
 Bobwhite, 184.
 Black-breasted, 117, 121.
 Black-headed, 122.
 Coyolcos, 117, 121.
 Godman's, 120, 121.
 Grayson's, 121.
 Guatemala, 119, 122.
 Puebla, 116, 121.
 Ridgway's, 121.
 Salvin's, 122.
 Texas, 121.
 Bonasa umbellus, 134.
 Booby, Blue-faced, 314, 316, 317.
 Brewster's, 314, 316, 317.
 Webster's, 314, 316, 317.
 Botaurus exilis, 195.
 lentiginosus, 307.
 Bowles, C. W. and J. H., nesting habits of Anthony's Vireo, 138-140.
 Brachyramphus hypoleucus, 197.
 marmoratus, 49, 124.
 Brachyospiza, 224.
 capensis, 321.
 capensis canicapilla, 321.
 capensis chilensis, 321.
 capensis insularis, 321.
 capensis peruviana, 321.
 Brackett, Foster H., the Blue-winged Yellow Warbler (*Helminthophila pinus*) in eastern Massachusetts, 59.
 Braislin, Wm. C., the Starling (*Sturnus vulgaris*) on Long Island, N. Y., 55; the White-crowned Sparrow (*Zonotrichia leucophrys*) on Long Island, N. Y. 58.

- Brewster, William, *Geotrygon chrysis* again at Key West, 185; occurrence of the Spotted Screech Owl (*Megascops aspersus*) in Arizona, 186; Lewis's Woodpecker storing acorns, 188; revival of the sexual passion in birds in autumn, 194; the Short-eared Owls of Muskeget Island, 211.
- Brockway, Arthur W., the Turkey Vulture in Connecticut, 53; Carolina Wren at Lyme, Conn., in winter, 192, 274.
- Bruce, Mary Emily, a month with the Goldfinches, 239-243.
- Buarremon, 223.
basilicus, 339.
crassirostris, 225.
- Bubo virginianus, 71.
virginianus arcticus, 71.
virginianus occidentalis, 71.
virginianus pacificus, 71.
virginianus pallescens, 71.
virginianus saturatus, 71.
virginianus subarcticus, 71.
- Burch, Verdi, curious nesting of American Redstart, 332.
- Buteo borealis calurus, 234, 308.
borealis fumosus, 340.
socoeroensis, 316.
swainsoni, 61, 308.
- Butler, Amos W., notice of his 'Birds of Indiana', 335.
- Buzzard, Turkey, 134.
- CACTORNIS, 208.
propinquus, 208.
- Calcarius lapponicus, 15.
lapponicus *alascensis*, 320.
lapponicus *coloratus*, 320.
- Callipepla californica vallicola, 234.
gambeli, 307.
- Calypte anna, 235.
- Camarhynchus, 208.
- Campephilus imperialis, 217-223.
- Camptolaimus labradorius, 203.
- Canachites, 64.
- Cantwell, Geo. G., notes on the Marbled Murrelet, 49.
- Cardinalis cardinalis mariae, 340.
- Carpodacus cassini, 15.
clementis, 258.
frontalis, 258.
mexicanus frontalis, 234, 235, 258, 309.
- Catbird, 137.
- Catharista atrata, 53, 196.
- Cathartes aura, 53, 134, 307.
- Catharus frantzii alticola, 161.
- Catherpes mexicanus albifrons, 160.
mexicanus conspersus, 310.
- Ceophloeus pileatus, 135, 176.
pileatus abieticola, 176.
- Cephus columba, 124.
- Cerorhinca monocerata, 124.
- Certhia albifrons, 160.
familiaris americana, 137.
familiaris montana, 20, 311.
familiaris occidentalis, 130.
mexicana, 160.
- Certhidia, 208.
- Ceryle alcyon, 127, 234, 308.
- Chatura pelagica, 135.
- Chapman, Frank M., experiences of an ornithologist in Mexico (title only) 45; Golden Eagle in New Jersey, 54; notice of his 'Bird-Life,' colored ed., 72; probable polygamy of the Great-tailed Grackle (*Quiscalus macrourus*), 269; notes on the Black Seaside Finch (*Ammodramus nigrescens*), 270; nesting instincts of Swallows, 271; notice of his 'Notes on Birds observed at Jalapa and Las Vigas, Vera Cruz, Mexico,' 279; Kirtland's Warbler (*Dendroica kirtlandi*), 289-293.
- Charadrius dominicus, 52, 127, 318.
- Chat, Yellow-breasted, 331.
- Chelidon, 271.
erythrogastra, 17, 129, 130, 193, 318.
- Chewink, 189.
- Chickadee, Black-capped, 137, 144, 150.
Chestnut-backed, 130.
Hudsonian, 213.
Mountain, 311.
- Chlorospingus atriceps, 157.
olivaceus, 157.
postocularis, 157.
- Chondestes grammacus strigatus, 309.
- Chordeiles virginianus, 135.
virginianus henryi, 308.
virginianus sennetti, 54.
- Chuck-will's-widow, 61, 330.
- Cinclus mexicanus, 19, 310.
- Circus hudsonius, 307.
- Cistothorus palustris, 192.
palustris paludicola, 20.
- Clark, John N., ten days among the

- birds of northern New Hampshire (title only), 45.
- Clark, Josiah H., notes on the nesting of Palmer's Thrasher at El Plomo, Sonoro, Mexico, 272.
- Clarke, C. K., notes from Ontario, 274; breeding habits of the Solitary Sandpiper (*Totanus solitarius*), 328.
- Clivicola, 271.
 riparia, 17, 25.
- Coccyoborus cyanoides, 229.
- Coccothraustes vespertinus. montanus, 14.
- Colaptes auratus, 135, 177.
 auratus luteus, 177.
 cafer, 234, 308.
 cafer saturator, 127.
- Colinus atriceps, 122.
 coylocos, 117, 121.
 godmani, 120.
 graysoni, 121.
 graysoni nigripectus, 116, 121.
 insignis, 119, 122.
 nigrogularis, 122.
 pectoralis, 117.
 ridgwayi, 121.
 salvini, 119, 122.
 virginianus, 184.
 virginianus texanus, 121.
- Columba flavivestris madrensis, 340.
- Columbigallina passerina socorroensis, 316.
- Colvin, Walter S., Chestnut-sided Warbler in eastern Kansas, 59.
- Colymbus nigricollis californicus, 307.
- Compsothlypis graysoni, 317.
 inornatus, 159.
- Contopus borealis, 135.
 virens, 135.
- Conurus nolochlorus brevipes, 317.
 ludovicianus, 28-32.
- Cooke, W. W., the Scarlet Ibis — a correction, 183; notice of his 'Further Notes on the Birds of Colorado,' 340.
- Cormorant, Violet-green, 126, 230.
- Corvus americanus, 196.
 caurinus, 128.
 corax principalis, 55, 128, 135.
 corax sinuatus, 234, 235, 309, 315, 318.
- Cory, Charles B., notice of his 'How to know the Ducks, Geese and Swans of North America,' 278; Kirtland's Warbler (*Dendroica kirtlandi*) in Florida, 331.
- Cotile, 271.
- Coues, Elliott, William Swainson to John James Audubon, a hitherto unpublished letter, 11-13; Auduboniana and other matters of present interest (title only), 45; notes on generic names of certain Swallows, 271.
- Cowbird, 25, 26, 309.
- Creepers, Brown, 137.
 California, 130.
 Rocky Mountain, 311.
- Crolius, A. A., nesting of the Robin, 332.
- Crossbill, American, 128.
- Crow, American, 27, 196.
 Northwest, 128.
- Cuckoo, European, 337.
- Cuculus auratus, 177.
 canorus, 337.
- Culicivora mexicana, 160.
- Curlew, Eskimo, 52.
- Cyanocephalus cyanocephalus, 198, 309.
- Cyanocitta cristata, 135, 269.
 stelleri, 128.
 stelleri macrolopha, 309.
- Cyanocompsa concreta cyanescens, 229.
 concreta sanctæ-martæ, 339.
 cyanea, 229.
 cyanodes, 229.
 parellina, 322.
- Cyanospiza, 323.
 amæna, 324.
 ciris, 324.
 cyanea, 324.
 lelancheri, 324.
 rositæ, 324.
 versicolor, 324.
 versicolor pulchra, 324.
- Cyclarhis flavipectus canticus, 339.
- Cyphorhynchus psittaculus, 124.
- Cyphorhinus pusillus, 60.
- DACNIS NAPÆA, 339.
- Dactylortyx chiapensis, 340.
 devius, 340.
 thoracicus, 340.
 thoracicus lineolatus, 340.
- Davie, Oliver, notice of his 'Nests and eggs of North American Birds,' 334.
- Deane, Ruthven, the Passenger

- Pigeon (*Ectopistes migratorius*)
in Wisconsin and Nebraska, 184.
Delaware Valley Ornithological
Club, notice of eighth annual
meeting of, 215; notice of its
'Abstract of Proceedings,' 341.
Dendragapus, 64.
 canadensis, 61.
 obscurus, 307.
Dendrocincla olivacea *auguina*,
 339.
Dendroica *æstiva*, 18, 310, 330.
 æstiva rubiginosa, 129.
 auduboni, 18, 236.
 cærulescens, 136.
 cærulescens cairnsi, 192.
 castanea, 275.
 decora, 159.
 graciæ, 310.
 kirtlandi, 289-293, 331.
 maculosa, 136.
 nigrescens, 197.
 pennsylvanica, 59, 136.
 striata, 61.
 townsendi, 19, 129, 197.
 vigorsii, 331.
 virens, 136.
Dickcissel, 213.
Diomedea *albatrus*, 267.
 immutabilis, 38.
 nigripes, 317.
Dionne, C. E., a Black Vulture near
Quebec, Canada, 53.
Dipper, American, 310.
Dixon, Charles, notice of his 'The
Migration of Birds,' amended
edition, 67.
Dolichonyx *oryzivorus*, 14.
Dove, Clarion Island, 318.
 Grayson's, 316.
 Key West Quail, 185.
 Mourning, 234, 307.
 Socorro Ground, 316.
Dowitcher, 62.
Dryobates *nuttallii*, 196.
 pubescens, 135.
 villosus, 134.
 villosus harrisi, 127, 308.
 villosus montanus, 54.
 villosus monticola, 54.
Duck, American Scaup, 126, 189.
 Harlequin, 126.
 Labrador, 203.
 Lesser Scaup, 134.
 Pied, 203.
Dutcher, William, report of the
A. O. U. Committee on Pro-
tection of North American Birds,
81-114.
Dwight, Jonathan, Jr., Is uniform-
ity in local list possible? (title
only), 45; a Petrel new to North
America (title only), 48; an un-
trustworthy observer, 213.
EAGLE, Alaskan Bald, 127.
 Bald, 62, 175, 234.
 Golden, 54, 308.
 Washington's, 174.
Eastman, C. R., notice of his paper
on *Struthiolithus chersonensis* and
on the distribution of Struthious
birds, 338.
Ectopistes *migratorius*, 184, 333.
Egret, American, 51.
Elania *browni*, 339.
Elliot, D. G., a naturalists' expedi-
tion to East Africa (title only),
47; notice of his 'Gallinaceous
Game Birds of North America,'
63; do. of his 'Shore Birds,' 2d
ed., 63; Canon XL, A. O. U.
Code, 294-298.
Emberiza *nivalis*, 324.
Embernagra *conirostris*, 228.
 striaticeps, 228.
Empidonax *difficilis*, 128, 309.
 wrightii, 309.
Ereunetes *occidentalis*, 126.
Ergaticus *versicolor*, 159.
Euetheia *bryanti*, 322.
 coryi, 322.
FALCO *columbarius*, 214.
 columbarius suckleyi, 123.
 mexicanus, 308.
 rusticolus obsoletus, 54.
 sparverius, 308.
Falcon, Prairie, 308.
Faxon, Walter, *Hemiura leucogas-
tra* (Gould)—a correction, 60.
Finch, Black Sea-side, 270.
 House, 235, 309.
 McGregor's, 265.
 San Clemente House, 258.
Fisher, A. K., rank of the Sage
Sparrows, 190.
Flicker, Northern, 177.
 Northwestern, 127.
 Red-shafted, 234, 308.
Floyd, Harry Webb, wintering of
the Towhee (*Pipilo erythroph-
thalmus*) at Rockaway Beach,
L. I., 190.

- Flycatcher, Great-crested, 174.
 Northern Crested, 179.
 Olive-sided, 135.
 Western, 128, 309.
 Wright's, 309.
- Fratercula corniculata, 124.
- Fregata aquila, 314, 316, 318.
- Fringilla arvensis, 225.
 capensis, 224.
 celæno, 226.
 lapponica, 324.
 manimbe, 224.
 mortonii, 321.
 oryzivora, 324.
- Fuertes, Louis Agassiz, occurrence of Leconte's Sparrow (*Ammodramus lecontei*) at Ithaca, N. Y., 188.
- GALBULA ruficauda pallens, 339.
- Galeoscoptes carolinensis, 19, 137.
- Gallinago delicata, 195.
- Gallinule, Purple, 195.
- Gavia imber, 124.
 lumme, 124.
 pacificus, 124.
- Geospiza, 208.
 conirostris, 208.
- Geothlypis agilis, 193.
 macgillivrayi, 19.
 philadelphia, 136.
 trichas, 59, 75, 137, 193.
 trichas occidentalis, 19.
- Geotrygon chrysia, 185.
- Gibson, Wm. Hamilton, notice of his 'Studio Neighbors,' 65.
- Goldfinch, American, 136, 239-243.
 Arkansas, 235, 309.
 Yucatan, 320.
- Goshawk, Western, 127, 308.
- Grackle, Bronzed, 25, 135.
 Great-tailed, 269.
- Grallaria ochraceiventris, 340.
- Grassquit, Bryant's, 322.
 Cory's, 322.
- Grebe, American Eared, 307.
- Grinnell, Joseph, rank of the Sage Sparrow, 58; notice of his 'Report on the Birds . . . of Santa Barbara, San Nicolas, and San Clemente,' 73; summer birds of Sitka, Alaska, 122-131; land birds observed in midwinter on Santa Catalina Island, California, 233-236; geographical races of *Harpophynchus redivivus*, 236; the San Nicolas Rock Wren, 237-239; notice of his List of the Birds of the Pacific Slope of Los Angeles Co., Cal., 283.
- Grosbeak, Alaskan Pine, 319.
 Black-headed, 310.
 Panama Blue, 229.
 Rocky Mountain Pine, 319.
 Rose-breasted, 190.
 Western Blue, 322.
- Grouse, Dusky, 307.
 Ruffed, 134.
- Guillemot, Pigeon, 124.
- Guiraca cærulea eurhyncha, 322.
 cærulea lazula, 322.
 chiapensis, 340.
 cyanoides, 229.
- Gull, American Herring, 49.
 Bonaparte's, 125.
 Glaucous, 50, 61.
 Glaucous-winged, 125, 230.
 Heermann's, 313.
 Laughing, 168, 171.
 Mew, 198.
 Ross's, 183.
 Western, 313, 315.
- Gurney, J. H., notice of his 'The Economy of the Cuckoo,' 337.
- Gymnostinops cassini, 327.
 guatimozinus, 326.
- Gyr Falcon, Black, 54.
- HÆMATOPUS bachmani, 127, 230.
 Hæmophila pulchra, 224.
 stolzmanni, 224.
- Haines, Edwin I., the summer birds of the Catskill Mountains, etc. (title only), 47.
- Haliaeetus leucocephalus, 62, 175, 234.
 leucocephalus alascensis, 127.
 leucocephalus washingtoni, 174.
- Harpophynchus bendirei, 3, 4.
 curvirostris palmeri, 272.
 redivivus, 237.
 redivivus pasadensis, 237.
- Hawk, American Sparrow, 308.
 Cooper's, 127, 307.
 Marsh, 307.
 Pigeon, 215.
 Sharp-shinned, 127.
 Socorro Red-tail, 316.
 Swainson's, 61, 308.
 Western Red-tail, 308.
- Heleodytes brunneicapillus obscurus, 340.
 gularis, 160.

- Heleodytes occidentalis*, 160.
Helminthophila celata lutescens, 18, 129.
 celata sordida, 234, 236.
 pinus, 59.
 rubricapilla gutturalis, 18.
Hemithraupis, 226, 330.
Hemiura leucogastra, 60.
Henninger, W. F., the Pine Warbler (*Dendroica vigorsii*) a breeder in Ohio, 331.
Heron, Great Blue, 126, 316, 318.
 Little Blue, 195.
 Yellow-crowned Night, 316.
Hesperocichla œvia, 131.
Hesperornis, affinities of, 70, 339.
Heteractitis incanus, 127, 315, 316, 318.
Heterospingus, 225.
Himantopus mexicanus, 307.
Hirundo, 271.
 cayennensis, 7.
Histrionicus histrionicus, 126.
Hornaday, William T., notice of his 'The Destruction of our Birds and Mammals,' 280.
Howe, Reginald Heber, Jr., the aerial song of the Maryland Yellowthroat, 59; breeding habits of the American Robin (*Merula migratoria*) in eastern Massachusetts, 162-167; the Sea-side Sparrow on Cape Cod in winter, and other notes, 189; a note on the Wood Thrush, 332; notes from Chateaugay Lake, New York, 333.
Hummingbird, Allen's, 235.
 Anna's, 235.
 Black-chinned, 308.
 Broad-tailed, 308.
 Morcom's, 325.
 Rufous, 128.
Hylocichla, 304.
 ustulata almæ, 304-306.
IBIS, Glossy, 50.
 Scarlet, 183.
 White-faced Glossy, 184, 307.
Icteria virens, 332.
 virens longicauda, 22.
Icterus bullocki, 14, 309.
Incapiza, 224.
Ionornis martinica, 195.
JACOBS, J. Warren, late nesting of the Carolina Wren in Monongalia Co., W. Va., 60; notice of his 'Gleanings from Nature, No. 1. Oölogical Abnormalities,' 281.
Jay, Blue, 135, 269, 277.
 Canada, 213.
 Long-crested, 309.
 Pilon, 198, 309.
 Rocky Mountain, 309.
 Steller's, 128.
 Woodhouse's, 309.
Job, Herbert K., the Northern Raven breeding in New England, 55; an uncommon Gull in Massachusetts, 50.
Judd, Sylvester D., protective adaptations of insects from an ornithological point of view (title only), 44.
Junco hyemalis, 61.
 hyemalis carolinensis, 136.
 hyemalis connectens, 16.
 hyemalis oregonus, 128.
 montanus, 321.
 phænotus dorsalis, 310.
Junco, Carolina, 136.
 Montana, 321.
 Oregon, 128.
 Red-backed, 310.
KENNARD, Fred H., unusual nesting site of Kingbird, 268; habits of the Blue Jay, 269.
Killdeer, 27, 307.
Kingbird, 174, 268.
 Arkansas, 309.
 Florida, 178.
Kingfisher, Belted, 127, 234, 308.
Kinglet, Golden-crowned, 214.
 Ruby-crowned, 214, 236.
 Sitkan, 130.
 Western Golden-crowned, 130.
Kingsley, J. S., notice of his paper 'Hair and Feathers,' 207.
Kirkover, H. D., Jr., the Glossy Ibis in Western New York, 50; the Greater Yellow-Legs catching minnows, 51.
Kirkwood, F. C., the Redhead (*Aythya americana*) in post-nuptial plumage in autumn, 50.
Kittiwake, Pacific, 125, 267.
Knot, 62.
LANIUS ardosciaceus, 244, 245.
 borealis, 18, 244.

- Lanius carolinensis*, 244, 245.
 excubitor, 244.
 excubitoroides, 245.
 ludovicianus, 244, 247.
 ludovicianus anthonyi, 261.
 ludovicianus excubitoroides,
 244, 247.
 ludovicianus gambeli, 234,
 235, 261.
 ludovicianus ludovicianus,
 248, 254.
 ludovicianus migrans, 248.
 tyrannus, 179.
 Lano, Albert, Sennett's Nighthawk
 (*Chordeiles virginianus sennetti*)
 at Madison, Minn., 54; Great
 Gray Owl (*Scotiaptex cinerea*) in
 Minnesota, 186.
 Lapwng, 195.
 Lark, Desert Horned, 309.
Larus argentatus smithsonianus, 49.
 atricilla, 76, 168.
 canus, 198.
 glaucescens, 125, 230
 glaucus, 50, 61.
 occidentalis, 315.
 philadelphia, 125.
 Lee, Oswin A. J., notice of his
 'Among British Birds in their
 Nesting Haunts,' 334.
 Lemmon, Wm. P., Virginia Rail
 killed by striking a telephone
 wire, 51.
Leptotila capitalis, 340.
Leucosticte tephrocotis littoralis,
 15.
 Longspur, Alaskan, 320.
 Kamtschatkan, 320.
 Loon, 124.
 Pacific, 124.
 Red-throated, 124.
Loxia curvirostra bendirei, 4.
 curvirostra minor, 15, 128.
Loxigilla affinis, 322.
 richardsoni, 224.
Lunda cirrhata, 124, 230.
Lysurus, 225.
 MACKAY, George H., the Terns of
 Muskeget Island, Mass., Part IV,
 168-172; Gull Dick, 49; the 1897
 Migration of the Golden Plover
 (*Charadrius dominicus*) and the
 Eskimo Curlew (*Numenius bore-
 alis*) in Massachusetts, 52; the
 Fauna of Muskeget Island—a
 reply, 210.
Macrorhamphus griseus, 62.
 Magpie, American, 274, 309.
 Mailliard, Joseph, Baird's Sand-
 piper (*Tringa bairdii*) on the
 California coast, 51; occasional
 visitants at San Geronimo (Nica-
 sio Township), Marin Co., Cali-
 fornia, 196; California bird
 notes, 197; notes on the nesting
 of the Fork-tailed Petrel (*Ocean-
 odroma furcata*), 230-233.
 Malmgren, Dr. Anders Johan,
 notice of death of, 214.
 Marsh, O. C., notice of his 'The
 Affinities of *Hesperornis*,' 70.
 Martin, Purple, 22, 136, 193.
 Martinet à collier, de Cayenne, 7.
 McCormick, S. M., nesting habits
 of the Robin, 274.
 McGregor, R. C., note on *Speotyto
 cunicularia obscura* Stephens,
 187; young plumages of Mexican
 birds, 264; description of a new
Ammodramus from Lower Cali-
 fornia, 265.
 McLain, Robert B., the California
 Vulture in Santa Barbara Co.,
 Cal., 185; the Rose-breasted Gros-
 beak in California, 190; capture
 of the Short-tailed Albatross on
 the coast of southern California,
 267.
 Meadowlark, Western, 56, 309, 333.
 Mearns, Edgar A., descriptions of
 two new birds from the Santa
 Barbara Islands, southern Cali-
 fornia, 258-264.
Megascops asio bendirei, 4.
 asio trichopsis, 308.
 aspersus, 186.
Melanerpes erythrocephalus, 135.
 formicivorus, 308.
 torquatus, 188, 197.
 wagleri sanctæ-marthæ, 339.
Melanospiza, 224.
Melanotis cærulescens longirostris,
 340.
Meleagris gallopavo, 64.
 gallopavo mexicana, 307.
 sylvestris ellioti, 61.
 sylvestris intermedia, 61.
Melospiza fasciata, 27, 76, 136.
 fasciata merrilli, 16.
 fasciata montana, 310.
 fasciata rufina, 128.
 georgiana, 275.
 incompta, 339.

- Melospiza lincolni*, 128, 189.
 lincolni striata, 129.
Merganser serrator, 126.
Merganser, Red-breasted, 126.
Merriam, C. Hart, *Syrnium occi-*
 dentale caurinum, a new Owl
 from the Puget Sound Region,
 39.
Merriam, Florence A., notice of
her 'Birds of Village and Field,'
206.
Merrill, J. C., in memoriam:
 Charles Emil Bendire, 1-6; notes
 on the Birds of Fort Sherman,
 Idaho (concluded from Vol. XIV),
 14-22; Spotted Sandpiper remov-
 ing its young, 52.
Merula leucauchen, 161.
 migratoria, 137, 162, 274, 332.
 migratoria propinqua, 21,
 130, 311.
 plebius, 161.
 wilsonii, 304.
Micropallas graysoni, 317.
Miller, Gerrit S., Jr., the fauna of
 Muskeget Island—a protest, 75.
Mimodes graysoni, 317.
Mimodes, Grayson's, 317.
Mimus gracilis, 159.
 gracilis lawrencei, 159.
 polyglottos, 59, 197, 234, 236,
 333.
Mitchell, Walton I., the summer
 birds of San Miguel County,
 New Mexico, 306-311.
Mitrospingus, 225.
Mockingbird, 59, 236, 333.
Mojsisovics, Dr. Felix George Her-
man August, notice of death of,
215.
Molothrus ater, 14, 309.
Montgomery, Thomas H., Jr.,
notice of his 'A List of the
Birds of the Vicinity of West
Chester, Chester Co., Pa.,' 72.
Moore, Willie H., Lincoln's Spar-
row in New Brunswick, 189;
 Long-billed Marsh Wren in New
 Brunswick, 192.
Motacilla sialia, 182.
Murre, Brünnich's, 183, 214.
 California, 125.
Murrelet, Ancient, 197.
 Marbled, 49, 124.
 Xantus's, 197.
Myiadestes townsendii, 21, 197, 311.
Myiarchus crinitus, 179.
Myiarchus crinitus boreus, 179.
Myiopagis placens minimus, 340.
Myiospiza, 224.
NELSON, E. W., with Bob-white
in Mexico, 115-122; notes on
certain species of Mexican birds,
155-161; the Imperial Ivory-
billed Woodpecker, *Campepha-*
 lus imperialis (Gould), 217-223;
notice of his papers describing
new birds from Mexico, 339.
Nesomimus, 208.
New York Zoölogical Society, its
work and plans, 79.
Nighthawk, 135.
 Sennett's, 54.
 Western, 308.
Noddy, Ridgway's, 316.
Nowotny, Dr., the breeding of the
 Carolina Paroquet in captivity,
 28-32.
Nucifraga columbiana, 309.
Numenius borealis, 52.
Nutcracker, Clark's, 309.
Nuthatch, Brown-headed, 180.
 Florida Brown-headed, 180.
 Pigmy, 311.
 Red-breasted, 137.
 Slender-billed, 311.
 White-bellied, 145.
Nycticorax violaceus, 316.
Nyctidromus albicollis insularis,
 340.
OBERHOLSER, Harry C., description
of a new *Amazilia*, 32-36; some
notes on Liberian birds (title
only), 45; *Colinus virginianus*
in peculiar plumage, 184; *Ama-*
 zilia cerviniventris chalconota—
a correction, 188; description of
a new North American Thrush,
303-306.
Oceanodroma furcata, 124, 230-233.
 homochroa, 143.
 leucorhoa, 50, 125, 231, 232,
 233.
 kaedingi, 37, 314, 316, 317.
 macroactyla, 141.
 melania, 141, 142, 144.
 socorroensis, 58, 141, 142,
 144.
Oidemia deglandi, 126.
 perspicillata, 126.
Oreophasis derbianus, 156.
Oreortyx pictus, 22.

- Oreospiza chlorura*, 310.
Oriole, Bullock's, 309.
Oropendola, Cassin's, 327.
Ostinops guatimozinus, 326.
Otocoris alpestris arenicola, 309.
 Owen, Charles C., the American
 Egret at Maplewood, N. J., 51.
Owl, Burrowing, 187, 234, 308.
 Clarion Burrowing, 318.
 Grayson's Elf, 317.
 Great Gray, 186.
 Mexican Screech, 308.
 Muskeget, 211.
 Short-eared, 77, 210, 211, 234,
 308.
 Spotted, 308.
 Western Horned, 71.
 Western Spotted, 39.
Oyster-catcher, Black, 127, 230.
PACHYRAMPHUS major, 156.
 Palmer, William, our small eastern
 Shrikes, 244-258.
Panyptila cayennensis, 7.
 sancti-hieronymi, 7.
Paroquet, Carolina, 28.
 Short-footed, 317.
Partridge, Gambel's 307.
 Valley, 234.
Parus atricapillus, 20, 137, 144, 150.
 bicolor, 181, 213.
 bicolor floridanus, 181.
 gambeli, 21, 311.
 hudsonicus, 213.
 meridionalis, 160.
 rufescens, 21, 130.
 sclateri, 160.
 (*Lophophanes*) *bicolor flori-*
 danus, 181.
Passer domesticus, 136, 193.
Passerella iliaca megarhyncha, 235.
 iliaca schistacea, 17.
 iliaca unalaschensis, 129, 235.
Passerina, 323.
 amœna, 17.
 hyperborea, 324.
 nivalis, 324.
 nivalis townsendi, 324.
 Pearson, T. Gilbert, an addition
 and a correction to the list of
 North Carolina birds, 275.
Penelopina nigra, 156.
Perisoreus canadensis, 213.
 canadensis capitalis, 309.
Petrel, Fork-tailed, 125, 230-233.
 Guadeloupe, 142.
 Kaeding's, 143, 314, 316, 317.
 Leach's, 50, 125, 231.
 Least, 142.
 Socorro, 141.
Petrochelidon lunifrons, 17, 310.
Peucaea æstivalis botterii, 227.
 arizonæ, 227.
 botterii, 227.
 carpalis, 3.
 mexicanus, 227.
Pewee, 135.
 Wood 135.
Pezopetes, 223.
Phaëthon æthereus, 314, 316, 317.
 americanus, 208.
 flavirostris, 208.
 rubicaudatus, 38, 39.
Phalacrocorax pelagicus robustus,
 230.
Phalænoptilus nuttalli, 308.
Phalarope, Northern, 126.
 Wilson's 268.
Phalaropus lobatus, 126.
Pharomacrus mocinno, 136.
Phœbe, Black, 235.
 Say's, 235, 309.
Phœnicothraupis rubicoides roseus,
 340.
Phœniscoma bidentata, 159.
Pica pica hudsonica, 274, 309.
Picoides americanus, 333.
Picus imperialis, 217.
 pileatus, 176.
Piers, Harry, remarkable ornitho-
 logical occurrences in Nova
 Scotia, 195.
Pigeon, Passenger, 184, 333.
Pinicola enucleator alascensis, 319.
 enucleator californica, 320.
 enucleator canadensis, 320.
 enucleator flammula, 320.
 enucleator kadiaka, 320.
 enucleator montana, 319.
Pipilo aberti, 310.
 carmani, 264, 317.
 clementæ, 73.
 erythrophthalmus, 136, 189,
 190.
 fuscus mesoleucus, 310.
 maculatus, 157.
 maculatus megalonyx, 17,
 235.
 orizabæ, 157.
Pipit, American, 129.
Piranga bidentata, 157, 158, 159.
 faceta, 339.
 ludoviciana, 17.
 sanguinolenta, 157, 158, 159.

- Pitylus*, 223.
 fuliginosus, 223.
 grossus, 223.
 lazulus, 322.
Plagiospiza, 224.
Plectrophenax hyperboreus, 269.
 nivalis, 15.
Plegadis autumnalis, 50.
 guarauna, 184, 307.
 rubra, 183.
Plover, American Golden, 127.
 Belted Piping, 27, 62.
 Golden, 52.
 Mountain, 307.
 Semipalmated, 27, 127.
Polioptila caerulea mexicana, 160.
Polyborus cheriway pallidus, 340.
Poocætes gramineus confinis, 15,
 309.
Poor-will, 308.
Progne sinaloæ, 340.
 subis, 22, 136, 193.
Pseliophorus, 225.
Pseudogryphus californianus, 185.
Publications received, 73, 208, 285,
 341.
Puffin, Horned, 124.
 Tufted, 124, 230.
Puffinus assimilis, 48.
 auricularis, 38, 313, 316, 317.
 cuneatus, 39, 313, 316.
 griseus, 125, 197.
 tenuirostris, 197.
Pyrgisoma kieneri, 156.
 rubricatum, 157.
 rubricatum xantusi, 156.
 xantusi, 156.
Pyrgita peruviana, 321.
Pyrocephalus, 208.
Pyrrhulagra affinis, 322.
 dominicana, 323.
 coryi, 323.
 crissalis, 323.
Pyrrhulagra, Cory's, 323.
 Dominican, 323.
 Haitien, 322.
 St. Vincent, 323.
QUISCALUS *quiscula æneus*, 135.
 macrourus, 269.
RAIL, Virginia, 51.
Rallus virginianus, 51.
Ralph, W. L., note on egg of the
 Marbled Murrelet, 49.
Raven, 55.
 American, 235, 309, 315, 318.
 Raven, Northern, 128, 135.
Recurvirostra americana, 307.
Redhead, 50.
Redstart, American, 332.
Red-tail, Socorro, 316.
 Western, 307.
Reed, J. Harris, the Terns of Great
 Gull Island, N. Y., during 1897,
 40-43; birds nesting under elec-
 tric arc-light hoods, 193; the
 use of hornets' nests by birds,
 193; accidental death of a Hooded
 Warbler (*Sylvania mitrata*), 272;
 nest building under difficulties,
 330.
Regulus calendula, 21, 214, 236.
 satrapa, 214.
 satrapa aztecus, 160.
 satrapa olivaceus, 21, 130,
 160.
Rhodostethia rosea, 183.
Rhodothraupis, 226.
Rhynchospiza, 224.
Richmond, Charles W., the Cay-
 enne Swift, *Panyptila cayennensis*
 (Gmelin), 7-10; description
 of a new species of *Gymnostinops*,
 326; *Tyrannus magnirostris* d'
 Orb. renamed, 330.
Ridgway, Robert, descriptions of
 supposed new genera, species,
 and subspecies of American
 Birds.—I, Fringillidæ, 223-230;
 new species, etc., of American
 Birds.—II, Fringillidæ (con-
 tinued), 319-324; description of
 a new species of Hummingbird
 from Arizona, 325; *Hemithraupis*
 —a correction, 331.
Riparia, 271.
 cinerea, 272.
 europæa, 272.
 riparia, 272.
Rissa tridactyla pollicaris, 125, 267.
Rives, William C., summer birds
 of the West Virginia Spruce
 Belt, 45, 131-137.
Robin, American, 137, 162-167, 274,
 332.
 Western, 130.
Rowley, John, notice of his 'The
 Art of Taxidermy,' 282.
SAGE, John H., Fifteenth Congress
 of the American Ornithologists'
 Union, 43-48; notice of his 'List
 of Birds of Portland, Conn.,' 284.

- Salpinctes obsoletus*, 19, 234, 236, 239, 310, 315.
obsoletus pulverius, 238.
Salvin, Osbert, notice of death of, 286; biographical sketch of, 343.
Sanderson, E. Dwight, the economic value of the White-bellied Nuthatch and Black-capped Chickadee, 144-145.
Sandpiper, Baird's, 27, 51, 126.
 Bartramian, 53.
 Least, 27, 126.
 Pectoral, 27.
 Solitary, 27, 213, 307, 328.
 Spotted, 27, 52, 134, 307, 316.
 Western, 126.
Sapsucker, Red-naped, 196, 308.
 Williamson's, 308.
Sayornis nigricans, 235.
 phœbe, 135.
 saya, 22, 235, 309.
Scolecophagus carolinus, 193.
 cyanocephalus, 14, 309.
Scoter, Surf, 126.
 White-winged, 126.
Scotiaptex cinerea, 186.
Scott, William E. D., notice of his 'Bird Studies, an account of the Land Birds of Eastern North America,' 276.
Scudder, Bradford Alexander, *Ectopistes migratorius*, *Mimus polyglottos*, and *Sturnella magna neglecta* in Bristol Co., Mass., 333.
Seiurus motacilla, 60.
 noveboracensis, 136.
Selasphorus alleni, 235.
 platycercus, 308.
 rufus, 128.
Serripus, 225.
Setophaga miniata flammea, 159.
 picta guatemalæ, 159.
 rutililla, 19, 332.
Shearwater, Dark-bodied, 125.
 Eared, 313, 316, 317.
 Slender-billed, 197.
 Wedge-tailed, 313, 316.
Shrike, California, 235.
 Island, 261.
 Loggerhead, 244, 248.
 Migrant, 248.
 Northern, 244.
Sialia arctica, 21, 311.
 mexicana bairdi, 21, 311.
 sialis, 137, 182.
 sialis grata, 182.
Sialia sialis guatemalæ, 181.
Silloway, P. M., notice of his 'Sketches of Some Common Birds,' 281.
Sitta canadensis, 20, 137.
 carolinensis, 144, 145.
 carolinensis aculeata, 20, 311.
 pusilla, 180.
 pusilla caniceps, 180.
 pygmaea, 20, 311.
Sittasomus sylvioides, 156.
Snipe, Wilson's 195.
Snowflake, McKay's, 269.
Solitaire, Townsend's, 197, 311.
Sparrow, Black Sea-side, 270.
 Chipping, 136.
 Chihuahuan Pileated, 228.
 Clay-colored, 275.
 Curaçao, 321.
 Desert, 229.
 English, 136, 309.
 Field, 136, 330.
 Golden-crowned, 235.
 House, 193.
 Huatusco, 227.
 Intermediate, 235.
 Ipswich, 213.
 Lagoon, 265.
 Laguna, 212.
 Lecote's, 188.
 Lincoln's, 128, 189, 239.
 Mountain Song, 310.
 Pine, 331.
 Richmond's, 228.
 Sage, 58, 190.
 San Benito, 264.
 San Clemente, 230.
 Seaside, 189.
 Song, 27, 136.
 Sooty Song, 128.
 Thick-billed, 235.
 Townsend's, 129, 235.
 Venezuelan, 228.
 White-crowned, 58, 213, 214.
 Western Lark, 309.
 Western Chipping, 310.
 Western Vesper, 309.
Spaulding, F. B., Leach's Petrel at Lancaster, N. H., 50.
Speotyto cunicularia obscura, 187.
 cunicularia hypogæa, 234, 308.
 rostrata, 318.
Sphyrapicus thyroideus, 22, 308.
 varius, 134.
 varius nuchalis, 196, 308.
Spinus pinus, 15.

- Spinus psaltria*, 235, 309.
 tristis, 15, 136, 239-243.
- Spizella monticola ochracea*, 16.
 pallida, 275.
 pusilla, 136, 330.
 socialis, 136.
 socialis arizonæ, 16, 310.
- Sporathraupis*, 330.
- Starling, 55.
- Steganopus tricolor*, 268.
- Stejneger, Leonhard, Ross's Gull (*Rhodostethia rosea*) on Behring Island, 183.
- Stelgidostomus*, 226.
- Sterna antillarum*, 27.
 dougalli, 76, 168.
 fuliginosa, 316.
 hirundo, 76, 168.
 paradisæa, 76, 168.
- Stilt, Black-necked, 307.
- Stone, Witmer, notice of his paper, 'The Genus *Sturnella*,' 70; do. of his paper on the 'Proper name of the Western Horned Owl,' 71; Wilson's Phalarope (*Steganopus tricolor*) at Ocean City, N. J., 268; McKay's Snowflake (*Plectrophenax hyperboreus*) at Bethel, Alaska, 269; *Antrostomus carolinensis* devouring other birds, 330; *Dendroica kirtlandi* in Pennsylvania—a correction, 330.
- Struthiolithus chersonensis*, 338.
- Sturnella magna*, 76.
 magna hoopesi, 70.
 magna mexicana, 70.
 magna neglecta, 14, 56, 309, 333.
- Sturnus vulgaris*, 55.
- Sula cyanops*, 314, 316, 317.
 brewsteri, 314, 316.
 websteri, 314, 316, 317.
- Surber, Thaddeus, two species new to the list of birds found in West Virginia, 61.
- Swainson, William, an unpublished letter of, to John James Audubon, 11-13.
- Swallow, Bank, 25, 194, 272.
 Barn, 129, 136, 193, 194, 318.
 Cliff, 310.
 Eave, 194.
 Tree, 129, 271.
 Violet-green, 310.
 White-bellied, 194.
- Swift, Cayenne, 7-10.
- Swift, Chimney, 135.
 White-throated, 308.
- Sycalis browni*, 339.
- Sylvania canadensis*, 137.
 mitrata, 272.
 pusilla pileolata, 19, 129.
- Symphemia semipalmata*, 62.
- Synthliboramphus antiquus*, 197.
- Syrnium occidentale*, 39, 308.
 occidentale caurinum, 39, 40.
- TACHYCINETA *bicolor*, 17, 129, 271.
 thalassina, 310.
- Tachyphonus cassini*, 225.
 rubrifrons, 225.
 tibialis, 225.
- Tanagra cyanea*, 324.
 ruficollis, 322.
- Tattler, Wandering, 127, 315, 316, 318.
- Teal, Blue-winged, 307.
 Green-winged, 307.
- Tern, Common, 168.
 Least, 27.
 Roseate, 169.
 Sooty, 316.
- Terns of Great Gull Island, N. Y., 40-43; of Muskeget Island, Mass., 168-172.
- Thayer, Abbott H., the underlying principle of protective coloration (abstract), 46.
- Thrasher, Palmer's, 272.
 Southern California, 237.
- Thrush, Alma's, 304-306.
 Bicknell's, 60, 214.
 Dwarf Hermit, 130, 236.
 Gray-cheeked, 214.
 Hermit, 214.
 Louisiana Water, 60.
 Northern Water, 136.
 Olive-backed, 137, 214.
 Russet-backed, 130.
 Varied, 131.
 Wood, 332, 333.
- Thryothorus bewickii spilurus*, 234, 236.
 bewickii leucogaster, 310.
 lætus, 339.
 lawrencii madalenæ, 340.
 ludovicianus, 60, 192, 274.
- Titmouse, Florida Tufted, 181.
 Tufted, 181, 213, 214.
- Totanus melanoleucus*, 51.
 solitarius, 27, 213, 307, 328.
- Towhee, 136, 189, 190.
 Cañon, 310.

- Towhee, Carmon's 317.
 Green-tailed, 310.
 Socorro, 264.
 Spurred, 235.
- Tringa bairdi, 27, 51, 126.
 canutus, 62.
 maculata, 27.
 minutilla, 27, 51, 126.
- Trochilus alexandri, 308.
- Troglodytes ædon, 137.
 ædon aztecus, 310.
 ædon parkmanii, 19.
 hiemalis, 137, 196.
 hiemalis pacificus, 19, 130.
 insularis, 317.
 leucogaster, 60.
 tanneri, 318.
- Tropic Bird, see Bird, Tropic.
- Turdus, alicia, 214.
 alicia bicknelli, 60, 214.
 aonalaschæ, 130, 236.
 aonalaschæ pallasii, 214.
 crinitus, 180.
 fuscescens, 21, 304.
 minimus, 304.
 mustelinus, 332, 333.
 swainsonii, 303.
 ustulatus, 130.
 ustulatus swainsonii, 21, 137, 214.
- Turkey, Mexican, 307.
- Turnstone, 27, 318.
 Black, 127.
- Tryannus cubensis, 330.
 magnirostris, 330.
 tyrannus, 178, 268.
 tyrannus vexator, 178.
 verticalis, 309.
- UNITED Ornithologists of Maine,
 notice of second annual meet-
 ing of, 216.
- Uria lomvia, 183, 214.
 troile californica, 125.
- VANELLUS vanellus, 195.
- Vireo gilvus, 18, 138.
 huttoni obscurus, 138.
 huttoni stephensi, 310.
 hypochryseus sordidus, 340.
 olivaceus, 18.
 philadelphicus, 191, 333.
 solitarius, 136.
 solitarius cassini, 18, 138.
 solitarius plumbeus, 310.
- Vireo, Anthony's, 138.
 Philadelphia, 191, 333.
- Vireo, Plumbeous, 310.
 Solitary, 136.
 Stephens's, 310.
- Vulture, Black, 53, 196.
 California, 185.
 Turkey, 53, 307.
- WARBLER, Alaskan Yellow, 129.
 Audubon's 236.
 Bay-breasted, 275.
 Black-throated Blue, 136.
 Black-throated Gray, 197.
 Black-throated Green, 136.
 Blue-winged Yellow, 59.
 Cairns's, 192.
 Canada, 137.
 Chestnut-sided, 59, 136.
 Connecticut, 193.
 Grace's, 310.
 Grayson's, 317.
 Hooded, 272.
 Kirtland's, 289-293, 331.
 Lutescent, 129, 236.
 Magnolia, 136.
 Mourning, 136.
 Pileolated, 129.
 Townsend's, 129, 197.
 Yellow, 310.
- Warren, Oscar B., some corrections,
 193.
- Whip-poor-will, 332.
- White, G. R., Brünnich's Murre
 (*Uria lomvia*) at Ottawa, Can-
 ada, 183.
- Widmann, O., the great roosts of
 Gabberet Island, opposite North
 St. Louis, Mo., 22-27.
- Willet, 62.
- Williams, W. J. B., the Yellow-
 breasted Chat in Oneida County,
 N. Y., 331.
- Woodpecker, American Three-toed,
 333.
 California, 308.
 Downy, 135.
 Golden-winged, 135.
 Hairy, 134.
 Harris's, 127, 308.
 Imperial Ivory-billed, 217.
 Lewis's, 188, 197.
 Northern Pileated, 176.
 Nuttall's, 196.
 Pileated, 135.
 Red-headed, 135.
 Yellow-bellied, 135.
- Woodruff, Frank M., Lake Michi-
 gan notes, 61.

- Worcester, Dean C., and Frank S. Bourns, notice of their 'Contributions to Philippine Ornithology,' 284.
- Wren, Baird's, 310.
Cañon, 310.
Carolina, 60, 192, 273.
House, 137.
Island, 317.
Long-billed Marsh, 192.
Rock, 236, 237, 310.
San Nicolas Rock, 237, 238.
Tanner's, 318.
Vigors's, 236.
Western House, 310.
Western Winter, 130.
Winter, 137, 196.
- Wright, Mabel Osgood, notice of her 'Birdcraft,' 2d ed., 66.
- XANTHOCEPHALUS xanthocephalus, 193.
- YELLOW-LEGS, 51.
- Yellowthroat, Maryland, 59, 75, 137.
- Young, C. J., the Philadelphia Vireo (*Vireo philadelphicus*), 191.
- ZAMELODIA ludoviciana, 191.
melanocephala, 17, 310.
- Zenaidura clarionensis, 318.
graysoni, 316.
macroura, 234, 307.
- Zonotrichia albicollis, 61.
capensis costaricensis, 321.
leucophrys, 58, 214.
leucophrys intermedia, 16.