

## INDEX TO VOLUME XXIII.

---

[New generic, specific, and subspecific names are printed in **heavy-faced** type.]

- ABBOT, John, unpublished letter of, 365-368.
- Acanthis brewsteri*, 112, 470.  
*linaria*, 102, 145, 313.
- Accipiter atricapillus*, 100, 314, 420.  
*atricapillus striatulus*, 142.  
*cooperi*, 142, 173, 344, 413, 420.  
*velox*, 142, 173, 344, 420.
- Actitis macularia*, 14, 109, 141, 413, 451.
- Actodromas bairdii*, 449.  
*fuscicollis*, 59, 173, 335, 449, 458.  
*maculata*, 59, 141, 449.  
*minutilla*, 59, 141, 449.
- Adams, Chas. C., notice of 'An Ecological Survey in Northern Michigan,' directed by, 354.
- Æchmopterus occidentalis*, 139.
- Aëdon*, 228.
- Ægialitis meloda*, 451.  
*meloda circumcineta*, 273, 452.  
*nivosa*, 384, 452.  
*semipalmata*, 45, 59, 142, 451.
- Aërodramus*, 474.
- Aëronautes melanoleucus*, 76, 414.
- Æstelata hasitata*, 443.
- Agelaius gubernator*, 415.  
*phœniceus*, 45, 155.  
*phœniceus bryanti*, 399.  
*phœniceus caurinus*, 145.  
*phœniceus fortis*, 345, 422.  
*phœniceus neutralis*, 415.  
*tricolor*, 415.
- Agyrtria brevirostris*, 80.
- Aix sponsa*, 140, 444.
- Ajaja ajaja*, 397.
- Alauda spragueii*, 308.
- Alca torda*, 441.
- Alle alle*, 441.
- Allen, Francis H., breeding of the Prairie Horned Lark in eastern Massachusetts, 101; possible breeding of *Junco hyemalis* in Essex County, Mass., 103.
- Allen, J. A., the name of the Western Sandpiper, 97; subgenera, and other matters, 122-125.
- Allenia apicalis* 236.
- Allison, Andrew, notes on the birds of Hancock County, Miss., 44-47; notes from Hancock County, Miss., 232. See also Beyer, Geo. E.
- Amazilis beryllina viola*, 478.  
*graysoni*, 388.
- Amazona albifrons*, 387.  
*albifrons nana*, 478.  
*finschi*, 387.  
*oratrix*, 387.
- American Ornithologists' Union, Twenty-third Congress of, 92-96, 127; meetings of the Committees on the Nomenclature and Classification of North American Birds, and on the Revision of the A. O. U. Code of Nomenclature, 125, 247; Twenty-fourth Congress of, 487.
- Ammodramus caudacutus*, 65.  
*henslowii*, 15.

- Ammodramus maritimus*, 65.  
     *maritimus fisheri*, 65-66.  
     *maritimus macgillivrayi*, 65,  
     226.  
     *maritimus peninsulæ*, 66.  
     *nelsoni*, 65.  
     *nelsoni subvirgatus*, 65.  
*Ampelis cedrorum*, 46, 146, 233,  
     342, 390.  
*Amphispiza belli nevadensis*, 422.  
     *bilineata deserticola*, 422.  
*Anabates certhioides*, 482.  
     *gutturialis*, 482.  
     *ruficaudatus*, 482.  
*Anas acuta*, 309.  
     *boschas*, 140, 219, 444.  
     *breweri*, 308, 310.  
     *carolinensis*, 309.  
     *crecca*, 309.  
     *glocitans*, 310.  
     *obscura*, 154, 218, 444.  
     *obscura rubripes*, 56, 315,  
     444.  
*Anhinga anhinga*, 217.  
*Ani*, 6, 399.  
     Groove-billed, 6, 106, 371,  
     388.  
*Anser albifrons gambeli*, 141, 183,  
     453.  
 Anthony, A. W., random notes on  
     Pacific Coast Gulls, 129-137;  
     where does the Large-billed Spar-  
     row breed? 149-152; stray notes  
     from Alaska, 179-186.  
*Anthus aquaticus*, 300.  
     *pensilvanicus*, 46, 147, 159,  
     341, 342.  
     *pipiens*, 304, 307.  
     *spilonetta*, 304.  
     *spraguei*, 232.  
*Antrostomus carolinensis*, 15, 343.  
     *vociferus*, 22, 174.  
*Aphelocoma californica*, 415.  
     *californica obscura*, 415.  
     *sieberi arizonæ*, 422.  
     *woodhousei*, 422, 465.  
*Aphriza townsendi*, 310.  
*Aquila chrysaëtos*, 62, 142, 314, 420.  
*Aramus giganteus*, 231.  
*Archibuteo ferrugineus*, 420.  
     *lagopus sancti-johannis*, 314.  
*Ardea alba*, 310.  
     *cinerea*, 260.  
     *egretta*, 310.  
     *herodias*, 45, 57, 108, 252-  
     262, 383, 413, 419, 447.  
     *herodias fannini*, 141.  
     *herodias wardi*, 398.  
     *occidentalis*, 307, 397.  
*Ardetta exilis*, 14, 447.  
     *neoxena*, 447.  
*Arenaria interpres*, 59, 335.  
     *morinella*, 59, 335, 452.  
 Arnow, Isaac F., the Seaside Spar-  
     row nesting in bushes, 226.  
*Arquatella maritima*, 449.  
*Asilus*, 229.  
*Asio accipitrinus*, 143.  
     *wilsonianus*, 143, 337, 421.  
*Astragalinus tristis*, 15, 46, 155.  
     *tristis salicamans*, 145, 416  
     *lawrencei*, 416.  
     *psaltria hesperophilus*, 416.  
*Astur fuscus*, 208.  
*Asturina plagiata*, 386.  
*Asyndesmus torquatus*, 144, 421.  
*Attila wighti*, 471.  
 Audubon, John James, letters of,  
     previously unpublished, 194-209,  
     318-334; a bibliography and no-  
     menclator of his ornithological  
     works, 298-312.  
 Audubon, John W., his 'Western  
     Journal: 1849-1850,' announced,  
     128.  
 Audubon Societies, National Asso-  
     ciation of, First Annual Meeting,  
     126; bequest to, 486.  
 Auk, Razor-billed, 441.  
 Auklet, Rhinoceros, 139.  
 Avocet, American, 402, 413, 448.  
*Aythya affinis*, 140, 383, 445.

- Aythya americana*, 140, 444.  
*collaris*, 140, 445.  
*marila*, 140, 445.  
*vallisneria*, 140, 444.
- BÆOLOPHUS bicolor*, 47.  
*inornatus*, 187, 417.  
*inornatus griseus*, 424.  
*inornatus restrictus*, 186-188.  
*wollweberi*, 424.
- Bailey, H. H., ornithological notes from Western Mexico and the Tres Marias and Isabella Islands, 369-391.
- Bailey, Vernon, notice of his 'Birds known to eat the Boll Weevil,' 119.
- Baird, Spencer F., previously unpublished letters of, 194-209, 318-334.
- Baldpate, 140, 327, 332, 419.
- Bangs, Outram, notice of his papers on *Icterus gualanensis* Underwood, and the name of the Panama Green Honey Creeper, 235; notice of his 'The Names of the Passenger Pigeon and Mourning Dove,' 474.
- Barbour, Robt., an Eskimo Curlew captured at sea, 459.
- Bartramia longicauda, 59, 277, 280, 450.
- Batty, J. H., his field work in Mexico for the American Museum of Natural History, 128; obituary of, 356.
- Beard, Dan, Long-eared Owls resident at Flushing, Long Island, N. Y., 337.
- Beaupré, Edwin, unusual nesting site of the Black Duck (*Anas obscura*), 218.
- Beebe, C. William, notice of his 'The Ostriches and their Allies,' 114; notice of his 'Two Bird Lovers in Mexico,' 115; the European Lapwing on Long Island, N. Y., 221; the spring moult of *Larus atricilla*, 454-456.
- Bergtold, W. H., concerning the thick-billed Parrot, 425-428.
- Beyer, Geo. E., and Andrew Allison and Henry H. Kopman, list of the birds of Louisiana, 1-15; 275-282.
- Bird, Bee, 399.  
 Black, 399, 400.  
 Man-o'-War, 372, 375, 382, 397.  
 Molasses, 393.  
 Red, 400.  
 Red-billed Tropic, 372, 374, 375, 378.
- Bishop, Louis B., the European Turnstone in Massachusetts, 335; *Uranomitra salvini* in Arizona, 337; notes from Connecticut, 344.
- Bitterling, 398.
- Bittern, American, 56, 141, 446.  
 Cory's Least, 447.  
 Least, 190, 447.
- Blackbird, 393, 394.  
 Bicolored, 415.  
 Brewer's, 14, 145, 415, 422, 465.  
 Colima Boat-tailed, 390.  
 Common Crow, 300.  
 Florida Red-winged, 45.  
 Northern Red-winged, 422.  
 Red-winged, 5, 155.  
 Rusty, 280, 282, 317, 465.  
 San Diego Red-winged, 415.  
 Tricolored, 415.  
 Yellow-headed, 14, 415, 422.
- Black-head, 332.
- Blain, A. W., Jr., the Michigan Ornithological Club, 347.
- Blake, Francis G., winter record for the Robin in Hanover, N. H., 229.
- Bluebird, 8, 12, 47, 327, 347, 468.

- Bluebird, Chestnut-backed, 425.  
 Bluebird, Mountain, 425.  
     Western, 148, 409, 418.  
 Boat-tail, Colima, 390.  
 Bobolink, 280, 281, 461.  
 Bob-white, 6, 119, 142.  
 Bonasa umbellus, 336, 459.  
     umbellus sabini, 142.  
 Bonhote, J. L., and others, notice of 'Report on the Immigration of Summer Residents [in England and Wales] in the Spring of 1905,' 472.  
 Booby, 6.  
     Blue-footed, 369, 375, 379.  
     Brewster's, 374, 375, 380.  
 Botaurus lentiginosus, 14, 56, 141, 446.  
     stellaris, 236.  
 Bowdish, B. S., some breeding Warblers of Desmarest, N. J., 16-19.  
 Bowles, J. H., a list of the birds of Tacoma, Washington, and vicinity, 138-148.  
 Brachyramphus marmoratus, 139.  
 Bradlee, Thomas S., Audubon's Shearwater and Peale's Petrel breeding in Bermuda, 217.  
 Braislin, William C., the Florida Gallinule nesting on Long Island, N. Y., 189-194.  
 Brant, Black, 141.  
     White-bellied, 446.  
 Branta bernicla glaucogastra, 446.  
     canadensis, 315, 446.  
     canadensis hutchinsi, 141, 446.  
     canadensis minima, 183.  
     canadensis occidentalis, 141.  
 Breninger, George F., notice of death of, 356.  
 Brewster, William, occurrence of the Lapwing (*Vanellus vanellus*) and the Turkey Buzzard (*Cathartes aura*) in Newfoundland, 221; review of his 'Birds of the Cambridge Region of Massachusetts,' 466-470.  
 Brown, Herbert, the Water Turkey and Tree Ducks near Tucson, Arizona, 217.  
 Brown, Nathan Clifford, the Maryland Yellow-throat and Bachman's Finch near Camden, S. C., in winter, 227; a Ruffed Grouse near Camden, S. C., 336; the Titlark at Portland, Me., in spring, 342; a great flight of Robins and Cedar-birds, 342; a new song, 461.  
 Bryant, Walter E., last illness and death of, 376.  
 Bubo virginianus pallescens, 421.  
     virginianus saturatus, 143.  
     virginianus subarcticus, 469.  
 Buffle-head, 140, 332, 445.  
 Bull Bat, 399.  
 Bunting, Black-throated, 279.  
     Indigo, 9, 156, 278, 282.  
     Lark, 423.  
     Lazuli, 146, 417.  
     Painted, 9.  
     Snow, see Snowflake.  
 Bush-Tit, California, 412, 418.  
     Lead-colored, 425.  
     Puget Sound, 148.  
     Sacramento, 418.  
 Buteo borealis, 23, 45.  
     borealis calurus, 142, 414, 420.  
     harrisi, 307, 310.  
     lagopus, 310.  
     latissimus rivieri, 237.  
     lineatus, 173.  
     lineatus alleni, 14, 399.  
     ptypterus, 14, 173, 344.  
     swainsoni, 414.  
     vulgaris, 310.  
 Butorides virescens, 14, 57, 398, 432-436, 447.  
     virescens anthonyi, 235, 413.

- Butler, Amos W., some notes on Indiana birds, 271-274.
- Butorides virescens brunnescens, 235.  
virescens maculata, 235.
- Buturlin, S. A., notice of his 'The Breeding-grounds of the Rosy Gull,' 348.
- Buzzard, Turkey, 221, 366, 399.
- CABANIS, Jean Louis, obituary of, 247; published writings of, 485.
- Cacique, Mexican, 389.
- Calamospiza melanocorys, 423.
- Calcarius lapponicus, 314.  
ornatus, 422.
- Calidris arenaria, 59, 173, 450.
- California Academy of Sciences, destruction of its collections, 358.
- California Audubon Society, 486.
- Callender, J. P., the Redpoll breeding in the Magdalen Islands, 102.
- Callipepla californica, 230.  
californica vallicola, 230.  
squamata, 420.
- Calypte anna, 83, 414.
- Cameron, E. S., nesting of the Great Blue Heron in Montana, 252-262.
- Campophilus imperialis, 426.
- Campylopterus, 79.
- Canvas-back, 140, 444.
- Capercalzie, 477.
- Caprimulgus nuttallii, 308, 309.
- Caracara, Audubon's, 387.  
Tres Marias, 387.
- Carbo floridanus, 307, 309.
- Cardinal, 9, 46, 347.  
Florida, 400.  
Tres Marias, 390.
- Cardinalis, 471.  
cardinalis, 46, 275.  
cardinalis floridanus, 400.  
cardinalis mariæ, 390.
- Carduelis, 471.  
mexicanus, 310.
- Carduelis stanleyi, 308.  
yarrellii, 308.
- Carpenter, Frederic W., an astronomical determination of the heights of birds during nocturnal migration, 210-217; notice of his paper on the 'Development of the Oculomotor Nerve,' etc., 237.
- Carpodacus mexicanus, 390.  
mexicanus frontalis, 416, 422, 465.  
purpureus californicus, 145, 415.
- Carine noctua, 346.
- Cassiculus melanicterus, 389.
- Cassinia, see Delaware Valley Ornithological Club.
- Cat question, the, in Australia, 358.
- Catbird, 160, 277, 279, 280, 282.
- Catharista atrata, 222.  
urub, 45, 386.
- Cathartes atratus, 309.  
aura, 45, 142, 221, 309, 385, 399, 413, 420.  
jota, 309.
- Catherpes mexicanus conspersus, 424, 465.
- Cedar-bird, 342.
- Celeus elegans leotaudi, 471.
- Centurus carolinus, 45, 399.  
elegans, 388.
- Ceophlœus pileatus, 63.  
pileatus abieticola, 144.  
scapularis, 388.
- Cepphus columba, 139, 412.  
grylla, 172, 441.  
mandtii, 441.
- Ceratorrhina monocerata, 139.  
occidentalis, 310.
- Ceratorhyncha occidentalis, 310.
- Certhia familiaris fusca, 160.  
familiaris montana, 424.  
familiaris occidentalis, 148.
- Certhiola atrata, 394.  
godmani, 394.  
saccharina, 393, 394.

- Certhiola wellsi*, 395.  
*Ceryle alcyon*, 143, 421.  
     *cabanisi*, 388.  
     *torquata*, 388.  
*Chachalaca*, 385.  
*Chætura cinereicauda*, 471.  
     *dubia*, 236.  
     *fumosa*, 472.  
     *pelagica*, 70, 74, 174.  
     *spinicauca*, 471.  
     *vauxii*, 144, 224.  
*Chamaea fasciata intermedia*, 187,  
     418.  
     *fasciata henshawi*, 417.  
     *fasciata rufula*, 418.  
*Charadrius dominicus*, 451.  
*Charitonetta albeola*, 140, 445.  
*Chat*, Long-tailed, 147, 390, 403, 417.  
     Yellow-breasted, 9, 19, 279.  
*Chaulelasmus streperus*, 140, 444.  
*Chen caerulescens*, 314, 446.  
     *hyperborea*, 219, 314, 453.  
     *hyperborea nivalis*, 220, 314.  
*Cherrie*, Geo. K., notice of his paper  
     on Birds collected at St. Mat-  
     thews Cocoa Estate, Island of  
     Trinidad, 471.  
*Chewink*, 347.  
*Chibia worcesteri*, 236.  
*Chickadee*, Black-capped, 313, 347.  
     Carolina, 47, 277, 344.  
     Chestnut-backed, 148.  
     Hudsonian, 178, 313.  
     Mountain, 424.  
     Oregon, 148.  
     Santa Cruz, 412, 417.  
*Chlorophanes pizza exsul*, 235.  
*Chlorospingus leotaudi*, 471.  
*Chondestes grammacus*, 46, 103.  
     *grammacus strigatus*, 416,  
     423.  
*Chordeiles virginianus*, 64, 144, 399.  
     *virginianus hesperis*, 414.  
     *acutipennis texensis*, 388.  
*Chrysolampis moschitus*, 82.  
*Chuck-will's-widow*, 279, 281, 343,  
     364.  
*Cinclus americanus*, 304, 311.  
     *mexicanus*, 108, 147.  
     *mortoni*, 304, 308, 311.  
     *schulzi*, 111.  
     *townsendi*, 303, 308, 311.  
*Cinclus*, geographical distribution  
     of, 111.  
*Circus hudsonius*, 142, 413, 420.  
*Cissilopha san-blasiana san-blassi-*  
     *ana*, 389.  
*Cistothorus stellaris*, 47.  
*Clangula clangula americana*, 140,  
     173, 445.  
     *islandica*, 445.  
     *vulgaris*, 310.  
*Clark*, Austin H., notice of his  
     "Birds of the Southern Lesser An-  
     tilles," 113; the West-Indian  
     black forms of the genus *Cæreba*,  
     392-395.  
*Clark*, Hubert Lyman, the feather  
     tracts of Swifts and Humming-  
     birds, 68-91.  
*Clarke*, Wm. Eagle, notice of his  
     'The Birds of the South Orkney  
     Islands,' 350.  
*Coccyoborus caeruleus*, 207.  
*Coccothraustes vespertinus mon-*  
     *tanus*, 465.  
*Coccyzus americanus*, 14, 22, 300.  
     *americanus occidentalis*, 143.  
     *erythrophthalmus*, 300.  
     *minor*, 399.  
     *minor vincentis*, 114.  
     *sp.*, 174.  
*Coeligena clementiæ*, 83.  
*Cœreba atrata*, 392, 393, 394, 395.  
     *luteola*, 394.  
     *saccharina*, 393, 394.  
     *wellsi*, 392, 393, 395.  
*Cœreba*, West Indian black forms  
     of, 392-395.  
*Colaptes auratus*, 45, 232.

- Colaptes cafer collaris, 144, 414, 421.  
cafer saturator, 144.
- Colinus virginianus, 142.
- Collocalia, 474.  
spodiopyga, 72.  
sp., 72.
- Columba carolinensis, 474.  
fasciata, 142, 420.  
flavivestris, 385.  
flavivestris madrensis, 385.  
leucocephala, 398.  
macroura, 474.  
marginata, 474.  
migratoria, 474.  
trudeaui, 309.
- Columbigallina passerina exigua, 236.  
passerina pallescens, 385.  
passerina terrestris, 399.
- Colymbus arcticus, 310.  
auritus, 139, 441.  
glacialis, 367.  
holbcelli, 139, 314, 440.  
richardsoni, 304, 308.
- Compothlypis americana, 157, 465.  
americana usneæ, 174.  
americana ramelinæ, 24.
- Condor, California, 408, 409.
- Contopus richardsonii, 144, 415.  
virens, 20, 154.
- Conurus caniculatus, 388.
- Cooke, Wells W., Swallow-tailed Flycatcher (*Muscivora forficata*) in New Brunswick, 460; the Birds of Wyoming: some corrections, 464.
- Coolidge, P. T., notes on the Screech Owl, 48-55.
- Coot, American, 141, 190, 193, 367, 383, 413, 448.  
Sea, 314.
- Cormorant, 443.  
Baird's, 137, 413.  
Brandt's, 132, 137, 140, 412.  
Double-crested, 274, 443.
- Comorant, Farralone, 132, 137.  
Mexican, 382.  
White-crested, 140.
- Corvus americanus, 307, 432.  
brachyrhynchos, 45, 109, 145, 175.  
brachyrhynchos hesperis, 415.  
brachyrhynchos pascuus, 399.  
cacolotl, 319.  
caurinus, 145.  
columbianus, 310.  
corax principalis, 173, 313.  
corax sinuatus, 173, 313, 415, 422.  
cryptoleucus, 422.  
mexicanus, 389.  
ossifragus, 45.
- Cowbird, 8, 9, 145, 277, 422.  
Bronzed, 389.
- Cowheen, 445.
- Crane, Little Brown, 183.  
Sandhill, 141, 447.  
Whooping, 439.
- Creepers, Brown, 10, 160.  
Rocky Mountain, 424.  
Tawny, 148.
- Creepers, Black West Indian Honey, 392-395.
- Crossbill, American, 145, 176, 313, 339.  
White-winged, 176, 339.
- Crotophaga ani, 4, 399.  
sulcirostris, 4, 106, 388.
- Crow, American, 45, 109, 145, 175.  
California, 415.  
Carrión, 366.  
Fish, 45.  
Florida, 399.  
Mexican, 389.  
Northwest, 145.  
Rain, 399.
- Crow Roost, change in location of a, 429-431.
- Crymophilus fulicarius, 106, 220, 448.  
Cryptoglaux acadica, 100, 337, 344.

- Cryptoglaux acadica scotæ*, 143.  
 Csörgey, Titus, notice of his 'Ornithologische Fragmente aus den Handschriften von Johann Salamon Petényi,' 116.  
 Cuckoo, Black-billed, 300.  
   California, 143.  
   Mangrove, 6, 399.  
   Yellow-billed, 9, 22, 279, 282, 300.  
 Cuculus canorus, 346.  
 Curlew, Bristle-thighed, 184.  
   Eskimo, 61, 274, 451, 459.  
   Hudsonian, 142, 173, 384, 451.  
   Long-billed, 59, 453.  
   Pink, 397.  
 Curruca, 229.  
 Cyanerpes cærulea trinitatis, 471.  
 Cyanocephalus cyanocephalus, 422.  
 Cyanocitta cristata, 45.  
   stelleri, 145.  
   stelleri annectens, 109.  
   stelleri carbonacea, 415.  
   stelleri diademata, 422.  
 Cyanospiza amœna, 146, 417.  
   cyanea, 156, 478.  
 Cygnus passmori, 446.  
 Cypselus vauxi, 225.  
 Cypseli, pterylosis of, 70-77, 244.  
 Cypseloides niger, 71, 75.  
   niger borealis, 144.  
 Cypselus apus, 72, 77.  
   vauxi, 224.  
 DACNIS protonotarius, 300.  
 Dafila acuta, 140, 413, 444.  
 Darter, 367.  
 Dawson, W. Leon, *Chatura vauxi*: a correction, 224; announcement of his work 'The Birds of Washington,' 359.  
 Deane, Ruthven, a northern record for the Swallow-tailed Kite (*Elanoides forficatus*) in Wisconsin, 100; another large flight of Snowy Owls, 100; unpublished letters of John James Audubon and Spencer F. Baird, 194-209, 318-334; Great Gray Owl (*Scotiaptex cinerea*) in Minnesota, 222; unusual abundance of the Snowy Owl, 283-298.  
 Delaware Valley Ornithological Club, review of Proceedings of, 242.  
 Dendragopus canadensis, 313.  
   obscurus fuliginosus, 142.  
 Dendrexetastes devillei, 482.  
 Dendrocincla, 114.  
   anabatina, 114.  
   merula, 481.  
   olivacea lafresnayei, 481.  
 Dendrocygna autumnalis, 218.  
   fulva, 218.  
 Dendroica æstiva, 17, 22, 24, 147.  
   æstiva brewsteri, 417.  
   æstiva sonorana, 424.  
   auduboni, 147, 230, 390, 424, 465.  
   auduboni nigrifrons, 230.  
   blackburniæ, 24, 158.  
   cærulescens, 22, 24.  
   castanea, 20, 24, 157, 174.  
   cerulea, 24.  
   coronata, 15, 23, 24, 46, 147, 157.  
   discolor, 105.  
   dominica, 158.  
   maculosa, 24, 157.  
   nigrescens, 147, 424.  
   occidentalis, 147.  
   palmarum, 15, 23, 24, 158, 345.  
   palmarum hypochrysea, 46, 158.  
   pensylvanica, 17, 24, 157.  
   striata, 20, 23, 24, 157.  
   tigrina, 105.  
   townsendi, 147.



- Dendroica vigorsii*, 15, 46, 273, 275.  
*virens*, 15, 17, 24, 158.
- Dendromanes*, 114.
- Dendroornis dorbignyana*, 482.  
*obsoleta multiguttata*, 482.  
*rostrispallens*, 483.  
*weddellii*, 482.
- Dickeissel, 9.
- Diomedea fusca*, 307.  
*nigripes*, 308.
- Dipper, American, 108, 147.
- Dippers, geographical distribution of, 111.
- Dolichonyx oryzivorus*, 461.
- Dove, 399.  
 Florida, 399.  
 Mexican Ground, 385.  
 Mourning, 13, 45, 142, 336, 385, 399, 413, 420, 474.  
 Tobacco, 399.  
 White-winged, 6, 385.
- Dovekie, 314, 441.
- Dowitcher, 7, 449.  
 Long-billed, 141, 449.
- Dryobates borealis*, 14, 45, 62.  
*maynardi*, 163, 169.  
*maynardi piger*, 169.  
*pubescens*, 45, 101.  
*pubescens gairdneri*, 143.  
*pubescens turati*, 414.  
*scalaris bairdi*, 421.  
*scalaris graysoni*, 388.  
*villosus*, 164-171, 266.  
*villosus auduboni*, 45, 163, 167, 171.  
*villosus harrisi*, 143, 163, 168, 171, 266.  
*villosus hyloscopus*, 167, 171, 266, 414, 421.  
*villosus intermedius*, 163, 169, 266.  
*villosus jardini*, 168, 266.  
*villosus leucomelas*, 163, 166, 171, 265.  
*villosus monticola*, 163, 168, 171.
- Dryobates villosus piger*, 163, 169.
- Duck, American Scaup, 140.  
 Autumnal Tree, 218.  
 Black, 154, 218, 315, 332, 444.  
 Canvas-back, 140.  
 Fulvous Tree, 218.  
 Harlequin, 140, 445.  
 Lesser Scaup, 140, 383, 445.  
 Long-tailed, 7, 314.  
 Masked, 335.  
 Old-squaw, 140.  
 Pintail, 7, 140, 413.  
 Redhead, 140.  
 Red-legged Black, 56, 444.  
 Ring-necked, 140, 332, 445.  
 Ruddy, 332, 446.  
 Scaup, 203, 445.  
 South-southerly, 332.  
 Summer, 332.  
 Wood, 140, 444.
- Dunlin, American, 273.
- Dwight, Jonathan, Jr., status and plumages of the White-winged Gulls of the genus *Larus*, 26-43; first capture of Townsend's Solitaire (*Myadestes townsendi*) on Long Island, N. Y., 105;
- Dyche, L. L., the Red Phalarope (*Crymophilus julicarius*), a new bird for the Kansas list, 220.
- Dyke, Arthur C., nest of Saw-whet Owl at Bridgewater, Mass., 237.
- Dysithamnus affinis andrei*, 471.
- EAGLE, Bald, 222.  
 Golden, 62, 142, 258, 314, 420.  
 Northern Bald, 143.
- Ectopistes macroura*, 475.  
*migratorius*, 61, 273.
- Edoliasoma elusum*, 236.
- Egret, American, 383, 447, 457.  
 Reddish, 7.
- Egretta candidissima*, 14.
- Eider, American, 314, 453.

- Eider, King, 445.  
Pacific, 140.
- Eifrig, C. W. G., notes on some northern birds, 313-318.
- Elainea obscura, 481.
- Elanoides forficatus, 62, 100.
- Elanus leucurus, 14.
- Emberiza americana, 310.  
bairdii, 309.  
graminea, 311.  
henslowii, 307.  
leconteii, 309.  
ornata, 310.  
pallida, 312.  
shattuckii, 309.  
townsendii, 112, 307.  
(Zonotrichia) gracilis, 474.
- Empidonax acadicus, 195.  
difficilis, 144.  
flaviventris, 195.  
hammondi, 144.  
minimus, 174, 195.  
traillii, 144.  
traillii alnorum, 195, 235.  
virescens, 154, 195.  
wrightii, 421.
- Ereunetes mauri, 98.  
occidentalis, 58, 97, 141, 384, 450.  
pusillus, 59, 449.
- Erismatura jamaicensis, 446.
- Erithacus, 229.
- Erolia ferruginea, 449.
- Estabrook, A. H., the English Sparrow Problem, 246.
- Eucephala cæruleo-larvata, 80.
- Eugenes fulgens, 82.
- Euphagus carolinus, 45, 317.  
cyanocephalus, 145, 415, 422.
- Eustis, R. S., nesting of the Junco in eastern Massachusetts, 103.
- FALCO bachmanii, 308.  
columbarius, 143, 304, 386.  
columbarius suckleyi, 143.
- Falco feldiggi, 117.  
harlani, 307.  
hyemalis, 304.  
islandicus, 304, 309.  
labradora, 303, 304, 307, 309.  
lagopus, 310.  
lineatus, 304.  
peregrinus anatum, 99, 143, 341.  
richardsoni, 420.  
sacer, 117.  
sparverius, 45, 387.  
sparverius phalcena, 143, 414, 420.  
stanleii, 309.  
stanleyi, 306, 309.  
temerarius, 304, 307.  
washingtonii, 306.
- Falcon, Peregrine, 258.
- Fatio, Victor, announcement of death of, 356; obituary of, 484.
- Finch, Bachman's, 227, 341.  
Brown, 311.  
California Purple, 145, 415.  
House, 390, 407, 416, 422.  
Pine, see Siskin.  
Purple, 10, 468.  
Townsend's, 300.
- Fisher, Walter K., a suggestion, 245.
- Flamingo, American, 397.
- Fleming, James H., an Arctic record for the American White Pelican, 218; Chuck-will's widow and Mockingbird in Ontario, 343; Birds of Toronto, Ontario, Part I, Water Birds, 437-453.
- Flicker, Golden-winged, 45, 232, 347.  
Northwestern, 144.  
Red-shafted, 144, 403, 409, 414, 421.
- Florida cærulea, 14, 57, 398.
- Florisuga mellivora, 69, 79.
- Flycatcher, Alder, 235.  
Ash-throated, 144, 414, 421.

- Flycatcher, Beardless, 460.  
Crested, 9, 13, 278.  
Derby, 389.  
Green-crested, 13, 154, 278.  
Hammond's, 144.  
Lawrence's, 389.  
Least, 281, 468.  
Little Tyrant, 198, 199.  
Olivaceous, 389.  
Olive-sided, 144, 316.  
Small-headed, 312.  
Swallow-tailed, 14, 460.  
Traill's, 144, 281, 321.  
Vermilion, 422.  
Western, 144.  
Wright's, 421.  
Yellow-bellied, 196, 206,  
208.
- Fowler, Henry W., birds observed  
in the Florida Keys, 396-400.
- Fregata aquila, 382, 397.
- Frinca townsendi, 303, 307, 310.
- Fringilla americana, 310.  
bachmani, 307.  
borealis, 310.  
chlorura, 308.  
cinerea, 308.  
cœrulea, 309.  
corulea, 309.  
frontalis, 310.  
grammaca, 312.  
harrisi, 309.  
iliaca, 312.  
laponica, 310.  
lapponica, 310.  
leucophrys, 207.  
lincolni, 307.  
macgillivrayi, 308.  
maculata, 303, 307, 310.  
melanocephala, 310.  
mexicana, 310.  
mortoni, 308.  
psaltria, 310.  
spaltria, 310.  
tephrocotis, 310.
- Fringilla townsendi, 310, 312.
- Fulica americana, 14, 141, 193, 383,  
413, 448.
- Fuligula clangula, 310.  
dispar, 310.  
glacialis, 207.  
marila, 320.  
rufitorques, 320.  
stelleri, 310.
- GADWALL, 140, 444.
- Galeoscoptes carolinensis, 160.
- Gallinago delicata, 14, 141, 448.
- Gallinula galeata, 14, 189-194, 413,  
448.
- Gallinule, Cinereous, 367.  
Florida, 189-194, 413, 448.  
Purple, 367, 448.
- Gannet, 173, 274, 443.
- Gauldin, 398.
- Gavia adamsi, 304.  
arctica, 452.  
imber, 139, 441.  
lumme, 139, 314, 441.
- Geococcyx californianus, 414, 421.
- Geothlypis philadelphia, 22, 24.  
trichas, 275.  
trichas arizela, 147, 417.  
trichas brachidactyla, 18, 20,  
23, 24, 345.  
trichas ignota, 46, 227.  
trichas occidentalis, 424.  
tolmiei, 147.
- Geotrygon linearis, 472.  
venezuelensis, 472.
- Glaucidium gnoma californicum,  
143.  
phalænoides, 387, 478.  
phalænoides ridgwayi, 478.
- Gnatcatcher, Blue-gray, 6, 160, 278.  
Western, 425.
- Godwit, Hudsonian, 335, 450.  
Marbled, 59, 450.
- Golden-eye, American, 140, 332,  
445.

- Golden-eye, Barrow's, 445.
- Goldfinch, American, 46, 155, 282.  
Green-backed, 187, 416.  
Lawrence, 407, 416.  
Willow, 145, 187, 416.
- Goose, American White-fronted,  
141, 453.  
Blue, 446.  
Blue Snow, 314.  
Canada, 446.  
Hutchins's, 141, 446.  
Lesser Snow, 219, 453.  
Snow, 314.  
White-cheeked, 141.
- Gooseander, 332.
- Goshawk, American, 100, 314.  
Mexican, 386.  
Western, 142.
- Grackle, Boat-tailed, 46, 400.  
Bronzed, 433.  
Florida, 9, 46.  
Purple, 300.  
Rusty, 45.
- Grebe, Eared, 312.  
Holbccl's, 139, 314, 440.  
Horned, 139, 441.  
Pied-billed, 45, 56, 139.  
Western, 139.
- Grinnell, Joseph, the status of the  
"San Francisco Titmouse," 186-  
188; questionable records, 229;  
the Catalina Island Quail, 262-  
265.
- Grosbeak, Black-headed, 146, 409,  
423.  
Blue, 203.  
California Black-headed, 417.  
Pine, 173.  
Rose-breasted, 22, 279, 280.  
Western Blue, 390, 404, 417.  
Western Evening, 145, 422.
- Grouse, Oregon Ruffed, 142.  
Ruffed, 241, 236.  
Sharp-tailed, 313.  
Sooty, 142.
- Grus mexicana, 141, 447.
- Guacamayo, 427.
- Guara alba, 14, 383, 397.
- Guillemot, Black, 172, 441.  
Pigeon, 139, 412.
- Guiraca cœrulea lazula, 390, 417.
- Gull, Black-headed, 396.  
Bonaparte's, 130, 131, 139,  
442.  
Burgomaster, 26.  
California, 139, 183.  
Franklin's, 452.  
Glaucous, 26, 30-34, 315,  
442.  
Glaucous-winged, 26, 35, 130,  
131, 139.  
Great Black-backed, 172,  
442.  
Herring, 45, 110, 131, 314,  
442.  
Heermann's, 131, 133, 139,  
369, 372, 375, 377, 412.  
Iceland, 26, 34, 442.  
Ivory, 442.  
Kumljen, 26, 36-41.  
Laughing, 45, 442, 454.  
Nelson's, 26, 41.  
Point Barrow, 26.  
Ring-billed, 45, 131, 172, 442.  
Rosy, 348.  
Sabine, 452.  
Short-billed, 130, 131, 139.  
Western, 130, 131, 134-136,  
139, 369, 372, 377, 412.  
White-winged, 26-43.
- Gullie, 396.
- Gymnogyps californianus, 413.
- Gyrfalcon, 182.
- HÆMATOPUS bachmani, 310.  
frazari, 384.  
ostralegus, 309.  
palliatu8, 58, 309.  
townsendi, 310.
- Haliaeetus leucocephalus, 14, 222.

- Haliaeetus leucocephalus alascanus*, 143.
- Hantzsch, Bernhard, notice of his 'Beitrag zur Kenntniss der Vogelwelt Islands,' 115.
- Haplospiza montosa*, 236.
- Harelda hyemalis*, 140, 173, 314, 445.
- Hartert, Ernst, On the Criticism of Heft III of 'Die Vögel der paläarktischen Fauna,' 120-122.
- Harvie-Brown, J. A., notice of his 'Travels of a Naturalist in Northern Europe,' 117.
- Hathaway, Harry S., the Water-Thrush (*Seiurus noveboracensis*) nesting in Rhode Island, 463.
- Hawk, American Sparrow, 45 387.  
Broad-winged, 173.  
Cooper's, 142, 173, 413, 420.  
Desert Sparrow, 143, 409, 414, 420.  
Duck, 99, 143, 341.  
Ferruginous Rough-legged, 420.  
Fish, 399.  
Florida Red-shouldered, 399.  
Fowl, 399.  
Man-o'-War, 397.  
Marsh, 142, 182, 413, 420.  
Mexican Black, 386.  
Pigeon, 143, 386.  
Red-shouldered, 173.  
Red-tailed, 23, 45.  
Rough-legged, 182, 314.  
Sharp-shinned, 142, 173, 344, 420.  
Swainson's, 414.  
Western Red-tailed, 142, 405, 414, 420.
- Heleodytes brunneicapillus couesi*, 424.
- Helinaia peregrina*, 206.  
rubricapilla, 206.  
solitaria, 206.  
swainsoni, 156, 227.
- Hellmayr, C. E., notice of his 'Birds of the Island of Trinidad,' 470.  
See also Ménégau, A.
- Helminthophaga lawrencei*, 112.  
leucobronchialis, 112.
- Helminthophila bachmani*, 227.  
celata, 46, 157, 344, 424.  
celata lutescens, 147, 465.  
chrysoptera, 24, 104.  
lawrencei, 112, 345.  
leucobronchialis, 112.  
peregrina, 22, 24, 157.  
pinus, 16, 104, 344, 345.  
rubricapilla, 22.  
rubricapilla gutturalis, 147.  
virginia, 424, 465.
- Helmitherus vermivorus*, 157.
- Helodromas solitarius*, 316, 450.
- Hemiprocne acuta*, 75.  
collaris, 75.  
zonaris, 74.
- Hen, Heath, 241.  
Mud, 398.  
Prairie, 237, 241.
- Herodias egretta*, 14, 383, 447, 457.
- Heron, Anthony's Green, 413.  
Big White, 397.  
Black-crowned Night, 57, 277, 447.  
Blue, 397.  
European Blue, 260.  
Great Blue, 45, 108, 252-262, 375, 383, 398, 413, 419, 447.  
Green, 7, 57, 398, 432-436, 447.  
Little Blue, 7, 57, 277, 398.  
Louisiana, 7, 57, 398.  
Northwest Coast, 141.  
Snowy, 7.  
White, 397.  
Yellow-crowned Night, 7, 57, 220, 398, 447, 457.
- Hesperiphona vespertina montana*, 145, 422.
- Heterocnemis*, 471.

- Heteropoda cabanisi*, 97.  
   *mauri*, 97.  
   *minor*, 97.  
   *semipalmata*, 97.  
*Himantopus mexicanus*, 57, 346, 413.  
*Hirundo americana*, 309.  
   *erythrogastra*, 146, 156, 423.  
   *erythrogastra palmeri*, 417.  
   *purpurea*, 311.  
   *rustica*, 309.  
   *serripennis*, 308.  
   *thalassina*, 310.  
*Histrionicus histrionicus*, 140, 445.  
*Hematopus bachmani*, 307, 310.  
   *townsendi*, 307, 310.  
 Holmes, La Rue K., obituary of, 356.  
 Hopkins, F. H., the Bobolink in Colorado, 461.  
 Houghton, C. O., the Masked Duck in Maryland, 235.  
 Howell, Arthur H., notice of his 'Birds that eat the Cotton Boll Weevil,' 475.  
 Hummer, see Hummingbird.  
*Hummingbird*, Allen's, 144, 414.  
   *Anna*, 414.  
   *Broad-tailed*, 109.  
   *Calliope*, 144.  
   *Grayson's*, 388.  
   *Lawrence's*, 389.  
   *Ruby-throated*, 278, 282.  
   *Rufous*, 144.  
*Hummingbirds*, feather tracts of, 77-91, 243.  
 Hunn, John T. Sharpless, notes on birds of Silver City, New Mexico, 418-425.  
 Hunt, Chreswell J., change of location of a Crow roost, 429-431.  
*Hydranassa tricolor ruficollis*, 14, 57, 398.  
   *tricolor rufimentum*, 471.  
*Hydrochelidon surinamensis*, 412.  
   *nigra surinamensis*, 443.  
*Hyllocichla aonalaschkæ pallasii*, 47.  
   *aonalaschkæ slevini*, 418.  
   *fuscescens*, 160.  
   *fuscescens salicicola*, 345.  
   *guttata auduboni*, 425.  
   *guttata nana*, 148.  
   *guttata pallasii*, 160, 174.  
   *ustulatus*, 148, 418.  
*IACHE lawrencei*, 389.  
   *magica*, 478.  
*Ibis*, Brown, 397.  
   *Glossy*, 453.  
   *Scarlet*, 6.  
   *White*, 383, 397.  
   *White-faced Glossy*, 383, 413.  
   *Wood*, 56.  
*Icteria virens*, 19.  
   *virens longicauda*, 147, 390, 417.  
*Icterus abeillei*, 478.  
   *baltimore*, 311.  
   *bullocki*, 145, 415, 422.  
   *cucullatus nelsoni*, 415, 422.  
   *gaulanensis*, 235.  
   *giraudi*, 235.  
   *graysoni*, 390.  
   *parisorum*, 422.  
   *pustulatus*, 390.  
*Ictinia mississippiensis*, 14, 61.  
*Indigo-bird*, 468.  
*Ionornis martinica*, 14, 56, 448.  
*Iridoprogne bicolor*, 146.  
   *bicolor vespertina*, 417.  
*Ixoreus naevius*, 148.  
  
*JACANA*, Mexican, 384.  
*Jacana spinosa*, 384.  
*Jaeger*, Long-tailed, 452.  
   *Parasitic*, 131, 139, 184, 441.  
   *Pomarine*, 452.  
*Jay*, Arizona, 422.  
   *Belding's*, 415.  
   *Black-headed*, 109.

- Jay, Blue, 45, 347.  
     California, 409, 415.  
     Canada, 313, 316.  
     Coast, 412, 415.  
     Florida Blue, 6.  
     Labrador, 313.  
     Long-crested, 422.  
     Oregon, 145.  
     Piñon, 422.  
     San Blas, 389.  
     Steller's, 145.  
     Woodhouse's, 422.
- Jenkins, Hubert O., variation in the  
     Hairy Woodpecker (*Dryobates vil-*  
     *losus* and subspecies), 161-171.
- Judd, Sylvester D., notice of his  
     'The Bobwhite and other Quails  
     of the United States in their  
     Economic Relations,' 119, 241.
- Junco caniceps, 423.  
     hyemalis, 103, 465.  
     hyemalis connectens, 423.  
     hyemalis oregonus, 146.  
     hyemalis pinosus, 416.  
     hyemalis' shufeldti, 146.  
     mearnsi, 423.
- Junco, Gray-headed, 423.  
     Oregon, 146.  
     Pink-sided, 423.  
     Point Pinos, 412, 416.  
     Shufeldt's, 146, 423.  
     Slate-colored, 103, 251, 347.
- KEYS, Charles R., prolific Duck  
     Hawks, 99.
- Kicker, 457.
- Killdeer, 7, 45, 142, 413, 420, 451.
- Killing-peter, 396.
- Kingbird, 8, 13, 67, 144, 278, 281,  
     282.  
     Arkansas, 144, 389, 414, 421.  
     Cassin's, 421.  
     Couch's, 389.  
     Gray, 399.
- Kingfisher, Belted, 143, 414, 421.  
     Great Rufous-bellied, 388.
- Kingfisher, Texan, 388.
- Kinglet, Golden-crested, 327.  
     Golden-crowned, 23, 47, 278,  
     282, 345.  
     Ruby-crowned, 47, 278, 279,  
     282, 425.  
     Sitka Ruby-crowned, 148.  
     Western Golden-crowned,  
     148.
- Kite, Fork-tailed, 281.  
     Mississippi, 61, 281, 312.  
     Swallow-tailed, 100.
- Kittiwake, 314, 442.  
     Pacific, 130, 131.
- Klugh, N. B., a third record for the  
     Prairie Warbler in Canada, 105;  
     the Carolina Wren a summer  
     resident of Ontario, 105.
- Knot, 141, 449.
- Krause, George, his 'Oologia uni-  
     versalis palæarctica,' announced,  
     128.
- LAGOPUS americanus, 308.  
     lagopus, 313.  
     rupestris, 313.
- Lampornis violicauda, 81.
- Lanio lawrenci, 471.
- Lanius borealis, 146, 313.  
     excubitor, 309.  
     ludovicianus, 15, 46.  
     ludovicianus excubitorides,  
     423.  
     ludovicianus gambeli, 417.  
     septentrionalis, 309.
- Lapwing, European, 221.
- Lark, Brown, 300.  
     Horned, 120, 241, 314.  
     Hoyt's Horned, 345.  
     Mexican Horned, 403, 406,  
     415.  
     Prairie Horned, 101, 225,  
     461.  
     Shore, 314.  
     Streaked Horned, 145.
- Larus arcticus, 28.

- Larus argentatus*, 45, 314, 442.  
*atricilla*, 14, 45, 396, 442, 454.  
*barrovianus*, 26, 28.  
*brachyrhynchus*, 139.  
*californicus*, 139.  
*candidus*, 35.  
*canus*, 309.  
*chalconotus*, 41.  
*delawarensis*, 45, 172, 442.  
*franklinii*, 452.  
*glacialis*, 35, 315.  
*glaucescens*, 26, 28, 35.  
*glaucus*, 26, 28, 30-34, 442.  
*heermanni*, 139, 337, 412.  
*hutchinsii*, 30.  
*kumlieni*, 26, 28, 36.  
*leucopterus*, 26, 28, 34, 442.  
*marinus*, 173, 442.  
*nelsoni*, 26, 28, 41.  
*occidentalis*, 139, 308, 337, 412.  
*philadelphia*, 139, 442.  
*zonorhynchus*, 309.  
*Leptasthenura montivagans*, 236.  
*Lestrin parasitica*, 310.  
*parasiticus*, 310.  
*pomarina*, 309.  
*pomarinus*, 309.  
*Leucochloris albicollis*, 82.  
*Leucosticte tephrocotis*, 465.  
 Leverkusen, Paul, obituary of, 247.  
*Limosa fedoa*, 59, 450.  
*hæmastica*, 335, 450.  
 Limpkin, 231.  
*Linaria pinus*, 207.  
*tephrocotis*, 310.  
*Linota borealis*, 310.  
*Longspur*, Chestnut-collared, 422.  
 Lapland, 184, 314.  
*Loon*, 139, 314, 368, 441.  
 Black-throated, 452.  
 Red-throated, 139, 314, 441.  
*Lophodytes cucullatus*, 140, 444.  
*Lophortyx californica vallicola*, 263, 413.  
*californicus*, 142, 413.  
*Lophortyx catalinensis*, 262.  
*douglasi*, 384.  
*gambeli*, 420.  
 Louis d'Or, 394.  
*Loxia curvirostra minor*, 145, 176, 313, 339.  
*leucoptera*, 174, 339.  
*mexicana*, 474.  
 Lucas, F. A., the speed of birds, 480.  
*Luscinia*, 228.  
*aëdon*, 229.  
*megarhynchus*, 228.  
 MACROPTERYX *coronata*, 72.  
*Macrorhamphus griseus*, 59, 60, 449.  
*scolopaceus*, 59, 141, 449.  
 Magpie, American, 145, 439.  
 Maine Ornithological Society, 487.  
 Mallard, 140, 219, 327, 332, 444.  
*Mareca americana*, 140, 444.  
 Marshall, Margeret E., notice of her paper on the anatomy of *Phalænoptilus*, 237.  
 Martin, Purple, 46, 109, 146, 277, 423.  
 Western, 417.  
 McAtee, W. L., notice of his 'The Horned Larks in their Relation to Agriculture,' 120, 241; notice of his 'Ecological Notes on Birds occurring within a radius of five miles of the Indiana University Campus,' 237; the shedding of the stomach lining by birds, 346; Virginia creeper as a winter food for birds, 346.  
 McGregor, Richard C., notice of papers by on Philippine birds, 235.  
 McGregor, Richard C., and Dean C. Worcester, notice of their 'Hand-List of the Birds of the Philippine Islands,' 472.  
 McKechnie, F. B., a late spring record for the Yellow Rail (*Por-*



- zana noveboracensis*) in Massachusetts, with remarks on the 'ornithological mystery,' 457.
- Meadowlark, 13.  
    Southern, 6, 8, 155.  
    Western, 145, 415, 422.
- Meeker, Jesse C. A., a male Golden-winged Warbler (*Helminthophila chrysoptera*) mated with a female Blue-winged Warbler (*H. pinus*) at Bethel, Conn., 104.
- Megaquiscalus major, 46.  
    major obscurus, 390
- Megascops asio, 48-55, 316.  
    asio bendirei, 414.  
    asio cineraceus, 421.  
    asio kennicottii, 143.
- Melanerpes erythrocephalus, 14, 45.  
    formicivorus, 421.  
    formicivorus bairdi, 414.
- Meleagris gallopavo, 300.
- Mellisuga minima, 84.
- Melopelia leucoptera, 385.
- Melospiza cinerea cooperi, 416.  
    cinerea heermanni, 416.  
    cinerea melodia, 156.  
    cinerea morphna, 146.  
    cinerea sanctæcrucis, 416.  
    georgiana, 156, 174.  
    lincolni, 174, 423.  
    lincolni striata, 474.
- Ménégaux, A., and C. E. Hellmayr, notice of their studies of the Passeres Tracheophones of the Paris Museum, 351-353; the supposed types in the Lafresnaye Collection, 480-483.
- Merganser americanus, 140, 418, 443.  
    serrator, 140, 443.
- Merganser, American, 140, 443.  
    Hooded, 140, 332, 444.  
    Red-breasted, 140, 443.
- Mergullus antiquus, 310.
- Mergus cucullatus, 311.
- Merlin, Black, 143.
- Merlin, Richardson's, 420.
- Merriam, C. Hart, notice of his 1905 report as Chief of the Biological Survey, 248.
- Merula migratoria, 15, 47, 148, 229, 314, 342.  
    migratoria propinqua, 148, 425.
- Michigan Ornithological Club, annual meeting of, 347.
- Micropalama himantopus, 449.
- Microptera americana, 308.
- Micropus æquatorialis, 77.  
    caffer streubeli, 77.  
    melba, 77.
- Miller, W. DeW., occurrence of *Progne chalybea* in Texas, 226; breeding of the Savanna Sparrow (*Passerculus sandwichensis savanna*) in southern New Jersey, 340; notice of his papers on Birds collected in Southern Sinaloa, and in Durango, 478.
- Mimus polyglottos, 46, 344, 400.  
    polyglottos leucopterus, 390, 417, 424.
- Mionectes oleagineus pallidiventris, 471.
- Mniotilta varia, 16, 24, 156.
- Mocker, 400.
- Mockingbird, 46, 277, 344, 400.  
    Western, 390, 403, 408, 417.
- Molothrus ater, 145, 422.
- Momotus mexicanus, 388.
- Morris, Robert O., the Rough-winged Swallow and Duck Hawk near Springfield, Mass., 341; the Rough-winged Swallow (*Stelgidopteryx serripennis*) nesting near Springfield, Mass., 463.
- Motacilla curruca, 229.  
    rubecula, 229.  
    sibillatrix, 229.
- Motmot, Rufous-crowned, 388.
- Murre, 452.  
    Brünnich's, 314, 441.

- Murre, California, 139, 377, 412.  
 Murrelet, Marbled, 139.  
 Muscicapa acadica, 206.  
     bonapartii, 306.  
     canadensis, 309.  
     cooperi, 309.  
     dominicensis, 309, 311.  
     gilva, 309.  
     inornata, 309.  
     leibii, 206.  
     mitrata, 304,  
     nigricans, 311.  
     olivacea, 481.  
     phœbe, 311.  
     pusilla, 198, 199, 206, 309,  
         311, 321.  
     richardsonii, 311.  
     selbii, 304, 306.  
     sp., 203, 305.  
     traillii, 207, 306.  
     wilsonii, 309.  
 Muscicapara boliviana, 481.  
 Muscivora forficata, 460.  
 Myiadestes townsendi, 105, 148, 425.  
 Myiarchus cinerascens, 144, 414,  
     421, 465.  
     crintus, 465.  
     lawrencei, 389.  
     lawrencei olivascens, 389.  
 Myiodiodes canadensis, 206.  
     wilsonii, 206.  
  
 NASH, C. W., notice of his 'Check  
     List of the Birds of Ontario,'  
     353.  
 Nasica guttatoidea, 352, 481.  
 National Association of Audubon  
     Societies, first annual meeting  
     of, 126; bequest to, 486.  
 Nettion carolinensis, 140, 383, 419,  
     444.  
 Newton, Alfred, notice of his 'Oo-  
     theca Wooleyana,' 118.  
 Nighthawk, 8, 13, 64, 144, 279,  
     282, 399.  
     Pacific, 414.  
 Nighthawk, Texas, 388.  
 Nightingale, 228.  
 Nomonyx dominicus, 335.  
 Norton, Arthur H., the eastern  
     distribution of the Prairie  
     Horned Lark; a question of  
     evidence, 225; occurrence of the  
     Titlark (*Anthus pensilvanicus* in  
     Maine, in spring, 341; a second  
     Yellow-crowned Night Heron  
     (*Nycticorax violacea*) at Port-  
     lande, Me., 457.  
 Nucifraga columbiana, 310.  
 Numenius borealis, 61, 274, 451,  
     459.  
     hudsonicus, 59, 142, 173, 384,  
     451.  
     longirostris, 59, 60, 453.  
 Nuthatch, Brown-headed, 47.  
     Pigmy, 417, 424.  
     Red-breasted, 148.  
     Slender-billed, 148, 424.  
     White-breasted, 47, 345, 347.  
 Nuttallornis borealis, 144, 316.  
 Nyctala tengmalmi richardsoni, 222.  
 Nyctanassa violacea, 57, 398, 447.  
 Nyctea nivea, 100.  
     nyctea, 143, 271-273, 283-  
     298.  
 Nycticorax nycticorax nævius, 14,  
     57, 447.  
     violacea, 220, 457.  
  
 OBERHOLSER, Harry C., notice of  
     his 'A Monograph of the Genus  
     *Dendrocincla* Gray,' 114; the  
     proper generic name for the  
     Nightingale, 228; notice of his  
     'A Monograph of the Genus  
     *Collocalia*,' 473; notice of papers  
     by, on 'An earlier Name for  
     *Melospiza lincolnii striata*,' 'the  
     Specific Name of the Hawk Owls,'  
     and '*Piranga erythromelas* versus  
     *Piranga mexicana*,' 474.  
 Oceanites oceanicus, 350.

- Oceanodroma castro*, 274.  
    *cryptoleuca*, 274.  
    *leucorhoa*, 97, 173.  
    *macrodaetyla*, 185.  
    *melania*, 185, 378.  
    *monorhis chapmani*, 185.  
    *socorroensis*, 185.
- Ocathodromus wilsonius*, 58, 398, 453.
- Oestrelata gularis*, 217.
- Oidemia americana*, 141, 230, 445.  
    *deglandi*, 141, 173, 446.  
    *perspicillata*, 141, 314, 446.
- Olbiorchilus hiemalis pacificus*, 148.
- Old-squaw*, 140, 445, 478.
- Oldys, Henry, see Palmer, T. S.
- Olor buccinator*, 446.  
    *columbianus*, 141, 446.
- Oporornis formosa*, 158, 345.
- Oreortyx pictus*, 142, 245.  
    *pictus plumiferus*, 245.
- Oreospiza chlorura*, 423.
- Oriole*, Arizona Hooded, 408, 415, 422.  
    Baltimore, 279.  
    Bullock's, 145, 402, 407, 415, 422.  
    European Golden, 353.  
    Grayson's, 390.  
    Orchard, 8, 278, 279, 281.  
    Red, 400, 408.  
    Scarlet-headed, 390.  
    Scott's, 422.
- Oriolus galbula*, 353.
- Ornithion imberbe*, 460.
- Oroscoptes montanus*, 424.
- Ortalis vetula maccalli*, 385.
- Orthorhynchus exilis*, 85.
- Osgood, Fletcher, the Towhee nesting in bushes, 462; a Robin's nest without mud, 464.
- Osprey, American, 143, 399.
- Otocoris alpestris*, 314.  
    *alpestris actia*, 415.  
    *alpestris hoyti*, 345.  
    *alpestris occidentalis*, 422.
- Otocoris alpestris praticola*, 101, 225, 461.  
    *alpestris strigata*, 145.
- Oustalet, Emile, obituary of, 355.
- Ovenbird, 18, 24, 158, 279.
- Owl, American Barn, 337.  
    American Hawk, 108.  
    American Long-eared, 421.  
    Arctic Horned, 469.  
    Barn, 420.  
    Barred, 23, 45.  
    Burrowing, 143, 414, 421.  
    California Pygmy, 143.  
    California Screech, 414.  
    Dusky Horned, 143.  
    European Hawk, 474.  
    Great Gray, 222, 316.  
    Hawk, 184, 474.  
    Horned, 387.  
    Kennicott's Screech, 143.  
    Long-eared, 143, 203, 335.  
    Mexican Screech, 421.  
    Northern Spotted, 143.  
    Northwest Screech, 143.  
    Pigmy, 387.  
    Richardson's, 180, 222.  
    Saw-whet, 337.  
    Screech, 48-55, 387.  
    Short-eared, 143, 203.  
    Snowy, 100, 143, 180, 271-273, 283-298.  
    Western Horned, 421.
- Oxyechus vociferus*, 45, 142, 413, 420, 451.
- Oyster-catcher, Frazar's, 384.
- PACHYRAMPHUS niger cinereiventris**, 472.
- Pachysylvia aurantiifrons saturata*, 471.
- Pagophila alba*, 442.
- Palmer, T. S., additional American records of the Ruff, 98; notice of his 'Federal Game Protection — a five years' Retrospect,' 475;

- notice of his 'Game Protection in 1905,' 477.
- Palmer, T. S., Henry Oldys and R. W. Williams, Jr., notice of their 'Game Laws for 1905,' 242.
- Pandion haliaëtus carolinensis*, 14, 143, 399.
- Paroquet, Carolina, 237.
- Parrakeet, Red-and-Blue-headed, 388.
- Parrot, Double Yellow-headed, 387.  
Finsch's, 387.  
Thick-billed, 223, 425-428.  
White-fronted, 387.
- Partridge, California, 142, 230, 413.  
Gambel's, 420.  
Gray, 477.  
Mountain, 142.  
Scaled, 420.  
Valley, 413.
- Parus atricapillus*, 309, 313.  
*atricapillus occidentalis*, 148.  
*carolinensis*, 47, 308, 309.  
*cinctus alascensis*, 181.  
*dejeani*, 121.  
*gambeli*, 424.  
*hudsonicus*, 178, 313.  
*hypermelæna*, 121.  
*palustris*, 121.  
*rufescens*, 148.  
*rufescens barlowi*, 417.  
*rufescens neglectus*, 245.  
*sclateri*, 121.
- Passer domesticus*, 145, 173, 246, 416, 422.
- Passerculus princeps*, 65, 230.  
*rostratus*, 149-152.  
*rostratus sanctorum*, 150.  
*sandwichensis alaudinus*, 145.  
*sandwichensis savanna*, 46, 155, 340.
- Passerella iliaca*, 173.  
*iliaca unalaschensis*, 146.
- Passerina nivalis*, 102, 145.
- Pastor roseus*, 346.
- Patagona gigas*, 69, 80.
- Pavoncella pugnax*, 98, 450.
- Peabody, P. B., his 'Nesting Ways of North American Birds' announced, 359.
- Pediceetes phasianellus*, 313.
- Pelecanus americanus*, 310.  
*californicus*, 382.  
*erythrorhynchos*, 14, 140, 218, 413, 453.  
*fuscus*, 310, 396.  
*occidentalis*, 453.
- Pelican, American White, 140, 402, 413, 453.  
Brown, 396, 453.  
California Brown, 132, 137, 369, 382, 413.  
White, 218.
- Pelecanus americanus*, 307, 310.
- Pelidna alpina pacifica*, 273.  
*alpina sakhalina*, 59, 141, 449.
- Penguin, Ringed, 350.
- Penthestes carolinensis*, 342.
- Perisoreus canadensis*, 316.  
*canadensis nigricapillus*, 313.  
*obscurus*, 145.
- Petényi, Johann Salamon, see Csörgey, T.
- Petrel, Black, 375-378.  
Black-capped, 443.  
Cape, 350.  
Hawaiian, 274.  
Leach's, 97, 173.  
Peale's, 217.  
Snowy, 350.  
Wilson's, 173, 350.
- Petrochelidon lunifrons*, 146, 417, 423.  
*lunifrons tachina*, 479.
- Peuceæ æstivalis*, 15.  
*æstivalis bachmani*, 228, 341.  
*lincolni*, 207.
- Pewee, Western Wood, 415.  
Wood, 9, 20, 154, 278, 281, 282.
- Phaëthon æthereus*, 378.

- Phainopepla, 409, 417.  
*Phainopepla nitens*, 417.  
*Phalacrocorax carbo*, 443.  
     *dilophus*, 274, 443.  
     *dilophus cincinatus*, 140.  
     *floridana*, 311.  
     *leuconota*, 308.  
     *leucurus*, 308.  
     *mexicanus*, 14, 382.  
     *pelagicus resplendens*, 413.  
     *penicillatus*, 140, 412.  
     *resplendens*, 307.  
     *townsendi*, 307.  
*Phalænoptilus nuttalli nitidus*, 237.  
*Phalarope*, Northern, 141, 173, 448.  
     Red, 106, 220, 448.  
     Wilson's, 335, 344, 413, 448.  
*Phalaropus fulicarius*, 310.  
     *lobatus*, 141, 173, 448.  
     *platyrhynchus*, 310.  
*Phaleris cristatella*, 310.  
     *superciliaris*, 310.  
     *superciliata*, 310.  
*Phasianus americanus*, 308.  
     sp., 142.  
Pheasant, Mongolian, 142.  
*Pheugopedius felix*, 391.  
*Pheuticus uropygialis meridensis*,  
     236.  
*Philohela minor*, 14, 59, 174, 448.  
*Philomela*, 229.  
*Phœbe*, 45, 154, 279, 282.  
     Black, 401, 415, 421.  
     Say's, 144, 421.  
*Phyllomyias brevisrostris*, 481.  
*Piaya cayana insulana*, 471.  
*Pica pica hudsonica*, 145.  
*Picoides arcticus*, 174, 316.  
*Picus auduboni*, 164.  
     *carolinus*, 310.  
     *gairdnerii*, 308.  
     *harrisi*, 164, 307, 310.  
     *hirsitus*, 310.  
     *hirsutus*, 310.  
     *hyloscopus*, 164.  
     *jardini*, 166.  
*Picus leucomelas*, 164.  
     *martini*, 307, 310.  
     *phillipsi*, 307, 310.  
     *pileatus*, 310.  
     *pubescens*, 203.  
     *pyrrhonotus*, 308.  
Pigeon, Band-tailed, 142, 420.  
     Passenger, 61, 237, 273, 474.  
     Red-billed, 385.  
     Tres Marias, 385.  
     White-crowned, 398.  
*Pinicola enucleator leucura*, 173.  
Pintail, 7, 140, 183, 444.  
*Pipilo arctica*, 310.  
     *crissalis*, 416.  
     *crissalis senicula*, 416.  
     *erythrophthalmus*, 46, 317.  
     *fuscus mesoleucus*, 423.  
     *maculatus arcticus*, 423.  
     *maculatus atratus*, 416.  
     *maculatus falcifer*, 416.  
     *maculatus megalonyx*, 416.  
     *maculatus oregonus*, 146.  
Pipit, American, 46, 147, 159, 183,  
     280, 282.  
     Sprague's, 14, 232.  
*Piranga erythromelas*, 156.  
     *hæmalea*, 471.  
     *ludoviciana*, 146, 423.  
     *mexicana*, 474.  
     *rubra*, 15, 156.  
*Pitangus derbianus*, 389, 472.  
     *sulphuratus trinitatis*, 471.  
*Plectrophanes ornata*, 310.  
     *smithii*, 309.  
     *townsendi*, 307, 310.  
*Plegadis autumnalis*, 453.  
     *guarauna*, 383, 413.  
Plover, American Golden, 451.  
     Belted Piping, 273.  
     Black-bellied, 142, 173, 384,  
         451, 459.  
     Golden, 183, 184.  
     Piping, 451.  
     Semipalmated, 7, 45, 142,  
         451.

- Plover, Snowy, 384, 452.  
Wilson's, 7, 453.
- Podiceps carolinensis, 309.
- Podilymbus podiceps, 14, 45, 56, 441.
- Polioptila cærulea, 160.  
cærulea obscura, 425.
- Polyborus cheriway, 387.  
cheriway pallidus, 387.
- Poecetes gramineus, 15, 46, 155, 174.  
gramineus affinis, 145.  
gramineus confinis, 423.
- Porzana carolina, 141, 448.  
jamaicensis, 14, 141, 453.  
noveboracensis, 448, 457.
- Procellaria pacifica, 308.  
tenuirostris, 308.
- Progne chalybea, 226.  
subis, 46, 109, 146, 227, 423, 478.  
subis hesperis, 417, 478.
- Protonotaria citrea, 106.
- Psaltriparus minimus, 418.  
minimus californicus, 418.  
minimus saturatus, 148.  
plumbeus, 425, 465.
- Ptarmigan, Rock, 313.  
Willow, 313.
- Ptilogony's townsendi, 307, 310.
- Ptilogonys townsendi, 310.
- Puffinus auduboni, 217.  
cuneatus, 378.  
fuliginosus, 172.  
gravis, 172.
- Pyrocephalus rubineus mexicanus, 422.
- Pyrrhula frontalis, 310.
- QUERQUEDULA cyanoptera, 413, 419.  
discors, 140, 444.
- Quiscalus breweri, 309.  
ferrugineus, 311.  
major, 400.  
quiscula aglæus, 46, 399.
- RAIL, Black, 141, 453.
- Rail, California Clapper, 138.  
Carolina, 141.  
King, 45, 447.  
Little Black, 457.  
Sora, 141, 190, 448.  
Virginia, 141, 190, 447.  
Yellow, 448, 457.
- Ralfe, P. G., notice of his 'The Birds of the Isle of Man,' 240.
- Rallus crepitans, 14.  
crepitans scottii, 398.  
elegans, 45, 307, 447.  
virginianus, 141, 174, 447.
- Raven, American, 145, 237, 415, 422.  
Mexican, 319.  
Northern, 175, 313, 367.  
White-necked, 422.
- Ray, Milton S., a-birding in an auto, 400-418.
- Recurvirostra americana, 413, 448.
- Redhead, 140, 444.
- Redpoll, 102, 145, 181, 313, 314.  
Hoary, 184.
- Redshank, 396.
- Redstart, American, 10, 19, 24, 67, 159, 237, 279, 280, 282.
- Red-wing, Northern, 422.  
Northwestern, 145.  
Thick-billed, 345.
- Regulus calendula, 47, 345, 425.  
calendula grinnelli, 148.  
carbunculus, 307.  
cristatus, 309.  
cuvierii, 306.  
satrapa, 23, 47, 465.  
satrapa olivaceus, 148.  
sp., 200-202.  
tricolor, 309.
- Reiser, Otmar, mention of his 'Ornis Balcanica,' 360.
- Rhincops nigra, 310.
- Rhoads, Samuel N., see Stone, Witmer.
- Rhodostethia rosea, 348.
- Rhynchops nigra, 57, 316.

- Rhynchopsitta pachyrhyncha, 223, 425-428.
- Ricebird, Slate-colored, 364.
- Ridgway, Robert, notice of his 'Some Observations concerning the American Families of Oligomyodian Passeres,' 233.
- Riley, J. H., notices of his papers on new American birds, 236.
- Riparia riparia, 146, 417.
- Rissa tridactyla, 442.
- Roadrunner, 414, 421.
- Robin, American, 10, 47, 148, 183, 229, 276, 277, 278, 282, 314, 327, 342, 464, 470.  
Western, 148, 425.
- Robins, Mrs. Edward, obituary of, 485.
- Ruff, 98, 450.
- SAGE, John H., Twenty-third Congress of the American Ornithologists' Union, 92-96.
- Salpinctes obsoletus, 417, 424.
- Saltator plumbeiceps, 390.
- Saltator, Grayson's, 390.
- Sanderling, 173, 450, 459.
- Sandpiper, Baird's, 449.  
Bartramian, 59, 450.  
Buff-breasted, 451.  
Curlew, 449.  
Least, 141, 384, 449.  
Pectoral, 141, 449.  
Purple, 449.  
Red-backed, 141, 183, 273, 449.  
Semipalmated, 449.  
Solitary, 316, 450.  
Spotted, 109, 141, 413, 451.  
Stilt, 449.  
Western, 58, 97, 141, 384.  
White-rumped, 173, 335, 449, 458.
- Sapsucker, Northern Red-breasted, 144.  
Yellow-bellied, 278.
- Sayornis nigricans, 415, 421.  
phoebe, 45, 155.  
saya, 144, 421.
- Scelateria, 471.
- Scelopax grisea, 310.  
noveboracensis, 310.
- Scoter, American, 141, 231, 445.  
Surf, 141, 446.  
White-winged, 141, 446.
- Scotiaptex cinerea, 222.  
nebulosa, 316.
- Scott, W. E. D., notice of his 'On the probable Origin of Certain Birds,' 112.  
See See, Black, 395.
- Seiurus aurocapillus, 18, 24, 158.  
motacilla, 19, 158.  
noveboracensis, 24, 174, 463.  
noveboracensis notabilis, 158, 345, 424.
- Selasphorus alleni, 144, 414.  
platycercus, 84, 109.  
rufus, 84, 144.
- Setophaga ruticilla, 19, 24, 159.  
ruticilla tropica, 237.
- Sharples, R. P., the Downy Woodpecker, 101.
- Shearwater, Audubon's, 217.  
Greater, 172.  
Sooty, 172.  
Wedge-tailed, 375, 378.
- Shelley, G. E., notice of Part I of Volume V of his 'Birds of Africa,' 353.
- Shoveller, 140, 203, 383, 444.
- Shrike, California, 417.  
Loggerhead, 12, 46.  
Northern, 146.  
White-rumped, 423.
- Shufeldt, R. W., Professor Clark on 'The Feather Tracts of Swifts and Hummingbirds,' 243-245.
- Sialia arctica, 310, 425.  
mexicana, 148.  
mexicana bairdi, 425.  
mexicana occidentalis, 418

- Sialia occidentalis*, 310.  
     *sialis*, 15, 47, 275.  
*Siskin*, Pine, 46, 64, 145, 207, 422.  
*Sitta canadensis*, 148.  
     *carolinensis*, 47.  
     *carolinensis aculeata*, 148,  
     424.  
     *pusilla*, 47.  
     *pygmæa*, 417, 424, 465.  
*Sittasomus amazonus*, 482.  
 Smyth, Ellison A., Jr., Bachman's  
     Finch in Montgomery County,  
     Va., 341.  
*Snipe*, Ring-necked, 398.  
     Wilson's, 141, 183, 448.  
*Snow*, Francis H., two birds new  
     to the avifauna of Kansas, 106.  
*Snowflake*, 7, 102, 145, 313, 314.  
*Solitaire*, Townsend's, 105, 148, 425.  
*Somateria dresseri*, 453.  
     *spectabilis*, 445.  
     *v-nigra*, 140.  
*Sora*, 141.  
*Soree*, 368.  
*Sparrow*, Acadian, 65.  
     Chipping, 8, 10, 46, 317, 390,  
     462.  
     Desert, 423.  
     English, 145, 173, 246, 416.  
     Field, 10, 155, 317.  
     Fox, 10, 173, 183.  
     Golden-crowned, 146.  
     Heermann's Song, 404, 416.  
     House, 416, 422, 468.  
     Ipswich, 65, 231.  
     Large-billed, 149-152.  
     Lark, 46, 103.  
     Lincoln's, 423.  
     Macgillivray's, 65.  
     Nuttall's, 146, 416.  
     Oregon Vesper, 145.  
     Rusty Song, 146.  
     Sage, 423.  
     San Diego Song, 416.  
     Santa Cruz Song, 416.  
     Savannâ, 10, 46, 155, 279,  
     280, 282, 340.  
     Sparrow, Seaside, 5, 226.  
     Song, 10, 155, 251, 468.  
     Swamp, 10, 46, 155, 279, 280,  
     282.  
     Townsend's, 146.  
     Tree, 183.  
     Vesper, 46, 155.  
     Western Chipping, 109, 146,  
     416, 423.  
     Western Lark, 416, 423.  
     Western Savanna, 145.  
     Western Vesper, 423.  
     White-crowned, 10, 314, 423.  
     White-throated, 46, 279, 280,  
     282, 461.  
*Spatula clypeata*, 140, 383, 444.  
*Speotyto cunicularia hypogæa*, 143,  
     414, 421.  
*Sphyrapicus ruber notkensis*, 144.  
     *thyroideus*, 421.  
     *varius*, 14, 174.  
     *varius nuchalis*, 421.  
*Spinus pinus*, 15, 46, 64, 145, 422,  
     470.  
*Spizella pusilla*, 155, 317.  
     *socialis*, 15, 46, 317, 390.  
     *socialis arizonæ*, 109, 146,  
     416, 423.  
*Sprigtail*, 332.  
*Squatarola squatarola*, 142, 173,  
     384, 451.  
*Steganopus tricolor*, 335, 344, 413,  
     448.  
*Stejneger*, Leonhard, notice of his  
     'The Birds of the Genus *Cinclus*  
     and their Distribution,' 111;  
     isolation vs. natural selection,  
     265-270.  
*Stelgidopteryx serripennis*, 146, 341,  
     463.  
*Stellula caliope*, 144.  
*Stephanoxys delalandii*, 85.  
*Stercorarius longicaudus*, 452.  
     *parasiticus*, 139, 441.  
     *pomarinus*, 452.  
*Sterna antillarum*, 14, 57, 377, 396,  
     452.



- Sterna boyssii*, 310.  
*cantiaca*, 310.  
*caspia*, 442.  
*forsteri*, 412, 442.  
*fuliginosa crissalis*, 378.  
*havelli*, 307.  
*hirundo*, 396, 442.  
*maxima*, 377.  
*paradisæa*, 172, 452.  
*trudeauii*, 307.
- Stilt, Black-necked, 57, 346, 402, 413.
- Stone, Witmer, some light on night migration, 249-252; a bibliography and nomenclator of the ornithological works of John James Audubon, 298-312; some unpublished letters of Alexander Wilson and John Abbot, 361-368.
- Stone, Witmer, and Samuel N. Rhoades, notice of a paper by, on Birds and Mammals from the Colorado Delta, Lower California, 234.
- Storer, J. H., Jr., the Black Vulture again in Massachusetts, 222.
- Strix americana*, 308.  
*californica*, 303, 304, 307, 310.  
*cunicularia*, 304, 310.  
*forficata*, 308.  
*noctua*, 310.  
*passerina*, 310.  
*pratincola*, 100, 420.
- Sturnella magna*, 15.  
*magna argutula*, 155.  
*magna neglecta*, 145.  
*neglecta*, 309, 415.
- Sturnus vulgaris*, 346.
- Sucrier, 393, 394.
- Sula bassana*, 173, 274, 443.  
*brewsteri*, 380.  
*nebouxii*, 379.
- Surnia funerea caparoch*, 474.  
*funerea furnerea*, 474.  
*ulula caparoch*, 108.
- Swales, Bradshaw H., three Michigan records, 100; the Carolina Chickadee in Southern Michigan, 342. See also Taverner, P. A.
- Swallow, Bank, 146, 156, 190, 417.  
 Barn, 7, 278, 279, 281, 423.  
 Cliff, 146, 417, 423.  
 Eave, 468.  
 Rough-winged, 146, 190, 341, 463.  
 Tree, 6, 146, 276, 278, 279, 280, 468.  
 Violet-green, 146, 423.  
 Western Barn, 417.  
 Western Tree, 417.
- Swan, Trumpeter, 141, 446.  
 Whistling, 182, 446.
- Swenk, Myron H., some Nebraska bird notes, 108.
- Swift, Black, 144.  
 Chimney, 174, 278, 282.  
 Vaux's, 144.  
 White-throated, 407, 414.
- Swifts, feather tracts of, 68-77, 243.
- Sylvia æstiva*, 304.  
*arctica*, 310.  
*autumnalis*, 304.  
*bachmani*, 307.  
*blackburnia*, 309.  
*blackburniæ*, 309.  
*canadensis*, 304.  
*carbonata*, 306.  
*childrenii*, 304, 306.  
*cœrulea*, 304.  
*delafieldi*, 308.  
*macgillivrayi*, 308, 310.  
*mitrata*, 312.  
*occidentalis*, 310.  
*palmarum*, 304, 309.  
*pardalina*, 309.  
*parus*, 304.  
*petechia*, 304, 309.  
*philadelphia*, 310.  
*pinus*, 304.  
*protonotaria*, 309.  
*protonotarius*, 309.

- Sylvia rara*, 304.  
   *rathbonia*, 307.  
   *roscoe*, 304, 306.  
   *sphagnosa*, 304.  
   *swainsonii*, 307.  
   *trichas*, 304.  
   *troglodytes*, 310.  
   *vigorsii*, 304, 306.  
   *wilsoni*, 312.
- Sylvicola blackburniæ*, 206.  
   *castanea*, 206.  
   *coronata*, 206.  
   *icterocephala*, 206.  
   *maculosa*, 206.  
   *maritima*, 206.  
   *petechia*, 311.  
   *pinus*, 311.  
   *virens*, 206.
- Symphemia semipalmata*, 58, 60, 398.  
   *semipalmata inornata*, 344, 384, 450.
- Synallaxis azaræ*, 481.  
   *frontalis*, 480.  
   *griseiventris*, 481.  
   *ruficapilla*, 481.
- Syrnium varium*, 23, 45.  
   *occidentale caurinum*, 143.
- TACHORNIS *parva*, 75.
- Tachycineta thalassina lepida*, 146, 423.
- Tachyphonus luctuosus*, 471.
- Tanager*, Louisiana, 14, 146, 423.  
   Scarlet, 156, 474.  
   Summer, 9, 156, 278, 281.
- Tangavius æneus æneus*, 389.
- Tantalus fuscus*, 308.  
   *loculator*, 57.
- Tattler, Wandering, 184.
- Taverner, P. A., some more Michigan records, 107; tagging migrants, 232; southeastern Michigan records, 335; Hudsonian Godwit (*Limosa hamastica*) in Ontario, 335.
- Taverner, P. A., and B. H. Swales, Lesser Snow Geese in Michigan and Ontario, 219.
- Teal, Blue-winged, 7, 140, 332, 419, 444.  
   Cinnamon, 402, 413, 419.  
   Green-winged, 140, 183, 327, 332, 383, 444.
- Telmatodytes palustris griseus*, 67.  
   *palustris marianæ*, 67.  
   *palustris paludicola*, 148.
- Tern, Arctic, 452.  
   Black, 281, 402, 412, 443.  
   Black-headed, 393.  
   Caspian, 442.  
   Common, 442.  
   Forster's, 402, 412, 442.  
   Least, 377, 452.  
   Pacific Sooty, 375, 378.  
   Royal, 375, 377.
- Thalassodroma pelagica*, 311.
- Thalurania belli*, 237.  
   sp., 81.
- Thayer, John E., Leach's Petrel inland in Massachusetts, 97; Richardson's Owl in Eastern Massachusetts, 222; eggs and nests of the Thick-billed Parrot (*Rhynchopsitta pachyrhyncha*), 223; nest and eggs of the Beardless Flycatcher (*Ornithion imberbe*), 460.
- Thayer, John E., and Outram Bangs, notice of their 'The Mammals and Birds of the Pearl Islands,' 234; notice of their 'Vertebrata from the Savanna of Panama,' 235.
- Thompson, Frank J., obituary of, 357.
- Thrasher, Brown, 46, 279.  
   California, 417.  
   Curve-billed, 424.  
   Pasadena, 407, 417.  
   Sage, 424.
- Thrush, Audubon's Hermit, 425.

- Thrush, Dwarf Hermit, 148.  
Hermit, 10, 47, 160, 276.  
Monterey Hermit, 418.  
Olive-backed, 282.  
Russet-backed, 148, 412, 418.  
Varied, 148.  
Willow, 345.  
Wilson's 160, 280, 282.  
Wood, 9, 13, 278, 282.
- Thryomanes bewickii, 47.  
bewickii calophonus, 147.  
bewickii leucogaster, 424.  
bewickii spilurus, 147.
- Thryothorus ludovicianus, 47, 105.
- Titlark, 183, 341, 342.  
Brown, 300.
- Titmouse, Bridled, 424.  
Gray, 424.  
Plain, 187, 347, 417.  
San Francisco, 186.  
Tufted, 47, 277.
- Totanus flavipes, 59, 384, 450.  
melanoleucus, 59, 141, 450.  
solitarius, 278.
- Towhee, 6, 46, 317, 462.  
Anthony's, 409, 416.  
Arctic, 423.  
California, 416.  
Cañon, 423.  
Green-tailed, 423.  
Oregon, 146.  
San Diego, 416.  
San Francisco, 416.  
Spurred, 404, 416.
- Townsend, Charles W., the Lark Sparrow in Massachusetts, 103; notes on the birds of Cape Breton Island, 172-179; note on the crop contents of a nestling Mourning Dove (*Zenaidura macroura*), 336.
- Toxostoma curvirostre, 424.  
redivivum, 187, 417.  
redivivum pasadena, 417.  
rufum, 46.
- Trichas philadelphia, 206.
- Tringa canutus, 59, 60, 141, 449.  
maculata, 277, 280.  
minutilla, 384.
- Trochili, pterylosis of, 77-88.
- Trochilus alexandri, 77, 83.  
colubris, 174, 245.
- Troglodytes aëdon, 47.  
aëdon aztecus, 147, 424.  
aëdon parkmani, 417.  
americana, 307.  
bewickii, 207.  
hyemalis, 310.  
ludovicianus, 307.  
obsoleta, 310.  
obsoletus, 310.  
parkmanii, 308.  
palustris, 207.
- Trogon citreolus, 388.
- Trogon, Citreoline, 388.
- Tryngites subruficollis, 451.
- Tufts, Harold F., nesting of Cross-bills in Nova Scotia, 339.
- Turdus apicalis, 236.  
ludovicianus, 306.  
minor, 310.  
montanus, 236.  
nanus, 308, 310.  
solitarius, 207.  
townsendi, 308.  
wilsoni, 311.  
wilsonia, 207.
- Turkey, Water, 217.  
Wild, 237, 241, 300.
- Turnstone, European, 335.  
Ruddy, 452.
- Tyranniscus bolivianus, 481.  
viridissimus, 481.
- Tyrannula nigricans, 311.  
pusilla, 196, 311.
- Tyrannus dominicensis, 399.  
griseus, 309.  
melancholicus couchi, 389.  
tyrannus, 144, 414.  
verticalis, 144, 389, 414, 421.  
vociferans, 421.

- UPUCERTHIA nigrofumosa, 482.  
 Uranomitra cyanocephala, 338.  
     salvini, 337.  
 Uria antiqua, 310.  
     californica, 412.  
     lomvia, 441.  
     townsendi, 307.  
     troile, 452.  
     troile californica, 139, 377.  
 Urubitinga anthracina, 386.
- VANELLUS vanellus, 221.  
 Verrill, A. Hyatt, notice of his  
   paper on the Avifauna of Do-  
   minica, 236.  
 Vireo bartrami, 311.  
     bellii, 309.  
     flavifrons, 21.  
     gilvus, 309, 423.  
     gilvus swainsoni, 146, 417.  
     huttoni obscurus, 147.  
     noveboracensis, 156.  
     noveboracensis maynardi,  
       400.  
     olivaceus, 20, 21, 146, 156.  
     philadelphicus, 22.  
     solitarius, 22, 156, 207.  
     solitarius cassini, 147.  
 Vireo, Anthony's, 147.  
     Blue-headed, 10, 21, 156.  
     Cassin's, 147.  
     Key West, 400.  
     Philadelphia, 22.  
     Red-eyed, 9, 13, 20, 21, 67,  
       146, 156, 278, 282.  
     Warbling, 278, 423.  
     Western Warbling, 146, 417.  
     White-eyed, 6, 9, 13, 156,  
       278.  
     Yellow-throated, 21, 278.  
 Vireosylva olivacea, 67.  
 Vultur atratus, 366.  
     aura, 366.  
 Vulture, Black, 45, 222, 386.  
     California, 413.  
     Turkey, 45, 142, 221, 385,  
       403, 408, 413, 420.
- WARBLER, Audubon's, 147, 390,  
   424.  
     Bay-breasted, 20, 24, 157,  
       280.  
     Black-and-White, 9, 16, 24,  
       156, 279, 280, 282.  
     Blackburnian, 24, 158, 282.  
     Black-fronted, 230.  
     Black-headed Green, 364.  
     Black-poll, 20, 23, 24, 157.  
     Black-throated Blue, 22, 24.  
     Black-throated Gray, 147,  
       424.  
     Black-throated Green, 17,  
       24, 158, 282.  
     Blue-winged, 16, 104, 344.  
     Calaveras, 147.  
     California Yellow, 417.  
     Canadian, 24.  
     Cape May, 105, 109, 438.  
     Cerulean, 24, 278, 279, 280.  
     Chestnut-sided, 17, 24, 157,  
       282.  
     Connecticut, 24, 438.  
     Golden Pileolated, 147.  
     Golden-winged, 24, 104, 439.  
     Hermit, 147.  
     Hooded, 8, 13, 19, 159, 277,  
       278, 282, 439.  
     Kentucky, 9, 158, 278, 344.  
     Lawrence's, 345.  
     Lutescent, 147.  
     Macgillivray's, 147.  
     Magnolia, 9, 24, 157, 282.  
     Mourning, 22.  
     Myrtle, 9, 10, 22, 24, 46, 147,  
       157, 276, 277, 279, 280, 282.  
     Nashville, 22.  
     Orange-crowned, 10, 46, 157,  
       276, 278, 282, 344, 424.  
     Palm, 23, 24, 158, 279, 345.  
     Parula, 8, 13, 157, 277, 282.  
     Pileolated, 417, 424.  
     Pine, 10, 12, 46, 273.  
     Prairie, 105.  
     Prothonotary, 8, 106, 278,  
       300, 439.

- Warbler, Sonora Yellow, 424.  
Swainson's, 8, 156, 227, 278.  
Sycamore, 8.  
Tennessee, 9, 22, 24, 157, 282, 438.  
Townsend's, 147.  
Virginia's, 424.  
Western Parula, 24.  
Worm-eating, 9, 13, 157, 281.  
Yellow, 17, 22, 24, 147, 278, 280, 281, 282.  
Yellow Palm, 46, 158.  
Yellow-throated, 158.
- Water-Thrush, 463.  
Grinnell's, 158, 345, 424.  
Louisiana, 13, 19, 24, 158, 281.
- Waxwing, Cedar, 46, 146, 233, 342, 390.
- Wayne, Arthur T., a contribution to the ornithology of South Carolina, 56-67; moult of the Snowflake (*Passerina nivalis*) 102; date of discovery of Swainson's Warbler, 227; the American Scoter, Limpkin, and Ipswich Sparrow in South Carolina, 231.
- Weber, J. A., the American Egret in the Catskill Mountains, 457; contents of the crop and gizzard of a young Ruffed Grouse, 459.
- Wheelock, Irene G., nesting habits of the Green Heron, 432-436.
- Whip-poor-will, 22.
- Whittaker, J. I. S., review of his 'Birds of Tunisia,' 238.
- Widgeon, American, 444.
- Widmann, Otto, should bird protection laws and their enforcement be in the hands of the National Government? 109.
- Willard, B. G., exceptional eggs of the Bald Eagle (*Haliaeetus leucocephalus*), 222.
- Willet, 7, 398.  
Western, 344, 384, 450.
- Williams, J. B., the Yellow-crowned Night Heron near Toronto, 220.
- Williams, R. W., Jr., further notes on the birds of Leon County, Florida, 153-161. See also Palmer, T. S.
- Wilson, Alexander, unpublished letters of, 361-365.
- Wilsonia mitrata, 19, 159.  
pusilla chryseola, 147.  
pusilla pileolata, 417.
- Wood, J. Claire, autumn Warbler hunting, 20-25; Wayne County, Mich., notes, 344; the White-rumped Sandpiper in Wayne Co., Mich., 458.
- Woodcock, American, 58, 448.
- Woodpecker, Ant-eating, 421.  
Arctic Three-toed, 316.  
Cabanis's, 414, 421.  
California, 409, 414.  
Downy, 45, 101.  
Elegant, 388.  
Gairdner's, 143.  
Grayson's, 388.  
Hairy, 161-171, 265-270.  
Harris's, 143.  
Imperial, 426.  
Ivory-billed, 237.  
Lewis's, 144, 421.  
Mexican Pileated, 388.  
Northern Pileated, 144.  
Pileated, 163.  
Red-bellied, 45, 399.  
Red-cockaded, 12, 45, 62.  
Red-headed, 45, 347.  
Red-naped, 421.  
Southern White-headed, 407, 414.  
Texan, 421.  
Williamson's, 421.  
Willow, 414.  
Yellow-bellied, 278.
- Woodruff, E. Seymour, the Cape May Warbler in Litchfield County Conn., 105; the Prairie Horned

- Lark a summer resident in Connecticut, 461; probable breeding of the White-throated Sparrow in Connecticut, 461.
- Worcester, Dean C., see McGregor, R. C.
- Worthen, Charles K., Swainson's Warbler in Nebraska, 227.
- Wren, Baird's, 424.  
 Bewick's, 47.  
 Cactus, 424.  
 Cañon, 424, 465.  
 Carolina, 47, 105.  
 Happy, 391.  
 House, 47, 280, 282, 468.  
 Long-billed Marsh, 67.  
 Marian's Marsh, 67.  
 Pacific Bewick's, 147.  
 Parkman's, 417.  
 Rock, 411, 417, 424.  
 Short-billed Marsh, 47.  
 Tule, 148.  
 Western House, 147, 424.  
 Western Winter, 148.  
 Winter, 282.  
 Worthington's Marsh, 67.
- Wren-tit, Intermediate, 418.  
 Pallid, 417.  
 Ruddy, 418.
- Wytzman, P., notice of his 'Genera Avium,' Parts I-V, 118.
- XANTHOCEPHALUS xanthocephalus, 415, 422.  
 Xema sabinii, 452.  
 Xenopicus gravirostris, 414.  
 Xiphocolaptes simpliciceps, 482.
- YELLOW-BREAST, 393.  
 Yellow-legs, 384, 450.  
 Greater, 141, 450.  
 Yellow-throat, Florida, 46.  
 Maryland, 227, 281.  
 Northern, 18, 20, 23, 24, 345.  
 Pacific, 147.  
 Western, 424.
- Yungipicus kizuki, 269.  
 nigrescens, 269.  
 seebohmi, 269.
- ZAMELODIA ludoviciana, 22.  
 melanocephala, 423.  
 melanocephala capitalis, 417.
- Zenaidura macroura, 142, 385, 413, 420.  
 carolinensis, 475.  
 carolinensis marginata, 475.
- Zonotrichia albicollis, 46, 461.  
 coronata, 146.  
 leucophrys, 314, 423.  
 leucophrys nuttalli, 146, 416.

## ERRATA.

- Page 141, line 8, for HUTCHIN's read HUTCHINS'S.
- " 145, line 26, for **montanus** read **montana**.
- " 326, line 5 from bottom, for chronometor and watchmaker read chronometer and watch maker.
- " 345, line 1, for Four read Two.
- " 388, line 29, for PILEOLATED read PILEATED.