

shot many years ago, and knows what he is talking about. One specimen was in the possession of the late Mr. Redmond, whose collection of birds I have been unable to locate, and the other bird is supposed to be in the collection of mounted birds now in the possession of a Mr. Bates of Bridesburg, Philadelphia.

The rarity of this species on the Delaware River is at once apparent when it is known to be an extremely rare straggler east of the Alleghanies. The only record of its occurrence in this region is of a bird shot in August, 1851, by John Krider on the marshes below Philadelphia, which is now in the Academy of Natural Sciences of Philadelphia. (Stone, *Birds of Eastern Pennsylvania and New Jersey*, p. 105.)

As I am hunting up data on the status of the Yellow-headed Blackbird in this locality, I may be able to report more fully upon the authenticity of these two occurrences of this rare bird at another time, this note being written principally to attract the attention of ornithologists to the occurrence of the above two birds, so as to secure if possible further information on these doubtful (?) records.—RICHARD F. MILLER, *Harrogate, Philadelphia, Pa.*

Xanthocephalus xanthocephalus in Eastern Cuba.—I beg to report that two specimens of the Yellow-headed Blackbird have been in the yard at San Carlos Estate, Guantanamo, Cuba, for two weeks, where they come daily with a band of *Ptiloxina atrovulacea* and *Agelaius assimilis*, to eat oats with the barn fowl. This is the first record for eastern Cuba according to Dr. Gundlach, who says in his work on Cuban Ornithology, that he knows only of one specimen, which was seen in the market at Havana, among birds that were shot for marketing.—CHARLES T. RAMSDEN, *Guantanamo, Cuba.*

Additional Records of the Evening Grosbeak in Pennsylvania.—I have recently purchased for my collection two mounted specimens of the Evening Grosbeak which were captured near La Anna, Pike Co., Pa., during the winter of 1889–90. The gentleman who had these specimens shot them from a flock of 15–20 and had them mounted. They remained in his possession until I saw them and, recognizing the rarity of the birds, secured them from him. They are a male and female in adult winter plumage and form desirable additions to the meagre list of captures recorded from this State.—RICHARD C. HARLOW, *State College, Pa.*

The Seaside Sparrow (*Passerherbulus maritimus maritimus*) Breeding on the Coast of Georgia near Savannah.—Mr. Gilbert R. Rossignol, Jr., of Savannah sent me four specimens of Seaside Sparrows for identification last summer and which were breeding on Cabbage Island, Warsaw Sound. I have compared these birds, which were taken in May, with specimens of *P. m. macgillivraii* from Charleston taken in autumn, winter, spring