

INDEX TO VOLUME XXXVI.

[New generic, specific and subspecific names are printed in heavy face type.]

- ACANTHIS, 62, 80.
hornemannii exilipes, 272.
linaria, 255.
l. linaria, 521.
l. exilipes, 272.
Acanthiza nana dawsoniana, 143.
pusilla peroni, 310.
Acanthopneuste borealis kennicotti,
407.
Accipiter beniensis, 443.
cooperi, 52.
gentilis atricapillus, 613.
nisus nisus, 510.
velox, 15, 52, 61, 400.
Accipitridæ, 569.
Acmonorhynchus affinis, 442.
Acrocephalus schœnobaenus, 500.
Actitis hypoleucas, 512.
macularia, 12, 61, 348, 399.
Æchmophorus occidentalis, 7, 64,
264.
Ægialitis meloda, 39, 399, 517, 566.
microrhynchus, 559.
nivosa, 39, 399.
semipalmata, 52, 399.
Ægithalos caudatus, 501.
c. pyrenaicus, 310.
Æpyornis maximus, 611.
Æstrelata fisheri, 271.
gularis, 267.
scalaris, 271.
Agelaius icterocephalus, 197.
phœniceus, 197.
p. arctolegus, 269.
p. floridanus, 54, 402.
p. fortis, 253.
p. megapotamus, 611.
p. phœniceus, 253, 387.
thilius, 197.
tricolor, 197.
Agyrtria fimbriata fimbriata, 221.
tobaci, 221.
Aix sponsa, 51.
Ajaja ajaja, 565, 566.
Alabama, birds of, 584.
Alabama Bird Day Book, noticed,
606.
Alaska, birds of, 57–64.
Alauda arvensis arvensis, 508.
minor, 469.
Albatross, Galapagos, 370–372.
Alberta, birds of, 1–21, 248–265, 424.
Alcedo coltartii, 310.
grandis, 442.
ispida ispida, 509.
megalia, 442.
meninting, 310.
scintillans, 310.
Alcella, 596.
Alexander, E. Gordon, hybrid warbler
in Missouri, 579.
Alle, 596.
Allen, Francis H., the Short-eared
Owl in Massachusetts in summer,
109; the æsthetic sense in birds
as illustrated by the Crow, 112–
113; the Blue-winged Warbler
near Boston, 292; the evolution
of bird song, 528–536.
Allen, Glover M., three interesting
Great Horned Owls from New
England, 367–370.
Alterapus, 129.
Aluco pratincola, 400.
Amazilia, 302.
Amblyrhamphus holosericeus, 197.

- American Ornithologists' Union, notice of thirty-sixth stated meeting of, 90-99; announcement of thirty-seventh stated meeting, 453, 635; geographical distribution of membership, 323; life members of, 157.
- American Society of Mammalogists, notice of organization, 451.
- Amphilis*, 302.
- Ammodramus savannarum bimaculatus*, 287.
- Anabazenops variegaticeps*, 273.
- Anas boschas*, 313, 616.
fulvigula fulvigula, 397.
penelope, 471.
platyrhynchos, 8, 50, 397, 511.
rubripes, 50.
rubripes tristis, 560.
superciliosa percna, 599.
undulata, 612.
- Andrews, Roy Chapman, personal mention, 321.
- Andriops gularis gularis*, 196.
g. tamaulipensis, 196.
g. yucatanensis, 196.
- Anhinga anhinga*, 283.
- Anser albifrons*, 10.
- Anseranas semipalmata*, 562.
- Anthus rubescens*, 56, 63, 262, 404, 406.
spinoletta japonicus, 443.
s. rubescens, 406.
spraguei, 262.
trivialis trivialis, 507.
- Antrostomus carolinensis*, 386, 401.
vociferus vociferus, 519.
- Aphelocoma californica oocleptica*, 269.
c. obscura, 272.
c. woodhouseii, 272.
obscura, 272.
woodhouseii, 272.
- Apus apus apus*, 508.
- Aquila chrysaetos*, 18, 61, 265, 293, 421.
- Aquilidae*, 569.
- Ara chloroptera*, 131.
- Aramides cajanea grahami*, 309.
- Arboricola rufogularis annamensis*, 612.
brunneipectus albigula, 612.
- Archibuteo*, 282, 420.
ferrugineus, 17.
lagopus 17.
i. sanctijohannis, 61, 568.
- Archilochus*, 250.
colubris, 37, 401.
- Ardea cinerea*, 510.
herodias, 11, 264.
h. herodias, 51, 398.
- '*Ardea*', reviewed, 143, 616.
- Arenaria interpres morinella*, 105, 400.
- Argentina*, birds of, 438.
- Aristonetta*, 267, 462.
valisineria, 267.
- Arkansas*, birds of, 71, 251.
- Arnold*, W. W.; maggot infested birds, 147-148.
- Arremon rubrirostris*, 602.
- Asio flammeus*, 20, 40, 109, 284, 400.
f. breviauris, 304.
f. bogotensis, 304.
f. sanfordi, 304.
wilsonianus, 20, 70, 109, 283.
- Astragalinus psaltria mexicanus*, 469.
tristis tristis, 255, 402.
- Astur atricapillus*, 15.
a. atricapillus, 293.
tachiro tenebrosus, 443.
- '*Audubon Bulletin*, The,' noticed, 606.
- Audubon*, J. J., bibliography of, 372-380; note on his Labrador trip, 424; portrait of, 617.
- '*Auk*, The,' complete sets of, 634.
- Australia*, birds of, 129, 299, 418, 604, 661.
- Automolus infuscatus*, 219.
cervicalis, 219.

- leucophthalmus **bangsi**, 540.
sclateri, 119.
- 'Avicultural Magazine,' The, reviewed, 141, 310, 614.
- Avocet, American, 12.
- Aythya, 463.
- BÆOLOPHUS**, *bicolor*, 56, 524.
- Bagg, Aaron C., Arctic Three-toed Woodpecker at Southampton, Mass., 421.
- Bailey, Florence Merriam, In memorium: Olive Thorne Miller, 163-169.
- Bailey, Vernon, and Florence M., review of their 'Wild Animals of Glacier National Park,' 434.
- Baird, Cassin and Lawrence, 'Birds of North America,' 428-430.
- Baldpate, 9, 277.
- Ball, Alice E., review of her 'A Year with the Birds,' 435.
- Bangs, Outram, notice of recent papers by, 304; personal mention, 452.
- Bangs, Outram, and Penard, Thomas E., review of their 'Some Critical Notes on Birds,' 601.
- Bangsia, 539.
arciae arciae, 539.
a. cæruleiugularis, 539.
aureocincta, 539.
edwardsi, 539.
melanochlamys, 539.
rothschildi, 539.
- Barbour, T., Evening Grosbeak about Beverly Farms, Mass., 572.
- Barnes, Claude T., Roseate Spoonbill in Utah, 565.
- Bartramia longicauda, 12, 265, 516, 567.
- Basileuterus belli belli, 469.
culicivorus brasherii, 469.
- Beebe, William, review of his 'A Monograph of the Pheasants,' 119-125; review of his 'Jungle Peace,' 130; review of his 'Tropical Wild Life,' 217-225; personal mention, 321.
- Bent, A. C., geographical variation in the Black-throated Loon, 238-242; review of his 'Life Histories of North American Birds. Diving Birds Pygopodes,' 593-595.
- Bergtold, W. H., the Crow in Colorado, 198-205.
- Bhringa remifer peracensis, 310.
- Bicknell, Eugene P., the Short-eared Owl breeding in Massachusetts, 'Bird Notes and News' noticed, 606.
- 'Bird-Lore,' reviewed, 138, 307, 439, 610.
- Bittern, American, 11, 44, 100.
- Blackbird, 498.
Brewer's, 254.
Red-winged, 253, 387.
Rusty, 42, 62, 254.
Yellow-headed, 253, 520.
- Blackcap, 500.
- Blackwelder, Eliot, notes on the summer birds of the upper Yukon region, Alaska, 57-64.
- Blain, Merrill Willis, obituary notice of, 629.
- Blasipus, 596.
- Bluebird, 56, 342, 405, 473, 524.
Mountain, 263.
- Bobolink, 342, 430.
- Bob-white, Florida, 400.
- Bogardus, Charlotte, Upland Plover in New York, 567.
- Bolivia, birds of, 438, 599.
- Bombycilla cedrorum, 259, 523.
garrula, 259.
- Bonasa umbellus, 13, 264, 517.
u. umbellus,
- Botaurus lentiginosus, 11.
- Bourne, Thos. L., notes on *migratory Anatidæ* and *Limicolæ* from western New York, 102-104;

- two recent records of the Horned Lark in western New York, 570.
- Bowdish, B. S., see Philipp, P. B.
- Brachyspiza capensis*, 610.
- Branta canadensis*, 10, 515.
c. *hutchinsi*, 61.
- Brasil, Louis, obituary notice of, 449.
- Brewster, William, notice of death of, 628.
- 'British Birds,' reviewed, 141, 310, 441, 613.
- British Columbia, birds of, 64-74, 424.
- British Guiana, 217-225, 564.
- British Ornithologists' Club, review of the 'Bulletin' of the, 141, 310, 612.
- Brooks, W. Sprague, two interesting additions to the collection of the Boston Society of Natural History, 589; Wood Ibis in Massachusetts, 565.
- Brotogeris ferrugineifrons*, 110.
- Brown, Nathan Clifford, Evening Grosbeaks, at Lakewood, N. J., 573.
- Brown, Thomas, illustrations to Wilson's Ornithology, 623.
- Bryant, Harold C., see Grinnell, Joseph.
- Bubo virginianus*, 21, 265.
v. *heterocnemis*, 367-368.
v. *saturatus*, 62.
v. *subarcticus*, 369.
v. *virginianus*, 53, 519.
v. *wapacuthu*, 368-369.
- Bucco maculatus*, 286.
- Buceros semigaleatus*, 443.
- Buffle-head, 10.
- Bullfinch, 506.
- Bunker, C. D., Harris's Hawk (*Parabuteo unicinctus harrisi*) in Kansas, 283.
- Bunting, Cirl, 507.
Common, 507.
Indigo, 403.
- Painted, 389, 403.
- Reed, 507.
- Snow, 38, 473, 484.
- Burleigh, Thomas D., bird life in south-western France, 497-513.
- Buteo*, 61, 569.
abbreviatus, 568.
albicaudatus, 567.
augur, 420.
borealis borealis, 15, 52.
b. *calurus*, 16, 67.
b. *krideri*, 16.
buteo buteo, 510.
desertorum, 290, 420.
ferox, 420.
jakal archeri, 310.
lagopus lagopus, 420.
leucocephalus, 420.
lineatus alleni, 52.
platypterus, 53, 265, 485, 568.
p. *iowensis*, 272.
swainsoni, 17, 69, 517.
- Buteonidae*, 569.
- Buthraupis*, 536-540.
cucullata cucullata, 538.
c. *cyanonota*, 538.
c. *gigas*, 538.
c. *saturata*, 538.
montana, 538.
- Butorides virescens*, 588.
v. *virescens*, 384.
- Buzzard, Common, 510.
Turkey, 14.
- CACOMANTIS castaneiventris*, 130.
pyrrhophanus vidgeni, 300.
rubicratus eyeri, 130.
- Calcarius lapponicus*, 255, 521.
l. *alascensis*, 62.
ornatus, 255.
pictus, 62.
- Calidris*, 471, 613.
alba, 596.
leucophaea, 596.
- 'California Fish and Game,' noticed, 607.

- California, birds of, 437, 607.
California Academy of Sciences,
notice of, 320.
Called to the Colors, 158.
Callocalia vestita ænigma, 303.
Campephilus malherbii, 286.
Campethera punctata, 303.
 punctuligera, 303.
Canachites canadensis canace, 37.
Canutus, 596.
Canvas-back, 9, 397, 463.
Caprimulgus affinis propinquus,
 303.
 binotatus, 304.
 europæus europæus, 508.
 eximus, 129.
 maerurus, 129.
 nigrescens, 222.
Cardellina rubrifrons, 469.
Cardinal, 55, 388.
 Florida, 403.
Cardinalis cardinalis cardinalis, 55,
 388.
 c. floridanus, 403.
Carduelis carduelis carduelis, 505.
Carpodacus purpureus, 254.
 p. purpureus, 346, 521.
Carpophaga, 312.
Casarca ferruginea, 561.
Casmerodus albus egretta, 557.
 a. albus, 558.
 a. syrmatophora, 558.
 a. timoriensis, 558.
'*Cassinia*' for 1918, reviewed, 602.
Cataponera abditiva, 303.
Catbird, 262, 405, 479.
Catharacta, 418.
 antarctica, 418.
 chilensis, 418.
 lonnbergi, 418.
 maccormicki, 418.
 skua, 418.
Cathartista urubu, 52, 400.
Cathartes aura, 14, 313.
 a. septentrionalis, 517, 567.
Catherpes mexicanus albifrons, 469.
Catoptrophorus semipalmatus, 12.
 s. semipalmatus, 385.
 s. inornatus, 52, 399.
Celebes, birds of, 302, 599.
Celebesia abbotti, 303.
Centropelma micropterum, 597, 610.
Centurus carolinus, 53, 401.
Cercomacra tyranina atrogularis,
 313.
Certhia brachydactyla americana,
 273.
 familiaris, 502.
 f. americana, 56, 273.
Ceryle americana americana, 218.
 alcyon, 248, 401.
 a. alcyon, 53, 62.
Cettia cetti cetti, 500.
Chamæpelia arthuri, 221.
 passerina terrestris, 385, 400.
 rufipennis, 221.
 talpacoti, 221.
Chætura chapmani, 302.
 pelagica, 401.
Chæturellus, 129.
Chæturinæ, classification of, 129.
Chaffinch, 506.
Chamæpetes, 439.
 goudotii antioquiana, 309.
Chamaethlypis, 290.
Chapman, F. M., review of his
 'Our Winter Birds,' 137.
Charadrius, 596.
 cucullatus, 279.
 dominicetus, 13, 265.
 dubius curonicus, 559.
 d. dubius, 559.
 hiaticula hiaticula, 512.
 rubricollis, 279.
Charitonetta, albeola, 10.
Chasiempis sandwichensis, 25.
 gayi, 26.
 slateri, 27.
Chat, Yellow-breasted, 397.
Chaulelasmus streperus, 9, 50, 313,
 397, 616.
Check-Lists, 155.

- Chelidon urbica urbica, 504.
 Chen cærulescens, 562.
 hyperboreus, 10, 262, 515, 562.
 rossi, 562.
 Chicago Ornithological Society, notice of, 158.
 Chickadee, 479, 524.
 Acadian, 43, 481.
 Carolina, 56, 590.
 Hudsonian, 63, 263.
 Long-tailed, 263.
 Short-tailed Mountain, 424.
 Chicken, Prairie, 13.
 Chlidonia, 596.
 Chlidonias, 596.
 Chloris chloris chloris, 505.
 Chloronerpes rubiginosus, 218.
 yucatanensis, 286.
 Chlorophoneus andaryæ, 613.
 Chondestes grammacus, 256.
 Chordeiles virginianus, 250.
 v. chapmani, 401.
 v. virginianus, 62, 519.
 Chroicocephalus, 596.
 Chubb, Charles, review of his 'Notes on Collections in the British Museum, from Ecuador, Peru, Bolivia and Argentina Part I,' 438; Part II, 599.
 Chubb, S. Harmsted, Nashville Warbler (*Vermivora ruficapilla*) in New York in winter, 293; the Cerulean Warbler in the Catskills, 582.
 Chuck-will's-widow, 386, 401.
 Cinclodes **neglectus**, 89.
 Cinnyris ornata microleuca, 600.
 osea butleri, 140.
 Circus æruginosus, 510.
 cayaneus, 82, 510.
 c. hudsonius, 82.
 hudsonius, 15, 37, 52, 61, 67, 82, 400, 517.
 Cissilopha sambasiana nelsoni, 602.
 Cisticola erythrops roseires, 140.
 e. zwaiensis, 140.
 Cistothorus stellaris, 524, 583.
 Clangula clangula americana, 37.
 Climacteris erythrops parsonsi, 441.
 Clypeicterus, 191.
Cnemathraupis, 538.
 eximia chloronota, 538.
 e. eximia, 538.
 Cnemoscopus, 602.
 Coale, H. K., Magpie (*Pica pica hudsonia*) in northeastern Illinois, 113.
 Coccyzus americanus americanus, 100, 386.
 Colaptes auratus, 250, 236.
 a. auratus, 53, 386, 401.
 a. borealis, 250.
 a. luteus, 62, 518, 570.
 cafer, 250.
 collaris, 236.
 hybridus, 236.
 Colinus virginianus floridanus, 400.
 Collinge, W. E., review of his papers on economic ornithology, 136; review of his 'Some Further Investigation on the Food of Wild Birds,' 609.
 Colombia, 439.
 Colorado, birds of, 198-205, 422.
 Columba palumbus palumbus, 511.
 plumbea plumbea, 217.
 Columbus auritus, 7, 50, 60, 170-180, 264, 394.
 holbælli, 7, 64.
 nigricollis, 7.
Compsothlypidæ, 442.
 Compsothlypis americana americana, 390, 404.
 a. usneæ, 43.
 'Condor, The,' reviewed, 138, 308, 440, 611; notice of the Second Ten Year Index, 598.
 Connecticut, birds of, 104, 105, 114, 158, 572.
 Coot, 103, 104, 398, 511.
 American, 11, 102.
 Cophixus, 313.

- Coprotheres, 596.
Coracornis raveni, 303.
Cormorant, Double-crested, 8, 100,
 264, 514.
 Florida, 396, 597.
Corvus affinis, 310, 312.
 americanus, 199.
 brachyrhynchus, 312, 520.
 b. brachyrhynchus, 112, 198–
 205, 252.
 b. caurinus, 84.
 b. hesperis, 84, 198.
 b. pascuus, 54.
 caurinus, 84.
 corax, 252.
 c. europhilus, 269, 293.
 c. principalis, 62, 572.
 cornix judaeus, 612.
 corone corone, 503, 609.
 frugivorus, 199.
 ossifragus, 54, 84, 402, 588.
 rhipidurus, 310.
- Cory, C. B., descriptions of new
birds from South America, 88–89;
new forms of South American
birds and proposed new subgen-
era, 273–276; three new birds
from South America; 540–541.
- Coturnicops noveboracensis, 264.
Cowbird, 253, 307, 474, 520, 588.
Crandall, Lee S., *Sarcidiornis sylvi-*
cola in Venezuela, 419.
Crane, Little Brown, 61.
 Sandhill, 65, 264, 516.
 Whooping, 264.
Crateropus tenebrosus claudaei, 613.
Creciscus coturniculus, 268.
 jamaicensis coturniculus, 268.
 viridis, 222.
Creeper, Brown, 56, 482.
 Tree, 502.
Crocethia, 613.
Crossbill, 38.
 American, 255.
Crow, 112, 252, 307, 473, 484, 520.
 Carrión, 503.
- Fish, 54, 402, 588.
Florida, 54.
Cryptoglaux acadica, 21.
 a. acadica, 518.
Cryptolopha castaneiceps annemen-
 sis, 612.
 malcomsmithi, 612.
 nesophila, 303.
 tephrocephala occularis, 612.
Crypturus, 223–225.
 garleppi affinis, 309.
 variegatus, 225.
Cuckoo, 510.
 Black-billed, 477.
 Yellow-billed, 100, 386.
Cuculus canorus bangsi, 442.
 c. canorus, 510.
 minor, 442.
 orientalis, 569.
 honoratus, 569.
 scolopaceus, 569.
 niger, 569.
Culver, D. E., Duck Hawks winter-
ing in the center of Philadelphia,
108.
Curæus aterrimus, 197.
Curlew, Long-billed, 13.
Cyanerpes cyaneus cyaneus, 222.
Cyanocitta cristata, 251.
 c. cristata, 387, 422, 572.
 c. florincola, 54, 401.
Cyanolaimus clemencie bessophilus,
 139, 368.
Cyanops duvacei robinsoni, 310.
 franklini auricularis, 612.
 oorti annemensis, 612.
Cygnus, 563.
Cyornis magnirostris cœrulifrons,
 141.
Cypseloides fumigatus, 218.
- DAFILA acuta, 9, 51, 60, 616.
Dandalus rubecula rubecula, 499.
De Fenis, M. F., review of his 'Con-
tribution à L'Étude des Cris des
Oiseaux dans ses Rapports avec

- la Musique,' 300.
 Delaware Valley Ornithological Club, annual meeting of, 324; 'Proceedings' reviewed, 602.
Dendragapus obscurus richardsonii, 65.
Dendrobiastes hyperythra annemensis, 612.
Dendrocincla bartletti, 310.
fuliginosa wallacei, 310.
lafresnayei christiani, 601.
Dendrocolaptes picumnus, cearensis, 541.
Dendrocygna,
Dendroica, 225-228.
 a. *aestiva aestiva*, 39, 260.
 a. *amnicola*, 270.
 a. *rubiginosa*, 63.
 bryanti, 85.
 b. *castaneiceps*, 85.
cærulescens cærulescens, 226, 348, 523, 579.
castanea, 43, 340, 343, 345.
coronata, 55, 63, 260, 340, 341, 404, 581.
 c. *hooveri*, 273.
cerulea, 582.
discolor, 391, 404, 589.
dominica, 580, 588.
 d. *dominica*, 55, 404.
erythacorides, 85.
fusca, 343.
magnolia, 261, 345.
nigrescens, 409.
palmarum hypochrysea, 43, 404.
 p. *palmarum*, 55.
striata, 261.
tigrina, 38, 340.
vigorsi, 55, 404.
virens, 43, 261, 345.
 v. *waynei*, 270, 303, 489, 492.
vitellina, 304.
 v. *crawfordi*, 304.
 v. *nelsoni*, 304.
Dendropicos minutus, 303.
elachus, 303.
 Denver Museum expedition, 635.
Dickcissel, 288, 522, 575.
Dicruropsis montana, 599.
Diomedea chionoptera, 604.
exulans westralis, 310.
irrorata, 370-372.
sanfordi, 143.
Disporus, 417.
Diva, 577.
vassorii, 577.
Dives dives, 196.
 Dixon, Joseph, personal mention, 635.
Dolichonyx oryzivorus, 307.
 Doolittle, E. A., Rough-winged Swallow, unusual nesting site, 115; unusual contents of a Mourning Dove's nest, 281; breeding of the Black Duck in Lake Co., Ohio, 560; Evening Grosbeak in May in Lake Co., Ohio, 574; a flight of Broad-winged Hawks and Rough-legs in Lake Co., Ohio, 568; a strange Blue Jay flight, 572.
Dove, Ground, 385, 400.
 Mourning, 14, 37, 52, 106, 281, 282, 400.
Zenaida, 400.
Turtle, 511.
Dowitcher, 12, 104, 265.
 Long-billed, 399.
Drymophila richmondi, 88.
Dryobates borealis, 53, 401.
 major, 509.
 minor, 509.
pubescens homorus, 250.
 p. *medianus*, 250.
 p. *nelsoni*, 250.
 p. *pubescens*, 53, 401.
villosus, 286.
 v. *leucomelas*, 40, 248.
 DuBois, Alexander, an experience with Horned Grebes (*Colymbus auritus*), 170-180.
Duck, Black, 50, 301, 355-367, 560.
Florida Black, 397.

- Greater Scaup, 9.
Harlequin, 60.
Lesser Scaup, 9, 51, 397.
Ring-necked, 460-463, 587.
Ruddy, 10, 397.
Scaup, 397.
Tufted, 461, 463.
Wood, 51, 560.
- Dumetella carolinensis, 262, 341, 405.
Dunlin, 512.
Dwight, Jonathan, the name "erythrogaster" and others, 116-118; reasons for discarding a proposed race of the Glaucous Gull (*Larus hyperboreus*), 242-248; a correction involving some Juncos, 287; notice of his "Description of a New Race of the Western Gull," 301.
- Dysithamnus scistaceus, 219.
Dysmorodrepanis munroi, 442.
- EAGLE, Alaska Bald, 61.
Bald, 18, 53, 385, 400, 517.
Golden, 18, 61, 265, 293, 421, 484.
- Earnshaw, F. L., see Lawyer, G. A.
Ectopistes canadensis, 144, 267.
migratorius, 267, 486.
- Ecuador, 438.
- Egret, 101, 398.
Snowy, 51, 398.
- Egretta candidissima candidissima, 51, 398.
- Egypt, birds of, 609.
- Eider, King, 515.
- Eifrig, C. W. G., notes on birds of the Chicago area and its immediate vicinity, 513-524.
- Elaenia guianensis, 220.
- Elepaio, 22-35.
- Elminia longicauda loandæ, 140.
- Emberiza aureola, 286.
calandra calandra, 507.
cirlus, 507.
- fucata, 286.
rustica, 286.
schoenicius schoenicius, 507.
- Empidonax fuscatus cabanisi 220.
f. fumosus, 220.
- Empidonax flaviventris, 41.
fulvifrons fulvifrons, 469.
minimus, 38, 251.
trailli, 251.
t. alnorum, 37, 268, 627.
t. brewsteri, 268.
t. traillii, 268.
- Empidonotus varius varius, 222.
'Emu, The,' reviewed, 142, 311, 615.
- Endomychura, 596.
- Eremomela flaviventris alexanderi, 140.
- Ereunetes pusillus, 37, 399.
mauri, 399, 587.
- Ergaticus ruber, 467.
- Erichson, W. J., some summer birds of Liberty County, Georgia, 380-393; additions to the 'Birds of Liberty County, Ga.', 590-591.
- Erionotus *cearensis*, 88.
- Erismatura jamaicensis, 10, 397.
- Eudynamys, 569, 570.
scolopacea alberti, 570.
s. cyanocephala, 570.
s. everetti, 570.
s. facialis, 570.
s. flindersi, 570.
s. harterti, 570.
s. malayana, 570.
s. melanorhyncha, 570.
s. mindanensis, 570.
s. orientalis, 570.
s. rufiventer, 570.
s. scolopacea, 570.
s. salvadorii, 570.
s. subcyanocephala, 570.
- Eudyptila minor novae-hollandæ, 142.
- Eumyias, 442.
- Eunetta falcata, 313, 443.

- Euphagus carolinus, 42, 62, 196, 254.
 cianocephalus, 196, 254.
- Euphilydor**, 273.
- Euphonia, aurea pileata, 145.
 elegantissima, 469.
 hirundinacea, 602.
 laniirostris peruviana, 145.
 olivacea, 145.
 violacea magna, 145.
 vittata, 145.
- Eupsittula astec vicinalis, 601.
- Euscarthmus josephinæ, 613.
- Exanthemops, 562.
 rossi, 562.
- Excalfactoria chinensis palmeri, 599.
- Eximiornis, 129.
- FALCO** bacha, 549.
 bassus, 549.
 bellicosus, 548.
 columbarius, 19.
 c. columbarius, 37.
 coronatus, 548.
 desertorum, 549.
 ecaudatus, 548.
 lagopus, 549.
 leucogaster, 548.
 mexicanus, 18.
 occipitalis, 548.
 peregrinus, 19.
 p. anatum, 61, 108.
 pteroctes, 567.
 rufigularis pax, 310.
 r. petoensis, 310.
 rusticulus, 18, 265.
 sparverius, 20.
 s. sparverius, 37, 53, 400, 518.
 tinnunculus tinnunculus, 510.
 vocifer, 548.
 vulturinus, 548.
- Falcon, Prairie, 18.
- Farley, J. A., mating song of the Piping Plover, 566; Turkey Vulture at Plymouth, Mass., 567; early arrival of the Tree Swallow in Plymouth, Mass., 577; peculiar brooding of the Black-throated Blue Warbler, 579; nesting of the Myrtle Warbler in southern Massachusetts, 581; a Short-billed Marsh Wren colony in central New Hampshire, 583; the Blue Gray Gnatcatcher on Cape Cod, Mass., 584.
- Faxon, Walter, the name "erythrogaster," 294; Capt. Thomas Brown's 'Illustrations of the American Ornithology of Wilson and Bonaparte,' 623-6.
- Felger, A. H., Blue Jay again in Jefferson Co., Colorado, 422.
- Fieldfare, 498.
- Finch, Purple, 44, 254, 342, 346, 473, 478, 479, 521.
 Rosy, 255.
 Gray-crowned Rosy, 62.
 Serin, 505.
 'Fins, Feathers and Fur,' noticed, 607.
- Fisher, G. Clyde, Egrets (*Herodias egretta*) in northern New Jersey, 101; a note of the Long-eared Owl (*Asio wilsonianus*), 109.
- Fleming, J. H., note on his collection of birds, 321; personal mention, 452.
- Flicker, 53, 250, 386, 401, 570.
 Northern, 62, 519.
- Florida, birds of, 45-56, 86, 393-405, 556.
- Florida cærulea, 51, 384, 398, 565.
- Flower, S. S., and Nicholl, M. J., notice of their 'The Principal Species of Birds Protected by Law in Egypt,' 609.
- Flycatcher, Alder, 37, 62.
 Crested, 305, 387, 401.
 Least, 38, 251.
 Olive-sided, 41, 44, 251, 478, 479, 485.
 Pied, 503.

- Spotted, 503.
Traill's, 251.
 Yellow-bellied, 41, 481.
 France, birds of, 497-513.
Francolinus chinensis, 442.
pintadeanus, 442.
Fregata aquila, 397.
 French, John C., review of his 'The Passenger Pigeon in Pennsylvania,' 605.
Fringilla coelebs coelebs,
comata, 185.
cyanea, 185.
erythrophthalma, 185.
ludoviciana, 185.
texensis, 469.
 Froggatt, W. W., notice of his 'The Crow Family,' 609.
Fulica americana, 11, 102, 398.
atra atra, 511.
Fuligula minor, 471.
 Forbush, Edward Howe, notice of his 'Eleventh Annual Report of the State Ornithologist of Massachusetts,' 438.
Fulmarus glacialis, 237, 267.
g. glupischa, 271.
rodgersi, 237, 267, 271.
Furnarius agnatus endoeus, 89.

GADWALL, 9, 50, 397.
 Galapagos, birds of the, 370-372.
Galbulus albirostris, 285.
rufoviridis, 285.
melanogenia, 286.
Gallinago delicata, 12, 39, 51, 61, 398.
gallinago gallinago, 512.
Gallinula chloropus chloropus, 511.
galeata, 398.
 Gallinule, Florida, 398.
Gampsophyllum swainsonii leonæ, 310.
s. magnus, 310.
 Gannet, 37.
Garrulus, 312.
bispecularis persaturatus, 312.
 b. *interstinctus*, 312.
glandarius glandarius, 502.
 Gaspé bird reserves, notice of establishment, 451.
Gavia arctica arctica, 238-242, 266.
 a. *pacifica*, 238-242, 266.
 a. *suschkini*, 238-242, 271.
 a. *viridigularis*, 238-242, 266.
immer, 7, 395, 587.
pacifica, 60.
stellata, 60, 395.
Gecinus striolatus, 303.
viridis, 286.
 Geopelia maugeus, audacis, 312.
 Georgia, birds of, 288, 380-393, 590.
Geothlypis, 290.
trichis ignota, 55, 404.
t. occidentalis, 261.
t. trichas, 341.
Geotrygon montana, 221.
 Gilmore, Albert Field, review of his 'Birds of Field, Forest and Park,' 436.
 Giraud, Jacob Post, biographical sketch of, 464-472.
 Gladstone, Hugh S., notice of his 'Birds and the War,' 602.
Glaucidium gnoma gnoma, 70.
Globicera pacifica, 604.
rubricera, 614.
 Godman, Frederick DuCane, obituary notice of, 319; memorial to, 629.
Golden-eye, 9, 37, 264, 484.
Goldfinch, 255, 402, 479, 505.
 Goodhue, Isabel, the song of the Blue Jay, 111.
 Goose, Blue, 515.
 Canada, 10, 37, 51, 483, 515.
Hutchins's, 61.
Ross's, 10.
 Snow, 10, 262, 515.
 White-fronted, 10.
 Goshawk, American, 15, 293, 484, 517.

- Gnatcatcher, Blue-gray, 405, 584, 591.
 Grackle, Bronzed, 44, 474, 627.
 Boat-tailed, 54, 388, 402.
 Florida, 54, 402.
 Purple, 254.
 Graves, Francis Miner, notes from a Connecticut pine swamp, 293.
 Graves of American ornithologists, 631-634.
 Great Britain, birds of, 432, 597.
 Grebe, Eared, 7.
 Great Crested, 617.
 Holboell's, 7, 64.
 Horned, 7, 50, 60, 170-180, 264, 394.
 Pied-billed, 7, 395.
 Western, 7, 64, 264.
 Greenfinch, 505.
 Greenshank, 513.
 Grinnell, George Bird, Ruddy Sheldrake on the Atlantic coast, 561.
 Grinnell, Joseph, specific names in the nominative case, 427; personal mention, 452.
 Grinnell, Joseph, Bryant, H. C., Storer, T. I., review of their 'The Game Birds of California,' 297-299.
 Griscom, Ludlow, European Widgeon on Long Island in winter, 560; further notes from Leon Co., Florida, 587-589.
 Grosbeak, Evening, 254, 423, 484, 521, 572, 573, 574.
 Pine, 254, 285, 423, 483, 484, 521.
 Rose-breasted, 477.
 Grouse, Richardson's, 65.
 Ruffed, 13, 264, 279, 325-339, 478, 517.
 Sharp-tailed, 13.
 Grus americana, 264.
 canadensis, 11, 61.
 mexicana, 11, 65, 264, 516.
 Guara alba, 398.
 Guiroca cærulea, 117.
 c. salicarius, 428.
 Gull, Bonaparte's, 65, 264, 395.
 Franklin's, 8, 395.
 Great Black-backed, 44.
 Herring, 50, 60, 64, 395, 484, 513.
 Laughing, 395.
 Lesser Black-backed, 513.
 Ring-billed, 8, 50, 395, 473, 484.
 Gunthorp, Horace, a heronry on Lake Cormorant, Minn., 492-496.
 Gymnomystax melanicterus, 197.
 Gyrfalcon, 18, 265.
 HÆMATOPUS fraseri, 596.
 palliatius, 596.
 Haliæetus albicilla, 82.
 a. brooksi, 82.
 brooksi, 82.
 leucocephalus, 18.
 l. alascanus, 61.
 l. leucocephalus, 53, 385, 400, 517.
 Hardenberg, C. B., notice of his 'Some Insects Injurious to the Black Wattle,' 609.
 Harrier, Hen, 510.
 Marsh, 510.
 Harris, Harry, notes on Harris's Sparrow, 180-190; review of his 'Birds of the Kansas City Region,' 433.
 Harriwhitea, 604.
 Hartert, Ernst, personal mention of, 635.
 Hawaii, birds of, 22-35.
 Hawk, American Sparrow, 20.
 Broad-winged, 53, 265, 294, 481, 482, 485, 568.
 Cooper's, 52.
 Duck, 349-350.
 Florida Red-shouldered, 52.
 Harris', 567.
 Marsh, 15, 37, 52, 61, 67, 400, 474, 517.

- Pigeon, 19, 37.
Red-shouldered, 474.
Red-tailed, 15, 52.
Rough-legged, 17, 61, 568.
Sharp-shinned, 15, 52, 61, 400.
Sparrow, 37, 53, 400, 479, 510,
 518.
Swainson's, 17, 69, 517.
Western Red-tailed, 67.
- Hedymeles, 115.
 melanocephalus, 408-416.
 m. capitalis, 410.
 m. melanocephalus, 408.
 m. **papago**, 412.
- Helme, A. H., Evening Grosbeaks
on Long Island, N. Y., 573; the
Orange-crowned Warbler on Long
Island in April, 579.
- Helodromas solitarius, 12.
 s. cinnamomeus, 61.
- Hen, Moor, 511.
- Henninger, W. F., an overlooked
record of the Trumpeter Swan,
564.
- Herodias, 557.
 egretta, 101, 398.
- Heron, Black-crowned Night, 37,
 101, 515.
 Common, 510.
 Great Blue, 11, 44, 51, 101,
 492-496.
 Green, 101, 384, 588.
 Little Blue, 51, 384, 398, 565.
 Louisiana, 51, 384, 398.
 Yellow-crowned Night, 398.
- Herpetotheres cachinnans queri-
bundus, 601.
- Herrick, Francis H., Audubon's
bibliography, 372-380.
- Hesperiphona vespertina, 254.
 v. vespertina, 423, 521, 572, 573,
 574.
- Heteractitis, 596.
- Heteroscelis, 278.
- Heteroscelus, 278, 596.
 brevipes, 443.
- Hieraaëtus ayresi, 440.
 spilogaster, 441.
- Himantopus mexicanus, 587.
- Hirundo erythrogaster, 114, 116,
 259, 403, 428.
 puella unitatis, 140.
 rustica rustica, 503.
- Histrionicus histrionicus, 60.
- Hoatzin, 302, 617.
- Hoffman, Ralph, Mourning Doves
sharing a Robin roost, 106-107.
- Hollister, N., brooding habit of the
American Coot, 102; systematic
position of the Ring-necked Duck,
460-463.
- Holoquiscalus, 194, 196.
- Holt, Ernest G., Red-bellied Nut-
hatch in Alabama, 584; personal
mention, 634.
- Hoopoe, 509.
- 'Hornero, El' reviewed, 615.
- Horsfall, R. B., notice of his bird
paintings in the N. Y. Zoo, 157.
- Howe, Reginald Heber, Carolina
Wren nesting in Rhode Island, 583.
- Howell, A. B., personal mention,
635.
- Howell, A. H., description of a new
Seaside Sparrow from Florida,
86-87; obituary notice of Robert
Day Hoyt, 319.
- Hoyt, Robert Day, obituary notice,
319.
- Hummingbird
 Calliope, 70.
 Ruby-throated, 37, 401, 479.
- Hybrids, 313.
- Hydranassa tricolor ruficollis, 51,
 384, 398.
- Hydrobates, 276.
- Hydrobatidae, 276.
- Hydrochelidon nigra surinamensis,
 514.
- Hydrocolœus, 596.
- Hydrophasianus chirurgus, 617.
- Hydropogne, 596.

- Hylacola pyrrhopygia magna*, 142.
Hylocichla aliciae aliciae, 63.
 fuscescens fuliginosa, 438.
 f. salicicola, 263, 438.
 guttata, 263.
 g. pallasi, 56, 405.
 g. polionota, 271.
 ustulata, 263.
 u. swainsoni, 63, 345.
Hypocentor aureolus, 287.
 fucatus, 287.
 rusticus, 287.
Hypotenidia striata reliqua, 601.

Ibis, White, 398.
 Wood, 398, 565.
'Ibis, The', reviewed, 139, 309, 446, 611.
Ibycter americanus, 218.
Icteria, 290.
 virens, virens, 391.
 viridis, 185.
Icteridae, palate structure in the, 190–197.
Icterus audubonii, 468.
 bullocki, 254.
 galbula, 254, 520.
 gularis, 195.
 g. yucatanensis, 195.
 icterus, 269.
 laudabilis, 195.
 melanocephalus audubonii, 468.
 prosthemelas, 195.
 spurius, 387, 520.
 xanthocephalus, 313.
 xanthornus, 195.
 zanthrocephalus, 183.
Idaho, 424.
Illinois, birds of, 113, 513–524.
 Indexes to ornithological literature, 630.
Indiana, birds of, 276.
Indicapus, 129.
Iredale, Tom, see Mathews, G. M., 55, 403, 523, 579.
Iridoprocne bicolor, 55, 403, 523, 579.

Ixoreus naevius meruloides, 64.
Iyngipicus pygmaeus, 303.
 auritus, 303.

JACANA spinosa, 596.
 s. gymnostoma, 596.
Jaeger, Long-tailed, 276.
Java, birds of, 599.
Jay, 502.
 Alaska, 62.
 Blue, 111, 251, 387, 422, 482, 484, 572.
 Canada, 252, 422.
 Florida Blue, 54, 401.
Junco, 44, 295, 474.
 Slate-colored, 63, 257, 522.
Junco, hyemalis hyemalis, 63, 257, 522.
 insularis, 270, 296.
 i. insularis, 287.
 i. mearnsi, 287.
 i. townsendi, 287.
 mearnsi townsendi, 270.
 m. insularis, 270.
 oreganus annectens, 272.
 o. couesi, 270.
 o. mearnsi, 270.
 o. montanus, 272.
 o. oreganus, 270.
 o. pontilis, 611.
 o. shufeldti, 270.
 o. townsendi, 270.
 phænotus dorsalis, 273.
Jynx torquilla torquilla, 509.

KAGU, 321.
Kansas, birds of, 283, 433, 567.
Kennard, Fred. H., obituary notice of F. B. McKechnie, 449; notes on a new subspecies of Blue winged Teal, 455–460.
Kestrel, 510.
Killdeer, 566.
Kingbird, 41, 44, 251, 305, 341, 342, 387, 401, 479.
Kingfisher, 509.
 Belted, 53, 62, 248, 401.

- Kinglet, Golden-crowned, 56, 478,
524.
Ruby-crowned, 56, 63, 405, 478,
524, 525.
Kittiwake, 36, 44.
Klages, personal mention, 321.
Knot, 105, 516.
Kuroda, Nagamichi, obituary no-
tice of M. Namiye, 628.
LABRADOR, 424, 427.
Lagopus sp., 61.
Lamprocorax panayensis richmondi,
600.
Lampropsar, 191.
Lanius borealis, 259.
 collurio collurio, 503.
 excubitor excubitor, 503.
 ludovicianus excubitorides, 259.
 l. ludovicianus, 55, 288, 390, 403.
 l. migrans, 523.
 l. nelsoni, 270, 308.
 senator senator, 503.
Lanivireo solitarius, 259.
 s. solitarius, 55, 404.
Lantz, David Ernest, obituary
notice of, 154.
Lapwing, 512.
Lark, Horned, 570.
 Pallid horned, 62.
Prairie Horned, 34, 348, 473,
479, 571.
Larus, 596.
 affinis, 542-546.
 argentatus, 8, 50, 60, 64, 100,
395, 513.
 atricilla, 395.
 barrovianus, 242-248.
 brachyrhynchus, 83, 276.
 californicus, 8.
 canus, 83.
 c. brachyrhynchus, 83, 276.
 delawarensis, 8, 50, 395, 484.
 franklini, 8, 395.
 fuscus, 542-546, 599.
 f. affinis, 546.
 f. fuscus, 513, 545.
 glaucus, 600.
 hyperboreus, 242, 248, 267, 600,
613.
 leucopterus, 600.
 marinus, 600.
 nelsoni, 600.
 occidentalis livens, 301.
 philadelphia, 65, 264, 395.
 thayeri, 596.
Law, J. E., personal mention, 635.
Lawrence, R. B., Little Blue Heron
on Long Island, N. Y., 565.
Lawyer, G. A., notice of his 'Fed-
eral Protection of Migratory
Birds,' 606.
Lawyer, G. A. and **Earnshaw**, F. L.,
notice of their 'Game Laws for
1919,' 616.
Leggeornis lamberti hartogi, 310.
Leister, C. W., aerial evolutions of a
Flicker, 510.
Leopold, Nathan F., Jr., Long-
tailed Jaeger in Indiana, 276.
Leptophæthon lepturus catesbyi,
556.
Leptoptila verreauxi brevipennis,
309.
**Leucopternis ghiesbreghtii costari-
censis**, 612.
Leucosticte tephrocotis, 62, 255.
Levaillant, Franz, Oiseaux d'Afri-
que, 546-549.
Lewis, Harrison F., winter Robins
in Nova Scotia, 205-217; song
of the Canada Jay, 422.
Limnodromus, 596.
Linnaean Society of New York,
review of the 'Proceedings' of
the, 133.
Lloyd, Hoyes, permits to collect
birds for scientific purposes in
Canada, 621-623.
Longspur, Alaska, 62.
 Chestnut-collared, 255.
 Lapland, 255.

- Smith's, 62.
 Lonnberg, Einar, review of his 'Hybrid Gulls,' 599.
 Loomis, Leverett M., the reality of bird species, 235-237; variation in the Galapagos Albatross, 370-372; dichromatism in the Wedge-tailed Shearwater, 487-488.
 Loon, 7, 100, 395, 481, 587.
 Black-throated, 238.
 Green-throated, 238.
 Pacific, 60, 589.
 Red-throated, 60, 395.
 Lophodytes cucullatus, 50, 100, 587.
 Lophotriccus macconnelli, 613.
 Lophozosterops striaticeps, 303.
 Lorius flavopalliatus, 131.
 Loxia curvirostra, 255.
 c. minor, 38.
 Lullula arborea arborea, 508.
 Luscinia megarhyncha megarhyncha, 499.
 MABBOTT, Douglas Clifford, obituary notice of, 153.
 McAtee, W. L., further notes on the "fishy" flavor of birds, 100; review of Collinge's papers on economic ornithology, 136; obituary notice of Douglas Clifford Mabbott, 153; "off" flavor of wildfowl, 296; review of his 'Food Habits of the Mallard Ducks of the United States,' 301; economic ornithology in recent entomological publications, 304; destructive invasion by an Australian rail, 418; observations on the shifting range, migration and economic value of the Bobolink, 430-431; reviews by, 608-610, personal mention, 323.
 MacCaughey, Vaughan, the Hawaiian Elepaio, 22-35.
 McKechnie, Frederick B., obituary notice of, 449.
 McMahon, Walter Freeman, obituary notice of, 153.
 Machetes, 613.
 Macragelæus, 191.
 Macrorhamphus, 596.
 griseus, 12.
 g. griseus, 104, 265.
 g. scolopaceus, 265, 399.
 Magpie, 62, 72, 113, 251, 502.
 Mailliard, Joseph and John W., gift of their collection to the California Academy of Sciences, 320.
 Maine, birds of, 277, 303.
 Majaqueus, 276.
 Malacoptila fusca, 286.
 inornata, 286.
 Malindangia, 303.
 Mallard, 8, 50, 103, 301, 397.
 Malurus cyanotus diademantina, 143.
 Manitoba, birds of, 617.
 Man-o'-war-bird, 397.
 Mareca americana, 9, 60, 277.
 penelope, 277, 514, 560, 616.
 Marila, affinis, 9, 51, 461.
 americana, 463.
 bairi, 461.
 collaris, 397, 460-463, 587.
 ferina, 463.
 fuligula, 461, 463.
 marila, 9, 397, 461.
 novæseelandiae, 461.
 valisinaria, 9, 397.
 Martin, House, 504.
 Purple, 258, 390, 403.
 Sand, 504.
 Massachusetts, birds of, 284, 292, 349-350, 351-355, 438, 565, 573, 584.
 Mathews, G. M., and Iredale, Tom, proper name of the Tree Sparrow, 114.
 Mathews, G. M., review of his 'The Birds of Australia,' 129, 299, 603.
 Meadowlark, 475, 484, 520.
 Southern, 54, 402.

- Western, 253.
Megaceryle, 267.
Megalæma asiatica, 286.
Megalestris, 418.
Megalurus celebensis, 599.
 palustris forbesi, 602.
Megapodius nicobariensis abbotti,
 601.
Megaquiscalus, 192.
 major macrourus, 194.
 m. major, 54, 388, 402.
 nicaraguensis, 194.
 tenuirostris, 194.
Melanerpes erythrocephalus, 386,
 401, 519.
Melanocorypha bimaculata gaza,
 612.
Melithreptus gularis, 615.
Melospiza georgiana, 55, 237, 257,
 403.
 lincolni, 237, 257.
 l. lincolni, 42, 588.
 melodia, 237, 525.
 m. judii, 257.
 m. melodia, 55, 257, 403.
Menura alberti, 604.
Merganser, 8, 397, 484.
 Hooded, 50, 587.
 Red-breasted, 50, 60, 397.
Mergus americanus, 397.
 serrator, 50, 60, 397.
 sp., 8.
Michigan, 115, 569.
Microcochlearius, 613.
Micropalama himantopus, 102.
Migratory bird law and treaty, 323.
Miller, Carrie Ella, review of her
 'Birds of Lewiston-Auburn and
 Vicinity,' 303.
Miller, Leo E., review of his 'In the
 Wilds of South America,' 125-127.
Miller, Olive Thorne, obituary
 notice of, 163-169.
Miller, W. DeW., on *Brotogeris ferrugineifrons* Lawrence, 110; the
 deep plantar tendons in the Puff-
 birds, Jacamars and their Allies,
 285; the affinities of *Chamaethlypis*, 290; four rare birds in
 Sussex County, N. J., 293; con-
 stant difference in relative pro-
 portions of parts as a specific
 character, 295; the Pine Gros-
 beak (*Pinicola enucleator leuc-
 cara*) in northwestern New Jersey,
 423; notes on the structure of
 Anseranas semipalmata, 562; the
 Tanagrine genus *Procnopis* Cab-
 anis, 576.
Mimus polyglottos polyglottos, 56,
 391, 404, 523.
Minnesota, birds of, 492-496, 598.
Missouri, birds of, 180-190, 433, 579.
Mniotilta varia, 259.
Mniotiltidae, 442.
Mockingbird, 56, 391, 404, 523.
Molothrus, 197.
 ater, 193, 307.
 a. ater, 253, 520, 588.
 atronitens, 197.
 fringillarius, 197.
 rufoaxillaris, 197.
Monasa atra, 442.
 flavirostris, 286.
 grandior, 286.
 nigra, 442.
Moris bassana, 417.
 capensis, 417.
 serrator dyotti, 417.
 s. serrator, 417.
Morus, 417.
Moseley, Edwin Lincoln, review of
 his 'Trees, Stars and Birds,' 434.
Motacilla alba alba, 507.
 flava flava, 507.
Moult, 310.
Mousley, H., "the singing tree,"
 or how near to the nest do the
 male birds sing, 339-348; further
 notes and observations on the
 birds of Hatley, Stanstead Co.,
 Quebec, 472-487.
Muscadivora, 312.
Muscadidores, 312.

- Muscicapa belli, 469.
brasieri, 469.
derhami, 469.
fulvifrons, 469.
grisola, 312.
hypoleuca hypoleuca, 503.
lawrenceii, 468.
leucomus, 469.
rufirifrons, 469.
striata, 312.
s. striata, 503.
texensis, 468.
- Munro, J. A., notes on some birds of the Okanagan Valley, British Columbia, 64-74.
- Murphy, Robert C., notice of his photographs of South Georgia birds, 132; personal mention, 634.
- Murre, Brunnich's, 473.
- Museum of Analytical Oology, notice of, 453.
- Museum of Comparative Oology, notice of, 453.
- Myadestes townsendi, 73.
- Mycteria americana, 398, 565.
- Myiarchus crinitus, 305, 387, 401.
lawrencei *lawrencei*, 468.
- Myioborus miniatus miniatus, 469.
- Myiochanes richardsoni, 251.
r. richardsoni, 71.
- Myiopagis gaimardi guianensis, 220.
- Myiozetetes texensis texensis, 468.
- Myrmotherula cinereiventris, 310.
- NAMIYE, M., obituary notice of, 628.
- Nannus troglodytes, 600.
t. hiemalis, 600.
t. kiskensis, 600.
t. petrophilus, 600.
t. tanagensis, 600.
- National Association of Audubon Societies, notice of the Annual Report of, 134.
- National Zoological Park, Annual Report noticed, 607.
- 'Natural History,' notice of, 453.
- Neafrapus, 129.
- Nemospiza henslowii susurrans, 270.
- Neocossyphus rufus arrhenii, 443.
- Neoglottis, 596.
- Neopsar nigerimus, 197.
- Neoscolopax, 596.
- Nephocætes, 130.
- Nestor notabilis, 131.
- Netherlands, birds of the, 127.
- Nettion, 563.
carolinense, 9, 50, 60, 81.
crecca, 81.
torquatum, 612.
- New Brunswick, birds of, 35-45, 225-228.
- New Hampshire, birds of, 288, 583.
- New Jersey, birds of, 101, 293, 423, 561, 573.
- New York, birds of, 102-104, 158, 293, 421, 470-471, 560, 573, 582.
- New York Zoological Society, Report for 1918 noticed, 607.
- Newfoundland, birds of, 438.
- Nicholl, M. J., see Flower, S. S.
- Nichols, J. T., problems suggested by nests of warblers of the genus *Dendroica*, 225-228.
- Nicobar Islands, birds of, 601.
- Nighthawk, 62, 250, 481, 519.
Florida, 401.
- Nightingale, 499.
- Nightjar, 508.
- Niltava grandis decorata, 612.
- Noble, G. K., notice of his 'Notes on the Avifauna of Newfoundland,' 438.
- North Carolina, birds of, 561.
- Notorchilus, 312.
- Nova Scotia, birds of, 205-217.
- Nucifraga columbiana, 72.
- Numenius, 596.
americanus, 13.
a. occidentalis, 267, 596.
longirostris, 265.
occidentalis, 268.
- Numida galeata, 613.
meleagris, 613.
- Nutcracker, 72.

- Nuthatch, 502.
 Brown-headed, 56, 590.
 Red-breasted, 45, 262, 423, 479.
 White-breasted, 524.
- Nuttallornis borealis, 41, 251, 485.
- Nyctea nyctea, 265, 285, 519, 569.
- Nycticorax nycticorax nævius, 37.
 violacea, 398.
- Nyroca, 461, 462.
- OBERHOLSER, Harry C., description of a new subspecies of *Piranga hepatica* Swainson, 74-80; notes on North American birds, VII, 81-85; *Zamloodia* versus *Hedymelus*, 115; fourth annual list of proposed changes in the A. O. U. Check-List of North American birds, 266-273; *Procellariidæ* versus *Hydrobatidæ*, 276; *Larus canus brachyrhynchus* in Wyoming, 276; *Polysticta* Eyton versus *Stelleria* Bonaparte, 277; the proper generic name of the Ruff, 278; *Heteractitis* versus *Heteroscelus*, 278; the status of *Charadrius rubricollis* Gmelin, 279; *Thrasaetos* versus *Harpia*, 282; the status of the generic name *Archibuteo*, 282; the proper name for the Texas Barred Owl, 282; the status of the genus *Hypocentor* Cabanis, 286; review of his 'Mutanda Ornithologica V,' 303; notes on North American birds, VIII, 406-408; the geographic races of *Hedemeles melanoccephalus*, Swainson, 408-416; the generic name of the Gannets, 417; *Polysticta* versus *Stellaria*—a correction, 418; *Megalestris* versus *Catharacta*, 418; the status of the genus *Archibuteo*, 420; the range of the Short-tailed Mountain Chickadee (*Penhestes ganbeli abbreviatus* Grinnell), 424; *Tachytriorchis*, the generic name for the White-tailed Hawk, 567; notes on the races of *Quiscalus quiscula* (Linnæus), 549-555; notes on North American birds, IX, 556-559; *Exanthemops* Elliot.—An Excellent genus, 562; *Buteonidæ* versus *Accipitridæ*, 569; review of his 'Notes on the Wrens of the Genus *Nannus* Billberg,' 600; review of his 'The Birds of Tambelan Islands, South China Sea,' 600; review of his 'Notes on Birds Collected by Dr. W. L. Abbott on Pulo Taya, Berhala Strait, South-eastern Sumatra,' 600; review of his 'A Revision of the Sub-species of the White-collared Kingfisher, *Sauropatis chloris* (Boddaert),' 601; notice of his 'The Races of the Nicobar Megapode, *Megapodius nicobariensis* Blyth,' 601; review of his 'Notes on Dr. W. L. Abbott's Second Collection of Birds from Simalur Island, Western Sumatra,' 601.
- Ochthodromus, 596.
- wilsonius, 355.
- Ocyalus, 191.
- Odontophorus, 439.
- guianensis simonsi, 309.
- buckleyi, 309.
- panamensis, 309.
- Œnanthe œnanthe œnanthe, 498.
- Œncenas plumbea locutrix, 218.
- purpureotincta, 218.
- Œstrelata fisheri 604.
- scalaris, 604.
- Ogilvie Grant, W. R., personal mention, 157.
- Ohio, birds of, 468, 560, 565, 574.
- Oidemia deglandi, 10, 37.
- Olor buccinator, 564.
- columbianus, 11.
- Ontario, birds of, 116, 566.
- Oological dinner, 635.
- 'Oologist, The,' reviewed, 139, 309, 611.

- Opisthomus cristatus*, 302.
Oporornis formosus, 523.
 philadelphia, 261.
Oreophilus ruficollis simonsi, 441,
 599.
Oriole, Baltimore, 254, 477, 479, 520.
 Bullock's, 254.
 Orchard, 387, 520.
Oriolus melanocephalus, 312.
 luteolus, 312.
Ornismia cinnamomea, 302.
‘*Ornithologiste L'*, reviewed, 615.
Orthorhamphus magnirostris scom-
 mophorus, 600.
Oryzoborus angolensis brevirostris,
 223.
 crassirostris *crassirostris*, 223.
Osprey, 20, 53, 386, 400, 481, 510.
Otocoris alpestris alpestris, 570.
 a. ammophila, 268.
 a. aphrasta, 269.
 a. arcticola, 62.
 a. chrysolaema, 469.
 a. enertera, 268.
 a. enthymia, 269.
 a. giraudi, 469.
 a. leucansiptila, 268.
 a. leucolaema, 251.
 a. praticola, 571.
Otus asio floridanus, 100.
Ovenbird, 45, 261, 404, 532.
Owl, Barred, 518.
 Barn, 400, 518.
 Brown, 510.
 Dusky Horned, 62.
 Florida Screech, 100.
 Great Gray, 20, 61.
 Great Horned, 21, 53, 265, 367–
 370, 519.
 Hawk, 21, 62.
 Long-eared, 20, 70, 109, 283.
 Pygmy, 70.
 Saw-whet, 21.
 Short-eared, 20, 40, 109, 284, 400.
 Snowy, 265, 285, 519, 549.
Oxyechus vociferus, 13, 52, 105, 399.
 v. vociferus, 566.
- PACHYCEPHALA pluviosa*, 599.
Pagolla, 596.
 wilsonia beldingi, 596.
 w. cinnamonina, 596.
Palmer, T. S., thirty-sixth stated
 meeting of the American Orni-
 thologists' Union, 90–99; obitu-
 ary notice of Prof. David E.
 Lantz, 154; check lists, 155;
 called to the Colors, 158; geo-
 graphical distribution of A. O. U.
 membership, 323; obituary no-
 tice of Merrill Willis Blain, 629;
 obituary notice of Leo Wiley,
 629; indexes to ornithological
 literature—journals, 630; where
 American ornithologists rest, 631;
 complete sets of ‘The Auk,’ 634;
 data on the age of birds, 591; re-
 views of the annual report of the
 N. Y. Zoological Society, and the
 National Zoological Park, 607;
 Tori noticed, 616.
Panama, birds of, 302.
Pandion haliaetus, 20.
 h. haliaetus, 510.
 carolinensis, 53, 386, 400.
Pangburn, C. H., a three months'
 list of the birds of Pinellas County,
 Florida, 393–405.
Pangburn, Clifford H., and Saun-
 ders, Aretas A., the Raven in
 Connecticut, 572.
Papuanapus, 129.
Parabuteo unicinctus harrisi, 283,
 567.
Pardirallus rityrhynchus tschudii,
 309.
Parisoma blanfordi somaliensis, 140.
Partridge Canada Spruce, 37.
 Hungarian, 13.
Parus cæruleus, *cæruleus*, 501.
 cristatus mitratus, 502.
 leucotis, 469.
 major major, 501.
Passer domesticus, 313, 597.
 d. domesticus, 506.

- d. hostilis, 597.
montanus montanus, 506.
Passerculus sandwichensis, 256.
s. alaudinus, 63.
s. bradburyi, 269.
s. savanna, 402.
Passerella iliaca brevicauda, 270.
i. canescens, 270, 438
i. fulva, 270, 438.
i. iliaca, 63, 257.
i. mariposa, 270, 438.
i. megarhynca, 438.
Passerherbulus caudacutus, 442.
henslowi, 574.
h. henslowi, 402, 522..
h. susurrans, 270.
lecontei, 256, 442.
maritimus peninsulæ, 54, 402.
nelsoni, 256.
n. nelsoni, 54, 522.
Passerina ciris, 389, 403.
cayana, 403.
Paul, Lucius H., early occurrence of
the Snowy Owl and the Pine
Grosbeak in Monroe County,
N. Y., 285.
Pavoncella, 278.
Pearson, T. Gilbert, Roseate Spoon-
bill in North Carolina, 566;
obituary notice of Walter F.
McMahon, 153.
Pedioecetes phasianellus, 13.
Pelecanus californicus, 267.
erythrorynchus, 8, 364, 396,
617.
occidentalis, 50, 396.
o. californicus, 267.
Peles, 304.
Pelican, Brown, 50, 390.
White, 8, 264, 396.
Pelidna alpina, 265.
a. alpina, 512.
a. sakhalina, 52, 103, 399, 586.
Pemberton, J. R., review of his
'Second Ten Year Index to The
Condor,' 598.
Penard, Thomas E., remarks on
Beebe's 'Tropical Wild Life,'
217-225; the name of the Black
Cuckoo, 569; *Sarkidiornis sylvi-*
cola in British Guiana, 564; see
also Bangs, Outram,
Penelope nigrifrons, 616.
Pennsylvania, birds of, 108, 419,
605.
Penthestes atricapillus septentrion-
alis, 263.
a. carolinensis, 273.
carolinensis carolinensis, 56.
hudsonicus, 262.
h. hudsonicus, 63.
h. littoralis, 43.
gambeli abbreviatus, 271, 424.
g. inyoensis, 271.
Penthoceryx sonnerati waiti, 310.
Perdix perdix, 13.
Perisoreus canadensis canadensis,
252.
c. fumifrons, 62.
Perkins, Anne E., bird notes from
Collins, Erie Co., N. Y., 589.
Petrochelidon lunifrons, 258.
l. lunifrons, 63, 522.
Peucæa æstivalis æstivalis, 403.
a. bachmani, 522.
Peucedramus olivaceus, 469.
Pewee, Wood, 342.
Western Wood, 71, 251.
Phæopus, 596.
Phaëthon americanus, 587.
Phalacrocorax auritus auritus, 8,
264, 514.
a. floridanus, 396, 587.
Phalarope, Red, 419.
Wilson's, 12, 516.
Phalaropus fulicarius, 419.
Phasianidæ, 119-125.
Phasianus colchicus, 616.
meleagris, 613.
Philadelphia Zoological Garden,
rare birds in the, 321.
Philipp, P. B., and Bowdish, B. S.,

- further notes on New Brunswick birds, 36-45.
 Philippines, birds of, 135.
 Phillips, C. L., a late record for *Rallus elegans* for Maine, 277.
Philohela minor, 37.
Philomachus, 278, 613.
Phlegenas crinigera basilanica, 312.
 c. leytensis, 312.
Phlœotomus pileatus, 250, 588.
 p. abieticola, 293.
 p. pileatus, 53.
Phœbe, 54, 251, 305, 342, 401.
 Say's, 62, 71, 251.
Phœnicurus phœnicurus phœnicurus, 499.
Phylidors lichtensteini, 273.
Phylloscopus trochilus trochilus, 500
Pica pica, 251.
 p. hudsonia, 62, 72, 113.
 p. pica, 502.
Picoides americanus, fasciatus, 62, 70.
 arcticus, 40, 110, 250, 421.
Picolaptes affinis lignicida, 602.
Picus canus gyldenstolpei, 310.
 viridis viridis, 509.
 xanthopygius, 303.
Pigeon, Passenger, 153, 477, 486, 605.
 Wood, 511.
Pinguinus, 596.
Pinicola enucleator leucura, 254, 285, 423, 521.
Pintail, 9, 51, 60, 103, 104.
Pipilo erythrorththalmus alleni, 55, 388.
 e. erythrorththalmus, 400.
 maculatus arcticus, 258.
 m. montanus, 73.
Pipit, 56, 63, 262, 404, 482, 507.
 Sprague's, 262.
 Tree, 507.
Pipra aureola aureola, 222.
 galericulata, 469.
Piranga erythromelas, 403, 575.
 hepatica dextra, 75.
 h. hepatica, 74-75.
 h. oreophasma, 74.
Iudovicia, 258.
olivacea, 575.
rubra rubra, 389.
Pisobia acuminata, 596.
 aurita, 596.
 bairdi, 61, 265, 516.
damacensis, 596.
minutilla, 12, 37, 51, 399.
subminuta, 596.
Pitta cœrulea hosei, 310.
Planesticus migratoriuss migratoriuss, 56, 63, 306, 405, 584, 585.
 propinquus, 263.
Platycorax, 443.
Platyrhynchus auricularis, 312.
Plautus, 596.
Plectrophenax nivalis nivalis, 38.
Plectropterus, 563.
Plover, Black-bellied, 44, 52, 105, 265, 399, 511, 586, 589.
Golden, 13, 265.
Piping, 39, 351-355, 399, 517, 566.
Ringed, 511.
Snowy, 399.
Upland, 12, 265, 516, 567.
Wilson's, 385.
Pluvialis, 596.
Pochard, 461.
Podiceps nigricollis, 310.
Podilymbus podiceps, 7, 395.
Pœcilonitta bahamensis bahamen-
 sis, 304.
 b. rubrirostris, 304.
galapagensis, 304.
erythrorhyncha, 304, 612.
spinicauda, 304.
Pœcetes gramineus gramineus, 54, 402.
confinis, 256.
Poliolæma, 310.
Poliopsar leucocephalus annemen-
 sis, 612.
Polioptila cœrulea cœrulea, 405, 584.

- Polophilus phasianinus melvillensis,
603.
Polyborus cheriway, 268.
 auduboni, 268.
Polysticta, 277, 418.
Porzana albicollis, 221.
 carolina, 11.
Pribilof Islands, new birds to the,
443.
Prionitis, 267.
 cinereus, 267.
Procellaria, 276.
Procellariidæ, 276.
Procnopis, 576.
Progne subis, 258.
 s. subis, 390, 403.
Protonotaria citrea, 523, 588.
Prunella modularis modularis, 500.
Psephotellus chrysopterygius, 604.
Pseudocolaptes boissonneautii **ober-**
 holseri, 275.
Ptarmigan, 61.
Pterodroma gularis, 267.
 inexpectata, 267, 271, 604.
Pteroglossus aracari aracari, 218.
Ptilinopus rivoli buruanus, 312.
Ptiloxena atroviolacea, 196.
Publications received, 145, 314, 444.
 618.
Puffinus chlororhynchus, 487.
Pygopodes, 593–595.
Pyromelana, 311.
Pyrotrogon erythrocephalus anna-
 mensis, 612.
Pyrrhula pyrrhula europaea, 506.

QUEBEC, birds of, 472–487.
Querquedula crecca, 313.
 cyanoptera, 314.
 discors, 9, 397.
 d. **albinucha**, 455–460.
Quiscalus æneus, 193.
 aglæus, 54, 193, 402.
 quiscula, 254.
 q. æneus, 554.
 q. aglæus, 269, 551.

RAIL, Florida Clapper, 51.
King, 277, 384, 398.
Sora, 11.
Virginia, 480.
Wayne's Clapper, 384.
Yellow, 264.
Rallus crepitans scotti, 51.
 c. waynei, 384.
 elegans, 277, 384, 398.
Ramphastos ariel, 225, 286.
Rassornis, 129.
 macrurus coincidens, 129.
 m. rogersi, 129.
 m. aruensis, 129.
Raven, 252, 293, 572.
Northern, 62.
Raynor, Horace M., Golden Eagle
at East Moriches, N. Y., 421.
Recurvirostra americana, 12.
Red-head, 462.
Redpoll, 62, 255, 483, 484, 521.
Redshank, Common, 512.
Redstart, 43, 45, 262, 476, 499.
Red-tail, Western, 61.
Redwing, 498.
 Florida, 54, 402.
Regulus calendula, 263, 524, 525.
 c. calendula, 56, 63, 263, 405.
 ignicapillus ignicapillus, 501.
 satrapa satrapa, 56.
Reinholdia reinholdi, 604.
'Revue Française d'Ornithologie,'
143, 311, 441, 615, reviewed.
Rhamphococcyx, centralis, 303.
Rhinochetus jubatus, 321.
Rhinortha chlorophæa fuscigularis,
 612.
Rhode Island, birds of, 583.
Rhodophoneus cruentus kordofani-
 cus, 140.
Richards, Viola F., the early history
of a Duck Hawk, 349–350.

- Richmond, Charles W., Forster's edition of Levaillant's 'Oiseaux d'Afrique,' 546-549.
 Ridgway, Robert, review of his 'Birds of North and Middle America,' Part VIII, 595-597.
 Riley, J. H., review of his 'Annotated Catalogue of a Collection of Birds made in Northeastern Siberia by Mr. Copley Amory, Jr.,' 131; notice of his 'Two New Genera and Eight New Birds from Celebes,' 302; notice of his 'Six New Birds from Celebes and Java,' 599.
Riparia riparia, 63, 220, 403, 504.
Rissa tridactyla tridactyla, 36.
 Robbins, C. A., a colony of Cape Cod Piping Plover, 351-355.
 Roberts, Thomas S., notice of his 'Water Birds of Minnesota, Past and Present,' 598; notice of his 'A Review of the Ornithology of Minnesota,' 598.
 Robin, 45, 56, 63, 106, 205, 217, 405, 473, 499, 584, 585.
 Western, 263.
 Roosevelt, Theodore, obituary notice of, 162.
 Ross, Lucretius H., Mourning Dove wintering in Vermont, 282.
 Royal Australasian Ornithologists' Union, notice of annual meeting, 322.
 Royal Society for the Protection of Birds, Annual Report, noticed, 606.
 Rothonia, 143.
 Rough-leg, Ferruginous, 17.
Rynchops nigra, 396.
SALPINCTES, 295.
 guadeloupensis, 407.
 obsoletus, 262.
 proximus, 408.
Saltator striatipectus furax, 602.
 s. speratus, 602.
Sandpiper, Baird's, 61, 265, 516.
 Buff-breasted, 516.
 Common, 512.
 Green, 512.
 Least, 12, 37, 44, 51, 399, 483.
 Red-backed, 52, 103, 265, 399, 586.
 Semipalmated, 37, 44, 399.
 Solitary, 12, 483.
 Spotted, 12, 44, 61, 341, 348, 399, 483.
 Stilt, 102.
 Western, 399.
 Western Solitary, 61, 587.
 Wood, 512.
Sapsucker, Yellow-bellied, 53, 250.
Sarcidiornis sylvicola, 419, 564.
Saucerottia erythronota, 220.
 Saunders, Aretas A., spring shorebirds in Connecticut, 104-105; the Rose-breasted Grosbeak in Connecticut in November, 114; evolution of bird song, 149-151; concerning a note of the Long-eared Owl, 283; Blue-winged Warbler feeding a young Field Sparrow, 291; geographical variation in the song of the Ruby-crowned Kinglet, 525-527; see also Pangburn, C. H.
 Saunders, W. E., local decrease of warblers in 1917, 116.
Sauvopatis chloris, 600.
 c. azela, 600.
 c. chloroptera, 600.
 c. hyperpontia, 600.
 c. palmeri, 600.
 c. amphiryta, 600.
Saxicola aurita, 312.
 cenanthe *cenanthe*, 64.
 rubetra rubetra, 499.
 stapazina, 312.
 torquata rubicola, 499.
Sayornis phœbe, 54, 251, 401.
 sayus, 62, 71, 251.
Scæphæthon rubricaudus rothschildi, 557.

- r. rubricaudus, 557.
Scaup, Greater, 463.
 Lesser, 463, 471.
Sclater, W. L., notice of his 'Aves' in the Zoological Record, 133.
Sclerurus mexicanus certus, 310.
 bahiae, 310.
 macconnelli, 310.
 peruvianus, 310.
 rufifigularis, 219.
Scolopax rusticola, 512.
Scoter, White-winged, 10, 37.
Scotiapex nebulosa, 20.
 nebulosa, 61.
Seiurus aurocapillus, 261–404, 532.
 a. furvior, 271.
 motacilla, 404.
 noveboracensis notabilis, 63, 261.
Serinus buchanani, 310.
 canarius serinus, 505.
Seton, Ernest T., on the popular names of birds, 229–235.
Setophaga picta picta, 469.
 ruticilla, 43, 262.
Shearwater, Wedge-tailed, 487.
Sheldrake, Ruddy, 561.
Shoveller, 9, 104.
Shrike, Great Gray, 503.
 Loggerhead, 55, 288, 390, 403.
 Migrant, 474, 523.
 Northern, 259, 473, 484.
 Red-backed, 503.
 White-rumped, 259.
 Woodchat, 503.
Shufeldt, R. W., review of his 'The Skeleton of the Kea Parrot of New Zealand (*Nestor notabilis*),' 131; Australia's effort to save her bird fauna, 151–152; notice of his 'Notes on the Osteology of the Young of the Hoatzin (*Opisthocomus cristatus*) and Other Points on its Morphology,' 302; a three-legged Robin, 585.
Sialia currucoides, 263.
sialis sialis, 56, 405, 524.
wilsoni, 185.
Siberia, birds of, 131.
Sieberocitta, 269.
Simalur Island, birds of, 601.
Siskin, 505.
Pine, 42, 44, 255, 483.
Sitta carolinensis carolinensis, 524.
 c. tenuissima, 271.
 canadensis, 262, 423, 584.
 europaea europaea, 502.
 pusilla, 56, 590.
Skimmer, Black, 396.
Skylark, 508.
Smith, F. C., Evening Grosbeaks at Boonville, N. Y., 573.
Smithsonian African Expedition, 634.
Snipe, Common, 512.
 Wilson's, 12, 39, 51, 61, 398, 483.
Snyder, LeRoy, Harris's Hawk in Kansas, 567.
Solitaire, Townsend's, 73.
Somateria spectabilis, 515.
Song, 300, 339–348, 528–536.
Soper, J. Dewey, growth of a young Killdeer (*Oxyechus v. vociferus*); 566; abnormal beak of a Horned Lark, 571.
Sora, 481.
South America, birds of, 88–89, 125–127, 273–276.
'South Australian Ornithologist,' reviewed, 143, 441.
South Carolina, birds of, 489–492, 518.
Sparrow, Bachman's, 522.
 Cape Sable Seaside, 86–87.
Chipping, 44, 55, 402, 522.
Clay-colored, 257.
Field, 291, 402, 525.
Fox, 63, 257, 482.
Gambel's, 63, 256.
Harris's, 180–190.
Hedge, 500.

- Henslow's, 402, 522, 574.
 House, 506.
 Lark, 256.
 Leconte's, 256, 522.
 Lincoln's, 42, 44, 257.
 Nelson's, 54, 256, 522.
 Pine Woods, 403.
 Savannah, 256, 402.
 Scott's Seaside, 54, 402.
 Song, 473, 525.
 Swamp, 55, 257, 403.
 Tree, 38, 114, 482, 506.
 Vesper, 54, 402.
 Western Chipping, 257.
 Western Grasshopper, 287.
 Western Savannah, 256, 402.
 Western Tree, 63, 257.
 Western Vesper, 256.
 White-crowned, 474, 482.
 White-throated, 54, 256.
Spatula clypeata, 9.
Sphyrapicus varius, 250.
 v. *varius*, 57.
Spinus tristis magnirostris, 616.
 pinus, 42, 255.
 spinus spinus, 505.
Spiza americana, 388, 522, 575.
Spizaetus batesi, 613.
Spizella,
 canadensis, 272.
 monticola, 272.
 m. monticola, 38, 114.
 m. ochracea, 63, 257.
 pallida, 257.
 passerina arizona, 257.
 p. passerina, 55, 402, 522.
 pusilla, 291, 525.
 p. pusilla, 402.
Spizixos semitorquatus, 313.
 Spoonbill, Roseate, 565, 566.
Sporophila bouvronii des., 220,
 223.
 castaneiventris, 223.
 lineola, 220.
 ocellata, 220.
 pileata, 309.
Squatarola squatarola, 52, 105, 265,
 399, 511, 586, 589.
 s. *cynosuræ*, 597.
 Starling, 502.
Steganopus tricolor, 12, 516.
 Stejneger, L., personal mention, 452.
Stelgidopteryx serripennis, 115, 302,
 523.
Stellaria, 418.
Stelleria, 277.
 Stephens, Frank, notice of his 'An Annotated List of the Birds of San Diego County, California,' 437.
Stercorarius longicaudus, 276.
 parisiticus, 617.
Sterna anaetheta nelsoni, 596.
 a. *recognita*, 596.
 antillarum, 396.
 caspia, 395, 514, 617.
 forsteri, 8, 514.
 hirundo, 396.
 maxima, 395.
 sandvicensis acuflavida, 396.
Sternula, 596.
 a. *browni*, 596.
 Stilt, Black-necked, 587.
 Stone, Witmer, review of his 'Birds of the Panama Canal Zone,' 302; identifications: reply to P. A. Taverner, 317, 448; note on Audubon's bibliography, 380; occurrence of the Red Phalarope in Pennsylvania, 419; Evening Grosbeak in New Jersey, 423; early occurrence of the Red-breasted Nuthatch in New Jersey, 423; editions of Baird, Cassin and Lawrence's 'Birds of North America,' 428-430; Jacob Post Giraud and his works, 464-472; personal mention, 635.
Stonechat, 499.
Stoporala, 442.
 Storer, Tracy I., see Grinnell, Joseph.

- Streptoceryle, 267.
alcyon, 272.
a. caurina, 272.
- Streptopelia turtur turtur, 511.
- Strix aluco aluco, 510.
varia helveola, 283.
v. varia, 518.
- Struthio camelus syriacus, 612.
- Sturnella, 197.
magna argutula, 54, 402, 520.
neglecta, 253.
- Sturnus vulgaris vulgaris, 502.
v. zetlandicus, 312.
- Sula bassana, 37.
- Sulita, 417.
- Surnia ulula, 21.
u. caparoch, 62.
- Swales, B. H., Stilt Sandpiper (*Micropalama himantopus*) in Wyoming, 102.
- Swallow, Bank, 44, 63, 403.
 Barn, 259, 403.
 Chimney, 503.
 Cliff, 44, 63, 258, 522.
 Northern Violet-green, 63.
 Rough-winged, 523.
 Tree, 44, 55, 403, 523, 577.
- Swan, 11.
 Trumpeter, 564.
- Swarth, H. S., notice of his 'Three New Subspecies of Passerella iliaca,' 437; personal mention, 635.
- Swift, 508.
 Chimney, 44, 401.
- Sylvia atricapilla atricapilla,
communis communis, 500.
halseyi, 469.
hortensis hortensis, 500.
olivacea, 469.
undata undata, 500.
- Sylvietta rufescens transvaalensis, 140.
- Synallaxis brachyurus chapmani, 601.
frontalis juiae, 274.
gujanensis huallagae, 274.
- macconnelli*, 612.
peruviana, 274.
scutata neglecta, 275.
semicinerea pallidiceps, 275.
- TACHYBAPTUS philippensis, 617.
- Tachycineta thalassina lepida, 63.
- Tachytriorchis, 567.
albicaudatus colonus, 568.
a. exiguis, 568.
a. sennetti, 568.
- Tambelan Islands, birds of, 600.
- Tanager, Scarlet, 44, 403, 477.
 Summer, 389.
 Western, 258.
- Tanagra aurea cynophora, 145..
catasticta, 145.
gnatho, 602.
laniirostris, 145.
l. zopholega
lauta, 602.
proba, 602.
minuta, 145.
olivacea, 573.
violacea pampolla, 145.
- Tangara, 576.
argentea, 577.
atrocœrulea, 577.
branickii, 577.
cabanisi, 577.
cyanoptera, 577.
dowi, 577.
fucusus, 577.
fulvicervix, 577.
heinei, 577.
melanitis, 577.
nigroviridis, 576.
vassorii, 577.
- Tangavius æneus, 197.
- Tapera naevia, 218.
- Taraba major **approximans**, 88.
- Taverner, P. A., the birds of the Red Deer River, Alberta, 1-21, 248-265; review of his 'Addenda to the Birds of Jasper Park, Alberta,' 132; review of his 'The Hawks of

- the Canadian Prairie Province in their Relation to Agriculture,' 132; identifications, characters vs. geography, 316, 446-448; notice of his 'Birds of Shoal Lake, Man.', 617; personal mention, 452.
- Taylor, W. P., an additional record of *Ammodramus savannarum bimaculatus* in eastern Washington, 287.
- Taylor, Warner, further record of the European Widgeon at Madison, Wis., 277.
- Teal, Blue-winged, 9, 103, 397, 455-460.
- European, 81.
 - Green-winged, 9, 50, 60, 104.
 - Southern, 455-460..
- Telacanthura, 129.
- Telmatodytes palustris, 262.
- p. griseus, 392.
 - p. iliacus, 56.
 - p. thryophilus, 56.
- Tern, Black, 8, 514.
- Cabot's, 396.
 - Caspian, 395, 514.
 - Common, 8, 44, 396.
 - Forster's, 8, 514.
 - Least, 396.
 - Royal, 395.
- Texas, birds of, 466.
- Thalassarche, 267.
- culminata culminata, 267.
- Thalasseus, 596.
- Thalassidroma, 276.
- Thalassoaëtus pelagicus, 443.
- Thalassogeron, 267.
- chrysostomus culminatus, 267.
- Thamnophilus amazonicus, 219.
- Thayer, A. H., exhibition of pictures illustrating camouflage, 158.
- Thereiceryx lineatus intermedius, 310.
- Thrassaëtos harpyia, 272.
- Thrasher, Brown, 56, 262, 392, 405.
- Thraupis palmarum melanopterum, 220.
- p. palmarum, 220.
- Thrush, Gray-cheeked, 63.
- Hermit, 45, 56, 263, 405.
 - Mistle, 498.
 - Olive-backed, 45, 63, 342, 345, 471, 478.
 - Russet-backed, 263.
 - Song, 498.
 - Willow, 263.
- Thryomanes bewickii bewickii, 405.
- Thryothorus ludovicianus ludovicianus, 56, 289, 392, 405, 583.
- Thryospiza mirabilis, 86-87.
- Thyellodroma chlororhyncha, 267.
- cuneata, 267.
- Tiga javensis, 286.
- Tinamou, 223-225.
- Tinamus, 223-225.
- subcristatus, 225.
- Tit, Long-tailed, 501.
- Great, 501.
 - Blue, 501.
 - Crested, 502.
- Titmouse, Tufted, 56, 524.
- 'Tori,' reviewed, 616.
- Torrey, Ruth M., and Knight, Martha G., a self-tamed Ruffed Grouse, 279.
- Totanus melanoleucus, 12, 52, 264, 399.
- flavipes, 12, 37, 105, 264.
- Tothill, John D., notice of his 'The Meaning of Natural Control,' 608.
- Toucan, 225.
- Towhee, 403.
- Arctic, 258.
 - Spurred, 73.
 - White-eyed, 55, 388.
- Townsend, C. W., announcement of a supplement to his 'Birds of Essex County, Mass.,' 158; note on Audubon's Labrador trip, 424; destruction of sea birds in Labrador, 427; feeding of Grackles, 627.
- Toxostoma redivivum helvum, 271.
- rufum, 56, 262, 392, 405.
- Treron calva poensis, 312.
- c. brevicauda, 312.

- c. sejuncta, 312.
curvirostra heineni, 312.
- Tribonyx ventralis*, 418.
- Tringa*, 596.
canutus, 105, 516.
glareola, 512.
nebularia, 513.
ocrophus, 512.
totanus, 512.
- Triorchis*, 282.
- Troglodytes aëdon aëdon*, 56, 405.
aë. parkmani, 262.
troglodytes troglodytes, 502.
- Tropic-bird*, Yellow-billed, 587.
- Trupialis bellicosus*, 197.
defillipi, 197.
falklandicus, 197.
militaris, 197.
- Tryngites subruficollis*, 516.
- Tschagra senegala sudanensis*, 140.
- Turacus*, 311.
- Turdus merula merula*, 498.
minor, 471.
musicus, 498.
olivaceus, 471.
philomelus philomelus, 498.
pilaris, 498.
solitarius, 471.
viscivorus viscivorus, 498.
- Turnstone*, Ruddy, 105, 400.
- Tuttle, H. E., some notes on the drumming of the Ruffed Grouse, 325-339.
- Tympanuchus americanus*, 13.
- Tyrannus tyrannus*, 41, 251, 387, 401.
verticalis, 71, 251.
- Tyto alba pratincola*, 272.
perlata pratincola, 272.
- U. S. NATIONAL Museum**, growth of collection of, 322.
- U. S. National Parks, birds of, 322.
- Upupa epops epops*, 509.
- Uria ringvia*, 596.
- Urochroma batavica*, 218.
- Urodynamis taitensis belli*, 310.
- Urogalba paradisea*, 286.
Utah, birds of, 565.
- VANELLUS vanellus**, 512.
- VanOort, E. D., review of his 'Birds of the Netherlands,' 127.
- Veles*, 304.
- Venezuela*, birds of, 419.
- Vermivora celata*, 260.
c. celata, 55, 404, 579, 588.
chrysoptera, 292.
lawrencei, 237.
leucobronchialis, 237, 292.
peregrina, 42, 260, 583.
pinus, 291, 292, 525.
ruficapilla, 293.
- Vermont, birds of, 282.
- Vetola*, 596.
- Vidgenia*, 130, 300.
- Vireo*, Blue-headed, 44, 55, 259, 404, 478.
Philadelphia, 42, 259, 481, 486.
Red-eyed, 478, 588.
Solitary, 294.
Warbling, 259, 475, 478.
White-eyed, 390.
- Vireo griseus griseus*, 390.
- Vireosylva gilva gilva*, 259.
olivacea, 38, 115, 259, 390, 588.
philadelphica, 42, 259, 486.
- Virginia, birds of, 574, 575.
- Vultur bengalensis*, 548.
kolbii, 548.
monachus, 548.
papa, 548.
percnopterus, 548.
tracheliotus, 548.
- Vulture, Black, 52, 400.
Turkey, 52, 400, 517, 567.
- WAGTAIL**, Gray-headed, 507.
White, 507.
- Warbler, Alaska Yellow, 63.
Bay-breasted, 43, 45, 226, 340, 345, 475, 477.
Black-and-White, 44, 259.

- Blackburnian, 226, 342-343, 589.
 Black-throated Blue, 45, 226, 294, 474, 475, 477, 523, 579, 589.
 Black-throated Green, 43, 45, 226, 261, 342-347, 474, 475, 589.
 Black-poll, 226, 261, 475, 482.
 Blue-winged, 291, 292, 525, 579.
 Canada, 45, 262, 294, 474, 475, 589.
 Cape May, 38, 45, 226, 340, 476, 481.
 Cerulean, 582.
 Cetti's, 500.
 Chestnut-sided, 340, 345, 475, 476, 589.
 Dartford, 500.
 Garden, 500.
 Golden-winged, 292, 579.
 Hooded, 45, 262, 589.
 Kentucky, 523.
 Lawrence's, 579.
 Magnolia, 45, 226, 261, 342-346, 475, 589.
 Myrtle, 45, 55, 63, 226, 260, 341, 342, 404, 483, 581.
 Nashville, 45, 293, 342, 474, 476, 482, 589.
 Northern Parula, 43, 45, 342, 474, 475.
 Orange-crowned, 55, 260, 404, 579, 588.
 Palm, 55, 261.
 Parula, 390, 404.
 Pine, 55, 404, 474, 481.
 Prairie, 391, 404, 523, 589.
 Prothonotary, 523, 588.
 Sedge, 500.
 Tennessee, 42, 45, 260, 474, 481, 482, 583.
 Wayne's, 489-492.
 Willow, 500.
 Wilson's, 45, 262, 474, 481.
 Yellow, 39, 45, 226, 260, 341, 475, 476, 589.
 Yellow Palm, 43, 45, 404, 474, 482.
 Yellow-throated, 55, 404, 580, 588.
 Warsaw Museum, birds of the, 461.
 Washington, birds of, 287.
 Water-Thrush, 476.
 Grinnell's, 63, 261.
 Louisiana, 404, 589.
 Water-Turkey, 283.
 Waxwing, Bohemian, 259.
 Cedar, 259, 342, 523.
 Wayne, Arthur T., correction to his 'Some Additions and other Records new to the Fauna of South Carolina,' 118; early nesting of the Loggerhead Shrike (*Lanius ludovicianus*) at Savannah, Ga., 288; the nest and eggs of Wayne's Warbler taken near Mt. Pleasant, S. C., 489-492.
 West Chester Bird Club, 606.
 West Indies, birds of, 136.
 Wetmore, Alexander, notes on the structure of the palate in the Icteridae, 190-197; review of his 'On the Anatomy of Nyctibius with Notes on Allied Birds,' 135; review of his 'Bones of Birds Collected by Theodor De Booy from Kitchen Midden Deposits in the Islands of St. Thomas and St. Croix,' 136; a note on the decrease of the Carolina Wren near Washington, 289; notice of his observations of lead poisoning in ducks, 301, 605.
 Weygandt, Cornelius, Waterton on bird song, 118.
 Wheatear, 64, 489.
 Whip-poor-will, 475, 519.
 White, Francis Beach, the Dickcissel in New Hampshire, 288.
 White, S. A., notice of his 'The Gawler Range,' 601; notice of his 'Ooldea on the East-West Railway,' etc. 601.

- Whitethroat, 500.
Widgeon, American, 60.
 European, 277, 514, 560.
Wiley, Leo, obituary notice of, 629.
Willet, 12, 385.
 Western, 52, 399.
Williams, John, notes from St. Marks, Florida, 586.
Williams, R. W., winter birds of East Goose Creek, Florida, 45-56.
Wilmot, Nelson E., Killdeer (*Oxyechus vociferus*) in West Haven, Conn., 105.
Wilson, Alexander Capt. Brown's illustrations to the American Ornithology of, 623.
Wilson, Etta S., late nesting of the Red-eyed Vireo in Detroit, Mich., 115; Snowy Owl in Detroit, Michigan, 569; strange conduct of a Robin, 584.
Wilson, Francis M., notice of his brief on the Migratory Bird Treaty, 606.
'Wilson Bulletin, The,' reviewed, 130, 308, 611.
Wilsonia canadensis, 262.
 citrina, 391.
 pusilla *pusilla*, 262.
Winchat, 499.
Wisconsin, 277.
Witherby, H. F., et al, review of their 'A Practical Handbook of British Birds,' 432, 597.
Witherby, H. F., personal mention, 635.
Woodcock, 37, 512.
Woodlark, 508.
Woodpecker, Alaska Three-toed, 62, 70.
 Arctic Three-toed, 40, 110, 250, 421.
 Downy, 608.
 Great Spotted, 509.
 Green, 509.
 Hairy, 608.
Lesser Spotted, 509.
Northern Hairy, 40, 248.
Northern Pileated, 293.
Pileated, 53, 250, 484, 588.
Red-bellied, 53, 401.
Red-headed, 386, 401, 519.
Red-cockaded, 53, 401.
Rocky Mountain Hairy, 301.
Southern Downy, 53, 401.
Wren, 502.
Bewick's, 405.
Carolina, 56, 289, 392, 405, 583.
Fire-crested, 501.
House, 56, 405, 479.
Long-billed Marsh, 262.
Prairie Marsh, 56.
Short-billed Marsh, 524, 583.
Western House, 262.
Worthington's Marsh, 392.
Wright, A. H., Henslow's Sparrow in New York and Virginia, 574; the Dickcissel in Virginia, 575; the Yellow-throated Warbler in central New York, 580.
Wright, Horace W., Arctic Three-toed Woodpecker (*Picoides arcticus*) at Belmont, Mass., 110; Black Duck nesting in Boston Public Garden, 355-367.
Wyoming, birds of, 102, 276.
XANTHOCEPHALUS xanthocephalus, 520.
Xanthopsar imthurni, 197.
Xenicopsoides, 273.
Xenops genibarbis cayoensis, 310.
Xiphocolaptes bahiae, 540.
Xiphorhynchus guttatus, 219.
 guttatus sororius, 219.
 pardalotus, 220.
YELLOW-LEGS, 37, 103, 105, 264.
 Greater, 12, 52, 103, 264, 483.
 Lesser, 12.
Yellow-throat, Florida, 55, 404.
 Maryland, 341, 342, 475.
 Western, 261.

- Yungipicus mitchellii*, 303.
moluccensis, 303.
- ZAMELODIA**, 115.
ludoviciana, 114, 258, 403.
melanocephala, 258.
microrhyncha, 410, 414.
- Zenaida auriculata noronha*, 309.
zenaida, 400.
- Zenaidura macroura carolinensis*, 37,
 52, 106, 400.
- Zimmer, J. T.*, notice of his 'A Few Birds from Luzon and Mindoro,' 135.
- Zonotrichia albicollis*, 54, 256, 342.
leucophrys gambeli, 63, 256.
querula, 180-190.
- Zoonavena*, 129.
francica oberholseri, 130.
- Zosterops atrifrons*, 599.
bayeri, 443.

ERRATA.

- Page 15, line 4, for *hudsonicus* read *hudsonius*.
 " 37, " 15 from bottom, for *hudsonicus* read *hudsonius*.
 " 71, " 12 from bottom, for *sayi* read *sayus*.
 " 138, " 20, for county read country.
 " 143, " 21, for K. read M.
 " 145, " 8 from bottom, for Lawler read Lawyer.
 " 153, " 11, for Oberholder read Oberholser.
 " 157, " 18 from bottom, for L. H. read S. H.
 " 162, " 9, for Lieut. read Lieut.-Col.
 " 163, " 4, for December 26 read December 25.
 " 286, " 16, for Megalaima read Megalaema.
 " 304, " 22 for *Peles* read *Veles*.
 " 308, " 9 from bottom, for Erkblaw read Ekblaw.
 " 309, " 16, for Simonds read Simons.
 " 310, " 2 from bottom for Woodchuck read Woodcock.
 " 312, " 16, for *Nothorchilus* read *Notorchilus*.
 " 323, " 10, for 85 read 83.

DATES OF ISSUE.

- Volume XXXV, No. 4.—October 16, 1918.
 Volume XXXVI, No. 1.—January 5, 1919.
 Volume XXXVI, No. 2.—April 8, 1919.
 Volume XXXVI, No. 3.—June 28, 1919.