

INDEX TO VOLUME XXXIX.

[New generic, specific and subspecific names are printed in heavy face type.]

- ACANTHIS hornemannii hornemannii, 363.
 linaria, 422.
 l. linaria, 371.
 l. rostrata, 569.
- Acanthiza ewingi, 579.
 lineata, 579.
 pusilla, 579.
- Acanthopneuste goodsoni, 561.
 klossi, 560
 trochilooides, 561.
 t. davisoni, 561.
 t. harteri, 561.
 t. ogilvie-granti, 561.
- Accipiter, 33.
 cooperi, 80, 235, 258.
 c. mexicanus, 247.
 velox, 180, 227, 235, 543.
 venezuelensis, 122.
- Accipitres, 435.
- Acridotheres cristatellus, 450.
- Actitis macularia, 80, 227, 235.
- Additional publications received, 297, 450.
- Aegialitis, 588.
- Aegithina tiphia aequanimis, 440.
- Aestrelata vociferans, 585
- Africa, birds of, 125, 129, 130, 279, 294, 304, 437.
- Agelaius phoeniceus, 230.
 p. floridanus, 547
 p. phoeniceus, 81, 182, 238, 370
- Ahrens, T. G., notice of his report on conservation in the United States, 131.
- Aythya ferina, 246.
- Aix sponsa, 234, 530.
- Alabama, birds of, 124, 125, 263, 411, 417.
- Alaska, birds of, 73, 75, 582.
- Alauda arvensis, 187.
 a. cinerascens, 291.
 a. dulcivox, 291,
- Albatross, Laysan, 484.
 Black-footed, 485.
- Alca torda, 426, 509.
- Alexander Gordon, Horned Grebe (*Colymbus auritus*) in central Missouri, 562.
- Algeria, birds of, 129.
- Alle alle, 249, 353.
- Allen, Amelia S., notice of her 'Birds of the Berkeley Campus, 295.
- Allen, J. A., in memoriam, 1-14.
- Alseonax murinus kumboensis, 589
- Aluco pratricola, 257, 536
- American Ornithologists' Union, thirty-ninth stated meeting of the, 85-94; report of secretary of the, 95-99; fellows of the, 149; fortieth stated meeting of the, 456, 593; group photographs of, 589.
- Ammodramus savannarum australis, 238, 548.
- Anas arcuata, 438.
 collaris, 245.
 diazi novimexicana, 412.
 fulvigula, 526.
 f. maculosa, 541.
 platyrhynchos, 226, 234, 333, 526.
 rubripes, 333, 526, 541.
 tadorna, 245.
- Anatinæ, 523.
- Anhinga anhinga, 536.
- Annam, birds of, 560
- Anous stolidus pileatus, 484.

- Anserinae, 523.
 Anthony, A. W., the Old Squaw (*Harelda hyemalis*) at San Diego, Calif., 104; the Sharp-tailed Sandpiper in Southern California, 106.
 Anthreptes ogilvie-granti, 135.
 Anthus, review of, 137.
 rubescens, 242, 551.
 spraguei, 175, 551.
 Antrostomus carolinensis, 236.
 vociferus, 181.
 v. vociferus, 237.
 Apalis bamendae, 589.
 Aphriza, 589.
 Aquila albipes, 280.
 chrysaëtos, 236.
 rapax, 280.
 Aramides albiventris, 287.
 cajanea, 140.
 plumbeicollis, 287.
 p. pacificus, 140, 287.
 Aramus vociferus, 287.
 v. holostictus, 287.
 Archibuteo, 436.
 lagopus sancti-johannis, 258.
 Archilochus colubris, 81, 181, 229, 237, 270.
 'Ardea,' reviewed, 292.
 Ardea herodias, 269, 541
 h. herodias, 226, 234.
 h. wardi, 541.
 Arenaria, 589.
 interpres interpres, 246, 361.
 i. morinella, 542.
 i. oahuensis, 246, 488.
 Argentina, birds of, 288, 440.
 Arizona, birds of, 474-481.
 Arquatella maritima maritima, 106, 360.
 Asio accipitrinus, 257.
 flammens sandwichensis, 488.
 otus, 74.
 o. wilsonianus, 74.
 Asio tingitanus andrewsmithi, 291.
 wilsonianus, 74, 236, 257, 417.
 Astragalinus tristis tristis, 81, 182, 230, 238, 548.
 Astur atricapillus atricapillus, 70, 235, 258.
 Asturina plagiata micrus, 140, 287.
 'Auk, The,' complete sets of, 302.
 Auk, Razor-billed, 426, 427, 509.
 'Austral Avian Record,' reviewed, 448.
 Australia, birds of, 123, 436, 579.
 Automolus celicae, 123.
 Aviceda, 436.
 'Avicultural Magazine,' reviewed, 136, 446.
 Avocet, 285.
 Aythya, 141.
 BAELOPHUS bicolor, 83, 242, 274, 372, 553.
 Bagg, Aaron C., the Greater Snow Goose in Massachusetts, 251; Tree Sparrow (*Spizella monticola monticola*) in Georgia, 263.
 Bailey, Florence Merriam, an Arizona feeding table, 474-481.
 Baker, E. C. Stuart, review of his 'The Game Birds of India,' 578.
 Baldwin, S. Prentiss, adventures in bird banding in 1921, 210-224; personal mention, 593.
 Baldpate, 516, 527.
 Bangs, Outram, notice of his 'Birds of the American Museum's Asiatic Expedition of 1916-1917,' 286; notice of his 'Notes on Philippine Birds Collected by Gov. W. C. Forbes,' 440.
 Bangs, Outram, and Penard, T. E., notice of their 'Descriptions of Six New Subspecies of American Birds,' 141; notice of recent papers by, 585.
 Bannerman, David, A., review of his 'First Impressions of Tunisia

- and Algeria,' 129; notice of his 'Rare Birds from the Belgian Congo,' 130; review of his 'The Canary Islands, 279; review of his 'The Birds of southern Nigeria,' 437.
- Bartram, Edwin B., Evening Grosbeaks in Pike Co., Pa., 263; an unusual Mockingbird record, 267.
- Bartramia longicauda, 70, 273.
- Bartsch, Paul, some tern notes, 101; two records of the Stilt Sandpiper, 106; an inland record for the Man-o war-bird, 249; a visit to Midway Island, 481-488.
- Basileuterus fraseri ochraceiceris-ta, 123.
- Bavarian Ornithological Society, 'Proceedings' reviewed, 139.
- Baxter, Evelyn V., and Rintoul, Leonora J., notice of their 'Some Scottish Breeding Duck, 439.
- Beard, Theodore R., the White-necked Raven (*Corvus cryptoleucus*) in Boulder County, Colorado, 261.
- Beck, Herbert H., aeolian and percussion bird music, 429.
- Bedell, Edgar, Golden-winged Warbler nesting at Waterford, N. Y., 266; *Florida caerulea* in Saratoga County, N. Y., 413; King Eider at Waterford, N. Y., 563.
- Beebe, William, appearance of his 'Monograph of the Pheasants,' Vol. III, 304; review of same, 433.
- Bent, A. C., review of his 'Life Histories of North American Gulls and Terns,' 122; progress of the same, 590.
- Bergtold, W. H., the Lapland Longspur in Colorado, 419.
- Bermuda, birds of, 584.
- Bird-banding, 210-224, 322-334, 334-350.
- 'Bird-Lore,' reviewed, 131, 289, 443, 586.
- Birds, importation of, 301.
- Bittern, 43, 47, 179, 196-202, 226, 252, 511, 541, 577.
- Least, 71, 541.
- Blackbird, Brewer's, 42.
- Red-winged 42, 47, 81, 230, 238, 370, 576.
- Rusty, 42, 47, 121, 238, 548.
- Yellow-headed, 43, 46.
- Blincoe, Ben. J., an unusual flight of Black Vultures in Nelson County, Kentucky, 416
- Bluebird, 43, 47, 84, 122, 187, 220, 243, 554.
- Mountain, 43, 47.
- Bobolink, 44, 46, 69, 81, 175, 187, 237.
- Bobwhite, 235, 441, 543.
- Bombycilla cedrorum, 82, 183, 231, 240, 515, 550.
- garrula, 372, 422, 574.
- Bonasa umbellus togata, 227.
- u. umbellus, 178, 180.
- Bond, Frank, comment on his drawing of a Passenger Pigeon flight, 300, 416.
- Booby, 119.
- Blue-faced, 487.
- Red-footed, 487.
- Bourne, Thomas L., two interesting occurrences of the Alder Flycatcher in Erie Co., N. Y., 260; the Greater Redpoll in Erie County, N. Y., 569.
- Botaurus lentiginosus, 179, 226, 249, 252, 511, 541.
- stellaris lentiginosus, 249.
- Brachyspiza capensis choraules, 440.
- c. mellea, 440.
- Brannon, Peter A., Pelicans in the interior of Alabama, 411
- Brant, 360, 507.

- Branta bernicla glaucogastra, 360, 511.
canadensis canadensis, 226, 234.
c. hutchinsi, 412
leucopsis, 166-171.
- Brazil, birds of, 123, 288, 295.
- 'British Birds,' reviewed, 135, 291, 446.
- British Columbia, birds of, 77, 78, 556-559, 582.
- British Ornithologists' Club, 'Bulletin' reviewed, 135, 291, 445, 589.
- British Ornithologists' Union, annual meeting of, 303.
- Brooks, Allan, the Kittiwake in Florida, 99; notes on crossing the Mexican Gulf from Key West to Galveston, 119; notes on the Bald Eagle, 556-559; personal mention, 303.
- Brotogeris jugularis apurinus, 589.
- Bubo virginianus, 228, 236.
v. virginianus, 180, 545.
- Bufflehead, 426.
- Bunting, Indigo, 82, 122, 183, 239, 577.
Lark, 45.
Lazuli, 480.
Painted, 269.
Snow, 48, 363, 371.
- Buphagoides, 125.
- Buphagus langi, 125.
- Burma, birds of, 286.
- Burteh, Verdi, spring 1917 migration of shore birds at Branchport, N. Y., 275; rare and uncommon birds at Branchport, N. Y., 276.
- Bustard, African, 201.
- Buteo, 34
alascensis, 107.
borealis, 107, 544.
b. borealis, 180, 235, 258, 512.
b. krideri, 273.
calurus, 107.
lineatus, 544.
- Buteo, l. *lineatus*, 180, 236, 566.
montanus, 107.
platypterus, 70, 227, 236, 544, 574.
rufescens, 107
swainsoni, 119.
- Butooides virescens virescens, 80, 179, 234.
- Buzzard, Turkey, 227.
- Bycanistes sharpii duboisi, 445.
- CAHN, Alvin R., additions to the summer avifauna of Lake County, Minn., 120.
- Cahow, 585.
- Cairina \times Chenalopex, 296.
- Calcarius lapponicus alascensis, 419.
l. lapponicus, 419, 428, 569.
ornatus, 175.
- Calidris alba, 246.
rubida, 246.
- California, birds of, 14-23, 76, 77, 104, 106, 287, 295, 373, 411.
- Callene batesi, 589.
- Calonectris kuhlii kuhlii, 58.
k. borealis, 60.
- Calopezus elegans albodus, 142, 440.
- Calophasia, 434.
- Campylorhamphus trochilirostris intermedius, 295.
- Canachites canadensis atratus, 584.
- Canada, birds of, 439, 441, 582.
- Canary, 301.
- Canary Islands, 279.
- Canutus canutus, 360.
- Canvasback, 234, 250.
- Capella gallinago delicata, 246.
- Cardinal, 82, 215, 216, 239, 274, 339, 344, 346, 424, 550.
Arizona, 475.
- Cardinalis cardinalis cardinalis, 82, 215, 216, 239, 550.
c. magnirostris, 550.
- Carpodaeus purpureus purpureus, 182, 230, 238

- Casmerodius egretta, 105, 251, 271, 425.
Casmorhynchus, 279.
Cassinaëtus, 445.
Catbird, 45, 46, 83, 185, 220, 232, 242, 552.
Catharaeta chilensis, 244.
 matsudairae, 449.
Catreus, 434.
Cathartes aura aura, 247.
 a. septentrionalis, 70, 80, 227, 235, 247, 258, 275, 543.
Centurus carolinus, 80, 215, 236, 546.
Cepphus grylle, 118, 352, 509.
 g. mandtii, 244.
Certhneis tinnunculus dörriesi, 589.
Certhia familiaris americana, 179, 242, 552.
 himalayana limes, 589.
Ceryle alcyon alcyon, 80, 180, 228, 236, 545.
Chæmepelia passerina terrestris, 536, 566.
Chaetura pelagica, 81, 121, 181, 220, 229, 237.
Chalcoparia, 143.
Chapin, James P., review of his 'Notes on a New Ox-pecker and other little known Birds of the Congo,' 125; the function of the oesophagus in the Bittern's booming, 196-202; inner primaries of woodpeckers, 299.
Chapman, Abel, review of his 'Savage Sudan,' 280.
Chapman, F. M., in memoriam: Joel Asaph Allen, 1-14; notice of his 'Descriptions of Proposed New Birds from Colombia, Ecuador, Peru and Brazil,' 123; review of his recent papers on South American Birds, 440.
Chapmania, 296.
Chance, Edgar, review of his 'The Cuckoo's Secret,' 432.
Charadrius, 588.
 alexandrinus, 73.
 a. nivosus, 73.
 a. tenuirostris, 73.
 hiaticula, 361.
 melodus, 227, 368, 414.
 nivosus, 73.
 semipalmatus, 542.
 varius allenbyi, 135.
Chat, Long-tailed, 479.
 Yellow-breasted, 88, 117, 241, 274.
Chaulelasmus streperus, 273, 527.
Chen caerulescens, 412.
 hyperboreus hyperboreus, 412
 h. nivalis, 251, 359.
Cherrie, George K., and Reichenberger, Mrs. Elsie M. B., review of their 'Descriptions of New Birds from Brazil, Paraguay and Argentina,' 288.
Chickadee, 186, 232, 423, 572.
 Acadian, 66.
 Black-capped, 179.
 Carolina, 24, 83, 242, 553, 572.
 Labrador, 67.
China, birds of, 286.
Chloronterpes flavigula magnus, 288.
Chlorospingus geringi, 438.
Chondestes grammacus grammacus, 238, 273, 549.
Chordeiles virginianus virginianus, 80, 181, 229, 237, 512, 568.
Christofferson, K., see Magee, M. J.
Chroicocephalus franklinii, 244.
 pepixcan, 244.
Chrostowski, T., notice of recent papers by, 283.
Chubb, Charles, review of his 'The Birds of British Guiana,' 279.
Chuck-will's-widow, 236.
Circus hudsonius, 80, 180, 227, 235, 258, 543.

- Cisticola cisticola annae, 290.
exilis, 579.
- Cistothorus, 115.
intercapularis, 115.
stellaris, 67, 112, 115, 232, 552.
- Clangula hyemalis, 250, 357.
- Cleaves, Howard, personal mention, 593.
- Climacocercus, 436.
- Coale, Henry K., on the nesting of *Ectopistes migratorius*, 254; notes on *Ectopistes migratorius*, 255; Parkman's Wren near Chicago, 268.
- Coccyzus americanus americanus, 70, 236, 417.
erythrophthalmus, 80, 180, 228, 236.
- Colaptes auratus subsp., 80.
a. auratus 239, 547.
a. borealis, 547.
a. luteus, 180, 229, 370.
pitius cachinnans, 440.
- Collecting permits, 301.
- Colinus virginianus virginianus, 235, 543.
- Collinge, W. E., reviews of recent papers by, 442.
- Colombia, birds of, 84, 123, 440.
- Colorado, birds of, 261, 419, 423.
- Columba livia butleri, 135.
- Colymbus auritus, 538, 562.
griseigena holboellii, 244.
holboelli, 71.
- Compsothlypis americana usneae, 67, 184, 240.
- Condor, 128.
- 'Condor, The,' reviewed, 132, 289, 443, 587.
- Connecticut, birds of, 117, 252, 254, 264, 267, 275, 270, 421.
- Conover, H. B., *Anas diazi novimexicana* and *Grus americana* in Nebraska, 412.
- Conservation, 130.
- Cooke, May Thatcher, the Cerulean Warbler at Washington, D. C., 570
- Coot, 119, 121, 226, 284, 427, 542.
- Coragyps urubu, 235, 255, 416, 543.
- Corea, birds of, 364-366.
- Cormorant, 34.
 Common, 425.
 Double-crested, 271, 540, 574.
- Corrington, Julian D., the winter birds of the Biloxi, Mississippi, region, 530-556.
- Cory, Charles Barney, in memoriam, 151-166.
- Corvus brachyrhynchos brachyrhynchos, 81, 181, 229, 237, 547.
corax principalis, 362.
cryptoleucus, 261.
ossifragus, 547.
- Corythornis leucogaster, 588.
l. batesi, 588.
- Cossar, E. J., notice of his 'The Nestling Feathers of the Mallard,' 294.
- Coturnicops noveboracensis, 225, 425.
- Coues, William Pearce, an albino Kingbird at Prouts Neck, Maine, 261.
- Cowbird, 44, 81, 121, 187, 229, 237, 547.
 Bronzed, 480.
- Crandall, Lee S., notice of his 'The Blue Bird of Paradise,' 140.
- Crane, Sandhill, 42, 47, 536.
 Whooping, 43, 412.
- Crateropus plebejus elberti, 293.
- Crax panamensis, 140, 287.
globicera, 140, 287.
- Creeper, Brown, 179, 242, 552.
- Creiscus ruberrimus, 140, 287.
- Criddle, Norman, a calendar of bird migration, 41-49.
- Crocethia alba, 360.

- Crosby, Maunsell S., Mute Swans on the Hudson, 100.
see also Griscom, Ludlow.
- Cross, Albert A., nesting of the Louisiana Water-Thrush in Massachusetts, 111.
- Crossbill, 238.
 American, 187
 Newfoundland, 370.
 White-winged, 69.
- Crotophaga sulcirostris pallidula, 247.
- Crow, 42, 47, 81, 181, 229, 237, 547.
 Fish, 34, 547.
- Cryptoglaux funerea funerea, 73.
 f. magna, 73.
 f. richardsoni, 516.
- Cryptolopha nesophila, 562.
 sarasinorum, 562.
- Crypturus, 585.
- Crypturornis, 586.
- Cuckoo, 292, 432.
 Black-billed, 45, 80, 180, 228, 236.
 Yellow-billed, 70, 236, 417.
- Cuncuma, 436.
- Curlew, Bristle-thighed, 487.
 Eskimo, 207.
 Long-billed, 43.
- Cyanocitta cristata bromia, 248.
 c. cristata, 81, 181, 214, 215, 229, 237, 248, 547.
 c. flornicola, 248.
- Cygninae, 523.
- Cymindis, 586.
- Cyornis rubeculoides klossi, 135.
- Dafila acuta, 226, 529, 541.
- Daley, Mary Wood, birds of Frost Valley, Slide mountain region, southern Catskills, 176-188.
- 'Danske-Fugle,' reviewed, 138.
- Daption capense, 101.
 c. australis, 245.
- Davis, R. N., Evening Grosbeak at Scranton, Pa., 110.
- Deane, Ruthven, American Egret (*Casmerodius egretta*) in Maine, 105.
- Delaware Valley Ornithological Club, annual meeting, 149.
- Dendragapus obscurus sitkensis, 246.
 o. flemingi, 584.
 o. sitkensis, 584.
- Dendrocygna bicolor helva, 440.
- Dendroica aestiva aestiva, 67, 82, 122, 231, 240, 515.
 auduboni memorabilis, 248.
 caerulescens caerulescens, 82, 178, 184, 231, 240.
 castanea, 68, 83, 231, 241, 515.
 cerulea, 274, 570.
 coronata, 23-13, 83, 117, 184, 217, 241, 551.
 c. hooveri, 584.
 discolor, 83, 119, 241, 267.
 dominica albiflora, 241.
 fusca, 83, 178, 185, 232, 241.
 kirtlandi, 243.
 magnolia, 68, 83, 178, 184, 231, 241.
 palmarum, 270.
 p. hypochrysea, 551.
 p. palmarum, 232, 241.
 pensylvanica, 67, 83, 178, 184, 231, 241.
 striata, 83, 241.
 tigrina, 240.
 vigorsii, 68, 232, 241, 372, 551.
 virens, 83, 178, 185, 241, 515.
- Dendropicos guineensis stresemanni, 449.
- obsoletus camerunensis, 291.
- Dexter, John Smith, notes on the birds of the Beaver River Valley in Saskatchewan, 269; the European Gray Partridge in Saskatchewan, 253.
- Dicaeum minullum subflavum, 135.
- Dickcissel, 82, 239, 274.

- Dickey, D. R., and van Rossem, A.
 J., the Iceland Gull (*Larus leucopterus*) in California, 411.
- Dierurus, 143.
- Dingle, E. von S., peculiar note of Carolina Chickadee, 572.
- Diomedea immutabilis, 484.
 irrorata, 64.
 nigripes, 485.
- District of Columbia, birds of, 282, 570.
- Dolichonyx oryzivorus, 69, 81, 175, 237
- Doolittle, E. A., defense note of the Chickadee, 572.
- Dove, Ground, 536, 566.
 Inca, 478.
 Mourning, 43, 47, 80, 106, 180, 235, 254, 269, 340, 543, 566.
 Western Mourning, 457-474.
 White-winged, 479.
- Dovekie, 249, 353.
- Dowitcher, 272, 414.
- Dromaius novae-hollandiae gunni, 448.
- Drymodes brunneopygia intermedius, 436.
 beccarii adjacens, 436.
- Dryobates borealis, 546.
 major brevirostris, 365.
 m. **seoulensis**, 364.
 medius lilianae, 445.
 minor, 299.
 pubescens medianus, 80, 121, 180, 228, 546.
 p. pubescens, 236.
 villosus auduboni, 546.
 v. subsp. 80.
 v. villosus, 180, 228, 546.
- Dryocopus martius, 299.
- Dryonastes grahami, 438.
- Duck, Black, 187, 330, 526, 540.
 Eider, 411, 578.
 Florida, 126, 526.
 Harlequin, 14-23, 118, 357.
 Labrador, 357.
- Duck, Lesser Scaup, 541.
 Mottled, 541.
 Pink-headed, 579.
 Ring-necked, 34, 276.
 Ruddy, 119, 234.
 Scaup, 42, 47, 226, 541.
 Wood, 187, 526.
- Dumetella carolinensis, 83, 185, 220, 232, 242, 552.
- Dutcher, Basil Hicks, obituary, 454
- Dysporus, 579.
- EAGLE, Bald, 121, 180, 544, 556-559.
 Golden, 236, 258.
- Ectopistes migratorius, 254, 255.
- Ecuador, birds of, 123, 440, 584.
- Edolius forficatus potior, 585.
- Egret, 71, 105, 251, 271.
 American, 425.
 Snowy, 34.
- Eider, 439.
 American, 33, 511.
 King, 33, 104, 359, 563.
 Northern, 358.
- 'El Hornero,' reviewed, 137, 449.
- Electron platyrhynchum, orienticola, 141.
- Empidonax flaviventris, 69, 81, 181, 229.
 minimus, 81, 178, 181, 229, 237.
 trailli alnorum, 260, 512.
 t. trailli, 261.
 virescens, 237, 273.
- 'Emu, The,' reviewed, 136, 447.
- Eremialector, 445.
- Eremomela pusilla tessmanni, 139.
- Ereunetes pusillus, 227, 235, 536.
- Erickson, W. J., notable increase of Egrets in Chatham county, Georgia, 251.
- Erismatura jamaicensis, 119, 234.
- Erythropygia quadrivirgata rovumae, 139.
- Essex County Ornithological Club
 'Bulletin' noticed, 290; review of 'Check List' of, 438.

- Eudromias, 589.
Euphagus carolinus, 121, 238, 513,
 548.
Eupodotis afrooides etoschae, 449.
Europe, birds of, 417, 576.
- FALCO candicans, 445.
 columbarius bendirei, 445.
 c. columbarius, 258, 369, 512.
 coronatus, 445.
 islandus, 361.
 obsoletus, 445, 489.
 peregrinus anatum, 70, 273.
 rusticolus alascanus, 445.
 r. obsoletus, 425.
 sparverius sparverius, 80, 228,
 236, 258, 545.
- Faxon, Walter and Hoffman, Ralph,
 supplementary notes on the birds
 of Berkshire County, Massa-
 chusetts, 65-72.
- Feathers, origin and structure of,
 294.
- Ferguson, A. L. and H. L., the fall
 migration of hawks as observed
 at Fishers Island, N. Y., 488-496.
- Ferguson, H. L., see Ferguson, A. L.
- Field identification of birds, 31-41.
- Field Museum of Natural History,
 reorganization of the department
 of zoology, 455.
- Finch, Purple, 43, 46, 182, 230, 238,
 537.
 Yellow, 488.
- Fisher, A. K., group photographs
 of the A. O. U., 589.
- Flicker, 80, 236, 429, 547, 567.
 Northern, 43, 47, 180, 229, 370.
- Florida, birds of, 99, 426, 572.
- Florida caerulea, 234, 413, 542.
- Flycatcher, Acadian, 33, 34, 237,
 273.
- Alder, 33, 34, 260, 424, 512.
Cassin's, 479.
Crested, 45, 46, 70, 81, 237.
Green-crested, 237.
- Flycatcher, Least, 44, 46, 81, 178,
 181, 229, 237.
Olive-sided, 44, 70, 187, 229,
 237, 512, 568.
Scissor-tailed, 109.
Traill's, 187, 261.
- Vermilion, 110.
Yellow-bellied, 70, 81, 181, 229.
- Forbes, Stephen A., and Gross,
 A. O., notice of their 'The
 Orchard Birds of an Illinois
 Summer,' 142.
- Forbush, E. H., Shelduck (*Ta-
dorna casarca*) in Massachusetts,
 104; notice of his 'The Utility
 of Birds,' 130; notice of his
 'Annual report for 1920,' 131.
- Ford, Edw. R., notes from Launder-
 dale, Fla., 425.
- Foster, Francis A., Arkansas King-
 bird in Massachusetts, 417.
- France, birds of 129.
- Francolins, 290.
- Francolinus bicalcaratus ogilvie-
 grantii, 589.
- Fraseria ocreata kelsalli, 445.
 cinerascens guineae, 445.
- Fratercula arctica, 444.
 a. arctica, 352, 426, 508.
- Fregata aquila, 540.
 magnificens rothschildi, 250.
 minor palmerstoni, 486.
- Fulica americana, 119, 121, 226,
 234, 542.
- Fuligula fuligula, 246.
- Fuligulinae, 523.
- Fulix affinis, 245.
 marila nearctica, 245.
- Fuller, Arthur, B., notes from
 Essex, Massachusetts, 1921, 425.
- Fulmar, 357.
- Fulmarus glacialis glacialis, 357.
- Fürbringer, M., obituary, 592.
- Furnarius rufus paraguayae, 288.
- GADWALL, 273, 439, 527.

- Galerida, 134.
 cristata halfae, 135.
 c. whitakeri, 446.
- Gallinago delicata, 226, 235, 246, 542.
- Gallinula chloropus centralis, 140, 287.
 galeata, 235, 564.
- Gallinule, Florida, 235, 564.
 Purple, 235.
- Gampsonyx swainsoni leonae, 140, 287.
 s. meridensis, 140.
 leonae, 287.
 meridensis, 287.
- Gannet, 511.
- Garrulus glandarius namiyei, 290.
- Gavia immer, 225, 426, 538.
 i. elasson, 244.
 stellata, 352.
- Gelochelidon nilotica, 245.
 n. aranea, 245.
- Geophaps scripta peninsulae, 447.
- Georgia, birds of, 251, 263, 334.
- Geothlypis trichas, 172,
 t. ignota, 551.
 t. trichas, 83, 185, 232, 241, 551.
- Geranospiza caerulescens livens, 141.
- Gibson, Langdon, bird notes from North Greenland, 350-363.
- Glaucionetta americana, 541.
- Gnatcatcher, Blue-gray, 117, 242, 274, 373, 554.
- Godwit, Hudsonian, 227.
 Marbled, 425.
- Golden-eye, 33, 42, 47, 426, 541.
- Goldfinch, 24, 45, 47, 81, 182, 230, 238.
- Goldman, E. A., notice of his 'Conserving our Wild Animals and Birds,' 130;
- Golson, L. S., White-throated Sparrow summering in Autauga County, Alabama, 263; a large gathering of Kingbirds, 417.
- Goosander, 439.
- Goose, Barnacle, 166-171.
 Blue, 43, 48, 412.
 Canada, 42, 47, 226, 234.
 Greater Snow, 251, 359.
 Hutchins', 43, 48, 412.
 Lesser Snow, 43, 48.
 Snow, 412.
 White-fronted, 43, 48.
- Goshawk, 70, 235, 258, 489.
- Grackle, Boat-tailed, 271.
 Bronzed, 34, 43, 47, 81, 230, 238, 513, 576.
 Florida, 548.
- Grallaria regulus roraimae, 279.
- Grammopsittaca lineola maculata, 438.
 l. tigrinus, 438.
- Grandidier, Alfred, obituary, 453.
- Grange, Wallace B., nesting notes from Ladysmith, Wisc., 575.
- Great Britain, birds of, 437.
- Grebe, Holboell's, 71.
 Horned, 273, 538, 562.
 Pied-billed, 71, 80, 516, 538, 565.
- Greenland, birds of 350-363.
- Grinnell, George B., Woodcock carrying its young, 563.
- Grinnell, Joseph, review of his 'The Principle of Rapid Peering in Birds,' 127; the role of the "accidental," 373-380.
- Grinnell, Joseph and Storer, Tracy I., review of their 'Life Zones of Yosemite National Park,' 287.
- Griscom, Ludlow, problems of field identification, 31-41; what is *Buteo rufescens*, Salvin and Godman, 107; notice of his 'Winter Avifauna of the Camargue,' 129; field studies of the Anatidae of the Atlantic coast, 517-530. See also Miller, W. De W.
- Griscom, Ludlow, Crosby, Maunsell, S., and Janvrin, E. R. P.,

- winter notes from Montauk Point Long, Island, 117.
- Griscom, Ludlow and Janvrin, E. R. P., Shoveller in Bergen Co., New Jersey, in Spring, 100; Cory's Shearwater off Newfoundland with remarks on its identification in life, 103.
- Griscom, Ludlow and Johnson, J. M., Black Tern on Long Island in Spring, 101.
- Grosbeak, Black-headed, 480. Blue, 239.
Evening, 48, 69, 110, 230, 262, 263, 276, 421, 422.
Pine, 48, 574.
Rose-breasted, 44, 46, 82, 175, 183, 231, 239.
- Grote, Hermann, notice of his 'Birds of Ukerewe Island,' 129.
- Grouse Canadian Ruffed, 227. Ruffed, 178, 180, 429, 441, 577.
- Grus americana, 412. mexicana, 536.
- Guacharo, 108.
- Guiana, British, birds of, 255, 279.
- Guillemot, Black, 118, 509. Mandt's, 352.
- Guiraca caerulea caerulea, 239.
- Gull, Black-backed, 510. Bonaparte's, 275, 539.
Franklin's, 43, 45.
Glaucous, 356.
Herring, 42, 120, 225, 234, 510, 538.
Iceland, 249, 411.
Ivory, 355.
Laughing, 120, 272, 539.
Ring-billed 34, 275, 510, 539.
Sabine's, 277.
- Gulls, 122.
Gygis alba candida, 485.
- Gymnopsittacus, 296.
- Gymnorhina tibicen eylandtensis, 447.
- Gyrfalcon, 489.
- Black, 425.
White, 361.
- HABIA, 586.
- Haematopus, 588. bachmani, 246.
niger, 246.
n. bachmani, 246.
palliatus, 564.
- Hagar, Joseph A.; Arkansas Kingbird in Plymouth County, Mass., 418.
- Halcyon torquatus pontyi, 292.
- Haliaeetus leucocephalus alascanus, 556 559. l. leucocephalus, 121, 180, 544.
- Hallinan, Thomas; Nighthawk (*Chordeiles virginianus*) roosting on flagpole, 567; bird interference on high tension electric transmission lines, 573; scarcity of breeding birds in Duval county, Florida, 573.
- Harelda hyemalis, 104.
- Harlow, Richard C., the breeding habits of the Northern Raven in Pennsylvania, 399-410.
- Harper, Francis, see Murphy, Robert C.
- Harris, Harry, obituary of R. C. Woodworth, 592.
- Hartert, E., notice of his 'Die Vögel der palaarktischen Fauna,' 442.
- Hawk, Broad-winged, 43, 70, 227, 236, 489, 544, 567, 574. Cooper's, 80, 235, 258, 489.
Duck, 46, 70, 273, 489.
Krider's, 273.
Marsh, 42, 47, 80, 180, 187, 227, 235, 258, 489, 543, 567, 577.
- Pigeon, 258, 369, 489, 512.
- Red-shouldered, 180, 236, 274, 489, 544, 566.

- Hawk, Red-tailed, 42, 47, 180, 235, 258, 489, 512, 544.
 Rough-legged, 42, 47, 258, 489.
 Sharp-shinned, 43, 47, 180, 227, 235, 489, 543, 567.
 Sparrow, 42, 43, 46, 47, 80, 119, 120, 228, 236, 258, 489, 567.
 Hawkins, Chauncey J., sexual selection and bird song, 49-57.
Helicolestes, 436.
Helinaia swainsoni, 243.
Heliocorys modesta saturatior, 589.
Heliothrix auritus major, 584.
 Helmayr, C. E., notice of his, 'On the Birds collected in South America by Alcide d'Orbigny,' 142; personal mention, 455.
Helmintheros vermicivorus, 240.
Helodromas solitarius solitarius, 179.
Hemipsittacus, 296.
 Hempel, Kathleen M., the whistled call of the Hairy Woodpecker, 259.
 Hemphill, Ashton E., Passenger Pigeons not in company front, 416.
Herodias egretta, 71.
 Heron, Black-crowned Night, 368.
 Great Blue, 226, 234, 269, 541.
 Green, 80, 179, 234.
 Little Blue, 34, 234, 413, 541.
 Louisiana, 541.
 Night, 34.
Hesperiphona vespertina vespertina, 69, 110, 230, 262, 263, 276, 422.
Heteractitis brevipes, 246.
Heteroglaucus philippinæ, 585.
Heteroscelus incanus brevipes, 246.
 Hewitt, C. Gordon, review of his 'The Conservation of the Wild Life of Canada,' 441.
 Heyde, A. Sidney, Bohemian Waxwings at Topeka, Kas., 422.
Himantopus, 589.
Hirundo erythrogaster, 82, 183, 231, 239.
Histrionicus histrionicus, 118, 357.
 Hoffman, Ralph, see Faxon, Walter, Holt, Ernest G., notice of his 'Annotated List of the Avery Bird Collection,' 125.
 Horsey, R. E., bird distribution in eastern Kentucky, 79-84.
 Howell, A. H., review of his 'A Biological Survey of Alabama,' 124.
 Huber, Wharton, personal mention, 149.
 Hummingbird, Ruby-throated, 45, 81, 181, 229, 237, 270, 576.
Hydranassa tricolor ruficollis, 541.
Hydrochelidon nigra surinamensis, 101, 225.
Hylocichla aliciae aliciae, 179, 243.
 a. bicknelli, 66.
 fuscescens fuscescens, 66, 83, 122, 186, 232, 243.
 f. salicicola, 268.
 guttata faxoni, 248.
 g. guttata, 248, 373.
 g. pallasi, 116, 179, 186, 232, 243, 248, 554.
 mustelina, 65, 83, 173, 186, 243.
 ustulata swainsoni, 65, 84, 179, 186, 232, 243, 583.
 u. ustulata, 583.
 'IBIS, The,' reviewed, 133, 290, 444, 588.
 Ibis, Wood, 565.
Icteria virens virens, 83, 117, 241, 274.
Icterus galbula, 175, 182, 230, 238, spurius, 238.
Ictinia plumbea vagans, 140, 287.
 Illinois, birds of, 101, 254, 367-373, 420.
 India, birds of, 578.
 Indiana, birds of, 111.
Indicator conirostris, 299.

- Indicator variegatus, 445.
Inocotis, 586.
Ionornis martinicus, 235.
Iowa, birds of, 106, 261, 249, 277,
 422, 566.
Iridophanes pulcherrima gualeae, 584
Iridoprocne bicolor, 183, 231, 240,
 550.
Ispidina leopoldi, 588.
Ixobrychus exilis, 71, 234, 541.
- JACANA scapularis, 440.
Jackson, Thomas Hoopes, obituary
 of, 299
Jaeger, Long-tailed, 34, 355.
 Parasitic, 34, 355.
 Pomarine, 119.
Janvrin, E. R. P., see Griscom,
 Ludlow.
Jay, Blue, 81, 181, 229, 237, 214–
 215, 338, 347, 547.
 Canada, 229, 418.
Johnson, Charles E., a correction
 for Lake County, Minnesota,
 birds, 278.
Johnson, J. M., see Griscom, Lud-
 low.
Jourdain, F. C. R., the breeding
 habits of the Barnacle Goose,
 166–171.
Journal für Ornithologie, reviewed,
 293, 449.
Junco, 114, 178, 183, 424.
 Carolina, 420.
 Mountain, 421.
 Shufeldt's, 42, 372.
 Slate-colored, 42, 47, 230, 239,
 549, 569.
Junco hyemalis carolinensis, 420.
 h. connectens, 372, 584.
 h. hyemalis, 178, 183, 230, 239,
 549, 569.
 oreganus montanus, 421.
Jynx torquilla, 299.
- KALMBACH, E. R., a comparison of
 the food habits of British and
 American Starlings, 189–195.
Kansas, birds of, 268, 422.
Kelsel, J. E. H., birds using their
 wings as a means of propulsion
 under water, 426.
Kentucky, birds of, 79–84, 270, 416.
Killdeer, 42, 46, 70, 80, 121, 227,
 235, 542.
Kingbird, 44, 46, 81, 181, 229, 237,
 261, 417, 576.
 Arkansas, 119, 270, 417, 418.
Kingfisher, 119.
 Belted, 43, 46, 80, 180, 228,
 236, 545.
Kinglet, Golden-crowned, 24, 48,
 186, 242, 270, 553.
 Ruby-crowned, 24, 43, 48, 186,
 188, 242, 476, 553.
Kittiwake, 99, 356.
Kloss, C. Boden, notice of his 'A
 Further note on the Red Jungle
 Fowl,' 294.
Knot, 272, 275, 360, 414.
Kopman, H. H., review of his 'Wild
 Life Resources of Louisiana,' 282.
Krüper, Theobald Johannes, obi-
 tuary of, 148.
Kuroda, Nagamichi and Mori,
 Tamezo, on some new and rare
 birds from Corea, 364–366.
Kutchin, Victor, review of his
 'What Birds Have Done with
 Me,' 437.
- LABRADOR, birds of, 507–516.
Lagopus evermanni, 247.
 lagopus, 269.
 mutus atkhensis, 247.
 m. chamberlaini, 247.
 m. dixoni, 247.
 m. evermanni, 247.
 m. kelloggæ, 247.
 m. nelsoni, 247.
 m. reinhardti, 247.

- Lagopus m. *rupestris*, 246.
 m. *sanfordi*, 247.
 m. *townsendi*, 247.
 m. *welchi*, 247.
rupestris, 246.
 r. *reinhardti*, 361.
welchi, 247.
- Lalage niger *mitifica*, 440.
- Lanius borealis, 372.
excubitor mollis, 248.
ludovicianus anthonyi, 76.
l. ludovicianus, 551.
l. mearnsi, 76.
l. mexicanus, 76.
l. migrans, 68, 183, 240, 551.
l. nelsoni, 77.
mollis, 248.
- Lanivireo *flavifrons*, 82, 184, 240.
- Lanivireo s. *solitarius*, 240, 372.
- Lano, Albert, White Pelican (*Pelicanus erythrorhynchos*) nesting in Minnesota, 105; Snowy Owl (*Nyctea nyctea*) in Minnesota in mid-summer, 107; Golden Eagle (*Aquila chrysaëtos*) and porcupine, 258.
- Lark, Horned, 69.
 Prairie Horned, 42, 47, 69, 237.
 Saskatchewan Horned, 42.
- Larus *argentatus*, 225, 234, 510, 539.
a. vegae, 244.
atricilla, 539.
delawarensis, 510, 539.
franklini, 290.
glaucopterus, 245.
hyperboreus, 356.
leucopterus, 245, 249, 411.
marinus, 510.
pepixcan, 244.
hiladelphia, 539.
vegaae, 244.
- Lawrence, Robt. B., Vermilion Flycatcher (*Pyrocephalus rubinus mexicanus*) in eastern Texas, 110.
- Old-squaw (*Clangula hyemalis*) in Texas, 250.
- 'Le Gerfaut,' reviewed, 137, 292.
 'L' Oiseau,' reviewed, 137, 292.
- Leeythoplastes *preussi*, 125.
- Leptasthenura *xenothorax*, 123.
s. cajabambae, 123.
- Leptoptilos, 196.
- Leptotila *fulviventris angelica*, 585.
- Leucopolius, 588.
- Lewis, Harrison F., the Mourning Dove in Newfoundland, 106; note on the Philadelphia Vireo (*Vireo-sylva philadelphica*), 265; notes on some Labrador birds, 507-516.
- Lima, Joao L., notice of his 'Birds Collected in the States of S. Paulo, Matto Grosso and Bahia,' 295.
- Lincoln, Frederick C., trapping ducks for banding purposes, 322-334; obituary of Hans C. C. Mortensen, 592.
- Limnaëtus *africanus*, 445.
- Limnocinclus, 246.
- Limosa *fedoa*, 425.
haemastica, 227.
- Lloyd, Hoyes, notice of his 'An Aquatic Habit of the Pigeons,' 140; popular names, 144.
- Lobipes *lobatus*, 512.
- Longspur, Chestnut-collared, 42, 46, 175.
 Lapland, 42, 48, 419, 428, 569.
 McCown's, 175.
 Smith's, 44.
- Lönnberg, E. and Rendahl, H., review of their 'A Contribution to the Ornithology of Ecuador,' 584.
- Loon, 225, 275, 426, 538.
 Red-throated, 352.
- Lophodytes *cucullatus*, 524.
- Louisiana, birds of, 282.
- Lowe, Percy R., species and subspecies, 145.
- Lower California, 431.
- Loxia *curvirostra bendirei*, 584.

- Loxia c. minor, 371, 238.
 c. percna, 370.
 c. sitkensis, 584.
 leucoptera, 69.
- Lucanus, F. von, review, of his 'The Mystery of Bird Migration,' 580.
- Lyon, Wm. I., bird banding as an opportunity to study character and disposition, 278.
- Lyrurus X Lagopus, 295.
- McATEE, W. L., notes on the food of the Guacharo (*Steatornis caripensis*), 108; notes on food habits of the Shoveller or Spoonbill Duck (*Spatula clypeata*) 380-386; notice of his 'Farm Help from the Birds,' 130; review of his 'Ten Spring Bird Lists made near Washington, D. C.', 282; review of his 'Community Bird Refuges,' 284.
- McGregor, R. C. and Marshall, E. J., review of their 'Philippine Birds for Boys and Girls,' 438.
- McNeil, George M., the Purple Sandpiper (*Arquatella maritima maritima*) at Ithaca, N. Y., 106.
- Magee, M. J., hawk migration routes at Whitefish Point, Upper Peninsula of Michigan, 257.
- Magee, M. J. and Christofferson, K. the Mourning Dove on Drummond Island, Mich., 566.
- Magpie, 261.
- Maine, 101, 105, 115, 249, 261.
- Mallard, 42, 47, 226, 234, 330.
- Mallock, J. B., strange feeding habit of a House Sparrow, 569.
- Manitoba, birds of, 41-49, 224-232.
- Man-o'war-bird, 119, 486, 540.
- Mareca americana, 516, 527.
 penelope, 250, 527.
- Marila sp. 226.
 affinis, 121, 245, 541.
 americana, 121.
- Marila collaris, 276, 334.
 ferina, 246.
 fuligula, 246.
 marila, 541.
 m. nearctica, 245.
 valisineria, 234, 250.
- Marshall, Elizabeth J., see McGregor, R. C.
- Martin, Purple, 44, 82, 550.
- Maryland, birds of, 568.
- Massachusetts, birds of, 65-72, 111, 115, 251, 417, 418, 423, 425, 496.
- Mathews, Gregory M., notice of his 'The Birds of Australia,' 123, 436, 579.
- May, Franklin H., Starlings nesting at Syracuse, N. Y., 261.
- Meadowlark, 81, 172, 173, 187, 238, 370, 429, 547.
 Western, 42, 47, 172, 173, 273.
- Mecocerculus leucophrus roraimae, 141.
- Megalopterus minimus melanogenys, 484.
- Megalurus palustris andrewsi, 286.
- Megaquiscalus major major, 548.
- Melanerpes erythrocephalus, 80, 121, 236, 546.
- Melanotis caerulescens effuticius, 141.
- Meleagris gallopavo silvestris, 543.
- Melicheutes robustus, 299.
- Melospiza georgiana, 230, 239, 265, 549.
 lincolni, 372.
 l. lincolni, 239.
 melodia, 172, 514, 549.
 m. juddi, 230.
 m. melodia, 82, 183, 220, 221, 239.
- Merganser, 34, 43, 275, 427, 524.
 Hooded, 524.
 Red-breasted, 34, 120, 271, 273, 439, 524, 540.
- Merginae, 523.

- Mergus americanus, 524.
 serrator, 120, 524, 540.
- Merula albifrons, 141.
 bicolor, 141.
 cinerascens, 141.
 flavirostris, 141.
 grayi lurida, 141.
 tristis, 141.
- Michael, Charles W. and Michael Enid, an adventure with a pair of Harlequin Ducks in the Yosemite valley, 14-23.
- Michael, Enid, see Michael, Charles W.
- Michigan, birds of, 104, 250, 257, 417, 566.
- Micropalama himantopus, 106, 252, 276, 278.
- Micropus caffer ansorgei, 445.
 pacificus, 247.
- Midway Island, birds of, 481-488.
- Migration, 41-49, 277, 292, 488-496, 580.
- Miller, Carrie Ella, Mockingbird in Maine, 115; Dovekie (*Alle alle*) at Newport, Me., 249.
- Miller, Julia, Junco breeding at Hornell, N. Y., 569.
- Miller, Richard F., nesting of the Bittern (*Botaurus lentiginosus*) in Philadelphia Co., Pa., 252; nesting of the Long-eared Owl in southern N. J., 257.
- Miller, W. DeW., the Hermit Thrush (*Hylocichla guttata pallassi*) as a summer resident of New Jersey, 116; personal mention, 303.
- Miller, W. DeW., and Griscom, Ludlow, notice of their 'Description of Proposed New Birds from Central America,' 140; review of their 'Descriptions of New Birds from Central America,' 287.
- Mimus polyglottos polyglottos, 67, 83, 215, 242, 552.
- Minnesota, birds of, 105, 107, 120, 278, 441.
- Mioneetes, 283.
- Mirafrä sabota waibeli, 449.
- Mississippi, birds of, 530.
- Missouri, birds of, 250, 562.
- Mniotilla varia, 82, 172, 178, 184, 231, 515.
- Mockingbird, 67, 83, 115, 215, 242, 267, 270, 496, 552.
 Western, 477.
- Moffatt, E. E., Evening Grosbeak at Winstead, Conn., 421.
- Mollymawk, Yellow-nosed, 58.
- Molothrus ater ater, 81, 121, 229, 237, 547.
- Momotus lessoni gualeae, 584.
- Monticola solitaria latouchei, 290.
- Mori, Tamezo, see Kuroda Nagamichi.
- Morris, George Spencer, obituary, 451.
- Mortensen, Hans Christian Cornelius, obituary, 592.
- Motacilla flava campestris, 291.
 f. flavifrons, 291.
 lugens, 248.
- Murphy, Robert Cushman, notes on Tubinares, including records which affect the A. O. U. Check-List, 58-65; notice of his 'The Seacoast and Islands of Peru,' 128, 449.
- Murphy, Robert C., and Harper, Francis, review of their 'A Revision of the Diving Petrels,' 288.
- Murre, 426, 509.
 Brünnich's, 352.
 Common, 425.
- Muscivora forficata, 109.
- Museum of Comparative Oölogy, review of 'Journal,' 133.
- Mycteria americana, 565.
- Myiarchus crinitus, 70, 81, 237.

- Myiobius, 439.
 villosum peruvianus, 439.
- Myiochanes virens, 81, 181, 229.
- NANNUS hiemalis, 269.
 h. hiemalis, 179, 186, 242.
- National Association of Audubon Societies, 301.
- Nauman, E. D., a strange migration, 277.
- Nebraska, birds of, 412, 428.
- Nectarinia congoensis, 125.
- Nelson, E. W., bird counts, 298; notice of his 'Annual Report of the Chief of Bureau of Biological Survey,' 131; review of his 'Lower California and its Natural Resources,' 431.
- Neocalophasis, 449.
- Neohierax, 436.
- Neolestes, 125.
- Neopisobia, 246.
- Neotis cafra denhami, 201.
- Netherlands, birds of the, 124, 435, 581.
- Netherlands Ornithological Club, 'Yearbook' reviewed, 138, 293.
- Nettion carolinense, 516, 528.
 crecca, 528.
 crecca X Dafila acuta, 293.
- New England, Bird Banding Association, organized, 150, 302.
- New Guinea, birds of, 130.
- New Hampshire, birds of, 416.
- New Jersey, birds of, 100, 110, 116, 249, 255, 257, 266, 413, 564, 568.
- New Mexico, birds of, 423.
- New York, birds of, 100, 101, 106, 117, 176-188, 260, 261, 266, 267, 276, 413, 414, 421, 424, 441, 488-496, 563, 569.
- Newfoundland, birds of, 103.
- Nicaragua, birds of, 287.
- Nicator, 125.
- Nichols, J. T., summer shore birds, 414.
- Nice, Margaret M., notes from Lynne, Connecticut, 117; a study of the nesting of Mourning Doves, 457-474; see also Nice, L. B.
- Nice, L. B. and Nice, Margaret M., the Short-billed Marsh Wren in Amherst, Massachusetts, 115.
- Nighthawk, 45, 46, 80, 181, 229, 237, 429, 512, 568.
- Noddi, 438.
- Nomenclature, 144, 145.
- Nonnula hellmayri, 283.
 ruficapilla pallida, 288.
- Nonpareil, 425.
- Norton, Arthur H., the Pintado Petrel (*Daption capense*) in Maine, 101.
- Nothocercus fuscipennis, 123.
 plumbeiceps, 584.
- Nothura maculosa savannarum, 142, 440.
- Numenius americanus occidentalis, 249.
- Nuthatch, Brown-headed, 553.
 Florida White-breasted, 553.
 Red-breasted, 48, 117, 186, 232, 242, 373, 531.
 White-breasted, 122, 186, 242, 553.
- Nuttallornis borealis, 70, 229, 237, 512.
 b. majorinus, 141, 248.
- Nyctala acadica, 257.
- Nyctea nyctea, 107, 257, 362, 574.
- Nyctibius longicaudatus chocoenensis, 123.
- Nycticorax n. naevius, 368.
- Nystactes tamatia interior, 288.
- Oberholser, Harry C., notes on North American birds, XI, 72-78; seventh annual list of proposed changes in the A. O. U. Check-List of North American Birds, 243-249; Junco oreganus montanus in Oregon, 421; *Wilsonia pusilla*

- chryseola* in New Mexico, 423;
W. p. pusilla in Colorado, 423;
 notice of his 'Mutanda Ornithologica XI,' 140; notice of his
 'The Anatine Genus Nyroca and its Nearest Allies,' 141; notice of
 his 'A Synopsis of the Subspecies of *Electron platyrhynchum*,'
 141; review of his 'Glimpses of Desert Bird Life in the Great
 Basin,' 284; notice of recent
 papers by, 585.
- Oceanites oceanicus*, 65.
- Oceanodroma*, 588.
- castro*, 486.
 - hornbyi*, 60.
 - markhami*, 62.
 - melandra matsudairae*, 444.
 - tristrami*, 486.
- Odontophorus parambae canescens*, 123.
- söderströmii*, 584.
- Odontorhynchus forbesi*, 436.
- palliatus guianensis*, 436.
- p. mexicanus*, 436.
- Oidemia deglandi*, 234.
- perspicillata*, 226, 250.
- Oklahoma*, birds of, 457-474.
- Old-squaw*, 104, 250, 257.
- Ontario*, birds of, 564.
- 'Oölogist, The,' reviewed, 133, 290,
 444, 588.
- Oporornis agilis*, 68, 185, 241.
- formosus*, 241.
- philadelphicus*, 185, 232, 241.
- tolmiei*, 172.
- Oregon*, birds of, 421.
- Oreotrochilus chimborazo söderströmi*, 584.
- Oriole, Arizona Hooded*, 480.
- Baltimore*, 44, 182, 175, 187,
 230, 238, 576.
 - Orchard*, 238.
- Oriolus xanthonotus persuasus*, 441.
- Ornithological articles in other
 journals, 139-143, 294, 449.
- 'Ornithologische Beobachter,' re-
 viewed, 138, 293, 448.
- 'Ornithologische Monatsberichte,'
 reviewed, 139, 293.
- Oroaëtus*, 436.
- Orospingus*, 438.
- Ortalis canicollis pantanalensis*, 288.
- c. grisea*, 288.
 - cinericeps saturatus*, 140, 287.
 - vetula mecalli*, 247.
 - v. vetula*, 247.
- Ortholophus*, 445.
- Orthonyx novaeguineae*, 124.
- Orthotomus ruficeps nuntius*, 440.
- Osgood, Wilfred H., in memoriam:
 Charles Barney Cory, 151-166;
 personal mention, 303.
- Osprey*, 117, 228, 258, 489, 536, 573.
- Otocoris alpestris alpestris*, 69.
- a. praticola*, 69, 237, 568.
- Otus asio asio*, 80, 236.
- capensis*, 291.
 - choliba luctuosa*, 141.
- Oven-bird*, 44, 46, 172, 175, 178, 185,
 232, 241, 515, 577.
- Owl, Barn*, 236, 257, 536.
- Barred*, 121, 180, 236.
 - Florida Barred*, 545.
 - Great Horned*, 180, 228, 236,
 545.
 - Hawk*, 228.
 - Long-eared*, 42, 236, 257, 417.
 - Saw-whet*, 257.
 - Screech*, 80, 187, 236, 537.
 - Short-eared*, 257, 488.
 - Snowy*, 48, 107, 255, 362, 574.
- Oxyechus*, 589.
- vociferus*, 70, 80, 121, 227, 235,
 542.
- Oystercatcher*, 272.
- PACHYSYLVIA fuscicapilla albogularis*,
 123.
- thoracicus abariensis*, 279.
- Pagolla*, 588.
- Pagophila alba*, 355.

- Palmer, T. S., thirty-ninth stated meeting of the American Ornithologists' Union, 85-94; report of the secretary, 95-99; obituary of Theobald J. Krüper, 148; fellows of the A. O. U., 149; the Yellow-billed Cuckoo in Europe, 417; obituary of Alfred Granddier, 453; obituary of Frank E. Woodruff, 453; obituary of Basil Hicks Dutcher, 454; obituary of Max Fürbringer, 591; review of his 'Game as a National Resource,' 441.
- Palmer, William, in memoriam, 305-321.
- Pandion haliaetus carolinensis, 117, 228, 258, 536, 573.
- Pangburn, Clifford H., the Ground Dove in central Iowa, 566.
- Papuorthonyx, 124.
- Paradisornis rudolfi, 140.
- Paraguay, birds of, 288.
- Parker, Arthur J., wintering of the Canada Jay in Massachusetts, 418.
- Partridge, Gray, 253.
- Parus caeruleus cyrenaicae, 589.
- Passer domesticus, 81, 182, 231, 548, 569.
- Passerculus sandwichensis subsp. 230.
s. savanna, 81, 238, 548.
- Passerella iliaca iliaca, 239.
- Passerherbulus caudacutus, 265, 548.
henslowi henslowi, 69, 238, 264, 548.
maritimus, 548.
m. fisheri, 549.
m. howelli, 248.
m. juncicola, 248.
m. macgillivrayi, 549.
m. maritimus, 548.
nelsoni nelsoni, 276, 548, 574.
- Passerina ciris, 269, 425.
cyanea, 82, 122, 183, 239.
- Pearson, T. Gilbert, Whooping Cranes (*Grus americana*) in Texas, 412.
- Pedetaithya griseigena major, 244.
- Pelagodytes, 288.
- Pelecanoides, 288.
magellani, 288.
- Pelecanus erythrorhynchos, 105, 411, 540.
occidentalis, 411, 540.
- Pelican, Brown, 411, 540.
White, 43, 105, 411, 540.
- Pelidna alpina sakhalina, 275, 278.
- Penard, T. E., notice of his 'A New Hummingbird from Surinam,' 585; see also Bangs, Outram.
- Penelope barbata, 123.
- Pennsylvania, birds of, 110, 252, 262, 263, 267, 295, 399-410, 441.
- Penthestes atricapillus atricapillus, 119, 186, 232, 423, 572.
carolinensis carolinensis, 83, 242, 553, 572.
gambeli abbreviatus, 584.
hudsonicus littoralis, 66.
h. nigricans, 66, 67.
- Pentholea albifrons reichenowi, 139.
- Pericrocotus montpellieri, 446.
yvettae, 286.
- Periparus atter teraokae, 290.
- Perisoreus c. canadensis, 229, 419.
- Perissonetta, 141, 245.
collaris, 246.
- Perkins, Anne E., notes from Collins, N. Y., 424; Florida Gallimule nesting at Picton, Ont., 564; Red-shouldered Hawk using old nest, 564.
- Peru, birds of, 123, 128.
- Peters, J. L., the determination of the type of the genus *Cistothorus* Cabanis, 115; personal mention, 149; see also, Wetmore, Alexander.
- Petrel, Bonin Island, 486.

- Petrel, Diving, 288.
 Hawaiian, 486.
 Hornby's, 60.
 Pintado, 101.
 Tristram's Fork-tailed, 486.
Petrochelidon lunifrons lunifrons, 111, 183, 231, 239.
Peueca aestivalis bachmani, 239, 420.
Pewee, Wood, 45, 81, 181, 229.
 Western Wood, 45.
Phaeopus tahitiensis, 487.
Phaethon rubricaudus, 486.
Phainopepla, 477.
Phalacrocorax africanus menegauxi, 292.
 auritus, 540.
 a. auritus, 226, 563.
 a. floridanus, 540.
 carbo, 425.
Phalarope, 285.
 Northern, 512.
 Red, 207, 277.
Phalaropus fulicarius, 277.
 f. jourdaini, 291.
Phasianus, 434.
 bankiva, 294.
 colchicus, 433, 435.
 gallus, 294.
 torquatus, 70.
 versicolor, 434.
Pheasant, Ring-necked, 70.
Philetairus socius geminus, 449.
Philippines, birds of, 438, 440.
 Phillips, J. C., review of his 'A Further Report on Species Crosses in Birds,' 126; notice of his 'Conservation of our Mammals and Birds,' 130.
Philohila minor, 235, 542, 563.
Phloeotomus pileatus abieticola, 180, 228, 273.
 p. pileatus, 236, 546.
Phoebe, 42, 81, 181, 229, 237, 547, 575.
Phoenicothraupis, 586.
Phylloscopus indica, 291.
 griseolus, 291.
 humei, 291.
 h. inornatus, 291.
 trochiloides tokiensis, 561.
Picoides arcticus, 228, 369.
Picumnus lepidotus corumbanus, 295.
 parvistriatus, 123.
Pigeon, Passenger, 254, 255, 300, 416.
Pinicola enucleator leucura, 574.
Pintail, 226, 439, 529, 541.
Pipilo erythrorthalmus erythrophthalmus, 82, 122, 183, 239, 550.
Pipit, 43, 48, 242, 551.
 Sprague's, 43, 46, 175, 551.
Pipromorpha, 283.
 oliginea pacifica, 283.
Piranga erythromelas, 82, 183, 231, 239, 275.
 ludoviciana, 269.
 rubra rubra, 239.
Pisobia acuminata, 246, 487.
 aurita, 106.
 maculata, 80, 235.
 minutilla, 227, 235.
 ruficollis, 246.
Pithecophaga, 436.
Pituipicus, 440.
Planesticus, 141.
 bianchii, 283.
 migratorius, 554.
 m. achrusterus, 554.
 m. caurinus, 584.
 m. migratorius, 84, 172, 187, 221, 232, 243, 373.
Plectrophenax nivalis nivalis, 363, 371.
Plover, Black-bellied, 272, 273, 368, 414, 542.
 Golden, 43, 48.
 Pacific Golden, 487.
Piping, 227, 271, 368, 414.
Ringed, 361.

- Plover, Semipalmated, 272, 273, 275, 414, 542.
Upland, 44, 46, 70, 272, 273.
Wilson's, 272.
- Pluvialis, 588.
 apricarius oreophilus, 135.
 dominicus fulvus, 487.
- Pochard, 439.
- Podilymbus podiceps, 71, 80, 516, 538.
- Podoces panderi ilensis, 293.
- Podosoey, 589.
- Polioaëtus, 436.
- Poliohierax insignis, 436.
- Polioptila caerulea caerulea, 117, 242, 373, 554.
- Poecetes gramineus gramineus, 182, 230, 238, 548.
- Poole, E. L., notes on early summer birds of the Virginia coast, 271.
- Porter, Louis H., notes on Connecticut birds, 275.
- Porthmornis, 288.
- Porto Rico, birds of, 584.
- Porzana carolina, 71, 226, 235, 542.
- Porzanula palmeri, 487.
- Potter, Julian K., Oyster-catcher on the New Jersey coast, 564.
- Praeger, W. E., King Eider (*Somateria spectabilis*) in southern Michigan, 104.
- Preble, Edward A., Roderick Ross Macfarlane, 1833-1920, 203-210.
- Priocella, 65.
- Procellaria collaris, 61.
- Proconurus, 296.
- Progne subis subis, 82, 550.
- Propyrrhura, 296.
- Protonotaria citrea, 240, 274, 570.
- Provencal Society of Natural History of Canada, review of its publication, 439.
- Psephotus narethae, 136.
- Pseudibis, 586.
- Pseudocolaptes johnsoni, 584.
- Ptarmigan, Reinhardt's, 361.
Willow, 269.
- Pterocles arenarius, 445.
 burchelli, 445.
 variegatus, 445.
- Pteroclurus, 445.
- Pterodroma hypoleuca, 486.
- Pucrasia, 434.
- Puffin, 352, 426, 508.
- Puffinuria, 288.
- Puffinus cuneatus, 486.
 griseus, 65.
 megalli, 585.
 parvus, 585.
 puffinus mauretanicus, 292.
 p. puffinus, 426.
 p. yelkouan, 292.
- Pumyea, N. DeW., the Evening Grosbeak at Mt. Holly, N. J., 110.
- Pygochelidon, 440.
 cyanoleuca, 440.
 patagonica patagonica, 440.
 p. peruviana, 440.
- Pyranga rubriceps rufistigmata, 584.
 flavipes, 440.
- Pyrocephalus rubinus mexicanus, 110.
- Pyrrhospiza punicea punicea, 589.
- Pyrrholæmus brunneus, 580.
- QUEBEC, birds of, 112, 265, 411.
- Querquedula discors, 120, 226, 234, 334, 528.
- Quiscalus niger, 513.
 quiscula aeneus, 81, 230, 238, 513.
 q. aglaeus, 548.
- RABEIRO, Alípio de M., notice of his 'Revision of the Brazilian Parrots,' 296.
- Rail, Clapper, 272.
 King, 542.
Laysan Island, 487.

- Rail, Virginia, 226, 234,
Yellow, 226, 425.
Rallus elegans, 542.
virginianus, 226, 234.
Ratliff, Walter S., the Cliff Swallow (*Petrochelidon l. lunifrons*) in Indiana, 111.
Raven, Northern, 362, 399-410.
White-necked, 261.
Redhead, 121.
Red-poll, 48, 371, 422.
Greater, 569.
Greenland, 363.
Redstart, 44, 46, 83, 179, 185, 232,
242, 516.
Red-wing, Florida, 547.
Reed, Bessie D., notes from Lawrence Kansas, 268; bird catastrophe at Gordon, Nebraska, 428.
Regulus calendula calendula, 186,
242, 553.
satrapa satrapa, 186, 553.
Reichenberger, Mrs. Elsie M. B.,
see Cherrie, George K.
Rendahl, H., see Lönnberg, E.
'Revue Francaise d'Ornithologie,'
reviewed, 136, 292, 448.
Rhinoerypta fusca, 440.
Rhipidura flabellifera placabilis,
287.
Rhodonessa caryophyllacea, 579.
Rhynchofalco, 436.
Rhynchophanes mccowni, 175.
Rhynchotus arcanus, 142, 440.
Richmond, Charles W., in memoriam: William Palmer, 305-321.
Riddle, O., notice of his 'Simple Method of Obtaining Premature Eggs,' 296.
Riley, J. H., notice of recent papers by, 438, 560-562.
Rintoul, Leonora J., see Baxter, Evelyn V.
Rissa tridactyla tridactyla, 99, 356.
Robin, 42, 47, 84, 172, 187, 221, 232,
243, 373, 554, 576.
Rose, George C., Evening Grosbeak at Ellenville, N. Y., 421.
Rosthramus, 586.
Rothschild, Lord, notice of his 'Some Birds from the Weyland Mts., Dutch New Guinea,' 130.
Rowan, William, some bird notes from Indian Bay, Man., 224-232.
Royal Australasian Ornithologists' Union, annual meeting of, 304.
Rynchos nigra, 539.
SAGE, J. H., personal mention, 455.
Saltator aurantiirostris nasica, 440.
Salvatoria, 296.
Sanborn, Colin Campbell, recent notes from an old collecting ground in northeastern Illinois, 367-373; Bachman's Sparrow (*Peucaea aestivalis bachmani*) in N. E. Illinois, 420.
Sanderling, 207, 272, 360, 414.
Sandpiper, Baird's, 207.
Buff-breasted, 207, 368.
Least, 227, 235, 272, 275, 414.
Pectoral, 80, 235, 272, 414.
Purple, 106, 360.
Red-backed, 272, 275, 278, 414.
Semipalmated, 34, 227, 235,
272, 275, 414, 536.
Sharp-tailed, 106, 487.
Solitary, 179, 227, 235.
Spotted, 44, 46, 80, 227, 235.
Stilt, 106, 252, 276, 278.
Western, 34.
White-rumped, 272, 414.
Sapsucker, Yellow-bellied, 43, 46,
70, 180, 229, 236, 546.
Sarotherura elegans, 196.
Saskatchewan, birds of, 253, 269.
Saunders, Aretas A., flight songs and mating songs, 172-175; a Connecticut record of the Stilt Sandpiper, 252; early nesting of

- the Mourning Dove, 254; the nesting of Henslow's Sparrow in southern Connecticut, 264; a question concerning the distribution of the Long-billed Marsh Wren, 267; the song of the Field Sparrow, 386-399.
- Sayornis phoebe, 81, 181, 229, 237, 547.
- Scarfe, S. H., notice of his paper on value of S. African birds, 443.
- Scaup, 33.
 Lesser, 121, 275.
- Schorger, A. W., defense notes of Chickadee (*Penthestes atricapillus atricappillus*), 423; notes from Madison, Wis., 574.
- Sclater, W. L., notice of his 'Aves' in the Zoological Record for 1919, 126.
- Scolecoptagus niger, 513.
- Scoter, Common, 439.
 Surf, 226, 250.
 White-winged, 275.
- Scotiaptex nebulosa barbata, 75.
 n. lapponica, 75.
 n. nebulosa, 75.
- Scotland, birds of, 439.
- Scoville, Samuel, Jr., the Evening Grosbeak at Haverford, Pa., 110; notice of his 'Wild Folk,' 581.
- Seiurus aurocapillus, 172, 178, 185, 232, 241, 515.
 noveboracensis noveboracensis, 83, 185, 232, 241.
 motacilla, 68, 185, 241, 274.
- Setophaga ruticilla, 83, 179, 185, 232, 242, 516.
- Sewerzow, Nikolai, review of his paper on the zoogeography of the Palaearctic Region, 128.
- Shearwater, Cory's, 103.
 Manx, 426.
 Mediterranean, 58.
 Wedge-tailed, 486.
- Shelduck, 104.
- Shoveller, 43, 100, 380-386, 439, 516, 529.
- Shrike, Loggerhead, 551.
 Migrant, 68, 183, 240.
 Northern, 48, 372.
 White-rumped, 43.
- Shufeldt, R. W., occurrence of the Prothonotary Warbler (*Protonotaria citrea*) at Dyke, Virginia, 570; scarcity of Arctic birds in Europe, 578; notice of his 'Sub-fossil Remains of Birds from Bermuda,' 585.
- Sialia sialis sialis, 84, 122, 187, 220, 243, 554.
- Sigmodus, 125.
- Siptornis wyatti aequatorialis, 123.
- Siskin, Pine, 44, 47, 230, 371, 514, 537.
- Sitta carolinensis, 553.
 c. atkinsi, 553.
 c. carolinensis, 122, 186, 242.
 canadensis, 117, 186, 232, 373, 516.
 pusilla, 553.
- Sittiparus varius ijimae, 290.
- Skimmer, Black, 272, 273, 539.
- S Skylark, 187.
- Smith, Lester W., Arkansas Kingbird and Egrets in Connecticut, 270.
- Snipe, Wilson's, 43, 47, 414, 226, 235, 273, 429, 542.
- Somateria dresseri, 411, 437, 511.
 mollissima, 437.
 m. borealis, 358.
 spectabilis, 104, 359, 563.
 v. nigra, 437.
- Song, 172-175, 386-399, 428, 429.
- Sora, 44, 46, 71, 226, 235, 542.
- Soroplex, 440.
- South Carolina, birds of, 23-31, 414, 420, 267, 268.
- 'South Australian Ornithologist,' reviewed, 293, 448.
- Sparrow, Bachman's, 239, 420.

- Sparrow, Chipping, 44, 46, 81, 182, 218, 219, 221, 230, 239, 341, 345, 347, 371, 549.
 Clay-colored, 43, 46, 230, 274.
 English, 81.
 Field, 81, 173, 182, 239, 386-399, 549.
 Fox, 43, 48, 239.
 Gambel's, 474.
 Grasshopper, 120, 238, 548.
 Harris's, 44, 48, 273.
 Henslow's, 69, 238, 264.
 House, 81, 182, 231, 548, 569.
 Lark, 44, 238, 273, 477, 549.
 Lincoln's, 44, 47, 114, 239, 372.
 Louisiana Seaside, 549.
 Macgillivray's Seaside, 549.
 Nelson's, 276, 548, 574.
 Savannah, 43, 47, 81, 114, 230, 238, 548.
 Seaside, 548.
 Sharp-tailed, 34, 265.
 Song, 43, 47, 52, 82, 172, 175, 182, 220, 221, 230, 239, 514, 549.
 Swamp, 43, 46, 114, 230, 239, 265, 549.
 Tree, 42, 48, 238, 263.
 Vesper, 230, 238, 548, 576.
 Western Vesper, 43, 47.
 White-crowned, 44, 48, 81, 238, 481.
 White-throated, 43, 47, 69, 81, 114, 178, 182, 188, 216, 230, 238, 263, 346, 549, 576.
Spatula clypeata, 380-386, 516, 529.
 Species and subspecies, 184, 145.
Speotyts cunicularia carrikeri, 84.
Sphecotheres, 123.
Sphyrapicus varius varius, 70, 180, 228, 236, 546.
 Spiker, Chas. J., rare winter birds at New Hampton, Iowa, 422.
Spinus pinus, 230, 371, 514, 537.
 Spitzbergen, birds of, 166-171.
Spiza americana, 82, 239, 263, 274.
Spizella monticola monticola, 238.
 pallida, 230, 274.
 passerina passerina, 81, 182, 218, 221, 230, 239, 371, 549.
 pusilla 386-399.
 p. pusilla, 81, 173, 182, 239, 549.
Sporophila insulata, 123.
 sertanicola, 295.
Squatarola, 588.
 squatarola, 368.
 Starling, 69, 189-195, 261, 513.
Steatornis caripensis, 108.
Stelgidopteryx serripennis, 68, 82, 231, 240.
Stenostira scita, 444.
Stephanoætus, 445.
Stercorarius parasiticus, 355.
 longicaudus, 355.
Sterna antillarum, 101.
 caspia, 276, 425, 539.
 fuscata oahuensis, 484.
 hirundo, 225, 276, 511.
 maxima, 539.
 paradisea, 357.
Sternula albifrons antillarum, 245.
 a. browni, 245.
 antillarum antillarum, 245.
 Stone, Witmer; a new Burrowing Owl from Colombia, 84; obituary of Thomas H. Jackson, 299; obituary of George Spencer Morris, 451; Wood Ibis at Cape May, N. J., 565; hawk migrations at Cape May, N. J., 567.
 Storer, Tracy I., see Grinnell, Joseph.
 Stork, Maribou, 196.
 Street, J. Fletcher, personal mention, 149.
Strix chacoensis, 288.
 varia allenii, 545.
 v. varia, 121, 180.
Struthiolithus chersonensis, 141.
Sturnella magna, 172, 370, 547.
 magna subsp., 81.

- Sturnella m. argutula, 547.
m. magna, 238.
neglecta, 172, 273.
- Sturnus vulgaris, 69, 261, 513.
- Subacanthiza, 579.
- Sula, 585.
bassana, 511.
dactylatra personata, 487.
leucogastra, 487.
piscator, 487.
- Surnia ulula caparoch, 228.
- Swales, B. H., Scissor-tailed Flycatcher (*Muscivora forficata*), in Northampton County, Virginia, 109; Prairie Horned Lark (*Otocoris alpestris praticola*) in Maryland in summer, 568.
- Swallow, Bank, 44, 45.
Barn, 44, 46, 82, 183, 231, 239.
Cliff, 44, 45, 183, 231, 239.
Rough-winged, 68, 82, 231, 240.
Tree, 43, 46, 183, 187, 231, 240, 550.
- Swan, Mute, 100.
- Swann, H. Kirke, on *Accipiter venezuelensis*, 122; review of his 'Synopsis of the Accipitres,' 128, 435.
- Swarth, H. S., review of his 'Birds and Mammals of the Stikine River Region,' 582.
- Swift, Chimney, 81, 121, 181, 220, 229, 237.
- Syrmaticus, 434.
- Syrnium varia varia, 236.
- TADORNA casarca, 104.
tadorna, 245.
- Talbot, L. R., bird banding at Thomasville, Georgia, in 1922, 334-350.
- Tanager, Cooper's, 480.
Hepatic, 480.
Louisiana, 269, 480.
Scarlet, 82, 83, 231, 239, 275.
Summer, 239.
- Tanager, Western, 269.
- Tangara viridissima toddi, 141.
- Tanysiptera danae intensa, 446.
- Taverner, P. A., notice of his 'The Evening Grosbeak in Canada,' 139; notice of his 'Swarth on the Fox Sparrow,' 140; review of his 'Birds of Eastern Canada,' 582.
- Taylor, Warner, some records from the Madison, Wisconsin, region for the spring of 1921, 273; two nesting notes for the Madison, Wisconsin, region, 575.
- Tchitrea fagani, 291.
- Teal, Blue-winged, 43, 47, 120, 226, 234, 332, 528.
European, 528.
Green-winged, 43, 47, 120, 516, 528.
- Teledromas, 440.
- Telespiza cantans, 488.
- Telmatodytes palustris iliacus, 552.
p. palustris, 67, 117, 122, 232, 242, 267, 565.
- Tennessee, birds of, 101.
- Tern, Arctic, 33, 34, 357.
Black, 44, 45, 101, 225, 271, 275, 565.
Caspian, 276, 425, 539.
Common, 33, 34, 225, 271, 275, 276, 511.
Forster's, 33, 34, 272.
Gull-billed, 272.
Hawaiian, 484.
Hawaiian Sooty, 484.
Hawaiian White, 484.
Least, 101, 271.
Pileated Noddy, 484.
Royal, 119, 539.
- Terns, 122.
- Terrill, L. McL., the Short-billed Marsh Wren in the Montreal district, 112.
- Tetrao orientalis, 445.
- Tetrastes bonasia coreensis, 365.
- Texas, birds of, 110, 412, 250.

- Thalassarche chlororhynchos, 58.
 Thalassidroma tethis, 64.
 Thalassoaëtus, 436.
 Thamnophilus zarumae, 123.
 Thrasher, Brown, 44, 46, 83, 117, 185, 215, 220, 242, 343, 552, 573.
 Thrush, Alaska Hermit, 373.
 Bicknell's, 66, 179.
 Gray-cheeked, 44, 46.
 Hermit, 43, 46, 116, 179, 186, 232, 243, 554.
 Olive-backed, 44, 65, 84, 179, 186, 232, 243.
 Willow, 44, 45, 268.
 Wood, 65, 83, 173, 186.
 Thryomanes bewicki bewicki, 83, 242, 268, 274, 552, 575.
 Thryothorus ludovicianus ludovicianus, 83, 242, 552.
 polyglottus, 115.
 Thryospiza maritima juncicola, 248.
 m. howelli, 248.
 Tinamus, 585.
 Titmouse, Tufted, 24, 83, 242, 274, 372, 553.
 Tityra nigriceps gualeae, 584.
 Todd, W. E. C., review of his 'Revision of the Genus Pipromorpha,' 283; notice of his paper on 'The Restricted Genus Myiobius,' 439.
 'Tori,' reviewed, 137, 449.
 Totanus acuminatus, 246.
 damacensis, 246.
 flavipes, 227, 235.
 melanoleucus, 235, 413.
 Towhee, 44, 46, 82, 122, 219, 239, 270, 550, 576.
 Canyon, 475.
 Spurre, 476.
 Green-tailed, 476.
 Townsend, Charles W., nesting sites of the Long-billed Marsh Wren, 423; flight songs and mating songs, 428.
 Toxostoma rufum, 83, 117, 185, 215, 220, 242, 552, 573.
 Tricholæma hirsutum, 445.
 leucomelan namaqua, 445.
 Tringa solitaria solitaria, 227, 235.
 Troglodytes aëdon aëdon, 67, 83, 186, 232, 532.
 a. parkmani, 268.
 stellaris, 115.
 troglodytes utanoi, 290.
 Tropic-Bird, Red-tailed, 486.
 Tropicranus, 445.
 Tryngites subruficollis, 368.
 Tschagra senegala chadensis, 437.
 Tunisia, 129.
 Turdus assimilis lygrus, 141.
 auritus conquisitus, 286.
 incompta, 141.
 proleucus, 141.
 ruficeps, 141.
 rufopalliatus, 141.
 tephrinus, 141.
 Turnstone, 272, 273, 275, 361, 414.
 Pacific, 488.
 Ruddy, 542.
 Turkey, Wild, 441.
 Tyto alba erlangeri, 291
 pratincola, 236.
 Tyrannus tyrannus, 81, 181, 229, 237, 261.
 verticalis, 119, 271, 418.
 URIA lomvia lomvia, 352.
 troille, 425.
 t. troille, 426, 509.
 Urner, Charles A., Iceland Gull at Elizabeth, N. J., 249; Snowy Owl at Elizabeth, N. J., 257; Hooded Warbler near Elizabeth, N. J., 266; Greater Yellow-legs records at Elizabeth, N. J., 413; Olive-sided Flycatcher summering at Green Pond, N. J., 568.
 VAN OORT, E. D., notice of his 'Birds of the Netherlands,' 124, 435, 581.

- Van Rossem, A. J., see Dickey, D. R.
Vavasouria, 279.
Veery, 66, 83, 122, 186, 232, 243.
Vermivora bachmani, 243.
 celata celata, 274, 551.
 c. orestera, 584.
 chrysopera, 67, 184.
 peregrina, 67, 184, 240.
 pinus, 173, 240.
 rubricapilla rubricapilla, 184,
 240.
 ruficapilla ruficapilla, 515.
Vetola, 246.
Vireo, Bell's, 575.
 Blue-headed, 44, 48, 240, 372,
 424.
 Philadelphia, 45, 265.
 Red-eyed, 45, 46, 82, 178, 184,
 231, 240, 576.
 Warbling, 45, 68, 82, 187, 231,
 240, 576.
 White-eyed, 24, 240.
 Yellow-throated, 82, 184, 240.
Vireo bellii bellii, 575.
 griseus griseus, 240.
 huttoni huttoni, 77.
 h. insularis, 78.
 h. obscurus, 77.
 roraimae, 279.
Vireosylva gilva gilva, 68, 82, 231,
 240.
 olivacea, 82, 178, 184, 231, 240.
 philadelphica, 265.
Virginia, birds of, 106, 109, 271,
 570.
Vulture, Black, 235, 255, 416, 543.
 Turkey, 70, 80, 235, 258, 275,
 543.

WARBLER, Bay-breasted, 33, 45,
 68, 83, 231, 241, 515.
Black and White, 44, 46, 82,
 172, 178, 184, 231, 240, 428,
 515.
 Warbler, Blackburnian, 83, 178, 185,
 232, 241, 424.
 Blackpoll, 33, 44, 46, 83, 187,
 241.
 Black-throated Blue, 82, 178,
 184, 231, 240, 424.
 Black-throated Green, 44, 46,
 83, 178, 185, 241, 424, 515.
 Blue-winged, 173, 240.
 Canada, 45, 178, 185, 242, 269,
 424.
 Cape May, 45, 240.
 Cerulean, 274, 570..
 Chestnut-sided, 45, 67, 83, 178,
 184, 231, 241, 577.
 Connecticut, 45, 68, 185, 188,
 241, 282.
 Golden-winged, 67, 184, 188,
 266.
 Hooded, 83, 242, 266, 424.
 Kentucky, 241.
 McGillivray's, 172, 479.
 Magnolia, 44, 46, 68, 83, 178,
 184, 231, 241, 424.
 Mourning, 45, 185, 232, 241'
 424.
 Myrtle, 23-31, 43, 48, 83, 117,
 184, 187, 217, 241, 551.
 Nashville, 184, 188, 240, 515.
 Northern Parula, 67, 184, 240
 Orange-crowned, 44, 46, 274,
 551.
 Palm, 24, 44, 48, 232, 241, 270.
 Parula, 424.
 Pileolated, 479.
 Pine, 24, 44, 46, 68, 232, 241,
 372, 551.
 Prairie, 83, 241, 267.
 Prothonotary, 240, 274, 570.
 Sycamore, 241.
 Tennessee, 44, 46, 67, 184, 188,
 240.
 Wilson's, 44, 46, 68, 114, 185,
 188, 242.
 Yellow, 44, 46, 67, 82, 122, 231,
 240, 266.

- Warbler, Yellow Palm, 24, 114, 551.
 Warthin, A. S., Jr. and Van Tyne,
 J., the food of Long-eared Owls,
 417.
 Water-Thrush, 83, 232, 241.
 Grinnell's, 44, 46.
 Louisiana, 68, 111, 185, 241,
 274, 424.
 Northern, 185.
 Water-Turkey, 536.
 Waxwing, Bohemian, 48, 372, 422,
 574.
 Cedar, 45, 82, 183, 231, 240,
 478, 515, 550.
 Wayne, Arthur T., albinism in the
 Sharp-tailed Sparrow (*Passer-*
 herbulus caudacutus), 265; an
 albino Swamp Sparrow (*Melo-*
 spiza georgiana); 265; Prairie
 Warbler (*Dendroica discolor*) in
 January in South Carolina, 267;
 the Willow Thrush (*Hylocichla*
 fuscescens salicicola) on the coast
 of South Carolina, 268; a re-
 markable specimen of the Piping
 Plover (*Charadrius melanotos*), 414;
 the Carolina Junco (*Junco hye-*
 malis carolinensis) on the coast of
 South Carolina, 420.
 Weeks, LeRoy Titus, Magpies at
 Emmetsburg, Iowa, 261; a de-
 ceived Yellow Warbler, 266.
 West Chester Bird Club, notice of
 report, 131.
 Westwood, Herbert W., Evening
 Grosbeak at Stroudsburg, Pa.,
 262.
 Wetmore, Alexander, notice of his
 'Three new Birds of the Family
 Tinamidae from South America,'
 142; review of his 'A Study of
 the Body Temperature of Birds',
 285; notice of his 'Description of
 a new *Brachyspiza*' and 'Three
 New Birds of the Family Tina-
 midae,' 440; notice of his 'Bird
 Remains from the Caves of
 Porto Rico,' 584.
 Wetmore, Alexander, and Peters,
 Jas. L., notice of their 'A New
 Genus and Four New Sub-
 species of American Birds,' 440.
 Whip-poor-will, 44, 181, 237, 537.
 White, George R., Eider Duck—A
 Correction, 411.
 Whittle, Charles L., a Myrtle
 Warbler invasion, 23–31; addi-
 tional data regarding the famous
 Arnold Arboretum Mockingbird,
 496–506, personal mention, 593.
 Widgeon, 33, 439.
 European, 250, 527.
 Widmann, O., Surf Scoters (*Oidemia*
 perspicillata) near St. Louis, Mo.,
 250; European Widgeon (*Mareca*
 penelope) at Corpus Christi,
 Texas, 250.
 Wilderness Club, annual dinner of,
 304.
 Willet, 272.
 Williams, C. B., notice of his paper
 on bird enemies of the Trinidad
 Fröghopper, 443.
 Williams, Laidlow, some interesting
 dates of occurrence near New
 York City, 117.
 'Wilson Bulletin, The,' reviewed,
 132, 289, 444, 587.
 Wilson Ornithological Club, annual
 meeting, 150.
 Wilson, Etta G., an enormous flock
 of Canvas-backs (*Marila valisi-*
 neria) visit the Detroit river, 250.
 Wilson, Gordon, birds of Bowling
 Green, Kentucky, 233–243; bird
 changes caused by the winter of
 1917–1918, 270.
 Wilsonia canordensis, 178, 185, 242,
 269.
 citrina, 83, 242.
 mitrata, 266.
 pusilla, 68.

- Wilsonia, p. chryseola, 423.
p. pusilla, 185, 242, 423.
- Wisconsin, birds of, 273, 574.
- Witherby, H. F., review of his
'Handbook of British Birds,' 437.
- Wood, Casey A., economic status
of *Coragyps urubu* in British
Guiana, 255.
- Woodcock, 235, 441, 542, 563, 567.
- Woodpecker, Arctic Three-toed,
228, 369.
- Downy, 80, 121, 180, 228, 347,
576.
- Hairy, 80, 121, 180, 259, 347,
575.
- Ivory-billed, 545.
- Northern Pileated, 180, 228,
273.
- Pileated, 236, 546.
- Red-bellied, 80, 215, 236, 274,
340, 546.
- Red-cockaded, 546.
- Red-headed, 80, 121, 187, 236,
546.
- Southern Downy, 236, 546.
- Southern Hairy, 545.
- Woodruff, Frank E., obituary, 453.
- Woodworth, Roy C., obituary, 592.
- Wren, Bewick's, 83, 242, 268, 270,
274, 552, 575.
- Carolina, 83, 242, 270, 552.
- House, 67, 83, 186, 219, 222,
232, 552, 576.
- Long-billed Marsh, 67, 115,
117, 232, 242, 267, 423, 565,
576.
- Parkman's, 268.
- Prairie Marsh, 552.
- Wren, Short-billed Marsh, 67, 112,
115, 232, 242, 552.
- Western House, 44, 46.
- Winter, 179, 186, 242, 269.
- XEMA sabini, 277.
- Xiphocolaptes albicollis belmon-
tensis, 295.
a villadenovae, 295.
- YELLOW-LEGS, 34, 227, 235.
Lesser, 275.
Greater, 43, 48, 235, 275, 413.
- Yellow-throat, 114.
Maryland, 83, 172, 173, 175,
185, 232, 241, 551.
- Northern, 45, 46.
- Yungipicus kizuki amamii, 290.
k. kotataki, 290.
obsoletus batesi, 291.
- ZAMELODIA ludoviciana, 82, 175,
183, 231, 239.
- Zenaidura macroura carolinensis,
80, 106, 180, 235, 254, 269,
543, 566.
m. marginella, 457-474.
- Zimmer, J. T., personal mention,
455.
- Zonotrichia albicollis, 69, 81, 178,
182, 216, 230, 238, 263, 549.
leucophrys leucophrys, 81, 182,
238.
querula, 273.
- Zosterops forbesi, 441.
palpebrosa elwesi, 291.
p. cacharensis, 291.
p. peguensis, 291.