

INDEX TO VOLUME 58

[New names are printed in bold-face type]

- ABBOTT, Clinton G. Observations at Guaymas, Sonora, Mexico, 416
- Abbott, John Bates. Eastern Goshawk nesting in southern New Hampshire, 572
- Accipiter atricapillus atricapillus**, 346
 atricapillus striatus, 348
 caesius, 80
 candidissimus, 80
 cooperi, 63f, 199, 550
 gentilis, 80f
 gentilis albidus, 80
 gentilis arrigonii, 80
 gentilis balcanicus, 80f
 gentilis buteooides, 80f
 gentilis caucasicus, 80f
 gentilis fujiyamae, 81f
 gentilis gallinarum, 80f
 gentilis gentilis, 348
 gentilis khamensis, 80f
 gentilis marginatus, 80f
 gentilis muscoviae, 80f
 gentilis poecilopterus, 80f
 gentilis schwedowi, 81f
 velox, 63, 199
 velox velox, 337
- Aechmophorus occidentalis**, 511
- Agelaius phoeniceus**, 184, 465
 phoeniceus phoeniceus, 343, 589
 tricolor, 228
- Aiken, Charles E. H. From Colorado Springs to Horse Creek in 1878, 70
- Aimophila aestivalis aestivalis**, 103
 aestivalis bachmani, 103
 botterii botterii, 104
 ruficeps eremoeca, 102
 ruficeps lambi, 270
 ruficeps tenuirostra, 102
- Aix sponsa**, 104, 572
- Ajaia ajaja**, 105
- Alle alle**, 107
- Allen, Francis H. Louisiana Heron in Massachusetts, 91; Conservation notes, 130, 288, 438, 607
- Allenia fusca**, 371
- Amazona albifrons saltuensis**, 418
 arausiaca, 368
 collari, 109
 imperialis, 365, 368
- A.O.U.**, Fifty-eighth stated meeting, 138, 271; Fifty-ninth stated meeting, 437; Report of the Committee on Bird Protection, 1940, 292, 616; Treasurer's report, 1940, 148
- Ammospiza caudacuta nelsoni**, 38
 maritima, 38
 maritima macgillivraii, 39
 maritima waynei, 41
 mirabilis, 38, 51
 nigrescens, 38, 51
- Anas platyrhynchos**, 93, 107
 platyrhynchos platyrhynchos, 561, 570
 rubripes, 108
 rubripes tristis, 93
- Anhinga anhinga**, 576
- Ani**, Smooth-billed, 368
- Anous stolidus**, 268, 269
 stolidus stolidus, 259, 367
- Anser albifrons albifrons**, 575
 anser, 196
- Anthony, Alfred Webster, obituary, 439
- Anthus pratensis**, 56
 spinoletta rubescens, 57
 trivialis, 197
- 'Anting,' 271
- Aquila chrysaëtos**, 63f
 chrysaëtos canadensis, 560
 wahlbergi, 22
- Archilochus colubris**, 337
- Ardea herodias herodias**, 561
 herodias treganzai, 417
 herodias wardi, 105
 occidentalis, 105
- Arenaria interpres morinella**, 575, 576
- Asio flammeus domingensis**, 109
 otus, 196
 wilsonianus, 199

- Astur, syn. of *Accipiter*, 348
Astur atricapillus, 63
 atricapillus atricapillus, 560, 572
Athene brama mayri, 396
Auk, Great, 293
Avocet, 107, 405
- BAEOLOPHUS bicolor*, 57, 318, 339
 inornatus, 318
Bagg, Aaron C. Brown Thrasher in Oregon, 99
Bailey, Harold H. Purple Gallinule nesting in Virginia, 573.
Bananaquit, Antillean, 373
Barden, Albert A., Jr. Distribution of the families of birds, 543
Barr, Arthur. See *Moore*, Robert T., and —, 453
Baumgartner, A. M. and F. M. Rare water- and shorebirds in north-central Oklahoma, 576
 Behavior, bird, interpretation, 289
Bellrose, Frank G., Jr. Unusual water- and shorebirds in the Illinois River Valley, 574
Bent's 'Life Histories', 615
Bill, Charles, obituary, 135
Birckhead, Hugh. Turkey Vulture in Rhode Island, 94
 Bird life on Mt. Mitchell, 334f
 Bird Protection, Committee on, 292
 Birds and wind, 608
Bird-of-Paradise, 288
Bittern, American, 71, 253, 507
 European, 56
Blacicus latirostris brunneicapillus, 370
Black, C. T. Gyrfalcon in Wisconsin, 254
Black, David V. Avocets in Maryland, 405
Blackbird, Brewer's, 70, 229
 Red-winged, 228; homing, 184
 Rusty, 343
 Tricolored, 328
 Yellow-headed, development, 215f
Blackcock, 196
Blake, Charles H. 'Anting'; termites, 271; Termites taken by birds, 104; Tree Swallows and highways, 584
Bluebird, 416; mortality, 409
Bluebird, Eastern, 340
Bob-white, 189f, 561, 588
 Eastern, 337
Bombycilla cedrorum, 341, 416
Bonasa umbellus, 74
 umbellus brunneescens, 76
 umbellus canescens, 74
 umbellus medianus, 74
 umbellus monticola, 74
 umbellus sabini, 77
 umbellus thayeri, 77
 umbellus togata, 74f
 umbellus umbelloides, 74f
 umbellus umbellus, 74f, 337, 561
 umbellus yukonensis, 76f
Bond, James. Some West Indian birds' eggs, 109; Nidification of the birds of Dominica, B. W. I., 364
Bond, Richard M., and *Stabler*, Robert M. Second-year plumage of the Goshawk, 346
 Bone injuries, repaired, 350
Booby, 59
 Blue-footed, 417
 Brewster's, 417
Botaurus lentiginosus, 253, 507
 stellaris stellaris, 56
Boulton, R. Treasurer's report, 1940, 149
Brachyramphus marmoratus, 580
Brackbill, Hervey. Additional cases of 'courtship feeding,' 57; Possible homosexual mating of the Rock Dove, 581
Brand, Albert Rich, obituary, 444
Brant, American, 267
Branta bernicla hrota, 267
 canadensis hutchinsi, 574
Brimley, H. H. Unusual North Carolina records, 106
Brockman, C. Frank. Interesting records from high elevations on Mount Rainier, Washington, 270
Broun, Maurice. Migration of Blue Jays, 262; Notes from Hawk Mountain (Kittatinny Ridge), Pennsylvania, 266; Gulls eat fruit of the cabbage palmetto, 579
Bruce, James A. Maritime birds occurring with summer storms near Charleston in 1939, 268

- Bruckner, J. H. Inheritance of white plumage in *Phasianus*, 536
- Bruinwell, Malcolm J. American Golden-eye, a winter resident of Kansas, 94
- Bubo virginianus virginianus, 560
- Bucorvus, 20
- Bullfinch, 290
Lesser Antillean, 375
- Bunting, Eastern Snow, 108, 589
Indigo, 343, 416
Lark, 70
Snow, 268
- Burhinus oedicnemus, 56
- Burleigh, Thomas D. Barn Swallow breeding in southern Alabama, 261; Bird life on Mt. Mitchell, 334
- Burleigh, Thomas D., and Lowery, George H., Jr. Hooded Oriole again recorded in the United States, 101
- Burtsch, Verdi. Common Tern nesting at Oneida Lake, New York, 257
- Buteo borealis, 63f, 199
borealis borealis, 337, 560
borealis umbrinus, 106
lagopus sancti-johannis, 573
lineatus elegans, 270
lineatus lineatus, 560, 572
platypterus platypterus, 337
platypterus rivieri, 366
regalis, 63f, 71, 359
swainsoni, 71, 228, 355
- Butorides virescens maculatus, 365
- Buzzard, Turkey, 254
- Bycanistes cristatus, 13
- CALAMOSPIZA melanocorys, 70
- Calcarius lapponicus lapponicus, 589
- Calidris canutus rufus, 71, 576
- Campephilus principalis, 582
- Canvas-back, 495, 507
- Capella delicata, 256, 337
- Caracara, Audubon's, 417
- Cardinal, 414, 416, 588, 591
- Carpodacus purpureus purpureus, 343
- Casmerodium albus egretta, 105, 365
- Cassidix mexicanus westoni, 587
- Catbird, 339, 416, 561
- Catharacta skua, 95
- Catharopeza bishopi, 374
- Cathartes aura, 63f
aura iota, 571
aura septentrionalis, 94, 254, 337, 403, 417
- Catoptrophorus semipalmatus, 577
semipalmatus inornatus, 575
semipalmatus semipalmatus, 95
- Centrocercus urophasianus, 255
- Ceophloeus pileatus, 104, 583
- Certhia familiaris americana, 339
- Chaetura martinica, 369
pelagica, 104, 337, 581
- Chaffinch, 198
- Chalcophaps indica, 240
- Chamaea fasciata, 319
- Chamaepelia cruziana, 243
minuta, 243
passerina, 243
talpacoti, 243
- Chamberlain, E. B. Cory's Shearwater in South Carolina, 251
- Chapman, Frank M. Mockingbirds in Panama, 98
- Charadrius melodus, 576
- Chat, Yellow-breasted, 342
- Chaulelasmus streperus, 106
- Chen caerulescens, 92, 106
hyperborea, 267
hyperborea atlantica, 92, 267
rossi, 92
- Chickadee, Acadian, 531
Black-capped, 338, 518f; annual cycle, 314f
Carolina, 57, 318, 339
- Chicken, Lesser Prairie, 359
- Chlidonias nigra, 565
nigra surinamensis, 260
- Chondestes grammacus, 57
grammacus confinis, 70
grammacus grammacus, 108
- Chordeiles minor hesperis, 104
minor minor, 561
- Cichlerminia l'herminieri dominicensis, 372
- Cinclocerthia ruficauda, 372
ruficauda macrorhyncha, 372
ruficauda pavida, 372, 373
ruficauda ruficauda, 372
- Circus hudsonius, 63f, 108, 199, 254, 337, 404

- Cistothorus stellaris*, 263
Clangula hyemalis, 575
Claravis pretiosa, 243
Coccyzus americanus americanus, 561
 minor dominicae, 368
Coereba flaveola dominicana, 373
Colaptes auratus, 104
 auratus auratus, 109, 337, 582
 auratus borealis, 581
 auratus luteus, 561, 582
 cafer, 104
 chrysoides mearnsi, 104
Colinus virginianus virginianus, 337, 561
Collins, Henry H., Jr., and *Webb, John S.* Hudsonian Curlew in District of Columbia, 578
Columba leucocephala, 367
 livia, 558
 squamosa, 367
Columbigallina passerina nigrirostris, 367
Colymbus nigricollis californicus, 507
Condor, 571
 California, 293, 298
Congress, Tenth International, 616
Conover, H. B. A study of the do-witchers, 376
Conservation notes, 130, 288, 438, 607
Cooke, May Thacher. Banded birds recovered in El Salvador, 589
Coot, American, 473, 507
Coracina, notes on, 381f
 abbotti, 392
 andamana, 389
 atriceps, 382f
 axillaris, 390
 bicolor, 393f
 bougainvillie, 250
 caeruleogrisea, 393
 caledonica, 250, 382f
 caledonica lifuensis, 250
 caledonica seiuncta, 250
 caledonica thilenii, 250
 floris, 387f
 fortis, 382f
 guillemardi, 390
 kochi, 390
 larutensis, 383f
 larvata, 382f
 larvivora, 383f
Coracina leucopygia, 383f
 lineata, 383f, 390
 longicauda, 394
 macei, 382f
 maforensis, 390
 melanocephala, 390
 novaehollandiae, 382f
 papuensis, 383f
 parvula, 388f
 personata, 384f
 pollens, 382f
 robusta, 383f, 391
 schistacea, 383f
 striata, 382f
 striata dobsoni, 388
 striata vordermanni, 389
 subpallida, 386f
 temmincki, 392
 welchmani, 250
Coragyps atratus, 63f, 359
 atratus atratus, 417
 atratus foetens, 571
Cormorant, Brandt's, 417
 Double-crested, 267, 567, 568
 European, 360f
 Farallon, 417
 Florida, 105
Correspondence, 134, 608
Corthylio calendula calendula, 340
Corvus brachyrhynchos, 197, 263
 brachyrhynchos brachyrhynchos, 509, 561
 corax, 246
 corax clarionensis, 247
 corax europilus, 248
 corax principalis, 247, 268, 338
 corax sinuatus, 247
 cornix, 196
 corone, 195
 cryptoleucus, 359
 jamaicensis, 109
 monedula, 195
 ossifragus, 263
Cottam, Clarence. Incubation feeding of Calliope Hummingbird, 59; Color attractive to hummingbirds, 261
Cottam, Clarence, and Knappen, Phoebe. Eskimo Curlew food note corrected, 256
Courtship feeding, 56

- Cowbird, 199, 561, 585
 Eastern, 101
- Crane, Florida, 294
 Whooping, 288, 294
- Creeper, Brown, 339
- Cross, Albert Ashley, obituary, 448
- Crossbill, Bendire's, 344
 Eastern, 411
 Red, 343, 412, 413, 471
 Sitka, in Mass., 411
 White-winged, 411
- Crotophaga ani, 179, 368
 major, nesting habits, 179f
- Crow, 197, 509, 561
 Carrion, 195
 Eastern, 263
 Fish, 263
 Hooded, 196
- Cryptoglaux acadica, 197
 acadica acadica, 96, 107
- Cuckoo, European, 498
 Mangrove, 368
 Yellow-billed, 561
- Curlew, Eskimo, 256
 Hudsonian, 256, 577, 578
 Long-billed, 576
 Stone, 56
- Cutler, Herbert S. European Widgeon in Delaware, 570
- Cyanocitta cristata, 196, 416
 cristata cristata, 262, 338, 561
- Cyanops australis invisa, 398
- Cygnus columbianus, 574
- DABCHICK, 290
- Dafila acuta tzitzioha, 253, 570
- Dargan, Lucas, Knappen, Phoebe, and
McClanahan, Robert C. A Maryland
winter record for the Black Skimmer,
406
- Davis, David E. Social nesting habits
of *Crotophaga major*, 179
- Deignan, H. G. New birds from the
Indo-Chinese subregion, 396
- Delacour, Capt. Jean, 615
- Dendroica aestiva amnicola, 100
 aestiva rubiginosa, 100
 caerulescens caerulescens, 341
 caerulescens cairnsi, 341
 castanea, 233, 342
- Dendroica coronata, 341
 discolor discolor, 342
 fusca, 342
 magnolia, 341
 palmarum palmarum, 342
 pensylvanica, 342
 petechia ruficapilla, 373
 pinus pinus, 342
 plumbea, 374
 striata, 104
 tigrina, 341
 virens virens, 342
- Diablotin, 364
- Dichromonassa rufescens dickeyi, 418
- Dickinson, J. C., Jr. Noddy and Sooty
Terns nesting on bare ground, 259;
Chimney Swift having benign lymph-
angioma, 581
- Dicrurus adsimilis, 22
 ludwigii, 22
- Dill, Homer R. Ruff in Iowa in spring,
257
- Discussion, 289
- Distribution of bird families, 543
- Dominica, nidification of birds of, 364
- Dove, Eastern Mourning, 260, 406
 Eastern White-winged, 590
 Graceful Ground, 560
 Ground, 367
 Laughing, 560
 Mourning, 406, 560
 Ring-necked, 560
 Rock, 581
 West Indian Mourning, 261
 White-winged, 288, 296, 298
 Zenaida, 367
- Dovekie, 107
- Dowitcher, 577
 Eastern, 108, 380
 Inland, 379
 Long-billed, 377
- Dryobates borealis, 104
 nuttalli, 104
 pubescens, 104
 pubescens medianus, 338, 561
 villosum, 104
 villosum villosus, 338
- Duck, Black, 93, 107, 108, 267
 Greater Scaup, 575
- Mallard, 92, 561

- Duck, Ring-necked, 401
 Ruddy, 506f
 Scaup, 254
 Wood, 572
Dumetella carolinensis, 104, 339, 416, 561
- EAGLE**, American, 295
 Bald, 288, 295, 298, 402
 Golden, 70, 72, 259, 260, 288
 Southern Bald, 105
- Eggs, West Indian birds', 109
- Egret, American, 105, 365
 Brewster's, 418
 Dickey's, 418
 Reddish, 294
 Snowy, 252, 365, 574
- Egretta thula brewsteri*, 418
 thula thula, 252, 365, 574
- Elaenia*, Caribbean, 370
- Elaenia martinica martinica*, 370
 martinica riisi, 370
- Elanus leucurus majusculus*, 453f
- Eliot, Samuel A., Jr. Turkey Vulture in Vermont, 403; Mourning Warbler breeding in central Massachusetts, 410; Ruff in Massachusetts, 578
- Emberiza citrinella*, 197
- Emlen, Arthur Cope, obituary, 613
- Empidonax griseus*, 28
 obscurus, 28
 trailli brewsteri, 270
 trailli trailli, 408
 wrightii, 28
- Engels, William L. Wing skeleton and flight of hawks, 61f
- Erolia testacea*, 7, 95
- Eulampis jugularis*, 369
- Euphagus carolinus*, 343
 cyancephalus 229
- Euphonia*, Lesser Antillean, 374
- Eupoda montana*, 70, 71
- FALCO columbarius**, 199
 columbarius columbarius, 560
 mexicanus, 63f, 560
 peregrinus anatum, 560, 589
 rusticolus, 254
 sparverius, 63f, 199, 404
 sparverius caribaearum, 366
- Falco sparverius sparverius*, 337, 560
 subbuteo, 56
- Falcon, Prairie, 560
- Fautin, Reed W. Development of nestling Yellow-headed Blackbirds, 215
- Finch**, Eastern Purple, 343
 Lark, 70
 Purple, 473
- Fish-eagle, Vulturine, 22
- Fisher, Walter T. and Francis D. Brown Thrasher wintering in northern Illinois, 584
- Fleming, J. H., in memoriam, 1
- Flicker, 561
 Boreal, 581
 Northern, 337, 582
 Southern, 109, 582
- Flocks, size of, 188
- Florida caerulea*, 365
 caerulea caerulea, 568
- Flycatcher, Alder, 408
 Gray, nesting, 28
 Little, 270
 Scissor-tailed, in Quebec, 97
 Southern Crested, 370
 Traill's, 70
- Ford, Edward R. Marsh Hawk feeding on Scaup Duck, 254
- Fregata magnificens*, 59
 magnificens rothschildi, 417
 minor, 399
 minor palmerstoni, 399
 minor ridgwayi, 399
- Fregilupus varius*, 586
- Fringilla coelebs*, 198
- Fuertes, Louis Agassiz, biography, 616
- Fulica americana*, 507
- Fulmar, 56
- Fulmarus glacialis*, 56
- GABRIELSON**, Ira N. Baikal Teal on St. Lawrence Island, Alaska, 400; Pectoral Sandpiper in North Carolina in winter, 405
- Gadwall, 106
- Gallicolumba rufigula*, 244
- Gallinula chloropus cachinnans*, 507
 chloropus cerceris, 365, 366
- Gallinule, Florida, 507

- Gallinule, Purple, 366, 573
Gannet, 251
Gashwiler, Jay S. See Mendall, Howard L., and —, 400
Gavia arctica pacifica, 417
 stellata, 267
Gaviota niobrara, 563
Gelochelidon nilotica aranea, 96
Geococcyx californianus, 57
Geopelia cuneata cuneata, 560
Geothlypis trichas brachidactyla, 342
 trichas trichas, 342
Geotrygon montana, 244
 versicolor, 109
Gifford, E. W. Taxonomy and habits of pigeons, 239
Gladkov, N. A. Taxonomy of palaeoarctic Goshawks, 80f
Glaucometta clangula americana, 94
Godwit, Hudsonian, 577
 Marbled, 107, 577
Golden-eye, American, 94
Goldfinch, 195
 Eastern, 343
Goose, Bean, 290
 Blue, 92, 106, 490
 Canada, 189, 267
 Grey, 196
 Hutchins's, 574
 Ross's, 295, 298; breeding grounds, 92
 Snow, 92, 267, 295
 White-fronted, 575
Goshawk, plumages, 346
 Eastern, 572
Grackle, Boat-tailed, 228, 587
 Bronzed, 199f, 416, 585
 Purple, 561
 Weston's, 587
Grassquit, Black-faced, 375
Grebe, Eared, 401, 507
 Pied-billed, 507
 Slavonian, 56
 Western, 511
Greenway, J. C., Jr. Skua off Nova Scotia, 95
Grey, John H., Jr., and Murray, J. J. Cowbird on the Virginia and North Carolina coasts, 101
Griscom, Ludlow. Curlew Sandpiper in New England, 95; Two Yellow Warblers new to Massachusetts, 100; Kentucky Warbler in Massachusetts, 100; Hoyt's Horned Lark in Massachusetts, 408; Second flight of the Sitka Crossbill to Massachusetts, 411
Grosbeak, Black-headed, 70
 Evening, 416, 473
 Rocky Mountain, 359
 Rose-breasted, 343, 416
Grouse, Columbian Sharp-tailed, 296, 298
 Eastern Ruffed, 337
 Ruffed, 561; tarsal feathering, 74
Guara alba, 107
Guira guira, 179
Gull, Black-headed, 165f
 Bonaparte's, 417
 California, 417
 Franklin's, 405
 Glaucous, 579
 Heermann's, 417
 Herring, 167, 267, 499, 579, 590; in Guatemala, 257
 Laughing, 109
 Lesser Black-backed, 167
 Ring-billed, 267, 417, 564, 579
 Yellow-footed, 417
Gunter, Gordon. A Mallard-Pintail hybrid, 570
Gygis alba, 565
Gymnogenys typicus, 22
Gymnopelia erythrothorax, 242
Gypohierax angolensis, 22
Gyrfalcon, in Wisc., 254
HABIA rubica rosea, 411
Haematopus palliatus frazari, 418
Hagar, Joseph A. Double-crested Cormorant breeding in Massachusetts, 567; Little Blue Heron nesting in Massachusetts, 568
Haliaeetus leucocephalus, 63f, 402
 leucocephalus leucocephalus, 105
Hamilton, W. J., Jr. Turkey Buzzards killing young pigs, 254
Hargrave, Lyndon L. See Sutton, G. M., Phillips, Allan R., and —, 265
Harpactes oreskios stellae, 397
Hawk censuses, 403

- Hawk, Broad-winged, 337, 366, 404
 Cooper's, 199, 559, 560
 Duck, 559, 560, 589
 Eastern Red-tailed, 337
 Eastern Sparrow, 337
 Ferruginous Rough-legged, 71, 72
 Florida Red-tailed, 106
 Harris's, 418
 Marsh, 108, 199, 254, 337
 Pigeon, 199, 559, 560
 Red-bellied, 270
 Red-shouldered, 404, 559, 560, 572
 Red-tailed, 199, 404, 559, 560
 Rough-legged, 573
 Sharp-shinned, 199, 337
 Sparrow, 199, 366, 559, 560
 Swainson's, 71, 228
- Hedymeles ludovicianus, 343, 416
melenocephalus papago, 359
- Hen, Hazel, 196
 Heath, 293
 Sage, 255, 296
- Heron, Black-crowned Night, 105, 507
 Great Blue, 561
 Great White, 105, 294
 Little Blue, 365, 568
 Little Green, 365
 Louisiana, in Mass., 91
 Night, 290
 Treganza's Blue, 417
 Ward's, 105
 Yellow-crowned Night, 366, 569, 574
- Hesperiphona vespertina, 416
- Hewitt, Oliver H. Common Terns nesting on muskrat houses, 579
- Hicks, Lawrence E. The fifty-eighth stated meeting of the American Ornithologists' Union, 138
- Hirundo erythrogaster, 97, 104, 261, 561
- Holoquiscalus lugubris guadeloupensis, 365, 374
- Holt, Ernest G., journey to Brazil, 133
- Hornbill, Ground, 20
 Silvery-cheeked, biology, 13
- Howard, Henry Eliot, obituary, 443
- Howell, Joseph C. Early nesting at Cape Sable, Florida, 105; Comparison of 1935 and 1940 populations of nesting Bald Eagles in east-central Florida, 402
- Huey, Laurence M. Notes from northern Lower California, 270
- Hughes, R. Chester. Osprey kills itself, 403
- Hummingbird, Antillean Crested, 369
 Blue-headed, 369
 Broad-tailed, 261
 Calliope, 59
 Emerald-throated, 369
 Garnet-throated, 369
 Ruby-throated, 337
- Hunn, John T. S. Western Meadowlark in New Jersey, 265
- Hydranassa tricolor ruficollis, 91
- Hydroprogne caspia, 565
caspia imperator, 577
- Hylocichla fuscescens, 416
fuscescens fuscescens, 340
fuscescens salicicola, 584
guttata, 416
guttata faxoni, 340, 561
minima aliciae, 340, 561
minima bicknelli, 264
mustelina, 104, 340, 416
ustulata swainsoni, 340
ustulata ustulata, 584
- IBIS, Eastern Glossy, 107
 Glossy, 587
 White, 107
 White-faced Glossy, 576
 Wood, 105, 107
- Icteria virens virens, 342
- Icterus cucullatus cucullatus, 101
galbula, 57, 411, 416
- Ingalls, Charles Edward, obituary, 136
- Ingram, William Marcus. American Bittern eats garter snake, 253
- Ionornis martinica, 573
- Iridoprocne bicolor, 56, 98, 104, 584
- Ivor, H. R. Observations on 'anting' by birds, 415
- JACKDAW, 195
- Jaeger, Parasitic, 108, 417
- Jay, Blue, 196, 199, 416; migration, 262
 Northern Blue, 338
- Johnson, Delos E. Golden Plover in central Indiana, 255
- Johnson, R. A. Nesting behavior of the Atlantic Murre, 153f

- Junco hyemalis, 199, 416
 hyemalis hyemalis, 344
 hyemalis carolinensis, 344
- Junco, Carolina, 344
 Slate-colored, 344, 416, 590
- KALBFUS, Joseph, memorial to, 133
- Kansas City Ornithological Club, 616
- Kingbird, Arkansas, in Fla., 261
 Eastern, 97
 Gray, 261, 370
- Kingfisher, Eastern Belted, 57
 Ringed, 370
- Kinglet, Eastern Golden-crowned, 340
 Eastern Ruby-crowned, 340
 Golden-crowned, 189
- Kite, Everglade, 294
 White-tailed, 293; habits, 453f
- Kloseman, Jessie Emma, obituary, 449
- Knappen, Phoebe. See Cottam, Clarence, and —, 256; see Dargan, L., —, and McClanahan, R. C., 406
- Knot, American, 71, 576
- LACK, David. 'Courtship feeding'—a correction, and further records, 56
- Lagopus mutus, 197
- Langelier, Gustave, obituary, 449
- Lanius collurio, 197
- Lark, Desert Horned, 70
 Horned, 338
 Hoyt's Horned, in Mass., 408
 Northern Horned, 589
 Prairie Horned, 589
- Larus argentatus, 167, 565
 argentatus smithsonianus, 257, 579, 590
 atricilla, 109, 565
 californicus, 417, 565
 canus, 565
 delawarensis, 417, 564, 565
 desnoyersii, 566
 elegans, 566
 fuscus, 167
 glaucus, 565
 heermannii, 417, 565
 hyperboreus, 565, 579
 occidentalis, 565
 occidentalis livens, 417
 oregonus, 566
- Larus philadelphia, 417, 565
 pipixcan, 405
 pristinus, 566
 raemdonckii, 566
 ridibundus, 165f
 robustus, 566
 totanoides, 566
- Laskey, Amelia R. Some additions to the list of David Lack, 57; Saw-whet Owl in Tennessee, 96
- Leiothrix lutea, 416
- Lewis, Harrison F. Breeding European Cormorants of North America, 360
- Lewis, Merriam Garretson, obituary, 450
- Liljefors, Bruno, 136
- Limnodromus griseus, 577
 griseus griseus, 108, 380
 griseus hendersoni, 376f
 scolopaceus, 376f
- Limosa fedoa, 107, 577
 haemastica, 577
- Limpkin, 294
- Lincoln, Frederick C. Pelicans killed by lightning, 91; Eastern Mourning Dove in the Dominican Republic, 260; Mourning Doves of southern Florida and the Greater Antilles, 406
- Loefer, John B., and Patten, J. A. Starlings at a blackbird roost, 584
- Longspur, Lapland, 491, 589
- Longstreet, R. J. Gull-billed Tern nesting in Florida, 96
- Loon, fossil, 567
 Pacific, 417
 Red-throated, 267
- Low, Jessop B. Nesting of the Ruddy Duck in Iowa, 506
- Lowery, George H., Jr. See Burleigh, Thomas D., and —, 101
- Loxia curvirostra bendirei, 344
 curvirostra pusilla, 343
 curvirostra sitkensis, 411
- Loxigilla noctis dominicana, 375
- Lunk, William A. Bicknell's Thrush in West Virginia, 264
- Lyrurus tetrix, 196
- MABBETT, Gideon, obituary, 613
- Macropygia rufa, 241
 tenuirostris, 241

- Macropygia unchall, 240
 Magpie, 196
 American, 409
 Mallard, 107, 570
 Mallard-Pintail hybrid, 570
 Man-o'-war-bird, 417
 Manwell, Reginald D. Homing instinct of the Red-winged Blackbird, 184
 Mareca americana, 254
 penelope, 108, 570
 Margarops fuscatus densirostris, 371
 Martin, Purple, 371, 491
 Mayr, E., and Ripley, S. Dillon. A new race of *Coracina caledonica*, 250
 McAtee, W. L. Unidentified bird names, 134
 McClanahan, Robert C. Franklin's Gull an addition to the Florida list, 405; see Dargan, L., Knappen, Phoebe, and —, 406
 McIlhenny, E. A. The passing of the Ivory-billed Woodpecker, 582
 McWilliam, John M., and Wood, Casey A. The James Craw portrait of Alexander Wilson, 236
 Meade, Gordon M. Bachman's Sparrow in New York, 103
 Meadowlark, 70, 353
 Eastern, 109, 343, 589
 Western, 265, 359
 Megaceryle alcyon alcyon, 57
 torquata stictipennis, 370
 Melanerpes erythrocephalus, 261, 337
 Melanitta deglandi, 575
 Meleagris gallopavo, 196, 560
 Melopelia asiatica asiatica, 590
 Melospiza georgiana, 345
 melodia, 195, 345, 416
 melodia atlantica, 109
 melodia melodia, 104
 Mendall, Howard L., and Gashwiler, Jay S. Green-winged Teal nesting in Maine, 400
 Merganser, American, 108
 Red-breasted, 417
 Mergus merganser americanus, 108
 serrator, 417
 Metriopelia ceciliae, 242
 Micropalama himantopus, 577
 Migration, periodic-response theory, 463f
 Miller, Alden H. Rufous-crowned Sparrow of southeastern New Mexico, 102
 Miller, Alden H., and Sibley, Charles G. A miocene gull from Nebraska, 563
 Miller, Malcolm R. Myology of *Fregilulus varius* in relation to its systematic position, 586
 Miller, Richard F. Fish Crow in Center County, Pennsylvania, 263; Warbling Vireo in Cape May County, New Jersey, 264
 Mimocincla ardosiaeae albiventris, 372
 Mimus gilvus melanopterus, 98
 gilvus tolimensis, 99
 polyglottos, 98, 104, 197, 264
 polyglottos polyglottos, 590
 Minnesota Museum of Natural History, 133
 Mockingbird, 197; in N. H., 264
 Eastern, 590
 Mockingbirds in Panama, 98
 Molothrus ater, 199f
 ater ater, 101, 561, 585
 Moore, Robert T. A new series of *Habia rubica rosea*, 411
 Moore, Robert T., and Barr, Arthur. Habits of the White-tailed Kite, 453
 Moos, Louis M. Sage Hen eats grasshoppers, 255
 Moreau, R. E., and Moreau, Winifred M. Breeding biology of Silvery-cheeked Hornbill, 13
 Moris basana, 251
 Motacilla flava, 197
 Mniotilla varia, 108, 341
 Murray, J. J. Notes from Princess Anne County, Virginia, 108; In memory of Wirt Robinson, 132; see Grey, John H., Jr., and —, 101
 Murre, Atlantic, nesting, 153
 Murrelet, Marbled, 580
 Muscivora forcipata, 97
 Musselman, T. E. Bluebird mortality in 1940, 409
 Myadestes genibarbis dominicanus, 373
 genibarbis solitarius, 373
 Mycteria americana, 105, 107
 Myiarchus tuberculifer olivascens, 104
 tyrannulus oberti, 370

- Myiochanes richardsoni richardsoni, 104
 virens, 338
- NAMES, unidentified bird, 134
- Nannus hiemalis hiemalis, 339
- Nephocetes niger borealis, 104
 niger niger, 369
- Nettion carolinense, 359, 400
 formosum, 400
- Nice, Margaret M. 'Courtship feeding'
 in various birds, 56; Spring and winter
 hawk censuses from Illinois to Okla-
 homa, 403
- Nice, Margaret M., and ter Pelkwyk,
 Joost. Enemy recognition by the
 Song Sparrow, 195f
- Nighthawk, 561
- Noble, Gladwyn Kingsley, obituary, 450
- Noddy, 268, 269, 367
- Norris, Robert. Hooded Warbler flying
 backward, 101
- Notes and news, 131, 615
- Numenius americanus, 565
 americanus americanus, 576
- Nuthatch, Red-breasted, 339, 489
 White-breasted, 588
- Nyctanassa violacea, 569, 574
 violacea violacea, 366
- Nyctea nyctea, 560
- Nycticorax nycticorax hoactli, 105, 507
- Nyroca affinis, 417
 collaris, 401
 marila, 575
 valisineria, 507
- OBERHOLSER, Harry C., 616
- Obituaries, 134, 439, 613
- Odum, Eugene P. Annual cycle of the
 Black-capped Chickadee—1, 314; 2,
 518
- Oena capensis, 240, 243
- Oidemia americana, 268, 575
- Old-squaw, 575
- Oporornis formosus, 100, 101
 philadelphia, 410
- Oreopeleia montana martinica, 368
 mystacea mystacea, 368
- Oriole, Baltimore, 57, 411, 416
 Bullock's, 70
- Oriole, Hooded, in U. S., 101
- Orr, R. T. See Van Rossem, A. J., and
 —, 399
- Orthorhyncus cristatus exilis, 369
- Osprey, 105
- Otocoris alpestris, 104, 338
 alpestris alpestris, 589
 alpestris hoyti, 408
 alpestris leucolaema, 70
 alpestris praticola, 589
- Otus asio, 197, 199
 asio naevius, 560
- Oven-bird, 200, 342
- Owl, Barn, 560
 Barred, 195; in Alberta, 407
 Great Horned, 560
 Lesser Antillean Barn, 368
 Long-eared, 199
 Northern Barred, 337
 Saw-whet, 107, 197; in Tenn., 96
 Screech, 197, 199, 560
 Snowy, 560
- Oyster-catcher, Frazar's, 418
- PALMER, Ralph S. 'White-faced' terns,
 164f
- Pandion haliaetus, 63f
 haliaeetus carolinensis, 105, 403
- Parabuteo unicinctus, 63f
 unicinctus harrisii, 418
- Parrot, Imperial, 368
 Lesser Dominican, 368
 Sonoran, 418
- Partridge, Hungarian, 189
- Parus atricapillus, 520f
 atricapillus salicarius, 317, 318
 caeruleus, 318
 cristatus, 318
 major, 318
 palustris, 318
- Passer domesticus, 196
 domesticus domesticus, 561
- Passerculus sandwichensis savanna, 344
- Passerella iliaca, 266, 416
 iliaca iliaca, 345
- Passerherbulus maritimus fisheri, 51
- Passerina cyanea, 343, 416
- Patten, J. A. See Loefer, John B., and
 —, 584
- Pattern, seasonal, 233

- Pelecanus erythrorhynchus, 91, 107, 574
occidentalis californicus, 417
occidentalis occidentalis, 105
- Pelican, Brown, 130
California Brown, 417
Eastern Brown, 105
White, 60, 91, 107, 574
- Pelkwyk, Joost ter. See Nice, Margaret M., and —, 195f
- Penguin, Adélie, 56
- Penthestes atricapillus, 314f
atricapillus atricapillus, 338
carolinensis, 318
carolinensis carolinensis, 57, 339
hudsonicus littoralis, 531
- Periodical literature, 117, 276, 426, 596
- Peters, Harold S. Black Terns nesting in New Brunswick, 260; Ring-necked Duck breeding in Prince Edward Island and Nova Scotia, 401
- Petrel, Black-capped, 365
- Petrochelidon albifrons albifrons, 338
- Pewee, Eastern Wood, 338
 Lesser Antillean, 370
- Phaeopus borealis, 256
hudsonicus, 577, 578
- Phaethon lepturus catesbyi, 106, 365
- Phalacrocorax auritus albociliatus, 417
auritus auritus, 567, 568
auritus floridanus, 105
carbo carbo, 360f
penicillatus, 417
- Phalarope, Red, 107
 Wilson's, 71
- Phalaropus fulicarius, 107
- Phaps chalcoptera, 245
- Phasianus, white plumage in, 536
- Phasianus colchicus torquatus, 199, 536f, 561, 589
- Pheasant, 199
 Ring-necked, 536f, 561, 568, 589
- Phelps, Chester F. American Magpie in Virginia, 409
- Phillips, Allan R. See Sutton, G. M., — and Hargrave, Lyndon L., 265
- Phillips, Charles L. Arkansas Kingbird in Florida, 261; Red-headed Wood-pecker in Quebec, 261
- Philohela minor, 561
- Philomachus pugnax, 257, 578
- Phoebe, Eastern, 338
- Pica pica, 196
pica hudsonia, 409
- Pigeon, Domestic, 558
 Passenger, 293
 Scaly-necked, 367
 White-crowned, 367
- Pigeons, taxonomy and habits, 239
- Pintail, 267
 American, 253, 570
- Pipilo erythrophthalmus erythrophthalmus, 344
maculatus arcticus, 70
- Pipit, American, 57
 Meadow, 56
 Tree, 197
- Piranga erythromelas, 104, 233
rubra rubra, 102
- Pisobia melanotus, 405
- Pitelka, Frank A. Nesting data, 608
- Plectrophenax nivalis nivalis, 108, 268, 589
- Plegadis falcinellus falcinellus, 107, 587
gurauna, 576
- Plover, Golden, 94, 255
 Black-bellied, 576
 Mountain, 70, 72
 Piping, 576
- Pluvialis dominica, 255
dominica dominica, 94
- Podiceps auritus, 56
- Podilymbus podiceps podiceps, 507
- Polyborus cheriway, 63f
cheriway auduboni, 417
- Pooecetes gramineus confinis, 70
gramineus gramineus, 344
- Poor, Hustace H., and Scott, Oliver K. Glaucous Gull in Florida, 579
- Porphyruula martinica, 366
- Prairie Chicken, Attwater's, 296, 298
- Preble, Edward A. Barred Owl on Athabasca River, Alberta, 407; Carolina Wren in central New Hampshire, 409
- Presentation of nesting data, 608
- Progne subis dominicensis, 371
- Pseudosterna, 566
- Ptarmigan, Rock, 197
- Pterodroma hasitata, 365
- Puffinus diomedea borealis, 251

- Puffinus gravis, 106, 251
Iherminieri, 268
Iherminieri Iherminieri, 106
- Pygoscelis adeliae, 56
- QUAIL-DOVE, Blue-headed, 560
Moustached, 368
Ruddy, 368
- Quiscalus quiscula aeneus, 199, 416, 585
quiscula quiscula, 561
- RAND, A. L. Courtship of the Roadrunner, 57; Lorenz's objective method of interpreting bird behavior, 289
- Raney, Edward C. Daily movements of young Black Duck, 93; Feeding and disposition of nestling feces by the Kingbird, 97
- Rapp, William F., Jr. Red-shouldered Hawk eating a Wood Duck, 572
- Raven, 290
Clarion Island, 249
North American, variation, 246
Northern, 268, 338
Southwestern, 249
White-necked, 70, 71, 72, 359
- Recent literature, 111, 272, 419, 592
- Recurvirostra americana, 107, 405, 563
- Red-head, 495, 507f
- Redstart, American, 172, 343
- Red-wing, Eastern, 343, 589
- Regulus satrapa satrapa, 340
- Rehn, James A. G. In memoriam: Witter Stone, 299
- Reimann, Edward J. Alder Flycatcher breeding in Philadelphia, 408
- Rhyticeros undulatus ticehursti, 397
- Rice, James Henry, Jr., obituary, 451
- Richmondena cardinalis, 414, 416
cardinalis cardinalis, 591
- Rinker, George C. Boreal Flicker in Kansas, 581
- Riparia riparia riparia, 52, 104
- Ripley, S. Dillon. Notes on the genus *Coracina*, 381f; see Mayr, E., and —, 250
- Rissa tridactyla, 565
- Roadrunner, courtship, 57
- Robin, 200, 416, 561, 588
Peking, 416
Southern, 340
- Robinson, Wirt, memorial to, 132
- Rough-leg, Ferruginous, 359
- Ruff, 578; in Iowa, 257
- Russell, Henry N., Jr., and Woodbury, Angus M. Nesting of the Gray Flycatcher, 28
- Rynchops nigra, 406
nigra nigra, 96, 108
- Rysgaard, G. N. Birds imprisoned by a snowstorm, 588
- SALTATOR albicollis, 374
albicollis guadeloupensis, 375
- Saltator, Antillean, 374
- Sandpiper, Curlew, 7, 95
Pectoral, 405
Stilt, 577
- Sapsucker, Yellow-bellied, 337
- Saylor, L. W. Winter food of Snow and Blue Geese in Delaware, 92
- Sayornis nigricans nigricans, 104
phoebe, 338
- Scaup, Lesser, 417
- Schwarz, Ernst. Seasonal pattern and genic balance, 233
- Scoter, American, 268
Surf, 575
White-winged, 575
- Scott, Oliver K. See Poor, Hustace H., and —, 579
- Seibert, Henri C. Brewster's Warbler in Maryland, 410
- Seiurus aurocapillus, 200, 342
motacilla, 561
- Selasphorus platycercus, 59
platycercus platycercus, 261
- Semple, John B. See Sutton, George Miksch, and —, 580
- Sericotes holosericeus holosericeus, 369
- Setophaga, 172
ruticilla, 104, 343
- Sharp, Barton L. Gambel's Sparrow in Pennsylvania, 104
- Shearwater, Audubon's, 106, 268
Cory's, in S. C., 251
Greater, 106
Sooty, 251
- Shrike, Red-backed, 197
- Sibley, Charles G. See Miller, Alden H., and —, 563
- Sialia mexicana occidentalis, 104

- Sialia sialis, 409, 416
 sialis sialis, 340
- Siskin, Northern Pine, 343
- Sitta canadensis, 339
- Skimmer, Black, 96, 108, 406
- Skua, 95
- Smith, Robert H., and Trowbridge, Albert H. Mallard Duck returns to destroyed nest, 92
- Snipe, Wilson's, 256, 337
- Snyder, L. L. In memoriam: James Henry Fleming, 1; 'Anting' by the Cardinal, 414
- Solitaire, Antillean, 373
- Sparrow, Atlantic Song, 109
 Bachman's, in N. Y., 103
 Baird's, 70
 Chipping, 414
 Clay-colored, in Mich., 413
 Colnett's Rufous-crowned, 270
 Eastern Field, 345
 Eastern Fox, 345
 Eastern Lark, 108
 Eastern Savannah, 344
 Eastern Vesper, 344
 English, 196, 561
 Fox, 266, 416
 Gambel's, 499; in Penna., 104
 Golden-crowned, 270
 Harris's, 416, 499
 Lark, 57
 Macgillivray's Seaside, 38
 Nelson's, 38
 Pine-woods, 103
 Rufous-crowned, 102
 Savannah, 71
 Song, 345, 416; enemy recognition, 195
 Swamp, 345
 Western Vesper, 70
 White-crowned, 345, 104
 White-throated, 345, 416, 561, 591
- Sphyrapicus varius varius, 337
- Spinus pinus pinus, 343

Spizella pallida, 413
 passerina, 414
 pusilla pusilla, 345

Spoonbill, 130

Spoonbill, Roseate, 105, 294

Sprunt, Alexander, Jr. Bridled Tern in Florida Bay, 259; Cormorants killed by lightning, 568; Further notes on wintering of the Rough-legged Hawk in Florida, 573; Predation of Boat-tailed Grackles on feeding Glossy Ibises, 587

Squatarola squatarola 576

Stabler, Robert M. Further studies on trichomoniasis in birds, 558; see Bond, Richard M., and —, 346

Starling, 561, 584

Starnocnas cyanocephala, 560

Steganopus tricolor, 71

Stephanoaëtus coronatus, 22

Stercorarius sp., 108
 longicaudus, 565
 parasiticus, 417
 pomarinus, 565

Sterna anaethetus anaethetus, 367
 anaethetus melanoptera, 260
 antillarum, 565
 antillarum antillarum, 576
 dougalli dougalli, 107, 367
 forsteri, 565, 580
 fuscata fuscata, 258, 259
 hirundo, 257, 579
 hirundo hirundo, 365, 366
 'pikei', 164f
 'portlandica', 164f

Stevenson, Henry M., Jr. Natural death of a Fox Sparrow, 266

Stictapelia cuneata, 242

Stone, Witmer, memorial, 299

Stoner, Dayton. Historical data on a specimen of Sooty Tern from Oswego, New York, 258; A noteworthy concentration of birds, 588

Stoner, Dayton, and Stoner, Lillian C. Feeding of nestling Bank Swallows, 52

Stoner, Lillian C. See Stoner, Dayton, and —, 52

Streptopelia decaocto decaocto, 560
 senegalensis senegalensis, 560

Strix varia, 195, 407
 varia varia, 337

Struthio camelus, 352

Sturnella magna magna, 109, 343, 589
 neglecta, 265, 359

- Sturnus vulgaris, 584
 vulgaris vulgaris, 561
- Sula brewsteri, 417
 leucogaster, 59
 nebouxii, 417
- Sutton, George Miksch. Baltimore Oriole in Tompkins County, New York, in winter, 411; *Hylocichla fuscescens salicicola* in Tamaulipas: a correction, 584
- Sutton, G. M., Phillips, Allan R., and Hargrave, Lyndon L. Probable breeding of the Beautiful Bunting in the United States, 265
- Sutton, George Miksch, and Semple, John B. An egg of the Marbled Murrelet, 580
- Swallow, Bank, feeding, 52
 Barn, 97, 261, 561
 Northern Cliff, 338
 Tree, 56, 98, 584
- Swan, Trumpeter, 294, 298
 Whistling, 267, 574
- Swift, Black, 369
 Chimney, 337, 581
 Lesser Antillean, 369
- TANAGER, Louisiana, 70
 Scarlet, 233
 Summer, 102
- Tanagra flavigrons, 374
- Taverner, P. A. Breeding grounds of Ross's Goose at last discovered, 92; Scissor-tailed Flycatcher in Quebec, 97
- Teal, Baikal, 400
 Green-winged, 359, 400
- Telmatodytes palustris plesius, 71
- Termites taken by birds, 104
- Tern, Arctic, 164f, 496
 Black, 260
 Bridled, 259, 367
 Cabot's, 167
 Caspian, 577
 Common, 164f, 257, 579
 Forster's, 496, 580
 Gull-billed, nesting in Florida, 96
 Least, 576
 Noddy, 259, 269
 Roseate, 107, 164f, 367
- Tern, Royal, 167
 Sandwich, 167
 Sooty, 258, 259
- Terns, 'white-faced', 164f
- Terres, J. Kenneth. Short-billed Marsh Wren in the western Adirondacks, 263
- Tetrastes, 78
 bonasia rupestris, 196
- Textor cucullatus cucullatus, 110
- Thalasseus elegans, 565
 maximus, 167, 565
 sandvicensis, 167
- Thalurania bicolor, 369
- Thomas, Ruth Harris. 'Anting' by Summer Tanager, 102; Ticks affecting birds' eyesight, 590
- Thrasher, Bendire's, 61
 Brown, 339, 584; in Ore., 99
 Palmer's Curve-billed, 61
 Pearly-eyed, 371
 Scaly-breasted, 371
- Thrush, Bicknell's, 264
 Eastern Hermit, 340
 Eastern Red-legged, 372
 Forest, 372
 Gray-cheeked, 340, 561
 Hermit, 416, 561
 Olive-backed, 340
 Russet-backed, 584
 Wood, 340, 416
- Thryomanes bewickii, 57
 bewickii bewickii, 268
- Thryospiza maritima waynei, 51
- Thryothorus ludovicianus, 104, 359, 409
 ludovicianus ludovicianus, 339
- Tiaris bicolor omissa, 375
- Ticehurst, Claud Buchanan, obituary, 443
- Tiemeyer, Otto W. Repaired bone injuries in birds, 350
- Tit, Blue, 290, 318f
 Crested, 318f
 Great, 318f
 Marsh, 318f
 Willow, 318f
- Titmouse, Plain, 318
 Tufted, 57, 318, 339
- Tomkins, Ivan R. Notes on Macgillivray's Seaside Sparrow, 38; Broken-

- wing performance by the Eastern Willet, 95; Foot-washing by the Black Skimmer, 96; An oddly colored Wilson's Snipe, 256
- Toner, G. C. Tree Swallows and highways, 98
- Totanus flavipes*, 71, 270
- Towhee, Green-tailed, 70
 Long-spurred, 70
 Red-eyed, 344
- Toxostoma bendirei*, 61
 curvirostre palmeri, 61
 longirostre sennetti, 104
 rufum, 99, 339, 584
- Trembler, 372
- Trichomoniasis in birds, 558
- Troglodytes aëdon*, 521f
 $aëdon$ parkmani, 70
 musculus rufescens, 371
 rufociliatus, 56
- Tropic-bird, Red-billed, 365
 Yellow-billed, 106, 365
- Trowbridge, Albert H. See Smith, Robert H., and —, 92
- Turdus migratorius*, 200, 416
 migratorius migratorius, 561
 migratorius achrusterus, 340
- Turkey, 196
 Domestic, 560
- Turnstone, Ruddy, 575, 576
- Tympanistria tympanistria*, 240f
- Tympanuchus pallidicinctus*, 359
- Tyrannula obscura*, 28
- Tyrannus cubensis*, 110
 dominicensis, 261
 dominicensis vorax, 370
 tyrannus, 97, 104
 verticalis, 261
 vociferans, 104
- Tyto alba pratincola*, 560
 insularis nigrescens, 368
- URIA aalge aalge*, 153f
- Urner, Charles A., his 'Birds of Elizabeth, New Jersey,' 131
- Uttal, Leonard J. Tarsal feathering of Ruffed Grouse, 74
- VAN ROSSEM, A. J., and Orr, R. T. Sub-specific status of *Fregata minor* along the Pacific coast of North America, 399
- Van Tyne, Josselyn. Early records of the Clay-colored Sparrow in Michigan, 413
- Veery, 340, 416
- Vermivora chrysoptera*, 341
 leucobronchialis, 410
 peregrina, 341
- Vireo calidris barbadensis*, 373
 gilvus, 264
 olivaceus, 341
 solitarius alticola, 341
- Vireo, Black-whiskered, 373
 Mountain, 341
 Red-eyed, 341
 Warbling, 264
- Vogt, William. Food detection by vultures and condors, 571
- Vultur gryphus*, 571
- Vulture, Black, 359, 417, 571
 Turkey, 337, 403, 417, 571; in R. I., 94
- WAGTAIL, Gray, 197
- Walker prizes, 615
- Warbler, Alaskan Yellow, in Mass., 100
 Audubon's, 70
 Bay-breasted, 233, 342
 Black and White, 108, 341
 Blackburnian, 342
 Black-throated Blue, 341
 Black-throated Green, 342
 Brewster's, 410
 Cairns's, 341
 Canada, 343
 Cape May, 341
 Chestnut-sided, 342
 Golden, 373
 Golden Pileolated, 270
 Golden-winged, 341
 Hooded, 101, 342
 Kentucky, 101; in Mass., 100
 Magnolia, 341
 Mourning, 410
 Myrtle, 341
 Newfoundland Yellow, in Mass., 100
 Northern Pine, 342
 Northern Prairie, 342

- Warbler, Pileolated, 70
Plumbeous, 374
Tennessee, 341
Western Palm, 342
Wilson's, 70
Yellow, 70
- Warren, E. R. [Foreword to article by Aiken], 70
- Water-Thrush, Louisiana, 561
- Water-turkey, 576
- Waxwing, Cedar, 341, 416
- Weaver, Richard. Gannets along the Connecticut River in New Hampshire and Vermont, 251; Mockingbird in New Hampshire in midsummer, 264
- Webb, John S. See Collins, Henry H., Jr., and —, 578
- Wetmore, Alexander. Migrant ducks in the Dominican Republic, 253; Herring Gull in Guatemala, 257; An unknown loon from the Miocene fossil beds of Maryland, 567
- Widgeon, American, 254
European, 108, 570
- Willet, 577
Eastern, 95
Western, 575
- Willett, George. Variation in North American ravens, 246
- Williams, Robert White, obituary, 135
- Wilson, Alexander, the James Craw portrait, 236
- Wilsonia canadensis, 343
citrina, 101, 342
pusilla chryseola, 270
- Wing, Leonard. Size of bird flocks in winter, 188
- Wing skeleton and flight, 61f
- Wood, Casey A. See McWilliam, John M., and —, 236
- Woodbury, Angus M. Animal migration—periodic-response theory, 463f; see Russell, Henry N., Jr., and —, 28
- Woodcock, 561
- Woodpecker, Downy, 561, 588
Eastern Hairy, 338
Ivory-billed, 293, 582
- Woodpecker, Lewis's, 70
Northern Downy, 338
Pileated, 583
Red-headed, 70, 261, 337
- Worth, C. Brooke. Snowy Egret again nesting in Cape May County, New Jersey, 252
- Wren, Bewick's, 57, 268
Carolina, 339, 359; in N. H., 409
Eastern Winter, 339
House, 521
Parkman's, 70
Rock, 70
Short-billed Marsh, 263
Southern House, 371
Western Long-billed Marsh, 71
- Wren-tit, 319
- Wyman, Martha Anderson. Yellow-crowned Night Heron in Wisconsin, 569
- XANTHOCEPHALUS xanthocephalus, 215f
- Xema sabini, 565
- YELLOWHAMMER, 197
- Yellow-legs, Greater, 256
Lesser, 71, 256, 270
- Yellow-throat, Maryland, 342
Northern, 342
- ZENAIDA aurita aurita, 367
- Zenaidura macroura carolinensis, 260, 406, 560
macroura macroura, 261, 407
macroura marginella, 407
- Zimmer, John T. Charles A. Urner's 'Birds of Elizabeth, New Jersey, and vicinity,' 131
- Zimmerman, Harold A. Three thousand Golden Plovers in one flock, Delaware County, Indiana, 94
- Zonotrichia albicollis, 345, 416, 561, 591
coronata, 270
leucophrys, 104
leucophrys gambeli, 104
leucophrys leucophrys, 345
querula, 416