

INDEX TO VOLUME 76

Compiled by L. R. WOLFE

(New generic, specific and subspecific names are printed in heavy face type.)

- Abnormality, 534-537
Accipiter gentilis, 219
Accipitres, 278
Accipitridae, 324, 360
Accipitriformes, 360
Actitis macularia, 132, 133, 196, 437
Aechmophorus occidentalis, 437, 520
Aepyornithes, 278
Aepyornithiformes, 278
Aëronautes saxatalis saxatalis, 366
Aethia cristatella, 66
 pygmaea, 60-67
 pygmaea camtschatica, 65, 67
 pygmaea pygmaea, 63-65, 67
Agapornis taranta, 341
Agelaius phoeniceus, 21, 439
Aimophila aestivalis, 232
 carpalis, 20
 ruficauda nayaritensis, 366
Ajaia ajaja, 244
Alabama, 528
Alaska, 230-232, 364
Albatross, Light-mantled Sooty, 522
 Royal, 522
 Wandering, 522
Albinism, 520
Alca camtschatica, 65
 kamtschatica, 65
 torda, 533
Alcae, 278
Alcedines, 278, 279
Alcedinoidea, 278
Alcidae, 23
Allen, A. A., see Kellogg, P. P., and —
Amadon, Dean, review by, 546; see
 Murphy, Robert Cushman, and —
Amazilia beryllina viola, 366
Amazona vittata, 88
Amospiza caudacuta, 23
 maritima, 88
Anas acuta, 425-427, 429-435, 439
 carolinensis, 425, 426, 429, 432, 434
 crecca, 427
 cyanoptera, 425-427, 429, 431, 432,
 433, 435, 439, 440, pl. 20
 discors, 425-427, 429, 432, 434, 439
 Anas laysanensis, 23
 platyrhynchos, 13, 22, 425-427, 429-
 436, 439, 440, 478, 522
 rubripes, 13
 strepera, 425-427, 429, 432, 434-436,
 439
 wyvilliana, 23
Anatidae, 24, 25, 272
Anatinae, 22, 25
Anatomy, 55-59, 242-244, 534-539
Anhima, 278
Anhinga anhinga, 283
Ani, Groove-billed, 281-317, pls. 10, 11
 Smooth-billed, 282, 286, 290, 294,
 300, 307-313, 316
Anser canagica, 21
Anseres, 278
Anseriformes, 273, 278
Anserinae, 25
Anthus spragueii, 362
A. O. U., amendments to by-laws, 69
 awards, 68, 268
 committees, 1958-1959, 128
 meetings, 1951-1959, viii
 officers and trustees, 82
 officers, 1951-1959, viii
 reports of committees, 72
 report of committee on bird protec-
 tion, 86-91
 reports of officers, 70-72
 resolutions, 81
 seventy-sixth stated meeting, 68-81
 student membership awards for
 1959, 268
 treasurer's report for the period
 August 1, 1957-July 31, 1958, 83-
 85
Apalopteron, 276
Aphelocoma ultramarina, 389
 unicolor, 389
Apodes, 273, 274, 279
Apodidae, 324
Apodiformes, 279
Aptenodytes patagonica, 3, 339
Apteryges, 278
Apterygiformes, 278

- Apteryx, 272, 275
 Aquila chrysaetos, 219, 221
 pomarina, 219, 221
 verreauxi, 219, 221, 222
 Aramidae, 278
 Archilochus colubris, 324, 527
 Archiplanus, 538
 Ardea cinerea, 464
 herodias, 436, 464-470, pl. 20
 Ardeae, 278
 Arenaria interpres morinella, 132
 Arizona, 92
 Armstrong, Edward A., supposed cannibalism in Short-eared Owls, 560
 Ascension Island, 153-158
 Asio flammeus, 218, 219, 222, 225, 440, 560, pl. 7
 otus, 219
 Atticora (Pygochelidon) cyanoleuca patagonica, 529
 Auklet, Whiskered, 60-67
 Aveledo H., Ramón, see Ginés, Hno., and —
 Avocet, American 108, 132, 147, 429, 437
 Awards Brewster Memorial, 68
 Marcia B. Tucker, 69
 student membership, 1959, 268
 Aythya americana, 94, 425-436, 439, 440, pl. 20
 ferina, 427, 428
 valisineria, 426

 Bakus, Gerald J., observations on the life history of the Dipper in Montana, 190-207
 Balaeniceps 273
 Balaenicipites 278
 Banding, 129-152, 174, 357
 Bannerman, David A., and W. Mary Bannerman, birds of Cyprus, (rev.), 371
 Bannerman, W. Mary, see Bannerman, David A., and —
 Bartramia longicauda, 132
 Basileuterus ruffrons caudatus, 366
 Bee-eater, 528
 Behavior, 34, 97, 104-106, 139, 142, 160-162, 172, 192, 195, 197, 228, 235, 238, 282, 286, 291-307, 339-342, 343-351, 361, 362, 393-397, 424-442, 471-476, 478-509, 532, 541
 Bellrose, Frank C., see Mills, Harlow B., and —
 Belopolski, L. O., ecology of the colonial sea birds of the Barents sea, (rev.), 249
 Belton, William, observations of Whimbrel, Numenius phaeopus, and Chilean Flamingo, Phoenicopterus chilensis, in June near the Straits of Magellan, 104
 Benson, Thom, see Borrer, Donald, and —
 Berger, Andrew J., the serratus muscles in cuckoos, a correction, 242-244
 Bittern, American, 436
 Chinese Least, 41
 Least, 524, 525
 Blackbird, Redwinged, 21, 439
 Yellow-headed, 427, 429, 439, 440
 Bobolink, 3, 15, 23
 Bock, Walter J., the status of the Semipalmated Plover, 98-100
 Bombycilla garrulus, 532
 Bond, J., review by, 545
 Borrer, Donald, William Gunn and Thom Benson, songs of warblers of eastern North America, (rev.), 116
 Botaurus lentiginosus, 436
 Brachypteraciidae, 278
 Brandt, John H., new record of the Eastern Barn Swallow in Micronesia, 528
 Brant, 533
 Branta bernicla, 533
 canadensis, 96, 430, 478-509
 Brazil, 242
 Bryant, Charles E., review by, 546
 Bubo bubo, 474
 virginianus, 219, 222, 242
 virginianus nacurutu, 242
 virginianus scotinus, 242
 Bubulcus ibis, 97, 241, 359
 Bucephala albeola, 434
 clangula, 92-94, 434
 clangula x islandica, 94
 islandica, 92-94
 Bucerotes, 279
 Buckley, P. A., recent specimens from southern New York and New Jersey affecting A. O. U. check-list status, 517-520
 Bufflehead, see Duck
 Bulbul, 102-104
 Mottled-breasted, 39

- Bunting, Indigo, 367, 443-463
Lazuli, 443-463
- Burleigh, Thomas D., Georgia birds,
(rev.), 547
- Bustard, Great Indian, 86
- Buteo, 32, 34
buteo, 219, 220
jamaicensis borealis, 219, 220
jamaicensis calurbe, 357
lagopus, 219, 220
lineatus, 219, 221, 230
nitidus, 526
platypterus, 324, 362
regalis, 357
swainsoni, 219, 221
- Buzzard, Common, 219, 220
Honey, 220
Rough-legged, 219, 220
- Cacomantis merulinus merulinus, 41
variolosus sepulcralis, 41
- Calcarius pictus, 363
- Calidris canutus rufa, 132
- Calocitta, 386, 403, 410
- Caloeniidae, 273
- Caloenas, 273
- Calypte anna, 19, 26, 30, 527
- Campostoma imberbe, 367
- Canada, Alberta, 358
British Columbia, 92-94
Manitoba, 520, 524
- Cannibalism, 218-226, 560
- Canvasback, see Duck
- Capella gallinago delicata, 132
- Caprimulgi, 273, 278
- Caprimulgidae, 324
- Caprimulgiformes, 278
- Caprimulgus carolinensis, 324
- Caracara, 360
- Cariama, 273
cristata, 339
- Cariamiformes, 273
- Carpodacus purpureus, 363
- Casmerodius albus, 360
albus egretta, 239-241
- Cassidix mexicanus, 288
- Casuarii, 278
- Casuariiformes, 278
- Catbird, 341
- Cathartes aura, 283, 533
- Catoptrophorus semipalmatus, 132, 439
- Centurus carolinus, 235, 361, 527
- Ceyx lepidus margarethae, 40
- Chaetura andrei, 471-477
andrei meridionalis, 471, 476, 529,
pl. 21
cinereiventris, 471-477
cinereiventris cinereiventris, 471, 476
pelagica, 324, 471, 473, 475, 476
vauxi, 359
- Chamaepelia buckleyi, 512, 516
cruziana, 512, 516
minuta, 512, 516
passerina, 512, 516
talpacoti, 512, 516
- Chapin, James P., and Leonard W.
Wing, the wideawake calendar, 1953 to
1958, 153-158
- Charadrii, 272, 278
- Charadriiformes, 55, 57-59, 272, 273, 278
- Charadrius hiaticula, 98-100
hiaticula tundrae, 98, 99
melodus, 129-152, pls. 3, 4
melodus circumcinctus, 148, 150, 152
melodus melodus, 152
placidus, 98, 99
semipalmatus, 57, 98-100, 132
vociferus, 133, 341, 437
vociferus vociferus, 132
wilsonia wilsonia, 132
- Chat, Yellow-breasted, 340
- Cheng, Tso-Hsin, a distributional list
of Chinese birds, (rev.), 248
- Chile, 104
- Chlidonias niger, 438, 522
- Chloris chloris, 45
- Chloropsis flavipennis flavipennis, 40
- Chordeiles minor, 324
- Ciconiae, 278
- Ciconiiformes, 272, 273, 278
- Cinclus cinclus, 196, 199
mexicanus, 190-207
- Circus, 21, 32
aeruginosus, 219, 221
cyaneus, 437
cyaneus cyaneus, 219, 221
cyaneus hudsonius, 219
- Cissilopha yucatanica, 403
- Clangula, 4, 11
- Claravis, 512-514
godefrida, 510-513, 516

- Claravis mondetoura*, 510, 512, 513, 516
pretiosa, 510-513, 516
 Clay, William M., Blue Jays attack
 a red bat, 532
 Cobb, Stanley, on the angle of the cere-
 bral axis in the American Woodcock,
 55-59
Coccyzus, 244, 313
 americanus, 293, 324, 339
 americanus americanus, 365
 erythrophthalmus, 243, 293, 324
 Cockatoo, Philippine, 40
 Coerebidae, 276
Colaptes auratus, 527
Colii, 279
Coliiformes, 279
Colinus virginianus, 233
 Collias, Nicholas E., and Laurence R.
 Jahn, social behavior and breeding
 success in Canada Geese (*Branta can-*
 adensis) confined under semi-natural
 conditions, 478-509
Collocalia inquieta rukensis, 528
 Colorado, 95
Coltonia recurvirostra, 106-108
Columba leucocephala, 332
 Columbidae, 278
Columbiformes, 273, 278
Columbigallina, 512, 513, 515
 buckleyi, 510, 512, 516
 cruziana, 516
 minuta, 510, 512, 516
 passerina, 510, 512, 516
 talpacoti, 510, 512, 516
Columbina, 512-515
 buckleyi, 516
 cruziana, 510, 511, 516
 cyanopis, 510, 511, 516
 minuta, 516
 passerina, 510-512, 514-516
 picui, 510-514, 516
 talpacoti, 510, 511, 515, 516
Columbula, 512
 picui, 512, 516
Colymbiformes, 278
 Condor, California, 87
 Contents of vol. 76, iii-vii
Contopus sordidulus, 324
 virens, 324
 Coot, American, 339, 424-442, pl. 20
 European, 426, 428, 433, 436
 Red-gartered, 428
Copsychus cebuensis, 38, 39
 saularis mindanensis, 39
 Copulation, 160, 198, 238, 361, 489-491
 Coraciae, 278
Coracii, 278, 279
 Coraciidae, 278
Coraciiformes, 278, 279
Coracina caerulescens alterum, 39
 striata cebuensis, 39
Coragyps atratus, 283
 Cormorant, Double-crested, 533
 Corvidae, 385
Corvus brachyrhynchos, 140, 230
 monedula, 172
 vociferus, 411
 Costa Rica, 281
Coturnicops noveboracensis, 94
 Coua, Blue, 243
Coua caerulea, 243
 Cowbird, Brown-headed, 238, 341, 352,
 367
 Giant, 285
 Crane, Common, 358, pl. 13
 Gray, 358
 Sandhill, 96, 358
 Whooping, 87, 234, pl. 9
Crocethia alba, 132
 Crossbill, Red, 181-189
Crotophaga ani, 282
 sulcirostris, 243, 281-317
 Crotophaginae, 313
 Crow, Common, 140, 230
 Crypturi, 278
 Cuckoo, Blackbilled, 293, 294
 European, 310, 313
 Horsfield's Hawk, 40
 Rufous-breasted Brush, 41
 Yellow-billed, 293, 339, 365
 Cuculi, 275, 278
 Cuculidae, 324
Cuculiformes, 273, 278
Cuculus fugax pectoralis, 40
Culicicapa helianthea panayensis, 40
 Curlew, Eskimo, 539-541
 Eurasian, 474
 Hudsonian, 104, 132
 Least, 540, 541

- Curllew, Long-billed, 132, 439, 539-541
 Pygmy, 541
Cyanocitta cristata, pl. 16, 532
 stelleri, 19, 27, 30
Cyanocorax, 410
 yncas, 403
Cygnus olor, 428
Cypseli, 275
Cypseloides cryptus, 529
- Daptrius, 360
Darlington, Philip J., Jr., zoogeography:
 the geographical distribution of ani-
 mals, (rev.), 369
Dates of issue, volume 76, ii
Davis, L. Irby, Mexican bird songs,
 (rev.), 372
Dawn, Walter, Cattle Egrets provoke
 cattle to move and pick flies off bulls,
 97; Eared Grebe in South Carolina,
 521
Delacour, Jean, see Kalmbach, E. R.
 et al.
Delichon, 3
Dendrocopos borealis, 527
 pubescens, 527
Dendroica, 22, 340, 341
 caerulescens, 324
 castanea, 324, 340
 cerulea, 324
 coronata, 324, 340
 discolor, 324, 340, 352-357
 dominica, 324, 340
 fusca, 324
 magnolia, 324
 occidentalis, 324
 pennsylvanica, 324, 340
 petechia, 324
 striata, 324, 340
 tigrina, 324
 virens, 324
- Denham, Reginald, Cattle Egret (*Bubul-
cus ibis*) on Cozumel Island, Quintana
 Roo, Mexico, 359
Dicaeidae, 39
Dicaeum australe australe, 40
 australe papuense, 40
 quadricolor, 40
 trigonostigma pallidus, 39
Dillon, S. Tenison, breeding of the Least
 Bittern in Manitoba, 524, 525
- Dinornis, 275
Dinornithiformes, 278
Diomedea epomophora, 522
 exulans, 522
 immutabilis, 88
 nigripes, 88
Dipper, American, 190-207
 European, 196, 199
Distribution, 32, 60-67, 92, 94, 95, 102-
 104, 191, 230, 241, 242, 244, 318-325,
 358, 359, 361, 362, 364, 386, 390-393,
 411, 443, 471, 517-521, 524, 526, 528,
 529-532, 539
Dodo, 272, 273
Dolichonyx oryzivorus, 3
Dove, American Ground, 510-516
 Amethyst Brown Fruit, 38
 Black-chinned Fruit, 40
 Inca, 514
 Scaled, 514
 Tigrine, 41
 White-fronted, 365
 Yellow-breasted Fruit, 40
Dowitcher, Short-billed, 55, 57, 58, 132
Downs, Wilbur G., Little Egret banded
 in Spain taken in Trinidad, 241
Dryocopus pileatus, 527
Duck, Barrow's Goldeneye, 92
 Black, 13
 Black-headed, 428
 Bufflehead, 429, 432, 434
 Canvasback, 426
 Common Goldeneye, 92, 429, 432,
 434
 Common Pochard, 427, 428
 Gadwall, 425-427, 429, 432, 434-436,
 439
 Garganey, 427
 Mallard, 13, 23, 425-427, 429-436,
 439, 440, 478, 522
 Oldsquaw, 4, 5, 23
 Pink-headed, 442
 Pintail, 425-427, 429-435, 439
 Redhead, 94, 425-436, 439, 440, pl. 20
 Ruddy, 425-436, 439, 440
 Shoveler, 425-435
 Tufted, 427
Ducula aenea aenea, 40
 poliocephala poliocephala, 40

- Dumetella carolinensis*, 341
Dunlin, 132, 517
- Eagle, Bald, 219, 221
 Golden, 219, 221
 Gray Sea, 221
 Lesser Spotted, 219, 221
 Verreaux's, 219, 221, 222
 White-tailed, 221
- Ecology, 33, 37-43, 231, 233, 239, 283,
 318-325, 332-336, 526
- Edwards, Ernest P., nesting of the Lesser
 Swallow-tailed Swift, *Panyptila cayen-*
 ensis, in Guatemala, 358
- Eggs, Grove-billed Ani, 290, pl. 11
 Rosy Finch, 163
 measurements, 101, 102, 141, 231,
 290
 nematodes in, 368
- Egret, Cattle, 97, 241, 359
 Common (American), 360
 Common, 239-241
 Little, 241
 Snowy, 97, 360, 429, 436, 438
- Egretta garzetta garzetta*, 241
- Eisenmann, E., the correct specific name
 of the Quetzal, *Pharomachrus mocin-*
 no, 108; South American migrant swal-
 lows of the genus *Progne* in Panama
 and northern South America; with
 comments on their identification and
 molt, 518-523; ed. notes, 238, 267, 357,
 463, 541, reviews by, 112, 114-116, 245-
 247, 249, 266, 370-372, 470, 509, 516,
 544, 547
- Elaenia*, Greenish, 366
- Elanoides*, 360
- Elanus*, 360, 361
 leucurus leucurus, 526
- Emerson, Guy, see Griscom, Ludlow, and
 —
- Empidonax difficilis*, 324
 flaviventris, 324
 minimus, 324
 traillii, 324
 virescens, 324
- Ereunetes mauri*, 132
 pusillus, 57, 58, 132
- Erethacus rubecula*, 21, 295
- Erolia alpina*, 517
 alpina arctica, 132
 ferruginea, 517
 melanotos, 132
 minutilla, 132
- Errata and corrigenda, 242, 357, 384, vii
- Eucometis penicillata*, 285
- Eudocimus albus*, 97
- Eudiptula minor*, 339
- Eupelia*, 512, 515
 cruziana, 510, 512, 513, 516
- Euphagus carolinus*, 538
- Euplectes*, 21
- Eurypyga*, 273
- Eurypygae*, 278
- Falco, 360
 peregrinus, 219
 peregrinus pealei, 539
 tinnunculus, 219
- Falcon, Peregrine, 539
- Falconidae, 360
- Falconiformes, 278, 360
- Falls, J. Bruce, see Weeden, Judith Sten-
 ger, and —
- Feinstein, Bernard, geographic variation
 in the Whiskered Auklet, 60-67
- Finch, Aleutian Rosy, 174
 Black Rosy, 159-180, pl. 5, 6
 Purple, 363
 Sierra Nevada Rosy, 168
 Gray-crowned Rosy, 161
- Fischer, Richard B., the breeding biology
 of the Chimney Swift, (rev.), 111
- Flamingo, American, 339
 Chilean, 104, 244
 James' Andean, 244
- Flicker, Yellow-shafted, 527
- Florida, 95, 227, 235, 241, 533
- Florida caerulea, 97
- Flowerpecker, Four-colored, 40
 Orange-breasted, 39
- Flycatcher, Ash-throated, 528
 Beardless, 367
 Brown-crested (Wied's Crested), 365
 Citrine Canary, 40
 Gray-spotted, 42, 43
 Narcissus, 42
 Olivaceous, 366
 Rufous Paradise, 40

- Flycatcher, Sulphur-bellied, 366
 Vermilion, 367
 Wied's Crested (Arizona), 322, 365
Food, 33, 96, 97, 104-106, 169-172, 194,
 195, 229, 232, 233, 284-286, 479, 526,
 533
French, Norman R., life history of the
 Black Rosy Finch, 159-180
Friedmann, Herbert, see Miller, A. H.
 et al
Fringillidae, 324
Fulica americana, 339, 424-442
 armillata, 428
 atra, 426, 427
Furnariidae, 311

Gabrielson, Ira N., and Frederick C.
 Lincoln, birds of Alaska, (rev.), 544
Gabrielson, Ira N., see Kalmbach, E. R.
 et al
Gadwall, see Duck
Galli, 273, 278
Galliformes, 273, 278
Gallinula chloropus, 428
Gallinule, Common, 428
Gallus gallus, 368
 gallus gallus, 40
Gampsonyx, 360
 swainsoni, 360
Gannet, 533
Garganey, see Duck
Gavia, 17, 18
 immer, 533
Gaviae, 278
Gaviiformes, 278
Geococcyx californianus, 243
Geopelia humeralis, 514
 striata, 514
Geopeliinae, 512, 513, 514
Geothlypis, 341
 trichas, 340
 trichas brachydactylus, 324
Géroutet, Paul, les passereaux, III: des
 pouillots aux moineaux, (rev.), 115
Gerygone sulphurea sulphurea, 42
Gilliard, E. Thomas, living birds of the
 world, (rev.), 542
Ginés, Hno., and Ramón Aveledo H.,
 aves de caza de Venezuela, (rev.), 509
Godwit, Marbled, 132
Goldeneye, see Duck
Goodall, J. D., A. W. Johnson, and R. A.
 Philippi B., suplemento de las aves de
 Chile, (rev.), 114
Goodwin, Derek, taxonomic notes on the
 american ground doves, 510-516
Goodwin, Robert E., records of flight
 preening and related aerial activities
 in birds, particularly the Black Tern,
 521-523
Goose, Brent, 86
 Canada, 96, 426, 430, 478-509
 Emperor, 21
 Nene, 86, 87
Gorbman, Aubrey, comparative endo-
 crinology, (rev.), 470
Goshawk, 219
Goura, 273
Grackle, Boat-tailed, 288
 Carib, 242
 Common, 341
 Swainson's, 242
Gray, Annie P., bird hybrids. a check-
 list with bibliography, (rev.) 370
Graybird, Barred, 39
 Black, 39
Grebe, Eared, 427, 429, 437, 439, 520, 521
 Great Crested, 339, 427, 428, 520, 521
 Horned, 520, 521
 Little, 427
 Pied-billed, 427, 429, 437, 439, 521
 Red-necked, 427, 428, 520
 Western, 437, 520
Greenfinch, 45
Gressores, 278
Griffin, Daude N., apparent homosexual
 behavior between Brown-headed Cow-
 bird and House Sparrow, 238
Griffin, Donald R., listening in the dark.
 orientation by sound in bats and men,
 (rev.), 114
Griscom, Ludlow, and Guy Emerson,
 birds of Martha's Vineyard, (rev.), 516
Griscom, Ludlow, see Miller, A. H., *et al*
Grosbeak, Black-headed, 447
 Rose-breasted, 447
Ground-Cuckoo, Lesser, 293
 Rufous-rumped, 293
Grouse, Willow, 24
Grues, 278

- Gruidae, 278
 Gruiformes, 273, 278
 Gruoidea, 278
Grus americana, 234, pl. 9
 canadensis, 96, 358
 canadensis tibida, 97
 grus, 358, pl. 13
 grus lilfordi, 358
 Guatemala, 358
 Gull, Black-headed, 428
 California, 429, 438
 Franklin's, 429, 438
 Glaucous-winged, 522
 Great Black-backed, 144, 533
 Herring, 16, 55, 57, 58, 86, 144, 223,
 468, 474, 522, 533
 Laughing, 533
 Lesser Black-backed, 223
 Ring-billed, 522
 Western, 522
 Gunn, William, see Borrer, Donald, and
 —
 Gunn, W. W., a day at Flores Moradas,
 (rev.), 547
Gymnogyps californicus, 87
Gymnopelia, 512, 515
 ceciliae, 510, 512-514, 516
 morenoi, 510, 512-514, 516
Gyps ruppellii, 105

Haematopus palliatus, 132
 Hailman, Jack P., "wing-twitching" and
 insect capture by the Starling, 236-238
 Haiti, 359
Halcyon coromanda bangsi, 41, 42
 coromanda major, 41
 coromanda minor, 42
 Halcyones, 278
Haliaeetus albicilla, 221
 leucocephalus, 219, 221
 Hamon, J. Hill, northern birds from
 Florida indian midden, 533
 Hardy, John William, a previously un-
 described recurvirostrid from the
 Eocene of Utah, 106-108, 226
 Harrier, Hen, 219
 Marsh, 219, 221
 Hauser, Doris C., reverse mounting in
 Red-bellied Woodpeckers, 361
 Haverschmidt, F., notes on *Helicolestes*
 hamatus in Surinam, 32-36; *Bubo*
 virginianus in Surinam, 242; *Elanus*
 leucurus breeding in Surinam, 526
 Hawk, Broad-winged, 362
 Ferruginous, 357
 Gray, 526
 Marsh, 219, 437, 439
 Red-shouldered, 219, 221, 230
 Red-tailed, 219, 220, 357
 Swainson's, 219, 221
 Hawk-Eagle, African, 219, 222
 Crowned, 219, 222
 Head-scratching, 339-342, 522, 527
 Heinroth, Katherina, see Heinroth,
 Oskar and —
 Heinroth, Oskar, and Katherina Hein-
 roth, the birds, (rev.), 249
Helicolestes, 32-36
 hamatus, 32-36, pls. 1, 2
Heliornithes, 278
Helmitheros, 341
 vermivorus, 324, 341
 Heron, Black-crowned Night, 429, 436,
 438, 466, 467
 Common, 464
 Gray, 464-469
 Great Blue, 428, 429, 436, 438, 464-
 470, pl. 20
 Little Blue, 97
 Herpetotheres, 360
Hesperornis, 277
Heteronetta atricapilla, 428
Heteroscelus incanum, 230-232, pl. 8
 Hicks, Ellis A., check-list and bibli-
 ography on the occurrence of insects
 in birds' nests, (rev.), 547
Hieraetus, see *hieraeetus*
Hieraetus ayresi, 219, 222
Himantopus himantopus, 107, 108
 mexicanus, 132, 437, pl. 20
Hirundo, 3
 rustica gutturalis, 528
 Hoatzin, 294
 Huey, William S., weights of Sandhill
 Cranes, 96
 Hummingbird, Anna's, 19, 26, 27, 527
 Berylline, 366
 Broad-tailed, 101
 Ruby-throated, 527
 Rufous, 101, 526

- Humphrey, Philip S., and Kenneth C. Parkes, an approach to the study of molts and plumages, 1-31
- Hybridization, 92-94, 326-338, 443-463
- Hyllocichla fuscescens*, 324
- mustelina*, 324
- ustulata*, 324
- Hypsipetes amaurotis*, 102, 103
- everetti*, 102, 104
- everetti everetti*, 102
- everetti haynaldi*, 102, 103
- everetti samarensis*, 102
- gularis*, 103
- philippensis*, 103
- philippinus*, 102-104
- philippinus guimarasensis*, 103
- philippinus guimarensis*, 103
- philippinus mindorensis*, 103
- philippinus philippinus*, 103
- philippinus rufigularis*, 102-104
- philippinus saturator*, 103
- siquijorensis cinereiceps*, 102, 103
- siquijorensis monticola*, 102, 104
- siquijorensis siquijorensis*, 102-104
- Ibis, Black-faced, 244
- Glossy, 97
- White, 97
- White-faced, 429, 430, 436, 438, pl. 20
- Ibycter, 360
- Icteria, 341
- virens*, 340
- Icteridae, 537-539
- Icterus, 538
- galbula*, 538
- galbula bullockii*, 337, 447
- galbula galbula*, 337, 447
- Ichthyornis, 277
- Illinois, 234
- Impennes, 271
- Incubation, 141, 202, 305, 493
- Incubation period, 142, 164, 203, 229, 301, 494
- Ingram, Collingwood, the importance of juvenile cannibalism in the breeding biology of certain birds of prey, 218-226
- Intolerance, interspecific, 424-442
- Ixobrychus cinnamomeus*, 41
- Ixobrychus exilis exilis*, 524
- sinensis astrologus*, 41
- Jacanae, 278
- Jacaniidae, 273
- Jacaniiformes, 273
- Jacanoidea, 278
- Jackdaw, 172
- Jackson, Mary F., a hybrid between Barrow's and Common Golden-eyes, 92-94
- Jahn, Laurence R., see Collias, Nicholas E., and —
- Jay, Blue, 532, pl. 16
- Brown, 301, 385-427, pls. 14-16
- Green, 403
- Steller's, 19, 27
- White-tipped Brown, 385, 412
- Jensen, Jens K., large numbers of Bohemian Waxwings in New Mexico, 532
- Jirsik, Josef, *nasi pevei* (our songbirds), part 1, (rev.), 115
- Johansen, Hans, revision und entstehung der arktischen vogelfauna, (rev.), 112
- Johnsgard, Paul, review by, 109
- Johnson, A. W., see Goodall, J. D., and —
- Jorgensen, Harriet I., *nomina avium Europaeorum*, (rev.), 115
- Junco, Slate-colored, 44-54, 341, pl. 12
- Oregon, 45, 52, 518
- Junco *hyemalis*, 44-54, 341, pl. 12
- oreganus*, 45
- oreganus montanus*, 518
- Junge, G. C. A., and G. F. Mees, the avifauna of Trinidad and Tobago, (rev.), 545
- Junglefowl, Red, 40
- Kagu, 273
- Kakatoe *haematurophygia*, 40
- Kalmbach, E. R., Jean Delacour, Ira N. Gabrielson, Robert A. McCabe, and David A. Munro, report to the American Ornithologists' Union by the committee on bird protection, 1958, 86-91
- Kellogg, P. P., and A. A. Allen, an evening in sapsucker woods, (rev.), 266
- Kemper, Thomas, notes on the breeding cycle of the Red Crossbill (*Loxia curvirostra*) in Montana, 181-189

- Kemsies, Emerson, Falco peregrinus pealei shot in northern Ohio, 539
- Kennard, John H., occurrence of pink coloration in adult female Purple Finches, 363
- Kestrel, 219
- Kilham, Lawrence, mutual tapping of the Red-headed Woodpecker, 235; head-scratching and wing-stretching of woodpeckers, 527; review by, 250
- Killdeer, 133, 147, 152, 341, 429, 437, 439, 541
- Kingbird, Cassin's, 92
Thick-billed, 92, 365
Western, 92
- Kingfisher, Ruddy, 41
Variable Forest, 40
- Kinglet, Ruby-crowned, 341, pl. 12
- Kite, Everglade, 32, 36, 88
Pearl, 360
Slender-billed, 32-36
White-tailed, 526
- Knorr, Owen A., first Carolina Wren taken in Colorado, 95
- Knot, 132
- Lack, David, review by, 111
- Lagopus, 11
lagopus, 24
mutus, 13
- Langridge, H. P., Cory's Shearwater at Palm Beach, Florida, 241
- Lanius ludovicianus, 19, 22, 28, 30
ludovicianus gambeli, 28, 29
- Lanyon, Wesley E., the comparative biology of the meadowlarks (*Sturnella*) in Wisconsin, (rev.), 109; reviews by, 110, 116
- Lari, 278
- Laridae, 522
- Laro-Limicolae, 58, 272, 278
- Larus atricilla, 533
argentatus, 16, 57, 58, 223, 468, 474, 522, 533
argentatus smithsonianus, 144
californicus, 438
delawarensis, 522
fuscus, 223
glaucescens, 522
Larus marinus, 144, 533
occidentalis, 522
pipixcan, 438
ridibundus, 428
- Leach, J. A., an Australian bird book. a complete guide to the birds of Australia, (rev.), 546
- Leafbird, Yellow-quilled, 40
- LeFebvre, Eugene A., and Dwain W. Warner, molts, plumages and age groups in *Piranga bidentata* in Mexico, 208-217
- Leptophaps, 512, 515
aymara, 510, 512-514, 516
- Leptosomatidae, 278
- Leptotila verreauxi angelica, 365
- Leucophoyx thula, 97, 360, 436
- Leucosticte atrata, 159
australis, 159
tephrocotis, 159
tephrocotis atrata, 159-180, pl. 5
tephrocotis australis, 159
tephrocotis dawsoni, 161, 168, 176
tephrocotis griseonucha, 168, 174, 176
tephrocotis littoralis, 168, 174, 178, pl. 6
tephrocotis tephrocotis, 159, 174, 178, pl. 6
- Leucotreron leclancheri leclancheri, 40
occipitalis, 40
- Levy, Seymour H., Thick-billed Kingbird in the United States, 92
- Life history, 139-148, 159-180, 190-207, 281-317
- Limicolae, 272
- Limnodromus griseus, 57, 58, 132
- Limosa fedoa, 132
- Lincoln, Frederick C., see Gabrielson, Ira N., and —
- Lonchura malacca jagori, 43
- Longevity, 144-147, 174
- Longspur, Smith's, 362
- Loon, Common, 533
- Loriculus philippensis apicalis, 39
philippensis chrysonotus, 39
philippensis regulus, 39
philippensis siquijorensis, 39
- Louisiana, 232

- Lovebird, Abyssinian, 341
Lowery, George H., Jr., review by, 542
Loxia curvirostra, 181-189
 curvirostra bendirei, 182-186
 curvirostra benti, 182, 183, 188
 curvirostra sitkensis, 182-186
- Mac Arthur, Robert H., on the breeding distribution pattern of North American migrant birds, 318-325
Macrochires, 275
Magpie, Black-billed, 429
Magpie-Jay, 386
Mallard, see Duck
Mannikin, Chestnut, 43
Martin, Brown-chested, 529
 Gray-breasted, 529-532
 Purple, 362, 522, 529-532
 Southern, 529-532
McCabe, Robert A., see Kalmbach, E. R., *et al*
McKinney, Frank, editor recent literature, 117-128, 251-266, 373-384, 548-560
Meadowlark, 537
 Eastern, 233
Meanley, Brooke, notes on Bachman's Sparrow in central Louisiana, 232-234
Measurement, birds, 41, 42, 61-68, 93, 100, 102, 107, 144, 148, 149, 152, 182, 183, 214, 241, 242, 399, 448, 455-457, 517, 518, 521, 526, 529-531, 536
 cloaca, 186
 eggs, 101, 102, 141, 231, 290
 gonads, 185
 muscles, 244
 testes, 96, 528
Megalurus palustris forbesi, 42
Meinertzhagen, Colonel R., pirates and predators. The piratical and predatory habits of birds, (rev.), 546
Mejiro, 45
Melampitta, 276
Melanerpes erythrocephalus, 235
Melanitta fusca, 7
Meliphagidae, 276
Mendall, Howard L., the Ring-necked Duck in the Northeast, (rev.), 247
Merganser, Red-breasted, 439
 Mergus serrator, 439
Meropes, 278
Merops apiaster, 528
Mesoenades, 278
Mesoenatidae, 273
Metriopelia, 512-515
 ayamara, 510-512, 516
 ceciliae, 512, 514-516
 melanoptera, 510-514, 516
 morenoi, 510-512, 514, 516
Mexico, 385-427
 Cozumel Island, 359
 Quintana Roo, 359
 Zacatecas, 365-367
Micrastur, 360
Microhierax, 360
Micronesia, 528
Microscelis, 102
 philippinus philippinus, 39
 siquijorensis monticola, 39
Migration, 153-158, 318-325, 528-532
Miller, A. H., H. Friedmann, L. Griscom and R. T. Moore, distributional checklist of the birds of Mexico, Part 2, (rev.), 245-247
Mills, Harlow B., and Frank C. Bellrose, Whooping Crane in the mid-west, 234
Milvago, 360
Milvus migrans, 105
Mimus polyglottos, 236
Mniotilta varia, 324
Mockingbird, 236, 237
Molothrus ater, 238, 341, 352, 367
Molt, 1-31, 176, 183, 204, 208-217, 360, 528-532
Momoti, 278
Momotoidea, 278
Monroe, Burt L., Jr., occurrence of the Yellow-green Vireo in Florida, 95
Montana, 181-189, 190-207
Monticola solitaria philippensis, 42
Moore, R. T., see Miller, A. H. *et al*
Moorhen, 427
Morococcyx erythropygius, 293
Mortality rate, 464-470
Morus bassanus, 533
Mountfort, Guy, wild paradise, the story of the Coto Doñana expeditions, (rev.), 370

- Mumford, Russell E., Cowbird parasitizes nest containing young, 367
- Munro, David A., see Kalmbach, E. R., *et al*
- Murphy, Robert Cushman, and Dean Amadon, in memoriam: John Todd Zimmer, 418-423
- Murray, J. J., review by, 113
- Muscicapa griseisticta, 42
narcissina narcissina, 42
- Muscle functions, 242-244, 537-539
- Muscle serratus, 242-244
- Musiphagiformes, 273
- Musophaga, 273
- Musophagae, 278
- Musophagidae, 273
- Myiarchus cinerascens, 324, 528
crinitus, 324
tuberculifer querulus, 366
tyrannulus, 322, 324
tyrannulus magister, 365
- Myiodynastes luteiventris luteiventris, 366
- Myiopagis viridicata jaliscensis, 366
- Myres, M. T., the first record of Harris' Sparrow, *Zonotrichia querula* (Nuttall), from Alaska, 364
- Necrosyrtes monachus, 104
- Nectariniidae, 13, 17, 19
- Neodrepanis, 276
- Neognathae, 271
- Neohierax, 360
- Nest associates, 352-357
- Nesting, 34, 139, 162, 200-202, 227, 231, 233, 287-290, 352-357, 358
- New Jersey, 517-520
- New Mexico, 532
- New York, 362, 517-520
- Nice, Margaret M., and W. E. Schantz, head-scratching movements in birds, 339-342
- Nolan, Val, Jr., additional invertebrate nest associates of the Prairie Warbler, 352-357
- Nomenclature, 60-67, 98-100, 108, 148-152, 269-280
- North, Myles, E. W., voices of African birds, (rev.), 266
- Novaes, Fernando C., *Quiscalus lugubris* in Brazil, 242
- Notes and news (miscellaneous items), 267-268, 317, 338, 351, 357, 368, 384, 442, 463, 470, 477, 541, 560
- Nucifraga columbiana*, 163
- Numenius americanus*, 132, 439, 539
arquata, 474
borealis, 539-541
phaeopus, 104, 540, 541
phaeopus hudsonicus, 132
minutus, 540, 541
- Nutcracker, Clark's, 163, 175
- Nuthatch, Velvet-fronted, 40
- Nuttalornis borealis*, 324
- Nyctea scandiaca*, 224, 225
- Nycticorax nycticorax*, 436, 466
- Obituary of, John Todd Zimmer, 418-423
- Ohio, 362, 539
- Oidemia nigra americana*, 94
- Oklahoma, 94, 238
- Oldsquaw, see Duck
- Olor columbianus*, 430, pl. 20
- Opisthocomae, 273
- Opisthocomi, 278
- Opisthocomus, 273
hoazin, 294
- Oporornis formosus*, 324
philadelphia, 324
tolmiei, 324
- Oriole, Baltimore, 337, 447, 449
Bullock's, 447, 449
Dark-throated, 40
- Oriolus assimilis*, 40
xanthonotus *assimilis*, 40
- Ornithological Society of Japan, a handlist of Japanese Birds, (rev.), 248
- Oscines, 276, 277
- Osteology, 55-59, 534-537
- Otides, 278
- Otus asio*, 357
choliba, 474
- Ovenbird, 339, 340, 342-351
- Owen, D. F., mortality of the Great Blue Heron as shown by banding recoveries, 464-470
- Owl, Barn, 219, 222

- Owl, Barred, 227-230, pl. 7
European Eagle, 474
Great Horned, 219, 222, 242
Long-eared, 219
Philippine Grass, 219, 222
Screech, 357
Short-eared, 219, 222, 224, 439, 560,
pl. 7
Snowy, 224
Tropical Screech, 474
Owre, Oscar T., Cattle Egret in Haiti,
359
Oxyptelia, 512, 515
 cyanopsis, 510, 512, 513, 516
Oxyura jamaicensis, 425-436, 439, 440
Oystercatcher, American, 132

Pachycephala plateni winchelli, 40
Padda oryzivora, 43
Palaeognathae, 275
Palamedea, 273
Paleontology, 106-108, 533
Pandion haliaetus, 324
Pandionidae, 324
Panyptila cayennensis, 358, pl. 13
 sancti-hieronymi, 359
Parakeet, Philippine Hanging, 39
Parasites, 352-357, 368
Parasitism, 367
Parkes, Kenneth C., living nematodes
 within hen's eggs, 368; see Humphrey,
 Philip S., and -
Parrot, Blue-headed Racket-tailed, 40
 Puerto Rican, 88
Parula americana, 324
Parulidae, 276, 324, 340-342
Parus elegans albescens, 40
Passer domesticus, 45, 167, 238
Passerculus sandwichensis, 23, 519
Passeres, 275, 279, 311
Passeriformes, 275, 279, 311, 339
Passerina amoena, 443-463
 ciris, 324
 cyanea, 324, 443-463
Pelecaniformes, 272, 273, 278
Pelecanus erythrorhynchos, 430
Pelican, White, 429, 430
Penguin, King, 3, 339
 Little, 339
 Pennsylvania, 361
Peregrine, 219
Peristera, 512
 godefrida, 516
 mondetoura, 516
 pretiosa, 516
Peristinae, 510
Pernis apivorus, 220
Peru, 244
Petrel, Great-winged, 339
Petrides, George A., competition for food
 between five species of East African
 vultures, 104-106
Petrochelidon albifrons, 202
Pezophaps, 273
Phaeoprogne tapera fusca, 529
Phaethon, 272
Phainopepla, 367
Phainopepla nitens, 367
Phalacrocorax aristotelis, 468
 auritus, 533
Phalaropidae, 22
Phalcobaenus, 360
Phapitreron amethystina frontalis, 38
Pharomachrus mocinno, 108
 mocino, 108
Phelps, William H., and William H.
 Phelps, Jr., lista de las aves de Vene-
 zuela con su distribución. tomo II.
 parte 2, no passeriformes, (rev.), 116
Phelps, William H., Jr., see Phelps,
 William H., and -
Pheucticus ludovicianus, 324, 447
 melanocephalus, 447
Philepitta, 276
Philippi B., R. A., see Goodall, J. D.,
 et al
Philippine Islands, 37-43, 102-104
Philohela minor, 55-59, 132
Philomachus pugnax, 23
Phoebetria palpebrata, 522
Phoenicopteridae, 278
Phoenicopteridae, 272
 chilensis, 104, 244
 jamesi, 244
 ruber, 339
Pheonculidae, 279
Phylloscopus, 17, 18
 borealis, 18

- Phylloscopus collybita*, 18
 fuscatus, 18
 inornatus, 18
 proregulus, 18
 schwarzi, 18
 sibilatrix, 18
 trochiloides, 18
 trochilus, 18
Pica fuliginosa, 411
 morio, 411
Pici, 275, 279
Piciformes, 279
Picoides arcticus, 361
Pigeon, Green Imperial, 40
 Pink-bellied Imperial, 40
 White-crowned, 232
Pintail, see Duck
Pipilo erythrophthalmus, 326-338
 erythrophthalmus arcticus, 326, 328,
 332, 517
 erythrophthalmus curtatus, 518
 erythrophthalmus erythrophthalmus,
 326, 328
 erythrophthalmus maculatus, 326,
 357, 517
 erythrophthalmus montanus, 332,
 517
 erythrophthalmus oregonus, 337
 maculatus, 326, 337
 maculatus oregonus, 337, 338
Pipit, Sprague's, 362
Pipra erythrocephala, 474
Piranga bidentata, 208-217
 bidentata bidentata, 208, 213-216
 bidentata flammea, 208, 213-215
 bidentata sanguinolenta, 208-215
 flava, 208, 212, 216, 217
 flava dextra, 216
 flava hepatica, 216
 ludoviciana, 324
 olivacea, 9, 16, 324
Pitta, Red-breasted, 40
Pitta erythrogaster erythrogaster, 40
Pittidae, 276
Plegadis chihi, 430
 falcinellus, 97
Ploceidae, 25
Plover, American Golden, 132
 Belted Piping, 148
 Plover, Black-bellied, 132
 Golden, 540, 541
 Mountain, 541
 Piping, 129-152, 357, pls. 3, 4
 Semipalmæd, 55, 57, 98-100, 132
 Upland, 132, 147
 Wilson's, 132
Plumage succession, 1-31, 183, 208-217,
 360
Pluvialis dominica, 132, 540
Pochard, see Duck
Podiceps auritus, 520, 521
 caspicus, 437, 520, 521
 caspicus californicus, 521
 cristatus, 428, 520
 grisegena, 428, 520
 grisegena grisegena, 520
 grisegena holbollii, 520
Podicipedes, 278
Podicipedidae, 23
Podicipediformes, 278
Podilymbus podiceps, 427, 429, 437, 439,
 521
Polihierax, 360
Polyborus, 360
Polygamy, 102
Polymorphism, 385-427
Porzana carolina, 339, 437
Prairie Chicken, Attwater's, 87
 Greater, 87, 88
 Lesser, 87
Predation, 140, 163, 175
Preening, 521-523, 527
Pretiosa, 513
Prioniturus discurus whiteheadi, 40
Procarinatae, 275
Procellariiformes, 271, 278
Progne, 528-532
 chalybea, 529-532
 chalybea chalybea, 530, 531
 chalybea domestica, 529-531
 chalybea dominicensis, 532
 chalybea sinaloae, 532
 modesta, 532
 modesta elegans, 529-532
 modesta modesta, 531-532
 subis, 3, 362, 522, 529-532
 subis subis, 529, 530
Protonotaria citrea, 324

- Pseudogyps africanus*, 104
Psilorhinus cyanogenys, 411
 mexicanus, 301, 385, 389, 392, 393, 411, 412
 mexicanus captus, 411
 morio, 385-417
 morio cyanogenys, 411, 412
 morio fuliginosus, 392, 411
 morio palliatus, 411
 morio morio, 392, 393, 411
 morio vociferus, 411
Psittaci, 278
Psittaciformes, 278
Psomocolax oryzivorus, 285
Psophiae, 278
Psophiidae, 278
Ptarmigan, Rock, 13
Pterocletes, 273, 278
Ptilinopus, 512
Puffinus diomedea borealis, 241
Pygochelidon cyanoleuca patagonica, 529
Pyrocephalus rubinus flammeus, 367
 rubinus mexicanus, 367
Pyromelana, 21

Quail, Bobwhite, 233
Quelea, 21
Quetzal, 108
Quiscalus lugubris, 242
 quiscula, 341

Rabor, D. S., the impact of deforestation on birds of Cebu, Philippines, with new records for that island, 37-43; see Rand, A. L., and —
Rail, Sora, 339, 429, 437, 438
 Virginia, 339, 437
 Yellow, 94
Ralli, 278
Ralliodea, 278
Rallus limicola, 339, 437
Ramphocaenus, 276
Rand, A. L., and D. S. Rabor, notes on some Philippine bulbuls, 102-104
Raphus, 273
Ratitae, 275
Raynor, Gilbert S., leaf pulling by the Purple Martin, 362
Razorbill, 533
Recent literature, 117-128, 251-266, 373-384, 548-560; contributors to, 541
Recurvirostra americana, 107, 108, 132, 437
Recurvirostridae, 106
Recurvirostrids, 107
Redhead, see Duck
Redstart, 340
Reeves, Henry M., first Common Scoter collected in Texas, 94
Refractory period, 44-54
Regulus calendula, pl. 12, 341
Reproductive success, 101, 142, 203, 240, 500-508
Rhea, 272, 275
Rheae, 278
Rheiformes, 278
Rhodonessa caryophyllacea, 442
Rhynchotis rufescens pallescens, 339
Rhynocheti, 278
Rhynochetos, 273
Riparia, 3
 riparia, 522
Robbins, Chandler, S., see Stewart, Robert E., and —
Robertson, William B., Jr., Barred Owl nesting on the ground, 227-230
Robin, 144
 European, 21, 295
Rosthamus leucopygus, 32
 sociabilis, 32
 taeniurus, 32
Rostratula, 272
Rostrhamus, 32-34
 sociabilis, 32, 35, 36, 88
Ruff, 23
Ryder, Ronald A., interspecific intolerance of the American Coot in Utah, 424-442

Sagittarius, 273
Salt, W. Ray, and A. L. Wilk, the birds of Alberta, (rev.), 371
Sanderling, 132
Sandpiper, Buff-breasted, 540-541
 Curlew, 517
 Least, 132, 147
 Pectoral, 132, 541
 Red-backed, 132
 Semipalmated, 55, 57, 58, 132

- Sandpiper, Spotted, 132, 133, 147, 196, 429, 437
Western, 132
- Sapsucker, Yellow-bellied, 527
Yellow-bellied (Red-breasted), 527
Yellow-bellied (Red-naped), 526
- Scardafella, 512, 514, 515
inca, 510, 514-516
squammata, 510, 514-516
squamosa, 514
- Schantz, W. E., see Nice, Margaret M., and —
- Scolopax, 55
- Scoter, Common (Black), 94
Velvet, 7
- Scott, Peter, a coloured key to the waterfowl of the world, (rev.), 109
- Screamer, 273
- Seaman, G. A., land snails as food of White-crowned Pigeon, 232
- Seiurus, 341
aurocapillus, 324, 339, 343-351
motacilla, 324, 339
noveboracensis, 324, 339
- Selander, Robert K., polymorphism in Mexican Brown Jays, 385-417
- Selasphorus platycercus, 101, 324
rufus, 101, 526
- Seriema, 339
- Setophaga ruticilla, 324, 340
- Shag, 468
- Shama, Black, 38, 39
- Shank, Max C., the natural termination of the refractory period in the Slate-colored Junco and in the White-throated Sparrow, 44-54
- Sharp, Fred, see Wishart, William, and —
- Shearwater, Cory's, 241
- Shelduck, Ruddy, 427
- Sheppard, Jay M., Sprague's Pipit and Smith's Longspur in Ohio, 362
- Short, Lester L. Jr., review by, 370
see Sibley, Charles G., and —
- Shoveler, see Duck
- Shrike, Loggerhead, 19, 28
- Sibley, Charles G., treasurer's report for the period August 1, 1957-July 31, 1958, 83-85
- Sibley, Charles G., and David A. West, hybridization in the Rufous-sided Towhees of the Great Plains, 326-338
- Sibley, Charles G., and Lester L. Short, Jr., hybridization in the buntings (Passerina) of the Great Plains, 443-463
- Sick, Helmut, notes on the biology of two Brazilian swifts, *Chaetura andrei* and *Chaetura cinereiventris*, 471-477
- Sielmann, Heinz, das jahr mit den spechten, (rev.), 250
- Simmons, Edward M., observations of effects of cold weather on nesting Common Egrets, 239-241
- Sitta frontalis aenochlamys, 40
neumayer, 457
tephronota, 457
- Skutch, Alexander F., life history of the Groove-billed Ani, 281-317
- Snipe, Common (Wilson's), 132
- South Carolina, 521
- Sparrow, Bachman's, 232, pl. 9
Cape Sable Seaside, 88
Clay-colored, 519
Chipping, 101
Golden-crowned, 45, 52
Harris', 364
House, 45, 167, 238, 239
Java, 43
Rufous-tailed, 366
Rufous-winged, 20
Savannah, 23, 519
Sharp-tailed, 23
Tree, 534-537
White-crowned, 45, 52
White-throated, 44-53
- Spatula clypeata, 425-435
- Sphenisci, 278
- Sphenisciformes, 278
- Sphyrapicus varius, 527
varius nuchalis, 526, 527
varius ruber, 527
- Spizella arborea, 534-537
passerina passerina, 101
pallida, 519
- Spiziapteryx, 360
- Spoonbill, Roseate, 244
- Sporophila, 284
- Squatarola squatarola, 132
- Starling, 5, 9, 11, 15, 45, 188, 236, 341, 361
- Steganopodes, 272, 278
- Stein, Robert, the behavioral ecological

- and morphological characteristics of two populations of the Alder Flycatcher, *Empidonax traillii* (Audobon), (rev.), 110
- Stelgidopteryx ruficollis psammochrous*, 367
- ruficollis stuarti*, 367
- Stephanoaetus coronatus*, 219, 222
- Sterna albifrons antillarum*, 144
- dougallii*, 517
- forsteri*, 438
- fuscata*, 3, 153-158, 522
- hirundo*, 439, 517, 523
- Stewart, Robert E., and Chandler S. Robbins, birds of Maryland and the District of Columbia, (rev.), 113
- Stilt, Black-necked, 108, 132, 429, 437, pl. 20
- Storer, Robert W., reviews by, 109, 369
- Stork, White, 86
- White-headed, 273
- Stott, Ken, Jr., two recent records of the Roseate Spoonbill on the Pacific slope and high Andes of Peru, 244
- Streptopelia*, 512
- chinensis tigrina*, 41
- Stresemann, Erwin, the status of avian systematics and its unsolved problems, 269-280; review by, 542-544
- Stresemann, Vesta, the wing molt and systematic position of the genus *Gampsonyx*, 360
- Striges, 278
- Strigiformes, 278
- Strix varia*, 227-230
- Struthio, 272
- Struthionies, 278
- Struthioniformes, 278
- Sturnella magna*, 233, 537
- Sturnidae, 538, 539
- Sturnus vulgaris*, 5, 9, 45, 188, 236, 341, 538
- Sunbittern, 273
- Surinam, 32-36, 242, 526
- Swallow, Bank, 522
- Blue-and White, 529
- Cliff, 202
- Eastern Barn, 528
- Rough-winged, 367
- Swan, Mute, 427, 428
- Whistling, 430, pl. 20
- Swan, Whooper, 427
- Swift, André's, 471-477
- Ashy-tailed, 471-477, 529
- Chimney, 471-476
- Gray-rumped, 471-477
- Great Swallow-tailed, 359
- Lesser Swallow-tailed, 358, pl. 13
- White-chinned, 529
- White-throated, 366
- Swiftlet, Caroline, 528
- Tanager, Flame-colored, 208-217
- Gray-headed, 285
- Hepatic, 208, 216
- Scarlet, 9, 11, 15, 16
- Swainson, 208
- Tattler, Wandering, 230-232, pl. 8
- Taxonomy, 60-67, 98-100, 102-104, 148-152, 159, 269-280, 360, 410-412, 510-516, 532
- Teal, Blue-winged, 425-427, 429, 432, 434, 439
- Cinnamon, 425-427, 429, 431, 432, 433, 435, 439, 440, pl. 20
- Common, 427
- Green-winged, 425, 426, 429, 432, 434
- Laysan, 86
- Terminology, molts and plumages, 1-31
- Tern, Ascension Island Sooty, 3, 153-158
- Black, 429, 438, 439, 521-523
- Common, 439, 517, 522
- Forster's, 429, 438, 439
- Least, 144
- Roseate, 517
- Sandwich (Cabot's), 517
- Sooty, 153-158, 517
- Terpsiphone cinnamomea unirufa*, 40
- Texas, 94, 539
- Thalasseus sandvicensis aculavidus*, 517
- sandvicensis sandvicensis*, 517
- Theristicus caudatus melanopis*, 244
- Thinocori, 278
- Thinocoroidea, 278
- Thinocorys, 273
- Thraupidae, 276, 324
- Thrush, Blue Rock, 42
- Thryothorus, 21
- ludovicianus*, 95
- sinaloa cinereus*, 366
- Timaliidae, 339
- Tinamids, 275

- Tinamiformes, 278
 Tinamou, Rufous, 339
 Titmouse, Elegant, 40
 Todi, 279
 Todoidea, 279
 Tomer, John S., an Oklahoma record of
 the Yellow Rail, 94
 Torgos tracheliotus, 105
 Totanus flavipes, 132
 melanoleucus, 132
 Towhee, Rufous-sided (Spotted), 517
 Rufous-sided, 326-338, 517-518
 Spotted, 326-338, 517-518
 Trionoceph occipitalis, 105
 Trochili, 275, 279
 Trochilidae, 24, 324
 Troglodytes, 21
 Trogones, 279
 Trogoniformes, 279
 Tryngites subruficollis, 540
 Tubinares, 278
 Turdidae, 324
 Turdus migratorius, 144
 philippinus, 103
 Turnices, 273, 278
 Turniciformes, 273
 Turnstone, Ruddy, 132
 Turtur, 512
 Tympanuchus cupido attwateri, 87
 cupido cupido, 87
 pallidicinctus, 87
 Tyranni, 311
 Tyrannidae, 3, 324
 Tyrannus crassirostris, 92
 crassirostris pomalis, 92, 365
 crassirostris sequestratus, 92
 tyrannus, 324
 verticalis, 92
 vociferans, 92
 Tyto alba, 219
 alba pratincola, 222
 capensis amaurota, 219, 222

 Upupae, 279
 Upupidae, 279
 Uria mystacea, 66
 Uropelia, 514
 campestris, 510-512, 514, 516
 Uspenski, S. M., ptitsy sovetskoi arktiki
 (birds of the soviet arctic), (rev.), 114
 Utah, 106-108, 424-442

 Valverde, José A., aves del Sahara Es-
 pañol, (rev.), 249
 Van Riper, Walker, estimating a hum-
 ming-bird population, 100
 Vaurie, Charles, reviews by, 248, 249;
 the birds of the palearctic fauna. a
 systematic reference. order passeri-
 formes, (rev.), 542-544
 Vermivora, 340, 341
 celata, 340
 peregrina, 324, 340, pl. 12
 ruficapilla, 340, pl. 12
 ruficapilla ruficapilla, 324
 Vireo, Red-eyed, 95, 96, 367
 Yellow-green, 95, 366
 Yellow-throated, 96
 Vireo flavifrons, 96, 324
 flavoviridis, 95
 flavoviridis flavoviridis, 96
 flavoviridis hypoleucus, 366
 gilvus, 324
 griseus noveboracensis, 324
 olivaceus, 95, 324, 367
 philadelphicus, 324
 solitarius solitarius, 324
 Vireonidae, 324
 Virgin Islands, 232
 Voice, 34, 42, 96, 167, 198, 281, 343-351,
 364, 398, 498, pl. 16
 Vulture, Black, 283
 Hooded, 104-106
 Lappet-faced, 105
 Ruppell's Griffon, 105
 Turkey, 283, 533
 White-backed, 104, 105
 White-headed, 105

 Walkinshaw, Lawrence H., a Chipping
 Sparrow nest in which eight eggs were
 laid and seven young reared, 101
 Warbler, Bay-breasted, 340
 Blackpoll, 340
 Canada, 340
 Chestnut-sided, 340
 Hooded, 340
 Myrtle, 340
 Nashville, 340, 342, pl. 12
 Orange-crowned, 340
 Prairie, 340, 352-357
 Rufous-capped, 365, 366
 Striated Canegrass, 42

- Warbler, Tennessee, 340, 342, pl. 12
Wilson, 340
Worm-eating, 340
Yellow-throated, 340
- Warner, Dwain W., see Le Febvre, Eugene A., and —
- Water Ouzel, 196, 199
- Waterthrush, Louisiana, 339
Northern, 339
- Waxwing, Bohemian, 532
- Webster, J. Dan, another collection from Zacatecas, Mexico, 365-367
- Weeden, Judith Stenger, and J. Bruce Falls, differential responses of male Ovenbirds to recorded songs of neighboring and more distant individuals, 343-351
- Weeden, Robert B., a new breeding record of the Wandering Tattler in Alaska, 230-232
- Weight, of birds, 32, 47-51, 93, 96, 144, 148, 152, 364, 465, 521, 526
of eggs, 101, 141
of gonads, 50, 51, 106
of oviducts, 186
- Weller, M., review by, 247
- Weller, Milton W., albinism in Podiceps grisegena and other grebes, 520
- West, David A., see Sibley, Charles G., and —
- West, George C., effects of high air temperature on the bill and claw keratin structures of the Tree Sparrow, 534-537
- Wetmore, A., reviews by, 114, 115
- Whimbrel, 104, 132, 540, 541
Little, 541
- Whistler, White-bellied, 40
- White-eye, Everett's 40
- Wiegert, R., Rufous Hummingbird feeding on sap of english walnut at sapsucker holes, 526
- Wilcox, LeRoy, a twenty year banding study of the Piping Plover, 129-152, 357, vii
- Wilk, A. L., see Salt, W. Ray, and —
- Willet, 132, 439
- Williams, George G., probable Eskimo Curlew on Galveston Island, Texas, 539-541
- Williams, Lovett E., Jr., Ash-throated Flycatcher in Alabama, 528
- Wilsonia, 341
canadensis, 324, 340
citrina, 324, 340
pusilla, 340
pusilla pusilla, 324
- Wing, Leonard W., see Chapin, James P. and —
- Wishart, William, and Fred Sharp, earlier photographic records of the Common Crane, (*Grus grus*) for North America—in Alberta, Canada, 358
- Wolfe, L. R., index to vol. 76, compiled by, 561 *et seq.*
- Wood, Merrill, Black-backed Three-toed Woodpecker in central Pennsylvania, 361
- Woodcock, American, 55-59, 132, 147
- Woodpecker, Black-backed Three-toed, 361,
Downy, 527
Pileated, 527
Red-bellied, 235, 361, 527
Red-cockaded, 527
Red-headed, 235
- Wren, Bar-vented, 366
Carolina, 95
- Wren-warbler, Yellow-breasted, 42
- Xanthocephalus xanthocephalus, 439
- Yellowlegs, Greater, 132
Lesser, 132, 541
- Yellowthroat, 340
- Ypsipetes, 102
- Zenaida asiatica, 513
- Zimmer, John Todd, obituary of, 418-423, pl. 19
- Zonotrichia albicollis, 44-54
atricapilla, 45
leucophrys, 45
leucophrys gambelii, 45
querula, 364
- Zosterops everetti everetti, 40
everetti siquijorensis, 40
palpebrosa, 45
- Zusi, Richard L., the function of the depressor mandibulae muscle in certain passerine birds, 537-539