

INDEX TO VOLUME 78

Compiled by L. R. WOLFE

(New generic, specific and subspecific names are printed in heavy face type.)

- Abnormality, 273, 275, 674
Acanthis flammea, 528-531
 flammea flammea, 49, 324
 hornemannii exilipes, 50
Accipiter cooperii, 619
 gentilis albodus, 52
 nissus nisosimilis, 52
 striatus, 619
Accipitres, 262
Accipitridae, 399, 400, 405, 418
Acridotheres tristis, 633
Acrulocercus braccatus, 250
Actitis hypoleucus, 50
 macularia, 191, 620
Aechmophorus occidentalis, 615
Aegolius acadicus, 634
 funereus magnus, 53
Aéronautes saxatalis, 621
Aethia cristatella, 48, 321
 pusilla, 53, 321
 pygmaea, 48
Agapornis, 489, 498
Agelaius phoeniceus, 270, 474, 488, 489, 625
Aimophila, 631
Aix sponsa, 618
Alabama, 640
Alaska, 257, 305-326, 327-342
Alauda arvensis pekinensis, 50
Albatross, Black-browed, 425
 Black-footed, 51
 Laysan, 310
 Short-tailed, 51, 310
 Yellow-nosed, 425
Albinism, 99
Alcedinidae, 399, 400, 409, 419
Amadon, Dean, relationships of the Cinereous Harrier, 256
Amandava amandava, 497
 angolensis, 497
 subflava, 497
Amazilia amabilis, 418
 edward, 408
 tzacatl, 408
Amazona autumnalis, 418
Amblycercus holosericeus, 416, 489
American Journal of Clinical Nutrition, Symposium on energy balance, (rev.), 287
A. O. U., amendment of the by-laws, 225
 awards, 226
 committees, 1960-1961, 238
 officers and trustees, 237
 reports of committees, 227
 report of committee on bird protection, 244-255
 report of research committee, 242
 resolutions, 235
 seventh-eighth stated meeting, 225-237
 treasurer's report for the period August 1, 1959-July 1, 1960, 239-241
Amphispiza, 631
 belli, 626
Anabacerthia striaticollis, 411
Anas acuta, 26, 28, 47, 313, 338, 393, 616
 auklandica, 36
 boschas, 11
 carolinensis, 313, 617
 castanea, 36
 crecca, 55
 crecca crecca, 47
 crecca nimia, 308, 313
 clypeata, 28
 cyanoptera, 617
 diazi, 3, 17, 21, 23-37, 40, 616, 670-672
 diazi diazi, 3, 39
 diazi novimexicana, 3, 39, 429-431, 616, 671
 discors, 418, 617
 falcata, 51, 55
 formosa, 51, 441
 fulvigula, 5, 8, 21, 23-25, 36, 37, 40, 670
 fulvigula fulvigula, 3, 39
 fulvigula maculosa, 3, 6, 39, 670, 671
 fulvigula rubripes, 8
 maculosa, 21, 23-25, 36, 37, 40
 melleri, 32
 novimexicana, 3, 21, 23, 24, 37, 40

- obscura*, 5, 8
obscura fulvigula, 5
platyrhynchos, 11, 17, 23, 25, 26, 30,
 37-40, 308, 312, 338, 429-431, 615,
 670-673
platyrhynchos conboschas, 673
platyrhynchos diazi, 671
platyrhynchos fulvigula, 671
platyrhynchos platyrhynchos, 12, 31,
 39, 47, 670-673
platyrhynchos rubripes, 671
poecilorhyncha superciliosa, 26
querquedula, 51
rubripes, 3, 8, 17, 23-25, 36, 38-40,
 670-673
strepera, 51, 55, 273, 616
tristis, 8, 672
Anatidae, 28, 399, 400, 405, 418
Anatomy, 109, 261-263, 269-271, 273,
 275, 355-365, 455, 633, 659
Anhinga, 91, 398, 399, 404
Anhinga anhinga, 404
 rufa, 91
 melanogaster, 91
Anhingidae, 399, 400, 404
Ani, Greater, 400, 407
 Groove-billed, 60, 497, 573
 Smooth-billed, 60, 398, 400, 407
Anous minutus, 423, 424
 minutus americanus, 423, 424
 stolidus, 60, 423, 424
 tenuirostris, 423-425
 tenuirostris americanus, 423, 424
 tenuirostris atlanticus, 423, 424
Anser albifrons, 338
 albifrons frontalis, 49
 fabalis serrirostris, 49
Antbird, Eicolored, 411
 Chestnut-backed, 419
 Dusky, 411
 Jet, 419
 White-bellied, 419
Anthracothorax nigricollis, 418
Anthus cervinus, 54
 gustavi commandorensis, 49
 hodgsoni yunnanensis, 54
 spinoletta, 329
 spinoletta japonicus, 54, 323
 spinoletta pacificus, 323, 324
Antshrike, Barred, 411
 Fasciated, 398, 411
 Great, 419
 Slaty, 419
Ant-Tanager, Dusky-tailed, 417
 Red-crowned, 421
Antthrush, Black-faced, 411
Antvireo Plain, 411
Aphelocoma coerulescens, 622
Apus pacificus, 55
Aquila chrysaetos, 434, 619
Aracari, Collared, 399, 409, 637
 Fiery-billed, 398, 410
Aramides cajanea, 405
Archilochus colubris, 517, 525
Ardea herodias, 615
Ardeidae, 399, 400, 401, 404
Arenaria interpres, 319
 interpres interpres, 50
Argentina, 1
Arizona, 99
Arn-Willi, Hans, Biologische Studien
 am Alpensegler, (rev.), 445
Arremonops conirostris, 417, 637
Asio flammeus, 186, 322
 flammeus flammeus, 49
Asyndesmus lewisi, 621
Atkeson, Thomas Z., a White-winged
 Scoter specimen from Alabama, 640
Atlapetes assimilis, 421
 brunnei-nucha, 421
Attila, Bright-rumped, 398, 402, 412
Attila, 160
 spadiceus, 412
Auklet, Crested, 48, 321
 Least, 53, 321
 Parakeet, 48, 321
 Rhinoceros, 53, 257
 Whiskered, 48
Aulacorhynchus prasinus, 409
Avadavat, 497
Avocet, 185
 American, 620
Awards, 1960, Brewster Memorial, 226;
 Marcia B. Tucker, 226; Van Tyne
 Memorial, 226
Aythya affinis, 93, 405, 618
 americana, 93, 618
 collaris, 618, 638
 ferina, 51
 fuligula, 47, 638

- marila, 47, 55, 314
valisineria, 618
- Baldwin, D. H., see Woodford, James and—
- Bananaquit, 61
- Banko, Winston E., the Trumpeter Swan—its history, habits, and population in the United States, (rev.), 103
- Barbet, Red-headed, 398, 409
- Bartholomew, George A., see Howell, Thomas, R., and—
- Bartholomew, George A., and Richard E. MacMillen, water economy of the California Quail and its use of sea water, 505-514
- Basileuterus culicivorus, 415
 fulvicauda, 421
 melanogenys, 421
- Becard, White-winged, 419
- Beer, James R., winter feeding patterns in the House Sparrow, 63-71
- Behavior, 30, 61, 97, 98, 110-113, 125-137, 145-166, 179-215, 221, 261, 274, 290-292, 366-371, 373, 433, 435, 442, 455, 473-504, 575-580, 659-661
- Bellbird, Bearded, 150, 153, 156, 160
 Black-winged, 150
 Mossy-throated, 150
 White, 150-161
- Benoit, J., Séminaire sur l'Histophysiologie du Complex hypothalamo-hypophysaire, (rev.), 655
- Berger, Andrew J., Bird Study, (rev.), 652
- Bergman, G., K. O. Donner, and L. von Hartman, Proceedings XII international ornithological congress, (rev.), 104
- Biaggi, Virgilio, records of two migrant waterfowl for Puerto Rico, 425
- Biology, 115-117, 176-219, 294, 379-388, 460-462, 532-550, 664
- Bird, Calf, 150-161
 Capuchin, 150-161
 Greenheart, 150-161
- Bird, R. D., Ecology of the aspen parkland of western Canada in relation to land use, (rev.), 656
- Eittern, American, 615
 Least, 398, 404
- Blackbird, 129
 Brewer's, 433, 434, 487, 493, 625
 Red-winged, 270, 474, 475, 478, 483, 484, 486-493, 495, 500, 501
 Rusty, 270
 Yellow-headed, 493, 610, 620, 625
- Bluebird, 261
 Mountain, 624
- Bluetail, Red-flanked, 54
- Bobolink, 518, 523
- Bock, Walter J., The palatine process of the premaxilla in the Passeres, (rev.), 101; salivary glands in the Gray Jays (*Perisoreus*), 355-365
- Bolborhynchus lineola, 418
- Bombycilla cedrorum, 271, 489
 garrulus centralasiae, 54
- Bond, James, Birds of the West Indies, (rev.), 447
- Booby, Brown, 59
 Red-footed, 59, 573-594
- Borror, Donald J., and William W. H. Gunn, Songs of Fringillidae of eastern and central North America. vol. 6. Finches, (rev.), 107; Sounds of nature, vols. 1-6, (rev.), 452
- Potaurus lentiginosus, 615
- Brachyramphus marmoratum, 53
- Brackbill, Hervey, duetting by paired Brown-headed Cowbirds, 97; shadow boxing by Brown-headed Cowbirds, 98
- Brambling, 50, 324
- Erhardt, John H., new records in Micronesia for the Bar-tailed Godwit and Black-crowned Night Heron, 638
- Brant, 427, 428
 American, 428
 Black, 51, 427, 428
- Branta bernicla bernicla, 428
 bernicla hrota, 427, 428
 bernicla nigricans, 51
 canadensis, 55, 338, 434
 canadensis canadensis, 100
 canadensis hutchinsii, 99
 canadensis leucopareia, 99, 308, 311
 canadensis parvipes, 99, 100
 canadensis ssp., 47, 99

- leucopsis, 370
nigricans, 427, 428
ruficollis, 260
 Brazil, 646
 British Honduras, 573-594
 Brodkorb, Pierce, notes on fossil tina-
 mous, 257
Brotogeris jugularis, 407, 637
 Brush-Finch, Chestnut-capped, 421
 Gray-striped, 421
 Bryant, Charles E. W., obituary of, 471
Bubo virginianus, 621, 641
Bubulcus ibis, 94, 404, 640
Buccocaudidae, 399, 400, 409
Bucephala albeola, 51, 314, 389-396, 619
 clangula, 55, 314
 clangula clangula, 51
 islandica, 338
 Buechner, H. K., review by, 656
 Bull, John L., wintering Tennessee
 Warblers, 263; Yellow-nosed Al-
 batross off the coast of Long Island,
 New York, 425
 Bullfinch, 54
 Lesser Antillean, 62
 Bunting, Gray, 54
 Indigo, 123, 421, 519, 524, 526, 643,
 645
 Painted, 489
 Reed, 54
 Rustic, 54, 325
 Snow, 49, 323, 325
 Yellow-breasted, 54
 Bush-Tanager, Common, 400, 417
 Buss, Irven O., review by, 106
Butalis pallens, 323
Buteo albonotatus, 646
 jamaicensis, 433, 619
 lagopus, 338
 lagopus menzbieri, 52
 magnirostris, 418
 platypterus, 405
 swainsoni, 434
Butorides virescens, 59, 214

Cacicus microrhynchus, 416
 vitellinus, 416
Cacique, Prevost, 489, 495
 Scarlet-rumped, 416

 Yellow-billed, 416
 Yellow-rumped, 398, 400, 416
Calcarius lapponicus, 274, 318, 327-342
 lapponicus alascensis, 324, 327-340
 lapponicus coloratus, 49, 336, 339
 lapponicus lapponicus, 337
Calidris, 202, 205, 208, 209
 alba, 205, 209
 alpina, 208
 bairdii, 196-205, 208, 209
 canutus, 208
 (Ereunetes) pusilla, 208
 ferruginea, 195, 208, 209
 fuscicollis, 208, 209
 maritima, 191, 208
 melanotos, 208, 209
 minutilla, 191, 208
 pusillus, 191, 208
 temminckii, 123, 208
 tenuirostris, 52
California, 260, 426
Campstoma pusillum, 420
Campylopterus hemileucurus, 408
Campylorhynchus, 498
 brunneicapillus, 498
Canada, Alberta, 271, 427
 Manitoba, 90
 Northwest Territory, 176-219
 Ontario, 97
 Saskatchewan, 220-224
Canary, Domestic, 488
Capitonidae, 409
Caprimulgidae, 399, 400, 402, 408
Caprimulgus ridgwayi, 571
 vociferus, 571
Capsiempis flaveola, 413
Caracara, 99
 Caracara cheriway, 99
Cardinal, 261, 489, 530
Carpodacus cassini, 625
 erythrinus grebnitzkii, 54
 mexicanus, 510, 625
 purpureus, 266, 516
Carter, Charles E., unusual feeding
 habit of Boat-tailed Grackle, 97
Casmerodus albus, 404
Cassidix, 493
 mexicanus, 97, 487, 488
Catbird, 129, 499
Cathartes aura, 434, 619

- Cathartidae, 399, 400, 405
Catherpes mexicanus, 623
Catoptrophorus semipalmatus, 620
Centropus sinensis, 436
Centurus aurifrons, 369
 carolinus, 261, 369
 pucherani, 410, 637
 rubricapillus, 410
Cephus carbo, 53
 columba, 321
 columba columba, 321
 columba kaiurka, 48, 321
Cercomacra
 nigricans, 419
 tyrannina, 411
Cereopsis n. hollandiae, 370
Cerorhinca monocerata, 53, 257
Ceryle torquata, 419
Chachalaca, Chestnut-winged, 405
Chaetura pelagica, 489, 525
Charadrius, 207, 208
 alexandrinus, 55, 207
 alexandrinus alexandrinus, 52
 dubius, 190
 hiaticula hiaticula, 189
 hiaticula semipalmatus, 190
 melodus, 207
 mongolus stegmanni, 47
 morinellus, 52
 vociferus, 185, 489, 620
Chat, Yellow-breasted, 489
Chen caerulescens atlanticus, 72
 caerulescens caerulescens, 72-89
 hyperborea, 434
 hyperborea hyperborea, 51, 72-89
Chickadee, 261
 Black-capped, 53, 129, 532-550
 Mountain, 623
Chiroxiphia pareola, 160
Chisholm, Alec H., The romance of
 the Lyrebird, (rev.), 654
Chlidonias niger, 620
Chloris chloris, 530
Chloroceryle aenea, 409
 amazona, 409
 americana, 409
Chlorophanes spiza, 414, 638
Chlorospingus ophthalmicus, 417
Chlorostilbon assimilis, 418
Chlorura chlorura, 625
Chondestes grammacus, 626
Chordeiles acutipennis, 408
 minor, 179, 621
Chura, Nicholas J., behavior of a California Gull devouring a juvenile coot, 271
Ciccaba nigrolineata, 418
Circus assimilis, 256
 buffoni, 256
 cinereus, 256
 cyaneus, 256, 317, 338, 434, 619
 cyaneus hudsonius, 256
Clangula hyemalis, 47, 314
Claravis, 372, 374
 pretiosa, 406
Cobb, Stanley, review by, 284-286
Coccothraustes coccothraustes japonicus, 54
Coccyzus americanus, 94, 418
 minor, 60
Cochleariidae, 399, 400, 405
Cochlearius cochlearius, 405
Cock of the Rock, 158
Cockatiel, 488, 494, 495, 498
Coereba flaveola, 61
Coerebidae, 399, 400, 414, 636, 638
Colaptes, 389
 auratus, 432, 642
 cafer, 621
Colinus virginianus, 94
Collias, Nicholas E., see Nice, Margaret M., and—; review by, 649-652
Collins, Charles T., tail molt of the Saw-whet Owl, 634
Collins, Henry Hills, Jr., The bird watcher's guide, (rev.), 658
Columba albilinea, 406
 cruziana, 377
 leucocephala, 573
 livia, 488, 530
 nigrirostris, 637
 squammata, 377
 squamosa, 60, 377
Columbidae, 60, 399, 400, 402, 406, 418, 637
Columbigallina, 372, 373, 377
 buckleyi, 373, 375
 cruziana, 373, 375, 376
 minuta, 373-375

- passerina, 60, 373-376
talpacoti, 373, 375, 376, 406
- Columbina*, 372-377
buckleyi, 377
cruziana, 377
inca, 377
minuta, 377
passerina, 377
picui, 373-377
squammatia, 377
strepitans, 377
talpacoti, 377
- Commander Islands, 44-56
- Connell, Clyde E., see Odum, Eugene P., and —
- Contopus lugubris*, 420
sordidulus, 621
- Cooch, Graham, ecological aspects of the Blue-Snow Goose complex, 72-89
- Coot, American, 620, 640, 641
- Copulation, 220, 487, 583
- Coragyps atratus*, 405
- Cormorant, Double-crested, 401, 403
Olivaceous, 398, 401, 403, 404
Pallas, 47
Pelagic, 46, 310
- Cornell University Records, Bird songs in your garden, (rev.), 656
- Corvidae, 360, 364, 420
- Corvus brachyrhynchos*, 129, 359, 622
corax, 322, 434, 622
corax kamtschaticus, 49
corone, 359
corone orientalis, 53
frugilegus, 359, 364
monedula, 496
- Cotinga*, Blue, 637
 Turquoise, 398, 412
- Cotinga nattereri*, 637
ridgwayi, 412
- Cotingidae, 150-161, 399, 400, 402, 412, 419, 637
- Cottam, Clarence, *et al.*, report to the American Ornithologists' Union by committee on bird protection, 1960, 244-255
- Coturnicops noveboracensis*, 639
- Coturnix coturnix*, 397, 405
- Cowbird, 129, 270
- Brown-headed, 97, 98, 162-166, 222, 223, 266-268, 473-504, 625, 645
- Giant, 492
- Red-eyed, 473, 488, 492, 495, 502
- Cracidae*, 399, 400, 405
- Crake, White-throated, 400, 401, 406
- Crane, Lesser Sandhill, 641
 Sandhill, 52, 318
 Whooping, 171, 246
- Cranioleuca erythrops*, 411
- Crocethia alba*, 52, 208, 320
- Crossbill, Red, 54, 614, 625
- Crotophaga ani*, 59, 60, 407
 major, 407
sulcirostris, 60, 497, 573
- Crow, 129
 Carrion, 53
 Common, 622
 Hawaiian, 250
- Crow-pheasant, 436
- Crypturellus soui*, 404
- Cuba, 95-97
- Cuckoo, 53
 European, 473
 Mangrove, 60
 Oriental, 53
 Squirrel, 407
 Striped, 418
 Yellow-billed, 94, 418
- Cuculidae, 399, 400, 407, 418
- Cuculinæ, 473
- Cuculus canorus*, 473
canorus telephonus, 53
saturatus horsfieldi, 53
- Curlew, Australian, 52
 Eskimo, 259
 European, 186
 Least, 259, 260
 Long-billed, 259, 260
- Curry-Lindahl, Kai, Ecological studies on mammals, birds, reptiles, and amphibians in the eastern Belgian Congo, (rev.), 105; *Våra Fåglar i Norden*, vol. II, (rev.), 106
- Cyanerpes cyaneus*, 415, 636, 638
lucidus, 415
- Cyanochen cyanopterus*, 370
- Cyanocitta*, 362
coerulescens, 359

- cristata, 129, 261, 359, 489
stelleri, 359, 622, 634-636
- Cyanocompsa cyanoides*, 421
- Cyanocorax affinis*, 420
yncas, 635
- Cyanolyca mirabilis*, 635
- Cyclarhidae*, 399, 400, 414
- Cyclarhis gujanensis*, 414
- Cyclorrhynchus psittacula*, 48
- Cygnopsis cygnoides*, 51
- Cygnus columbianus*, 51
olor, 434
- Cyclorrhynchus psittacula*, 321
- Cymbilaimus lineatus*, 411
- Cyphorhinus phaeocephalus*, 414
- Dacnis*, Blue, 638
Scarlet-thighed, 415
- Dacnis*, cayana, 638
venusta, 415
- Damophila julie*, 408
- Dater*, Eleanor E., see Fisher, Harvey I., and —
- Davis*, Harry T., see Wray, David L., and —
- Davis*, T. A. W., nests of *Empidonotus varius*, *Pitangus lictor*, and *Myiozetetes cayanensis*, 276
- Davis*, William B., Woodcock nesting in Brazos County, Texas, 272
- Deignan*, Herbert G., proceedings of the seventy-eighth stated meeting of the American Ornithologists' Union, 225-237; type specimens of birds in the United States National Museum, (rev.), 656
- Dendrocincla fuliginosa*, 419
homochroa, 419
- Dendrocolaptes certhia*, 419
- Dendrocolaptidae*, 399, 400, 402, 410, 419
- Dendrocopos major camtschaticus*, 53
pubescens, 261, 547
scalaris, 489
villosum, 261, 410, 621
- Dendrocygna bicolor helva*, 425
- Dendroica aestiva*, 421
auduboni, 624
castanea, 519
coronata, 261, 338, 489
- discolor, 643
- dominica stoddardi*, 640
- fusca, 421
- graciae, 551-566, 624
- graciae decora, 551, 555, 557-565
- graciae graciae, 551-553, 557
- graciae ornata, 552, 554, 562, 563, 565
- graciae remota, 554, 555, 557-565
- GRACIAE YAEGERI, 551-553, 555, 557-565
- kirtlandii*, 162-166, 381
- palmarum*, 385
- pensylvanica*, 415
- petechia*, 61, 440, 499, 624
- plumbea*, 61
- striata*, 499
- virens, 415
- virens virens, 427
- Devitt, O. E., an example of the whisper song of the Gray Jay (*Perisoreus canadensis*), 265
- Dicaeum*, 368
- Dichromatism, 440
- Dickerman, Robert W., hybrids among the fringillid genera junco-zonotrichia and melospiza, 627-632
- Dickerman, Robert W., and Forrest B. Lee, *Somateria mollissima* v. nigra in Minnesota, 260
- Dillon, Olan W., Jr., recovery of a crippled Gadwall, 273
- Dingle, Edward von Siebold, *Dendroica dominica stoddardi* from South Carolina, 640
- Diomedea*, 262, 263
albatrus, 51, 310
chlororhynchos, 425
immutabilis, 310
melanophrys, 425
nigripes, 51
- Diseases, 113, 456, 642
- Distribution, 1-15, 44-56, 59-62, 72, 92, 94-97, 99, 113, 257-260, 264, 265, 271, 272, 292, 305-326, 327-342, 368, 379, 423, 425-427, 441, 457, 554-557, 638-640, 646, 661
- Dolichonyx oryzivorus*, 518, 523
- Donner, K. O., see Bergman, G., et al.
- Dotterel, 52
- Dove, Blue Ground, 406

- Buckley Ground, 377
 Common Ground, 377
 D'Orbigny Ground, 377
 Gray-cheasted, 406
 Ground, 60
 Inca, 377, 488
 Minute Ground, 377
 Mourning, 171, 275, 488, 494, 502,
 510, 512, 513, 620, 674
 Picui Ground, 377
 Rock, 488, 494
 Ruddy Ground, 377, 406
 Rufous-naped, 407
 Scaled, 377
 White-tipped, 418
 Zenaida, 60
 Dowitcher, Long-billed, 620
 Drent, Rudolf H., on the supposed nest-
 ing of the Rhinoceros Auklet near
 Metlakahtla, Alaska, 257
 Drepanidae, 369
 Drury, William H., Jr., the breeding
 biology of shorebirds on Bylot Island,
 Northwest Territories, Canada, 176-
 219
 Dryocopus lineatus, 410
 Duck, American Widgeon, 51, 428, 618
 Australian Gray, 26, 27
 Baikal Teal, 51, 441
 Baldpate, 418
 Black, 3-40, 670-674
 Blue-winged Teal, 418, 617, 618
 Brown Teal, 36
 Bufflehead, 51, 314, 389-396, 619
 Canvasback, 171, 246, 614-618
 Chestnut-breasted Teal, 36
 Cinnamon Teal, 617
 Common Goldeneye, 51, 314
 Common Pochard, 51
 Common Teal, 47, 308, 313
 Crested, 370
 Dusky, 8
 European Widgeon, 49, 313, 428
 Falcated Teal, 51
 Florida, 3-40, 672, 673
 Fulvous Tree, 425
 Gadwall, 28, 29, 51, 273, 616
 Garganey, 51
 Greater Scaup, 47, 314
 Green-winged Teal, 313, 614, 617
 Harlequin, 47, 314
 Hawaiian, 250
 Lesser Scaup, 93, 405, 618
 Mallard, 3-40, 47, 308, 312, 428-431,
 614-616, 670-674
 Mallard x Pintail, 616
 Meller's, 32
 Mexican, 3-40, 616, 671, 673
 Mottled, 3-40, 670-673
 New Mexican, 3-40, 428-431
 New Mexican x Mallard, 616
 Oldsquaw, 47, 178, 314
 Pintail, 26-29, 47, 313, 393, 612, 614-
 617
 Redhead, 93, 246, 614, 618
 Ring-necked, 618, 638
 Ruddy, 93, 246, 619
 Shoveler, 28, 29, 47, 314, 618
 Tufted, 47, 638
 Wood, 618
 Duetting, 97
 Dumetella carolinensis, 129, 499
 Dunlin, 50, 208, 209, 319
 Dyer, William A., see Walkinshaw,
 Lawrence H., and —
 Dysithamnus mentalis, 411
 Eagle, Bald, 47, 170, 265, 313, 315, 316
 Bateleur, 498
 Golden, 434, 619
 Gray Sea, 52, 317
 Steller's Sea, 52
 Eckelberry, Don R., the White-eared
 Puffbird, 1
 Ecology, 63-89, 114, 176-215, 220, 293,
 458-460, 511-513, 554-557, 568, 662
 Egg tooth, 275, 674
 Egg-white proteins, 27-30
 Egret, Cattle, 94, 398, 404, 640
 Common, 399, 401, 403, 404
 Reddish, 248
 Snowy, 398, 401, 404, 615
 Eider, Common, 47, 260, 308, 314
 King, 49
 Steller's, 49
 Eisenmann, Eugene, reviews by, 107,
 283, favorite foods of neotropical
 birds: termites and cecropia catkins,
 636-638

- Elaenia, Greenish, 413
 Lesser Antillean, 61
 Mountain, 413
- Elaenia frantzii, 413, 420
 martinica, 61
- Elanus leucurus majusculus, 442
- Elvira chionura, 418
- Emanuel, Victor L., another probable record of an Eskimo Curlew on Galveston Island, Texas, 259
- Emberiza, 631
 aureola kamtschatica, 54
 rustica latifascia, 54, 55, 325
 schoeniclus pyrrhulina, 54
 variabilis, 54
- Embryology, 109, 455, 659
- Emerald, Garden, 418
 White-tailed, 418
- Emlen, John T., Jr., see Schaller, George B., and —; see Kendeigh, S. C. *et al.*
- Empidonax flavescens, 413
 flaviventris, 266-268, 413
 minimus, 145-149, 267, 268
 oberholseri, 621
 traillii, traillii, 267, 268
 virescens, 266-268
- Empidonotus varius, 276-278
- Erator inquisitor, 412
- Eremophila alpestris, 622
- Ereunetes pusilla, 208
 mauri, 208
- Erolia, 208
 acuminata, 52
 alpina pacifica, 319
 alpina sakhalina, 50
 bairdii, 208, 209
 ferruginea, 52, 55, 208
 fuscicollis, 209
 maritima, 208
 melanotos, 52, 209
 minutilla, 208
 ptilocnemis couesi, 319
 ptilocnemis quarta, 48
 ruficollis, 50
 subminuta, 48
 temminckii, 50
- Errington, P. L., review by, 445
- Erskine, Anthony J., nest-site tenacity and homing in the Bufflehead, 389-396
- Eubucco bourcieri, 409
- Eulampis jugularis, 61
- Eupelia, 372, 373, 377
- Euphagus carolinus, 338
 cyanocephalus, 433, 489, 625
- Euperusa eximia, 418
- Euphonia Blue-hooded, 421
 Fulvous-vented, 638
 Spot-crowned, 421
 Thick-billed, 421
- Eurynorhynchus pygmeus, 53
- Evolution, 663
- Fairy, Purple-crowned, 418
- Falco columbarius bendirei, 318
 columbarius insignis, 52
 mexicanus, 619
 peregrinus, 318, 619, 646
 peregrinus calidus, 47
 peregrinus pealei, 47, 55
 rusticolus, 317
 rusticolus grebnitzkii, 47
 rusticolus obsoletus, 317, 318
 rusticolus uralensis, 317, 318
 sparverius, 58, 59, 433, 619
 tinnunculus tinnunculus, 92
- Falcon, Barred Forest, 398, 401, 405, 422
 Peregrine, 47, 123, 313, 318, 619, 646-648
 Prairie, 619
- Falconidae, 399, 400, 405
- Farner, Donald S., see Kendeigh, S. C. *et al.*; reviews by, 103-107, 282, 286-289, 447-450, 653-658
- Ficedula parva albicilla, 54
- Finch, Cassin's, 625
 Common Rose, 54
 Gray-crowned Rosy, 49, 324
 House, 510, 625
 Purple, 266, 516
 Rosy, 322
 Spice, 497
 Yellow-thighed, 417
- Fisher, Harvey I., weights and measurements of organs of Bonin Island Petrels, *Pterodroma leucoptera hypoleuca*, 269-271
- Fisher, Harvey I., and Eleanor E.

- Dater, esophageal diverticula in the Red-poll, *Acanthis flammea*, 528-531
- Flatbill, Eye-ringed, 420
- Flicker, 389
Red-shafted, 621
Yellow-shafted, 432
- Flight energy, 515-527
- Flight ranges, 515-527
- Flight, speed of, 313
- Florida, 423
- Flycatcher, Acadian, 266-268
Ash-throated, 621
Belted, 94, 95
Black-tailed, 420
Boat-billed, 412, 638
Dusky, 621
Dusky-capped, 412
Empidonax, 266-268
Golden-bellied, 420
Gray-capped, 420
Gray-spotted, 54, 323
Great Kiskadee, 636
Least, 145-149, 267, 268
Olive-sided, 614, 621
Olive-striped, 420
Piratic, 636, 638
Red-breasted, 54
Rusty-margined, 420
Scissor-tailed, 491
Short-crested, 420
Slaty-capped, 420
Social, 412, 636
Sooty, 54
Streaked, 398, 412, 636, 637
Tody, 420
Traill's, 267, 268
Tufted, 413
Yellow-bellied, 266, 413
Yellowish, 413
- Foliage-gleaner, Lineated, 398, 411
Scaly-throated, 411
- Food, 63-71, 90-92, 97, 195, 274, 314-318, 323, 532-550, 636-638, 646-648
- Formicariidae 399, 400, 411, 419
- Formicarius analis, 411
- Fowl, Common, 405
- Fox, Glen A., a contribution to the life history of the Clay-colored Sparrow, 220-224
- Fratercula corniculata, 48, 321
- Fregata, 262
ariel, 265
magnificens, 59, 262, 263, 573
- French West Indies, 57-62
- Freye, Hans-Albrecht, *Das Tierreich, VII/5. Vogel*, (rev.), 288
- Frigate-bird, 262, 263
Least, 265
Magnificent, 59, 573
- Fringilla montifringilla, 50, 324
- Fringillidae, 399, 400, 417, 421, 636, 638
- Frings, Hubert, Mabel Frings, Carl Frings and H. Franklin Little, Sounds of Midway, (rev.), 453
- Frings, Mabel, see Frings, Hubert, et al.
- Frings, Carl, see Frings, Hubert, et al.
- Fruitcrow, Purple-throated, 412, 637
- Fulica americana, 620, 640, 641
americanan americana, 272
- Fulmar, 46, 309
- Fulmarus glacialis, 309
glacialis rodgersii, 46
- Furnariidae, 399, 400, 402, 411, 419
- Gabrielson, Ira N., see Cottam, Clarence, et al.
- Gallinago gallinago gallinago, 47
solitaria japonica, 52
- Gallinule, Hawaiian, 250
- Gallus gallus, 397, 405
- Garrulus, 362
glandarius, 359
- Gavia adamsii, 51
arctica, 51
arctica pacifica, 51
arctica viridigularis, 51
immer, 50, 309
stellata, 189, 310
stellata stellata, 46
- Genetics, 663
- Geopelia, 375, 376
cuneata, 376
humeralis, 376
striata, 376
- Geopeliinae, 376
- George, J. C., nest shifting behavior of the Ashy Wren-Warbler, 435
- George, J. C., and P. Thomas Iype,

- lipase activity in the heart muscle of a migratory and a nonmigratory bird, 633
- Geothlypis trichas, 379, 432, 624
- Geotrygon chiriquensis, 407
montana, 407
mystacea, 60
- Glaucidium gnoma, 571
minutissimum, 571
- Glaucis hirsuta, 408
- Glyphorynchus spirurus, 410
- Gnatcatcher, Blue-gray, 614, 624
Tropical, 420
- Gnatwren, Long-billed, 399, 414
- Godwit, Bar-tailed, 50, 320, 638
Black-tailed, 50
Hudsonian, 264
- Goldfinch, 530
American, 643
- Goose, Andean, 370
Barnacle, 370
Blue, 72-89
Blue-winged, 370
Canada, 47, 100, 308, 311, 434, 614
- Cereopsis, 370
- Egyptian, 370
- Emperor, 49, 311
- Hawaiian, 247
- Lesser Snow, 72-89
- Nene, 247, 251
- Red-breasted, 260
- Snow, 51, 178, 434
- Swan, 51
- Tundra Bean, 49
- White-cheeked, 99
- White-fronted, 49
- Goshawk, 52
- Grackle, Boat-tailed, 97
Colombian Rice, 416
- Common, 125-137, 270, 488, 494
- Great-tailed, 487, 488, 494
- Lesser Antillean, 61
- Grassquit, Black-faced, 61
Blue-black, 637
- Yellow-faced, 399, 417
- Grebe, Eared, 615, 620, 625
Great Crested, 90, 91
- Horned, 51, 90-92
- Least, 404
- Pied-billed, 90-92, 610, 615
- Red-necked, 51, 90, 91
- Western, 615
- Greenewalt, Crawford H., Hummingbirds, (rev.), 653; Dimensional relationships for flying animals, (rev.), 653
- Greenfield, E. W., review by, 656
- Greenlet, Gray-headed, 414
Golden-fronted, 420
- Scrub, 398, 414
- Greenshank, 52
Nordmann's, 52
- Grosbeak, Black-headed, 625
Blue, 97
Blue-black, 421
Evening, 489
- Pine, 54
- Rose-breasted, 129, 399, 400, 417
- Grouse, Blue, 248
Columbia Sharp-tailed, 250
- Ruffed, 248, 249
- Sage, 249, 250
- Rose-breasted, 129, 399, 401, 417
- Spruce, 248
- Grus canadensis, 52, 318
canadensis canadensis, 641
- Guatemala, 94
- Guernsey, Raymond Gano, obituary of, 123
- Guillemot, Black, 53
Pigeon, 48, 321
- Guiraca caerulea, 97
- Gull, Black-headed, 53
California, 271, 434
- Franklin's, 406, 620
- Glaucous, 50
- Glaucous-winged, 48, 308, 310, 320, 428
- Great Black-backed, 426
- Herring, 50, 426, 671
- Kamchatka, 53
- Lesser Black-backed, 671
- Mew, 53
- Ring-billed, 428, 620
- Ross', 53
- Sabine's, 53
- Slaty-backed, 50
- Slender-billed, 55
- Gunn, William W. H., see Borror, Donald J., and —

- Gymnopelia, 376
 Gymnophis bicolor, 411
 Gymnorhinus cyanocephala, 623
 Gyrfalcon, 47, 317
- Habia fuscicauda, 417
 rubica, 421
 Haematopus bachmani, 319
 ostralegus, 55
 ostralegus osculans, 52
 Hailman, Jack P., an enigmatic northward migratory flight off North Carolina in September, 431-433
Haliaeetus albicilla, 52, 317
 leucocephalus, 265, 316
 leucocephalus alascanus, 47
 pelagicus, 52
Harpagus bidentatus, 418
Harrier, Cinereous, 256
 Hen, 256
 Hartman, Frank A., and Katharine A. Brownell, adrenal and thyroid weights in birds, 397-422
 Haverschmidt, F., nests of *Empidonotus varius*, *Pitangus lictor*, and *Myiozetetes cayanensis*, 277
 Hawfinch, 54
 Hawk, Broad-winged, 398, 399, 405
 Cooper's, 619
 Large-billed, 418
 Marsh, 256, 317, 434, 619
 Pigeon, 318
 Red-tailed, 433, 434, 619
 Rough-legged, 52
 Sharp-shinned, 619
 Sparrow, 52, 433, 434, 619
 Swainson's, 434
 Zone-tailed, 646
 Heart muscle, 633
Heliornis fulica, 406
 Heliornithidae, 399, 400, 406
Heliothrix barroti, 418
Helminthorus vermivorus, 260
Henicorhina leucophrys, 413
 leucosticta, 420
 Hermit, Green, 418
 Little, 418
 Rufous-breasted, 408
 Heron, Black-crowned Night, 427, 610, 615, 638
 Boat-billed, 405
 Great Blue, 615
 Green, 59, 214
Hesperiphona vespertina, 488
Heteropygia, 190, 202-204, 209
 acuminata, 209
 fuscicollis, 190-196, 209
 melanotos, 191, 209
Heteroscelus brevipes, 48
 incanum, 52, 319
 Hickey, Margaret, Bird-Banding, index to volumes XII-XXI. 1941-1950, (rev.), 288
Himantopus mexicanus, 620
Hippolais icterina, 129
Hirundinidae, 399, 400, 402, 413, 420, 636, 637
Hirundo rustica, 53, 622
 rustica gutturalis, 53
 rustica tytleri, 53
Histrionicus histrionicus, 314
 histrionicus pacificus, 47
 Hochbaum, A., Albert, see Cottam, Clarence, *et al.*
Holoquiscalus, 493
Honeycreeper, Green, 399, 414, 638
 Red-legged, 398, 400, 415, 636, 638
 Shining, 415
 Howell, Thomas R., review by, 279-282
 Howell, Thomas R., and George A. Bartholomew, temperature regulation in nesting Bonin Island Petrels, Wedge-tailed Shearwaters, and Christmas Island Shearwaters, 343-354
 Hoyt, Sally F., late feeding of young Lapland Longspur in New York, 274
 Hubbs, Carl L., editor, Zoogeography, (rev.), 443-445
 Hudson, G. E., review by, 289
 Huey, Laurence M., two unusual bird records for California, 260; two noteworthy records for California, 426
 Huey, William S., comparison of female Mallard with female New Mexican Duck, 428-431
 Huey, William S., and James R. Travis, Burford Lake, New Mexico, revisited, 607-626
 Hummingbird, Antillean Crested, 61

- Blue-chested, 418
Broad-tailed, 621
Emerald-throated, 60, 61
Garnet-throated, 61
Ruby-throated, 517, 525
Rufous-tailed, 408
Scaly-breasted, 408
Scintillant, 398, 399, 408
Snowy-breasted, 408
Stripe-tailed, 418
Violet-bellied, 408
Hybrid index, 16
Hybridism, 627-632
Hydrobatidae, 351
Hydroprogne caspia, 264
Hylocichla fuscescens, 518
 guttata, 623
 mustelina, 129, 432, 595-606
 ustulata, 414
Hylophilus aurantiifrons, 420
 decurtatus, 414
 viridiflavus, 414
Hypsipetes affinis, 366

Ibis, Glossy, 245, 248
 Wood, 248
Icteria virens, 489
Icteridae, 399, 400, 415, 421, 473, 638
Icterus cucullatus, 489
 mesomelas, 421
 spurius, 421
Iiwi, 368
Incubation period, 188, 204, 222, 266,
 435, 535, 586
Immelmann, Klaus, Im unbekannten
 Australien, (rev.), 450
Iridoprocne albilinea, 420
 bicolor, 338, 622
Irving, Laurence, the migration of Lap-
 land Longspurs to Alaska, 327-342
Ixobrychus exilis, 404
Iype, P. Thomas, see George, J. C.,
 and —

Jacana, 398
 American, 398, 406
Jacana spinosa, 406
Jacanidae, 399, 400, 406
Jackdaw, 496, 497
Jaeger, Long-tailed, 48, 181
Parasitic, 48, 74, 181, 189, 320
Pomarine, 48
Jamaica, 264
Jay, Black-chested, 420
 Blue, 129, 261, 489, 495
Gray, 265, 355-365, 622
Piñon, 623
Scrub, 614, 622
Siberian, 361, 364
Steller's, 622, 634-636
Johansen, Hans, revised list of the
 birds of the Commander Islands, 44-56
Johnsgard, Paul A., evolutionary rela-
 tionships among North American
 Mallards, 3-43; comments concerning
 the Mallard-Black Duck problem,
 672-674
Johnston, Richard F., the genera of
 American Ground Doves, 372-378
Johnson, R. Roy, aerial pursuit of
 hawks by turkeys, 645
Junco, Gray-headed, 614, 626
 Slate-colored, 324
Junco, 627-632
 caniceps, 626
 hyemalis, 627
 hyemalis hyemalis, 324
 hyemalis x Zonotrichia, 631

Keith, Lloyd, R., three further records
 of parasitic egg laying by ducks, 93
Kellogg, Peter Paul, reviews by, 107,
 453
Kendeigh, S. C., et al. report of the re-
 search committee for 1960, 242
Kenyon, Karl W., birds of Amchitka
 Island, Alaska, 305-326
Kestrel, 92
 American, 58, 59
Kilham, Lawrence, aggressiveness of
 migrant Myrtle Warblers toward
 woodpeckers and other birds, 261
Killdeer, 185, 188, 207, 208, 213, 489,
 620
Kingbird, Cassin's, 621
 Eastern, 146, 220, 489
 Tropical, 636, 637
Kingfisher, Amazon, 409
 Green, 398, 409
 Pygmy, 398, 409

- Ringed, 419
- Kiskadee, Great, 636
- Kluyver, H. N., food consumption in relation to habitat in breeding Chickadees, 532-550
- Kite, Double-toothed, 418
- Gray-headed, 418
- White-tailed, 442
- Kittiwake, 48
- Black-legged, 309
- Red-legged, 48
- Klopper, F. D., review by, 451
- Knot, 208, 209
- Great, 52
- Kuroda, Nagahisa, a note on the pectoral muscles of birds, 261-263
- Labisky, Ronald F., and Stuart H. Mann, observation of avian pox in a Yellow-shafted Flicker, 642
- Lagopus mutus gabrielsoni, 318
- mutus ridgwayi, 47
- Lamponnis castaneoventris, 408
- Land, Hugh C., and Larry L. Wolf, additions to the Guatemalan bird list, 94
- Lanius ludovicianus, 91, 129, 489
- Lanyon, W. E., and W. N. Tavolga, editors, Animal sounds and communications, (rev.), 451
- Laridae, 399, 400, 406
- Lark, Horned, 614, 622
- Prairie Horned, 188
- La Rue, Charles J., Jr., see Selander, Robert L., and —
- Larus argentatus, 426, 671
- argentatus vegae, 50
- californicus, 272, 434
- canus, 338
- canus brachyrhynchus, 53
- delawarensis, 53, 620
- genei, 55
- glaucescens, 48, 308, 320, 428
- hyperboreus subsp., 50
- kamtschatschensis, 53
- marinus, 426
- pipixcan, 406, 620
- ridibundus sibiricus, 53, 55
- schistisagus, 50, 55
- Laterallus albicularis, 406
- Lee, Forrest B., see Dickerman, Robert W., and —
- Leedy, Daniel L., some federal contributions to bird conservation during the period 1885 to 1960, 167-175
- Legatus leucophaius, 277, 278, 636, 638
- Leopold, A. Starker, Wildlife of Mexico, (rev.), 446
- Leopold, Nathan F., Jr., Hudsonian Godwit (*Limosa haemastica*) in Puerto Rico, 264
- Lepidocolaptes affinis, 410
- Leptodon cayanensis, 418
- Leptolophus hollandicus, 488
- Leptopogon superciliaris, 420
- Leptotila cassini, 406
- rufinucha, 407
- verreauxi, 418
- Leucophoyx thula, 404, 615
- Leucosarcia, 375
- Leucosticte tephrocotis, 318
- tephrocotis griseonucha, 324
- tephrocotis maxima, 49
- Levy, Seymour H., the Caracara nesting in Arizona, 99
- Lewis, C. Bernard, Caspian Terns in Jamaica, 264
- Life History, 220-224, 532-550, 567-572, 573-594
- Limnodromus scolopaceus, 620
- Limosa, 213
- haemastica, 264
- lappinica baueri, 50, 320, 638
- limosa melanuroides, 50
- Lipaugus cineraceus, 150-161
- Little, H. Franklin, see Frings, Hubert, et al.
- Lobipes lobatus, 48, 320
- Locustella ochotensis, 54
- ochotensis ochotensis, 55
- Lonchura, 497
- cucullata, 497
- punctulata, 497
- Longevity, 94
- Longspur, Lapland, 49, 274, 318, 327-342
- Loon, Arctic, 51
- Common, 50, 309
- Red-throated, 46, 310
- Yellow-billed, 51

- Lophodytes cucullatus, 425
Lophortyx californicus, 505
 californicus brunnescens, 505-514
 gambelii, 505
Lophotriccus pileatus, 413
Lowery, George H., Jr., review by, 446
Lowther, James K., Virginia Rail
 (*Rallus limicola limicola Vieillot*)
 breeding at Vermilion, Alberta, 271
Loxia, 530
 curvirostra, 625
 curvirostra japonica, 54
Loxigilla noctis, 62
Lunda cirrhata, 49, 308, 321
Luscinia calliope, 54
 svecica, 337
- MacDonald, S. D., see Parmelee, David F., and —
- MacMillen, Richard E., see Bartholomew, George A., and —
- Magpie, Black-billed, 622
Malacoptila panamensis, 409
Manacus vitellinus, 411
Management and conservation, 295, 462, 665
Manakin, Blue-backed, 160
 Gray-headed, 95
 Golden-collared, 411
 Red-capped, 398, 411
Mango, Black-throated, 418
Mann, Stuart H., see Labisky, Ronald F., and —
- Mannakin, Bronze, 497
Mareca americana, 51, 418, 618
 penelope, 49, 55, 313, 428
Marler, P., review by, 452
Marquardt, Richard E., albinism in the small White-cheeked Geese, 99
Marsden, Halsey M., natural longevity record for a Bobwhite, 94
Marshall, A. J., editor, Biology and comparative physiology of birds, volume I, (rev.), 279-282; volume II, (rev.), 649-652
Martin, Antillean, 58, 61
 Brown-chested, 636
 Gray-breasted, 400, 413
 Purple, 622
Martinique, 92
- Mason, C. Russell, see Robertson, William B., Jr., and —
- Mason, Robert F., Jr., recent White-tailed Kite record in Texas, 442
- Mayfield, Harold F., vestiges of a proprietary interest in nests by the Brown-headed Cowbird parasitizing the Kirtland's Warbler, 162-166
- Mayr, Ernst, review by, 103; obituary by, 471
- McCabe, Robert A., see Cottam, Clarence, *et al.*
- McKinley, Daniel, review by, 287
- McKinney, Frank, editor recent literature, 109-121, 290-300, 455-468, 659-668
- Meadowlark, 421, 434, 488, 489
 Eastern, 672
 Western, 625, 672
- Measurement, birds, 92, 96, 264, 269-271, 278, 385, 423, 425, 438, 552, 562, 629
eggs, 276-278, 586
nests, 221, 385, 582
ova, 570
testes, 423, 569, 636
- Megarynchus pitangua*, 412, 638
- Melanerpes erythrocephalus*, 261, 369
 formicivorus, 419
- Melanitta deglandi*, 51, 640
 deglandi dixoni, 315
 deglandi stejnegeri, 49
 perspicillata, 51, 55
- Meleagris gallopavo*, 619, 645
 gallopavo merriami, 138
- Meliphaga*, 368
Meliphagidae, 368
Melitograis gilolensis, 367
Melopsittacus undulatus, 480, 488
- Melospiza*, 627-632
 georgiana, 438
 lincolni, 626
 melodia, 129, 163, 220, 324, 500, 516, 626, 628
 melodia maxima, 309
 melodia morphna, 627, 628
 melodia x Zonotrichia leucophrys, 628
- Merganser*, Chinese, 51
 Common, 47, 619
 Hooded, 425

- Little, 52
- Red-breasted, 47, 315
- Mergus albellus*, 52
 - merganser merganser, 47, 619
 - serrator, 315
 - serrator serrator, 47
 - squamatus, 51
- Merrill, George W., loss of 1,000 Lesser Sandhill Cranes, 641
- Metriopelia*, 372
- Mexico, 551-553, 567-572, 640
- Michigan, 266-268, 379-388
- Micrastur ruficollis*, 405
- Micrathene*, 634
- Micronesia, 638
- Micropalama himantopus*, 209
- Microrhopias quixensis*, 95
- Migration, 8-15, 93, 117-120, 123, 296, 327-340, 380, 385, 423, 425-427, 431-433, 463-465, 515-527, 638-640, 646, 666
- Miller, Wilmer J., a second egg tooth in a Mourning Dove, 275; egg tooth in Mourning Dove, 674
- Mimidae*, 636
- Mimus gilvus*, 636
 - polyglottos, 261, 623
- Minnesota, 63-71, 260
- Mionectes olivaceus*, 420
- Mitchell, E. B., The art and practise of hawking, (rev.), 105
- Mitrephanes phaeocercus*, 413
- Mniotilla varia*, 415, 432
- Mockingbird, 261, 623
 - Tropical, 636
- Moho, 250, 368
 - braccatus, 369
 - nobilis, 368
- Molothrus ater*, 97, 98, 129, 162-166, 222, 266-268, 473-504, 625, 645
- Molt postjuvenile, 634-636
 - tail, 634
- Momotidae*, 399, 400, 409
- Momotus momota*, 409
 - subrufescens, 398, 409
- Morphology, 269-271, 355-365, 375, 397-422, 528-531
- Motacilla alba*, 50, 323
 - alba lugens, 55, 323
 - cinerea, 123
- cinerea rubusta*, 54
- flava*, 337
- flava simillima*, 49
- Motmot, Blue-crowned, 409
 - Tawny-bellied, 409
- Mountain-Gem, White-throated, 408
- Mourner, Rufous, 412
- Munro, David A., see Cottam, Clarence, *et al.*
- Murre, Common, 48, 321
 - Thick-billed, 48, 320
- Murrelet, Ancient, 48, 321
 - Marbled, 53
- Muscicapa griseistica*, 54, 309, 323
 - griseistica pallens, 323
 - sibirica, 54
- Muscicapidae*, 323
- Muscivora forficata*, 491
- Muscle, cardiac, 633
 - pectoral, 261-263
- Myadestes townsendi*, 624
- Myiarchus cinerascens*, 621
 - ferox, 420
 - tuberculifer, 412
- Myioibius atricaudus*, 420
- Myioborus miniatus*, 415
 - torquatus, 415
- Myiodynastes hemichrysus*, 420
 - maculatus, 412, 636, 637
- Myiopagis viridicata*, 413
- Myiozetetes cayanensis*, 276-278, 420
 - granadensis, 420
 - similis, 412, 636
- Myna, Common, 633
- Myrmeciza exsul*, 419
 - longipes, 419
- Myzomela*, 366, 367
- Nannopterum harrisi*, 262
- Nectarinia*, 366-369
 - notata, 369
- Neodrepanis*, 369
- Nesting success, 77-79, 224, 536
- Neuffer, Claude Henry, editor, The Christopher Happlelt journal; his European tour with the Rev. John Bachman, (rev.), 287
- New Mexico, 607-626
- New York, 425
- Nice, Margaret M., and Nicholas E.

- Collias, a nesting of the Least Flycatcher, 145-149
- Nichols, Charles K., editor, Ten-year index to the Auk, volumes 58-67, 1941-1950, (rev.), 657
- Nighthawk, 179
Common, 621
Lesser, 402, 408
- Noddy, Black, 423, 424
Brown, 60, 423, 424
White-capped, 424
- Nolan, Val, Jr., a method of netting birds at open nests in tree, 643-645
- Norris, Robert A., a new method of preserving bird specimens, 436-440
- North Carolina, 431-433, 441
- Nucifraga columbiana, 359, 623
- Numenius americanus, 259
arquata, 186
borealis, 259
madagascariensis, 52
minutus, 259
phaeopus, 259
phaeopus variegatus, 50
- Nutcracker, Clark's, 614, 623
- Nuthatch, Pigmy, 623
White-breasted, 547, 623
- Nuttallornis borealis, 621
- Nyctea scandiaca, 49, 321
- Nyctibiidae, 399, 400, 407
- Nyctibius, 94
griseus, 407
- Nycticorax nycticorax, 615
nycticorax hoactli, 427
nycticorax nycticorax, 638
- Nyctidromus albicollis, 408, 571
- Nystalus chacuru, 1
maculatus, 1
radiatus, 2
striolatus, 2
- Obituary of, Raymond Gano Guernsey, 123; Charles E. W. Bryant, 471
- Oceanodroma furcata furcata, 46
leucorhoa, 351
leucorhoa leucorhoa, 46
- Odontophorus guttatus, 405
- Odum, Eugene P., Clyde E. Connell, and Herbert L. Stoddard, flight energy and estimated flight ranges of some migratory birds, 515-527
- Oenanthe oenanthe oenanthe, 54, 337
- Oidemia nigra americana, 50
- Olor buccinator, 370
columbianus, 310
cygnus, 49, 310
- Olson, James G., first Tufted Duck seen in Oregon, 638
- Onocratalus, 276
- Onychognathus morio, 129
- Ooaa, 250
- Oporornis agilis, 94, 379-388
formosus, 421
philadelphia, 379, 421
- Oregon, 638
- Oreoscoptes montanus, 623
- Oriole, Hooded, 489
Orchard, 421
Yellow-tailed, 421
- Oropendola, Chestnut-headed, 415, 638
Crested, 398, 400, 416
Wagler, 492, 493
- Ornithodoras garrula, 405
- Orthorhynchus cristatus, 61
- Orthotomus sutorius sutorius, 435
- Oryzoborus funereus, 417
- Osprey, 52, 317
- Osteology, 273
- Otocoris alpestris praticola, 188
- Otophanes mcleodii, 567-572
- Otus asio, 489, 634
choliba, 407
trichopsis, 571
- Ouellet, Henri, plumage peculiarity in Cedar Waxwing, 271
- Ovenbird, 58, 61, 129, 162, 163, 165, 500
- Owl, Barn, 399, 407
Black and White, 418
Boreal, 53
Great Horned, 621, 641
Saw-whet, 634
Screech, 489, 634
Short-eared, 49, 186, 322
Snowy, 49, 321
Striped, 418
Tropical Screech, 407
- Oxybelia cyanopsis, 376
- Oxyura jamaicensis, 93, 619
- Oystercatcher, 52
Black, 319

- Pachyptila turtur, 351
 Pachyramphus polychopterus, 419
 Palaeontology, 120, 257, 299, 466, 668
 Palmer, Ralph S., obituary by, 123;
 see Kendeigh, S. C., *et al.*
 Pandion haliaetus, 317
 haliaetus haliaetus, 52
 Parakeet, Barred, 418
 Orange-chinned, 407, 637
 Red-winged, 496
 Shell, 476, 480, 488, 495, 498
 Sulphur-winged, 407
 Parasites, 113, 456
 Parasitism, 93, 162-166, 223, 266-268
 Parkes, A. S., editor, Hypothermia and
 the effects of cold, (rev.), 288
 Parmelee, David F., and S. D. Mac-
 Donald, The birds of west-central
 Ellesmere Island and adjacent areas,
 (rev.), 288
 Parrot, African Grey, 498
 Brown-hooded, 399, 407
 Red-fronted, 418
 White-crowned, 418
 Parula, Tropical, 415
 Parula pitiyumi, 415
 Parulidae, 399, 400, 415, 421
 Parus atricapillus, 129, 532-550
 atricapillus kamtschatkensis, 53
 carolinensis, 261
 gambeli, 623
 major, 532
 Passer, 530
 domesticus, 63-71, 128, 167, 482, 488,
 530, 641
 Passerculus sandwichensis, 510, 516, 518,
 626
 Passerella, 627, 631
 Passerina ciris, 489
 cyannea, 421, 519, 524, 643
 Pastor, Rosy, 633
 Pastor roseus, 633
 Paulson, Dennis R., see Robertson,
 William B., Jr., and —
 Pauraque, 408
 Pedioecetes, 193
 Pelecanus erythrorhynchos, 434, 615
 occidentalis, 59
 Pelican, Brown, 59, 401, 422
 White, 275, 434, 615
 Pellet-casting, 90-92
 Peppershrike, Rufous-browed, 414
 Perisoreus, 355-365
 canadensis, 265, 355-365, 622
 infaustus, 355, 364
 internigrans, 355
 Perissocephalus tricolor, 150-161
 Peterson, Roger Tory, A field guide to
 western birds, (rev.), 450
 Petrel, Bonin Island, 269-271, 343-354
 Fork-tailed, 46
 Leach's 46, 351
 Petrochelidon pyrrhonota, 622
 Peucedramus taeniatus, 556
 Pewee, Dark, 420
 Western Wood, 621
 Phaeochroa cuvierii, 408
 Phaeoprogne tapera, 636
 Phaethon aethereus, 59
 lepturus, 59
 Phaethornis guy, 418
 longuemareus, 418
 Phalacrocoracidae, 399, 400, 404
 Phalacrocorax olivaceus, 404
 pelagicus, 310
 pelagicus pelagicus, 46
 perspicillatus, 44, 47
 urile, 46
 Phalaenoptilus nuttallii, 571
 Phalarope, Northern, 48, 320
 Red, 53
 Wilson's, 620
 Phalaropus fulicarius, 53
 Pharomachrus mocinno, 419
 Phasianidae, 399, 400, 405
 Phasianus colchicus, 641
 Pheasant, Ring-necked, 641
 Phelps, William H., Night migration at
 4,200 meters in Venezuela, 93
 Pheucticus ludovicianus, 129, 417
 melanocephalus, 625
 Philacte canagica, 49, 311
 Philepittidae, 369
 Phillips, Allan R., see Schaldach, W. J.,
 and —: comments concerning the
 Mallard-Black Duck problem, 670-
 672
 Phillips, Allan R., and J. Dan Webster,
 Grace's Warbler in Mexico, 551-553
 Philodice bryantae, 418

- Philohela minor, 272
Philomachus pugnax, 52, 209
Phloeoceastes guatemalensis, 419
 melanoleucus, 637
Phoebe, Say's, 621
Phylloscopus, 368
 borealis, 337
 borealis examinandus, 309, 322
 borealis xanthodryas, 54
Physiology, 120, 269-271, 273, 355-365,
 397-422, 510, 633, 667
Piaya cayana, 407
Pica pica, 359, 622
Picidae, 399, 400, 410, 419, 637
Piculet, Olivaceous, 94, 419
Picumnus olivaceus, 419
 olivaceus dimotus, 94
 rubiginosus, 410
Pigeon, Domestic, 530
 Scaled, 398, 400, 406
 Scaly-naped, 60
 Short-billed, 637
 White-crowned, 573
 White-naped, 406
Pinchon, Pere R., and Charles Vaurie,
 the Kestrel (*Falco tinnunculus*) in
 the New World, 92
Pinicola, 363
 enucleator kamtschatkensis, 54
Pinopsitta haematotis, 407
Pionus senilis, 418
Pipilo erythrorththalmus, 489, 530, 626
Pipit, Indian Tree, 54
 Pechora, 49
 Red-throated, 54
 Water, 54, 323
Pipra mentalis, 411
Pipridae, 399, 400, 411
Piprites griseiceps, 95
Piranga bidentata, 421
 flava hepatica, 426
 leucoptera, 417
 ludoviciana, 625
 olivacea, 499, 517, 518
 rubra, 416, 518, 522
Pitangus lictor, 276-278
 sulphuratus, 276-278, 636
Pitelka, Frank A., a curtailed post-
 juvenile molt in the Steller Jay, 634-
 636
Platyrinchus coronatus, 420
 mystaceus, 420
Plectrophenax nivalis townsendi, 49, 55,
 325
Plotus anhinga, 91
 levaillanti, 91
Plover, American Golden, 176-215, 319
 Black-bellied, 50, 179-215
 European Golden, 181, 185, 210
 Golden, 50, 259
 Kentish, 207, 208
 Little Ringed, 190, 207, 208, 210
 Mongolian, 47
 Pacific Golden, 181
 Piping, 207, 208
 Ringed, 182-184, 189, 205, 207, 208,
 210, 211, 213
 Semipalmated, 207
 Snowy, 52
Plumage peculiarity, 271
Pluvialis, 180, 207, 208, 210
 apricaria, 181
 dominica, 176-219, 259, 319
 dominica fulva, 50, 55, 181
 squatarola, 185-219
Podiceps auritus, 90-92
 auritus auritus, 51
 caspicus, 615
 cristatus, 91
 dominicus, 404
 griseogena, 90
 griseogena holboellii, 51, 55
Podicipedidae, 399, 400, 404
Podilymbus podiceps, 90-92, 615
Poephila guttata, 530
Polioptila caerulea, 624
 plumbea, 420
Polysticta stelleri, 49
Pooecetes gramineus, 626
Poor-will, Eared, 567-572
Population, 6, 8, 13, 15, 75, 114, 204,
 220, 293, 312, 458-460, 546, 662
Portenko, L. A., see Stresemann, Erwin,
 and —; ptitsy SSSR. tom IV, (birds
 of the USSR, pt. IV), (rev.), 286
Porter, J. R., chairman, Style manual
 for biological journals, (rev.), 658
Porzana carolina, 525, 640
Potoo, Common, 399, 407
 Great, 94

- Pough, Richard H., see Cottam, Clarence, *et al.*
- Prairie Chicken, Attwater, 249
Greater, 249
Lesser, 249
- Preble, Charles S., unusual behavior of House Wren, 442
- Predation, 74, 271, 307-309, 313, 315, 317, 536, 641, 645
- Preening, interspecific, 473-504
- Preserving specimens; a new method, 436
- Prinia socialis, 435
- Prion, Fairy, 351
- Procnias alba, 150-161
averano, 150
- Progne chalybea, 413
dominicensis, 58, 61
subis, 622
- Protonotaria citrea, 95
- Provost, Ernest E., review by, 652
- Psarocolius decumanus, 416
- Psephotus haematonotus, 496
- Psittacidae, 399, 400, 407, 418, 637
- Psittacus erithacus, 498
- Psomocolax oryzivorus, 492
- Ptarmigan, Rock, 47, 318
- Pterodroma leucoptera hypoleuca, 269-271
hypoleuca hypoleuca, 345, 353
- Pteroglossus frantzii, 410
torquatus, 409, 637
- Puerto Rico, 264, 425
- Puffbird, White-eared, 1
White-whiskered, 409
- Puffin, Horned, 48, 321
Tufted, 49, 308, 321
- Puffinus lherminieri, 59
nativitatis, 351, 352
pacificus, 347-353
puffinus opisthomelas, 352
tenuirostris, 51, 351, 352
- Pulich, Warren M., a record of the Yellow Rail from Dallas, Texas, 639
- Pygmy-Tyrant, Scale-crested, 398, 402, 413
- Pyrrhula pyrrhula cassini, 54, 55
- Pyrrhura hoffmanni, 407
- Quail, Bobwhite, 94
California, 505-514
Gambel, 505
Japanese, 405
Spotted Wood, 405
- Quail-Dove, Moustached, 60
Ruddy, 407
Rufous-breasted, 400, 401, 407
- Querula purpurata, 412, 637
- Quetzal, 419
- Quiscalus lugubris, 61
quiscula, 488
versicolor, 125-137
- Rail, Gray-necked Wood, 400, 405
Sora, 525, 640
Virginia, 271, 614, 619, 640
Yellow, 639
- Rallidae, 399, 400, 401, 405, 640
- Rallus limicola, 619, 640
limicola limicola, 271
- Ramphastidae, 399, 400, 402, 409, 419, 637
- Ramphastos sulphuratus, 637
swainsonii, 419, 637
- Ramphocaenus rufiventris, 414
- Ramphocelus dimidiatus, 416
icteronotus, 421
passerinii, 421
- Raven, Common, 49, 322, 434, 622
- Recurvirostra americana, 620
avosetta, 185
- Redpoll, 528-531
Common, 49, 324
Hoary, 50
- Redshank, 213
Spotted, 52
- Redstart, 129, 432
American, 421, 500
Collared, 415
Slate-throated, 415
- Reichert, Elsa, see Reichert, Robert J., and —
- Reichert, Robert J., and Elsa, Binoculars, their scopes and their uses in photography, (rev.), 289
- Rhinoptynx clamator, 418
- Rhodinicichla rosea, 417
- Rhodostethia rosea, 53
- Khynchocyclus brevirostris, 420

- Rhytipterna holerythra, 412
Richardson, Frank, review by, 450
Richmondena cardinalis, 261, 489, 530
Riparia riparia ijimae, 53
Ripley, S. Dillon, aggressive neglect as a factor in interspecific competition in birds, 366-371
Ripley, S. Dillon, and Lynett L. Scribner, Ornithological books in the Yale University library including the Library of William Robertson Coe, (rev.), 657
Rissa brevirostris, 48
 Robertson, William B., Jr., northern migrant wintering in tropics, 123; review by, 447
Robertson, William B., Jr., Dennis R. Paulson, and C. Russell Mason, a tern new to the United States, 423-425
Robin, 261, 434, 487, 489, 499, 623
 American, 129
 Clay-colored, 414, 636, 638
 Mountain, 420
 White-throated, 399, 414
Roest, Aryan I., interspecific relationships among birds, 433-435
Rook, 364
ROVERETORNIS, 257
 intermedius, 257
Rubythroat, Siberian, 54
Ruff, 52, 209
Rupicola rupicola, 158

Sabrewing, Violet, 399, 408
Salivary glands, 355-365
Salpinctes obsoletus, 623
Salt, W. Ray, recent additions to the avifauna of Alberta, 427
Saltator, Black-headed, 421
 Buff-throated, 417
 Streaked, 417
Saltator albicollis, 417
 maximus, 417
Sanderling, 52, 205, 208, 209, 320
Sandpiper, Baird's, 191, 195-206, 208, 209, 212-214
Common, 50
Curlew, 52, 195, 196, 209
Least, 191, 208, 209
Pectoral, 52, 191, 193, 195
Purple, 191, 196, 198, 208
Rock, 48, 305, 319
Rufous-necked, 50
Semipalmated, 191, 208, 209
Sharp-tailed, 52
Spoon-billed, 53
Spotted, 191, 205
Stilt, 209
Terek, 52
Western, 208
White-rumped, 190-196, 201-206, 208, 212, 214
Wood, 48, 319
Sanft, Kurt, Bucerotidae, (aves/upupae), (rev.), 289
Sapsucker, Williamson's, 614, 621
 Yellow-bellied, 261, 419
Saunders, Aretas A., the songs and calls of the Wood Thrush, 595-606
Sayornis saya, 621
Scaphidura orizyvora, 416
Scardafella, 372-377
 inca, 373-376, 488
 squammata, 373-376
Schaldach, W. J., Jr., and Allan R. Phillips, the Eared Poor-will, 567-572
Schaller, George B., and John T. Emlen, Jr., the development of visual discrimination patterns in the crouching reactions of nesting grackles, 125-137
Schmidt, Herta, editor, *Der Flug der Tiere*, (rev.), 286
Schorger, A. W., an ancient pueblo turkey, 138-144
Schultz, Vincent, An annotated bibliography on the uses of statistics in ecology, (rev.), 657
Schüz, Ernst, *Die Vogelwelt des Süd-kaspischen Tieflandes*, (rev.), 655
Scoter, Common, 50
 Surf, 51
 White-winged, 49, 51, 315, 640
Scribner, Lynett L., see Ripley, S. Dillon, and —
Seedeater, Ruddy-breasted, 421
 Variable, 400, 417, 636, 638

- Yellow-bellied, 637
- Seed-Finch, Thick-billed, 398, 400, 417
- Seiurus aurocapillus*, 58, 61, 129, 162, 500
motacilla, 421
noveboracensis, 624
- Selander, Robert K., and Charles J. La Rue, Jr., interspecific preening invitation display of parasitic cowbirds, 473-504
- Selasphorus platycercus*, 621
scintilla, 408
- Sericotes holosericeus*, 61
- Serinus*, 530
canaria, 488
- Serventy, D. L., review by, 654
- Setophaga ruticilla*, 129, 421, 432, 500
- Sex ratio, 395
- Shearwater, Audubon's, 59
Christmas Island, 343-354
- Slender-billed, 51
- Wedge-tailed, 343-354
- Shelduck, Paradise, 370
- Sherman, Constance D., an old New York record for the White Pelican, 275
- Shrike, Loggerhead, 91, 129, 489, 495
- Sialia currucoides*, 624
sialis, 261
- Sibley, Charles G., treasurer's report for the period August 1, 1959-July 31, 1960, 239-241
- Sick, Helmut, Peregrine Falcon hunting bats while wintering in Brazil, 646-648
- Siskin, Pine, 625
Yellow-bellied, 421
- Sitta carolinensis*, 547, 623
pygmaea, 623
- Sittasomus griseicapillus*, 410
- Skylark, 50
- Slud, Paul, The birds of Finca "La Selva" Costa Rica; a tropical wet forest locality, (rev.), 283
- Smith, Barton L., see Spence, Matthew J., and —
- Snipe, Common, 47
Solitary, 52
- Snow, Barbara K., notes on the behavior of three cotingidae, 150-161
- Snyallaxis albescens*, 411
brachyura, 411
- Snyder, Dorothy E., first record of the Least Frigate-bird (*Fregata ariel*) in North America, 265
- Solitaire, Townsend's, 624
- Somateria mollissima*, 308, 314
mollissima v-nigra, 47, 260
spectabilis, 49
- South Carolina, 640
- Southern, William E., dichromatism in juvenal Yellow Warblers, 440
- Spadebill, Golden-crowned, 420
White-throated, 420
- Sparrow, Brewers, 626
Chipping, 626, 645
Clay-colored, 220-224
English, 167, 168, 530
Field, 69, 266, 643, 645
Green-backed, 637
House, 63-71, 128, 482, 487-491, 495, 641
- Lafresnaye's, 417
- Lark, 626
- Lincoln's, 626
- Rufous-collared, 417
- Sage, 626
- Savannah, 510, 516, 518, 522, 526, 614, 626
- Song, 69, 129, 148, 163, 220, 309, 324, 500, 516, 614, 626, 627, 631
- Swamp, 439
- Tree, 129, 516
- Vesper, 626
White-crowned, 129, 477-479, 489, 490, 517, 626, 627, 631
White-throated, 517, 518, 522, 526
- Spatula clypeata*, 47, 55, 314, 618
- Speed of flight, 313
- Spence, Matthew J., and Barton L. Smith, a subspecies of *Torreornis inexpectata* from Cuba, 95-97
- Sphyrapicus varius*, 261, 419
thyroideus, 621
- Spinetail, Pale-breasted, 399, 411
Red-faced, 398, 402, 411
Slaty, 411
- Spinus pinus*, 625
tristis, 530, 643
xanthogaster, 421

- Spizella, 631
 arborea, 129, 338, 516
 breweri, 626
 pallida, 220-224
 passerina, 626, 645
 pusilla, 266, 643
- Spoonbill, Roseate, 248
- Sporophila aurita, 417, 636, 638
 minuta, 421
 nigriceps, 637
- Squatarola squatarola, 50
- Starling, 129, 270, 489, 495, 624
 Red-winged, 129
- Steganopodes, 262
- Steganopus tricolor, 620
- Stelgidopteryx ruficollis, 413, 622, 636
- Stercorarius longicaudus, 181
 longicaudus pallidus, 48
 parasiticus, 48, 74, 181, 320
 pomarinus, 48, 55
- Sterna aleutica, 53
 dougalii, 60
 fuscata, 60, 423
 hirundo, 179
 hirundo longipes, 53
 paradisaea, 48, 320
- Stilt, Black-necked, 620
- Stingelin, Werner, Vergleichend morphologische Untersuchungen am Vorderhirn der Vögel auf cytologischer und cytoarchitektonischer Grundlage, (rev.), 284-286
- Stint, Long-toed, 48
 Temminck's, 50, 208
- Stoddard, Herbert L., see Odum, Eugene P., *et al.*
- Storer, Robert W., observations of pellet-casting by Horned and Pied-billed Grebes, 90-92
- Stork, Wood, 248
- Streptopelia, 375, 376
 decaocto, 375
 risoria, 375
- Stresemann, Erwin, and L. A. Portenko, Atlas der Verbreitung palaearktischer Vögel, (rev.), 103
- Strigidae, 399, 400, 407, 418
- Sturnella, 474, 488, 489
 magna, 421, 672
 neglecta, 434, 625, 672
- Sturnus vulgaris, 129, 270, 489, 624
- Sula, 262
 leucogaster, 59
 sula, 59
 sula sula, 573-594
 sula rubripes, 583, 585
 sula websteri, 583
- Sungrebe, 406
- Swallow, Bank, 53
 Barn, 53, 622
 Cliff, 622
 Mangrove, 420
 Rough-winged, 398, 399, 402, 413, 622, 636
 Tree, 622
 Violet-green, 622
- Swan, Mute, 434
 Trumpeter, 171, 370
 Whistling, 51, 310
 Whooper, 49, 310
- Swift, Chimney, 489, 495, 525
 White-throated, 621
- Sykes, Paul W., old record of Baikal Teal in North Carolina, 441
- Sylviidae, 399, 400, 414, 420
- Syndactyla subalaris, 411
- Synthliboramphus antiquum, 48, 321
- Tachycineta thalassina, 622
- Tachyphonus luctuosus, 421
 rufus, 417
- Tadornini, 369
- Tamura, Sakae, Birds of River Tama, (rev.), 655
- Tanager, Bay-headed, 416
 Blue-gray, 421, 636, 638
 Crimson-backed, 416
 Flame-colored, 421
 Golden-masked, 416, 638
 Hepatic, 426
 Palm, 421, 636, 638
 Plain-colored, 638
 Scarlet, 499, 517, 518, 526
 Scarlet-rumped, 421
 Silver-throated, 416
 Summer, 416, 518, 522, 526
 Western, 625
 White-lined, 398, 400, 417
 White-shouldered, 421
 Yellow-rumped, 421

- Tanagra elegantissima, 421
 fulvicrissa, 638
 imitans, 421
 laniirostris, 421
- Tangara guttata, 421
 gyrola, 416
 icterocephala, 416
 inornata, 638
 larvata, 416, 638
- Tangavius, 492
 aeneus, 473, 488, 502
- Tapera naevia, 418
- Taraba major, 419
- Tarsiger cyanurus, 54
- Tattler, Siberian, 48
 Wandering, 52, 319
- Tavolga, W. N., see Lanyon, W. E., and —
- Taxonomy, 36-40, 72, 88, 120, 205-209, 257, 299, 372-378, 466, 551, 562-565, 631, 668, 670-674
- Teal, Baikal, 51, 441
 Blue-winged, 418, 617, 618
 Brown, 36
 Chestnut-breasted, 36
 Cinnamon, 617
 Common, 47, 308, 313
 Falcated, 51
 Green-winged, 313, 617
- Telmatodytes palustris, 623
- Temperature regulation, 343-354
- Terathopius ecaudatus, 498
- Tern, Aleutian, 53
 Arctic, 48, 320
 Black, 620
 Caspian, 264
 Common, 53, 179
 Noddy, 424
 Roseate, 60
 Royal, 59, 264
 Sooty, 60, 423
- Texas, 258, 259, 272, 442, 639
- Thalasseus maximus, 59, 264
- Thamnophilus doliatus, 411
 punctatus, 419
- Thrasher, Brown, 487, 489
 Sage, 623
- Thraupidae, 399, 400, 416, 421, 636, 638
- Thraupis palmarum, 421, 636, 638
 virens, 421, 636, 638
- Thripadectes rufobrunneus, 419
- Thrush, Dusky, 53, 322
 Eye-browed, 53
 Hermit, 614, 623
 Olive-backed, 398, 414
 Wood, 129, 432, 595-606
- Thrush-Tanager, Rose-breasted, 400, 417
- Thryothorus fasciato-ventris, 637
 modestus, 413
- Tiaris bicolor, 61
 olivacea, 417
- Tinamidae, 257, 399, 400, 404
- Tinamisornis, 257
 intermedius, 257
 parvulus, 257
- Tinamou, Little, 404
- Tit, Great, 532, 536
- Tityra, Black-crowned, 412
 Masked, 398, 412
- Tityra, 160
 semifasciata, 412
- Terres, John K., The wonders I see, (rev.), 106
- Todirostrum cinereum, 420
- Tordoff, Harrison B., see Kendeigh, S. C., et al.
- Torreornis inexpectata, 95
 inexpectata inexpectata, 95-97
 INEXPECTATA SIGMANI, 95-97
- Totanus flavipes, 213
 totanus, 213
- Toucan, Chestnut-mandibled, 419, 637
 Keel-billed, 637
- Toucanet, Emerald, 402, 409
- Towhee, Green-tailed, 625
 Rufous-sided, 489, 530, 626
- Town, Ralph H., recovery of bird band from an owl pellet, 641
- Toxostoma rufum, 487, 489
- Trautman, Milton B., see Kendeigh, S. C., et al.
- Travis, James R., see Huey, William S., and —
- Treehunter, Streak-breasted, 419
- Tringa erythropus, 52
 glareola, 48, 319
 guttifer, 52
 nebularia, 52
- Trochilidae, 399, 400, 408, 418

- Troglodytes aedon, 623
 musculus, 413
 ochraceus, 420
 troglodytes kiskensis, 309, 322
 troglodytes pallidus, 49
 troglodytes tenebrosus, 322
- Troglodytidae, 399, 400, 413, 420
- Trogon, Bar-tailed, 419
 Black-throated, 409
 Slaty-tailed, 409
 Violaceous, 409
 White-tailed, 419, 637
- Trogon collaris, 419
 massena, 409
 rufus, 409
 strigilatus, 419
 violaceus, 409
 viridis, 637
- Trogonidae, 399, 400, 409, 419, 637
- Tropic-bird, Red-billed, 59
 White-tailed, 59
- Tubinares, 262
- Turček, F. J., review by, 286
- Turdidae, 399, 400, 414, 420, 636
- Turdus assimilis, 414
 grayi, 414, 636, 638
 merula, 129
 migratorius, 129, 261, 434, 487, 489,
 499, 623
 naumanni eunomus, 53
 obscurus, 53, 309, 322
 plebejus, 420
- Turkey, 138-144, 619, 645
 Merriam's, 139, 140
- Turnstone, 50
 Ruddy, 319
- Tyrannidae, 147, 399, 400, 402, 412, 420,
 636, 637
- Tyranniscus vilissimus, 413
- Tyrannulet, Beardless, 420
 Paltry, 413
 Yellow, 398, 402, 413
- Tyrannus melancholicus, 636
 tyrannus, 146, 220, 489
 vociferans, 621
- Tyto alba, 407
- Tytonidae, 399, 400, 407
- Udvardy, M. D. F., see Kendeigh, S. C.,
 et al.; review by, 655
- Uria aalge, 321
 aalge inornata, 48
 lomvia, 320
 lomvia arra, 48
- van Oordt, G. J., Vogeltrek, 4th edition,
 (rev.), 282
- Vaurie, Charles, list of and notes on
 the birds of Iles des Saintes, French
 West Indies, 57-62; see Pinchon, Pere
 R., and —
- Veery, Eastern, 518
- Venezuela, 93
- Venilornis fumigatus, 419
- Vermivora celata, 264, 624
 chrysoptera, 421
 peregrina, 263, 264, 518
 ruficapilla, 385
 virginiae, 624
- Verner, Jared, nesting activities of the
 Red-footed Booby in British Hon-
 duras, 573-594
- Vestiaria coccinea, 368
- Vireo, Bell's, 643
 Black-whiskered, 61
 Brown-capped, 95, 420
 Red-eyed, 499, 519, 523
 Solitary, 624
 Warbling, 624
 Yellow-green, 258
 Yellow-throated, 420
- Vireo altiloquus, 61
 bellii, 643
 flavifrons, 420
 flavoviridis, 259
 gilvus, 624
 leucophrys, 95, 420
 leucophrys strenuus, 95
 olivaceus, 499, 519, 523
 solitarius, 624
- Vireonidae, 399, 400, 414, 420
- Voice, 61, 98, 146, 152-160, 179, 180,
 183, 185, 187, 189-191, 196, 197, 201,
 205, 209, 211, 221, 265, 276, 277, 381,
 569, 595-606
- Volatinia jacarina, 637
- von Hartman, L., see Bergmann, G., et
 al.
- Vootus, K. H., Atlas of European birds,
 (rev.), 103

- Vulture, Black, 405
 Turkey, 434, 619
- Wagtail, Gray, 54
 White, 50, 323
 Yellow, 49, 323
- Walkinshaw, Lawrence H., the effect of parasitism by the Brown-headed Cowbird on *Empidonax Flycatchers* in Michigan, 266-268
- Walkinshaw, Lawrence H., and William A. Dyer, the Connecticut Warbler in Michigan, 379-388
- Warbler, Arctic, 54, 322
 Audubon's, 624
 Bay-breasted, 519
 Blackburnian, 421
 Black-cheeked, 421
 Blackpoll, 499
 Black-throated Green, 399, 401, 415, 427
 Black-and-White, 401, 415, 432
 Buff-rumped, 421
 Chestnut-sided, 401, 415
 Connecticut, 94, 379-388
 Golden, 61
 Golden-crowned, 415
 Golden-winged, 421
 Grace's, 551-566, 624
 Hooded, 519, 522, 526
 Icterine, 129
 Kentucky, 421
 Kirtland's, 162-166, 381
 Middendorff's Grasshopper, 54
 Mourning, 379, 383, 421
 Myrtle, 261, 489
 Nashville, 385
 Olive, 556
 Orange-crowned, 264, 624
 Palm, 61, 385
 Pileolated, 399, 415
 Plumbeous, 58, 61
 Prairie, 643, 645
 Prothonotary, 95
 Tennessee, 263, 415, 518, 523
 Tropical Parula, 415
 Virginia's, 624
 Wilson's, 625
 Worm-eating, 260
- Yellow, 421, 440, 499, 624
 Yellow-throated, 640
- Water requirement, 505-514
- Waterthrush, 381
 Louisiana, 421
 Northern, 123, 624
- Waxbill, Blue-breasted, 497
 Golden-breasted, 497
- Waxwing, Bohemian, 54
 Cedar, 271, 489
- Webster, J. Dan, see Phillips, Allan R., and —; a revision of Grace's Warbler, 554-566
- Weight, adrenal, 397-422
 birds, 269-271, 278, 311, 313, 315, 317-320, 322, 324, 385, 404-421, 438, 506, 509, 510, 512, 518, 525, 562, 590
 eggs, 586
 fat, 438, 518, 519, 525
 heart, 269, 438
 liver, 269
 nest, 385
 thyroid, 397-422
- West Indies, 92
- Westerskov, Kaj. Birds of Campbell Island, (rev.), 104
- Wheatear, 54
- Whimbrel, 50, 259, 260
- Willet, 620
- Williams, Gordon R., A treasury of New Zealand bird song, (rev.), 107
- Wilsonia citrina, 519, 522
 pusilla, 415, 625
- Wisconsin, 125-136
- Wolf, Larry L., see Land, Hugh C., and —; specimen of the Yellow-green Vireo from Texas, 258
- Wolfe, L. R., review by, 105; Cattle Egret in Mexico, 640; compiled index vol. 78
- Wolfson, Albert, review by, 443-445
- Wong, Herbert, Ducks, geese, and swans, a Sunset junior book, (rev.), 107
- Woodcock, 272
- Woodford, James, and D. H. Baldwin, first Blue Grosbeak collected in Ontario, 97
- Woodhewer, Barred, 419
 Buff-throated, 419

- Olivaceous, 410
Plain-brown, 419
Ruddy, 419
Spot-crowned, 400, 410
Spotted, 410
Wedge-billed, 402, 410
Woodpecker, Acorn, 419
Black-cheeked, 410, 637
Crimson-crested, 637
Downy, 261, 547
Golden-olive, 398, 399, 410
Great Spotted, 53
Hairy, 261, 410, 621
Ivory-billed, 248
Ladder-backed, 489
Lewis', 621
Lineated, 398, 410
Pale-billed, 419
Red-bellied, 261
Red-crowned, 398, 410
Red-headed, 261
Smoky-brown, 419
Wood Quail, Spotted, 405
Wood Rail, Gray-necked, 400, 405
Woodstar, Magenta-throated, 418
Wood Wren, Gray-breasted, 413
White-breasted, 420
Wray, David L., and Harry T. Davis,
revised by, Birds of North Carolina,
(rev.), 289
Wren, Black-bellied, 637
Cañon, 623
Gray-breasted Wood, 413
House, 442, 536, 623
Long-billed Marsh, 623
Ochraceous, 420
Plain, 413
Rock, 623
Song, 414
Southern House, 398, 413
White-breasted Wood, 420
Winter, 49, 309, 322, 324
Wren-warbler, Ashy, 435

Xanthocephalus xanthocephalus, 493,
625
Xema sabini subsp., 53
Xenops, Plain, 419
Xenops minutus, 419
Xenotriccus callizonus, 95
Xenus cinereus, 52
Xiphorhynchus erythropygius, 410
guttatus, 419

Yellowlegs, Lesser, 213
Yellowthroat, 379, 381, 432, 433, 614,
624

Zarhynchus wagleri, 415, 492, 638
Zenaida asiatica, 375
aurita, 60
Zenaidura, 512
macroura, 275, 488, 510, 620
Zonotrichia, 627-632
albicollis, 517, 518, 627
capensis, 417
leucophrys, 129, 489, 490, 517, 626-
628
leucophrys pugetensis, 627
Zusi, Richard L., review by, 101