

## INDEX TO VOLUME 82

Compiled by Jean W. Graber

(New generic, specific, and subspecific names are printed in **boldface** type.)

- Acanthis, 104  
Accipiter cooperii, 285  
gentilis, 284  
Acrocephalus arundinaceus orientalis, 241  
Aegolius acadicus, 652  
funereus magnus, 632  
f. richardsoni, 624, 632  
ridgwayi, 652  
Africa, 282–283, 465–466, 471–475  
Age,  
  *Falco peregrinus*, 67, 87–88  
  juvenile, 105  
  *Taeniopygia castanotis*, 50  
Agelaius phoeniceus, 288, 356, 371–372  
  tricolor, 371  
Aimophila botterii botterii, 459  
  b. petenica, 458–461  
  b. sartorii, 458, 461  
  **b. spadiconigrescens**, 458–461  
  b. vanynei, 459, 461  
  b. vulcanica, 459, 461  
Aitken, Thomas H. G., see Worth, C.  
  Brooke, and—  
Aix galericulata, 647  
Alabama, 20  
Alaska, 39, 66, 74, 103, 104, 194, 237–252,  
  270, 606, 624–635, 636  
Albatross, 596  
Alca torda, 333  
Alcasid, Godofredo L., *Terpsiphone atro-*  
  *caudata* on Mindoro, Philippines, 644  
Aldrich, John W., Obituary of May  
  Thacher Cooke, 685  
Amadon, Dean, review by, 299  
Amazilia candida, 449  
  *cyancephala*, 462  
  **c. chlorostephana**, 449–450  
  *c. guatemalensis*, 449–450  
American Ornithologists' Union,  
  Awards, 255  
  Committees, 1964–1965, 263–264  
Eighty-second Stated Meeting, 253–262  
Officers and trustees, 262–263  
Report of Committee on Bird Protec-  
tion, 1964, 477–491  
Report of Research Committee, 492  
Treasurer's report, 1963–1964, 265–267  
Anarhynchus frontalis, 15  
Anas acuta, 103, 104, 228, 625, 646, 647  
  *carolinensis*, 104, 646  
discors discors, 647  
  *flavirostris*, 98  
  *fulvigula*, 228  
  *f. maculosa*, 646  
  *georgica*, 98  
  *g. spinicauda*, 647  
  *platyrhynchos*, 228  
  *p. platyrhynchos*, 646  
  *p. poecilorhyncha*, 646  
  *platyrhynchos* X *acuta*, 646  
  *rubripes*, 232, 646  
  *specularis*, 98  
  *specularoides*, 98  
  *strepera*, 646  
Anatomy,  
  feathers, 155–160  
  hyoid, 142, 149, 153  
  leg muscles, 428–436  
  salivary glands, 139, 153  
  sesamoid bones, 427–437  
  tongue, 142, 153  
Anderson, Anders H., review by, 116–117  
Anderson, Ted R., Frog captures a fledg-  
ling Eastern Phoebe, 285–286  
Anous stolidus, 109, 227, 591  
Anser albifrons, 104  
  *anser rubrirostris*, 646  
  *cygnoides*, 646  
Anthropoides paradisea, 465, 467, 472,  
  473, 474  
Anthus spinolella, 199  
Ant-thrush, White-tailed, 283  
Aphelocoma, 150, 152, 566, 568  
  *coeruleiceps*, 152, 285, 580  
  *ultramarina*, 152  
Aphrastura spinicauda, 100  
Apus apus pekinensis, 624, 633  
  *pacificus pacificus*, 632  
Aquila chrysaetos, 87, 285  
Aracari, Curl-crested, 158

- Arbib, R. S., Jr., Obituary of John Jackson Elliott, 684
- Arenaria interpres, 508
- Arizona, 287-288, 537-590, 606
- Arkansas, 67
- Arrival dates,  
    *Agelaius phoeniceus*, 360  
    *Quiscalus quiscula*, 360
- Arundinicola leucocephala, 508, 509
- Asio flammeus galapagoensis, 592  
    otus, 653
- Asthenes anthoides, 100
- Attagis malouinus, 99  
    gayi, 99
- Aulacorhynchus caeruleogularis, 415
- Austing, Ronald, I went to the woods (rev.), 301-302
- Australia, 50, 106
- Aythya, 227-229, 232, 234  
    affinis, 103, 227  
    americana, 49, 103, 227, 280, 647  
    collaris, 227  
    ferina, 232  
    fuligula, 232, 647  
    marila, 103  
    m. marila, 647  
    valisineria, 103, 227
- Baffin Island, 337, 341, 351-352
- Bailey, Alfred M., Obituary of Stephen S. Gregory, 683-684
- Bailey, Alfred M., and J. H. Sorensen, Subantarctic Campbell Island (rev.), 659-660
- Baillie, J. L., obituary of Paul Hahn, 323-324
- Balearica pavonina, 465, 467, 472, 473, 474
- Banding, 103  
    returns, 71-72, 640-643
- Banko, Winston, review by, 662-664
- Banks, Richard C., Some information from Barn Owl pellets, 506; Geographic variation in the White-crowned Sparrow *Zonotrichia leucophrys* (rev.), 510-511
- Banks, Richard C., and Robert T. Orr, An unusual habitat for Purple Martins, 271-273
- Barbet, Prong-billed, 411
- Barbthroat, Band-tailed, 286
- Basileuterus melanogenys, 384
- Basilio, Aurelio, Aves de la Isla de Fernando Poo (rev.), 299
- Beer, C. G., Clutch size and incubation behavior in Black-billed Gulls (*Larus bulleri*), 1-18
- Behavior,  
    abandonment of eggs, 90-91  
    aggressive, 68-69  
    bathing, 64  
    colonial, 385-388  
    commensal nesting, 74, 104  
    courtship, 69-70, 76-77, 360  
    defensive, 385-388, 411-413  
    display, 288, 358-359  
    feeding, 139-154, 543-548, 639  
    flocking, 202  
    food storage, 145-153  
    imprinting (habitat), 49  
    interspecific, 362-366, 643  
    learning, 48-49  
    mimicry, 161, 186  
    nest sanitation, 200, 203  
    nestling, 413-415  
    nuptial feeding, 392  
    pairing, 67-68, 227-235  
    roosting, 74, 198-199, 203, 285  
    sinistral, 276  
    territorial, 64-68, 151, 198-199, 203, 274-275, 385-388, 651  
    wing-stretching (woodpecker), 503
- Berger, Daniel D., see Mueller, Helmut C., and—
- Berglund, B. E., K. Curry-Lindahl, H. Luther, V. Olsson, W. Rodke, and G. Sellerberg, Ecological studies on the Mute Swan (*Cygnus olor*) in south-eastern Sweden (rev.), 662-664
- Bernath, Ernesto L., Observations in southern Chile in the southern hemisphere autumn, 95-101
- Birds of Paradise, 155
- Blackbird, 404  
    European, 15  
    Red-winged, 288, 356-374  
    Rusty, 634  
    Tricolored, 371  
    Yellow-headed, 370
- Blake, Emmet R., review by, 516-518

- Bluebird, 455
- Blus, Lawrence J., Accidental destruction of Greater Prairie Chicken eggs, 651
- Bobolink, 649
- Bombycilla cedrorum*, 49, 155, 158, 159, 382, 423, 504
- garrulus*, 155, 423
- g. pallidiceps*, 624, 633
- Booby, Blue-faced, 102, 103
- Brown, 102, 103, 271, 508
- Masked, 102
- Red-footed, 102, 103
- Borror, Donald J., and William W. H. Gunn, Variation in White-throated Sparrow songs, 26-47
- Borut, Arieh, see Dawson, William R., *et al.*, 606-623
- Boulva, Jean, and Peter Browne, Le Conte's Sparrow breeding in Chicoutimi County, Province of Quebec, Canada, 644-645
- Brant, Black, 646
- Branta bernicla*, 333
- b. hrota*, 333
- canadensis*, 104
- c. maxima*, 646
- c. minima*, 646
- leucopsis*, 646
- nigricans*, 646
- ruficollis*, 646
- Brattstrom, Bayard H., see Des Lauriers, James R., and—
- Brazil, 507-508
- British Honduras, 451, 456-461
- British Isles, 343, 349, 352
- Brodkorb, Pierce, Catalogue of fossil birds (rev.), 657-658
- Brood patches, 14
- Brooks, Winthrop Sprague, obituary of, 684-685
- Browne, Peter, see Boulva, Jean, and—
- Brush, Alan H., The structure and pigmentation of the feather tips of the Scaled Cuckoo (*Lepidogrammus cuminii*), 155-160
- Bubo bubo*, 87
- virginianus*, 70, 100, 285
- Bubulcus ibis*, 502
- Bucephala albeola*, 103
- clangula americana*, 647
- islandica*, 103
- Budgerygah*, 619
- Bufflehead*, 103
- Bugeranus carunculatus*, 465, 467, 472, 473, 474
- Bull, John, Birds of the New York area (rev.), 511-513
- Bunting, McKay's, 634
- Painted, 497
- Snow, 634
- Bush-tit, Black-eared, 419
- Buteo jamaicensis*, 73, 285, 416
- j. ventralis*, 98
- lineatus*, 86
- polysoma*, 98
- Butorides virescens*, 74
- Cahalane, Victor H., see Clarke, C. H. D., *et al.*
- Cain, Arthur J., review by, 654-657
- California, 271, 506, 557, 606
- Campephilus magellanicus*, 100
- Campylorhynchus jocosus*, 270
- megalopterus*, 552
- rufinucha*, 208, 210, 211
- r. humilis*, 206-214
- r. nigricaudatus*, 206-214
- r. rufinucha*, 206
- Canada, 26-45, 49, 88, 92, 139, 228, 271, 276, 337, 343, 504, 644-645
- Canary, 48
- Canvasback, 103, 227-234
- Capella gallinago*, 104
- g. gallinago*, 624, 625
- Caracara plancus*, 98
- Carpodacus cassini*, 497
- mexicanus*, 195, 606
- purpureus*, 497
- Cassidix major*, 370
- mexicanus*, 268, 270, 370
- m. major*, 268
- palustris*, 268, 269
- Centurus*, 565
- carolinus*, 503
- hypopolioides*, 270
- Cephus columba*, 624, 632
- grylle*, 333, 340
- g. mandti*, 333, 340

- Charadrius bicinctus, 15  
dubius curonicus, 15  
falklandicus, 99  
hiaticula, 15  
mongolus, 624, 625  
m. stegmanni, 625  
obscurus, 15  
vociferus, 506
- Chen caerulescens, 646  
hyperborea hyperborea, 646
- Cheng, Tso-Hsin, ed., China's economic fauna: birds (rev.), 294-295
- Cheng, Tso-Hsin [Systematic keys to the birds of China] (rev.), 295
- Chickadee, Boreal, 151  
Mexican, 552
- Chicken, 245, 500
- Chile, 95
- Chloephaga picta, 97
- Chloropholonia callophrys, 414
- Chlorophonia, Golden-browed or Turquoise-naped, 414
- Chordeiles acutipennis, 107  
minor, 504
- Cinclodes fuscus, 100  
patagonicus, 100
- Cinnyris chloropygius, 283  
c. orphogaster, 283
- Circaetus fasciolatus, 282
- Circus [cyaneus] cinereus, 98
- Cirrocephala, 1
- Clangula hyemalis, 647
- Clarke, C. H. D., Ira N. Gabrielson, Brina Kessel, William B. Robertson, Jr., George J. Wallace, and Victor H. Cahalane, Report of the Committee on Bird Protection, 1964, 477-491
- Clutch size,  
*Agelaius phoeniceus*, 360  
*Larus bulleri*, 2  
*Leucosticte tephrocotis*, 196-198, 203  
*Quiscalus quiscula*, 360  
*Rissa brevirostris*, 630  
*Rissa tridactyla*, 630
- Cobb, Stanley, Obituary of Winthrop Sprague Brooks, 684-685
- Cockatiel, 106, 108
- Colaptes, 142  
auratus, 64  
a. luteus, 633
- cafer, 544
- Collias, Elsie C., see Collias, Nicholas E., and—
- Collias, Nicholas E., and Elsie C. Collias, Evolution of nest-building in the weaverbirds (Ploceidae) (rev.), 515-516
- Collins, Charles T., see ffrench, Richard, and—
- Colorado, 284
- Columba livia*, 276, 284, 620
- Connecticut, 80, 500
- Contopus cinereus*, 452
- Conuropsis carolinensis*, 215  
c. interior, 220
- Cooch, F. G., An example of sinistrism in Red Phalaropes (*Phalaropus fulicarius*), 276-277
- Cooke, May Thacher, obituary of, 685
- Coot, 230  
American, 501
- Cormorant, 639
- Corvus brachyrhynchos*, 72  
corax, 624, 633
- Coscoroba coscoroba, 97
- Costa Rica, 375, 376, 425, 456, 461
- Cotinga amabilis, 409  
ridgwayi, 381
- Cotinga, Lovely, 409  
Turquoise, 381
- Cowbird, Bronzed, 101  
Brown-headed, 288, 504-505  
Shiny, 508-509
- Crane, Crowned, 465, 466, 471, 476  
European, 465-476  
Sandhill, 465-476, 640-643  
Sarus, 465  
Stanley, 465-476
- Wattled, 465-476
- White-naped, 465, 472
- Whooping, 465-475
- Creagrus furcatus*, 591
- Crocethia alba*, 493, 508
- Crossbill, Red, 606-623  
White-winged, 634
- Crossin, Richard S., The history and breeding status of the Song Sparrow near Tucson, Arizona, 287-288
- Crow, 72, 152
- Cuba, 19, 20

- Cuckoo, Scaled, 155–160
- Cunningham, Richard L., Predation on birds by the Cattle Egret, 502–503
- Curlew, Eskimo, 493–496, 686
- Least, 496
  - Long-billed, 494
- Curry-Lindahl K., see Berglund, B. E., *et al.*
- Cyanocitta cristata*, 64, 150, 184, 285
- stelleri*, 139, 285, 552
  - s. purpurea*, 585
- Cygnus melancoryphus*, 97, 98
- olor*, 646
- Davis, John, Natural history, variation, and distribution of the Strickland's Woodpecker, 537–590
- Dawson, William R., Evaporative water losses of some Australian parrots, 106–108
- Dawson, William R., Vaughan H. Shemaker, Harrison B. Tordoff, and Arieh Borut, Observations on metabolism of sodium chloride in the Red Crossbill, 606–623
- DDT, 91
- Dendrocospos arizonae*, 537–587
- a. arizonae*, 568
  - a. fraterculus*, 538, 568, 575, 582–585
  - arizonae* × *stricklandi*, 574
  - borealis*, 559, 560, 565, 567
  - nuttallii*, 557, 559, 560, 565, 567, 569
  - pubescens*, 557, 580
  - p. turati*, 557
  - scalaris*, 547–554, 556, 557, 565, 569, 573, 574, 581, 582
  - s. cactophilus*, 567
  - s. centrophilus*, 567
  - s. sympectus*, 567
  - stricklandi*, 537–587
  - s. aztecus*, 538, 572, 585, 586
  - s. stricklandi*, 586
  - s. websteri*, 538, 582, 583, 587
  - villusus*, 545, 547–557, 565, 573, 574, 580–582
  - v. icastus*, 548, 565, 567
  - v. jardini*, 567
  - v. leucothorectis*, 567
- Dendrocygna arborea*, 646
- autumnalis fulgens*, 646
  - bicolor helva*, 646
- Dendroica caerulescens*, 497
- coronata*, 502
  - c. hooveri*, 624–625, 634
  - pensylvanica*, 279
  - petechia*, 274
  - striata*, 502
- de Schauensee, R. Meyer, The birds of Colombia and adjacent areas of South and Central America (rev.), 516–518
- Des Lauriers, James R., and Bayard H. Brattstrom, Cooperative feeding behavior in Red-breasted Mergansers, 639
- Dickcissel, 278–279, 650
- Dickerman, Robert W., The juvenal plumage and distribution of *Cassidix palustris* (Swainson), 268–270
- Digestion, in *Passerculus sandwichensis*, 281
- Diglossa plumbea*, 377
- Dillery, Dean G., Post-mortem digestion of stomach contents in the Savannah Sparrow, 281
- Diomedea irrorata*, 596
- melanophris*, 96
- Doerr, Phillip D., and James H. Ender- son, An index of abundance of the Goshawk in Colorado in winter, 284–285
- Dolichonyx oryzivorus*, 649
- Dotterel, Banded, 15
- New Zealand, 15
- Dove, Mourning, 74, 108, 618, 619, 621
- Rock, 75, 284, 620
- Dow, Douglas D., The role of saliva in food storage by the Gray Jay, 139–154
- Dowitcher, Long-billed, 626
- Short-billed, 626
- Duck, Black, 232, 646
- Black-bellied Tree, 646
  - Cuban Tree, 646
  - Fulvous Tree, 646
  - Harlequin, 647
  - Indian Spotbill, 646
  - Mandarin, 647
  - Mottled, 228, 231, 232, 646

- Ring-necked, 227–234  
Ruddy, 647  
Tufted, 232, 647  
Dunlin, 104
- Eagle, 50, 87  
Bald, 73, 84, 85, 87, 636–638  
Bateleur, 87  
Golden, 87, 285
- Ecology,  
Dendrocopos arizonae, 540–548  
Haliaeetus leucocephalus, 636–637  
Ptilogonyx caudatus, 379–380
- Edge, Rosalie Barrow, obituary of, 325–326
- Eggs,  
Molothrus bonariensis, 509  
Ptilogonyx caudatus, 395
- Egret, Cattle, 502–503
- Eider, Common, 104  
Spectacled, 647
- Eisenmann, E., The use of the terms “juvenile” and “juvenile,” 105; reviews by, 111–112, 296, 296–297, 297–298
- Eisentraut, Martin, Die Wirbeltiere des Kamerungebirges (rev.), 665–666
- El Salvador, 456
- Elaenia flavogaster, 409, 452  
frantzii, 388
- Elliott, John Jackson, Jr., obituary of, 684
- Emlen, John T., Report of Research Committee for 1963–64, 492
- Empidonax traillii, 49
- Enderson, James H., see Doerr, Phillip D., and—
- Endomychura craveri, 271, 506  
hypoleuca, 506
- Ereunetes mauri, 104, 624, 626
- Ergaticus ruber, 552
- Erolia alpina, 104  
melanotos, 104
- Erythrosoma, 640
- Etchécopar, R. D., and François Hüe, Les oiseaux du nord de l'Afrique de la Mer Rouge aux Canaries (rev.), 293–294
- Euphagus carolinus carolinus, 634
- Falco columbarius, 270  
mexicanus, 85  
peregrinus, 62, 104  
p. anatum, 67, 68, 83  
p. pealei, 68, 83  
rusticulus, 104  
sparverius, 75, 98, 270  
s. **nicaraguensis**, 441, 442–448  
s. sparverius, 443–446, 448  
s. tropicalis, 441–448  
tinnunculus, 89
- Falcon, 216  
Peregrine, 62–94, 104  
Prairie, 85
- Farner, Donald S., see King, James R., et al.
- Fecal sacs, 200, 203
- ffrench, Richard, and Charles T. Collins, Royal and Cayenne terns breeding in Trinidad, West Indies, 277
- Ficken, Millicent S., and Robert W. Ficken, Territorial display as a population-regulating mechanism in the Yellow Warbler, 274–275
- Ficken, Robert W., see Ficken, Millicent S., and—
- Finch, cardueline, 616, 618  
Cassin's, 497  
Gray-crowned Rosy, 190  
House, 195, 199, 606, 618–620  
Purple, 497  
rosy, 190–205  
Zebra, 48–61, 619
- Fischer, Richard B., review by, 301–302
- Fledgling period,  
Agelaius phoeniceus, 360  
Falco peregrinus, 82–83  
Leucosticte tephrocotis, 201–202  
Ptilogonyx caudatus, 413–415  
Puffinus lherminieri, 594  
Quiscalus quiscula, 360  
Taeniopygia castanotis, 50
- Flicker, 64, 73, 74, 92, 142  
Red-shafted, 544  
Yellow-shafted, 633
- Flight speed, of Columba livia, 72
- Florida, 19–21, 91, 102–103, 163–188, 500
- Flower-piercer, 377
- Fluvicola pica, 508, 509

- Flycatcher, Black Paradise, 644  
 Boat-billed, 415  
 Fork-tailed, 452  
 Traill's, 49  
 Vermilion, 452, 453
- Food,  
*Agelaius phoeniceus*, 362  
*Anthropoides paradisea*, 466  
*Balearica pavonina*, 466  
*Dendrocopos arizonae*, 544  
*Falco peregrinus*, 74–76  
*Falco rusticolus*, 104  
*Grus americana*, 466  
*Grus canadensis*, 466  
*Grus grus*, 466  
*Larus delawarensis*, 504  
*Leucosticte tephrocotis*, 201  
*Passerculus sandwichensis*, 281  
*Perisoreus canadensis*, 150–152  
*Phainoptila melanocephala*, 421–422  
*Ptilogonyx caudatus*, 380–381  
*Ptilogonyx cinereus*, 419  
*Quiscalus quiscula*, 362  
*Tyto alba*, 506
- Food boli, of Gray Jay, 143–144, 146, 153
- Foster, Mercedes, An early reference to the technique of owl calling, 651–653
- France, 343, 347, 352
- Franz Joseph Land, 338, 343, 352
- Fratercula arctica arctica, 333  
 a. *grabae*, 333  
 a. *naumanni*, 333
- Fregata magnificens*, 271, 508
- Friedmann, Herbert, review by, 515–516
- Frigatebird, Magnificent, 271, 508
- Frohling, Robert C., see Jehl, Joseph R., Jr., and—
- Fulica americana*, 501  
 leucoptera, 98
- Fulmar, 327–355
- Fulmarus auduboni*, 351  
*glacialis*, 327–355  
 g. *auduboni*, 352, 354, 686  
 g. *glacialis*, 328, 351, 352, 354  
 g. *minor*, 327, 345, 351
- Gabrielson, Ira N., see Clarke, C. H. D., et al.
- Gadwall, 646
- Galapagos, 591
- Gallinago paraguaiae*, 99
- Gallus domesticus*, 245, 500  
 gallus, 76  
 sonneratii, 155, 158
- Gannet, 350
- Garrulus glandarius*, 150
- Georgia, 67
- Geositta antarctica*, 100  
 cunicularia, 100
- Geothlypis speciosa*, 268
- Glaucidium gnoma*, 652
- Godfrey, W. Earl, The gender of the fringillid genus *Pinicola*, 273; review by, 510–511
- Godwit, Bar-tailed, 626
- Goetz, Christian J., obituary of, 685
- Goldeneye, Barrows, 103  
 Common, 647
- Goose, Barnacle, 646  
 Blue, 646  
 "Cackling," 646  
 Canada, 104, 646  
 Emperor, 646  
 Greylag, 646  
 lesser Snow, 646  
 Red-breasted, 646  
 Swan, 646  
 White-fronted, 104
- Goshawk, 284
- Grackle, Boat-tailed, 268, 370  
 Common, 74, 356–374  
 Great-tailed, 370  
 Marsh, 268  
 Slender-billed, 268
- Great Britain, 66
- Grebe, Eared, 648  
 Horned, 648–649
- Greenland, 334–353
- Gregory, Stephen S., Jr., obituary of, 683–684
- Griscom, Ludlow, memorial to, 598–605
- Gromme, Owen J., Birds of Wisconsin (rev.), 298–299
- Grosbeak, Pine, 273, 275, 634  
 Rose-breasted, 48
- Grouse, 427
- Gruiformes, 427
- Grus americana*, 465, 467, 474  
 antigone, 465

- canadensis, 465, 467, 474  
c. canadensis, 640-641  
c. canadensis  $\times$  c. tabida, 640  
c. tabida, 640-641  
grus, 465, 474  
vipro, 465, 474
- Guano (caloric value), 278-279
- Guatemala, 206, 286, 418-419, 442-461
- Guillemot, Black, 340  
Pigeon, 624, 632
- Gull, Black-billed, 1-18, 627  
Black-headed, 1, 4-16  
Brown-hooded, 1  
Fork-tailed, 591, 597
- Franklin's, 1  
Glaucous, 498, 499, 624, 626  
Glaucous-winged, 624, 626  
Great Black-backed, 499
- Hartlaub's, 1  
Herring, 6, 498, 499, 504, 627
- Iceland, 498
- Mew, 104
- Red-billed, 1, 15
- Ring-billed, 504
- Ross', 631
- Sabine's, 104, 649
- Thayer's, 499
- Western, 271
- Gunn, William W. H., see Borror, Donald J., and—
- Gyrfalcon, 104-105, 202
- Haematopus leucopodus, 99  
ostalegus, 9  
o. finschi, 15  
o. occidentalis, 15  
pallatus, 508
- Hahn, Paul, obituary of, 323-324
- Haliaeetus leucocephalus, 73, 636
- Hall, George A., Flame-colored Tanager parasitized by Bronzed Cowbird, 101
- Harrier-eagle, Banded, 282
- Harris, Bruce K., More specimen records of birds unusual in New Mexico, 648-650
- Haverschmidt, F., The Black-tailed Godwit (rev.), 112; Variations in plumage of male and female Pipra
- aureola, 502; *Molothrus bonariensis* parasitizing *Fluvicola pica* and *Arundinicola leucocephala* in Surinam, 508-509
- Hawk, 50, 72, 415, 416  
Cooper's, 285
- Pigeon, 270  
Red-shouldered, 86  
Red-tailed, 73, 85, 285, 416  
Sparrow, 75, 270
- Heimerdinger, Mary A., reviews by, 115-116, 292-293
- Hensel, Richard J., see Troyer, Willard A., and—
- Herbert, Kathleen Green Skelton, see Herbert, Richard A., and—
- Herbert, Richard A., and Kathleen Green Skelton Herbert, Behavior of Peregrine Falcons in the New York City region, 62-94
- Heron, Green, 74  
Yellow-crowned Night, 649
- Histrionicus histrionicus, 647
- Homing, 49, 50
- Hon, Will, Bird study in the mid-south (rev.), 115-116
- Honduras, 438-459
- Hosts, of Shiny Cowbird, 508-509
- Howard, H., Obituary of Laurence Markham Huey, 323; Obituary of Egmont Z. Rett, 686
- Howell, Thomas R., review by, 289-292; New subspecies of birds from the lowland pine savanna of northeastern Nicaragua, 438-464
- Hudson, George E., Sy Ying Chen Wang, and Ernest E. Provost, Ontogeny of the supernumerary sesamoids in the leg muscles of the Ring-necked Pheasant, 427-437
- Hüe, François, see Etchécopar, R. D., and—
- Huey, Laurence Markham, obituary of, 323
- Huey, William S., Sight records of color-marked Sandhill Cranes, 640-643
- Hummingbird, 216, 377  
Calliope, 650  
Rufous, 286

- Hybridization,  
 Cranes, 640  
 Gulls, 498–500  
 Wrens, 206–214  
 Woodpeckers, 574  
*Hydrobates pelagicus*, 333  
*Hydrocoloeus*, 1  
*Hylocichla*, 166  
 minima minima, 109  
*Hyperphagia*, 245, 278  
*Hypocolius*, 375, 422, 423, 425
- Ice!and**, 342–352  
*Icterus galbula*, 49  
**Illinois**, 228–233, 278, 503  
**Incubation**, 1–18, 80–82, 395–401, 630  
 length of, 50, 401, 594–595  
**Iowa**, 215, 221–222, 228–233  
**Irving**, Laurence, *Falco sparverius* in  
 western arctic Alaska, 270
- Jaeger**, Long-tailed, 19–24, 104  
 Parasitic, 19–24  
 Pomarine, 19–24  
**Jan Mayen**, 339–353  
**Jay**, Blue, 64, 73, 74, 92, 150, 152, 184,  
 285  
 Brown, 415, 416, 421  
 European, 150, 152  
 Florida, 580  
 Gray, 74, 139–154  
 Mexican, 152  
 Scrub, 152, 285, 580  
 Siberian, 151  
 Steller's, 139, 145, 150, 152, 285, 552,  
 585  
**Jehl**, Joseph R., Jr., and Robert C. Froh-  
 ling, Two probable hybrid gulls from  
 New Jersey, 498–500  
**Johnson**, Richard E., Reproductive activi-  
 ties of rosy finches, with special  
 reference to Montana, 190–205  
**Johnston**, Richard F., review by, 113–114  
**Junco**, 567, 568  
**Jungle Fowl**, Gray, 155  
 juvenal *vs.* juvenile, 105  
 Kansas, 163–188, 285  
**Kenyon**, Karl W., and Richard E. Phillips,  
 Birds from the Pribilof Islands and  
 vicinity, 624–635  
**Kessel**, Brina, see Clarke, C. H. D., *et al.*  
**Kestrel**, 89  
**Kiff**, Lloyd F., see Land, Hugh C., and—  
**Killdeer**, 506  
**King**, James R., Donald S. Farner, and  
 Martin L. Morton, The lipid reserves  
 of White-crowned Sparrows on the  
 breeding ground in central Alaska,  
 236–252  
**Kingbird**, Eastern, 49  
 Tropical, 381, 452  
**Kittiwake**, Black-legged, 349, 404, 627–  
 631  
 Red-legged, 627–631  
**Koepcke**, Hans-W., and Maria Koepcke,  
 Las aves silvestres de importancia  
 económica del Perú (rev.), 111–112  
**Koepcke**, Maria, Las aves del Departamen-  
 to de Lima (rev.), 296–297; see  
 Koepcke, Hans-W., and—  
**Kramer**, H., see Niethammer, G., *et al.*  
**Kridler**, Eugene, Records, obtained while  
 banding, of birds unusual in south-  
 eastern Oregon, 496–497
- Lagopus**, 104  
 leucurus, 195  
**Lampronetta fischeri**, 647  
**Land**, Hugh C., and Lloyd F. Kiff, The  
 Band-tailed Barbthroat, *Threnetes*  
*ruckeri* (*Trochilidae*), in Guatemala,  
 286  
**Lanius ludovicianus**, 107  
**Larus**, 1, 348  
 argentatus, 6, 498–500, 504, 627  
 a. argentatus, 333  
 a. omissus, 333  
 a. smithsonianus, 333  
 a. thayeri, 627  
 a. vega, 627  
 bulleri, 1–18  
 canus, 104  
 c. canus, 333  
 delawarensis, 504  
 dominicanus, 99

- fucus, 333  
*glaucescens*, 499, 624–627  
*glaucescens* × *argentatus*, 627  
*glaucoides*, 333, 498  
*g. thayeri*, 333  
*hyperboreus*, 333, 498–500, 624, 626  
*kumlieni*, 333  
*maculipennis*, 1, 100, 686  
*marinus*, 333, 479  
*novaehollandiae hartlaubi*, 1  
*n. scopulinus*, 1  
*occidentalis*, 271  
*pixixcan*, 1  
*ridibundus*, 1, 2, 100, 624, 627  
*r. sibiricus*, 627  
*thayeri*, 498–500
- Leão, Aristides P. A., see Sick, Helmut, and—
- Leopold, N. F., Checklist of birds of Puerto Rico and the Virgin Islands (rev.), 297–298
- Lepidogrammus, 158  
  *cumingi*, 155, 157, 159
- Leucophaeus scoresbii, 99
- Leucosticte arctoa, 190  
  *atrata*, 190, 195, 196, 198, 202  
  *australis*, 190, 194, 196  
  *tephrocotis dawsoni*, 190, 194–196, 199, 200  
  *t. griseonucha*, 190, 194–197  
  *t. littoralis*, 190, 194–202  
  *t. tephrocotis*, 190–193, 196–197, 199, 203  
  *t. umbrina*, 190, 194, 197  
  *t. wallowa*, 190
- Life history,  
  *Agelaius phoeniceus*, 359–362  
  *Falco peregrinus*, 62–94  
  *Leucosticte tephrocotis*, 190–203  
  *Phainoptila melanoxantha*, 420–422  
  *Ptilogonyx caudatus*, 375–418  
  *Ptilogonyx cinereus*, 418–420  
  *Puffinus lherminieri*, 592–595  
  *Quiscalus quiscula*, 359–362  
  *Rissa brevirostris*, 630  
  *Rissa tridactyla*, 630  
  *Zonotrichia leucophrys*, 237
- Limnodromus griseus*, 626  
  *g. caurinus*, 626  
  *scolopaceus*, 626
- Limosa lapponica baueri*, 626  
*Lipaagus unirufus*, 415  
*Lobipes lobatus*, 104, 496  
*Loomelanina melania*, 506  
*Lophodytes cucullatus*, 647  
*Lophortyx californicus*, 107, 108, 618  
*Louisiana*, 19–21, 102, 228–233, 500  
Løvenskiold, H. L., Avifauna Svalbarden-sis (rev.), 660
- Lowe, Charles H., ed., The vertebrates of Arizona (rev.), 116–117
- Loxia curvirostra*, 606  
  *c. sitkensis*, 606  
*leucoptera leucoptera*, 634
- Lumb, J. W., see McLeod, W. M., et al.
- Lunk, William A., review by, 298–299
- Luther, H., see Berglund, B. E., et al.
- Lymnocryptes minimus*, 626
- Macronectes giganteus*, 96  
*Magpie*, 152, 216  
*Maine*, 27–45
- Mallard*, 228, 231, 232, 234, 646
- Manacus aurantiacus*, 398  
  *manacus*, 502
- Manakin*, 398  
  *Crimson-hooded*, 502  
  *Golden-headed*, 502
- Mareca americana*, 103, 647  
  *sibilatrix*, 98
- Margarops fuscatus*, 643
- Marsh-tyrant*, White-headed, 509
- Martin*, Purple, 271–273, 633
- Maryland*, 285
- Maslowski, Karl H., Obituary of Christian J. Goetz, 685
- Mason, C. Russell, and William B. Robertson, Jr., Noddy Tern in Massachusetts, 109
- Massachusetts, 27–41, 68–88, 109, 606
- Mayr, Ernst, review by, 299; Animal species and evolution (rev.), 654–657
- Mayr, Ernst, and Raymond A. Paynter, Jr. (eds.), Check-list of birds of the world A continuation of the work of James L. Peters. Vol. X (rev.), 513–515
- McKinley, Daniel, The Carolina Parakeet in the upper Missouri and Mississippi

- River valleys, 215–226; review by, 300–301
- McLeod, W. M., D. M. Trotter, and J. W. Lumb, Avian anatomy (rev.), 664–665
- Meanley, Brooke, see Wetherbee, David Kenneth, and—
- Measurements of birds,
- Campylorhynchus rufinucha, 211
  - Dendrocopos spp., 557–565, 581–582
  - Falco sparverius, 441, 447
  - Larus, hybrids, 499
  - Piranga flava, 441, 456
  - Phasianus colchicus (sesamoid bones), 432
  - Pyrocephalus rubinus, 441, 451
  - Sialia sialis, 441, 454
- Measurements of eggs,
- Molothrus bonariensis, 509
  - Ptilogonyx caudatus, 395
- Megarhynchus pitangua, 415
- Melanerpes erythrocephalus, 74
- formicivorus, 544
  - f. formicivorus, 546
- Melanitta deglandi, 103
- Meleagris gallopavo, 427
- Melopsittacus undulatus, 619
- Melospiza melodia, 194, 268, 287–288, 371
- m. azteca, 269
  - m. cooperi, 619
  - m. fallax, 287
  - m. fisherella, 287
  - m. juddi, 287
  - m. merrilli, 287
  - m. montana, 287
  - m. rufina, 287
  - m. saltonis, 287
  - m. villai, 269
- Mengel, Robert M., Notes and news, 135–138, 319–321, 536, 681–682; Alden Holmes Miller (1906–1965), 687
- Merganser, Common, 647
- Hooded, 647
  - Red-breasted, 104, 639, 647, 649
- Mergus merganser americanus, 647
- serrator, 104, 333, 639, 649
  - s. serrator, 647
- metabolism, lipid, 236–252, 278
- salt, 606–623
  - water, 106–108
- Mexico, 19, 20, 24, 206–214, 268, 418–419, 442, 448, 451, 459–461, 537–587, 639
- Michigan, 27, 40–41, 228, 231, 465–469, 606
- Microsittace ferruginea, 100
- Middleton, A. L. A., and D. M. Scott, Testicular response to an increased photoperiod in the Brown-headed Cowbird, 504–506
- Migration, 22–23, 45, 238
- Millar, John B., An upland Redhead nest, 280
- Miller, Alden H., notice of death, 687
- Milvago chimango, 98
- Mimocichla plumbea, 643
- Mimus nebouxi, 101
- patagonicus, 100
  - polyglottos, 107, 161
  - thenca, 101
- Minnesota, 27–41, 215, 645
- Mississippi, 21
- Missouri, 220, 231, 233, 275
- Mockingbird, 161–189
- Molothrus ater, 288, 504
- bonariensis, 508
  - b. minimus, 508
- Molt, 70, 237, 238, 244, 278
- Monroe, Burt L., Jr., On the nomenclatural status of the generic name Myioborus, 640
- Montana, 190, 215
- Morton, Martin L., see King, James R., et al.
- Morus bassanus, 333
- Motacilla flava, 49
- Mueller, Helmut C., and Daniel D. Berger, Ring-billed Gulls feed on flying ants, 504
- Mumford, Russell E., see Zimmerman, Dale A., and—
- Murphy, Grace E. B., see Murphy, Robert C., and—
- Murphy, Robert C., and Grace E. B. Murphy, Obituary of Loke Wan Tho, 322–323
- Murre, Common, 624, 632
- Thick-billed, 335
- Murrelet, Craveri's, 271, 506
- Xantus', 506
- Muscisaxicola macloviana, 100

- Muscivora tyrannus, 452  
Mutton-bird, 595  
*Myadestes townsendi*, 275  
  *t. townsendi*, 275  
*Myioborus*, 640
- Nebraska, 215, 217–221, 650, 651  
*Neocossyphus poensis*, 283  
  *p. praepectoralis*, 283  
*Neophema bourkii*, 106, 107  
  *petrophila*, 106, 107  
Nest sites,  
  *Dendrocopos arizonae*, 545  
  *Falco peregrinus*, 78–80  
  *Haliaeetus leucocephalus*, 637–638  
  *Leucosticte tephrocotis*, 191–195  
  *Margarops fuscatus*, 643  
  *Mimocichla plumbea*, 643  
  *Progne subis*, 271–272  
  *Ptilogonyx caudatus*, 388–389, 393–394  
  *Puffinus lherminieri*, 592  
  *Sterna eurygnatha*, 507  
  *Sterna hirundinacea*, 507
- Nesting,  
  *Agelaius phoeniceus*, 361  
  *Falco peregrinus*, 80  
  *Haliaeetus leucocephalus*, 636–638  
  *Larus bulleri*, 11–14  
  *Larus ridibundus*, 11–14  
  *Leucosticte tephrocotis*, 195  
  *Melospiza melodia*, 288  
  *Ptilogonyx caudatus*, 389–393  
  *Ptilogonyx cinereus*, 419–420  
  *Puffinus lherminieri*, 592–595  
  *Quiscalus quiscula*, 361  
  *Taeniopygia castanotis*, 48–61  
  *Tympanuchus cupido*, 651
- Nesting dates,  
  *Leucosticte tephrocotis*, 195  
  *Ptilogonyx caudatus*, 384–385  
  *Rissa brevirostris*, 630  
  *Rissa tridactyla*, 630
- Nesting success,  
  *Falco peregrinus*, 87–90  
  *Haliaeetus leucocephalus*, 638  
  *Ptilogonyx caudatus*, 415–417  
  *Puffinus lherminieri*, 596
- Netherlands Antilles, 277  
*Netta peposaca*, 647  
  *rufina*, 647
- New Jersey, 62, 498  
New Mexico, 537, 541, 545, 548, 580, 586,  
  640–642, 648–650  
New York, 27–42, 62, 71, 89, 274, 606  
New Zealand, 1, 15  
Newman, Robert J., Treasurer's report  
  for the period August 1, 1963, to July  
  31, 1964, 265–267
- Nicaragua, 438–464  
Nicholson, Donald John, obituary of,  
  324–325
- Niethammer, G., H. Kramer, and H.  
  E. Wolters, Die Vögel Deutschlands  
  (rev.), 299
- Nighthawk, 504  
North Carolina, 27–42  
North Dakota, 215, 216  
Norway, 334, 339, 343, 347, 352  
*Notiopsis curaeus*, 101  
*Nucifraga columbiana*, 202  
*Numenius americanus*, 494  
  *borealis*, 493–495, 686  
  *minutus*, 496  
  *phaeopus*, 493–495  
  *p. hudsonicus*, 99
- Nutcracker, Clark's, 202  
*Nyctanassa violacea*, 649  
*Nycticorax nycticorax*, 96  
*Nymphicus hollandicus*, 106, 107
- Oceanodroma castro, 592  
  *furcata*, 625  
  *leucorrhoea*, 506  
  *I. leucorrhoea*, 333
- Ohio, 27–45  
*Oidemia nigra nigra*, 647  
Oldsquaw, 647  
Olrog, C. C., Lista y distribución de las  
  aves Argentinas (rev.), 296  
Olsson, V., see Berglund, B. E., et al.  
Oregon, 496–497  
*Oreortyx pictus*, 427  
*Oriole, Baltimore*, 49  
Orr, Robert T., see Banks, Richard C.,  
  and—  
Osprey, 85  
*Otus asio*, 107, 108, 652  
  *flammeolus*, 652  
  *flammeus*, 652  
  *trichopsis*, 651

- Ovenbird, 497, 649
- Owl, 216, 595
  - Barn, 76, 89, 506, 652–653
  - Barred, 89, 652
  - Boreal, 632
  - Costa Rican Saw-whet, 652
  - Eagle, 87
  - Flammulated, 652
  - Galapagos, 592
  - Great Horned, 70, 85, 86, 91, 285, 651–652
  - Pygmy, 652
  - Saw-whet, 652
  - Screech, 108, 652
  - Short-eared, 652–653
  - Spotted, 651–652
  - Striped Horned, 652
  - Whiskered, 651
- Oxyura jamaicensis ferruginea, 98
  - j. rubida, 647
- Oystercatcher, 9, 508
  - South Island, 15
- Packard, Fred M., Obituary of Rosalie Barrow Edge, 325–326
- Pagophila eburnea, 333
- Palmer, Ralph S., reviews by, 112, 660
- Panama, 278, 457
- Pandion haliaetus, 85
- Parakeet, Carolina, 215–226
- Parasitism,
  - ecto-, 104–105
  - endo-, 72, 631
  - social, 101, 227–233, 509
- Parkes, Kenneth C., editor of reviews, 110–117, 289–302, 510–518, 654–666; reviews by, 110–111, 114–115, 300, 511–513
- Parrot, 87, 106–108, 276, 382
  - Bourke, 106, 108
  - Rock, 106, 108
  - "Twenty-eight," 106, 108
- Partridge, Gray, 427
- Parula americana, 649
- Parus, 370
  - hudsonicus, 151
  - sclateri, 552
- Passer domesticus, 101
- Passerculus sandwichensis, 104, 281, 606
  - s. beldingi, 618, 620
  - s. brooksi, 618
- Passerherbulus caudacutus, 645
- Passerina ciris, 497
  - c. pallidior, 497
- Pavo cristatus, 437
- Paynter, Raymond A., Jr., see Mayr, Ernst, and—
- Peafowl, 437
- Pellets, 144, 148–149, 153, 506
- Pennsylvania, 71
- Perdix perdix, 427
- Perisoreus, 139, 145, 152
  - canadensis, 74
  - c. bicolor, 139
  - c. griseus, 139
  - infaustus, 151
- Pesticides, 91, 636
- Peterson, Roger T., In memoriam: Ludlow Griscom, 598–605
- Petrel, 596
  - Black, 506
  - Fork-tailed, 625
  - Leach's, 506
  - Scaled, 625
- Pewee, Tropical, 452
- Pezites militaris, 101
- Phainopepla, 422–424
  - nitens, 375
- Phainoptila, 421–425
  - melanoxantha, 375, 420
- Phalacrocorax albiventer, 96
  - aristotelis, 333
  - atriceps, 96
  - carbo carbo, 333
- Phalaenoptilus nuttalli, 107
- Phalarope, Northern, 104, 496
  - Red, 276, 496
  - Wilson's, 496
- Phalaropus fulicarius, 276, 496
- Phalcoboenus albogularis, 98
- Phasianus, 15
  - colchicus, 427
- Pheasant, 15
  - Ring-necked, 427–437
- Pheucticus ludovicianus, 48
- Philacte canagica, 646
- Philippines, 155, 644

- Phillips, Richard E., see Kenyon, Karl  
W., and—
- Philohela minor, 649
- Phoebe, Eastern, 258–286
- Phoenicopterus [? ruber] chilensis, 96
- Photoperiodic response, 504–505
- Phrygilus gayi, 101  
patagonicus, 101
- Pigeon, 66, 69, 70, 216, 276  
Carrier, 91  
Homing, 64, 72, 74, 75  
Racing, 73, 75, 88, 92
- Piha, Rufous, 415
- Pinguinus impennis, 333
- Pinicola, 273  
enucleator, 275  
e. eschatosus, 273, 275  
e. kamtschathensis, 634  
e. leucura, 275  
rubra, 273
- Pintail, 103, 104, 228, 231, 232, 234, 625,  
646, 647  
Chilean, 647
- Pipilo, 566, 567  
aberti, 107  
erythrophthalmus, 74, 107  
fuscus, 107, 286
- Pipit, Water, 199
- Pipra aureola, 502  
erythrocephala, 502  
pipra, 502
- Piranga bidentata, 101  
flava albifacies, 441, 455–458  
f. figlina, 441, 455–458  
f. savannarum, 441, 455–458  
f. testacea, 441, 455–458
- Platycercus zonarius, 106, 107
- Plectrophenax hyperboreus, 625, 634  
nivalis, 634
- Plotus alle, 333
- Plover, Golden, 494  
Little Ringed, 15  
Mongolian, 625  
Ringed, 15  
Wrybill, 15
- Plumage,  
Aythya, 227, 233  
Cassidix palustris, 268–270
- Dendrocopos arizonae, 568–581  
Dendrocopos stricklandi, 572–581
- Falco peregrinus, 67  
juvenal, 105
- Lepidogrammus cumingi, 155–159  
natal, of rails, 500–501
- Ptilogonyx caudatus, 378–379, 409–410
- Sula sula, 102  
variation in manakins, 502
- Pluvialis dominica, 494
- Pochard, 227  
Common, 232  
Red-crested, 647  
Rosy-billed, 647
- Podiceps auritus, 648  
caspicus, 648  
major, 96  
occipitalis, 96  
rolland, 96
- Poephila guttata, 48
- Population,  
Campylorhynchus rufinucha, 212  
Falco peregrinus, 83  
Grus canadensis, 640  
Haliaeetus leucocephalus, 638
- Potter, Julian Kent, obituary of, 324
- Prairie Chicken, Greater, 651
- Predation, 85–86, 202, 285, 502–503, 592,  
631
- Procellaria [= Fulmarus] glacialis, 351
- Progne subis, 271, 624, 633  
s. hesperia, 271
- Provost, Ernest E., see Hudson, George  
E., et al.
- Psaltriparus melanotis, 419
- Psilorhinus morio, 415
- Ptarmigan, 104  
White-tailed, 195
- Pterocnemia pennata, 96
- Pterodroma inexpectata, 625  
phaeopygia, 596
- Pteroglossus beauharnaesii, 158
- Ptilogonyx, 375, 420–424  
caudatus, 375, 423  
cinereus, 375, 418
- Puerto Rico, 643
- Puffinus assimilis, 595  
lherminieri, 591, 597  
l. lherminieri, 595  
l. subalaris, 591  
puffinus, 595  
p. puffinus, 333

- tenuirostris, 595
- Pygarrhicus albogularis*, 100
- Pyrocephalus rubinus* *latteus*, 441, 450–452
- r. *mexicanus*, 450
  - r. **pinicola**, 441, 450–453
- Quail, California, 108, 618
- Mountain, 427
- Quiscalus quiscula*, 74, 356, 372
- Rail, Clapper, 500–501
- King, 269, 500–501
  - Virginia, 269, 500
- Rallus elegans*, 269, 500
- limicola*, 269, 500
  - longirostris*, 500
  - l. *saturatus*, 500
- Rand, A. L., reviews by, 113, 513–515
- Raven, Common, 624, 633
- Redhead, 49, 103, 227–234, 280, 647
- Redpoll, 104
- Redstart, American, 497
- Painted, 640
- Refractory period, 505
- Regurgitation, 148–149, 153
- Rett, Egmont Zachary, obituary of, 686
- Rhinoptynx clamator*, 652
- Rhodostethia rosea*, 333, 631
- Richmondena cardinalis*, 107
- Ripley, S. Dillon, review by, 112; A systematic and ecological study of birds of New Guinea (rev.), 113
- Rising, James D., Townsend's Solitaire and Pine Grosbeak in Missouri, 275
- Rissa brevirostris*, 627
- tridactyla*, 333, 404, 627
- Robertson, William B., Jr., see Mason, C. Russell, and—; see Clarke, C. H. D., *et al.*
- Robin, 219
- American, 48
- Rodke, W., see Berglund, B. E., *et al.*
- Rolle, Francis J., Destruction of Red-legged Thrush nest by a Pearly-eyed Thrasher, 643
- Russia, 339, 352 (Novaya Zemlya), 643
- Salomonsen, Finn, The geographical variation of the Fulmar (*Fulmarus glacialis*) and the zones of marine environment in the North Atlantic, 327–355 (corrigendum, p. 686)
- Sanderling, 493, 508
- Sandpiper, Pectoral, 104
- Western, 104, 626
- Wood, 626
- Sargent, Theodore D., The role of experience in the nest building of the Zebra Finch, 48–61
- Sayornis phoebe*, 285
- Scaup, Greater, 103, 647
- Lesser, 103, 227, 230–234
- Schwartz, Paul, Bird songs from the tropics (rev.), 114–115
- Scoter, Black, 647
- White-winged, 103
- Scotland, 346, 353
- Scott, D. M., see Middleton, A. L. A., and—
- Seedsnipe, 99
- Seiurus aurocapillus*, 497, 649
- a. *aurocapillus*, 497
  - noveboracensis*, 497
  - n. *notabilis*, 497
- Selander, Robert K., Hybridization of Rufous-naped Wrens in Chiapas, México, 206–214
- Selasphorus rufus*, 286
- Sellerberg, G., see Berglund, B. E., *et al.*
- Semnornis frantzii*, 411
- Serin, 48
- Serinus canarius*, 48
- serinus, 349
- Setophaga picta*, 640
- ruticilla*, 497
- Sex ratio,
- Agelaius phoeniceus*, 357
  - Falco peregrinus*, 71
  - Leucosticte tephrocotis*, 202–203
  - Quiscalus quiscula*, 357
- Sexual dimorphism, in woodpeckers, 565–568
- Shearwater, Audubon's, 591–597
- Little, 595
  - Manx, 595
  - Shelduck, Cape, 646
- Shetland Islands, 334

- Shickley, Gail M., Calliope Hummingbird in Nebraska, 650
- Shoemaker, Vaughan H., see Dawson, William R., *et al.*
- Shoveler, 103, 647
- Sialia sialis caribaea*, 441, 453-455  
s. meridionalis, 441, 453-455
- Sicalis lebruni*, 101
- Sick, Helmut, and Aristides P. A. Leão, Breeding sites of *Sterna eurygnatha* and other sea birds off the Brazilian coast, 507-508
- Silky-flycatcher, Black-and-yellow, 375, 420-422, 425  
Gray, 375, 418-420, 425  
Long-tailed, 375-426
- Siskin, Pine, 198
- Skua, 350
- Skutch, Alexander F., Life history of the Long-tailed Silky-flycatcher, with notes on related species, 375-426
- Slud, Paul, The birds of Costa Rica. Distribution and ecology (rev.), 289-292
- Smart, Glen, Body weights of newly hatched Anatidae, 645-648
- Smith, W. John, *Dendroica pensylvanica* in Trinidad, 279
- Snipe, Common, 104, 625  
European Jack, 625
- Snow, D. W., The breeding of Audubon's Shearwater (*Puffinus lherminieri*) in the Galapagos, 591-597
- Solitaire, Townsend's, 275
- Somateria mollissima, 104, 333  
spectabilis, 333
- Sorensen, J. H., see Bailey, Alfred M., and—
- South America, 67
- South Carolina, 494
- South Dakota, 215-220
- Sparrow, Chipping, 49, 175, 187  
Golden-crowned, 634  
Le Conte's, 644-645
- Savannah, 104, 281, 606, 618-620
- Song, 194, 268-269, 287-288, 371, 619
- White-crowned, 236-252, 619  
White-throated, 26-47, 650
- Spatula clypeata*, 103, 647  
platalea, 98
- Spheniscus magellanicus*, 96
- Spinus barbatus*, 101  
pinus, 198
- Spitzbergen, 333, 338, 339, 340, 343, 344, 351, 352
- Spiza americana*, 278, 650
- Spizella passerina*, 49, 175, 187
- Springer, Heinrich K., see White, Clayton M., and—
- Sprunt, Alexander, Jr., Obituary of Donald John Nicholson, 324-325
- Stager, Kenneth E., The role of olfaction in food location by the Turkey Vulture (*Cathartes aura*) (rev.), 661-662
- Starling, 66, 70, 74, 75, 92
- Steganopus tricolor*, 496
- Stellula calliope*, 650
- Stercorarius longicaudus*, 19, 104, 333  
parasiticus, 19, 333  
pomarinus, 19, 333  
skua skua, 333
- Sterna albifrons*, 649  
cantiaca [= sandvicensis], 508  
eurygnatha, 507-508  
forsteri, 504  
fuscata, 277  
hirundinacea, 507-508  
hirundo, 333, 504  
maxima [= *Thalasseus maximus*], 508  
paradisea, 104, 333, 631  
sandvicensis [= *Thalasseus sandvicensis*], 507  
s. acuflavida, 507
- Stettenheim, Peter, review by, 664-665
- Stickel, David W., Wing-stretching of Red-bellied Woodpeckers, 503
- Storer, Robert W., review by, 657-658
- Street, Phillips B., Obituary of Julian Kent Potter, 324
- Streptopelia decaocto*, 349
- Strix aluco*, 653  
occidentalis, 651  
varia, 89, 652
- Sturnus vulgaris*, 66
- Sula dactylatra*, 102, 103  
leucogaster, 102, 271, 508  
sula, 103  
s. sula, 102
- Summers-Smith, J. D., The House Sparrow (rev.), 292-293
- Sunbird, Olive-bellied, 283

- Surinam, 502, 508–509  
 Suthard, J. G., and George A. Allen, Jr.,  
     The junglefowl, spurfowl and peafowl  
     of the world (rev.), 112  
 Swan, 97  
     Whistling, 646  
 Sweden, 351, 465, 472, 473, 476  
 Swift, Common, 633  
     White-rumped, 632–633
- Tachyeres patachonicus, 98  
     pteneres, 98  
 Tadorna cana, 646  
 Taeniopygia castanotis, 48, 619  
 Tanager, Flame-colored, 101  
 Tangavius aeneus, 101  
 Teal, Blue-winged, 647  
     Green-winged, 104, 647  
 Teale, Edwin Way, Audubon's wildlife  
     (rev.), 300–301  
 Telmatodytes palustris, 269  
 Terathopius ecaudatus, 87  
 Tern, Antarctic, 507  
     Arctic, 104, 631  
     Cayenne, 277, 507  
     Common, 504  
     Forster's, 504  
     Least, 649  
     Noddy, 109, 277, 591  
     Royal, 277  
     Sandwich, 507  
     Sooty, 277  
 Terpsiphone atrocaudata, 644  
     a. periophthalmica, 644  
 Territory size,  
     Agelaius phoeniceus, 360  
     Dendroica petechia, 274  
 Texas, 19–21, 102, 172, 228–233, 465, 470,  
     471, 493–496  
 Textor cucullatus, 48  
 Thalasseus eurygnathus [= sandvicensis  
     eurygnathus], 277  
     maximus, 277, 508  
     sandvicensis, 507  
 Thinocorus rumicivorus, 99  
 Thrasher, Brown, 184  
     California, 108  
 Pearly-eyed, 643
- Threnetes ruckeri, 286  
     r. ventosus, 286  
 Thrush, 15, 166  
     Gray-cheeked, 109  
     Red-legged, 643  
 Thryothorus ludovicianus, 187  
 Tit, European, 370  
 Tordoff, Harrison B., see Dawson, William  
     R., *et al.*, 606–623  
 Totanus flavipes, 99, 626  
 Toucanet, Blue-throated, 415  
 Towhee, Brown, 286  
     Rufous-sided, 74  
 Toxostoma redivivum, 107, 108  
 Traylor, Melvin A., review by, 665–666  
 Tringa glareola, 626  
 Trochilus colubris, 216  
 Troglodytes aedon albicans, 508  
     musculus, 100  
     troglodytes, 194, 624  
     t. alasensis, 633  
 Trogon, Coppery-tailed, 554  
     Mexican, 554  
 Trogon elegans, 554–555  
     mexicanus, 554–555  
 Trotter, D. M., see McLeod, W. M., *et al.*  
 Troyer, Willard A., and Richard J. Hen-  
     sel, Nesting and productivity of Bald  
     Eagles on the Kodiak National Wild-  
     life Refuge, Alaska, 636–638  
 Turdus ericetorum, 15  
     falklandii, 101  
     merula, 15, 404  
     migratorius, 48  
 Turkey, 219, 427  
 Turner, Cynthia Gale, Roosting behavior  
     of the Blue Jay, 285  
 Turnstone, Ruddy, 508  
 Tympanuchus cupido pinnatus, 651  
 Tyrannus melancholicus, 381, 452  
     tyrannus, 49  
 Tyto alba, 76, 506, 652
- Uria aalge, 333, 624, 631  
     a. hyperborea, 333  
     lomvia, 333, 335
- Vaurie, Charles, A survey of the birds of  
     Mongolia (rev.), 110–111; reviews  
     by, 293–294, 294–295, 295

- Vermivora gutturalis, 384  
  peregrina, 497
- Vermont, 27–41, 71
- Vireo, Red-eyed, 496
- Vireo, 424  
  olivaceus, 496
- Virginia, 500
- Voice,  
  **Bubo virginianus**, 651  
  **Campylorhynchus rufinucha**, 208
- Dendrocopos arizonae, 573
- Dendrocopos scalaris, 573
- Dendrocopos stricklandi, 573
- Dendrocopos villosus, 573
- Falco peregrinus, 76
- Mimus polyglottos, 161–189
- Ptilogonyx caudatus, 381–382
- Ptilogonyx cinereus, 418–419
- Rissa brevirostris, 629–630
- Rissa tridactyla, 629–630
- Zonotrichia albicollis, 26–47
- Wagtail, Yellow, 49
- Walkinshaw, Lawrence H., Proceedings of the Eighty-second Stated Meeting of the American Ornithologists' Union, 253–264; Attentiveness of cranes at their nests, 465–476
- Wallace, George J., see Clarke, C. H. D., *et al.*
- Wan Tho, Loke, obituary of, 322–323
- Wang, Sy Ying Chen, see Hudson, George E., *et al.*
- Warbler, Black-cheeked, 384  
  Blackpoll, 502  
  Black-polled Yellowthroat, 268–269  
  Black-throated Blue, 497  
  Chestnut-sided, 279  
  Flame-throated, 384, 411  
  Great Reed, 241  
  Myrtle, 502, 503, 634  
  Parula, 649  
  Red, 552  
  Tennessee, 497  
  Yellow, 274–275
- Washington, 237
- Waterthrush, Northern, 497
- Water-tyrant, Pied, 509
- Waxwing, 155, 158  
  Bohemian, 155, 633  
  Cedar, 49, 155, 159, 382, 383, 419, 422–424, 504
- Weaver, African Village, 48  
  “Yellow,” 48
- Weights of birds,  
  Accipiter gentilis, 284  
  Anatidae (newly hatched), 645–648  
  Campylorhynchus rufinucha, 211  
  Dendrocopos stricklandi, 563–565  
  Loxia curvirostra, 612  
  Zonotrichia leucophrys, 238, 240–247
- Weights of eggs,  
  Molothrus bonariensis, 509
- Weights of organs,  
  testes (*Molothrus ater*), 505
- Weller, Milton W., Chronology of pair formation in some Nearctic *Aythya* (Anatidae), 227–235
- Welty, Joel Carl, *The life of birds* (rev.), 113–114
- West Indies, 109, 277, 279, 502
- Westerkov, Kaj, review by, 659–660
- Weston, Francis M., and Ellison A. Williams, Recent records of the Eskimo Curlew, 493–496 (corrigendum, p. 686)
- Wetherbee, David Kenneth, and Brooke Meanley, Natal plumage characters in rails, 500–501
- Wetmore, Alexander, review by, 661–662
- Whimbrel, 493, 494, 495, 686
- White, Clayton M., and Heinrich K. Springer, Notes on the Gyrfalcon in western coastal Alaska, 104–105
- Widgeon, American, 103, 647
- Wiens, John A., Behavioral interactions of Red-winged Blackbirds and Common Grackles on a common breeding ground, 356–374
- Wildenthal, Joyce L., Structure in primary song of the Mockingbird (*Mimus polyglottos*), 161–189
- Williams, Ellison A., see Weston, Francis M., and—
- Williams, Lovett E., Jr., Jaegers in the Gulf of Mexico, 19–25

- Williamson, Kenneth, Identification for ringers. 3. The genus *Sylvia* (rev.), 300
- Wilsonia pusilla*, 411
- Wisconsin, 211, 222–223, 233, 504
- Wolters, H. E., see Niethammer, G., *et al.*
- Woodcock, American, 649
- Woodpecker, 216
- Acorn, 544
  - Arizona, 537, 589
  - Downy, 557
  - Hairy, 545, 547–548
  - Ladder-backed, 547
  - Nuttall's, 557, 559
  - Red-bellied, 503
  - Red-cockaded, 559
  - Red-headed, 74
  - Strickland's, 537–587
- Woolfenden, Glen E., editor, recent literature, 118–134, 303–318, 519–535, 667–680; A specimen of the Red-footed Booby from Florida, 102–103
- Worth, C. Brooke, and Thomas H. G. Aitken, First record of the Gray-cheeked Thrush in Trinidad, West Indies, 109
- Wren, Carolina, 184, 187
- Gray-barred, 552
- House, 508, 509
- Long-billed Marsh, 269
- Rufous-naped, 206–214
- Winter, 194, 624, 633
- Xanthocephalus xanthocephalus*, 370
- Xema sabini*, 104, 333, 649
- Xolmis pyrope*, 100
- Yellowlegs, Lesser, 626
- Yellowthroat, Black-polled, 268, 269
- Yocom, Charles F., Breeding record for Redhead in Alaska, 103
- Zenaidura auriculata*, 100
- macroura, 74, 107, 108, 618
- Zimmerman, Dale A., and Russell E. Mumford, First specimens of three species of birds from Kenya, 282–283
- Zimmerman, John L., Digestive efficiency and premigratory obesity in the Dickcissel, 278–279
- Zonibyx modestus*, 99
- Zonotrichia*, 236
- albicollis*, 26, 240, 650
  - atricapilla*, 625, 634
  - capensis*, 101
  - leucophrys gambelii*, 236, 237, 240, 619
- Zugunruhe, 247

DATE OF ISSUE (Vol. 82, No. 4): November 18, 1965.