

INDEX TO VOLUME 84

Compiled by Marion Anne Jenkinson

This index is primarily one to new information. Previously published information, which has been referred to in this volume, has not been indexed unless extensive comparisons or reinterpretations were involved. Also not indexed are the various species of birds mentioned in the Report of the Committee on Bird Protection (pp. 412-420). For some species, especially ones not in the A.O.U. Check-list area, scientific names only have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Accipiter
 cooperii, 384
 gentilis, 183-191
 striatus, 431
 tachiro, 408
- Accipitridae, 215
- Adamastor cinereus, 366-378
- Aechmophorus occidentalis, 384
- Aegolius acadicus, 425
- Agapornis fischeri, 594
- Age groups, see Sex and—
- Agelaius phoeniceus, 118-120, 380-385,
 560-570
- Aix sponsa, 384
- Alabama, 279
- Alaska, 277-278
- Albatross,
 Black-browed, 366-378
 Gray-headed, 366-378
 Laysan, 426-430
 Light-mantled Sooty, 366-378
 Royal, 366-378
 Wandering, 366-378
- Alberta, 220-244
- Aldrich, John W., review by, 434-435
- Alectoris chukar, 27
- Amazilia verticalis, 37-46
- American Ornithologists' Union,
 Brewster Memorial Award, 245-246
 Committees, 256-257
 Membership List, Suppl.
 Officers and officials, 255-256
 Proceedings of the Eighty-fourth Stated
 Meeting, 245-259
 Report of the Committee on Bird
 Protection, 412-420
 Treasurer's report, 257-259
- Anas
 acuta, 384
 platyrhynchos, 212
- Anatidae, 384-387
- Anatomy (see also Anomalies, Fossils,
 and Embryology),
 anal glands (many spp.), 379-389
 arteries (Heliornithidae), 431-432
 gonads (Hesperiphona vespertina), 270-
 271
 postcranial skeleton (Cochlearius and
 various ardeids), 529-533
 salt glands (Telmatoptytes palustris),
 589-591
- Anatomy and embryology, recent litera-
 ture on, 147, 288, 444, 616
- Andrle, Robert F., Notes on the Black
 Chachalaca (*Penelopina nigra*), 169-
 172
- Ani, 384-387
- Annotated lists, see Distribution and—
- Anomalies,
 Hesperiphona vespertina, 267-272
 Meleagris gallopavo, 113-114
- Anous stolidus, 430
- Anser
 albifrons, 277
 caerulescens, 135
- Anseriformes, 214
- Antarctic Ocean, 366-378
- Anthus
 cervinus, 278
 spinoletta, 278
- Arachnothra longirostra, 385
- Aramides
 cajanea, 345
 wolfi, 345

- Archilochus alexandri, 37–46
- Arenaria
interpres, 277
melanocephala, 384
- Arizona, 503–528
- Asio
brevipes, 116–117
flammeus, 278
- Austin, Oliver L., Jr., *The new dictionary of birds and the proposed world list*, 142–146
- Aythya
affinis, 588
americana, 544–559, 588
valisineria, 544–558, 588
- Babcock, Charles D., *Evening Grosbeak attacks House Sparrow*, 263
- Bahama Islands, 425–426
- Baird, Donald, *Age of fossil birds from the greensands of New Jersey*, 260–262
- Barbet, Black-billed, 594–595
- Barlow, Jon C., *Autumnal breeding of the Paraguay Snipe in Uruguay*, 421–422
- Behavior, recent literature on, 147–150, 288–290, 444–446, 616–618
- Behavior (see also Food and feeding habits, Territoriality, and Vocalizations),
 aggressive, 120–121, 263, 266–267, 423–424, 433, 582–583, 601–602
 agonistic, 5–11
 alarm, 4–5
 antiphonal singing, 497
 begging by young, 601–602
 breeding, 69–70, 225–236, 241–242, 396–411
 competitiveness, 490–502
 courtship, 544–559, 588, 597–598
 diversionary, 72–86
 drumming, 87–112
 flight, 173–182
 head scratching, 604–605
 maintenance, 2–4, 236–238, 571–587
 parental, 16–17
 sexual, 12–16
 social, 28–31
- technique for measuring flight time, 124–128
- yawning, 571–587
- Behavior of (see also Food and feeding habits, Territoriality, and Vocalizations),
Alectoris chukar, 27
Aythya americana, 544–559, 588
A. valisineria, 588
Bonasa umbellus, 87–112
Buteo lagopus, 173–182
B. regalis, 433
Caprimulgus carolinensis, 266–267
Cathartes aura, 430–431
Chordeiles minor, 72–86
Colinus virginianus, 1–33
Corvus brachyrhynchos, 601–602
Dendrocopos pubescens, 266
Dendroica dominica, 266–267
D. pinus, 266–267
D. tigrina, 120–121
Fregata minor, 308
Geococcyx californianus, 597–598
Harpagus bidentatus, 596–597
Hesperiphona vespertina, 263
Lophortyx californicus, 15
Mniotilla varia, 266–267
Molothrus ater, 601–602
Parus bicolor, 266–267
P. carolinensis, 266–267
Penelopina nigra, 170–172
Phasianus colchicus, 15
Pipilo erythrorththalmus, 266–267
Poephila gouldiae, 604–605
Polioptila caerulea, 266–267, 423–424
Pygoscelis adeliae, 69–70
Seiurus aurocapillus, 266–267
Setophaga ruticilla, 423–424
Steganopus tricolor, 225–242
Struthio camelus, 571–587
Sula bassana, 307–308
Textor cucullatus, 396–411
Xenospiza baileyi, 59
- Behle, William H., *Migrant races of Western Wood Pewee in Utah*, 133–134
- Belanopterus chilensis*, 121–122
- Berger, Andrew J., *The incubation period of the Hawaiian stilt*, 130
- Berger, Daniel D., see Mueller, Helmut C., and—

- Birkebak, Richard C., see LeFebvre, Eugene A., et al.
- Bioenergetics,
Agelaius phoeniceus, 560-570
Eugenes fulgens, 34-48
Hirundo rustica, 560-570
Lampornis clemenciae, 34-48
Larus argentatus, 568
Textor cucullatus, 396-411
Zonotrichia albicollis, 390-395
- Biology, general, recent literature on, 156-161, 296-298, 454-457, 625-627
- Blackbird, Red-winged, 118-120, 380, 385, 560-570
- Bluethroat, 278
- Bobwhite, 1-33
- Bock, Walter J., review by, 138-140
- Body components,
Agelaius phoeniceus, 560-570
Hirundo rustica, 560-570
- Bonasa umbellus, 87-112, 185-186
- Boobie, Blue-faced, 428
- Branta
canadensis, 277
c. hutchinsi, 135
c. parvipes, 135
- Breckenridge, W. J., and David Cline, Sandhill Cranes and other birds from Bering Strait, Alaska, 277-278
- Breeding (see also Behavior, Clutch size, Eggs, Fledging, Incubation, Nests, Nesting success),
Capella paraguaiae (autumnal), 421-422
- Chondrohierax uncinatus (in United States), 598-601
- Psaltriparus* (family groups), 513-514
- Pygoscelis adeliae (and molt), 66-68
- Steganopus tricolor (general study), 220-244
- Textor cucullatus* (energy requirements), 396-411
- Brooks, William S., Organisms consumed by various migrating shorebirds, 128-130
- Brownstein, Richard, see Burger, Joanna, and—
- Brush, Alan H., see Sibley, Charles G., and—
- Bubo virginianus*, 212, 433, 603
- Bugeranus carunculatus*, 263-264
- Bunting, Indigo, 309-342, 463-489
- Burger, Joanna, and Richard Brownstein, Rock Wren in Ontario, 602
- Burleigh, Thomas D., Occurrence of Vireo bellii mediis in southern Mississippi, 274
- Bushtit, 503-528
- Buteo
jamaicensis, 212
lagopus, 173-182
regalis, 433
swainsoni, 384
- Cahalane, Victor H., see American Ornithologists' Union, Report of the Committee on Bird Protection
- Calcarius lapponicus, 277
- Calder, William A., Breeding behavior of the Roadrunner, *Geococcyx californianus*, 597-598
- Calidris canutus, 278
- Calypte anna, 384
- Camarhynchus sp., 385
- Campylorhynchus rufinucha, 385
- Canvasback, 544-558, 588
- Capella
gallinago, 128-130, 278
(*gallinago*) *paraguaiae*, 421-422
- Caprimulgiformes, 214
- Caprimulgus carolinensis, 266-267
- Carpodectes
hopkei, 359
nitidus, 359
- Catbird, 131-132, 423
- Catharacta
skua chilensis, 366-378
s. lonnbergi, 366-378
- Cathartes aura, 384, 430-431
- Central America, 343-365
- Centropelma micropterum, 384
- Chachalaca, Black, 169-172
- Chaetura vauxi, 384
- Chamaea fasciata, 385
- Chamaepetes, 361-362
- Charadriiformes, 214
- Charadrius
altilcola, 130-131
wilsonia, 212
- Chen hyperborea, 278

- Chickadee,
 Black-capped, 274, 423, 496
 Carolina, 266–267, 498
- Chicken, domestic, 206–207
- Chile, 121–122, 130–131
- Chlidonias niger, 220–221
- Chondrohierax uncinatus, 598–601
- Chordeiles minor, 72–86
- Chuck-will's-widow, 266–267
- Chukar, 27
- Ciconiiformes, 214
- Cinclus mexicanus, 385
- Circus cyaneus, 114, 278
- Clangula hyemalis, 122–123, 384
- Cline, David, see Breckenridge, W. J., and—
- Clutch size (see also Breeding),
 Capella paraguaiæ, 421–422
 Geococcyx californianus, 598
 Himantopus himantopus knudseni, 130
- Cochlearius cochlearius, 529–533
- Colaptes auratus, 131–132
- Coliiformes, 214
- Colinus virginianus, 1–33
- Collias, Elsie C., see Collias, Nicholas E., and—
- Collias, Nicholas E., and Elsie C. Collias,
 A quantitative analysis of breeding
 behavior in the African Village
 Weaverbird, 396–411
- Colorado, 275–277
- Columba livia*, 215, 384, 431
- Columbia*, 343–365
- Columbiformes, 214
- Columbigallina
 minuta, 384
 passerina, 384
 talpacoti, 384
- Conservation, see Management and—
- Contopus
 sordidulus amplus, 133–134
 s. saturatus, 133–134
 s. siccicola, 133–134
 s. veliei, 133–134
- Cooch, F. G., review by, 135–138
- Coraciiformes, 214
- Corvus brachyrhynchos*, 384–388, 601–602
- Cotinga
 amabilis, 359
 nattererii, 359
- Cowbird, Brown-headed, 422, 601–602
- Cracraft, Joel, On the systematic position
 of the Boat-billed Heron, 529–533
- Crane,
 Sandhill, 277–278
 Wattled, 263–264
- Crax
 alberti, 345–348, 357–362
 alector, 347
 blumenbachi, 347
 daubentonii, 346–347, 361
 fasciolata, 347
 globulosa, 346–347, 361
 rubra, 345–348, 357–362
 r. rubra, 346–348
- Crotophaga sp., 384–387
- Crow, Common, 384–388, 601–602
- Crypturellus sp., 384
- Cuculiformes, 214
- Curassow,
 Blue-knobbed, 346–348, 357–362
 Crestless, 347–348
 Great, 346–348, 357–362
 Salvin's, 347–348
- Cyanerpes
 caeruleus, 345
 lucidus, 345
- Cyanocitta cristata*, 131–132, 205–214
- Daption capensis, 366–378
- Darst, Philip H., and Dale Hein, Photo-
 period and size of testes of Eastern
 Meadowlarks, 265
- Davis, John, In memoriam: Alden Holmes
 Miller, 192–202
- Delacour, Jean, Guide des oiseaux de la
 Nouvelle-Calédonie et ses dépendances
 (rev.), 281–282; The waterfowl of
 the world, vol. 4 (rev.), 135–138
- Dendrocopos pubescens, 266
- Dendrocygna bicolor, 424
- Dendroica
 caerulea, 272–274
 chrysoparia, 115, 539–540
 coronata, 120, 494–501
 dominica, 266–267
 fusca, 494–501, 539–540
 kirtlandii, 425–426
 magnolia, 494–501

- palmarum, 120, 537, 539–540
pensylvanica, 539–540
petechia, 120
pharetra, 539–540
pinus, 266–267
plumbea, 539–540
striata, 120, 534–543
tigrina, 120–121, 534–542
virens, 422, 494–501
- Diatryma (Barornis) regens, 261–262
- Dickerman, Robert W., reviews by, 282–283, 440–441
- Dickerman, Robert W., Allan R. Phillips, and Dwain W. Warner, On the Sierra Madre Sparrow, *Xenospiza baileyi*, of Mexico, 49–60
- Dimorphism, sexual, hummingbirds, 38–39
Passer domesticus (juvenals), 275–277
Psaltriparus, 506–528
- Diomedea
 chrysostoma, 366–378
 epomophora, 366–378
 exulans, 366–378
 immutabilis, 426–430
 melanophris, 366–378
- Diseases and parasites, recent literature on, 290–291, 446–450, 618
- Distribution and annotated lists, recent literature on, 150–152, 292–293, 450–451, 618–622
- Distribution of,
 Agapornis fischeri, 594
 Asio (fossil), 117
 Bugeranus carunculatus, 263–264
 Chondrohierax uncinatus, 598–601
 Contopus sordidulus subspp., 133–134
 Crax alberti, 346–348
 C. rubra, 346–348
 Dendrocygna bicolor, 424
 Dendroica cerulea, 272–274
 D. chrysoparia, 115
 D. kirtlandii, 425–426
 Lybius guifsobalito, 594–595
 Myiarchus stolidus, 279
 Pipra erythrocephala, 349–351
 P. mentalis, 349–351
 Psaltriparus, 503–528
 Pterodroma a. arminjoniana, 593–594
 P. a. heraldica, 593–594
 P. neglecta, 591–593
- P. r. rostrata*, 591–592
 P. ultima, 591–593
 Puffinus diomedea, 278–279
 Rhynchoscyclus brevirostris, 354–355
 R. olivaceus, 354–355
 Salpinctes obsoletus, 602
 Speotyto megalopeza (fossil), 116
 Stiphrornis erythrothorax, 595
 various Central and South American forms, 343–365
 various Pacific Ocean species, 366–378
- Vireo bellii medius, 274
- Dorman, Frank D., see LeFebvre, Eugene A., et al.
- Dove, Rock, 431
- Dowitcher, Long-billed, 277–278
- Duck, Fulvous Tree, 424
- Dumetella carolinensis, 131–132, 423
- Dunlin, 128–130, 277
- Eagle, Bald, 602–603
- Eastman, William R., Jr., and Alexander C. Hunt, The parrots of Australia (rev.), 442–443
- Eckelberry, Don R., obituary of William H. Partridge, 305–306
- Ecology and population, recent literature on, 152–156, 293–295, 451–454, 622–624
- Eggs, descriptions and measurements,
 Charadrius alticola, 130–131
 Xenospiza baileyi, 55
- Eisenmann, E., review by, 281–282
- Elanus leucurus, 384
- Electrophoresis, eye-lens proteins, 203–219
- Embryology (see also Anatomy and—), anal glands, 387
 Gavia immer, 124
- Emlen, John T., review by, 441–442
- Emlen, Stephen T., Migratory orientation in the Indigo Bunting, *Passerina cyanea*. Part I: Evidence for use of celestial cues, 309–342; Part II: Mechanism of celestial orientation, 463–489
- Empidonax flaviventris, 131–132
- Endocrinology, *Steganopus tricolor*, 241–242
- Eremophila alpestris, 277

- Ereunetes
mauri, 277, 383–384
pusillus, 128–130
- Erolia
alpina, 128–130, 277
bairdii, 277
melanotos, 128–130, 277
minutilla, 128–130
ptilocnemis, 277
- Ethiopia, 263–264
- Eugenes fulgens, 34–48
- Evolution and genetics, recent literature on, 156, 295–296, 625
- Falconiformes, 214
- Ficken, Millicent S., review by, 439–440; Interactions of a crow and a fledgling cowbird, 601–602; see Ficken, Robert W., et al.
- Ficken, Robert W., Millicent S. Ficken, and Elizabeth S. Hadaway, Mobbing of a Chuck-will's-widow by small passerines, 266–267
- Finch, Gouldian, 604–605
- Fisher, James, The Shell bird book (rev.), 612–613
- Flatbill,
 Eye-ringed, 354–362
 Olivaceous, 354–362
- Fledging period (see also Breeding), *Geococcyx californianus*, 598
- Flicker, Yellow-shafted, 131–132
- Fleetwood, Raymond J., and John L. Hamilton, Occurrence and nesting of the Hook-billed Kite (*Chondrohierax uncinatus*) in Texas, 598–601
- Flight (see also Wing-beat frequencies), *Buteo lagopus*, 173–182
 technique for studying, 124–128
- Florida, 113–114, 115, 278–279, 425, 602–603
- Flycatcher,
 Stolid, 279
 Yellow-bellied, 131–132
- Food and feeding habits,
Belanopterus chilensis, 121–122
Buteo lagopus, 173–182
Capella gallinago, 128–130
Clangula hyemalis, 122–123
Colinus virginianus, 20
- Dendroica chrysoparia, 115
D. tigrina, 120–121
Ereunetes pusillus, 128–130
Erolia alpina, 128–130
E. melanotos, 128–130
E. minutilla, 128–130
Gavia immer, 122–123
Harpagus bidentatus, 596–597
many parulids (esp. *Parula americana*), 490–502
Micropalama himantopus, 128–130
Parus atricapillus, 496
P. carolinensis, 498
Pluvialis dominica, 128–130
Regulus calendula, 493–501
R. satrapa, 493–501
Sitta canadensis, 496
Steganopus tricolor, 128–130, 220–221, 236–237
Telmatodytes palustris, 589–591
Textor cucullatus, 405–407
Totanus flavipes, 128–130
T. melanoleucus, 128–130
Vireo flavifrons, 498
V. olivaceus, 498
- Ford, Norman L., and Bertram G. Murray, Jr., Fossil owls from the Hagerman local fauna (Upper Pliocene) of Idaho, 115–117
- Formicarius
analis, 345
nigricapillus, 345
- Forpus conspicillatus, 384
- Fossils,
Asio brevipes, 116–117
Diatryma (Barornis) regens, 261–262
Graculavus pumilis, 260–262
G. velox, 260–262
Laornis edwardsianus, 260–262
Palaeotringa littoralis, 260–262
P. vagans, 260–262
P. vetus, 260–262
Speotyto megalopeza, 116
Strigidae (genera indet.), 117
Telmatornis affinis, 260
T. priscus, 260–262
T. rex, 260–262
- Fregata minor, 308
- Frigatebird, Great, 308
- Fulmarus glacialisoides, 366–378

- Galbulidae
 ruficauda, 345, 359
 (*ruficauda*) *melanogenia*, 345, 359
- Galliformes, 214
- Gallus gallus, 206–207
- Gannet, 307–308
- Gavia immer, 122–123, 124
- Genetics, see Evolution and—
- Geococcyx californianus, 597–598
- Geographic variation,
 Psaltriparus, 503–528
 various Central and South American forms, 343–365
- George, J. C., and A. J. Berger, Avian myology (rev.), 138–140
- Geothlypis trichas, 120 (two references), 498
- Geotrygon frenata, 384
- Gilbert, Albert E., frontisp. facing p. 169
- Glenny, Fred H., Main arteries in the neck and thorax of three sun grebes (*Heliornithidae*), 431–432
- Gnatcatcher, Blue-gray, 266–267, 423–424
- Godfrey, W. Earl, The birds of Canada (rev.), 434–435
- Godwit, Bar-tailed, 278
- Goose,
 Canada, 277
 Emperor, 278
 Snow, 278
 White-fronted, 277
- Gorsachius melanolophus, 529–533
- Goshawk, 183–191
 African, 408
- Gould, Patrick J., and Warren B. King, Records of four species of *Pterodroma* from the central Pacific Ocean, 591–594
- Gackle, Common, 118
- Graculavus
 pumilis, 260–262
 velox, 260–262
- Gramza, Anthony F., Responses of brooding nighthawks to a disturbance stimulus, 72–86
- Grebe, Red-necked, 278
- Greenlaw, Jon S., Foraging behavior of the Double-toothed Kite in association with white-faced monkeys, 596–597
- Greer, J. K., and Marjorie Greer, Notes on hatching and growth of the Southern Lapwing in Chile, 121–122
- Greer, Marjorie, see Greer, J. K., and—
- Grosbeak, Evening, 263, 267–272
- Grossman, Mary Louise, and John Hamlet, Birds of prey of the world (rev.), 437–439
- Grouse, Ruffed, 87–112, 185–186
- Gruiformes, 214, 432
- Grus c. canadensis, 277–278
- Gull,
 Herring, 123, 568
 Sabine's, 278
- Gullion, Gordon W., Selection and use of drumming sites by male Ruffed Grouse, 87–112
- Gymnorhinus cyanocephalus, 385
- Gymnostinops
 cassini, 345
 guatimozinus, 345, 359
 montezuma, 359
- Gynandrom, *Hesperiphona vespertina*, 266–267
- Hadaway, Elizabeth S., see Ficken, Robert W., et al.
- Haematopus bachmani, 384–387
- Haffer, Jürgen, Some allopatric species pairs of birds in northwestern Colombia, 343–365
- Haliaeetus leucocephalus, 602–603
- Halobaena caerulea, 366–378
- Hamilton, John L., see Fleetwood, Raymond J., and—
- Hardy, John William, review by, 609–611
- Harpagus bidentatus, 596–597
- Hawaii, 130
- Hawk,
 Ferruginous, 433
 Marsh, 114, 278
 Rough-legged, 173–182
 Sharp-shinned, 431
- Heart rates,
 Colaptes auratus, 131–132
 Cyanocitta cristata, 131–132
 Dumetella carolinensis, 131–132
 Empidonax flaviventris, 131–132
 Eugenes fulgens, 36–37, 42

- Hylocichla mustelina, 131–132
 Lampornis clemenciae, 36–37, 42
 Toxostoma rufum, 131–132
 Turdus migratorius, 131–132
 Heimerdinger, Mary A., review by, 283–284
 Hein, Dale, see Darst, Philip H., and—
 Heinzman, George M., see Howell, Joseph C., and—
 Heliornis fulica, 431–432
 Heliornithidae, 431–432
 Heron, Boat-billed, 529–533
 Hesperiphona vespertina, 263, 267–272
 Heteroscelus incanum, 278
 Hierophasis swinhonis, 384
 Himantopus himantopus knudseni, 130
 Hirundo rustica, 384, 560–570
 Höhn, E. Otto, Observations on the breeding biology of Wilson's Phalarope (*Steganopus tricolor*) in central Alberta, 220–244
 Howell, Joseph C., and George M. Heinzman, Comparison of nesting sites of the Bald Eagle in central Florida from 1930 to 1965, 602–603
 Hoy, Gunnar, The eggs and nesting ground of the Puna Plover, 130–131
 Hummingbird,
 Black-chinned, 37–46
 Blue-throated, 34–48
 Rivoli's, 34–48
 Violet-crowned, 37–46
 Hundley, Margaret H., Recent wintering records of the Kirtland's Warbler, 425–426
 Hylocichla
 minima, 278
 mustelina, 131–132, 423
 Hybrids and hybridization,
 Seiurus novaboracensis × *Dendroica striata*, 534–543
 various parulids, 541–542
 Hypsipetes propinquus, 384

 Idaho, 115–117
 Illinois, 173–182, 187
 Incubation period (see also Breeding),
 Belanopterus chilensis, 121–122
 Geococcyx californianus, 598
 Himantopus himantopus knudseni, 130

 Invasions, *Accipiter gentilis*, 183–191
 Ixoreus naevius, 385

 Jay, Blue, 131–132, 205–214
 Johnston, Richard F., Sexual dimorphism in juvenile House Sparrows, 275–277
 Junco hyemalis, 212, 315
 Junco, Slate-colored, 212, 315

 Kale, Herbert W., II, Aggressive behavior by a migrating Cape May Warbler, 120–121; Water sources of the Long-billed Marsh Wren in Georgia salt marshes, 589–591
 Kansas, 275–277
 Kelso, Leon, review by, 280–281
 Kentucky, 187
 Kenya, 594–595
 Kepler, Cameron B., Polynesian rat predation on nesting Laysan Albatrosses and other Pacific seabirds, 426–430
 King, Warren B., see Gould, Patrick J., and—
 Kingbird, Tropical, 607–609
 Kinglet,
 Golden-crowned, 493–501
 Ruby-crowned, 493–501
 Kite,
 Double-toothed, 596–597
 Hook-billed, 598–601
 Knot, 278
 Kontogiannis, John, Day and night changes in body weight of the White-throated Sparrow, *Zonotrichia albicollis*, 390–395

 Lampornis clemenciae, 34–48
 Lanius excubitor, 277
 Lanyon, Wesley E., review by, 606–609
 Laornis edwardsianus, 260–262
 Lapwing, Southern, 121–122
 Lark, Horned, 277
 Larus
 argentatus, 123, 568
 occidentalis, 384
 Lasiewski, Richard J., see Lasiewski, Robert C., and—
 Lasiewski, Robert C., and Richard J.

- Lasiewski, Physiological responses of the Blue-throated and Rivoli's hummingbirds, 34-48
- Laybourne, Roxie C., Bilateral gynandromism in an Evening Grosbeak, 267-272
- LeFebvre, Eugene A., Richard C. Birkebak, and Frank D. Dorman, A flight-time integrator for birds, 124-128
- Lesser, Frederick H., and Allen R. Stickley, Jr., Occurrence of the Saw-whet Owl in Florida, 425
- Lesser, Frederick H., and Lovett E. Williams, Cory's Shearwaters (*Puffinus diomedea borealis*) off eastern Florida, 278-279
- Leucolepis thoracica, 385
- Lewis, R. Alan, "Resting" heart and respiratory rates of small birds, 131-132
- Limnodromus*
griseus, 384
scolopaceus, 277-278
- Limnothlypis swainsonii*, 498
- Limosa lapponica*, 278
- Linduska, Joseph H. (ed.), Waterfowl tomorrow (rev.), 284-286
- Lister, Robert, Observations on embryos of Common Loons, 124
- Lobipes lobatus*, 227-242, 277
- Longevity, *Larus argentatus*, 123
- Longspur, Lapland, 277
- Loon, Common, 122-123, 124
- Lophortyx californicus*, 384
- Louisiana, 490-502
- Lovebird, Fischer's, 594
- Luscinia svecica*, 278
- Lybius*
guifsobalito, 594-595
torquatus, 209
- Macronectes giganteus*, 366-378
- Maine, 422, 490-502
- Manacus*
manacus, 345
(*manacus*) *vitellinus*, 345
vitellinus, 384
- Management and conservation, 412-420
 Bonasa umbellus, 87-112
 Dendroica kirtlandii, 426
- recent literature on, 298-300, 457-459, 627-628
- Manakin*,
 Flame-headed, 348-354, 357-362
 Red-capped, 348-354, 357-362
- Mareca americana*, 588
- Marler, Peter, and William J. Hamilton, III, Mechanisms of animal behavior (rev.), 439-440
- Marsh Wren, Long-billed, 118-120, 589-591
- Maryland, 534
- McKinney, Frank, review by, 284-286
- Meadowlark, Eastern, 265
- Measurements, see Weights and—
- Megacyrle alcyon*, 212
- Melanitta perspicillata*, 384
- Meleagris gallopavo*, 113-114
- Melospiza*
georgiana, 118-119, 315
melodia, 119-120, 205-214, 385, 423
- Mengel, Robert M., review by, 606
- Metabolic rate,
 Eugenes fulgens, 34-48
 Lamportis clemenciae, 34-48
- Mewaldt, L. Richard, see American Ornithologists' Union, Proceedings
- Mexico, 49-60, 169-172, 503-528
- Micropalama himantopus*, 128-130
- Migration (see also Orientation and—),
 Accipiter gentilis, 186-187
 Dendroica chrysoparia, 115
 Grus canadensis, 277-278
 recent literature on, 161-162, 300-301, 628-629
 Steganopus tricolor, 221-236
- Miles, Merriam L., An addition to the avifauna of the United States:
 Myiarchus stolidus sagrae, 279
- Miller, Alden Holmes, memorial to, 192-202
- Minnesota, 87-112
- Mississippi, 274
- Mitu*
salvini, 347-348
tomentosa, 347-348
- Mniotilla varia*, 266-267
- Molothrus ater*, 422, 601-602
- Molts and plumages,
 Hesperiphona vespertina (gynander), 268-269

- Neochloe brevipennis*, 128
Penelopina nigra (downy young), 171–172
 phalaropes, 241–242
Psaltriparus, 506–528
Pygoscelis adeliae, 61–71
 various parulids, 241–242
Xenospiza baileyi, 55–59
- Monroe, Burt L., Jr., reviews by, 442, 442–443
- Monroe, Burt L., Sr., see American Ornithologists' Union, Treasurer's report
- Montana, 220–244
- Moreau, R. E., correspondence, 634
- Morse, Douglass H., Competitive relationships between Parula Warblers and other species during the breeding season, 490–502
- Mortality,
Accipiter gentilis, 188–189
 insignificant, 604–605
- Mosby, Henry S. (ed.), Wildlife investigation techniques (rev.), 283–284
- Motacilla flava*, 277
- Mountford, C. P. (ed.), Records of the American-Australian Scientific Expedition to Arnhem Land (rev.), 436–437
- Mueller, Helmut C., and Daniel D. Berger, Some observations and comments on the periodic invasions of Goshawks, 183–191; Turkey Vultures attack living prey, 430–431
- Murray, Bertram G., Jr., see Ford, Norman L., and—
- Myiarchus stolidus sagræ*, 279
- Myiodynastes maculatus*, 384
- Myzomela* sp., 385
- Nelson, J. Bryan, comments on "A comparative study of some social communication patterns in the Pelecaniformes" (corresp.), 307–308
- Neochloe brevipennis*, 128
- Neospelia galapagoensis*, 384
- Nest and nest site (see also Breeding),
Capella paraguaiae, 421–422
Charadrius alticola, 130–131
- Chondrohierax uncinatus*, 598–601
Haliaeetus leucocephalus, 602–603
Xenospiza baileyi, 52–55
- Nesting success (see also Breeding),
Anous stolidus, 430
Diomedea immutabilis, 429
Parus atricapillus, 274
Pterodroma hypoleuca, 430
- New Jersey, 260–261
- New Mexico, 503–528
- Nighthawk, Common, 72–86
- Nuthatch, Red-breasted, 496
- Nuttallornis borealis*, 384
- Nyctanassa violacea*, 529–533
- Nycticorax nycticorax*, 212, 384, 529–533
- Oceanites oceanicus*, 366–378
- Oceanodroma homochroa*, 384
- Oena capensis*, 384
- Oenanthe oenanthe*, 277
- Oldsquaw, 122–123
- Ontario, 187, 602
- Opisthomorus hoazin*, 384
- Oporornis formosus*, 498
- Oreophasis, 361–362
- Orientation (see also Migration and—),
Passerina cyanea, 309–342, 463–489
- Ornithology, 361–362, 384
- Ostrich, 571–587
- Otus asio*, 384
- Ouellet, Henri, The distribution of the Cerulean Warbler in the Province of Quebec, Canada, 272–274
- Ovarian development, *Steganopus tricolor*, 223–224
- Ovenbird, 266–267, 538–540
- Owen, D. F., Animal ecology in tropical Africa (rev.), 441–442
- Owl,
 Great Horned, 433, 603
 Hawk, 215
 Saw-whet, 425
 Short-eared, 278
- Oystercatcher, Black, 384–387
- Pachyptila*, 366–378
- Pachyramphus polychopterus*, 384
- Pacific Ocean, 366–378, 426–430, 591–594
- Pagodroma nivea*, 366–378

- Paleotringa
 littoralis, 260–262
 vagans, 260–262
 vetus, 260–262
- Paleontology, see Fossils, and Taxonomy
 and—
- Palmer, R. S., reviews by, 611–612, 612
- Panama, 343–365
- Parasites, see Diseases and—
- Parasitism, social, 422, 597–598, 601–602
- Parkes, Kenneth C., editor of reviews,
 135–146, 280–287, 434–443, 606–615;
 reviews by, 435–436, 436–437, 612–
 613, 613–614
- Partridge, William H., obituary, 305–306
- Parula americana, 490–502
- Parus
 atricapillus, 274, 423, 496
 bicolor, 266–267
 carolinensis, 266–267, 498
- Passer domesticus, 212, 263, 275–277,
 381–387, 431
- Passerculus sandwichensis, 277
- Passeriformes, 214
- Passerina cyanea, 309–342, 463–489
- Pelagodroma marina, 366–378
- Pelecaniformes, 214
- Pelecanoides, 366–378
- Pelecanus
 erythrorynchus, 384
 occidentalis, 212
- Penelope, 361–362
- Penelopina, 361–362
 nigra, 169–172
 n. nigra, 169–170
- Penguin,
 Adelie, 61–71
 Chinstrap, 366–378
 Magellan, 366–378
- Penney, R. L., Molt in the Adelie Pen-
 guin, 61–71
- Perdix perdix, 212
- Petrel,
 Antarctic, 366–378
 Blue, 366–378
 Bonin Island, 430
 Cape, 366–378
 diving, 366–378
 Giant, 366–378
 Great-winged, 366–378
 Kermadec, 591–593
- Murphy's, 591–593
- Scaled, 366–378
- Silver-gray, 366–378
- Snow, 366–378
- Solander's, 593
- South Trinidad, 591–594
- Tahiti, 591–592
- White-chinned, 366–378
- White-faced, 366–378
- White-headed, 366–378
- Wilson's, 366–378
- Pettingill, Olin Sewall, Jr., A 36-year-
 old wild Herring Gull, 123
- Phalacrocorax
 auritus, 384
 penicillatus, 384
- Phalaenoptilus nuttallii, 384
- Phalarope,
 Northern, 227–242, 277
 Red, 229–242, 277
 Wilson's, 128–130, 220–244
- Phalaropus fulicarius, 229–242, 277
- Phaps elegans, 384
- Phasianus colchicus, 114, 212
- Pheasant, Ring-necked, 114, 212
- Philacte canagica, 278
- Phillips, Allan R., see Dickerman, Robert
 W., et al.
- Phoebe, Eastern, 601
- Phoebetria palpebrata, 366–378
- Photoperiodic responses, *Sturnella magna*,
 265
- Physiology (see also Bioenergetics, En-
 doocrinology, Heart rates, Metabolic
 rates, Proteins, Respiratory rates,
 Temperature, Water economy, and
 Weight changes),
 recent literature on, 162–163, 302–303,
 459, 630–631
- Piciformes, 214
- Pigeon, domestic, 215
- Pilherodius pileatus, 529–533
- Pipilo erythrorththalmus, 266–267, 385
- Pipit,
 Red-throated, 278
 Water, 278
- Pipra
 chloromeros, 349–354
 erythrocephala, 345, 348–354, 357–362
 e. erythrocephala, 349–354
 (erythrocephala) rubrocilla, 349–354

- mentalis, 345, 348–354, 357–362
m. ignifera, 354, 358
mentalis minor, 350–354, 358
- Pipreola reifferii*, 384–387
- Plover,**
 American Golden, 128–130, 277
 Puna, 130–131
- Plumage**, see *Molts and—*
- Pluvialis dominica*, 128–130, 277
- Podica**
senegalensis petersii, 431–432
s. senegalensis, 431–432
- Podiceps**
caspicus, 384
griseogena, 278
- Podilymbus podiceps*, 384
- Poephila gouldiae*, 604–605
- Polyplectron emphanum*, 384
- Population**, see *Ecology and—*
- Population dynamics**,
Accipiter gentilis, 183–191
Bonasa umbellus, 87–112
Haliaeetus leucocephalus, 602–603
Pygoscelis adeliae, 66–68
- Polioptila caerulea*, 266–267, 423–424
- Polyandry**, *phalaropes*, 238–239
- Polygamy**, *Parus atricapillus*, 274
- Predation by**,
Accipiter gentilis, 185–186
A. tachiro, 408
Circus cyaneus, 114
- Predation on**,
Anous stolidus, 430
Bonasa umbellus, 185–186
Diomedea immutabilis, 426–430
Phasianus colchicus, 114
Pterodroma hypoleuca, 430
Sterna fuscata, 430
Textor cucullatus, 408
- Prion*, 366–378
- Procellaria aequinoctialis*, 366–378
- Procellariiformes**, 214
- Proteins**, eye-lens, 203–219
- Protonotaria citrea*, 498
- Psaltriparus**
melanotis, 503–528
m. lloydii, 503–528
minimus, 503–528
m. lloydii, 503–528
m. cecaumenorum, 503–528
- m. santaritae*, 526
plumbeus, 503–528
- Psittaciformes**, 214
- Pterodroma**
arminjoniana, 591–594
a. arminjoniana, 593–594
a. heraldica, 593–594
hypoleuca, 430
inexpectata, 366–378
lessonii, 366–378
macroptera, 366–378
neglecta, 591–593
r. rostrata, 591–592
solandri, 593
ultima, 591–593
- Pteroglossus**
torquatus, 345
(torquatus) sanguineus, 345
- Puffinus**
carneipes, 366–378
carneipes cretopus, 373
diomedea borealis, 278–279
griseus, 366–378
- Pycnonotus finlaysoni*, 384–387
- Pygoscelis**
adeliae, 61–71
antarctica, 366–378
- Quay, W. B.**, Comparative survey of the anal glands of birds, 379–389
- Quebec**, 272–274
- Quiscalus quiscula*, 118
- Raftt, Ralph J.**, Relationships between black-eared and plain-eared forms of bushtits (*Psaltriparus*), 503–528
- Redhead**, 544–559, 588
- Redstart**, American, 120, 423–424
- Regulus**
calendula, 493–501
satrapa, 493–501
- Respiratory rate**,
Colaptes auratus, 131–132
Cyanocitta cristata, 131–132
Dumetella carolinensis, 131–132
Empidonax flaviventris, 131–132
Hylocichla mustelina, 131–132
Toxostoma rufum, 131–132
Turdus migratorius, 131–132

- Rhynchocyclus
 brevirostris, 345, 354–362
 b. brevirostris, 355, 362
 b. hellmayri, 355, 362
 b. pacificus, 355–358, 362
 b. pallidus, 355, 362
 olivaceus, 345, 354–362
 o. bardus, 356–358
 o. mirus, 356–357
- Richmondena cardinalis*, 212
- Ricklefs, Robert E., Relative growth, body constituents, and energy content of nestling Barn Swallows and Red-winged Blackbirds, 560–570
- Roadrunner, 597–598
- Robbins, Chandler S., Bertel Bruun, and Herbert S. Zim, Birds of North America, a field guide to identification (rev.), 282–283
- Robbins, Chandler S., see Short, Lester L., Jr., and—
- Robin, 131–132
 Forest, 595
- Root, Richard B., and Ruth M. Yarrow, A predator-decoy method for capturing insectivorous birds, 423–424
- Salpinctes o. obsoletus*, 602
- Sandpiper,
 Baird's, 277
 Least, 128–130
 Pectoral, 128–130, 277
 Rock, 277
 Semipalmated, 128–130
 Stilt, 128–130
 Western, 277, 383–384
- Sauer, E. G. Franz, and E. M. Sauer, Yawning and other maintenance activities in the South African Ostrich, 571–587
- Sauer, E. M., see Sauer, E. G. Franz, and—
- Sayornis phoebe*, 601
- Scaup, Lesser, 588
- Schnell, Gary D., Environmental influence on the incidence of flight in the Rough-legged Hawk, 173–182
- Schwartz, Paul, Vibra el llano (recordings) (rev.), 609–611
- Seiurus*
 aurocapillus, 266–267, 538–540
 motacilla, 538–540
 noveboracensis, 534–543
- Setophaga ruticilla*, 120, 423–424
- Sex and age groups (identification of), *Passer domesticus* (juvenals), 275–277
- Psaltriparus*, 506–508
- Shearwater,
 Black-tailed, 366–378
 Cory's, 278–279
 Flesh-footed, 366–378
 Sooty, 366–378
- Short, Lester L., Jr., and Chandler S. Robbins, An intergeneric hybrid wood warbler (*Seiurus* × *Dendroica*), 534–543
- Shrike, Northern, 277
- Sibley, Charles G., and Alan H. Brush, An electrophoretic study of avian eye-lens proteins, 203–219
- Sitta canadensis*, 496
- Skua, 366–378
- Smith, Susan M., A case of polygamy in the Black-capped Chickadee, 274
- Smith, W. John, Communication and relationships in the genus *Tyrannus* (rev.), 606–609
- Smithe, Frank B., The Birds of Tikal (rev.), 440–441
- Snipe,
 Common, 128–130, 278
 Paraguay, 421–422
- Snyder, Dorothy E., The birds of Guyana (rev.), 435–436
- Somateria mollissima borealis*, 135
- South America, 343–365
- South Dakota, 588
- Sparrow,
 House, 263, 275–277, 381–387, 431
 Savannah, 277
 Sierra Madre, 49–60
 Song, 119–120, 205–214, 423
 Swamp, 118–119, 315
 White-throated, 211–212, 315, 390–395
- Speotyto
 cunicularia, 384
 megalopeza, 116
- Sphecotheres* sp., 384
- Spheniscus magellanicus*, 366–378
- Spofford, Walter R., review by, 437–439
- Starling, 431
- Steganopus tricolor*, 128–130, 220–244

- Sterna
fusca, 430
hirundo, 220–221
- Stewart, Paul A., Diving schedules of a Common Loon and a group of Old-squaws, 122–123
- Stickley, Allen R., Jr., see Lesser, Frederick H., and—
- Stilt, Hawaiian, 130
- Stiphronis
erythrothorax, 595
e. mabirae, 595
e. xanthogaster, 595
- Stokes, Allen W., Behavior of the Bob-white, *Colinus virginianus*, 1–33
- Streptopelia decaocto, 212
- Strigidae (genera indet.), 117
- Strigiformes, 214
- Struthio camelus australis, 571–587
- Sturnella magna, 265
- Sturnus vulgaris, 431
- Sula
bassana, 307–308
dactylatra, 428
- Surnia ulula, 215
- Swallow, Barn, 560–570
- Szijj, Laszlo J., Notes on the winter distribution of birds in the western Antarctic and adjacent Pacific waters, 366–378
- Tate, James, Jr., Cowbird removes warbler nestling from nest, 422
- Tattler, Wandering, 278
- Taxonomy and paleontology, recent literature on, 163–164, 303–304, 459–461, 631–633
- Taxonomy of,
Cochlearius cochlearius, 529–533
Crax alberti, 346–348
C. rubra, 346–348
Pipra chloromeros, 352–354
P. erythrocephala, 352–354
P. (e.) rubrocincta, 352–354
P. mentalis, 352–354
Psaltriparus, 503–528
Rhynchocyclus brevirostris, 355–357
R. olivaceus, 355–357
various Central and South American forms, 343–365
- Tyrannus melancholicus couchii, 607–609
- various parulid genera*, 541–542
- Xenospiza baileyi, 49–60
X. b. sierrae, 51
- Telmatornis
affinis, 260
priscus, 260–262
rex, 260–262
- Telmatodytes
palustris, 118–120
p. griseus, 589–591
- Temperatures, body,
Eugenys fulgens, 34–48
Lamponnis clemenciae, 34–48
- Tern,
 Black, 220–221
 Common, 220–221
 Noddy, 430
 Sooty, 430
- Territoriality,
Agelaius phoeniceus, 118–120
Aythya americana, 555
Bonasa umbellus, 87–112
Dendroica tigrina, 120–121
Melospiza georgiana, 118–119
Melospiza melodia, 119–120
Parus atricapillus, 274
phalaropes, 239–241
Quiscalus quiscula, 118
Telmatodytes palustris, 118–120
Textor cucullatus, 396–411
- Testicular development,
Steganopus tricolor, 222
Sturnella magna, 265
- Texas, 503–528, 598–601
- Textor
c. cucullatus, 408
c. graueri, 396–411
- Thalassoica antarctica, 366–367
- Thamnophilus doliatus, 384
- Thrasher, Brown, 131–132
- Thrush,
 Gray-cheeked, 278
 Wood, 131–132, 423
- Timken, Richard L., Canvasback male participating in a Redhead courtship party, 588
- Tinamotis pentlandi, 384
- Titmouse, Tufted, 266–267

- Tordoff, Harrison B., An interesting case of mortality in the Gouldian Finch, 604-605
- Torpor,
Eugenes fulgens, 34-48
Lampornis clemenciae, 34-48
- Totonans
flavipes, 128-130
melanoleucus, 128-130
- Towhee, Rufous-sided, 266-267
- Toxostoma rufum, 131-132
- Turdus migratorius, 131-132
- Turkey, 113-114
- Turnstone, Ruddy, 277
- Tyler, C. (translator and editor), Wil helm von Natusius 1821-1899 on avian eggshells (rev.), 612
- Tyrannus melancholicus subsp., 607-609
- Urban, Emil K., and Lawrence H. Walk inshaw, The Wattled Crane in Ethiopia, 263-264
- Uria aalge, 384
- Uruguay, 421-422
- Utah, 133-134
- Verheyen, R. K., Oologica Belgica (rev.), 611-612
- Vermivora
chrysoptera, 537
pinus, 537
- Vincent, Jack (compiler), Red data book (rev.), 613-614
- Vireo
bellii medius, 274
flavifrons, 498
olivaceus, 498
- Vireo,
Bell's, 274
Red-eyed, 498
Slaty, 128
Yellow-throated, 498
- Virginia, 267-272
- Vocalizations,
Alectoris chukar, 26-28
Aythya americana, 544-559
Colinus virginianus, 17-28
Lophortyx californicus, 19, 26-28
L. gambelii, 26-28
- Parula americana, 497
Penelopina nigra, 170-171
Psaltriparus, 519-520
Steganopus tricolor, 235
Xenospiza baileyi, 59
- Voitkevich, Anatolii A., The feathers and plumages of birds (rev.), 280-281
- Vulture, Turkey, 430-431
- Wagtail, Yellow, 277
- Walkinshaw, Lawrence H., see Urban, Emil K., and—
- Warbler,
Black-and-white, 266-267
Black-throated Blue, 120
Black-throated Green, 422, 494-501
Blackburnian, 494-501
Blackpoll, 120, 534-543
Blue-winged, 537
Cape May, 120-121, 534-542
Cerulean, 272-274
Golden-cheeked, 115
Golden-winged, 537
Hooded, 498
Kentucky, 498
Kirtland's, 425-426
Magnolia, 494-501
Myrtle, 120, 494-501
Palm, 120, 537, 539-540
Parula, 490-502
Pine, 266-267
Prothonotary, 498
Swainson's, 498
Yellow, 120
Yellow-throated, 266-267
- Warner, Dwain W., see Dickerman, Robert W., et al.
- Water economy,
Eugenes fulgens, 34-48
Lampornis clemenciae, 34-48
Telmatodytes palustris griseus, 589-591
Zonotrichia albicollis, 392-393
- Waterthrush,
Louisiana, 538-540
Northern, 534-543
- Watson, George E., Fulvous Tree Duck observed in the southern Sargasso Sea, 424
- Weaverbird, Village, 396-411

- Weigand, John P., Cock pheasants rout
 Marsh Hawk, 114; Ferruginous Hawk
 attacks Great Horned Owl, 433
- Weight changes,
 Agelaius phoeniceus (nestlings), 560–
 570
- Hirundo rustica* (nestlings), 560–570
- Telmatodytes palustris griseus*, 589–591
- Zonotrichia albicollis*, 390–395
- Weights and measurements (see also
 Eggs, description and measurements),
 Belanopterus chilensis (nestlings), 121–
 122
- Bugeranus carunculatus*, 263
- Dendroica striata*, 535
- Eugenes fulgens*, 34–35, 38–39
- Hesperiphona vespertina*, 268–270
- Lampornis clemenciae*, 34–35, 38–39
- Pipra chloromeros*, 352
- P. e. erythrocephala*, 352
- P. mentalis minor*, 352
- Psaltriparus*, 523
- Pygoscelis adeliae*, 61–71
- Seiurus novaboracensis*, 535
- S. novaboracensis* × *Dendroica striata*,
 535
- Steganopus tricolor*, 222
- Tyrannus melancholicus*, 608
- Xenospiza baileyi*, 50
- Weismann, Carl, and Allen Keast, Australian bird songs (rev.), 442
- Weller, Milton W., Courtship of the Redhead (*Aythya americana*), 544–
 559
- Weston, Francis M., obituary of Ellison Adger Williams, 306
- Wheatear, 277
- Widgeon, American, 588
- Williams, Ellison Adger, obituary, 306
- Williams, Lovett E., Jr., Wild Turkeys (*Meleagris gallopavo*) with supernumerary leg spurs, 113–114; see also Lesser, Frederick H., and—
- Willson, Mary F., Notes on the interspecific behavioral relationships of marsh-nesting passerines, 118–120
- Wilsonia citrina, 498
- Wing-beat frequencies,
 Amazilia verticalis, 37, 43–44
- Archilochus alexandri*, 37, 43–44
- Eugenes fulgens*, 37, 43–44
- Lampornis clemenciae*, 37, 43–44
- Wisconsin, 183–191
- Wolf, Larry L., Another record of active molt in passerine birds, 128
- Wood Pewee, Western, 133–134
- Woodpecker, Downy, 266
- Woolfenden, Glen E., editor of recent literature, 147–164, 288–304, 444–461, 616–633; A specimen of the Golden-cheeked Warbler from Florida, 115
- Wren, Rock, 602
- Wright, H. E., Jr., and David G. Frey (eds.), The Quaternary of the United States (rev.), 606
- Xema sabini, 278
- Xenops rutilans, 384
- Xenospiza
 baileyi, 49–60
 b. baileyi, 51
 b. sierrae, 51
- Xiphocolaptes promeropirhynchus, 384
- Xiphorynchus picus, 384
- Yarrow, Ruth M., see Root, Richard B., and—
- Yellowlegs,
 Greater, 128–130
 Lesser, 128–130
- Yellowthroat, 120 (2 references), 498
- Zimmerman, Dale A., *Agapornis fischeri*, *Lybius guifsobalito*, and *Stiphronis erythrothorax* in Kenya, 594–595
- Zonotrichia albicollis*, 211–212, 315, 390–
 395
- Zugunruhe, 309–342, 463–489