

INDEX TO VOLUME 93

Compiled by James J. Dinsmore

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. Check-list, scientific names only have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

Note that page numbers followed by "A, B, C, or D" refer to supplements to the January, April, July, or October issues respectively.

- Abnormality of, *Hydroprogne caspia*, 437–438
Larus argentatus, 436–441
L. delawarensis, 436–438
Nycticorax nycticorax, 435, 437, 438
Sterna hirundo, 437–441
Accipiter bicolor, 841–842
 polioptila, 187–189
 strigatus, 492
Actitis macularia, 56
Aechmophorus occidentalis, 831
Aegolius acadicus, 603, 608–610
 funereus, 195–196
Agelaius phoeniceus, 343–355, 361, 364, 517–534
Aimophila strigiceps, 189–190
Aix sponsa, 793–807
Alabama, 385
Alaska, 67, 69, 74–76, 263–280, 842–843, 843–845
Albatross, Black-fronted, 263–280
 Laysan, 263–280
 Short-tailed, 263–280
Alberta, 231–244
Aleutian Islands, 263–280, 1DD–19DD
Alison, R. M., Female ptarmigan reoccupying nest site, 657; and J. P. Prevett, Occurrences of duck hybrids at James Bay, 643–644
Amazilia yucatanensis, 56
Amazona ochrocephala, 56
 viridigenalis, 55, 56, 61
American Ornithologists' Union, Awards, 142–143, 161–163
Business sessions, 142–149
Bylaws of, 1CC–8CC
Charge to committee on public responsibilities, 157
Check-list, supplement to, 875–879
Committee on classification and nomenclature, 875–879
Committee on collections, 126–129
Committees, 155–157
Conservation, Report of the committee on, 1DD–19DD
Membership, 143–144
Officers, 142, 155
Proceedings of the ninety-third stated meeting, 142–163
Public sessions, 149–151
Resolutions, 153–155
Treasurer's report, 158–160
Ampelion sclateri, 426
Anas acuta, 643–644, 831
 americana, 643–644, 831
 clypeata, 831
 crecca, 273, 831
 cyanoptera, 831
 discors, 646–650, 831
 platyrhynchos, 273, 324–342, 643–644, 831
 rubripes, 643–644
 strepera, 831
Anatomy and embryology, recent literature on, 2A–3A, 2B, 2C, 2D–5D
Anatomy and morphology of, *Anas platyrhynchos*, 324–332
Aptenodytes forsteri, 749–759
 A. patagonica, 749–759
bony stapes, 169–170

- Eudyptes chrysolophus*, 749–759
E. crestatus, 749–759
E. pachyrhynchus, 749–759
E. schlegeli, 749–759
Eudyptula minor, 749–759
Megadyptes antipodes, 749–759
middle ear region of penguins, 749–759
Pygoscelis adeliae, 749–759
P. papua, 749–759
Spheniscus demersus, 749–759
S. humboldti, 749–759
S. mendiculus, 749–759
Angell, T., Owls (rev.), 658–659
Anhinga, 56
Anhinga anhinga, 56
Ani, Groove-billed, 56
Anisognathus igniventris, 426
Annotated lists, see Distribution and —
Annual cycle of, *Oxyura* sp., 561–562
Anous stolidus, 371–374, 626
Aphelocoma coerulescens, 116–125, 443–450
 ultramaria, 116–125
Aptenodytes forsteri, 749–759
 pataagonica, 749–759
Aquila chrysaetos, 390, 832
Aratinga astec, 56
 holochlora, 56, 61
Archibald, Herbert L., Spring drumming patterns of Ruffed Grouse, 808–829
Archilochus alexandri, 574, 582
Ardea herodias, 56, 86, 87, 90, 91, 391, 468–473, 831
Arizona, 67, 72–76, 116–125, 220, 225, 245–262, 571–586, 836–837, 845
Arkansas, 836
Armstrong, Edward A., The life and lore of the bird/In nature, art, myth, and literature (rev.), 408
Arremonops rufivirgatus, 57
Asio flammeus, 603, 607, 609–610, 832
 otus, 603, 607, 609–610
Auriparus flaviceps, 245–262, 746
Austin, Elizabeth S., reviews by, 202–203, 206–209, 407, 661–662, 664, 869, 870
Austin, George T., Behavioral adaptations of the Verdin to the desert, 245–262
Avery, Michael, Paul F. Springer, and J. Frank Cassel, The effects of a tall tower on nocturnal bird migration—a portable ceilometer study, 281–291
Aythya affinis, 831
 americana, 831
 collaris, 831
 marila, 831
 valisineria, 831
Balda, Russell P., see Laudenslayer, Jr., William F., and —
Balph, David F., see Balph, Martha Hatch, and —
Balph, Martha Hatch, and David F. Balph, On flight pursuits in wintering Dark-eyed Juncos, 388–389
Banks, Richard C., review by, 864–865; see Clench, Mary H., et al.
Barlow, Jon C., see Clench, Mary H., et al.
Barnes, John A. G., The titmice of the British Isles (rev.), 870
Beaver, Donald L., Avian populations in herbicide treated brush fields, 543–553
Becard, Rose-throated, 54, 56, 61
Beehler, Bruce, see Duffy, David C., et al.
Behavior,
 activity patterns, 231–244, 308–323
 age-related, 793–807
 aggressive, 171–172, 710–711, 720, 836–837, 842–843
 agonistic, 388–389
 body-bobbing, 374–375
 breeding, 443–450
 copulatory, 311–315, 717–718
 courtship, 311, 712–715, 720–722
 distraction, 173, 383
 dominance, 95–105
 drumming, 808–829
 effect of weather on, 231–244
 egg rejection, 498–509, 675–691
 feeding, 101–105
 feeding aggregations, 468–472
 flight, 554–559
 food begging, 173
 foraging, 16–23, 41–43, 195, 255–259,
 304–306, 316–317, 381–382, 391, 425–426, 468–472, 575–580, 640–642, 644, 841–842
 hierarchical, 95–105
 incubation, 137–139, 626
 interspecific, 116–125, 183, 195, 295–299,
 383, 460–461, 836–837, 839–840
 intraspecific, 18–21

- laying, 137
 maintenance, 315–316
 mobbing, 116–125
 nest building, 136–137
 nest guarding, 292–300
 nest site tenacity, 657
 pair formation, 715–719, 722, 793–807
 panic flights, 630–632
 pursuit, 388–389
 recent literature on, 3A–5A, 2B–6B, 3C–8C, 5D–13D
 soaring, 387, 636
 social, 192–193
 social organization, 560–570
 sunbathing, 375–376
 territorial, 18–19, 21–22, 314–315, 485–489, 711–712, 719
 territory switching, 351–352
 vocal mimicry, 25–38
- Behavior of, *Accipiter bicolor*, 842
Aix sponsa, 793–807
Anous stolidus, 626
Aphelocoma coerulescens, 116–125, 443–450
A. ultramarina, 116–125
Ardea herodias, 86, 87, 90, 91, 391, 468–472
Auriparus flaviceps, 255–259
Bombycilla cedrorum, 498–509, 675–691
Bonasa umbellus, 192–193, 808–829
Botaurus lentiginosus, 86, 87, 91
Branta canadensis, 554–559
Bubulcus ibis, 86, 90, 91
Butorides virescens, 86, 87, 90, 91
Carpodacus cassini, 485–489
Casmerodus albus, 86, 88, 90, 91, 391, 468–472, 708–724
Chamaepetes goudotii, 194
Coturnix coturnix, 135–141
Cyanocitta cristata, 684–686
Dendrocygna autumnalis, 536
Dichromana rufescens, 86, 88, 90, 91
Dryocopus pileatus, 16–23
Dumetella carolinensis, 292–300, 683–687
Egretta thula, 86, 89, 90, 91, 391, 468–472
Eremophila alpestris, 383
Eudocimus albus, 468–472
Florida caerulea, 86, 90, 91, 195, 468–472
Gymnogyps californianus, 636
- Haliaeetus leucocephalus*, 387, 842–843
Harpagus bidentatus, 841
H. diodon, 841–842
Hirundo rustica, 177–178
Hydranassa tricolor, 86, 88, 90, 91, 195, 391, 468–472
Iridoprocne bicolor, 177–178
Ixobrychus exilis, 86, 91
Junco hyemalis, 388–389
Lagopus lagopus, 657
Larus atricilla, 308–323
L. occidentalis, 304–306
 migrating birds, 281–291
Myadestes genibarbis, 41–43
Mycteria americana, 468–472
Nephelornis oneilli, 425–426
Numenius americanus, 382–384
Nyctanassa violacea, 86, 91
Nyctea scandiaca, 839–840
Nycticorax nycticorax, 86, 90, 91, 468–472, 631
Oxyura jamaicensis, 560–570
O. maccoa, 560–570
Parus atricapillus, 95–105
P. gambeli, 575–580, 836
P. hudsonicus, 451–463
P. inornatus, 575–580
Pelecanus occidentalis, 305
Petrochelidon pyrrhonota, 177–178
Phalacrocorax auritus, 305
P. penicillatus, 305
Philohela minor, 374–375
Pipilo erythrrophthalmus, 183
Plegadis chihi, 375–376
Progne subis, 231–244, 842
Psaltriparus minimus, 575–580
Quiscalus quiscula, 640–642
Riparia riparia, 177–178
Rynchops niger, 170–174
Selenidera spectabilis, 381–382
Spizella arborea, 644
S. passerina, 575–580
Sterna albifrons, 761
S. hirundo, 630–632
Tachycineta thalassina, 836
Thryomanes bewickii, 183
Toxostoma rufum, 684–686
Turdus migratorius, 684–686
Tyrannus tyrannus, 684–686

- T. verticalis*, 684–686
Vireo solitarius, 575–580
- Behle, William H., Systematic review, intergradation, and clinal variation in Cliff Swallows, 66–77
- Berkeley, Philip, see Williams, Timothy C., et al.
- Berlioz, Jacques, obituary of, 665
- Bioenergetics of, *Larus atricilla*, 46–52
 Starling eggs and ovary, 184–187
- Bird collections, 126–129
- Bittern, American, 86, 87, 91, 831
 Least, 86, 91
- Blackbird, Red-winged, 343–355, 361, 364, 517–534
- Bluebird, Eastern, 361, 364, 708
 Western, 746
- Bock, Carl E., and Larry W. Lepthien, Population growth in the Cattle Egret, 164–166
- Bock, Walter, recipient of Elliott Coues Award, 162–163; editor of Reviews, 197–209, 393–408, 658–664, 855–870; reviews by, 658–661, 662–664, 855–856, 860–861, 868–869, 869–870
- Bolen, Eric G., see Delnicki, Don, and —
Bombycilla cedrorum, 57, 296, 498–509, 675–691, 708
- Bonasa umbellus*, 192–193, 361, 364, 708, 808–829
- Bond, James, review by, 206
- Borneman, John C., California Condors soaring into opaque clouds, 636
- Botaurus lentiginosus*, 86, 87, 91, 831
- Brant, Black, 273
- Branta canadensis*, 554–559, 831
 nigricans, 273
- Brazil, 841–842
- Breeding of (see also Behavior; Breeding season; Breeding success; Clutch size; Eggs, descriptions and measurements; Incubation and incubation period; Nest and nest site), *Agelaius phoeniceus*, 343–355
Carpodacus cassini, 477–497
Coturnix coturnix, 135–141
Dendrocygna autumnalis, 535–542
- Breeding season of, *Agelaius phoeniceus*, 344–345
Lagonosticta rara, 30
L. rubricata, 30
- L. rufopicta*, 29, 30
L. senegala, 30
Passer domesticus, 837
- Breeding success of, *Agelaius phoeniceus*, 349–350, 352–353
 birds exposed to gamma radiation, 627–629
Carpodacus cassini, 488
Dendrocygna autumnalis, 540
- British Columbia, 67–69, 74–76, 220, 843–845
- British Honduras, 167
- Brown, Charles R., Use of gravel by Purple Martins, 842
- Brown, William Y., Growth and fledging age of Sooty Tern chicks, 179–183; Egg specific gravity and incubation in the Sooty Tern and Brown Noddy, 371–374; Brown Noddy incubation shifts, 626
- Browning, M. Ralph, The status of *Sayornis saya yukonensis* Bishop, 843–846
- Brudenell-Bruce, P. G. C., The birds of the Bahamas (rev.), 206
- Brush, Alan H., review by, 199–200; and Dennis M. Power, House Finch pigmentation: carotenoid metabolism and the effect of diet, 725–739
- Bubo virginianus*, 56, 116–125, 603, 605, 609–610, 832
- Bubulcus ibis*, 86, 90, 91, 164–166
- Bucephala albeola*, 831
 clangula, 831, 833–835
- Buchheister, Carl W., In memoriam: Alexander Sprunt, Jr., 130–134
- Buech, Richard R., Avian nesting success under gamma radiation exposure, 627–629
- Bufflehead, 831
- Bunting, Blue, 57
 Indigo, 296, 360, 361, 364
 Lazuli, 543–553
 Painted, 57
- Burger, Joanna, Daily and seasonal activity patterns in breeding Laughing Gulls, 308–323
- Burrows of, *Speotyto cunicularia*, 512
- Burton, J. A. (ed.), Owls of the world (rev.), 658–659
- Burton, P. J. K., Feeding and the feeding apparatus in waders (rev.), 658

- Bush-Tanager, Yellow-throated, 381
 Bushtit, 574–584
Buteo lineatus, 20, 56, 361, 362, 364, 708
 magnirostris, 56
 nitidus, 56, 650–655
 platypterus, 708
 swainsoni, 838
Buteogallus anthracinus, 56
Buthraupis aureocephala, 426
Butorides virescens, 20, 86, 87, 90, 91
 Butts, Kenneth O., Burrowing Owl wintering in the Oklahoma Panhandle, 510–516
- Caccamise, Donald F., Nesting mortality in the Red-winged Blackbird, 517–534
Cairina moschata, 56
Calcarius pictus, 838–839
 California, 1–14, 67, 68, 74–76, 220–227, 301–307, 543–553, 636, 740–748, 760–773, 830–833, 845
Calliphlox evelynae, 837–838
 Calls, see Vocalizations
 Cameroon, 32, 34
Campostoma imberbe, 57
 Cannibalism by, *Buteo swainsoni*, 838
 Canvasback, 831
Capella gallinago, 379–381
 Caracara, Crested, 56
 Cardinal, 296, 297, 361, 362, 364
Cardinalis cardinalis, 296, 297, 361, 362, 364
Carpodacus cassini, 477–497
 mexicanus, 725–739
 purpureus, 708
Casmerodus albus, 86, 88, 90, 91, 195, 391, 468–471, 708–724
 Cassel, J. Frank, see Avery, Michael, et al.
Cassidix mexicanus, 57
 Catbird, Gray, 292–300, 360, 361, 364, 683–687, 708
Cathartes aura, 56, 708
Catharus fuscescens, 708
 guttatus, 57, 628, 708
 ustulatus, 296, 361, 364
 Central African Republic, 32
Centrocercus urophasianus, 832
Centurus aurifrons, 56
 carolinus, 361, 362, 364
Certhia familiaris, 708
Ceryle alcyon, 56
 torquata, 56
 Chachalaca, Chestnut-winged, 22
 Plain, 56, 376–379
 Chad, 32
Chaetura pelagica, 708
Chamaepetes goudotii, 194–195
Charadrius montanus, 166–167
 vociferus, 832
 Chat, Yellow-breasted, 57
Chen caerulescens, 391–392
 rossii, 391–392
 Chickadee, Black-capped, 95–105, 361, 362, 364, 644, 708
 Boreal, 451–463
 Carolina, 296
 Mountain, 574–584, 836–837
Chloroceryle americana, 56
Chlorophanes spiza, 381
Chlorospingus flavicularis, 381
Chlorura chlorura, 543–553
Chondrohierax uncinatus, 56
Chordeiles minor, 56
Ciccaba virgata, 56
Circus cyaneus, 832, 839–840
Ciridops anna, 774–792
Clangula hyemalis, 190–192
 Clench, Mary H., Richard C. Banks, and Jon C. Barlow, Bird collections in the United States and Canada: Addenda and corrigenda, 126–129; review by, 198–199
 Cleptoparasitism by, *Nyctea scandiaca*, 839–840
 Clutch size of, *Aegolius acadicus*, 603, 608–610
 Agelaius phoeniceus, 349, 518
 Asio flammeus, 603, 607, 609–610
 A. otus, 603, 607, 609–610
 Bubo virginianus, 603, 605, 609–610
 Catharus guttata, 628
 Charadrius montanus, 166–167
 Colaptes auratus, 628
 Dendrocygna autumnalis, 539
 Molothrus ater, 628
 Myadestes genibarbis, 44
 Numenius americanus, 382
 Otus asio, 603–605, 609–610
 Seiurus aurocapillus, 628
 Speotyto cunicularia, 603, 606, 609–610

- Strix varia*, 603, 606, 609–610
Turdus migratorius, 628
Vireo olivaceus, 628
Coccyzus americanus, 361, 364, 708
erythrophthalmus, 361, 364, 708
Cody, Martin L., Competition and the structure of bird communities (rev.), 396–400
Colaptes auratus, 18, 360, 361, 364, 574, 582, 628, 708
Colombia, 194–195
Colorado, 67, 166–167, 220, 225, 740–748, 846–847
Coloration of, *Carpodacus mexicanus*, 725–739
Gavia immer, 384–387
Petrochelidon pyrrhonota, 66–72
Columba livia, 175–176, 669–674
Columbina passerina, 56
Condon, H. T. (S. Marchant, ed.), Check-list of the birds of Australia. Part 1. Non-passerines (rev.), 403–404
Condor, California, 636
Conirostrum ferrugineiventre, 426
sitticolor, 426
Connecticut, 108, 109, 837
Conservation, see Management and —
Contopus virens, 361, 364, 695, 708
Coot, American, 832
Coragyps atratus, 56
Corapipo leucorrhhoa, 381
Cormorant, Brandt's, 305
Double-crested, 273, 305, 831
Neotropic, 56
Pelagic, 273
Red-faced, 273
Corvus brachyrhynchos, 360, 361, 364, 383, 460, 708
corax, 273, 460, 832
cryptoleucus, 57
imparatus, 57
Costa Rica, 168
Cote d'Ivoire, 32
Coturnix coturnix, 135–141
Cowbird, Bronzed, 57
Brown-headed, 296–298, 389–390, 498–509, 628, 675–691, 708
Cracraft, Joel, review by, 856–860
Creepers, Brown, 708
Crotophaga sulcirostris, 56
Crow, Common, 360, 361, 364, 383, 460, 708
Mexican, 57
Cruz, Alexander, Distribution, ecology, and breeding biology of the Rufous-throated Solitaire in Jamaica, 39–45
Cuckoo, Black-billed, 361, 364, 708
Yellow-billed, 361, 364, 708
Cully, Jr., Jack F., and J. David Ligon, Comparative mobbing behavior of Scrub and Mexican Jays, 116–125
Curlew, Long-billed, 382–384
Curry-Lindahl, Kai, Let them live/A worldwide survey of animals threatened with extinction (rev.), 207
Cyanocitta cristata, 296, 297, 361, 362, 364, 684–686, 708
Cyanocompsa parellina, 57
Cyanocorax yncas, 57
Davis, Thomas H., First record of Smith's Longspur in New York, 838–839
Deformity, see Abnormality
Delnicki, Don, and Eric G. Bolen, Renesting by the Black-bellied Whistling Duck, 535–542
Dendrocosops pubescens, 296, 361, 364, 708
scalaris, 56
villosum, 361, 362, 364, 708, 836
Dendrocygna autumnalis, 535–542
Dendroica caerulescens, 296, 708
castanea, 708
cerulea, 708
coronata, 57
dominica, 57, 708
fusca, 708
magnolia, 461
nigrescens, 574
pensylvanica, 296, 361, 364, 381, 461, 698, 708
petechia, 296, 360, 361, 364, 543–553
striata, 708
tigrina, 167–169
virens, 57, 708
Description of, *Nephelornis oneilli*, 416–424
Desfayes, Michael, review by, 862–864
Dichromana rufescens, 86, 88, 90, 91
Dickcissel, 108–115

- Diglossa lafresnayii*, 426
 Dillon, David O., see Gehlbach, Frederick R., et al.
Diomedea albatrus, 263–280
immutabilis, 263–280
nigripes, 263–280
 Diseases and parasites, recent literature on, 5A–7A, 8C
 Distribution and annotated lists, recent literature on, 7A–8A, 6B–7B, 8C–10C
 Distribution of, *Accipiter poliogaster*, 187–189
Aegolius funereus, 195–196
Aimophila strigiceps, 189–190
Bubulcus ibis, 164–166
Buteo nitidus, 650–655
Calcarius pictus, 838–839
Calliphlox evelynae, 837–838
Capella gallinago, 379–380
Dendroica tigrina, 167–169
Diomedea albatrus, 265–267, 273–278
D. immutabilis, 263–265, 276–278
D. nigripes, 263–265, 276–278
Empidonax difficilis, 655–656
Eremophila alpestris, 108–115
Haliaeetus leucocephalus, 835–836
Histrionicus histrionicus, 846–847
Lagonosticta rufopicta, 31–32, 36
Larus belcheri, 176–177
Lophodytes cucullatus, 645–646
 Mexican tropical birds, 53–65
Muscicula forficata, 644–645
Myadestes genibarbis, 39–41
Nephelornis oneilli, 420–423
 New Jersey forest birds, 356–364
Oxyura sp., 560–561
Petrochelidon pyrrhonota, 66–70, 72–73
Sayornis saya, 843–844
Speotyto cunicularia, 510–516
Spiza americana, 108–115
Steganopus tricolor, 656–657
Thryomanes bewickii, 183–184
Vermivora ruficapilla, 219–230
V. virginiae, 219–230
Vidua funerea, 31–33
 Dixon, Keith L., review by, 201–202
 Dobbs, Austen (ed.), The birds of Nottinghamshire (rev.), 869
 Dolbeer, Richard A., Reproductive rate and temporal spacing of nesting of Red-winged Blackbirds in upland habitat, 343–355
 Dorst, Jean, The life of birds (rev.), 660
 Dove, Inca, 746
 Mourning, 360, 361, 364, 543–553, 574, 582, 708, 746
 Rock, 175–176, 669–674
 White-tipped, 56, 61
 White-winged, 56, 61
 Drepandididae, pelvic myology of, 774–792
 Drumming of, *Bonasa umbellus*, 808–829
Dryocopus lineatus, 56
pileatus, 15–24, 708
Dubusia castaneoventris, 426
 Duck, Argentine Ruddy, 560–570
 Australian Blue-billed, 560–570
 Black, 643–644
 Black-bellied Whistling, 535–542
 Harlequin, 273, 846–847
 Maccoa, 560–570
 Ring-necked, 831
 Ruddy, 560–570, 831
 White-headed, 560–570
 Wood, 793–807
 Duffy, David C., Bruce Beehler, and William Haas, Snowy Owl steals prey from Marsh Hawk, 839–840
Dumetella carolinensis, 292–300, 360, 361, 364, 683–687, 708

 Eagle, Bald, 273, 387, 832, 835–836, 842–843
 Golden, 390, 832
 Eck, S., and H. Busse, Eulen (rev.), 658–659
 Ecology and population, recent literature on, 8A–11A, 7B–18B, 10C–13C, 13D–19D
 Ecology, competition, 836–837
 ecotone usage, 571–586
 effect of herbicide treatments on avian populations, 543–553
 feeding segregation, 636–640
 habitat partitioning, 575–584, 740–748
 habitat selection, 543–553, 575–584
 pesticide treated forest birds, 692–708
 Ecology of, *Falco sparverius*, 740–748
 forest island birds, 356–364
 Mexican tropical avifauna, 53–65
Parus gambeli, 574–584

- P. inornatus*, 574-584
Psaltriparus minimus, 574-584
Spizella passerina, 574-584
Vireo solitarius, 574-584
 Eggs, descriptions and measurements, *Anous stolidus*, 371-374
Larus atricilla, 46-52
Myadestes genibarbis, 44
Sterna fuscata, 371-374
Sturnus vulgaris, 185-186
 Eggs, specific gravity of, 371-374
 Egret, Cattle, 86, 90, 91, 164-166
 Great, 86, 88, 90, 91, 195, 391, 468-471, 708-724
 Reddish, 86, 88, 90, 91
 Snowy, 86, 89-91, 195, 391, 468-471
Egretta thula, 86, 89-91, 195, 391, 468-471
 Eider, Common, 273
 King, 273
 Eisenmann, Eugene, Thirty-third Supplement to the American Ornithologists' Union Check-list of North American birds, 875-879
 El Salvador, 168
 Embryology, see Anatomy and —
Empidonax difficilis, 655-656
 hammondi, 655
 minimus, 57, 655
 oberholseri, 543-553, 655
 trailii, 655
 England, 760-773
Eremophila alpestris, 108-115, 383
 Ethiopia, 32, 34
Eudocimus albus, 469-471
Eudyptes chrysolophus, 749-759
 crestatus, 749-759
 pachyrhynchus, 749-759
 schlegeli, 749-759
Eudyptula minor, 749-759
 Evolution and genetics, recent literature on, 11A, 18B-19B, 14C

Falco femoralis, 426
 peregrinus, 273
 sparverius, 740-748
 Falcon, Peregrine, 273
 Falconet, Spot-winged, 633-636
 Farner, Donald S., and James R. King (eds.), Avian biology, 5 vols. (rev.), 856-860
 Feathers, see Molts and plumages
 Feduccia, Alan, Morphology of the bony stapes in *Philepitta* and *Neodrepanis*: New evidence for suboscine affinities, 169-170; Osteological evidence for shorebird affinities of the flamingos, 587-601
 Finch, Cassin's, 477-497
 House, 725-739
 Purple, 708
 Finland, 636-640
 Finlay, J. Campbell, Some effects of weather on Purple Martin activity, 231-244
 Firefinch, Bar-breasted, 26-32, 34-36
 Flamingo, Greater, 429-433
 James, 429-433
 Lesser, 429-433
 Fledgling success, *Agelaius phoeniceus*, 349-350, 352-353, 518
 Flicker, Common, 18, 360, 361, 364, 574, 582, 628, 708
 Flight formation of, *Branta canadensis*, 554-559
 Florida, 15-24, 46-52, 86-94, 113, 164, 165, 176-177, 385, 443-450, 464-476, 645-646, 708-724, 835-836, 837-838
Florida caerulea, 56, 86, 90, 91, 195, 468-472
 Flycatcher, Brown-crested, 57
 Dusky, 543-553, 655
 Great Crested, 361, 364, 708
 Hammond's, 655
 Least, 57, 655
 Scissor-tailed, 644-645
 Sulphur-bellied, 57, 61
 Western, 655-656
 Willow, 655
 Food and feeding habits of (see also Behavior, foraging)
Aquila chrysaetos, 390
Buteo swainsoni, 833
Chamaepetes goudotii, 194
Charadrius montanus, 166
Chlorura chlorura, 549
Dryocopus pileatus, 16-23
 Florida wading birds, 464-476
Harpagus diodon, 841
Junco hyemalis, 549
Larus occidentalis, 301-307
Myadestes genibarbis, 41-43

- Nephelornis oneilli**, 425
Numenius americanus, 383
Nyctea scandiaca, 839–840
Nycticorax nycticorax, 629–633
Ornithodoros vetula, 376–379
Passerella iliaca, 549–550
Quiscalus quiscula, 640–642
Selenidera spectabilis, 381–382
Speotyto cunicularia, 512–513
Spizella arborea, 644
S. breweri, 549
Sterna hirundo, 636–640
S. paradisea, 636–640
Foraging, see Behavior, foraging; Food and feeding habits
Forest-Falcon, Barred, 842
Collared, 56
Forman, Richard T. T., see Galli, Anne E., et al.
Fossils of, Aleutian island birds, 271–277
Ario sp., 645–646
Diomedea albatrus, 273–276
D. immutabilis, 273, 276–277
D. nigripes, 273, 276–277
Lophodytes cucullatus, 645–646
Lower Klamath Basin, 830–833
Presbyornis pervetus, 587–601
Fowler, Janet H., see Lafontaine, A. Richard, and —
Franks, Edwin C., see Hurley, Robert J., and —
Franzreb, Kathleen E., Nest site competition between Mountain Chickadees and Violet-green Swallows, 836–837
Fredrickson, Leigh H., see Korschgen, Carl E., and —
Friedmann, Herbert, review by, 406–407
Fulica americana, 832
Fulmar, Northern, 266, 273
Fulmarus glacialis, 266, 273
Gadwall, 831
Galli, Anne E., Charles F. Leck, and Richard T. T. Forman, Avian distribution patterns in forest islands of different sizes in central New Jersey, 356–364
Gambia, 32
Ganier, Albert Franklin, obituary of, 210–211
Gavia immer, 273, 384–387, 831
stellata, 273
Gehlbach, Frederick R., David O. Dillon, Herschel L. Harrell, Stephen E. Kennedy, and Kay R. Wilson, Avifauna of the Rio Corona, Tamaulipas, Mexico: Northeastern limit of the tropics, 53–65
Gelochelidon nilotica, 171
General biology, recent literature on, 11A–15A, 19B–29B, 14C–19C, 19D–28D
Genetics, see Evolution and —
Georgia, 15–24, 836
Geothlypis trichas, 282, 708
Geranospiza caerulescens, 56
Ghana, 32
Gilbertson, Michael, Ralph D. Morris, and Rodger A. Hunter, Abnormal chicks and PCB residue levels in eggs of colonial birds on the lower Great Lakes (1971–73), 434–442
Glaucidium brasiliense, 56
gnoma, 226
Glutz von Blotzheim, U. N., K. M. Bauer, and E. Bessel, Handbuch der Vögel Mitteleuropas. Band 6, Charadriiformes (I. Teil) (rev.), 663
Gnatcatcher, Blue-gray, 57, 708
Goldeneye, Common, 831, 833–835
Goldfinch, American, 296
Goldman, Peter, An unusual foraging behavior of Tree Sparrows, 644
Goose, Canada, 554–559, 831
Emperor, 273
Ross', 391–392
Snow, 391–392
Gackle, Common, 360, 361, 364, 460, 640–642
Great-tailed, 57
Graul, Walter D., Food fluctuations and multiple clutches in the Mountain Plover, 166–167
Grayson, Donald K., A note on the prehistoric avifauna of the Lower Klamath Basin, 830–833
Grebe, Eared, 831
Horned, 831
Least, 56
Pied-billed, 831
Western, 831

- Green, Charlotte Hilton, Birds of the South/Permanent and winter birds (rev.), 209
- Greenwalt, Crawford H., The flight of birds: The significant dimensions, their departure from the requirements for dimensional similarity, and the effect on flight aerodynamics of the departure (rev.), 848-854
- Greenway, Jr., James C., Type specimens of birds in the American Museum of Natural History. Part 1. Tinamidae . . . Rallidae (rev.), 197-198; obituary of Jacques Berlioz, 665
- Grosbeak, Crimson-collared, 57
Rose-breasted, 361, 364, 699, 708
- Ground-Dove, Common, 56
- Grouse, Ruffed, 192-193, 361, 364, 708, 808-829
Sage, 832
- Growth and development, *Sterna fuscata*, 179-183
- Grubb, Teryl G., Nesting Bald Eagles attack researcher, 842-843
- Gruson, Edward S., Checklist of the world's birds (rev.), 868-869
- Guan, Sickle-winged, 194-195
- Guatemala, 167-168
- Gull, Band-tailed, 176-177
Glaucous-winged, 273
Herring, 434, 436-440, 631, 832
Laughing, 46-52, 176, 308-323
Ring-billed, 78-85, 434, 436-439, 631
Western, 301-307
- Gullion, Gordon W., Reevaluation of "activity clustering" by male grouse, 192-193
- Gymnogyps californianus*, 636
- Gymnorhinus cyanocephalus*, 574
- Haas, William, see Duffy, David C., et al.
- Habitat of, *Bonasa umbellus*, 192-193
Eremophila alpestris, 108-115
Myadestes genibarbis, 41
- Nephelornis oneilli**, 424-425
Spiza americana, 108-115
Vermivora ruficapilla, 225-227
V. virginiae, 225-227
- Haematopus bachmani*, 273
- Haffer, Jürgen, recipient of Brewster Memorial Award, 161
- Haliaeetus leucocephalus*, 273, 387, 832, 833-836, 842-843
- Hall, B. P. (ed.), Birds of the Harold Hall Australian Expeditions. 1962-70. A report on the collections made for the British Museum (Natural History) (rev.), 203-206
- Harpagus bidentatus*, 841
diodon, 841-842
- Harrell, Herschel L., see Gehlbach, Frederick R., et al.
- Harrison, Hal H., A field guide to birds' nests in the United States east of the Mississippi River (rev.), 402-403
- Hatch, David R. M., and Angus H. Shortt, Possible intermediate Ross' Goose and Snow Goose in Manitoba, 391-392
- Hatching success of, *Agelaius phoeniceus*, 518
- Haverschmidt, F., The Common Snipe in Surinam, 379-381
- Hawaii, 179-183, 371-374, 626
- Hawk, Bay-winged, 56
Bicolored, 841-842
Broad-winged, 708
Common Black, 56
Crane, 56
Gray, 56, 650-655
Gray-bellied, 187-189
Marsh, 832, 839-840
Red-shouldered, 20, 56, 361, 362, 364, 708
Roadside, 56
Sharp-shinned, 492
Swainson's, 838
- Helmintheros vermivorus*, 708
- Hemignathus procerus*, 774-792
wilsoni, 774-792
- Hemispingus rufosuperciliaris*, 426
trifasciatus, 426
xanthophthalmus, 426
- Hemithraupis guira*, 841
- Henny, Charles J., see Mosher, James A., and —
- Heron, Great Blue, 56, 86, 87, 90, 91, 391, 468-473, 831
- Green, 20, 86, 87, 90, 91

- Little Blue, 56, 86, 90, 91, 195, 468–472
 Louisiana, 86, 88, 90, 91, 195, 391, 468–472
- Hickey, Joseph J., A guide to bird watching (rev.), 209
- Hilty, Steven, see Johnson, Terry B., and —
- Himatione sanguinea*, 774–792
- Hirundo rustica*, 177–178
- Histrionicus histrionicus*, 273, 846–847
- Homing of, *Zonotrichia atricapilla*, 1–14
Z. leucophrys, 1–14
- Honduras, 168
- Honeycreeper, Green, 381
 pelvic myology of, 774–792
- Howell, David, and Ed Theroff, Scissortailed Flycatcher breeding in south-western Indiana, 644–645
- Howell, J. C., obituary of Albert Franklin Ganier, 210–211
- Hudson, George Elford, Memorial, 365–370; see Johnson, Richard E., and —
- Hummingbird, Black-chinned, 574, 582
 Broad-tailed, 574, 582
 Fawn-breasted, 56
- Hunt, Jr., George L., and Molly W. Hunt, Exploitation of fluctuating food resources by Western Gulls, 301–307
- Hunt, Molly W., see Hunt, Jr., George L., and —
- Hunter, Rodger A., see Gilbertson, Michael, et al.; and Ralph D. Morris, Nocturnal predation by a Black-crowned Night Heron at a Common Tern colony, 629–633
- Hurley, Robert J., and Edwin C. Franks, Changes in the breeding ranges of two grassland birds, 108–115
- Huxley, Sir Julian Sorrell, obituary of, 211–212
- Hybrids and hybridization, *Anas americana* × *A. acuta*, 643–644
Anas platyrhynchos × *A. acuta*, 643–644
Anas platyrhynchos × *A. rubripes*, 643–644
Anas rubripes × *A. acuta*, 643–644
Chen rossii × *C. caerulescens*, 391–392
- Hydranassa tricolor*, 86, 88, 90, 91, 195, 391, 468–472
- Hydroprogne caspia*, 434, 437–438
- Hylocichla mustelina*, 361, 364, 699, 708
- Hypohera lorenzi*, 35–36
- Ibis, White, 469–471
 White-faced, 375–376
- Icterus cucullatus*, 57, 61
galbula, 360, 361, 364, 708
graduacauda, 57
gularis, 54, 57, 61
virens, 57
- Idaho, 68, 71, 76, 220–224, 227, 845
- Illinois, 108, 111
- Incubation and incubation period of, *Anous stolidus*, 626
- Bucephala clangula*, 833–835
- Coturnix coturnix*, 137–139
- Indiana, 110, 111, 113, 644–645
- Indigobird, Variable, 27–37
 Village, 25, 37
- Iowa, 108, 111
- Iridoprocne bicolor*, 177–178
- Iridosornis jelskii*, 426
- Ixobrychus exilis*, 86, 91
- Jackson, C. E., Bird illustrators/Some artists in early lithography (rev.), 208
- Jackson, Jerome A., Countershading on the feet and legs of the Common Loon, 384–387
- Jamaica, 39–45
- Jay, Blue, 296, 297, 361, 362, 364, 684–686, 708
 Brown, 55, 57
 Gray, 460
 Green, 57
- Mexican, 116–125
 Piñon, 574
 Scrub, 116–125, 443–450
- Jehl, Jr., J. R., review by, 866–868
- Jenkinson, Marion Anne, and Merlin D. Tuttle, *Accipiter poliogaster* from Peru, and remarks on two collecting localities named “Sarayacu.”, 187–189
- Johnson, Ned K., Breeding distribution

- of Nashville and Virginia's Warblers, 219-230
- Johnson, Richard E., and George E. Hudson, A Washington record of the Boreal Owl, 195-196
- Johnson, Terry B., and Steven Hilty, Notes on the Sickle-winged Guan in Colombia, 194-195
- Johnston, Richard F., recipient of Elliott Coues Award, 162; Annual review of ecology and systematics (rev.), 659
- Junco hyemalis*, 388-389, 543-553, 644
- Junco, Dark-eyed, 388-389, 644
Oregon, 543-553
- Kale, II, Herbert W., editor of Recent Literature, 1A-20A, 1B-38B, 1C-24C, 1D-39D
- Kansas, 108, 113
- Karalus, K. E., and A. W. Eckert, The owls of North America (rev.), 658-659
- Kaufmann, John, and Heinz Meng, Falcons return (rev.), 209
- Kear, Janet, and Nicole Duplaix-Hall (eds.), Flamingos (rev.), 207-208
- Keith, Stuart, review by, 400-401
- Kennedy, Stephen E., see Gehlbach, Frederick R., et al.
- Kentucky, 108, 110
- Kenya, 32
- Kestrel, American, 740-748
- Kilham, Lawrence, Winter foraging and associated behavior of Pileated Woodpeckers in Georgia and Florida, 15-24
- Killdeer, 832
- King, Ben F., and Edward C. Dickinson, A field guide to the birds of South-East Asia (rev.), 862-864
- King, James R., In memoriam: George Elford Hudson, 365-370; S. A. Maheaney, C. S. Maxwell, and L. R. Mewaldt, Additional records of Mountain White-crowned Sparrows parasitized by the Brown-headed Cowbird, 389-390
- King, Warren B., Report of the A. O. U. Committee on Conservation, 1DD-19DD
- Kingbird, Eastern, 361, 364, 684-686
Tropical, 57
Western, 684-686
- Kingfisher, Belted, 56
Green, 56
Ringed, 56
- Kinglet, Ruby-crowned, 57, 460
- Kiskadee, Great, 57
- Kite, Double-toothed, 841
Hook-billed, 56
Rufous-thighed, 841-842
- Kittiwake, Black-legged, 273
- Klonowski, Thomas J., see Williams, Timothy C., et al.
- Korschgen, Carl E., and Leigh H. Fredrickson, Comparative displays of yearling and adult male Wood Ducks, 793-807
- Kraus, George F., see Meservey, W. Roger, and —
- Kushlan, James A., Feeding behavior of North American herons, 86-94; Wading bird predation in a seasonally fluctuating pond, 464-476
- Lafontaine, A. Richard, and Janet H. Fowler, Golden Eagle preys on Osprey, 390
- Lagonosticta larvata*, 28, 34, 36
rara, 28, 30, 31, 34-36
rhodopareia, 37
rubricata, 29-31, 34-36
rufopicta, 26-32, 34-36
senegala, 25, 29, 30, 37
- Lagopus lagopus*, 657
- Lake Michigan, 190-192
- Lark, Horned, 108-115, 383
- Larus argentatus*, 434, 436-440, 631, 832
atricilla, 46-52, 176, 308-323
belcheri, 176-177
delawarensis, 78-85, 434, 436-439, 631
glaucus, 273
occidentalis, 301-307
- Laudenslayer, Jr., William F., and Russell P. Balda, Breeding bird use of a pinyon-juniper-ponderosa pine ecotone, 571-586

- Lawrence, John M., see Schreiber, Ralph W., and —
- Leck, Charles, The birds of New Jersey. Their habits and habitats (rev.), 663–664; see Galli, Anne E., et al.
- Lemmetyinen, Risto, Feeding segregation in the Arctic and Common Terns in southern Finland, 636–640
- Leptien, Larry W., see Bock, Carl E., and —
- Leptotila verreauxi*, 56, 61
- Ligon, J. David, see Cully, Jr., Jack F., and —
- Lockley, R. M., Ocean wanderers/the migratory seabirds of the world (rev.), 401–402
- Lockner, F. Russell, and Orlan M. Youngren, Functional syringeal anatomy of the Mallard. I. *In situ* electromyograms during ESB elicited calling, 324–342
- Lonchura striata*, 35
- Longspur, Smith's, 838–839
- Loon, Common, 273, 384–387, 831
Red-throated, 273
- Lophodytes cucullatus*, 645–646, 831, 834
- Louisiana, 164, 165, 195, 375–376, 708–724
- Lowery, Jr., George H., and Dan A. Tallman, A new genus and species of nine-primaried oscine of uncertain affinities from Peru, 415–428
- Loxops maculata*, 774–792
virens, 774–792
- Lumsden, Harry G., and Robert Wenting, Common Goldeneye hatching from cracked eggs, 833–835
- Lunda cirrhata*, 273
- Maher, W. J., see Sadler, Douglas, A. R., and —
- Mahoney, S. A., see King, J. R., et al.
- Mallard, 273, 324–342, 643–644, 831
- Management and conservation, recent literature on, 15A–16A, 29B–31B, 19C
- Manakin, White-ruffed, 381
- Manitoba, 67, 69, 74, 75, 391–392, 646–650, 657, 675–691
- Manning, T. H., see Morrison, R. I. G., and —
- Marion, Wayne R., Plain Chachalaca food habits in south Texas, 376–379
- Martin, Purple, 231–244, 842
- Maryland, 108, 112
- Mason, C. Russell, Cape May Warblers in Middle America, 167–169
- Massachusetts, 108, 109, 114, 177–178, 390, 640–642, 839–840
- Massey, Barbara W., Vocal differences between American Least Terns and the European Little Tern, 760–773
- Maxwell, C. S., see King, J. R., et al.
- McLaren, Margaret A., Vocalizations of the Boreal Chickadee, 451–463
- McNabb, F. M. Anne, and Roger A. McNabb, The effects of water restriction on renal mucoid materials in *Columbula livia*, 175–176
- McNabb, Roger A., see McNabb, F. M. Anne, and —
- McNicholl, Martin K., Manitoba bird studies/A bibliography of Manitoba ornithology (rev.), 206–207
- Meadowlark, Eastern, 708
- Measurements, see Weights and —
- Megadyptes antipodes*, 749–759
- Meleagris gallopavo*, 56
- Melospiza lincolni*, 57
melodia, 296, 298, 360, 361, 364
- Memoriam (see also Obituary), Hudson, George Elford, 365–370
- Sprunt, Jr., Alexander, 130–134
- Vaurie, Charles, 620–625
- Merganser, Common, 273, 831
Hooded, 645–646, 831, 834
Red-breasted, 831
- Mergus merganser*, 273, 831
serrator, 831
- Meservey, W. Roger, and George F. Kraus, Absence of "individual distance" in three swallow species, 177–178
- Metabolism of, *Carpodacus mexicanus*, 725–739
Otus asio, 614–619
- Mewaldt, L. R., see King, J. R., et al.; see Ralph, C. John, and —
- Mexico, 53–65, 67, 72–74, 76, 167, 740–748, 843–845

- Michigan, 78-85, 108, 110, 111, 437-438, 498-509, 675-691, 835-836
- Micrastur ruficollis*, 842
semitorquatus, 56
- Migration and orientation, recent literature on, 16A-17A, 31B-32B, 19C-21C, 28D-34D
- Migration of, *Chamaepetes goudotii*, 194-195
effects of tall tower on, 281-291
- Larus delawarensis*, 78-85
- Speotyto cunicularia*, 513-515
- Mills, G. Scott, American Kestrel sex ratios and habitat separation, 740-748
- Minnesota, 108, 192-193, 808-829
- Missouri, 108, 111, 644, 793-807
- Mniotilla varia*, 57, 361, 362, 364, 708
- Molothrus ater*, 296-298, 384-390, 498-509, 628, 675-691, 708
- Molt and plumage of, *Anas discors*, 646-650
Clangula hyemalis, 190-192
thermal adaptiveness of plumage color in *Otus asio*, 614-619
- Momotus momota*, 56
- Montana, 220, 222, 223
- Morony, John J., review by, 393-396
- Morris, Ralph D., see Gilbertson, Michael, et al.; see Hunter, Rodger A., and Morrison, R. I. G., and T. H. Manning, First breeding record of Wilson's Phalarope for James Bay, Ontario, 656-657
- Mortality of, *Agelaius phoeniceus*, 517-534
- Moseley, Lynn J., see Sears, Harold F., et al.
- Mosher, James A., and Charles J. Henny, Thermal adaptiveness of plumage color in Screech Owls, 614-619
- Motmot, Blue-crowned, 56
- Moulding, Jonathan D., Effects of a low-persistence insecticide on forest bird populations, 692-708
- Mueller, Helmut C., see Sears, Harold F., et al.
- Murray, Gale A., Geographic variation in the clutch sizes of seven owl species, 602-613
- Murre, Common, 273
Thick-billed, 273
- Muscivora forficata*, 644-645
- Muscovy, 56
- Muscular activity, 332-335
- Museums, 126-129
- Myadestes genibarbis*, 39-45
- Mycteria americana*, 469-471, 473
- Myiarchus crinitus*, 361, 364, 708
tyrannulus, 57
- Myiodynastes luteiventris*, 57, 61
- Myology of, *Anas platyrhynchos*, 328-332
Ciridops anna, 774-792
Hemignathus procerus, 774-792
H. wilsoni, 774-792
Himatione sanguinea, 774-792
Loxops maculata, 774-792
L. virens, 774-792
- Nephelornis oneilli*, 417-419
Palmeria dolei, 774-792
Phoeniconaias minor, 429-433
Phoenicoparrus jamesi, 429-433
Phoenicopterus ruber, 429-433
Psittirostra cantans, 774-792
P. psittacea, 774-792
Vestaria coccinea, 774-792
- Nebraska, 108
- Nelson, Colleen Helgeson, see Parkes, Kenneth C., and —
- Nemosia pileata*, 841
- Neodrepanis* sp., 169-170
- Nephelornis oneilli*, 415-428
- Nest and nest site of, *Agelaius phoeniceus*, 524-525
Auriparus flaviceps, 247-255
Buteo swainsoni, 838
Carpodacus cassini, 488-489
Casmerodius albus, 712
Dendrocygna autumnalis, 536-537
Lagopus lagopus, 657
Myadestes genibarbis, 43-44
Parus gambeli, 836-837
Tachycineta thalassina, 836-837
Thryomanes bewickii, 183-184
- Nest parasitism, 35-37, 298, 389-390, 498-509, 675-691

- Nest temperature, *Auriparus flaviceps*, 252-255
- Nethersole-Thompson, Desmond, Pine Crossbills (rev.), 408
- Nevada, 68, 220-222, 224-226, 245-262
- New Brunswick, 675-691
- New Jersey, 109, 308-323, 356-364, 374-375, 391, 517-534, 692-708
- New Mexico, 67, 73-76, 116-125, 220, 225, 650-655, 740-748, 838
- New York, 108, 109, 112-114, 178-179, 183-184, 434-442, 554-559, 838-839
- Nicaragua, 168
- Nigeria, 26-29, 31, 32, 34-36
- Nighthawk, Common, 56
- Night-Heron, Black-crowned, 86, 90, 91, 434, 435, 437, 438, 468-472, 629-633, 831
Yellow-crowned, 86, 91
- Noddy, Brown, 371-374, 626
- Nomenclature, supplement to A. O. U. Check-list, 875-879
- Norelli, Martina R., American wildlife painting (rev.), 661-662
- North Carolina, 170-174
- North Dakota, 108, 281-291, 646-647
- Northwest Territories, 69
- Numenius americanus*, 382-384
- Nuthatch, Red-breasted, 708
White-breasted, 296, 361, 362, 364, 708
- Nyctanassa violacea*, 86, 91
- Nyctea scandiaca*, 832, 839-840
- Nycticorax nycticorax*, 86, 90, 91, 434, 435, 437, 438, 468-472, 629-633, 831
- Nyctidromus albicollis*, 56
- Oberholser, Harry C., The bird life of Texas (rev.), 393-396
- Obituary of (see also Memoriam), Berlioz, Jacques, 665
Ganier, Albert Franklin, 210-211
Huxley, Sir Julian Sorrell, 211-212
Storer, Tracy Irwin, 212
- Ochthoeca fumicolor*, 426
- Ohio, 110, 113, 292-300, 343-355
- Oklahoma, 108, 510-516, 655-656
- Oldsquaw, 190-192
- Olor buccinator*, 831
columbianus, 831
- Olson, Clark S., Band-tailed Gull photographed in Florida, 176-177
- Olson, Storrs N., The affinities of the falconid genus *Spizapteryx*, 633-636; Collected papers in avian paleontology honoring the 90th birthday of Alexander Wetmore (rev.), 855-856
- O'Neill, John P., review by, 404-406
- Ontario, 108, 111, 434-442, 451-463, 629-633, 643-644, 656-657, 833-835
- Oporornis philadelphicus*, 296
- Orcutt, Adrienne B., see Orcutt, Jr., F. Scott, and —
- Orcutt, Jr., F. Scott, and Adrienne B. Orcutt, Nesting and parental behavior in domestic Common Quail, 135-141
- Oregon, 67-70, 74-76, 220, 224, 389-390
- Oreortyx pictus*, 543-553
- Orientation (see also Migration and —)
Columba livia, 669-674
Larus delawarensis, 78-85
- Oring, Lewis W., review by, 861-862
- Oriole, Black-headed, 57
Black-throated, 54, 57, 61
Hooded, 57, 61
Northern, 360, 361, 364, 708
- Orr, Robert T., obituary of Tracy Irwin Storer, 212
- Ornithodoras garrula*, 22
vetula, 56, 376-379
- Osprey, 390
- Osteology of, *Diomedea albatrus*, 267-271
D. immutabilis, 267-271
D. nigripes, 267-271
Presbyornis pervetus, 587-601
- Otus asio*, 603-605, 609-610, 614-619
- Ovary, weights and measurements, *Sturus vulgaris*, 184-187
- Ovenbird, 296, 361, 362, 364, 628, 695, 708
- Owl, Barred, 603, 606, 609-610
Boreal, 195-196
- Burrowing, 510-516, 603, 606, 609-610
- Great Horned, 56, 116-125, 603, 605, 609-610, 832
- Long-eared, 603, 607, 609-610
- Mottled, 56
- Pygmy, 226
- Saw-whet, 603, 608-610

- Screech, 603–605, 609–610, 614–619
 Short-eared, 603, 607, 609–610, 832
 Snowy, 832, 839–840
- Owre, Oscar T., Bahama Woodstar in Florida: first specimen for continental North America, 837–838
- Oxyura australis*, 560–570
jamaicensis, 560–570, 831
leucocephala, 560–570
maccoa, 560–570
vittata, 560–570
- Oystercatcher, Black, 273
- Paleontology, see Fossils
- Palmeria dolei*, 774–792
- Panama, 168
- Pandion haliaetus*, 390
- Parabuteo unicinctus*, 56
- Paraguay, 189–190
- Parakeet, Green, 56, 61
 Olive-throated, 56
- Parasites, see Diseases and —
- Parasitism, see Cleptoparasitism; Nest Parasitism
- Pardusco, 415–428
- Parkes, Kenneth C., and Colleen Helgeson Nelson, A definite Colorado breeding record for the Harlequin Duck, 846–847
- Parrot, Red-crowned, 55, 56, 61
 Yellow-headed, 56
- Parula americana*, 57
pitiayuma, 57, 381
- Parula, Northern, 57
 Tropical, 57, 381
- Parus atricapillus*, 95–105, 361, 362, 364, 644, 708
atricristatus, 57
bicolor, 296, 361, 364, 708
carolinensis, 296
gambeli, 574–584, 836–837
hudsonicus, 451–463
inornatus, 574–584
- Passer domesticus*, 241, 296, 361, 364, 746, 837
- Passerculus sandwichensis*, 282
- Passerella iliaca*, 543–553
- Passerina amoena*, 543–553
ciris, 57
cyanea, 296, 360, 361, 364
- Pauraque, 56
- Payne, Robert B., Song mimicry and species relationships among the West African pale-winged indigobirds, 25–38
- Peaker, M., and J. L. Linzell, Salt glands in birds and reptiles (rev.), 662–663
- Pelecanus erythrorhynchos*, 831
occidentalis, 305
- Pelican, Brown, 305
 White, 831
- Pelzl, Henry W., review by, 402–403
- Penguins, anatomy of the middle ear region, 749–759
- Pennsylvania, 108, 109, 114, 184–187
- Penny, Malcolm, The birds of Seychelles and the outlying islands (rev.), 400–401
- Perisoreus canadensis*, 460
- Perry, Richard, Watching sea birds (rev.), 664
- Peru, 187–189, 415–428
- Pesticides and pollution, recent literature on, 18A–19A, 33B–36B
- Pesticides (see also Pollutants), effects on forest bird populations, 692–708
- Peterson, Steven R., Variation in Old-squaw rectrix numbers, 190–192
- Petrochelidon pyrrhonota*, 66–77, 177–178
- Pettingill, Jr., Olin Sewall, Another penguin summer (rev.), 407
- Pewee, Eastern Wood, 361, 364, 695, 708
- Phalacrocorax auritus*, 273, 305, 831
olivaceus, 56
pelagicus, 273
penicillatus, 305
urile, 273
- Phalarope, Wilson's, 656–657
- Phasianus colchicus*, 361, 364
- Pheasant, Ring-necked, 361, 364
- Pheucticus ludovicianus*, 361, 364, 699, 708
- Philacte canagica*, 273
- Philepitta castanea*, 169–170
- Phillips, Allan R., review by, 197–198
- Philoctela minor*, 361, 364, 374–375
- Phoebe, Eastern, 57, 361, 364, 708
 Say's, 843–846
- Phoeniconaias minor*, 429–433
- Phoenicoparrus jamesi*, 429–433

- Phoenicopterus ruber*, 429–433
 Physiology, recent literature on, 19A–20A,
 36B–37B, 22C–24C, 34D–39D
 Physiology, renal, *Columba livia*, 175–176
Picus aeruginosus, 56
 Pigeon, Red-billed, 56
 Pigmentation of, *Carpodacus mexicanus*,
 725–739
 Pigmy-Owl, Ferruginous, 56
 Pilz, Wayne R., Possible cannibalism in
 Swainson's Hawk, 838
 Pintail, 643–644, 831
Pipilo erythrorththalmus, 183, 360, 361,
 364, 694, 708
Piranga ludoviciana, 57
olivacea, 361, 364, 695, 708
rubra, 57
Pitangus sulphuratus, 57
Platyparis aglaiae, 54, 56, 61
Plegadis chihi, 375–376
 Plover, Mountain, 166–167
 Plumage mimicry by, *Harpagus diodon*,
 841–842
 Plumages, see Molt and ——
Podiceps auritus, 831
dominicus, 56
nigricollis, 831
Podilymbus podiceps, 831
Polioptila caerulea, 57, 708
 Pollutants in, *Hydroprogne caspia*, 437–
 438
Larus argentatus, 436–440
L. delawarensis, 436–439
Nycticorax nycticorax, 435, 437, 438
Sterna hirundo, 437–441
 Pollution, see Pesticides and ——
Polyborus plancus, 56
 Polygyny by, *Aphelocoma coerulescens*,
 443–450
 Population (see also Ecology and ——),
Bubulcus ibis, 164–166
Carpodacus cassini, 479–482
Chlorura chlorura, 546
Dendroica petechia, 546, 548
Empidonax oberholseri, 546, 548
Junco hyemalis, 546, 548
Oreortyx pictus, 546, 548
Parus gambeli, 574–575
P. inornatus, 574–575
Passerella iliaca, 546, 548
Passerina amoena, 546, 548
 pesticide-treated forest birds, 692–708
Psaltriparus minimus, 574–575
Speotyto cunicularia, 511
Spizella breweri, 546, 548
S. passerina, 574–575
Vireo solitarius, 574–575
Zenaida macroura, 546, 548
Porsana carolina, 282
 Postupalsky, Sergej, Banded northern
 Bald Eagles in Florida and other
 southern states, 835–836
 Power, Dennis M., see Brush, Alan H.,
 and ——
 Pratt, H. Douglass, review by, 404–406
 Predation by, *Accipiter striatus*, 492
Aquila chrysaetos, 390
Falco sparverius, 746
 Florida wading birds, 464–476
Numenius americanus, 383
Nycticorax nycticorax, 629–633
 Predation on, *Agelaius phoeniceus*, 525–
 532
Auriparus flaviceps, 746
Carpodacus cassini, 492
Eremophila alpestris, 383
Pandion haliaetus, 390
Passer domesticus, 746
Scardafella inca, 746
Sialia mexicana, 746
Spizella breweri, 746
Sterna hirundo, 629–633
Sturnus vulgaris, 746
Zenaida macroura, 746
Presbyornis pervetus, 587–601
 Prevett, J. P., see Alison, R. M., and ——
Progne subis, 231–244, 842
Psaltriparus minimus, 574–584
Psilorhinus morio, 55, 57
Psittirostra cantans, 774–792
psittacea, 774–792
 Ptarmigan, Willow, 657
 Pterylography, *Clangula hyemalis*, 190–
 192
 Puffin, Tufted, 273
Pygoscelis adeliae, 749–759
papua, 749–759
 Quail, Common, 135–141
 Mountain, 543–553

- Quiscalus quiscula*, 360, 361, 364, 460, 640–642
- Radiation, nesting success of birds exposed to gamma radiation, 627–629
- Raikow, Robert J. Pelvic appendage myology of the Hawaiian Honeycreepers (Drepanidae), 774–792
- Ralph, C. John, and L. Richard Mewaldt, Homing success in wintering sparrows, 1–14
- Raven, Common, 273, 460, 832
White-necked, 57
- Redhead, 831
- Redstart, American, 296, 698, 708
- Regulus calendula*, 57, 460
- Reiger, J. F., American sportsmen and the origin of conservation (rev.), 864–865
- Relationships of, Charadriiformes, 587–601
- Falconidae, 633–636
- Neodrepanis* sp., 169–170
- Nephelornis oneilli**, 424, 426–427
- Philepitta castanea*, 169–170
- Phoenicopteriformes, 587–601
- Presbyornis pervetus*, 587–601
- Rynchopidae, 170–174
- Spizapteryx circumcinctus*, 633–636
- Renesting by, *Agelaius phoeniceus*, 348–349
- Dendrocygna autumnalis*, 535–542
- Rhodothraupis celaeno**, 57
- Ricklefs, Robert E., The chemical composition of the ovary, oviduct, and follicles of the Starling, 184–187
- Riparia riparia**, 177–178
- Rissa tridactyla**, 273
- Robin, American, 57, 360, 361, 364, 628, 684–686, 708
Clay-colored, 57
- Rodgers, Jr., James A., Juvenile Little Blue Herons try to secure food from adult Louisiana Herons, 195; Spread-wing sunbathing by juvenile White-faced Ibis, 375–376
- Rothstein, Stephen I., Cowbird parasitism of the Cedar Waxwing and its evolutionary implications, 498–509; Experiments on defenses Cedar Wax-
- wings use against cowbird parasitism, 675–691
- Russell, Keith B., Migrant Golden-winged Warbler with a bivalent repertoire, 178–179
- Rynchosops niger**, 170–174
- Sadler, Douglas A. R., and W. J. Maher, Notes on the Long-billed Curlew in Saskatchewan, 382–384
- Saiff, Edward, Anatomy of the middle ear region of the avian skull: Sphenisciformes, 749–759
- Samson, Fred B., Territory, breeding density, and fall departure in Cassin's Finch, 477–497
- Sandpiper, Spotted, 56
- Sapsucker, Yellow-bellied, 56
- Saskatchewan, 382–384
- Sayornis phoebe*, 57, 361, 364, 708
saya, 843–846
- Scardafella inca**, 746
- Scaup, Greater, 831
Lesser, 831
- Schizoeaca fuliginosa*, 426
- Schlegel, H., and A. H. Verster de Wulverhorst, Traité de fauconnerie (rev.), 202–203
- Schmidt-Koenig, Klaus, Direction of the preceding release and initial orientation of homing pigeons, 669–674
- Schödde, Richard, review by, 203–206
- Schreiber, Ralph W., and John M. Lawrence, Organic material and calories in Laughing Gull' eggs, 46–52
- Schulberg, Bud, Swan watch (rev.), 664
- Sears, Harold F., Lynn J. Moseley, and Helmut C. Mueller, Behavioral evidence on skimmers' evolutionary relationships, 170–174
- Seiurus aurocapillus*, 296, 361, 362, 364, 628, 695, 708
motacilla, 708
- Selander, Robert K., recipient of Elliott Coues Award, 162
- Selasphorus platycercus*, 574, 582
- Selenidera spectabilis*, 381–382
- Senegal, 32
- Servheen, Christopher, Bald Eagles soaring into opaque cloud, 387

- Setophaga ruticilla*, 296, 698, 708
 Sex ratio of, *Carpodacus cassini*, 481–482,
 490–491
Falco sparverius, 740–748
 Short, Lester L., *Aimophila strigiceps* new
 to Paraguay, 189–190; review by,
 403–404; In Memoriam: Charles
 Vaurie, 620–625
 Shortt, Angus H., see Hatch, David R.
 M., and —
 Shoveler, Northern, 831
Sialia mexicana, 746
sialis, 361, 364, 708
 Siegfried, W. Roy, Social organization in
 Ruddy and Maccoa Ducks, 560–570
 Sierra Leone, 29–31, 32, 34
 Simpson, George Gaylord, Penguins. Past
 and present, here and there (rev.),
 869–870
Sitta canadensis, 708
carolinensis, 296, 361, 362, 364, 708
 Skimmer, Black, 170–174
 Slack, R. Douglas, Nest guarding be-
 havior by male Gray Catbirds, 292–
 300
 Smiley, Daniel, and James Stapleton,
 First breeding record of Bewick's
 Wren in New York State, 183–184
 Smith, Susan M., Ecological aspects of
 dominance heirarchies in Black-
 capped Chickadees, 95–107
 Smithe, Frank B., Naturalist's color
 guide: Part I, the color guide; Part
 II, the color guide supplement (rev.),
 404–406
 Snipe, Common, 379–381
 Social system of, *Charadrius montanus*,
 166–167
Oxyura jamaicensis, 560–570
O. maccoa, 560–570
 Solitaire, Rufous-throated, 39–45
Somateria mollissima, 273
spectabilis, 273
 Song, see Vocalizations
 Sora, 282
 South Carolina, 113
 South Dakota, 108
 Southern, William E., Migrational orienta-
 tion in Ring-billed Gull chicks, 78–85
 Sparrow, Black-chinned, 226
 Brewer's, 543–553, 746
 Chipping, 574–584, 708
 Field, 296, 361, 364, 708
 Fox, 543–553
 Golden-crowned, 1–14
 House, 241, 296, 361, 364, 746, 837
 Lincoln's, 57
 Olive, 57
 Savannah, 282
 Song, 296, 298, 360, 361, 364
 Stripe-capped, 189–190
 Tree, 644
 White-crowned, 1–14, 389–390
 White-throated, 457
Speotyto cunicularia, 510–516, 603, 606,
 609–610
 Sphenisciformes, anatomy of middle ear
 region, 749–759
Spheniscus demersus, 749–759
humboldti, 749–759
mendiculus, 749–759
Sphyrapicus varius, 56
Spinus tristis, 296
Spiza americana, 108–115
Spizella arborea, 644
atrogularis, 266
breweri, 543–553, 746
passerina, 574–584, 708
pusilla, 296, 361, 364, 708
Spizapteryx circumcinctus, 633–636
 Springer, Paul F., see Avery, Michael,
 et al.
 Sprunt, Jr., Alexander, Memorial, 130–
 134
 Stapleton, James, see Smiley, Daniel, and
 —
 Starling, 184–187, 360, 361, 364, 746
 Steadman, David W., An addition to two
 Florida Pleistocene avifaunas, 645–
 646
Steganopus tricolor, 656–657
Stelgidopteryx ruficollis, 57
 Stephan, B., Urvögel, Archaeopterygi-
 formes (rev.), 660
 Sterling, Kier Brooks (Advisory Ed.),
 Natural sciences in America (rev.),
 860–861
Sterna albifrons, 760–773
fuscata, 179–183, 371–374
hirundo, 171, 434, 437–441, 629–633,
 636–640
paradisaea, 636–640

- Stewart, Robert E., Breeding birds of North Dakota (rev.), 861–862
 Stokes, Allen W. (ed.), Territory (rev.), 201–202
 Stonehouse, B. (ed.), The biology of penguins (rev.), 663
 Storer, Tracy Irwin, obituary of, 212
 Stork, Wood, 469–471, 473
 Stresemann, Erwin, Ornithology from Aristotle to the present (rev.), 406–407
Strix varia, 603, 606, 609–610
Sturnella magna, 708
Sturnus vulgaris, 184–187, 360, 361, 364, 746
 Sudan, 32
 Surinam, 379–381
 Swallow, Bank, 177–178
 Barn, 177–178
 Cliff, 66–77, 177–178
 Rough-winged, 57
 Tree, 177–178
 Violet-green, 836–837
 Swan, Trumpeter, 831
 Whistling, 831
 Swift, Chimney, 708
Synallaxis gularis, 426
 Syringeal anatomy, 324–332
 Syrinx function, 332–341
 Systematics, see Taxonomy
- Tachycineta thalassina*, 836–837
 Tallman, Dan A., see Lowery, Jr., George H., and —
 Tanager, Emerald, 381
 Scarlet, 361, 364, 695, 708
 Speckled, 381
 Summer, 57
 Western, 57
Tangara chrysophrys, 381
 florida, 381
Tangavarius aeneus, 57
 Taxonomy and paleontology, recent literature on, 20A, 37B–38B, 24C, 39D
 Taxonomy of, *Hypochera lorenzi*, 35–36
 Petrochelidon pyrrhonota, 66–77
 Sayornis saya, 843–846
 Sterna albifrons, 768–769
 Vidua funerea, 33–36
 Teal, Blue-winged, 646–650, 831
- Cinnamon, 831
 Green-winged, 273, 831
 Temperature regulation, *Auriparus flaviceps*, 255–259
 Otus asio, 614–619
 Tennessee, 110, 836
 Tern, Arctic, 636–640
 Caspian, 434, 437–438
 Common, 171, 434, 437–441, 629–633, 636–640
 Gull-billed, 171
 Least, 760–773
 Sooty, 179–183, 371–374
 Territory of, *Agelaius phoeniceus*, 344
 Aphelocoma coerulescens, 443–447
 Carpodacus cassini, 485–489
 Dryocopus pileatus, 16, 18–19, 21–22
 Parus atricapillus, 99–105
 P. gambeli, 574–575
 P. inornatus, 574–575
 Psaltriparus minimus, 574–575
 Spizella passerina, 574–575
 Vireo solitarius, 574–575
 Texas, 76, 109, 113, 116–125, 225, 376–379, 535–542, 740–748, 842
 Theroff, Ed, see Howell, David and —
 Thomson, A. Landsborough, obituary of Sir Julian Sorrell Huxley, 211–212
 Thrasher, Brown, 296, 361, 364, 460, 684–686
 Thrush, Hermit, 57, 628, 708
 Swainson's, 296, 361, 364
 Wood, 361, 364, 699, 708
Thryomanes bewickii, 183–184
Thryothorus ludovicianus, 296
 maculipectus, 57, 58
 Titmouse, Black-crested, 57
 Plain, 574–584
 Tufted, 296, 361, 364, 708
 Togo, 32
 Toucanet, Yellow-eared, 381–382
 Towhee, Green-tailed, 543–553
 Rufous-sided, 183, 360, 361, 364, 694, 708
Toxostoma rufum, 296, 361, 364, 460, 684–686
 Trauger, David L., Plumage aberrancy in Blue-winged Teal, 646–650
 Trimble, Steve, Non-game birds of the West/An annotated bibliography (rev.), 209

- Troglodytes aedon*, 57, 296, 297, 360, 361, 698, 708
Trogon elegans, 56
Trogon, Elegant, 56
 Tucker, Vance A., review by, 848–854
 Turbott, E. G. (ed.), Buller's birds of New Zealand (rev.), 198–199
Turdus grayi, 57
migratorius, 57, 360, 361, 364, 628, 684–686, 708
 Turkey, Common, 56
 Tuttle, Merlin D., see Jenkinson, Marion Anne, and —
 Tyrannulet, Northern Beardless, 57
Tyrannus melancholicus, 57
tyrannus, 361, 364, 684–686
verticalis, 684–686
- Uganda, 32
Uria aalge, 273
lomvia, 273
 Utah, 69–77, 220, 223–225, 227, 388–389, 477–497
- Vanden Berge, James C., *M. iliotibialis medialis* and a review of the *M. iliotibialis* complex in flamingos, 429–433
 Variation in, *Petrochelidon pyrrhonota*, 66–77
Sayornis saya, 843–846
 Vaurie, Charles, Memorial, 620–625
 Veery, 708
 Verdin, 245–262, 746
Vermivora celata, 57, 226
chrysoptera, 178–179, 708
pinus, 361, 364
ruficapilla, 57, 219–230
virginiae, 219–230
 Vermont, 108
Vestiaria coccinea, 774–792
Vidua chalybeata, 25, 37
funerea, 27–37
Vireo griseus, 57
flavifrons, 57, 708
flavoviridis, 57, 61
olivaceus, 296, 361, 364, 628, 708
solitarius, 57, 226, 574–584
 Vireo, Red-eyed, 296, 361, 364, 628, 708
 Solitary, 57, 226, 574–584
- White-eyed, 57
 Yellow-green, 57, 61
 Yellow-throated, 57, 708
 Vocalizations (see also Drumming), *Anas platyrhynchos*, 334–337
Coturnix coturnix, 139–140
Dryocopus pileatus, 20–23
Lagonosticta rara, 31
L. rubricata, 29–31
L. rufopicta, 26–31
Parus hudsonicus, 451–463
Rynchops niger, 172
Sterna albifrons, 760–773
Vermivora chrysoptera, 178–179
Vidua funerea, 27–32
 Vocal mimicry, 25–38
 Vulture, Black, 56
 Turkey, 56, 708
- Walker, L. W., The book of owls (rev.), 658–659
 Warbler, Bay-breasted, 708
 Black-and-white, 57, 361, 362, 364, 708
 Blackburnian, 708
 Blackpoll, 708
 Black-throated Blue, 296, 708
 Black-throated Gray, 574
 Black-throated Green, 57, 708
 Blue-winged, 361, 364
 Canada, 296, 698, 708
 Cape May, 167–169
 Cerulean, 708
 Chestnut-sided, 296, 361, 364, 381, 461, 698, 708
 Golden-winged, 178–179, 708
 Hooded, 698, 708
 Magnolia, 461
 Mourning, 296
 Nashville, 57, 219–230
 Orange-crowned, 57, 226
 Virginia's, 219–230
 Wilson's, 57
 Worm-eating, 708
 Yellow, 296, 360, 361, 364, 543–553
 Yellow-rumped, 57
 Yellow-throated, 57, 708
 Washington, 67, 68, 76, 195–196, 387
 Washington, D. C., 110, 114
 Waterthrush, Louisiana, 708
 Watson, George E., Proceedings of the ninety-third stated meeting of the

- American Ornithologists' Union, 142–163; review by, 401–402; Birds of the Antarctic and Subantarctic (rev.), 866–868
- Waxwing, Cedar, 57, 296, 498–509, 675–691, 708
- Weights and measurements of, *Aphelocoma coerulescens*, 447–448
- Capella gallinago*, 380
- Chamaepetes goudotii*, 194
- Empidonax difficilis*, 655–656
- Myadestes genibarbis*, 39
- Nephelornis oneilli**, 424
- Petrochelidon pyrrhonota*, 73–75
- Sayornis saya*, 844–845
- Sterna albifrons*, 768
- Sturnus vulgaris*, 185
- Wellnhofer, P., Das fünfte Skelettexemplar von Archaeopteryx (rev.), 660
- Wenting, Robert, see Lumsden, Harry G., and —
- Weske, John S., Western Flycatcher in Oklahoma, 655–656
- Wessels, Tom, Connecticut House Sparrows nesting in December, 837
- West Indies, 1DD–19DD
- West, Steve, Observations on the Yellow-eared Toucanet, 381–382
- West Virginia, 108, 112
- Wiens, John A., reviews by, 396–400, 865–866
- Wiese, Jochen H., Courtship and pair formation in the Great Egret, 708–724
- Wigeon, American, 643–644, 831
- Willard, David E., Herons catch two fish in one strike, 391
- Williams, George C., Sex and evolution (rev.), 865–866
- Williams, Timothy C., Thomas J. Klonowski, and Philip Berkeley, Angle of Canada Goose V flight formation measured by radar, 554–559
- Willis, Edwin O., A possible reason for mimicry of a bird-eating hawk by an insect-eating kite, 841–842
- Wilson, Alexander, American bird engravings (rev.), 661
- Wilson, Kay R., see Gehlbach, Frederick R., et al.
- Wilsonia canadensis*, 296, 698, 708
- citrina*, 698, 708
- pusilla*, 57
- Wisconsin, 108, 111, 627–629
- Wolters, Hans E., Die Vogelarten der Erde (rev.), 868–869
- Woodcock, American, 361, 364, 374–375
- Woodpecker, Bronze-winged, 56
- Downy, 296, 361, 364, 708
- Golden-fronted, 56
- Hairy, 361, 362, 364, 708, 836
- Ladder-backed, 56
- Lineated, 56
- Pileated, 15–24, 708
- Red-bellied, 361, 362, 364
- Woodstar, Bahama, 837–838
- Woolfenden, Glen E., A case of bigamy in the Florida Scrub Jay, 443–450
- Worth, C. Brooke, Body-bobbing wood-cocks, 374–375
- Wren, Bewick's, 183–184
- Carolina, 296
- House, 57, 296, 297, 360, 361, 698, 708
- Spot-breasted, 57, 58
- Wright, C. A. (ed.), Biochemical and immunological taxonomy of animals (rev.), 199–200
- Wyoming, 71, 74–76, 223
- Yellowthroat, Common, 282, 708
- Yesner, David R., Aleutian Island albatrosses: a population history, 263–280
- Youngren, Orlan M., see Lockner, F. Russell, and —
- Yukon, 67, 69, 76
- Zaire, 31–34
- Zenaida asiatica*, 56, 61
- macroura*, 360, 361, 364, 543–553, 574, 582, 708, 746
- Zimmerman, Dale A., On the status of *Buteo nitidus* in New Mexico, 650–655
- Zimmerman, David R., To save a bird in peril (rev.), 208
- Zonotrichia albicollis*, 457
- atricapilla*, 1–14
- leucophrys*, 1–14, 389–390
- Zottoli, Steven J., Fishing behavior of Common Grackles, 640–642