

## INDEX TO VOLUME 94

**Compiled by Judith W. McIntyre**

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. Check-list, scientific names only have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

Note that page numbers followed by "A, B, C, or D" refer to supplements to the January, April, July, or October issues respectively.

- A new journal, announcement of, 2C  
Able, Kenneth P., The orientation of passerine nocturnal migrants following offshore drift, 320-330  
Abnormality of, *Cyanocitta cristata*, 781-782  
    *Melagris gallopavo*, 159  
    *Passer domesticus*, 377-380  
    *Zenaida macroura*, 158  
Abramson, Ira Joe, Photographic confirmation of Giant Snipe in Argentina, 357  
*Accipiter cooperii*, 142-143, 293-303  
*A. gentilis*, 156, 585-586, 652-663  
*A. striatus*, 156-157, 586  
*A. superciliosus*, 242  
Acker, J. Randolph, Premature parental behavior of a Red-shouldered Hawk, 374-375  
*Actitis hypoleucous*, 604  
*A. macularia*, 149  
Adkisson, Curtis S., and Scott S. Campbell, An unusual interaction between Blue-winged and Golden-winged Warblers in Virginia, 588-590  
*Aegolius acadicus*, 156-157  
*Aegypius monachus*, 296  
*Agamia agami*, 242  
Age determination of, *Calcarius lapponicus*, 513-516, 520-522  
*Agelaius phoeniceus*, 152-155, 387, 455-468  
*A. xanthomus*, 5DD  
*Aix galericulata*, 608-612  
*A. sponsa*, 159, 567-572  
'Akepz, Hawaii, 4DD  
    Maui, 4DD  
'Akialoa, Kauai, 4DD  
'Akiapolaau, 4DD  
'Alala, 4DD  
Alaska, 442-447, 505-525  
*Alauda arvensis*, 646-651  
Albatross, Black-footed, 172, 256-269, 526-543  
    Laysan, 172, 256-269, 270-274  
Aldrich, John W., review by, 185  
Ali, Salim, and S. Dillon Ripley, Handbook of the birds of India and Pakistan, together with those of Bangladesh, Nepal, Sikkim, Bhutan and Sri Lanka (rev.), 791-792  
Alison, R. M., Homing of subadult Oldsquaws, 383-384  
Allen, H. M. and H. Parker, Willow Ptarmigan remove broken eggs from nest, 612-613  
Allez, George, see Mueller, Helmut C., et al.  
Amadon, D., see Delacour J. and Amakihi, 331-342, 646-651  
*Amazilia ambilis*, 242  
*A. franciae*, 48  
Amazon, 283-292  
*Amazona autumnalis*, 242  
*A. vittata*, 4DD  
*A. farinosa*, 242  
American Ornithologists' Union, Awards 123-124, 138-139  
Business sessions, 123-126  
Check-list, corrections to 33rd Supplement, 190  
Committees, 132-133  
Conservation, Report of the committee on, 1-19DD  
Membership, 124  
Offices, 132  
Proceedings of the Ninety-fourth stated meeting, 123-137  
Public sessions, 126-129  
Resolutions, 130-132  
Treasurer's report, 134-137  
Amlaner, Jr., Charles J., see Hayward, Jr., James L., et al.  
*Ammodramus savannarum*, 591  
*Ammospiza maritima mirabilis*, 4DD, 16DD  
*A. m. nigrescens*, 4DD, 15DD  
*Anas americana*, 790  
*A. diazi*, 4DD  
*A. platyrhynchos*, 350-356  
Anatomy and embryology, recent literature on, 2B-3B, 2C, 2D  
Anatomy and morphology of, *Agelaius phoeniceus*, 152-155  
    *Aix galericulata*, 608-612  
    *Catharacta chilensis*, 419  
    *C. maccormicki*, 419-426  
    *C. skua*, 418-419  
    *Chen caerulescens*, 275-282  
    *Columba livia*, 152-155  
    *Hemignathus procerus*, 331-342  
    *H. wilsoni*, 331-342  
    *Himatione sanguinea*, 331-342

- Lagopus leucurus*, 544–551  
*Loxops maculata*, 331–342  
*L. virens*, 331–342  
*Meleagris gallopavo*, 159  
*Melospiza melodia*, 152–155  
 Occipital spot, 293–303  
*Palmeria dolei*, 331–342  
*Pelecanus occidentalis*, 785–786  
*Psittirostra cantans*, 331–342  
*P. psittacea*, 331–342  
*Vestiaria coccinea*, 331–342  
*Xenoglaux loweryi* sp. nov., 409–416  
*Zonotrichia albicollis*, 152–155
- Ankney, C. D., feeding and digestive organ size in breeding Lesser Snow Geese, 275–282
- Antbird, Esmeraldas, 45 spp. 283–292  
*Anthus spinoleta*, 362
- Antwren, Rufous-rumped, 48
- Apanius, Victor, Red-shouldered Hawks in juvenile plumage nest successfully, 585
- Applegate, Roger D., possible ecological role of food caches of Loggerhead Shrike, 391–392  
*Aquila chrysaetos*, 293–303, 789–790  
*Aramus quarauna*, 365–367
- Archbold, Richard, obituary of, 186–187  
*Archilochus alexandri*, 448–454  
*Arenaria interpres*, 222–230, 743–748  
 Argentina, 357  
 Arizona, 86–96, 142  
 Armstrong, Edward R., and David L. G. Noakes, Albino Mourning Dove sighting in Ontario, 158  
*Arremon aurantiirostris*, 242  
*Asio flammeus*, 443, 584  
*Atlaptes atricapillus*, 48  
*Attila boliviensis*, 363  
 Attila Dulled-capped, 363  
   Auklet, Cassin's 526–543  
   Rhinoceros, 526–543  
 Austin, Elizabeth S., reviews by, 186  
 Austin, Jr., O. L. obituary of Harrison Flint Lewis, 405; review by, 404  
*Aviceda cuculoides*, 296
- Bakken, Laura E., and George S. Bakken, American Redstart feeding by artificial light, 373–374  
 Baird, William M., see White, Clayton M. and —  
 Balcomb, Richard, The grouping of nocturnal passerine migrants, 479–488  
 Balda, Russell P., Michael L. Morrison, and Thomas R. Bement, Roosting behavior of the Piñon Jay in autumn and winter, 494–504  
 Balph, David F., see Balph, Martha Hatch, et al.  
 Balph, Martha Hatch, L. Charles Stoddart, and David L. Balph, A simple technique for analyzing bird transect counts, 606–607  
 Baltz, D. M., and G. Victor Morejohn, food habits and niche overlap of seabirds wintering on Monterey Bay, California, 526–543
- Banding and techniques, recent literature on, 2A–3A, 3B, 2C, 2D  
*Bangsia rothschildi*, 47  
*Baptornis advenus*, 787–789  
 Bateleur, 293–303  
 Beason, Samuel L., see Patte Oliver H. and —  
 Bédard, J., see Munro, J., and —  
 Behavior, activity patterns, 286–289, 313–315, 552–566, 633–634, 743–758  
   aggressive, 140  
   agonistic, 232, 236–238, 298–300  
   altruistic, 613–614  
   antipredator, 143, 156–157  
   breeding, 10–14, 270–274, 585  
   cannibalism, 593–594  
   copulatory, 233–234, 773  
   courtship, 140–142, 172, 230–239, 395, 623–645, 777–778  
   creche, 759–771  
   dominance, 588–590, 594–596  
   drumming, 232–238  
   effect of pesticides on, 28–35  
   effect of weather on, 272–273  
   egg rejection, 612–613  
   feeding, 28–35, 157–158, 275–282, 309–312, 344–345, 373–374, 526–543, 596–598, 627–629, 782–783  
   feeding aggregations, 156–157, 526–543, 743–758, 789–790  
   flight, 140–142  
   food-begging, 374, 773  
   foraging, 48, 284–289, 312–316, 344–346, 365–367, 390–391, 604, 605, 726–735  
   foster parenthood, 273–274  
   homing, 383–384  
   incubation, 11–12, 68–69, 270–272, 552–566, 607  
   interspecific, 140, 156–157, 213–215, 267–268, 287–289, 346, 375, 390–391, 395, 448–454, 588–590, 594–596, 596–598, 701–708, 726–735  
   intraspecific, 36–43, 50–63, 347, 494–504  
   maintenance, 392  
   mate preplacement, 598–599  
   mobbing, 375  
   nest appropriation, 598–599, 774–775  
   nest building, 50–63, 236, 602–604  
   nest guarding, 23–25  
   nest helpers, 596  
   nest site tenacity, 10  
   ontogeny of, 28–35, 608–612  
   pair, 347–348  
   parental care, 13–14, 272–274, 308–319, 345–346, 585, 613–614, 759–771, 773–774  
   play, 573–582  
   recent literature on 3A–5A, 3B–5B, 2C–3C  
   roosting, 392, 494–504  
   site fidelity, 393–395, 469–478  
   sleeping, 58

- sunbathing, 586–587  
 territorial, 448–454, 594–596, 623–645, 701–708  
 vocal, 8–10, 152–155, 156–157, 232–238, 256–269, 567–572, 606, 629–633, 642–644, 701–708  
 Behavior of, *Aix galericulata*, 608–612  
*A. sponsa*, 567–572  
*Aquila chrysaetos*, 789–790  
*Arenaria interpres*, 743–758  
*Buteo swainsoni*, 65–71  
*Calidris alba*, 743–758  
*C. canutus*, 743–758  
*C. mauri*, 743–758  
*C. pusilla*, 743–758  
*Campephilus guatemalensis*, 773–775  
*Campylorhynchus megalopterus*, 594–596  
*Cardinalis cardinalis*, 23–25  
*Casmerodius albus*, 596–598  
*Catoptrophorus semipalmatus*, 743–758  
*Charadrius melanotos*, 743–758  
*C. semipalmatus*, 743–758  
*Chlospingus flavovirens*, 48  
*Cistothorus platensis*, 359–362  
*Columba livia*, 142–143, 143–145, 159–160  
*Coragyps atratus*, 392  
*Corvus brachyrhynchos*, 782–783  
*C. corax*, 777–778  
*Diomedea immutabilis*, 256–269, 270–274  
*D. nigripes*, 256–269  
*Dumetella carolinensis*, 23–25  
*Egretta thula*, 597  
*Elanooides forficatus*, 392  
*Gymnorhinus cyanocephalus*, 494–504  
*Haematopus palliatus*, 743–758  
*Haliaeetus leucocephalus*, 375  
*Henichorina leucoptera*, 198–200  
*Hirundo rustica*, 596  
*Icteria virens*, 107–113  
*Icterus cucullatus*, 594–596  
*I. galbula*, 594–596  
*Lagopus lagopus*, 612–613  
*Lamponis clemenciae*, 448–454  
*Lanius ludovicianus*, 28–35  
*Larus argentatus*, 726–735  
*L. delawarensis*, 469–478  
*L. fuscus*, 726–735  
*L. glaucescens*, 375  
*Legatus leucophaius*, 97–106  
*Limnodromus griseus*, 743–758  
*Melanerpes erythrocephalus*, 231–239  
*Melospiza melodia*, 701–708  
*Molothrus ater*, 395  
*Myiarchus tyrannulus*, 157–158  
*Oxyura jamaicensis*, 140–142, 343–349  
*Pandion haliaetus*, 140, 146–149, 213–215  
*Parus atricapillus*, 156–157  
*Phalacrocorax olivaceus*, 597  
*Piranga flava*, 594–596  
*Pluvialis squatarola*, 743–758  
*Procnias tricarunculata*, 623–645  
*Pterodroma inexpectata*, 4–14  
*Pteroglossus torquatus*, 774–775  
*Pygoscelis adeliae*, 552–566  
*Pyrrhura melanura*, 773  
*Seiurus aurocapillus*, 145–146  
*Somateria mollissima*, 759–771  
*Spheniscus demersus*, 586–587  
*Spizella pusilla*, 308–319  
*Sphyrapicus varius*, 613–614  
*Tringa flavipes*, 743–758  
*T. melanoleuca*, 743–758  
*Turdus migratorius*, 80–85, 607–608  
*Vermivora chrysoptera*, 588–590  
*V. pinus*, 588–590  
*Vireo flavoviridis*, 97–106  
 Behavior, recent literature on, 3A, 3B, 2C, 3D  
 Bellbird, Three-wattled, 623–645  
 Bellrose, Frank C., Ducks, geese and Swans of North America (rev.), 172–177  
 Bement, Thomas R., see Galda, Russell P., et al.  
 Berger, Daniel D., see Mueller, Helmut C., et al.  
 Berra, Tim M., William Beebe, An annotated bibliography (rev.), 804  
 Bertin, Robert I., Snowy Egrets attracted to prey by Common Terns, 390–391  
 Best, Louis B., Nestling biology of the Field Sparrow, 308–319  
 Blackbird, Red-breasted, 46–47  
     Red-winged, 152–155, 387, 455–468  
     Yellow-shouldered, 5DD  
 Blem, C. R., Reanalysis of geographic variation of House Sparrow energetics, 358–359  
 Blokpoel, Hans, Bird hazards to aircraft (rev.) 798–799  
 Bloom, George, see Ricklefs, Robert E., and —  
 Bluebird, Eastern, 387  
 Bobwhite, Masked, 4DD  
 Bock, Carl E., reviews by, 396–399  
 Bock, Walter, editor of Reviews, 177–186, 396–404, 615–621, 791–804; reviews by, 400, 401, 404, 615, 791–792, 804  
 Bocquet, C., J. Génermont, and M. Lamotte (eds.) Les problèmes de l'espèce dans le règne animal (rev.), 801–803  
*Bombycilla cedrorum*, 455–468  
 Bonner, Orville, see Martin, Larry D., and —  
 Bowman, Robert I., review by, 181–183  
 Brackbill, Hervey, Eleven-day incubation by an American Robin, 607–608  
*Branta canadensis leucoparia*, 4DD, 7–9DD  
*B. sandvicensis*, 4DD, 17DD  
 Braun, Clait E., see Höhn, E. Otto and —  
 Breeding of (see also Behavior; Breeding success; Clutch size; Eggs, description and measurements; incubation and incubation periods; Nest and nest site),  
*Bubulcus ibis*, 689–700  
*Buteo swainsoni*, 65–71  
*Calcarius lapponicus*, 505–525

- Casmerodius albus*, 689–700  
*Cistothorus platensis*, 359–362  
*Egretta thula*, 689–700  
*Florida caerulea*, 689–700  
*Hydranassa tricolor*, 689–700  
*Pandion haliaetus*, 201–221  
*Parabuteo unicinctus*, 370–371  
*Pterodroma inexpectata*, 1–17  
*Rynchops niger*, 709–717  
*Turdus migratorius*, 80–85  
 Breeding season of, *Icteria virens*, 107–113  
*Pterodroma inexpectata*, 4  
*Rynchops niger*, 710  
*Vireo flavoviridis*, 98–99  
 Breeding success of, *Bubulcus ibis*, 697–699  
*Buteo lineatus*, 585  
*Calcarius lapponicus*, 505–525  
*Carduelis tristis*, 304–307  
*Casmerodius albus*, 697–699  
*Egretta thula*, 697–699  
*Florida caerulea*, 697–699  
*Hydranassa tricolor*, 697–699  
*Pandion haliaetus*, 201–221  
*Parabuteo unicinctus*, 370–371  
*Rynchops niger*, 711–712  
*Sayornis phoebe*, 367–369  
 Brilliant, Empress, 48  
 Brown, Charles R., Brown-headed cowbird courting a Purple Martin, 395  
 Bruggers, Richard L., and William B. Jackson, Morphological and behavioral development of the Mandarin Duck, 608–612  
 Brush-Finch, Black-headed, 48  
*Bubo virginianus*, 584  
*Bubulcus ibis*, 689–700  
 Buckley, F. G., see P. A. Buckley, and —  
 Buckley, P. A., and F. G. Buckley, Hexagonal packing of Royal Tern nests, 36–43  
*Bugeranus carunculatus*, 786–787  
 Bunting, Indigo, 320–330, 387, 455–468  
     Lazuli, 172, 779  
 Burger, Joanna, and Lynne M. Miller, Colony and nest site selection in White-faced and Glossy Ibises, 664–676  
     —, Marshall A. Howe, D. Caldwell Hahan, and Julia Chase, Effects of tide cycles on habitat selection and habitat partitioning by migrating shorebirds, 743–758  
 Burton, P. J. K., Lower jaw action during prey capture by pelicans, 785–786  
*Busarellus nigricollis*, 293–303  
 Busbee, Everette L., The effects of dieldrin on the behavior of young Loggerhead Shrikes, 28–35  
*Bushtit*, 598–599  
*Butastur indicus*, 293–303  
*Buteo jamaicensis*, 293–303, 586, 593–594  
*B. lineatus*, 374–375, 585  
*B. swainsoni*, 65–71  
*Buteogallus anthracinus*, 293–303  
*Butorides striatus*, 390  
*B. virescens*, 242  
*Calcarius lapponicus*, 505–525  
*Calidris canutus*, 743–758  
*C. fuscicollis*, 363  
*C. mauri*, 743–748  
*C. minutilla*, 171  
*C. pusilla*, 248–255, 743–758  
 California, 526–543  
 Calls, see vocalizations  
 Campbell, Scott S., see Adkisson, Curtis S., and —  
*Campylorhynchus megalopterus*, 594–596  
 Cardinal, 18–26, 380–383, 387, 455–468, 646–651  
*Cardinalis cardinalis*, 18–26, 380–383, 387, 455–468, 646–651  
*Carduelis tristis*, 304–307  
 Caribbean, 149–150  
*Carpodacus mexicanus*, 646–651, 779  
*Casmerodius albus*, 171, 596–598, 689–700  
 Catbird, Gray, 18–27, 320–330, 380–383, 455–468  
*Catharacta chilensis*, 417–429  
*C. macconnelli*, 417–429  
*C. skua*, 417–429  
*Cathartes aura*, 584  
*Catharus fuscescens*, 320–330  
*C. guttatus*, 362  
*C. minimus*, 320–330  
*C. ustulatus*, 320–330  
*Catoptrophorus semipalmatus*, 743–758  
*Cerorhinca monocerata*, 526–543  
*Chaetura pelagica*, 385  
 Chamberlin, Michael L., Relationships between egg pigmentation and hatching sequence in the Herring Gull, 363–365  
*Charadrius alexandrinus*, 248–255  
*C. melanotos*, 743–758  
*C. semipalmatus*, 743–758  
*C. vociferus*, 149, 248–255, 602–604  
 Chase, Julia, see Burger, Joanna, et al.  
*Chasiempis sandwichensis*, 646–651  
 Chat, Yellow-breasted, 107–113, 387  
*Chelictinia riocourii*, 293–303  
*Chen caerulescens*, 275–282  
 Chickadee, Black-capped, 156–157, 380–383, 455–468  
     Carolina, 387  
 Chilgren, John D., Body composition of captive White-crowned Sparrows during postnuptial molt, 677–688; and William A. de Graw, Some blood characteristics of White-crowned Sparrows during molt, 169–171  
*Chloroceryle aenea*, 242  
*C. indica*, 242  
 Chlorophonia, Chestnut-breasted, 47  
     Yellow-collared, 47  
*Chlorophonia flavirostris*, 47  
*C. pyrrhophrys*, 47

- Chlorospingus flavovirens*, 47–48  
*Chlorura chlorura*, 779–780  
*Chondestes grammacus*, 779  
*Chondrohierax urcinatus*, 293–303  
 Christopher, Ernest A., see Mac Millen, Richard E., et al.  
*Ciccaba nigrolineata*, 242  
*Circaetus gallicus*, 293–303  
*Circus cyaneus*, 293–303, 374–375, 584  
*Cistothorus platensis*, 359–362  
*Clangula hyemalis*, 383–384  
*Claravis pretiosa*, 242  
 Clark, Richard J., Cooper's Hawk hunting in the city, 142–143  
 Cleptoparasitism, 728–735  
 Clutch size of, *Bubulcus ibis*, 695  
   *Buteo swainsoni*, 69  
   *Calcarius lapponicus*, 509–511  
   *Carduelis tristis*, 304–307  
   *Casmerodus albus*, 695  
   *Cistothorus platensis*, 360  
   *Egretta thula*, 694–695  
   *Eudocimus albus*, 115–117, 120  
   *Florida caerulea*, 695  
   *Hydranassa tricolor*, 694  
   *Podilymbus podiceps*, 371–373  
   *Rynchops niger*, 711  
*Coccycuas americanus*, 455–468  
 Cody, Martin L., and Jared M. Diamond (eds.)  
   Ecology and evolution of communities (rev.), 792–794  
*Colaptes auratus*, 369–370, 380–383, 455–468  
*Colinus virginianus ridgwayi*, 4DD  
 Collett, S. F. Sizes of snails eaten by Snail Kites and Limpkins in a Costa Rican marsh, 365–367  
 Collias, Elsie C., see Collias, Nicholas E., and —  
 Collias, Nicholas E., and Elsie C. Collias, Weaverbird nest aggregation and evolution of the compound nest, 50–64; (eds.), External construction by animals (rev.), 400–401  
*Colombia*, 44–49, 363  
*Colorado*, 599–601  
*Columba inornata wetmorei*, 4DD  
*C. livia*, 142–143, 143–145, 152–155, 159–160  
 Condor, California, 4DD, 8–9DD  
 Conner, Richard N., The effect of tree hardness on woodpecker nest entrance orientation, 369–370  
*Conopias parva*, 242  
*Contopus sordidulus*, 46, 362, 779  
*C. virens*, 380–383  
 Conway, William, and Allegra Hamer, A 36-year laying record of a Wattled Crane at the New York Zoological Park, 786–787  
 Cook, Robert E., First Pennsylvania photographic record and other eastern sightings of the Lazuli Bunting, 172  
 Cooper, J., Jackass Penguins sunning at sea, 586–587  
*Coragyps atratus*, 149, 392  
 Cormorant, Brandt's, 526–543  
   Olivaceous, 597  
*Corvus brachyrhynchos*, 380–383, 583–585, 782–783  
*C. corax*, 84, 777–778  
   *C. ossifragus*, 583–585  
   *C. tropicus*, 4DD  
 Costa Rica, 86–96, 365–367, 623–645  
*Cotinga nattereri*, 242  
*Coturnix coturnix*, 350–356, 736–742  
 Cowbird, Brown-headed, 18–27, 304–307, 386–389, 395, 455–468, 590–593  
 Crandall, James, see Lyon, David L., et al.  
 Crane, Mississippi Sandhill, 4DD  
   Whooping, 4DD; Wattled, 786–787  
 Crawford, Richard D., Polygynous breeding of Short-billed Marsh Wrens, 359–362  
 Creeper, Hawaii, 4DD  
   Molokai, 4DD  
 Crow, Common, 380–383, 583–585, 782–783  
   Fish, 583–585  
 Cruden, Robert William, and Sharon Marie Hermann-Parker, Defense of feeding sites by Orioles and Hepatic Tanagers in Mexico, 594–596  
 Cuckoo, Yellow-billed, 455–468  
 Curlew, Bristle-thighed, 222–230  
   Eskimo, 158  
   Long-billed, 599–601  
 Custer, Thomas W. and Frank A. Pitelka, Demographic features of a Lapland Longspur population near Barrow, Alaska, 505–525  
*Cyanerpes cyaneus*, 242  
*C. lucidus*, 242  
*Cyanocitta cristata*, 380–383, 455–468, 781–782  
*Cyanocorax affinis*, 46  
*Dacnis cayana*, 242  
 Damman, Doyle L., see Easterla, David A., and —  
   *Damophila julie*, 242  
 Dau, Christian P., and Jack Paniyak, Hoopoe, a first record for North America, 601  
 Davis, David E. (ed.), Behavior as an ecological factor (rev.), 400–401  
 de Graw, William A., see Chilgren, John D., and —  
   *Delacour, Jean*, and *Dean Amadon*, obituary of *Marcia Brady Tucker*, 805–806  
*Dendrocincus homochroa*, 242  
*Dendrocolaptes certhia*, 242  
*Dendrocopos borealis*, 376–377  
*D. pubescens*, 380–383  
*D. villosus*, 380–383  
*Dendroica coronata*, 362, 320–330, 779  
*D. discolor*, 387, 393  
*D. kirtlandii*, 4DD, 14DD  
*D. magnolia*, 320–330  
*D. pinus*, 387

- D. petechia*, 19–26, 779  
*D. striata*, 47, 320–330  
 Derksen, Dirk V., A quantitative analysis of the incubation behavior of the Adélie Penguin, 552–566  
 Devillers, Pierre, The skuas of the North American Pacific Coast, 417–429  
 Dickcissel, 387–591  
 Dickerman, Robert W., review by, 401–402  
 Dimond, John B., see Knupp, David M., and —  
*Diomedea immutabilis*, 172, 256–269, 270–274  
*D. nigripes*, 172, 256–269, 526–543  
 Diseases and parasites, 212, 276–277  
     recent literature on, 5A–7A, 5B–7B, 3C, 4D  
 Distribution and annotated lists, recent literature on, 7A–10A, 7B–12B, 3C–5C, 5D  
 Distribution of, *Actitis macularia*, 149  
     *Amazilia franciae*, 48  
     *Anas americana*, 790  
     *Atlapetes atricapillus*, 48  
     *Attila boliviensis*, 363  
     *Bangsia rothschildi*, 47  
     *Calidris fuscicollis*, 363  
     *Cathartes maccormicki*, 417–429  
     *Charadrius vociferus*, 149  
     *Chlorophonia flavirostris*, 47  
     *C. pyrrhophrys*, 47  
     *Chlorospingus flavoventris*, 47–48  
     *Contopus sordidulus*, 46  
     *Cyanocorax affinis*, 46  
     *Dendroica striata*, 47  
     *Empidonax virescens*, 46  
     *Entomodestes coracinus*, 46  
     *Gallinago undulata*, 357  
     *Haplophaedia aureliae*, 48  
     *Heliodoxa imperatrix*, 48  
     *Henicorhina leucoptera*, 195–201  
     *Hirundapus caudacutus*, 389  
     *Ictinia mississippiensis*, 168–169  
     *Irodophanes pulcherrima*, 47  
     *Leistes militaris*, 46–47  
     *Leucosticte australis*, 384–385  
     *Micromonacha lanceolata*, 45  
     *Myadestes ralloides*, 48  
     *Odontorchilus branickii*, 46  
     *Otus ingens*, 45  
     *Pachyramphus versicolor*, 45  
     *Panaytila cayennensis*, 45  
     *Passerina amoena*, 172  
     *Pelecanus occidentalis*, 588  
     *Pharomachrus antisianus*, 45  
     *Philydor rufus*, 48  
     *Picumnus castelnau*, 363  
     *Pipra pipra*, 45–46  
     *Pipraeidea melanonota*, 47  
     *Platycichla leucops*, 48  
     *Psarocolius latirostris*, 363  
     *Pseudocolaptes lawrencii*, 45  
     *Pterodroma inexpectata*, 1–3  
     *Riparia riparia*, 46  
     *Seirus aurocapillus*, 142  
     *Sicalis flaveola*, 48  
     *Sipia rosei*, 45  
     *Spinus xanthogaster*, 48  
     *Tangara cabanisi*, 605–606  
     *T. vitriolina*, 47  
     *Terenotriccus erythrurus*, 46  
     *Terenura callinota*, 48  
     *Thryothorus fasciatoventris*, 46  
     *Todirostrum nigriceps*, 46  
     *Touit dilectissima*, 45  
     *Turdus poliocephalus*, 772  
     *T. serranus*, 48  
     *Urosticte benjamini*, 48  
     *Upupa epops*, 601  
 Distribution, spatial, 36–43, 283–292, 526–543, 743–758  
 Diving-Petrel, Common, 3  
 Dove, Mourning, 158, 350–356, 455–468  
     Ringed Turtle, 736–742  
     Rock, 142–143, 143–145, 152–155, 159–160  
 Dowitcher, 743–758  
     *Dryocopus lineatus*, 242  
     *D. pileatus*, 369–370  
     *Dryotriorchis spectabilis*, 293–303  
 Duck, Laysan, 4DD, 17DD  
     Mandarin, 608–612  
     Mexican, 4DD  
     North American Ruddy, 140–142, 343–349  
     Wood, 159  
 Duke, Gary E., Pellet egestion by a captive Chimney Swift (*Chaetura pelagica*), 385  
*Dumetella carolinensis*, 18–27, 320–330, 380–383, 455–468  
 Dunkle, Sidney W., Swainson's Hawks on the Laramie Plains, Wyoming, 65–71  
 Eagle, Bald, 140, 293–303, 375, 4DD  
     Golden, 789–790  
     Madagascar Serpent, 302  
     Vulturine Fish, 293–303  
 Easterla, David A., and Doyle L. Damman, Unusual food item of Franklin's Gull, 163  
 Ebisu, Roy J., see Mac Millen, Richard E., et al.  
 Eckhardt, Robert C., Effects of a late spring storm on a local Dusky Flycatcher population, 362  
 Ecology and populations, recent literature on, 10A–16A, 12B–16B, 5C–9C, 7D  
 Ecology, demography, 86–96, 505–525  
     food partitioning, 365–367, 526–543, 726–735  
     habitat partitioning, 283–292, 526–543, 664–676, 689–700, 743–758  
     population energetics, 114–122, 358–359  
     seasonal variation, 240–247  
 Ecology of, seabirds, 526–543  
     shorebirds, 743–758  
     tropical forest birds, 240–247, 283–292  
 Ectoparasites on, *Pterodroma inexpectata*, 14

- Ecuador, 86–96  
 Egg-laying, 19, 83, 370–371, 371–373, 590–593,  
     693–695, 786–787  
 Eggs, composition of, 350–356  
 Eggs, descriptions and measurements, *Anas platyrhynchos*, 350–356  
*Cistothorus palustris*, 359–362  
*Coturnix coturnix*, 350–356  
*Larus argentatus*, 363–365  
*L. atricilla*, 350–356  
*Molothrus ater*, 590–593  
*Pandion haliaetus*, 203–206  
*Podilymbus podiceps*, 371–373  
*Pterodroma inexpectata*, 11  
*Sturnus vulgaris*, 167–168, 350–356  
*Turdus migratorius*, 84  
*Zenaida macroura*, 350–356  
 Egret, Cattle, 689–700  
     Great, 171, 596–598, 689–700  
     Snowy, 390–391, 597, 689–700  
*Egretta thula*, 390–391, 597, 689–700  
 Eider, Common, 759–771  
 Eisenhauer, John H., and Paniyak, Jack, Parasitic  
     Jaegers prey on adult ptarmigan, 389–390  
*Elanoides forficatus*, 293–303, 392  
*Elanus leucurus*, 293–303  
*Elepaio*, 646–651  
 Elliot, Richard D., Hanging behavior in Common  
     Ravens, 777–778  
 Elliott, Philip F., Adaptive significance of cowbird  
     egg distribution, 590–593  
 Emerald, Andean, 48  
 Emlen, John T., Estimation breeding season bird  
     densities from transect counts, 455–468  
*Empidonax oberholseri*, 362, 779  
*E. traillii*, 362  
*E. virescens*, 46  
*Entomodestes coracinus*, 46  
 Ervin, Stephen, Nest appropriation and mate re-  
     placement in the Bushtit, 598–599  
 Erwin, R. Michael, Black Skimmer breeding ecol-  
     ogy and behavior, 709–717  
*Erythrorhynchis radiatus*, 293–303  
*Eucometis penicillata*, 242  
*Eudocimus albus*, 114–122, 164–167  
*Eugens fulgens*, 448–454  
*Euphonia minuta*, 242  
*Eurypyga helias*, 242  
*Eutriorchis astur*, 302  
 Evans, David L., Uncommon natural injuries in  
     hawks, 585–586  
 Evolution and genetics, recent literature on, 16A–  
     18A, 16B–17B, 9C, 9D  
 Evolution of, compound nest, 50–64  
     infratropical migration, 97–106  
     occipital spot, 293–303  
  
*Falco mexicanus*, 371  
*F. peregrinus*, 4DD, 10–11DD  
*F. rusticolus*, 442–447  
 Falcon, Peregrine, 4DD, 10–11DD  
     Prairie, 371  
 Falls, J. Bruce, see Zach, Reto and —  
 Ficken, Millicent S., Avian play, 573–582; and  
     Steve B. Witkin, Responses of Black-capped  
     Chickadee flocks to predators, 156–157  
 Finch, Brown-capped Rosy, 384–385  
     House, 646–651, 779  
     Saffron, 48  
 Fitzpatrick, John W., John W. Terbough, and  
     David E. Willard, A new species of Wood-  
     Wren from Peru, 195–201  
 Fledging, success of, *Buteo swainsoni*, 69–70  
*Calcarius lapponicus*, 505–525  
*Carduelis tristis*, 304–307  
*Cistothorus platensis*, 359–362  
*Hirundo rustica*, 596  
*Molothrus ater*, 304–307  
*Pandion haliaetus*, 203–207  
*Rynchops niger*, 709–717  
*Turdus migratorius*, 85  
 Fleming, Sr., Robert L., Robert L. Fleming, Jr. and  
     Lain Singh Bangdel, Birds of Nepal, with ref-  
     erence to Kashmir and Sikkim (rev.), 617–618  
 Flicker, Common, 369–370, 380–383, 455–468  
 Florida, 689–700  
*Florida caerulea*, 689–700  
*Florisuga mellivora*, 242  
 Flycatcher, Ash-throated, 779  
     Dusky, 362, 779  
     Great Crested 380–383, 455–468  
     Piratic, 97–106  
     Ruddy-tailed, 46  
     Wied's Crested, 157–158  
     Willow, 362  
 Foliage-Gleaner, Buff-fronted, 48  
 Food and feeding habits of *Accipiter cooperi*, 142–  
     143  
*Aquila chrysaetos*, 789–790  
*Aramus guarauna*, 365–367  
*Arenaria interpres*, 743–758  
*Buteo swainsoni*, 70  
*Calidris alba*, 743–758  
*C. canutus*, 743–758  
*C. mauri*, 743–758  
*C. pusilla*, 743–758  
*Catoptrophorus semipalmatus*, 743–758  
*Cerorhinca monocerata*, 526–543  
*Chaetura pelasgica*, 385  
*Charadrius melanotos*, 743–758  
*C. semipalmatus*, 743–758  
*Chen caerulescens*, 275–282  
*Corvus brachyrhynchos*, 782–783  
*Dendrocopos borealis*, 376–377  
*Diomedea nigripes*, 526–543  
*Egretta thula*, 390–391  
*Eudocimus albus*, 117–121  
*Fulmarus glacialis*, 526–543

- Gavia arctica*, 526–543  
*Haematopus palliatus*, 743–758  
*Hypocnemis* spp., 284–289  
*Lanius ludovicianus*, 391–392  
*Larus californicus*, 526–543  
*L. canus*, 526–543  
*L. glaucescens*, 526–543  
*L. heermanni*, 526–543  
*L. philadelphicus*, 526–543  
*L. pipixcan*, 163  
*Legatus leucophaeus*, 103–104  
*Limnodromus griseus*, 743–758  
*Myrmotherula* spp., 284–289  
*Oceanodroma furcata*, 385–386  
*Oxyura jamaicensis*, 344–345  
*Pandion haliaetus*, 146–149  
*Pluvialis squatarola*, 743–758  
*Procnias tricarunculata*, 626–629  
*Ptychoramphus aleutica*, 526–543  
*Puffinus creatopus*, 526–543  
*Rissa tridactyla*, 526–543  
*Rostrhamus sociabilis*, 365–367  
*Rynchops niger*, 713–715  
*Seiurus aurocapillus*, 145–146  
*Setophaga ruticilla*, 373–374  
*Spizella pusilla*, 308–316  
*Stercorarius pomarinus*, 526–543  
*Synthliboramphus antiquum*, 526–543  
*Tringa flavipes*, 743–758  
*T. melanoleuca*, 743–758  
*Uria aalge*, 526–543  
*Vireo flavoviridis*, 101–102
- Ford, Norman L., review by, 184–185  
Forsythe, Dennis M., review by, 797–798  
Fossils, 787–789  
Foster, Mercedes S., review by, 618  
Frith, H. J. and J. H. Calaby (eds.) Proceedings of the 16th international ornithological congress (rev.), 615  
Frost, Herbert H., see Whitmore, Robert C., et al.  
Fugle, G. N. and S. I. Rothstein, Clutch size determination, egg size, and eggshell thickness in the pied-billed Grebe, 371–373  
Fulmar, Northern, 526–543  
*Fulmarus glacialis*, 526–543
- Gallinago undulata*, 357  
*Gallinula chloropus*, 4DD  
Gallinule, Hawaiian, 4DD, 17DD  
Gamboa, George J., Predation on Rufous Hummingbird by Wied's Crested Flycatcher, 157–158  
*Gampsonyx swainsonii*, 293–303  
*Garrulax canorus*, 646–651  
Gauthreaux, Jr., Sidney A., review by, 798–799  
*Gavia arctica*, 526–543  
General biology, recent literature on, 18A–25A, 17B–21B, 9C–11C, 10D
- Genoways, Hugh H., see McGaugh, M. Houston, and —  
George, William G., and Timothy Kimmel, A slaughter of mice by Common Crows, 782–783  
*Geothlypis trichas*, 320–330, 455–468  
*Geotrygon veraguensis*, 242  
*Geranoaetus melanoleucus*, 293–303  
*Geranoospiza caerulescens*, 293–303  
Gill, Jr., Robert, Unusual foraging by a Forktailed Storm Petrel, 385–386  
Gillett, William Humphrey, see Hayward, Jr., James L., et al.  
Gilpin, Michael E., Group selection in predator-prey communities (rev.), 177–178  
Gladstone, Douglas, Leapfrog feeding in the Great Egret, 596–598  
Gnatcatcher, Blue-gray, 387  
Goertz, John W., Additional records of Brown-headed Cowbird nest parasitism in Louisiana, 386–389  
Goldfinch, American, 304–307, 455–468  
Goodman, I. J. and Martin W. Schein (eds.), Birds. Brain and behavior (rev.), 400  
Goodwin, Gregory A., Golden Eagle predation on pronghorn antelope, 789–790  
Goose, Aleutian Canada, 4DD, 7DD  
Lesser Snow, 275–282  
Gorton, Robert E., Jr., Territorial interactions in sympatric Song Sparrow and Bewick's Wren populations, 701–708  
Goshawk, 156, 293–303, 585–586, 652–663  
Gackle, Common, 455–468  
Graham, Jr., Frank, Gulls, a social history (rev.), 185–186  
Graul, Walter D., see McCallum, D. Archibald, et al.  
Graves, Gary R., see O'Neill, John P., and —  
Gray, Betty Jean, see Miller, Michael R., et al.  
Grebe, Pied-billed, 371–373  
Green, Janet C., and Robert B. Janssen, Minnesota birds/where, when, and how many (rev.), 184–185  
Gregg, Larry E., and James B. Hale, Woodchuck nesting habitat in northern Wisconsin, 489–493  
Grosbeak, Black-headed, 779  
Rose-breasted, 380–383, 455–468  
Growth and development of, *Aix galericulata*, 608–612  
*Cistothorus platensis*, 361  
*Coturnix coturnix*, 736–742  
*Eudocimus albus*, 164–167  
*Rynchops niger*, 712–713  
*Spizella pusilla*, 316–317  
*Streptopelia risoria*, 736–742  
Grubb, Jr., Thomas C., Weather-dependent foraging in Ospreys, 146–149; and William M. Shields, Bald Eagle interferes with an active Osprey nest, 140  
*Grus americana*, 4DD

- G. canadensis*, 4DD  
*Guatemala*, 168–169, 773–775  
*Gull, Bonaparte's*, 526–543  
 California, 526–543  
 Franklin's, 163  
 Glaucous-winged, 375, 526–543  
 Heerman's, 526–543  
 Herring, 363–365, 583–585, 726–735  
 Laughing, 350–356, 583–585  
 Lesser Black-backed, 726–735  
 Mew, 526–543  
 Ring-billed, 469–478  
 Western, 526–543  
*Gymnogyps californianus*, 4DD, 8DD  
*Gymnorhinus cyanocephalus*, 494–504  
*Gypaetus barbatus*, 293–303  
*Gypohierax angolensis*, 293–303  
*Gyps fulvus*, 293–303  
*Gyrfalcon*, 442–447
- Habia fuscicauda*, 242  
*Haematopus palliatus*, 743–758  
 Haffer, J., Avian speciation in tropical South America (rev.), 178–180; Avifauna of northwestern Colombia, South America (rev.), 178–180  
 Hafner, John C., and Mark S. Hafner, The occipital spot in the *Accipitridae* (*Falconiformes*), 293–303  
 Hafner, Mark S., see Hafner, John C., and —  
 Hahn, D. Caldwell, see Burger, Joanna, et al.  
 Haines, Howard, see Purdue, James R., and —  
 Hale, James B., see Gregg, Larry E., and —  
*Haliaeetus leucocephalus*, 140, 293–303, 375, 4DD  
*Haliastur indus*, 293–303  
 Hamer, Allegra, see Conway, William and —  
 Hamerstrom, Frances, Birds of prey of Wisconsin (rev.), 186  
*Hamirostra melanosternon*, 293–303  
*Haplophaedia aureliae*, 48  
 Hardy, John William, reviews by, 185, 403–404  
 Harlow, Richard F., and Michael R. Lennartz, Foods of nestling Red-cockaded Woodpeckers in coastal South Carolina, 376–377  
*Harpagus bidentatus*, 242, 293–303  
*Harpia harpyja*, 293–303  
*Harpyopsis novaeguineae*, 293–303  
 Harrier, 374–375  
 Harris, Michael, A field guide to the birds of the Galapagos (rev.), 181–183  
 Harrison, James M., Bird taxidermy (rev.), 804  
 Hatching, success of, *Bubulcus ibis*, 696–699  
*Bugeranus carunculatus*, 786–787  
*Carduelis tristis*, 304–307  
*Casmerodus albus*, 696–699  
*Cistothorus platensis*, 360  
*Egretta thula*, 696–699  
*Florida caerulea*, 696–699  
*Hydranassa tricolor*, 696–699  
*Molothrus ater*, 388  
*Pterodroma inexpectata*, 13  
*Rynchops niger*, 711–712  
*Turdus migratorius*, 84  
 Haverschmidt, F., Roosting habits of the Swallow-tailed Kite, 392; Allopreening in the Black Vulture, 392  
 Hawaii, 646–651  
 Hawk, Cooper's, 142–143, 293–303  
 Harris', 370–371, 587–588  
 Marsh, 584  
 Red-shouldered, 374–375, 585  
 Red-tailed, 293–303, 586, 593–594  
 Sharp-shinned, 156–157, 586  
 Swainson's, 65–71  
 Hawk-eagle, Ornate, 293–303  
 Hay, John, Spirit of survival, and natural and personal history of terns (rev.), 185–186  
 Hayward, Jr., James L., William Humphrey Gillett, Charles J. Amlaner, Jr., and John F. Stout, Predation on gulls by Bald Eagles in Washington, 375  
*Heliodoxa imperatrix*, 48  
*Heliothrix barroti*, 242  
*Hemignathus lucidus affinis*, 4DD  
*H. l. hanapepe*, 4DD  
*H. procerus*, 331–342, 4DD  
*H. wilsoni*, 331–342, 4DD  
 Hendricks, David Paul, Brown-capped Rosy Finch nesting in New Mexico, 384–385  
*Hemicopernis longicauda*, 293–303  
*Henicorhina leucophrys*, 198–201  
*H. leucoptera* sp. nov., 195–201  
 Hermann-Parker, Sharon Marie, see Cruden, Robert William and —  
 Heron, Green, 390  
 Little Blue, 689–700  
 Louisiana, 689–700  
*Heteroscelus brevipes*, 604  
*H. incanus*, 222–230  
*Heterospizias meridionalis*, 293–303  
*Hieraetus morphnoides*, 293–303  
 Hilty, Steven L., *Chlorospingus flavovirens* rediscovered, with notes on other Pacific Columbian and Cauca Valley birds, 44–49; and Simon, David, The Azure-rumped Tanager in Mexico with comparative remarks on the Gray-and-gold Tanager, 605–606  
*Himantopus mexicanus*, 4DD, 17DD  
*Himatione sanguinea*, 331–342  
*Hirundapus caudacutus*, 389  
*Hirundo rustica*, 149–150, 596, 779–780  
 Honey creeper, Golden-collared, 47  
 Crested, 4DD  
 Höhn, E. Otto, and Clait E. Braun, Seasonal thyroid gland histophysiology and weight in White-tailed Ptarmigan, 544–551  
 Hoopoe, 601  
 Howe, Marshall A., see Burger, Joanna, et al.

- Hummingbird, Black-chinned, 448–454  
 Blue-throated, 448–454  
 Broad-tailed, 393–395  
 Rivoli's, 448–454  
 Rufous, 157–158
- Hydranassa tricolor*, 689–700
- Hylocichla mustelina*, 380–383, 455–468
- Hylophilus ochraceiceps*, 242
- Hypocnemis cantator*, 283–292
- Ibis, American White, 114–122, 164–167  
 Glossy, 664–676  
 White-faced, 664–676
- Icteria virens*, 107–113, 387
- Icterus cucullatus*, 594–596  
*I. galbula*, 455–468, 594–596  
*I. spurius*, 387
- Ictinia mississippiensis*, 168–169, 293–303
- Imhof, Thomas A., The Greater Shearwater in the northern Gulf of Mexico, 163–164
- Incubation and incubation period of, *Bubulcus ibis*, 696
- Casmerodius albus*, 696
- Egretta thula*, 696
- Florida caerulea*, 696
- Hydranassa tricolor*, 696
- Pterodroma inexpectata*, 11–13
- Pygoscelis adeliae*, 552–566
- Rynchops niger*, 711
- Turdus migratorius*, 607–608
- Injuries to, *Accipiter gentilis*, 585–586  
*A. striatus*, 586  
*Buteo jamaicensis*, 586
- Iridophanes pulcherrima*, 47
- Iridoprocne bicolor*, 779–780
- Inouye, David W., see Waser, Nickolas M., and —
- Iversen, Eve, An unrecorded specimen of Eskimo Curlew from New Jersey, 158
- Jacamerops aurea*, 242
- Jackson, Jerome A., Red-cockaded Woodpecker and pine red heart disease, 160–163
- Jackson, William B., see Bruggers, Richard L., and —
- Jaeger, Long-tailed, 443–445  
 Parasitic, 389–390  
 Pomarine, 526–543
- Jay, Black-chested, 46  
 Blue, 380–383, 455–468, 781–782  
 Piñon, 494–504
- Johnsgard, Paul A., Waterfowl of North America (rev.), 173–177
- Johnson, Oscar W., Plumage and molt in shorebirds summering at Enewetak Atoll, 222–230
- Johnson, R. R., E. L. Smith, and D. S. Tomko, First ovenbird specimens from Arizona, 142
- Joyner, David E., Behavior of Ruddy Duck broods in Utah, 343–349
- Junco caniceps*, 362, 779  
*J. hyemalis*, 320–330
- Junco, Dark-eyed, 320–330  
 Gray-headed, 362, 779
- Kale, II, Herbert W., editor of Recent Literature, 1A–28A, 1B–27B, 1C–16C; see Maxwell, II, George R., and —
- Kansas, 86–96, 787–789
- Karr, James R., 240–247; review by, 402–403
- Keeley, Bruce R., see Warham, John et al.
- Keeton, W. T., see Schmidt-Koenig, K., and —
- Kennington, John, see Zipko, Stephen J., and —
- Ketterson, Ellen D., Male Prairie Warbler dies during courtship, 393
- Kilham, Lawrence, Early breeding season behavior of Red-headed Woodpeckers, 231–239; Altruism in nesting Yellow-bellied Sapsucker, 613–614; Nesting behavior of Pale-billed Woodpeckers in Guatemala, 773–774; Pale-billed Woodpeckers robbed of nest hole by Colared Araçaris, 774–775
- Killdeer, 149, 248–255, 602–604
- Kinimel, Timothy, see George, William G., and —
- King, Ben, reviews by, 617–618, 801
- Kite, Everglade 4DD, 5–10DD  
 Mississippi, 168–169  
 Snail, 365–367  
 Swallow-tailed, 392
- Kittiwake, Black-legged, 526–543
- Klais guimeti*, 242
- Kligerman, Jack (ed.), The birds of John Burroughs, keeping a sharp lookout (rev.), 186
- Knot, 743–758
- Knupp, David M., Ray B. Owen, Jr., and John B. Dimond, Reproductive biology of American Robins in northern Maine, 80–85
- Kroodsma, Donald E., and Linda D. Parker, Vocal virtuosity in the Brown Thrasher, 783–785
- Kull, Jr., Robert C., Color selection of nesting material by Killdeer, 602–604
- Kuroda, Nagamichi, Parrots of the world in life colours (rev.), 615–616
- Kushlan, James A., Population energetics of the American White Ibis, 114–122; Differential growth of body parts in the White Ibis, 164–167
- Lack, David, Evolution illustrated by waterfowl (rev.), 618–619; Island biology illustrated by the land birds of Jamaica (rev.), 794–797
- Lagopus lagopus*, 443–445, 612–613
- L. leucurus*, 544–551
- L. mutus*, 443–445
- Lamponnis clemenciae*, 448–454
- Laniocera rufescens*, 242
- Lanius excubitor*, 156–157
- L. ludovicianus*, 28–35, 391–392
- Larus argentatus*, 363–365, 583–585, 726–735

- L. atricilla*, 350–356, 583–585  
*L. californicus*, 526–543  
*L. canus*, 526–543  
*L. delawarensis*, 469–478  
*L. fuscus*, 726–735  
*L. glaucescens*, 375, 526–543  
*L. heermanni*, 526–543  
*L. occidentalis*, 526–543  
*L. philadelphica*, 526–543  
*L. pipixcan*, 163  
 Laughing-thrush, Melodius, 646–651  
 LeCroy, Mary, reviews by, 185–186  
 LeFebvre, Eugene A., Courtship display and interspecific isolation between Laysan and Black-footed Albatrosses, 172; Laysan Albatross breeding behavior, 270–274  
*Legatus leucophaeus*, 97–106, 242  
*Leiothrix lutea*, 646–651  
*Leiothrix*, Red-billed, 646–651  
*Leistes militaris*, 46–47  
 Lemke, Thomas O., Copulation observed in Maroon-tailed Parakeets in Meta, Colombia, 773  
 Lennartz, Michael R., see Harlow, Richard F., and —  
  
*Leptodon cayanensis*, 293–303  
*Leptotila cassinii*, 242  
*Leucopetornis albicollis*, 242, 293–303  
*L. semiplumbea*, 242  
*Leucosticte australis*, 384–385  
 Lewis, Harrison Flint, obituary of, 405  
*Limnodromus griseus*, 743–758  
*Limnothlypis swainsonii*, 387  
 Limpkin, 365–367  
 Line, Les, and Franklin Russell, The Audubon Society book of wild birds (rev.), 185  
*Lonchura punctulata*, 646–651  
 Longevity, 393–395, 516  
 Longspur, Lapland, 505–525  
 Loon, Arctic, 526–543  
*Lophoictinia isura*, 293–303  
*Lophæetus occipitalis*, 293–303  
 Louisiana, 386–389  
 Lowther, Peter E., Bilateral size dimorphism in House Sparrow gynandromorphs, 377–380  
*Loxops coccinea coccinea*, 4DD  
*L. c. ochracea*, 4DD  
*L. m. maculata*, 331–342  
*L. m. mana*, 4DD  
*L. m. montana*, 4DD  
*L. virens*, 331–342, 646–651  
*Lurocalis semitorquatus*, 242  
 Lyon, David L., James Crandall, and Mark McKone, A test of the adaptiveness of interspecific territoriality in the Blue-throated Hummingbird, 448–454  
  
 MacMillen, Richard E., G. Causey Whittow, Ernest A. Christopher, and Roy J. Ebisu, Oxygen consumption, evaporative water loss, and body temperature in the Sooty Tern, 72–79  
*Machaerhamphus alcinus*, 293–303  
 MacRoberts, Michael H., and Barbara R. MacRoberts, Social organization and behavior of the Acorn Woodpecker in Central coastal California (rev.), 616–617  
 Mader, William J., Harris' Hawks lay three clutches of eggs in one year, 370–371; Chemical residues in Arizona Harris' Hawk eggs, 587–588  
 Maine, 80–85, 790  
 Mallard, 350–356  
*Manacus vitellinus*, 242  
 Management and conservation, recent literature on, 25A–26A, 21B, 11C–12C, 12D  
 Manakin, White-crowned, 45–46  
 Marler, Peter R., recipient of Elliott Coues Award, 139  
 Marshall Islands, 222–230  
 Marshall, Joe T., Audiospectograms with pitch scale: a universal "language" for representing bird songs graphically, 150–152  
 Martin, Larry D., and Orville Bonner, An immature specimen of *Baptornis advenus* from the Cretaceous of Kansas, 787–789  
 Martin, Purple, 395  
 Maxwell, II, George R., and Herbert W. Kale II, Breeding biology of five species of herons in coastal Florida, 689–700  
 Mayfield, Harold F., review by, 799–801  
 Mayr, Ernst, Evolution and the diversity of life. Selected essays (rev.), 404  
 McCallum, D. Archibald, Walter D. Graul, and Ronald Zaccagnini, The breeding status of the Long-billed Curlew in Colorado, 599–601  
 McGaugh, M. Houston, and Hugh H. Genoways, State laws as they pertain to scientific collecting permits (rev.), 185  
 McKone, Mark, see Lyon, David L., et al.  
 McLandress, Robert M., see Miller, Michael R., et al.  
 McNabb, F. M. Anne, and Roger A. McNabb, Thyroid development in precocial and altricial avian embryos, 736–742  
 McNabb, Roger A., see McNabb, F. M. Anne, and —  
  
 Meadowlark, Eastern, 387, 591–593  
 Measurements, see weights and measurements  
*Megatriorchis doriae*, 293–303  
*Melamprosops phaeosoma*, 4DD  
*Melanerpes carolinus*, 455–468  
*M. erythrocephalus*, 231–239  
*Meleagris gallopavo*, 159  
*Melierax metabates*, 293–303  
*Melospiza lincolni*, 320–330, 362  
*M. melodia*, 19–21, 152–155, 455–468, 701–708  
 Melville, David, Gray-rumped Tattlers catching fish, 604

- Memoriam (see also Obituary), Nice, Margaret Morse, 431–441
- Mexico, 588, 594–596, 605–606
- Micrastur mirandollei*, 242
- M. ruficollis*, 242
- M. semitorquatus*, 242
- Micromanacha lanceolata*, 45
- Middleton, A. L. A., Effect of Cowbird parasitism on American Goldfinch nesting, 304–307
- Migration and orientation, recent literature on, 21B–23B, 12C–13C, 13D
- Migration and orientation of *Accipiter gentilis*, 652–663
- Cathartes maccormicki*, 427–428
- Catharus fuscescens*, 320–330
- C. minimus*, 320–330
- C. ustulatus*, 320–330
- Dendroica coronata*, 320–330
- D. magnolia*, 320–330
- D. striata*, 320–330
- Dumetella carolinensis*, 320–330
- following offshore drift, 320–330
- Geothlypis trichas*, 320–330
- Hirundo rustica*, 149–150
- Junco hyemalis*, 320–330
- Legatus leucophaius*, 97–106
- Melospiza lincolini*, 320–330
- Mniotilla varia*, 320–330
- nocturnal passerines, 479–488
- Passerina cyanea*, 320–330
- Seiurus aurocapillus*, 320–330
- S. noveboracensis*, 320–330
- Setophaga ruticilla*, 320–330
- Vireo flavoviridis*, 97–106
- V. gilvus*, 320–330
- V. griseus*, 320–330
- V. olivaceus*, 320–330
- V. philadelphicus*, 320–330
- V. solitarius*, 320–330
- Wilsonia pusilla*, 320–330
- Zonotrichia albicollis*, 320–330
- Z. leucophrys*, 320–330
- Miller, David B., Two-voice phenomenon in birds: further evidence, 567–572
- Miller, Lynne M., see Burger Joanna, and —
- Miller, Michael R., Robert M. McLandress, and Betty Jean Gray, The display flight of the North American Ruddy Duck, 140–142
- Milvus migrans*, 293–303
- Mionectes olivaceus*, 242
- Mirhosseyni, A. Adhami, see Scott, D. A., et al.
- Miscellaneous, recent literature, 26A–27A, 23B, 13D
- Mississippi, 160–163
- Mitrospingus cassini*, 242
- Mniotilla varia*, 320–330, 380–383
- Moho braccatus*, 4DD
- Molothrus ater*, 18–27, 304–307, 386–389, 395, 455–468, 590–593, 15DD
- Molts and plumages, *Arenaria interpres*, 222–230
- Cathartes maccormicki*, 420–426
- Henicorhina leucoptera*, 195–197
- Heteroscelus incanus*, 222–230
- Numenius phaeopus*, 222–230
- N. tahitiensis*, 222–230
- Pluvialis dominica*, 222–230
- Zenaida macroura*, 158
- Zonotrichia leucophrys*, 169–171, 677–688
- Monklet, Lanceolated, 45
- Montevecchi, William A., Predation in a salt marsh Laughing Gull colony, 583–585
- Morejohn, G. Victor, see Baltz, D. M. and —
- Morphnus guianensis*, 293–303
- Morrison, Michael L., see Balda, Russell P., et al.
- Mortality in, *Dendroica discolor*, 393
- Empidonax oberholseri*, 362–363
- spring migrants, 778–781
- Morton, Eugene S., Intratropical migration in the Yellow-green Vireo and Piratic Flycatcher, 97–106; review by, 183–184
- Mosher, James A., see Whitmore, Robert C., et al.
- Mueller, Helmut C., Daniel D. Berger, and George Allez, The periodic invasions of Goshawks, 652–663
- Munia, Spotted, 646–651
- Munro, J., and J. Bédard, Crèche formation in the Common Eider, 759–771
- Murre, Common, 526–543
- Müller, P., The dispersal centers of terrestrial vertebrates in the neotropical realm (rev.), 178–180
- Myadestes ralloides*, 48
- Myers, Gerald R., and David W. Waller, Helpers at the nest in Barn Swallows, 596
- Myiarchus crinitus*, 380–383, 455–468, 779
- Myiopagis caniceps*, 242
- Myrmeciza exaul*, 242
- Myrmotherula axillaris*, 283–292
- M. brachyura*, 242, 283–292
- M. erythrura*, 283–292
- M. hauxwelli*, 283–292
- M. menetriesii*, 283–292
- M. ornata*, 283–292
- Necrosyrtes monachus*, 293–303
- Nene, 4DD, 17DD
- Neochelidon tibialis*, 242
- Nest and nest site of, *Aix sponsa*, 159
- Alauda arvensis*, 646–651
- Bubulcus ibis*, 689–700
- Buteo swainsoni*, 66–67
- Butorides striatus*, 390
- Cardinalis cardinalis*, 646–651
- Carpodacus mexicanus*, 646–651
- Casmerodus albus*, 689–700
- Charadrius vociferus*, 602–604

- Chasiempis sandwichensis*, 646–651  
*Colaptes auratus*, 369–370  
*Columba livia*, 159–160  
*Dryocopus pileatus*, 369–370  
*Egretta thula*, 689–700  
*Falco mexicanus*, 371  
*Florida caerulea*, 689–700  
*Garrulax canorus*, 646–651  
*Hydranassa tricolor*, 689–700  
*Leiothrix lutea*, 646–651  
*Lonchura punctulata*, 646–651  
*Loxops virens*, 646–651  
*Pandion haliaetus*, 203–209  
*Philetarius socius*, 50–63  
*Philohelea minor*, 489–493  
*Picoides borealis*, 160–163  
*P. pubescens*, 369–370  
*P. villosus*, 369–370  
*Plegadis chihi*, 664–676  
*P. falcinellus*, 664–676  
*Plocepasser mahali*, 50–63  
*Pseudonigrita arnaudi*, 50–63  
*Psittirostra bailloni*, 646–651  
*Pterodroma inexpectata*, 3–4  
*Sayornis phoebe*, 367–369  
*Sterna maxima*, 36–43  
*Turdus migratorius*, 81  
*Zosterops japonica*, 646–651  
Nest parasitism, 18–27, 304–307, 386–389, 590–593  
New Jersey, 158  
New Mexico, 384–385  
New species, 195–201, 409–416  
  subspecies, 772–773  
New Zealand, 1–17  
Nice, Margaret Morse, Memorial, 430–441  
Noakes, David L. G., see Armstrong, Edward R., and —  
*Numenius americanus*, 599–601  
*N. borealis*, 158  
*N. phaeopus*, 222–230, 443  
*N. tahitiensis*, 222–230  
Nuthatch, Red-breasted, 455–468  
  White-breasted, 380–383, 455–468  
*Nyctibius grandis*, 242  
Obituary (see also Memoriam), Archbold, Richard, 186–187  
Lewis, Harrison Flint, 405  
Tucker, Marcia Brady, 805–806  
*Oceanodroma furcata*, 385–386  
*Odontophorus gujanensis*, 242  
*Odontorchilus branickii*, 46  
Oldsquaw, 383–384  
O'Neill, John P., and Gary R. Graves, A new genus and species of owl (Aves: Strigidae) from Peru, 409–416  
Ontario, 18–27, 158–159  
O'o, Kauai, 4DD  
*Opornis formosa*, 387  
*O. tolmiei*, 779  
Orians, Gordon H., recipient of Brewster Award, 138  
Orientation by, *Columba livia*, 143–145  
  nocturnal migrants, 320–330  
Oriole, Hooded, 594–596  
  Northern, 455–468, 594–596  
Orchard, 387  
*Oroaetus isidori*, 293–303  
Oropendola, Band-tailed, 363  
Osprey, 140, 146–149, 202–221  
*Otus guatemalae*, 242  
*O. ingens*, 45  
O'u, 4DD  
Ovenbird, 142, 145–146, 320–330, 380–383  
Owen, Ray B., see Knupp, David M., et al.  
Owl, Barn, 584  
  Great Horned, 584  
  Rufescent Screech, 45  
  Saw-whet, 156–157  
  Short-eared, 584  
Owlet, Long-whiskered, 409–416  
*Oxyura jamaicensis*, 140–142, 343–349  
Oystercatcher, 743–758  
*Pachyptila turtur*, 4  
*Pachyramphus versicolor*, 45  
Pacific, 417–429, 526–543, 772–773  
Paleontology, see Fossils  
Palila, 646–651, 4DD, 18DD  
Palmer, Ralph S. (ed.), Handbook of North American birds, Vol. 2 and 3 (rev.), 172–177  
*Palmeria dolei*, 331–342, 4DD  
Panama, 240–247  
*Pandion haliaetus*, 140, 146–149, 201–221  
Paniyak, Jack, see Dau, Christian P., and —; see Eisenhauer, John H., and —  
*Panyptila cayennensis*, 45  
Papua-New Guinea, 772–773  
*Parabuteo unicinctus*, 293–303, 370–371, 587–588  
Parakeet, Maroon-tailed, 773  
Parasites, see Diseases and —; see also Ectoparasites  
Parasitism, see Nest Parasitism  
Parker, H., see Allen, H. M. and —  
Parker, James W., Second record of the Mississippi Kite in Guatemala, 168–169  
Parker, Linda D., see Kroodsma, Donald E., and —  
Parrot, Puerto Rican, 4DD  
Parrotbill, Maui, 4DD  
Parrotlet, Red-winged, 45  
*Parus atricapillus*, 156–157, 380–383, 455–468  
*P. bicolor*, 380–383  
*P. carolinensis*, 387  
*Passer domesticus*, 358–359, 377–380  
*Passerculus sandwichensis*, 362  
*Passerina amoena*, 172, 779

- P. cyanea*, 320–330, 387, 455–468  
 Paterson, Jr., Robert L., An unusual Rock Dove nest, 159–160  
 Pattee, Oliver H., and Samuel L. Beason, Rio Grande turkey hens with leg spurs, 159  
 Pearson, David L., Ecological relationships of small antbirds in Amazonian bird communities, 283–292  
 Pearson, Ronald, The avian brain (rev.), 400  
*Pelecanoides urinotrix*, 3  
*Pelecanus occidentalis*, 588, 785–786, 4DD, 6DD  
 Pelican, Brown, 588, 785–786, 4DD, 6–7DD  
 Penguin, Adélie, 552–566  
   Jackass, 586–587  
 Pennsylvania, 142–143, 172  
*Pernis celebensis*, 293–303  
 Perrins, Christopher, Birds/Their life, their ways, their world (rev.), 403–404  
 Peru, 195–201, 409–416  
 Pesticides and pollution, recent literature on, 23B–25B, 13C–14C, 14D  
 Pesticides, see Toxic Chemicals  
 Petrel, Mottled, 1–17  
*Petrochelidon pyrrhonota*, 718–725, 779  
 Pewee, Eastern Wood, 380–383  
   Western Wood, 46, 362, 779  
*Phaeostictus mcleannani*, 242  
*Phalacrocorax olivaceus*, 597  
*P. penicillatus*, 526–543  
*Pharomachrus antisianus*, 45  
*Phaeornis obscurus myadestina* 4DD  
*P. o. ruta* 4DD  
*P. palmeri*, 4DD  
*Pheucticus ludovicianus*, 380–383, 455–468  
*P. melanocephalus*, 779  
*Philetarus socius*, 50–63  
*Philohela minor*, 489–493  
*Philydor rufus*, 48  
*Phloecastes haematogaster*, 242  
*P. melanoleucus*, 242  
 Phoebe, Eastern, 367–369  
 Physiology, energetics, 114–122, 358–359, 595, 677–688, 718–725  
   hematocrit, 169–171  
   hormones, 544–551, 736–742  
   osmoregulation, 248–255  
   recent literature on, 25B–26B, 14C, 15D  
   thermoregulation, 58, 72–79, 502–504  
*Picoides borealis*, 160–163, 4DD  
*P. pubescens*, 455–468  
 Piculet, Plain-breasted, 363  
*Picumnus castelnau*, 363  
 Pigeon, Puerto Rican Plain, 4DD  
*Pionus menstruus*, 242  
*Pipilo erythrorththalmus*, 380–383, 455–468, 779–780  
 Pipit, Water, 362  
*Pipra pipra*, 45–46  
*Pipraeidea melanonota*, 47  
*Piranga flava*, 594–596  
*P. ludoviciana*, 779  
*P. olivacea*, 380–383  
 Pitcher, Edward J., Nest site selection for Prairie Falcons, 371  
 Pitelka, Frank A., see Custer, Thomas W., and —  
*Pithecopaga jefferyi*, 293–303  
*Pittasoma michleri*, 242  
*Platycichla leucops*, 48  
*Plegadis chihi*, 664–676  
*P. falcinellus*, 664–676  
*Plocepasser mahali*, 50–63  
 Plover, American Golden, 222–230, 443–445  
   Black-bellied, 743–758  
   Piping, 743–758  
   Semipalmated, 743–758  
   Snowy, 248–255  
 Plumages, see molts and —  
*Pluvialis dominica*, 222–230, 443–445  
*P. squatarola*, 743–758  
*Podilymbus podiceps*, 371–373  
*Polemaetus bellicosus*, 293–303  
*Polioptila caerulea*, 387  
*Polyboroides typicus*, 293–303  
 Polygamy in *Cistothorus platensis*, 359–362  
 Po'o Uli, 4DD  
 Prairie Chicken, Attwater's, 3DD, 4DD  
 Predation by, *Accipiter cooperi*, 142–143  
   *Aquila chrysaetos*, 789–790  
   *Asio flammeus*, 584  
   *Bubo virginianus*, 584  
   *Casmerodius albus*, 171  
   *Cathartes aura*, 584  
   *Circus cyaneus*, 584  
   *Corvus brachyrhynchos*, 583–585, 782–783  
   *C. ossifragus*, 583–585  
   *Haliaeetus leucocephalus*, 375  
   *Heteroscelus brevipes*, 604  
   *Larus argentatus*, 583–585  
   *L. pipixcan*, 163  
   *Myiarchus tyrannulus*, 157–158  
   *Stercorarius parasiticus*, 389–390  
   *Tyto alba*, 584  
 Predation on, *Calcarius lapponicus*, 511–512, 522–523  
   *Calidris minutilla*, 171  
   *Columba livia*, 142–143  
   *Lagopus lagopus*, 389–390  
   *Larus atricilla*, 583–585  
   *L. glaucescens*, 375  
   *Pandion haliaetus*, 213  
   *Parus atricapillus*, 156–157  
   *Selasphorus rufus*, 157–158  
   *Turdus migratorius*, 84  
 Priors, Fairy, 4  
*Procnias tricarunculata*, 623–645  
*Progne subis*, 395  
*Protonotaria citrea*, 387

- Psaltriparus minimus*, 598–599  
*Psarocolius latirostris*, 363  
*Pseudocoloptes lawrencii*, 45  
*Pseudonestor xanthophrys*, 4DD  
*Pseudonigrita arnaudi*, 50–63  
*Psittirostra bailleui*, 646–651, 4DD  
*P. cantans*, 331–342  
*P. psittacea*, 331–342, 4DD  
 Ptarmigan, Rock, 443–445  
   White-tailed, 544–551  
   Willow, 443–445, 612–613  
*Pterodroma inexpectata*, 1–17  
*Pteroglossus torquatus*, 242  
*Ptychoramphus aleutica*, 526–543  
*Puffinus creatopus*, 526–543  
*P. gravis*, 163–164  
*P. griseus*, 3–4, 526–543  
*P. tenuirostris*, 4, 526–543  
 Puffleg, Greenish, 48  
 Pulich, Warren M., The Golden-cheeked Warbler (rev.), 799–801  
 Purdue, James R., and Howard Haines, Salt water tolerance and water turnover in the Snowy Plover, 248–255  
*Pygoscelis adeliae*, 552–566  
*Pyrrhura melanura*, 773  
  
 Quail, Coturnix, 350–356, 736–742  
 Quetzal, crested, 45  
*Quiscalus quiscula*, 455–468  
  
 Raikow, Robert J., Pectoral appendage myology of the Hawaiian Honeycreepers (*Drepanidae*), 331–342  
 Rail, Clapper, 4DD, 11–12DD  
*Rallus longirostris*, 4DD, 11–12DD  
*Ramphastos tucanus*, 775–777  
*Ramphocaenus rufiventer*, 242  
 Rand, A. L., obituary of Richard Archbold, 186–187  
 Raven, Common, 84, 777–778  
 Redstart, American, 320–330, 373–374, 380–383  
 Reese, Jan G., Reproductive success of ospreys in central Chesapeake Bay, 201–221  
 Remsen, Jr., J. V., Five bird species new to Columbia, 363  
 Repenning, Robert, Great Egret preys on sandpiper, 171  
*Rhytipterna holerythra*, 242  
 Ricklefs, Robert E., Variation in size and quality of the Starling egg, 167–168; Composition of eggs of several bird species, 350–356; reviews by, 619–621, 794–797; and George Bloom, Components of avian breeding productivity, 86–96  
 Ridgely, Robert S., A guide to the birds of Panama (rev.), 183–184  
*Riparia riparia*, 46, 779  
 Ripley, S. Dillon, A new subspecies of Island Thrush, *Turdus poliocephalus*, from New Ireland, 772–773  
*Rissa tridactyla*, 526–543  
 Robin, American, 80–85, 362, 387, 455–468, 607–608  
 Rogers, David T., Jr., Impoundment of the Tombigbee River and bird distribution, 149  
*Rosthamus sociabilis*, 293–303, 365–367, 4DD, 9–10DD  
 Rothstein, S. I., see Fugle, G. N., and —  
 Russell, Franklin, see Line, Les, and —  
*Rynchos niger*, 709–717  
  
 Sanderling, 743–758  
 Sandilands, Allan P., Green Heron nesting in a Wood Duck box, 390  
 Sandpiper, Common, 604  
   Least, 171  
   Semipalmated, 248–255, 743–758  
   Spotted, 149  
   Western, 743–758  
   White-rumped, 363  
 Sapsucker, Yellow-bellied, 613–614  
*Sarcoramphus papa*, 242  
*Sayornis phoebe*, 367–369  
 Schmidt-Koenig, K., and W. T. Keeton, Sun compass utilization by pigeons wearing frosted contact lenses, 143–145  
 Schwartz, Paul, Some clarifications about *Ramphastos "aurantiirostris"*, 775–777  
*Sclerurus mexicanus*, 242  
 Scott, D. A., H. M. Hamadani, and A. Adhami Mirhosseyni (eds.), The birds of Iran (rev.), 180–181  
 Scott, D. M., Cowbird parasitism on the Gray Catbird at London, Ontario, 18–27  
*Seiurus aurocapillus*, 142, 145–146, 320–330, 380–383  
*S. noveboracensis*, 320–330  
*Selasphorus platycercus*, 393–395  
*S. rufus*, 157–158  
*Selenidera spectabilis*, 242  
*Setophaga ruticilla*, 320–330, 373–374, 380–383  
 Shearwater, Greater, 163–164  
   Pink-footed, 526–543  
   Short-tailed, 4, 526–543  
   Sooty, 3–4, 10, 526–543  
 Shields, William M., The effect of time of day on avian census results, 380–383; see Grubb, Thomas C., and —  
 Short, Lester L., reviews by, 615–617  
 Shrike, Loggerhead, 28–35, 391–392  
   Northern, 156  
*Sialia sialis*, 387  
*Sicalis flaveola*, 48  
 Simon, David, see Hilty, Steven L., and —  
*Sipia rosebergi*, 45  
*Sirystes sibilator*, 242  
 Siskin, Yellow-bellied, 48

- Sitta canadensis*, 455–468  
*S. carolinensis*, 380–383, 455–468  
 Skimmer, Black, 709–717  
 Skua, Brown, 417–429  
   Chilean, 417–429  
   Falkland, 417–429  
   Great, 417–429  
   South Polar, 417–429  
   Tristan, 417–429  
 Skutch, Alexander F., Parent birds and their young (rev.), 619–621  
 Skylark, 646–651  
 Slobodchikoff, C. N. (ed.), Concepts of species (rev.), 801–803  
 Slud, Paul, Geographic and climatic relationships of avifaunas with special reference to comparative distribution in the neotropics (rev.), 402–403  
 Smith, Douglas G., The role of the sternotrachealis muscles in bird song production, 152–155  
 Smith, E. L., see Johnson, R. R., et al.  
 Snipe, Giant, 357  
 Snow, Barbara K., Territorial behavior and courtship of the male Three-wattled Bellbird, 623–645  
 Snow, David W., The web of adaptation, bird studies in the American tropics (rev.), 618  
 Solitaire, Andean, 48  
   Black, 46  
*Somateria mollisima*, 759–771  
 Song, see vocalizations  
 Southern, William E., Colony selection and colony site tenacity in Ring-billed Gulls at a stable colony, 469–478  
 Sparling, Jr., Donald W., Sounds of Laysan and Black-footed Albatrosses, 256–269  
 Sparrow, Brewer's, 362  
   Cape Sable Seaside, 16DD  
   Chipping, 362, 779  
   Dusky Seaside, 4DD, 15DD  
   Field, 308–319, 455–468  
   Grasshopper, 591  
   House, 358–359, 377–380  
   Lark, 779  
   Lincoln's, 362, 320–330  
   Savannah, 362  
   Song, 19–21, 152–155, 455–468, 701–708  
   White-crowned, 169–171, 320–330, 677–688  
   White-throated, 152–155, 320–330  
 Spencer, Jr., Howard E., American Wigeon breeding in Maine, 790  
*Spheniscus demersus*, 586–587  
*Sphyrapicus varius*, 613–614  
*Spilornis cheela*, 293–303  
*Spinus tristis*, 455–468  
*S. xanthogaster*, 48  
*Spiza americana*, 387, 591  
*Spizaetus ornatus*, 242, 293–303  
*S. tyrannus*, 242  
*Spizastur melanoleucus*, 293–303  
*Spizella breweri*, 362  
*S. passerina*, 362, 779  
*S. pusilla*, 308–319, 455–468  
 Starling, 167–168, 350–356, 455–468  
 Steffen, James F., Cannibalism in adult nesting Red-tailed Hawks, 593–594  
*Stephanoaetus coronatus*, 293–303  
*Stercorarius longicaudus*, 443–445  
*S. parasiticus*, 389–390  
*S. pomarinus*, 526–543  
*Sterna albifrons*, 4DD, 12DD  
*S. fuscata*, 72–79  
*S. hirundo*, 390–391  
*S. maxima*, 36–43  
 Stilt, Hawaiian, 4DD, 17DD  
 Stobo, W. T., and I. A. McLaren, The Ipswich Sparrow (rev.), 401  
 Stoddart, L. Charles, see Balph, Martha Hatch, et al.  
 Storm Petrel, Fork-tailed, 385–386  
 Stout, John F., see Hayward, Jr., James L., et al.  
*Streptopelia risoria*, 736–742  
*Sturnella magna*, 387, 591–593  
*Sturnus vulgaris*, 167–168, 350–356, 455–468  
 Surveys and censuses, techniques of, 380–383, 455–468, 606–607  
 Sutton, George Miksch, Portraits of Mexican birds, fifty selected paintings (rev.), 401–402  
 Swallow, Bank, 46, 779  
   Barn, 149–150, 596, 779–780  
   Cliff, 718–725  
   Tree, 779  
   Violet-green, 779  
 Swift, Asian Needle-tailed, 389  
   Chimney, 385  
   Lesser Swallow-tailed, 45  
  
*Tachycineta thalassina*, 779  
*Tachyphonus luctuosus*, 242  
 Tanager, Azure-rumped, 605–606  
   Fawn-breasted, 47  
   Golden-chested, 47  
   Gray-and-gold, 605–606  
   Hepatic, 594–596  
   Scarlet, 380–383  
   Scrub, 47  
   Western, 779  
   Yellow-green Bush, 47–48  
*Tangara cabanisi*, 605–606  
*T. gyrola*, 242  
*T. inornata*, 242  
*T. palmeri*, 605–606  
*T. vitriolina*, 47  
 Tattler, Gray-rumped, 604  
   Wandering, 222–230  
 Taxonomy and systematics, 302, 772–773, 775–777

- Taxonomy and paleontology, recent literature on, 27A–28A, 26B, 14C–16C
- Terathopius ecaudatus*, 293–303
- Terborgh, John W., see Fitzpatrick, John W., et al.
- Terenotriccus erythrurus*, 46
- Terenura collinota*, 48
- Tern, Common, 390–391
- Least, 4DD, 12DD
  - Royal, 36–43
  - Sooty, 72–79
- Territory in, *Icteria virens*, 107–113
- Icterus cucullatus*, 594–595
  - I. galbula*, 594–595
  - Lamponis clemenciae*, 448–454
  - Melospiza melodia*, 701–708
  - Piranga flava*, 594–595
  - Procnias tricarunculata*, 623–645
  - Sterna maxima*, 36–43
  - Thryomanes bewickii*, 701–708
- Thielcke, Gerhard A., Bird sounds (rev.), 797–798
- Thompson, Charles Jr., Experimental removal and replacement of territorial male Yellow-breasted Chats, 107–113
- Thrasher, Brown, 387, 455–468, 783–785
- Thraupis episcopus*, 242
- T. palmarum*, 242
- Threnetes ruckeri*, 242
- Thrush, Glossy-back, 48
- Gray-cheeked, 320–330
  - Hermit, 362
  - Island, 772
  - Large Kauai, 4DD
  - Molokai, 4DD
  - Pale-eyed, 48
  - Small Kauai, 4DD
  - Swainson's, 320–330
  - Wood, 380–383, 455–468
- Thryomanes bewickii*, 701–708
- Thryothorus fasciatoventris*, 46
- T. ludovicianus*, 387
- Titmouse, Tufted, 380–383
- Tityra semifasciata*, 242
- Todirostrum maculatum*, 363
- T. nicriceps*, 46
- Tody-Flycatcher, Black-headed, 46
- Spotted, 363
- Tomko, D. S., see Johnson, R. R., et al.
- Toucan, Collared Araçari, 774–775
- Touit dilectissima*, 45
- Towhee, Green-tailed, 779–780
- Rufous-sided, 380–383, 455–468, 779–780
- Toxic Chemicals, effect on, *Falco rusticolus*, 442–447
- Lanius ludovicianus*, 28–35
  - Parabuteo unicinctus*, 587–588
- Toxostoma rufum*, 387, 455–468, 783–785
- Trautman, Milton B., In memoriam: Margaret Morse Nice, 430–441
- Tringa flavipes*, 743–758
- T. melanoleuca*, 743–758
- Troglodytes aedon*, 380–383, 455–468
- Trogon violaceus*, 242
- Tuftedcheek, Buffy, 45
- Turdus migratorius*, 80–85, 362, 387, 443, 455–468, 607–608
- T. poliocephalus beebei***, subsp. nov., 772
- T. serranus*, 48
- Turkey, 159
- Turnstone, Ruddy, 222–230, 743–758
- Tympanuchus cupido atlantica*, 3DD, 4DD
- Tyranniscus villisura*, 242
- Tyto alba*, 584
- Upupa epops*, 601
- Uria aalge*, 526–543
- Urosticte benjamini*, 48
- Urotriorchis macrourus*, 293–303
- Utah, 778–781
- Van Riper, III, Charles, The use of sheep wool in nest construction by Hawaiian birds, 646–651
- VanTyne, J., and A. J. Berger, Fundamentals of ornithology (rev.), 396–399
- Veery, 320–330
- Verbeek, Nicholas A. M., Interactions between Herring and Lesser Black-backed Gulls feeding on refuse, 726–735
- Vermivora celata*, 779
- V. chrysoptera*, 588–590
- V. pinus*, 588–590
- V. virginiae*, 779
- Vestaria coccinea*, 331–342
- Vireo flavifrons*, 387
- V. flavoviridis*, 97–106
- V. gilvus*, 320–330, 779
- V. griseus*, 320–330, 387
- V. olivaceus*, 19–21, 320–330, 380–383
- V. philadelphicus*, 320–330
- V. solitarius*, 320–330
- Vireo, Philadelphia, 320–330
- Red-eyed, 19–21, 320–330, 380–383
  - Solitary, 320–330
  - Warbling, 320–330, 779
  - White-eyed, 320–330, 387
  - Yellow-green, 97–106
  - Yellow-throated, 387
- Vocalizations, audiospectrograms of, 6–7, 151, 153–154, 156, 199, 257, 259, 261, 568–571, 630–631, 783
- Agelaius phoeniceus*, 152–155
- Aix sponsa*, 567–572
- Batrachostomus javensis*, 150–152
- Campephilus guatemalensis*, 773
- Columba livia*, 152–155
- Diomedea immutabilis*, 256–269
- D. nigripes*, 256–269
- Henicorhina leucoptera* sp. nov., 198–200
- Melanerpes erythrocephalus*, 232

- Melospiza melodia*, 152–155, 701–708  
*Parus atricapillus*, 156–157  
*Procnias tricarunculata*, 629–633, 642–644  
*Pterodroma inexpectata*, 6–10  
*Thryomanes bewickii*, 701–708  
*Toxostoma rufum*, 783–784  
*Xenoglaux loweryi* sp. nov., 413–414  
*Zonotrichia albicollis*, 152–155
- Vuilleumier, Fran ois, reviews by, 178–180, 180–181, 801–804  
 Vulture, Black, 149, 392  
 Turkey, 584
- Walker, Wayman, Chlorinated hydrocarbon pollutants in Alaskan Gyrfalcons and their prey, 442–447  
 Wallace, G. J. and H. D. Mahan, An introduction to ornithology (rev.), 396–399  
 Waller, David W., see Myers, Gerald R., and—  
 Warbler, Audubon's 779  
 Black and White, 320–330, 380–383  
 Blackpoll, 47, 320–330  
 Blue-winged, 588–590  
 Golden-winged, 588–590  
 Kentucky, 387  
 Kirtland's, 4DD, 14DD  
 MacGillivray's 779  
 Magnolia, 320–330  
 Orange-crowned, 779  
 Pine, 387  
 Prairie, 387, 393  
 Prothonotary, 387  
 Swainson's, 387  
 Virginia's, 779  
 Wilson's, 320–330  
 Yellow-rumped, 320–330, 362
- Warham, John, Bruce R. Keeley, and Graham J. Wilson, Breeding of the Mottled Petrel, 1–17  
 Waser, Nickolas M., and David W. Inouye, Implications of recaptures of Broad-tailed Hummingbirds banded in Colorado, 393–395  
 Washington, 375  
 Waterthrush, Northern, 320–330  
 Watson, George E., Proceedings of the ninety-fourth stated meeting of the American Ornithologists' Union, 123–139  
 Waxwing, Cedar, 455–468  
 Weaver, Grey-capped, 50–63  
 Sociable, 50–63  
 White-browed Sparrow, 50–63  
 Weather, influence on, *Anthus spinolella*, 362  
*Catharus guttatus*, 362  
*Contopus sordidulus*, 362  
*Dendroica coronata*, 362  
*Diomedea immutabilis*, 272–273  
*Empidonax oberholseri*, 362  
*E. traillii*, 362  
*Junco caniceps*, 362  
*Melospiza lincolni*, 362
- Pandion haliaetus*, 146–149, 212–213  
*Passerculus sandwichensis*, 362  
*Spizella breweri*, 362  
*S. passerina*, 362  
 spring migrants, 778–781  
*Turdus migratorius*, 362  
 Webster, Michael, A new guide to the birds of Hong Kong (rev.), 801  
 Weeks, Jr., Harmon P., Abnormal nest building in the Eastern Phoebe, 367–369  
 Weights and measurements of, *Accipiter gentilis*, 655  
*Aix galericulata*, 608–612  
*Carpodacus mexicanus*, 779  
*Cerorhinca monocerata*, 541  
*Chen caerulescens*, 278–281  
*Chlorura chlorura*, 779  
*Chondestes grammacus*, 779  
*Cistothorus platensis*, 361  
*Contopus sordidulus*, 779  
*Dendroica coronata*, 779  
*D. petechia*, 779  
*Diomedea nigripes*, 541  
*Empidonax oberholseri*, 779  
*Eudocimus alba*, 164–167  
*Fulmarus glacialis*, 541  
*Gavia arctica*, 541  
*Henicorhina leucoptera*, 196  
*Hirundo rustica*, 779–780  
*Hypocnemis cantator*, 284–286  
*Iridoprocne bicolor*, 779–780  
*Junco caniceps*, 779  
*Larus californicus*, 541  
*L. canus*, 541  
*L. glaucescens*, 541  
*L. heermanni*, 541  
*L. occidentalis*, 541  
*L. philadelphicus*, 541  
*Myiarchus cinerascens*, 779  
*Myrmotherula axillaris*, 284–286  
*M. brachyura*, 284–286  
*M. erythrura*, 284–286  
*M. hauxwelli*, 284–286  
*M. menetriesii*, 284–286  
*M. ornata*, 284–286  
*Oporornis tolmiei*, 779  
*Passerina amoena*, 779  
*Petrochelidon pyrrhonota*, 779  
*Phalacrocorax penicillatus*, 541  
*Pheucticus melanocephalus*, 779  
*Pipilo erythrophthalmus*, 779  
*Piranga ludoviciana*, 779  
*Pterodroma inexpectata*, 4  
*Ptychoramphus aleutica*, 541  
*Puffinus creatopus*, 541  
*P. griseus*, 541  
*P. tenuirostris*, 541  
*Riparia riparia*, 779  
*Rissa tridactyla*, 541

- Rynchops niger*, 713  
*Seiurus aurocapillus*, 142  
*Spizella passerina*, 779  
*S. pusilla*, 316–317  
*Sterna fuscata*, 72–76  
*Sturnus vulgaris*, 167–168  
*Tachycineta thalassina*, 779  
*Uria aalge*, 541  
*Vermivora celata*, 779  
*V. virginiae*, 779  
*Vireo gilvus*, 779  
*Zonotrichia leucophrys*, 677–688  
Weller, Milton W., reviews by, 173–177, 618–619  
Welty, J. C., *The life of birds* (rev.), 396–399  
Whimbrel, 222–230  
White, Clayton M., and William M. Baird, First  
North American record of the Asian Needle-tailed Swift, *Hirundapus caudacutus*, 389  
White-eye, Japanese, 646–651  
Whitetip, 48  
Whitemore, Robert C., James A. Mosher, and Herbert H. Frost, Spring migrant mortality during unseasonable weather, 778–781  
Whittow, G. Causey, see MacMillen, Richard E., et al.  
Wiens, John A., reviews by, 177–178, 792–794  
Wigeon, American, 790  
Willard, David E., see Fitzpatrick, John W., et al.  
Willet, 743–758  
*Wilsonia pusilla*, 320–330  
Winkler, Hans, review by, 400–401  
Wisconsin, 489–493  
Withers, Philip C., Energetic aspects of reproduction by the Cliff Swallow, 718–725  
Witkin, Steve R., see Ficken, Millicent S., and —  
Wood-Wren, Bar-winged, 195–201  
Woodcock, American, 489–493  
Woodpecker, Downy, 369–370, 380–383, 455–468  
Hairy, 369–370, 380–383  
Pale-billed, 773–775  
Pileated, 369–370  
Red-bellied, 455–468  
Red-cockaded, 160–163, 376–377, 12DD–14DD  
Red-headed, 231–239  
Wren, Bewick's, 701–708  
Black-bellied, 46  
Carolina, 387  
Gray-barred, 594–596  
Gray-mantled, 46  
House, 380–383, 455–468  
Short-billed Marsh, 359–362  
Wyoming, 65–71  
Wystrach, V. P., Survival of a Blue Jay with a malformed bill, 781–782  
*Xenoglaux loweryi* sp. nov., 409–416  
*Xiphorhynchus guttatus*, 242  
Yamashina, Yoshimaro (ed.), *Save these birds* (rev.), 404  
Yeatman, Laurent, *Atlas des oiseaux nicheurs de France* (rev.), 803–804  
Yellowlegs, Greater, 743–758  
Lesser, 743–758  
Yellowthroat, Common, 320–330, 455–468  
Yunick, R. P., A Caribbean Barn Swallow recovery, 149–150  
Zaccagnini, Ronald, see McCallum, D. Archibald, et al.  
Zach, Reto and J. Bruce Falls, Ejection of pellets by captive Ovenbirds, 145–146  
*Zarhynchus wagleri*, 242  
*Zenaida macoura*, 158, 350–356, 455–468  
Zink, Robert M., Winter observations of Brown Pelicans in Veracruz, Mexico, 588  
Zipko, Stephen J., and John Kennington, A ground-nesting Wood Duck, 159  
*Zonotrichia albicollis*, 152–155, 320–330  
*Z. leucophrys*, 169–171, 320–330, 677–688  
*Zosterops japonica*, 646–651

DATE OF ISSUE (Vol. 94, No. 4): 27 October 1977