

INDEX TO VOLUME 108

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the AOU check-list, only scientific names have been entered, and, in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Accipiter gentilis*, 342–346
Actitis macularia, 904–908, 946–949, 950
Aegolius acadicus, 437–439
Africa, 820–829
Age, determination of, 157
Agelaius phoeniceus, 16–23, 196–197, 562–566, 602–609, 711–714
Ahlquist, Jon E., see Sibley, Charles G., and ———
Aimophila aestivalis, 723–725
Ainley, David G., see Pyle, Peter, et al.
Albatross, Black-browed, 801–808; Gray-headed, 801–808; Wandering, 801–808
Alberico, Julie A. R., J. Michael Reed, and Lewis W. Oring, Nesting near a Common Tern colony increases and decreases Spotted Sandpiper nest predation, 904–911
Aldrich, John W., and Frances C. James, Ecogeographic variation in the American Robin (*Turdus migratorius*), 230–249
Alisauskas, Ray T., see Arnold, Todd W., et al.
Alle alle, 71–76
Amazilia amabilis, 114–124, 128
A. tzacatl, 114–124, 128
Amblycercus holosericeus, 114–124, 130
American Ornithologists' Union, Bird Trade Subcommittee of the AOU Conservation Committee, Commentary: The conservation crisis: International trade in live exotic birds creates a vast movement that must be halted, 982–984; Committee for the Conservation of the Red-cockaded Woodpecker, Commentary: The conservation crisis, 200–201; Proceedings of the One Hundred and Eighth Stated Meeting, 1AA–31AA; Thirty-eighth supplement to the American Ornithologists' Union Check-list of North American Birds, 750–754; William Brewster Memorial Award, 214–215
Analytical methods (see Statistical and ———)
Anas americana, 934–940
A. clypeata, 934–940
A. discors, 934–940
A. platyrhynchos, 89–97
A. rubripes, 89–97
A. sibilatrix, 969–972
Anatini, 471–488, 493–507
Anatomy and morphology of *Agelaius phoeniceus*, 562–566; *Anas platyrhynchos*, 95, 96; *A. rubripes*, 95, 96; *Anatinini*, 481–482, 497–498; *Crax daubentoni*, 153–158; *C. ruba*, 153–158; *Fratercula arctica*, 755–761; *Fulica americana*, 432–436; *Geospiza difficilis*, 202–203, 205; *G. fuliginosa*, 205; *Larus argentatus*, 329–340; *L. cachinnans*, 329–339; *L. hyperboreus*, 329–340; *Nannopsittaca dachilleae*, 226–227; *Parus caeruleus*, 820–824, 826–828, 833–840; *Regulus calendula*, 880–887; *R. satrapa*, 880–887; *Spreo bicolor*, 53–58; *Turdus migratorius*, 230–245, 248–249
Anderson, B. W., see Rosenberg, K. V., et al.
Anderson, David J., Paul R. Sievert, John Andrews-Labenski, and Robert E. Ricklefs, A miniature activity recorder for plunge-diving seabirds, 257–263
Anderson, Kathleen S., In memoriam: Joseph Archibald Hagar, 954–955
Andrews-Labenski, John, see Anderson, David J., et al.
Ani, Groove-billed, 114–124, 128
Ankney, C. Davison, see Arnold, Todd W., et al.
Anous stolidus, 594–600
Antarctica, 790–798, 801–808
Antbird, Bare-crowned, 114–124, 128; Bicolored, 114–124, 128; Chestnut-backed, 114–124, 128; Dusky, 114–124, 128; Ocellated, 114–124, 128; Spotted, 114–124, 128
Anthus pratensis, 350–354
Antshrike, Great, 114–124, 128; Slaty, 114–124, 128
Ant-Tanager, Red-throated, 114–124, 129
Antthrush, Black-faced, 114–124, 128
Antwren, Checker-throated, 114–124, 128; White-flanked, 114–124, 128
Aphelocoma coerulescens, 945
Aptenodytes forsteri, 795–798
Aracari, Collared, 114–124, 128
Ardea herodias, 764–769
Arenaria interpres, 904–908
Argentina, 432–436, 923–932, 969–972
Arizona, 79–86, 173–174, 175–176, 405–417, 619–634, 638–647, 649–659, 661–670
Armstrong, Doug P., and Graham H. Pyke, Seasonal patterns of reproduction in heathland honeyeaters are not responses to changing nectar availability, 99–107
Arnold, T. W., see Lougheed, S. C., et al.

- Arnold, Todd W., Ray T. Alisauskas, and C. Davison Ankney, Egg composition of American Coots in relation to habitat, year, laying date, clutch size, and supplemental feeding, 532-547
- Arremon aurantiirostris*, 114-124, 130
- Arremonops conirostris*, 114-124, 130
- Attila, Bright-rumped, 114-124, 129
- Atilla spadiceus*, 114-124, 129
- Auklet, Least, 131-144; Rhinoceros, 842-850
- Australia, 99-105, 190-194, 688-693, 811-818
- Automolus ochrolaemus*, 114-124, 128
- Avocet, American, 771-777, 778
- Bailey, R. C., see Lougheed, S. C., et al.
- Baldassarre, Guy A., see Thompson, John D., and —
- Banks, Richard C., Commentary: On forming an ornithological council, 208-209; review by, 999-1003
- Barbthroat, Band-tailed, 114-124, 128
- Barries, Gregory G., and Thomas D. Nudds, Salt tolerance in American Black Ducks, Mallards, and their F1-hybrids, 89-98
- Barrowclough, George F., review by, 999
- Baryphthengus ruficapillus*, 114-124, 128
- Beebe, William, A monograph of the pheasants (rev.), 458
- Bee-eater, White-fronted, 673-685
- Beehler, Bruce M., editor of book reviews, 216-222, 445-459, 736-749, 985-1008; reviews by, 456, 743-744, 1004-1005
- Behavior, activity patterns, 934-940, 965-966; agonistic, 393, 396-398, 401, 427-428, 431, 664-665, 666, 667-668, 872-878, 915-916, 971; altruistic (see Communal breeding); antipredator, 20, 21, 655, 658, 719-722, 908; breeding, 60-69, 166-169, 170-173, 173-174, 175-176, 348-354, 371-379, 393-401, 649-659, 661-670, 780-788, 811-818, 896-902; copulatory, 652, 653; dominance, 8-14, 649-659; egg-rejection (see Behavior, breeding); feeding, 8-14, 227-228, 309-310, 313, 355-361, 381-390, 393-401, 427-429, 716-718, 780-788, 880, 884-887; feeding aggregation, 355-361, 801-808; flight, 1-6; hierarchical (see Behavior, dominance); incubation, 782; individual distance, 355-361, 653; interspecific, 427-429, 918; learning, 385, 387-388; mate replacement, 60-69, 294-301, 371-379, 782; mating preference, 153-158, 170-173, 429-431, 969-972; nest helper (see Communal breeding); nesting, 166-169, 170-173, 653-654, 661-670, 676-677, 782; nest-site tenacity, 65-66; pair, 780-788, 971-972; parental care, 40, 182-183, 371-379, 393-401, 427-429, 649-659, 719-722, 784-785, 788, 840-842, 867; roosting, 285-292, 616-617; sexual differences in, 306, 307-308, 311-312, 393-401, 782; site fidelity, 294-301, 688-693; social, 651-652, 661-670, 811-818, 896-902; status-signaling, 872-878; territorial, 46-47, 661-670, 896-902, 979-980; thermoregulatory, 934-939; vocal, 42-50, 429-431, 811-818, 979-980
- Behavior of *Anas acuta*, 934-940; *A. americana*, 934-940; *A. clypeata*, 934-940; *A. discors*, 934-940; *Carduelis flammea*, 166-169; *Cathartes linnbergi*, 801-808; *Catharus fuscescens*, 979-980; *Cerorhinca monocerata*, 842-850; *Chloroceryle amazona*, 780-788; *Cinclus cinclus*, 427-429; *Cistothorus palustris*, 170-173; *Daption capense*, 801-808; *Diomedea chrysostoma*, 801-808; *D. exulans*, 801-808; *D. melanophris*, 801-808; *Eudyptes chrysophthalmus*, 801-808; *Fregetta tropica*, 801-808; *Gyps africanus*, 1-6; *Junco hyemalis*, 371-379; *Larus dominicanus*, 801-808; *L. glaucescens*, 381-390; *Macronectes halli*, 801-808; *Mallurus elegans*, 811-818; *Mimus polyglottos*, 429-431; *Motacilla cinerea*, 427-429; *Oceanites oceanicus*, 801-808; *Pachyptila desolata*, 801-808; *Parabuteo unicinctus*, 649-659, 661-676; *Phaethon lepturus*, 915-916; *Picoides nuttallii*, 303-313; *Procellaria aequinoctialis*, 801-808; *Puffinus gravis*, 801-808; *P. griseus*, 801-808; *Pygoscelis papua*, 801-808; *Regulus calendula*, 880, 884-887; *R. satrapa*, 880, 884-887; *Setophaga ruticilla*, 872-878; *Sitta pygmaea*, 173-174, 175-176; *Spizella pusilla*, 42-50, 355-361; *Tachycineta bicolor*, 393-401, 719-722; *Troglodytes aedon*, 60-69; *Turdus migratorius*, 965-966; *Tympanuchus cupido*, 896-902; *Xanthocephalus xanthocephalus*, 20, 21; *Zonotrichia albicollis*, 8-14, 355-361
- Beissinger, Steven R., and James R. Waltman, Extraordinary clutch size and hatching asynchrony of a Neotropical parrot, 863-871
- Bennett, Gordon F., see Weatherhead, Patrick J., et al.
- Bentbill, Northern, 114-124, 129
- Bertram, D. F., G. W. Kaiser, and R. C. Ydenberg, Patterns in the provisioning and growth of nestling Rhinoceros Auklets, 842-852
- Bird, David M., see Taylor, Rebecca L., et al.
- Bickart, K. Jeffrey, and Robert M. Chandler, Recent advances in the study of Neogene fossil birds (rev.), 447-449
- Blackbird, Red-winged, 16-23, 196-197, 562-566, 602-609, 711-715; Yellow-headed, 16-23
- Blackburn, T. M., An interspecific relationship between egg size and clutch size in birds, 973-977; Commentary: The interspecific relationship between egg size and clutch size in wildfowl, 209-211
- Blackcap, 350-354
- Blake, John G., and Bette A. Loiselle, Variation in resource abundance affects capture rates of birds in three lowland habitats in Costa Rica, 114-130
- Block, William M., Foraging ecology of Nuttall's Woodpecker, 303-317
- Bloom, Peter H., review by, 741
- Bluebird, Western, 34-40, 405-417
- Bluethroat, 350-354
- Boag, Peter T., see Seutin, Gilles, et al.
- Bobwhite, Northern, 509-517

- Boersma, P. Dee, see Stokes, David L., and —————
Bombycilla cedrorum, 177–179
 Booby, Brown, 260–262
 Book reviews, 216–222, 445–459, 736–749, 985–1008
 Bouvet, Jean, see Taberlet, Pierre, and —————
 Braa, Anders T., see Moksnes, Arne, et al.
 Brambling, 350–354
 Brant, 585–592
Branta bernicla, 585–592
B. canadensis, 585–592
 Brazil, 731–733
 Breeding of *Accipiter gentilis*, 342–346; *Actitis macularia*, 948–949, 950; *Agelaius phoeniceus*, 16–23; *Buteo buteo*, 342–346; *Carduelis flammea*, 166–169; *Certhia familiaris*, 180–183; *Chloroceryle amazona*, 780–788; *Cistotheorus palustris*, 170–173; *Cuculus canorus*, 348–354; *Falco columbarius*, 294–301; *F. tinnunculus*, 342–346; *Forpus passerinus*, 863–870; *Junco hyemalis*, 371–379; *Larus occidentalis*, 25–32; *Merops bullockoides*, 673–685; *Molothrus ater*, 16–23, 348–354; *Pandion haliaetus*, 363–368; *Parabuteo unicinctus*, 619–634, 638–647, 649–659, 661–670; *Phaethon lepturus*, 911–921; *Phylidonyris nigra*, 99–105; *P. novaehollandiae*, 99–105; *Sitta pygmaea*, 173–174, 175–176; *Sturnus vulgaris*, 519–529, 889–894; *Tachycineta bicolor*, 393–401; *Troglodytes aedon*, 60–69, 277–283, 728–730; *Xanthocephalus xanthocephalus*, 16–23
 Breeding season of *Agelaius phoeniceus*, 18, 19; *Larus occidentalis*, 28, 30; *Merops bullockoides*, 675–677, 682; *Phaethon lepturus*, 915, 917; *Phylidonyris nigra*, 99–105; *P. novaehollandiae*, 99–105; *Xanthocephalus xanthocephalus*, 18, 19, 21–22
 Breeding success, 19, 25–32, 40, 60–69, 102–103, 104–105, 172, 180–183, 196–197, 277–283, 297–298, 300, 301, 342–346, 365–368, 371–379, 407–408, 412–414, 416, 519–529, 548–554, 678, 682–683, 722, 865–867, 911–921, 928, 930, 931–932, 942–951
 Breeding success of *Accipiter gentilis*, 342–346; *Actitis macularia*, 946–947; *Agelaius phoeniceus*, 196–197; *Aphelocoma coerulescens*, 945; *Buteo buteo*, 342–346; *Certhia americana*, 407–408, 412–414, 416; *C. familiaris*, 180–183; *Cistotheorus palustris*, 172; *Colaptes auratus*, 407–408, 412–414, 416; *Dendroica discolor*, 945; *D. petechia*, 197; *Empidonax difficilis*, 407–408, 412–414, 416; *Falco columbarius*, 297–298, 300, 301; *F. tinnunculus*, 342–346; *Forpus passerinus*, 865–867; *Junco hyemalis*, 371–379; *Larus occidentalis*, 25–32; *Melanerpes formicivorus*, 407–408, 412–414, 416; *Merops bullockoides*, 678, 682–683; *Molothrus ater*, 19; *Myiarchus cinerascens*, 40; *Pandion haliaetus*, 365–368; *Parus gambeli*, 407–408, 412–414, 416; *Phaethon lepturus*, 911–921; *Phylidonyris nigra*, 102–103, 104–105; *P. novaehollandiae*, 102–103, 104–105; *Picoides pubescens*, 407–408, 412–414, 416; *P. villosus*, 407–408, 412–414, 416; *Sialia mexicana*, 40, 407–408, 412–414, 416; *Sitta canadensis*, 407–408, 412–414, 416; *S. pygmaea*, 407–408, 412–414, 416; *Spheniscus demersus*, 548–554; *S. magellanicus*, 928, 930, 931–932; *Sphyrapicus thyroides*, 407–408, 412–414, 416; *S. varius*, 407–408, 412–414, 416; *Sturnus vulgaris*, 519–529; *Tachycineta bicolor*, 722; *Troglodytes aedon*, 60–69, 277–283, 407–408, 412–414, 416
 Breeding, timing of (see Breeding season)
 Brewer, Gwen, Courtship of ducklings by adult male *Chiloe Wigeon* (*Anas sibilatrix*), 969–973
 British Columbia, 437–439, 568–575, 842–850
 Broman, Dag, see Nyström, K. G. Kenneth, et al.
 Brooke, Michael, The Manx Shearwater (rev.), 739
 Brooks, D. R., see Funk, V. A., and —————
 Brothers, N., see Ovenden, J. R., et al.
 Brown, William L., see Hilty, Steven L., and —————
 Browning, M. Ralph, review by, 1003–1004
 Brugger, Kristin E., Anatomical adaptation of the gut to diet in Red-winged Blackbirds (*Agelaius phoeniceus*), 562–567
 Bruggers, Richard L., and Clive C. H. Elliott, *Quelea quelea*: Africa's bird pest (rev.), 746–747
 Bruning, Donald, review by, 745–746
 Brush, Alan H., reviews by, 458–459, 748–749, 1008
Bubo virginianus, 655, 658, 964–965
Bucephala albeola, 568–575
B. islandica, 568–575
 Buchholz, Richard, Older males have bigger knobs: correlates of ornamentation in two species of curassow, 153–160
 Buehler, David A., Timothy J. Mersmann, James D. Fraser, and Janis K. D. Seegar, Winter microclimate of Bald Eagle roosts on the northern Chesapeake Bay, 612–618
Bufflehead, 568–575
 Butcher, Gregory S., review by, 736–737
Buteo buteo, 342–346
 Butler, Ronald G., see Place, Allen R., et al.
 Buzzard, Common, 342–346
 Bywater, R., see Ovenden, J. R., et al.
Cacicus uropygialis, 114–124, 130
 Cacique, Scarlet-rumped, 114–124, 130; Yellow-billed, 114–124, 130
Calcarius lapponicus, 350–354
Calidris alba, 771–777, 778
C. canutus, 771–777, 778–779
C. himantopus, 771–777, 778
C. mauri, 771–777, 778
 California, 25–32, 34–40, 303–313, 602–609
 Calls (see Vocalizations)
Capsiempis flaveola, 114–124, 128
Carduelis chloris, 350–354
C. flammea, 166–169
 Carter, S. P., see Marchant, J. H., et al.
Caryothrautes poliogaster, 114–124, 130
 Castner, James L., Rainforests: a guide to research and tourist facilities at selected tropical forest sites in Central and South America (rev.), 456–457
 Castro, Gonzalo, review by, 744–745

- Catbird, Gray, 114–124, 129
Catharacta lönbergi, 801–808
Catharus fuscescens, 977–980
C. minimus, 114–124, 129
C. ustulatus, 114–124, 129
Celeus castaneus, 114–124, 128
 Census methods, 853–861
Cercomacra tyrannina, 114–124, 128
Cerorhinca monocerata, 842–850
Certhia americana, 405–417
C. familiaris, 180–183
 Chaff, Chiff, 350–354
 Chaffinch, Common, 350–354
Chalybura urochrysia, 114–124, 128
 Chandler, Robert M., see Bickart, K. Jeffrey, and —
 Chandler, Robert W., see Tiersch, Terrence R., et al.
Chen canagica, 585–592
 Chickadee, Carolina, 725–727; Mountain, 405–417
 Chin, Tina, see Weary, Daniel M., et al.
Chloroceryle amazona, 780–788
Chlorothraupis carmioli, 114–124, 129
Cinclus cinclus, 427–429
Cistothorus palustris, 170–173
 Clapp, Roger B., review by, 994–996
Claravis pretiosa, 114–124, 128
 Clark, Larry, Odor detection thresholds in Tree Swallows and Cedar Waxwings, 177–180
 Clutch size, 28, 30, 101, 103, 180–183, 209–211, 211–213, 973–976
 Clutch size of *Aegelaius phoeniceus*, 714–715; *Certhia familiaris*, 180–183; *Corvus passerinus*, 863–870; *Fulica americana*, 536, 541–542, 544; *Junco hyemalis*, 375, 376–377; *Larus occidentalis*, 28, 30; *Merops bullockoides*, 678, 679, 684, 685; *Phylidonyris nigra*, 101, 103; *P. novaehollandiae*, 101, 103; *Sturnus vulgaris*, 891, 892; *Troglodytes aedon*, 277–283, 728–730
 Coates, Brian J., The birds of Papua New Guinea. Vol. II, Passerines (rev.), 737–739
Colaptes auratus, 405–417
Colinus virginianus, 509–517
 Collopy, Michael W., review by, 457
 Colorado, 16–23, 602–609, 896–902, 903
 Commentaries, The conservation crisis: The Red-cockaded Woodpecker: on the road to oblivion?, see American Ornithologists' Union; The taxonomic status of the small Genovesa ground-finch in the Galápagos, see Schlüter, Dolph, et al.; Response to Schlüter, Ratcliffe, and Grant, see Vagvolgyi and Vagvolgyi; The use of flow cytometry for rapid identification of sex in birds, see Tiersch, Terrence, et al.; On forming an ornithological council, see Banks, Richard C.; The interspecific relationship between egg size and clutch size in wildfowl, see Blackburn, T. M.; Response to T. M. Blackburn, see Rohwer, Frank C.; Confusions of mass and size, see Piersma, Theunis, and Nick C. Davidson; On the use of tape recorders in avifaunal surveys, see Parker, Theo-
- dore A., III; The conservation crisis: A proposed new federal agency for research on the environment, see Stacey, Peter B., and Terry L. Root; The conservation crisis: International trade in live exotic birds creates a vast movement that must be halted, see American Ornithologists' Union
 Communal breeding in *Malurus elegans*, 811–818; *Parabuteo unicinctus*, 619–634, 638–647, 649–659, 669–670; *Sitta pygmaea*, 173–174, 175–176; *Xanthocephalus xanthocephalus*, 22
 Conservation, 199, 200–201, 208–209, 982–984
 Conway, Albert E., In memoriam: Augusto Ruschi, 708
 Cooperative breeding (see Communal breeding)
 Coot, American, 432–436, 532–545
Corapipo leucorrhoea, 114–124, 129
 Costa Rica, 114–124, 128–130
 Cowbird, Brown-headed, 16–23, 196–197, 348–354
 Cracraft, Joel, review by, 742–743
 Craig, Adrian J. F. K., see Sweijd, Neville, and —
Crax daubentonii, 153–158
C. ruba, 153–158
 Creeper, Brown, 405–417
 Croner, Lisa J., see Nelson, Douglas A., and —
Crotaphaga sulcirostris, 114–124, 128
 Cruz, Alexander, see Ortega, Catherine P., and —
Crypturellus soui, 114–124, 128
 Cuckoo, Common, 348–354
Cuculus canorus, 348–354
 Curassow, Great, 153–158; Yellow-knobbed, 153–158
Cyanocompsa cyanocephala, 114–124, 130
Cyphorhinus phaeocephalus, 114–124, 129
Daption capense, 795, 801–808
 Darby, J. T., see Davis, L. S., and —
 Davidson, Nick C., see Piersma, Theunis, and —
 Davis, L. S., and J. T. Darby (Eds.), Penguin biology (rev.), 748–749
 Davis, William James, and Douglas J. Graham, The influence of food on reproductive strategies in a monogamous kingfisher (*Chloroceryle amazona*), 780–789
 Dawson, James W., and R. William Mannan, Dominance hierarchies and helper contributions in Harris' Hawks, 649–660; and R. William Mannan, The role of territoriality in the social organization of Harris' Hawks, 661–672; see Mays, Nora A., et al.; see Vleck, Carol Masters, et al.
Dendrocicla fuliginosa, 114–124, 128
Dendrocolaptes certhia, 114–124, 128
Dendroica castanea, 114–124, 129
D. coronata, 147–151
D. discolor, 264–274, 945
D. magnolia, 147–151
D. pensylvanica, 114–124, 129
D. petechia, 196–197

- D. striata*, 147–151
 Denmark, 319–326
 Diamond, Jared, A new species of rail from the Solomon Islands and convergent evolution of insular flightlessness, 461–470
 Dickerman, Robert W., On the validity of *Bubo virginianus occidentalis* Stone, 964–965
Diomedea chrysostoma, 801–808
D. exulans, 801–808
D. melanophrys, 801–808
 Dipper, Eurasian, 427–429
 Diseases and parasites of *Crax daubentoni*, 156–157; *C. ruba*, 156–157; *Dendroica coronata*, 147–151; *D. magnolia*, 147–151; *D. striata*, 147–151; *Mniotilla varia*, 147–151; *Oporornis philadelphicus*, 147–151; *Seiurus aurocapillus*, 147–151; *S. noveboracensis*, 147–151; *Setophaga ruticilla*, 147–151; *Vermivora peregrina*, 147–151; *Wilsonia pusilla*, 147–151; *Xanthocephalus xanthocephalus*, 22–23
 Distribution of Anatini, 484; *Ardea herodias*, 764–769; *Gallirallus roviana*, 462, 467; *Larus argentatus*, 338–339; *Nannopsittaca dachilleae*, 226, 227
 Distribution, spatial, 264–274, 342–346, 355–361, 764–769, 913–914, 927–932
 Dittmann, Donna L., and Robert M. Zink, Mitochondrial DNA variation among phalaropes and allies, 771–779; see Zink, Robert M., et al.
 Diving Petrel, Common, 131–144; South Georgia, 131–144
 Dobkin, D. S., see Ehrlich, P. R., et al.
 Dorsey, F. Blinn, see Wheelwright, Nathaniel T., and —
 Dove, Gray-cheested, 114–124, 128
 Dovekie, 71–76
 Dowitcher, Short-billed, 771–777, 779
 Drilling, Nancy E., and Charles F. Thompson, Mate switching in multibrooded House Wrens, 60–70
 Droege, Sam, see Sauer, John R., and —
 Duck, Black, 89–97
 Ducks, dabbling, 471–488, 493–507, 934–940
 Duffy, David Cameron, reviews by, 739, 1003
 Dumbacher, John, reviews by, 457–458, 1007–1008
Dumetella carolinensis, 114–124, 129
 Dunne, Peter (Ed.), New Jersey at the crossroads of migration (rev.), 455–456
 Dunning, John B., Jr., and Bryan D. Watts, Habitat occupancy by Bachman's Sparrow in the Francis Marion National Forest before and after Hurricane Hugo, 723–725
 Dunnock, 350–354
 du Plessis, Morné A., see Williams, Joseph B., et al.
 Eagle, Bald, 612–617
 Ecology, commensal feeding, 801–808; community structure, 264–274, 790–798; demography, 306, 311; dispersal, 264–274, 342–346; habitat selection, 114–124, 264–274, 303–313, 612–617, 723–725, 764–769, 790–798, 923–932; predator-prey relationships, 718, 801–808; seasonal variation, 99–105, 114–124, 934–940
 Ecology of *Accipiter gentilis*, 342–346; *Aimophila aestivalis*, 723–725; *Anas acuta*, 934–940; *A. americana*, 934–940; *A. clypeata*, 934–940; *A. discors*, 934–940; *Aptenodytes forsteri*, 795–798; *Ardea herodias*, 764–769; *Buteo buteo*, 342–346; *Cathartes lönbergi*, 801–808; *Cerorhinca monocerata*, 847–850; *Daption capense*, 795, 801–808; *Dendroica discolor*, 264–274; *Diomedea chrysostoma*, 801–808; *D. exulans*, 801–808; *D. melanophrys*, 801–808; *Eudyptes chrysophrys*, 801–808; *Falco tinnunculus*, 342–346; *Fregetta tropica*, 801–808; *Geothlypis trichas*, 264–274; *Haliaeetus leucocephalus*, 612–617; *Larus dominicanus*, 801–808; lowland tropical birds, 114–124; *Macronectes halli*, 801–808; *Merops bullockoides*, 673–685; *Oceanites oceanicus*, 801–808; *Pachyptila desolata*, 790–798, 801–808; *Pagodroma nivea*, 790–798; *Parabuteo unicinctus*, 669–670; *Phoebe tricolor palpebrata*, 790–798; *Phylidonyris nigra*, 99–105; *P. novaehollandiae*, 99–105; *Picoides nuttallii*, 303–313, 315–317; *Pipilo erythrourhynchus*, 264–274; *Procellaria aequinoctialis*, 790–798, 801–808; *Puffinus gravis*, 801–808; *P. griseus*, 801–808; *Pygoscelis adeliae*, 790–798; *P. papua*, 801–808; *Regulus calendula*, 880, 884–887; *R. satrapa*, 880, 884–887; *Spheniscus magellanicus*, 923–932; *Sterna paradisaea*, 790–798; *Thalassarche antarctica*, 790–798; *Turdus migratorius*, 230–245
 Editorial, The conservation crisis, see Root, Terry, and Peter Stacey
 Eggs, composition, 532–545; laying, 784, 865, 965–966; physiology, 594–600; size, 209–211, 211–213, 973–976; temperature, 598–599, 600
 Eggs of *Agelaius phoeniceus*, 19; *Anous stolidus*, 594–600; *Cuculus canorus*, 350; *Fulica americana*, 532–545; *Molothrus ater*, 196–197, 350; *Xanthocephalus xanthocephalus*, 19
 Ehrlich, P. R., D. S. Dobkin, and D. Wheye, The birder's handbook (rev.), 446–447
 Eider, Common, 250–255
Electron platyrhynchum, 114–124, 128
 Ellegren, Hans, Fingerprinting birds' DNA with a synthetic polynucleotide probe (TG)_n, 956–958
 Elliott, Clive C. H., see Bruggers, Richard L., and —
 —
Emberiza citrinella, 350–354
E. schoeniclus, 350–354
 Emlen, John T., In memoriam: Frederick Nathan Hamerstrom, 424–426
 Emlen, Stephen T., see Wrege, Peter H., and —
Empidonax difficilis, 405–417
E. virescens, 114–124, 129
 Endangered species, 200–201, 419–422
 England, 187–189
 Ens, B. J., T. Piersma, W. J. Wolff, and L. Zwarts (Eds.), Homeward bound: problems waders face when migrating from the Banc D'Arguin, Mauritania, to their northern breeding grounds in spring (rev.), 744–745

- Environment, influence on *Accipiter gentilis*, 342–346; *Agelaius phoeniceus*, 711–715; *Ammomanes deserti*, 556–560; *Anas acuta*, 940; *A. americana*, 940; *A. clypeata*, 940; *A. discors*, 940; *Buteo buteo*, 342–346; *Certhia familiaris*, 182; *Falco tinnunculus*, 342–346; *Fratercula arctica*, 760–761; *Galerida cristata*, 556–560; *Haliaeetus leucocephalus*, 612–617; *Myiarchus cinerascens*, 38; *Parus caeruleus*, 820–829; *Picoides nuttallii*, 311; *Sialia mexicana*, 38; *Turdus migratorius*, 230–245
- Eudyptes chrysocome*, 960–963
- E. chrysophorus*, 801–808
- Euphonia gouldi*, 114–124, 129
- Euphonia*, Olive-backed, 114–124, 129
- Eurasia, 820–829
- Eutoxeres aquila*, 114–124, 128
- Evolution of body size, 250, 255; communal breeding, 669–670; flightlessness, 468–469; mating systems, 947–951; sexual dimorphism, 153–158; sociality, 291
- Evolution of *Crax daubentoni*, 158; *C. ruba*, 158; *Somateria mollissima*, 250, 255
- Fairy-wren, Red-winged, 811–818
- Falco columbarius*, 294–301
- F. sparverius*, 716–718
- F. tinnunculus*, 342–346
- Feathers (see Molt and plumages)
- Fecundity (see Clutch size)
- Ficedula hypoleuca*, 968
- Fieldfare, 350–354
- Finland, 180–183
- Fitzpatrick, John W., review by, 218–221
- Flatbill, Eye-ringed, 114–124, 129
- Fledgling, success of (see Breeding success)
- Flicker, Northern, 405–417
- Florida, 419–422, 562–566, 602–609
- Florisuga mellivora*, 114–124, 128
- Flycatcher, Acadian, 114–124, 129; Ash-throated, 34–40; Boat-billed, 114–124, 129; Cordilleran, 405–417; Gray-capped, 114–124, 129; Great Crested, 114–124, 129; Ochre-bellied, 114–124, 128; Olive-striped, 114–124, 128; Pied, 968; Piratic, 114–124, 129; Royal, 114–124, 129; Ruddy-tailed, 114–124, 129; Sepia-capped, 114–124, 128; Spotted, 350–354; Yellow-margined, 114–124, 129
- Foliage-gleaner, Buff-throated, 114–124, 129
- Food and feeding habits of *Aegolius acadicus*, 437–439; *Aethia pusilla*, 131–144; *Alle alle*, 74, 76; *Ardea herodias*, 764–769; *Cathartes lönbergi*, 801–808; *Cerorhinca monocerata*, 842–850; *Certhia familiaris*, 180–183; *Chloroceryle amazona*, 780–788; *Daption capense*, 801–808; *Diomedea chrysostoma*, 801–808; *D. exulans*, 801–808; *D. melanophris*, 801–808; *Eudyptes chrysophorus*, 801–808; *Falco sparverius*, 716–718; *Fregetta tropica*, 801–808; *Larus dominicanus*, 801–808; *L. glaucescens*, 381–390; *Macronectes halli*, 801–808; *Melanerpes formicivorus*, 79–86; *Nannospitta dachilleae*, 227–228; *Oceanites oceanicus*, 801–808; *Oceanodroma leucorhoa*, 709–711; *Pachyptila desolata*, 801–808; *Pelecanoides georgicus*, 131–144; *P. urinatrix*, 131–141; *Phylidonyris nigra*, 99–105; *P. novaehollandiae*, 99–105; *Picoides nuttallii*, 303–313, 315–317; *Procellaria aequinoctialis*, 801–808; *Puffinus gravis*, 801–808; *P. griseus*, 801–808; *Pygoscelis papua*, 801–808; *Regulus calendula*, 880, 884–887; *R. satrapa*, 880, 884–887; *Somateria mollissima*, 250–255; *Spizella pusilla*, 355–361; *Sula leucogaster*, 260–262; *Uria aalge*, 184–185; *U. lomvia*, 184–185; *Zonotrichia albicollis*, 8–14, 355–361
- Foraging (see Food and feeding habits; Behavior, feeding)
- Ford, Hugh A., see Trapp, John L., et al.
- Forest-Falcon, Barred, 114–124, 128
- Formicarius analis*, 114–124, 128
- Forpus passerinus*, 863–870
- France, 319–326, 329–340
- Franke J., Irma, see O'Neill, John P., et al.
- Fraser, James D., see Buehler, David A., et al.
- Fratercula arctica*, 755–761
- Fregetta tropica*, 801–808
- Fringilla coelebs*, 350–354
- F. montifringilla*, 350–354
- F. savanna*, 185–186
- Fulica americana*, 432–436, 532–545
- Funk, V. A., and D. R. Brooks, Phylogenetic systematics as the basis of comparative biology (rev.), 742–743
- Gabrielsen, Geir Wing, Jan R. E. Taylor, Marek Konarewski, and Fridtjof Mehlum, Field and laboratory metabolism and thermoregulation in Doves (*Alle alle*), 71–78
- Galápagos, 201–204
- Galbulula ruficauda*, 114–124, 128
- Gallirallus rovianae*, 461–469
- Gargett, Valerie, The Bald Eagle (rev.), 739–741
- Gavin, Thomas A., Ronald A. Howard, and Bernie May, Allozyme variation among breeding populations of Red-winged Blackbirds: the California conundrum, 602–611
- Genetic variation (see Genetics, genetic variation)
- Genetics, 167, 168, 169, 319–326, 578–583, 585–592, 688–693, 956–957; gene flow, 325–326, 607–608, 609, 820, 829; genetic variation, 322–323, 602–609, 692–693, 755, 758–760, 771–777; techniques, 956–957, 959
- Genetics of *Agelaius phoeniceus*, 602–609; *Branta bernicla*, 585–592; *B. canadensis*, 585–592; *Calidris alba*, 771–777, 778; *C. canutus*, 771–777, 778–779; *C. himantopus*, 771–777, 778; *C. mauri*, 771–777, 778; *Carduelis flammea*, 167, 168, 169; *Chen canagica*, 585–592; *Fratercula arctica*, 755, 758–760; *Hirundo rustica*, 956–957; *Larus argentatus*, 319–326; *L. cachinnans*, 319–326; *L. fuscus*, 319–326; *L. glaucopterus*, 319–326; *L. hyperboreus*, 319–326; *L. marinus*, 319–326; *Limnodromus griseus*, 771–777, 779; *Nesochen*

- sandvicensis*, 585–592; *Pachyptila turtur*, 688–693; *Phalaropus fulicaria*, 771–777, 778; *P. lobatus*, 771–777, 778; *P. tricolor*, 771–777, 778; *Tringa melanoleuca*, 771–777, 779; *Zonotrichia albicollis*, 578–583; *Z. atricapilla*, 578–583; *Z. capensis*, 578–583; *Z. leucophrys*, 578–583; *Z. querula*, 578–583
- Gentry, Alwyn H. (Ed.), Four Neotropical rainforests (rev.), 1004–1005
- Geographic variation in anatomy and morphology, 230–245, 755–761, 820–824, 826–828, 833–840; molts and plumages, 230–245, 824–826, 828–829
- Geographic variation in *Fratercula arctica*, 755–761; *Pandion haliaetus*, 363–368; *Parus caeruleus*, 820–829, 833–840; *Turdus migratorius*, 230–245
- Georgia, 355–361
- Geospiza difficilis*, 201–204, 204–206
- G. fuliginosa*, 201–204, 204–206
- Geothlypis semiflava*, 114–124, 129
- G. trichas*, 264–274
- Geotrygon montana*, 114–124, 128
- G. veraguensis*, 114–124, 128
- Germany, 342–346
- Giant-Petrel, Northern, 801–808
- Gibbs, James P., Spatial relationships between nesting colonies and foraging areas of Great Blue Herons, 764–770
- Glaucus aenea*, 114–124, 128
- Glyphorynchus spirurus*, 114–124, 128
- Gnatwren, Long-billed, 114–124, 129; Tawny-faced, 114–124, 129
- Goldeneye, Barrow's, 568–575
- Goldsmith, Arthur R., see Vleck, Carol Masters, et al.
- Goose, Canada, 585–592; Emperor, 585–592; Hawaiian, 585–592
- Goshawk, Northern, 342–346
- Graham, Douglas J., see Davis, William James, and —
- Grant, B. Rosemary, and Peter R. Grant, Evolutionary dynamics of a natural population: the Large Cactus Finch of the Galápagos (rev.), 216–218
- Grant, Peter R., see Grant, B. Rosemary, and —; see Schlüter, Dolph, et al.
- Graves, Jeff, Comments on the sample sizes used to test the effect of experimental brood enlargement on adult survival, 967–969
- Greenfinch, European, 350–354
- Greenlet, Tawny-crowned, 114–124, 129
- Griffin, Curtice R., see Steidl, Robert J., and —
- Grosbeak, Black-faced, 114–124, 130; Blue-black, 114–124, 130
- Ground-Dove, Blue, 114–124, 128
- Ground-Finch, Sharp-beaked, 201–204, 204–206; Small Genovesa, 201–204, 204–206
- Growth and development of *Aethia pusilla*, 131–144; *Anas platyrhynchos*, 89–97; *A. rubripes*, 89–97; *Cerorhinca monocerata*, 846–847; *Certhia familiaris*, 180–183; *Molothrus ater*, 19–20, 21; *Myiarchus cinerascens*, 34–40; *Pandion haliaetus*, 363–368; *Pelecanoides georgicus*, 131–144; *P. urinatrix*, 131–144; *Sialia mexicana*, 34–40; *Sturnus vulgaris*, 522–525; *Tachycineta bicolor*, 721
- Grubb, Thomas C., Jr., A deficient diet narrows growth bars on induced feathers, 725–727
- Gull, Glaucous, 319–326, 329–340; Glaucous-winged, 381–390, 968; Greater Black-backed, 319–326; Herring, 319–326, 329–340, 906; Iceland, 319–326; Lesser Black-backed, 319–326; Southern Black-backed, 801–808; Western, 25–32; Yellow-legged Herring, 319–326, 329–339
- Gutzwiller, Kevin J., Estimating winter species richness with unlimited-distance point counts, 853–862
- Gymnocichla nudiceps*, 114–124, 128
- Gymnopithys leucaspis*, 114–124, 128
- Gyps africanus*, 1–6
- Habia fuscicauda*, 114–124, 129
- Habitat of *Aimophila aestivalis*, 723–725; *Anas platyrhynchos*, 96–97; *A. rubripes*, 95–97; *Ardea herodias*, 764–769; *Certhia americana*, 405–417; *Colaptes auratus*, 405–417; *Dendroica discolor*, 264–274; *Empidonax difficilis*, 405–417; *Geothlypis trichas*, 264–274; lowland tropical birds, 114–124; *Melanerpes formicivorus*, 405–417; *Parus gambeli*, 405–417; *Picoidea borealis*, 200–201; *P. nuttallii*, 303–313, 315–317; *P. pubescens*, 405–417; *P. villosus*, 405–417; *Pipilo erythrourhynchus*, 264–274; *Sialia mexicana*, 405–417; *Sitta canadensis*, 405–417; *S. carolinensis*, 405–417; *S. pygmaea*, 405–417; *Sphyrapicus thyroides*, 405–417; *S. varius*, 405–417; *Troglodytes aedon*, 405–417
- Haila, Yrjo, Olli Järvinen, and Pertti Koskimies (Eds.), Monitoring bird populations in varying environments (rev.), 1006–1007
- Haliaeetus leucocephalus*, 612–617
- Harrison, Craig S., Seabirds of Hawaii: natural history and conservation (rev.), 994–996
- Harrison, Nancy M., Michael J. Whitehouse, Dennis Heinemann, Peter A. Prince, George L. Hunt Jr., and Richard R. Veit, Observations of multispecies seabird flocks around South Georgia, 801–810
- Hatching, success of (see Breeding success)
- Hatching, timing of, 519–529, 569–570, 573, 863–870
- Hawaii, 260–262, 585–592, 594–600
- Hawk, Harris', 108–112, 619–634, 638–647, 649–659, 661–670; *Semiplumbeous*, 114–124, 128
- Heinemann, Dennis, see Harrison, Nancy M., et al.
- Helminthothecus vermiculus*, 114–124, 129
- Henicorhina leucosticta*, 114–124, 129
- Hermit, Bronzy, 114–124, 128; Little, 114–124, 128; Long-tailed, 114–124, 128
- Heron, Great Blue, 764–769
- Hillis, David M., and Craig Moritz (Eds.), Molecular systematics (rev.), 452–455
- Hilty, Steven L., and William L. Brown, A guide to the birds of Colombia (rev.), 218–221
- Hippolais icterina*, 350–354
- Hirundo rustica*, 956–957
- Hobson, Keith A., and Spencer G. Sealy, Marine pro-

- tein contributions to the diet of Northern Saw-whet Owls on the Queen Charlotte Islands: a stable-isotope approach, 437-440
- Home range (see Territory of)
- Honeyeater, New Holland, 99-105; White-cheeked, 99-105
- Horne, Jennifer F. M., see Short, Lester L., et al.
- Howard, Ronald A., see Gavin, Thomas A., et al.
- Hudson, R., see Marchant, J. H., et al.
- Hummingbird, Blue-chested, 114-124, 128; Rufous-tailed, 114-124, 128; Violet-headed, 114-124, 128
- Hunt, George L., Jr., see Harrison, Nancy M., et al.; see Veit, Richard R., and —
- Hunter, W. C., see Rosenberg, K. V., et al.
- Hyatt, Laura E., see Logan, Cheryl A., and —
- Hybrids and hybridization of *Anas platyrhynchos* × *A. rubripes*, 89-97; *Larus argentatus* × *L. hyperboreus*, 319, 322-323, 325, 329-340; *Zonotrichia* spp., 582-583
- Hylocichla mustelina*, 114-124, 129
- Hyloctistes subulatus*, 114-124, 128
- Hylophilus ochraceiceps*, 114-124, 129
- Hylophylax naeviooides*, 114-124, 128
- Iceland, 319-326, 329-340, 755-761
- Illinois, 60-69
- Incubation and incubation period of *Phaethon lepturus*, 915
- Israel, 556-560
- Jacamar, Rufous-tailed, 114-124, 128
- Jacobin, White-necked, 114-124, 128
- James, Frances C., Signs of trouble in the largest remaining population of Red-cockaded Woodpeckers, 419-423; see Aldrich, John W., and —
- James, Paul C., see Warkentin, Ian G., et al.
- Japan, 184-185
- Järvinen, Olli, see Haila, Yrjo, et al.
- Jay, Scrub, 945
- Johnsgard, Paul A., Hawks, eagles, and falcons of North America (rev.), 741; The quails, partridges, and francolins of the world (rev.), 458-459
- Johnson, Tim, see Norton, John, et al.
- Jonkel, George, In memoriam: Francis Morey Uhler, 953
- Jouanin, Christian, In memoriam: Robert Daniel Etchécopar, 706; In memoriam: Noël Mayaud, 707-708
- Junco, Dark-eyed, 371-379
- Junco hyemalis*, 371-379
- Kabaya, Yuko, see Mizutani, Hiroshi, et al.
- Kaiser, G. W., see Bertram, D. F., et al.
- Keast, Allen, and Sari Saunders, Ecomorphology of the North American Ruby-crowned (*Regulus calendula*) and Golden-crowned (*R. satrapa*) kinglets, 880-888
- Kennedy, E. Dale, Predicting clutch size of the House Wren with the Murray-Nolan equation, 728-731; see White, Douglas W., et al.
- Kenya, 1-6, 285-292, 673-685
- Kestrel, American, 716-718; Eurasian, 342-346
- Ketterson, Ellen D., see Wolf, Licia, et al.
- Khubesrian, Marina, see Mock, Patrick J., et al.
- King, James R., see Murphy, Mary E., and —
- King, Warren B., review by, 451-452
- Kingbird, Eastern, 114-124, 129
- Kingfisher, Amazon, 780-788
- Kinglet, Golden-crowned, 880-887; Ruby-crowned, 880-887
- Kiskadee, Great, 114-124, 129
- Klais guimeti*, 114-124, 128
- Knot, Red, 771-777, 778-779
- Koenig, Walter D., The effects of tannins and lipids on digestion of acorns by Acorn Woodpeckers, 79-88; see Stacey, Peter B., and —
- Konarzewski, Marek, see Gabrielsen, Geir Wing, et al.
- Koskimies, Pertti, and Risto A. Vaisanen (Eds.), Monitoring bird populations (rev.), 1007; see Haila, Yrjo, et al.
- Kostrzewska, Achim, see Kostrzewska, Renate, and —
- Kostrzewska, Renate, and Achim Kostrzewska, Winter weather, spring and summer density, and subsequent breeding success of Eurasian Kestrels, Common Buzzards, and Northern Goshawks, 342-347
- Krajewski, Carey, review by, 987-990
- Kuitunen, Markku, and Jukka Suhonen, Feeding time and brood-rearing capacity in the Common Treecreeper (*Certhia familiaris*), 180-184
- Kuroda, Osamu, see Tazawa, Hiroshi, et al.
- Kushlan, James A., In memoriam: Oscar T. Owre, 705
- Kvittek, Rikk G., Sequestered paralytic shellfish poisoning toxins mediate Glaucous-winged Gull predation on bivalve prey, 381-392
- Larcheveque, Dee M., see Mock, Patrick J., et al.
- Lark, Crested, 556-560; Desert, 556-560
- Larus argentatus*, 319-326, 329-340, 906
- L. cachinnans*, 319-326, 329-339
- L. dominicanus*, 801-808
- L. fuscus*, 319-326
- L. glaucescens*, 381-390, 968
- L. glaucopterus*, 319-326
- L. hyperboreus*, 319-326, 329-340
- L. marinus*, 319-326
- L. occidentalis*, 25-32
- Leaftosser, Scaly-throated, 114-124, 128
- Leck, Charles, review by, 455-456
- Legatus leucophaius*, 114-124, 129
- Lemon, Robert E., see Weary, Daniel M., et al.
- Leptopogon amaurocephalus*, 114-124, 128
- Leptotila cassinii*, 114-124, 128
- Leucophaeus semiplumbeus*, 114-124, 128
- Li, Pingjun, and Thomas E. Martin, Nest-site selection

- and nesting success of cavity-nesting birds in high elevation forest drainages, 405-418
- Li, Wen-Hsiung, and Dan Graur, Fundamentals of molecular evolution (rev.), 999
- Limnodromus griseus*, 771-777, 779
- Littlefield, Carroll D., Birds of Malheur National Wildlife Refuge, Oregon (rev.), 1003-1004
- Livezey, Bradley C., A phylogenetic analysis and classification of Recent dabbling ducks (tribe Anatini) based on comparative morphology, 471-507
- Logan, Cheryl A., and Laura E. Hyatt, Male attraction by autumnal song in the Northern Mockingbird (*Mimus polyglottos*), 429-432
- Loiselle, Bette A., see Blake, John G., and ———
- Lombardo, Michael P., Sexual differences in parental effort during the nestling period in Tree Swallows (*Tachycineta bicolor*), 393-404
- Longspur, Lapland, 350-354
- Louette, Michel, Les oiseaux des Comores (rev.), 222
- Lougheed, S. C., T. W. Arnold, and R. C. Bailey, Measurement error of external and skeletal variables in birds and its effect on principal components, 432-436
- Luscinia svecica*, 350-354
- Lyon, Graeme L., see Mizutani, Hiroshi, et al.
- Macronectes halli*, 801-808
- Magrath, Robert D., see Trapp, John L., et al.
- Maine, 709-711, 764-769
- Major, Richard E., Identification of nest predators by photography, dummy eggs, and adhesive tape, 190-195
- Malurus elegans*, 811-818
- Malacoptila panamensis*, 114-124, 128
- Mallard, 89-97
- Manacus candei*, 114-124, 129
- Manakin, Gray-headed, 114-124, 129; Red-capped, 114-124, 129; White-collared, 114-124, 129; White-ruffed, 114-124, 129
- Manitoba, 166-169, 196-197, 432-436, 532-545
- Mannan, R. William, see Dawson, James W., and ———
- Marchant, J. H., R. Hudson, S. P. Carter, and P. Whittington, Population trends in British breeding birds (rev.), 736-737
- Marler, Peter, In memoriam: Konrad Lorenz, 164-165
- Martin, Jean-Louis, Patterns and significance of geographical variation in the Blue Tit (*Parus caeruleus*), 820-832; and Jay Pitocchelli, Relation of within-population phenotypic variation with sex, season, and geography in the Blue Tit, 833-841
- Martin, Thomas E., see Li, Pingjun, and ———
- Maryland, 612-617
- Mass and measurements of *Aethia pusilla*, 135, 136; *Agelaius phoeniceus*, 564, 565; *Alle alle*, 75; *Ammodramus deserti*, 557, 560; *Anas platyrhynchos*, 91, 92, 94, 95; *A. rubripes*, 91, 92, 94, 95; *Certhia familiaris*, 181, 182; *Colinus virginianus*, 513-515, 516; *Crax daubentoni*, 156; *C. rubra*, 156; *Falco sparverius*, 717; *Fratercula arctica*, 757; *Fulica americana*, 434; *Galerida cristata*, 557, 560; *Gallirallus rovianae*, 464-465; *Junco hyemalis*, 371-379; *Myiarchus cinerascens*, 36; *Nannopsittaca dachilleae*, 226, 229; *Oceanodroma leucorhoa*, 709-710; *Pandion haliaetus*, 365, 366, 367; *Parabuteo unicinctus*, 628; *Pelecanoides georgicus*, 135, 136; *P. urinatrix*, 135, 136; *Phoeniculus purpureus*, 287, 289, 292; *Regulus calendula*, 884; *R. satrapa*, 884; *Sialia mexicana*, 36; *Somateria mollissima*, 253; *Sturnus vulgaris*, 524, 525, 891, 892; *Tachycineta bicolor*, 721; *Troglodytes aedon*, 281; *Turdus migratorius*, 248-249; *Zonotrichia capensis*, 433; *Z. leucophrys*, 697-699
- Mass and measurements, techniques, 509-517
- Massachusetts, 264-274
- Mating systems of *Actitis macularia*, 948-949, 950; *Carduelis flammea*, 166-169; *Cistothorus palustris*, 170-173; *Crax daubentoni*, 153-158; *C. rubra*, 153-158; *Falco columbarius*, 294-301; *Junco hyemalis*, 371-379; *Mimus polyglottos*, 429-431; *Troglodytes aedon*, 60-69; *Tympanuchus cupido*, 896-902
- May, Bernie, see Gavin, Thomas A., et al.
- Mayr, Ernst, review by, 746
- Mays, Nora A., Carol Masters Vleck, and James Dawson, Plasma luteinizing hormone, steroid hormones, behavioral role, and nest stage in cooperatively breeding Harris' Hawks (*Parabuteo unicinctus*), 619-637; see Vleck, Carol Masters, et al.
- McRae, Susan B., see Weatherhead, Patrick J., et al.
- Meanley, Brooke, review by, 746-747
- Measurements (see Mass and ———)
- Megarynchus pitangua*, 114-124, 129
- Mehlum, Fridtjof, see Gabrielsen, Geir Wing, et al.
- Melanerpes formicivorus*, 79-86, 405-417
- Memorial of David Finley Balph, 707; Kai Curry-Lindahl, 953-954; Robert David Etchécopar, 706; Joseph Archibald Hagar, 954-955; Frederick Nathan Hamerstrom, 424-426; Konrad Lorenz, 164-165; Noël Mayaud, 707-708; Robert M. Mengel, 161-164; Oscar T. Owre, 705; Augusto Ruschi, 708; Francis Morey Uhler, 953
- Merlin, 294-301
- Merops bullockoides*, 673-685
- Mersmann, Timothy J., see Buehler, David A., et al.
- Metabolism of *Aethia pusilla*, 131-144; *Alle alle*, 71-76; *Haliaeetus leucocephalus*, 616, 617; *Melanerpes formicivorus*, 79-86; *Myiarchus cinerascens*, 34-40; *Pelecanoides georgicus*, 131-144; *P. urinatrix*, 131-144; *Sialia mexicana*, 34-40
- Metz, Karen J., The enigma of multiple nest building by male Marsh Wrens, 170-173
- Mexico, 153-158, 230-244, 934-940
- Michigan, 711-715
- Micrastur ruficollis*, 144-124, 128
- Microbates cinereiventris*, 114-124, 129
- Microcerculus philomela*, 114-124, 129
- Microchera albocoronata*, 114-124, 128
- Mimus polyglottos*, 429-431

- Minnesota, 904–908
Mionectes oleagineus, 114–124, 128
M. olivaceus, 114–124, 128
Mitrospingus cassini, 114–124, 129
 Mizutani, Hiroshi, Yuko Kabaya, P. J. Moors, T. W. Speir, and Graeme L. Lyon, Nitrogen isotope ratios identify deserted seabird colonies, 960–964
Mniotilla varia, 147–151
 Mock, Patrick J., Marina Khubesrian, and Dee M. Larcheveque, Energetics of growth and maturation in sympatric passerines that fledge at different ages, 34–41
 Mockingbird, Northern, 429–431
 Moen, Sharon M., Morphological and genetic variation among breeding colonies of the Atlantic Puffin (*Fratercula arctica*), 755–763
 Moksnes, Arne, Eivin Røskaft, and Anders T. Braa, Rejection behavior by Common Cuckoo hosts towards artificial brood parasite eggs, 348–354
Molothrus ater, 16–23, 196–197, 348–354
 Molts and plumages of Anatini, 493–497; *Dendroica coronata*, 147–151; *D. magnolia*, 147–151; *D. striata*, 147–151; *Gallirallus rovianae*, 462–463; *Geospiza difficilis*, 203–204; *Mniotilla varia*, 147–151; *Myrmeciza atrothorax*, 731–733; *M. stictothorax*, 731–733; *Nannopsittaca dachilleae*, 226–227; *Oporornis philadelphicus*, 147–151; *Parabuteo unicinctus*, 108–112; *Parus caeruleus*, 824–826, 828–829; *Seiurus aurocapillus*, 147–151; *S. noveboracensis*, 147–151; *Setophaga ruticilla*, 147–151, 872–878; *Sturnus vulgaris*, 889–894; *Turdus migratorius*, 238–239, 241, 243, 244; *Vermivora peregrina*, 147–151; *Wilsonia pusilla*, 147–151; *Zonotrichia leucophrys*, 695–703
 Mongrain, Johanne, see Weary, Daniel M., et al.
 Montgomerie, Robert D., see Weatherhead, Patrick J., et al.
 Moors, P. J., see Mizutani, Hiroshi, et al.
 Morimoto, David C., and Fred E. Wasserman, Dispersion patterns and habitat associations of Rufous-sided Towhees, Common Yellowthroats, and Prairie Warblers in the southeastern Massachusetts pine barrens, 264–276
 Moritz, Craig, see Hillis, David M., and ———
 Mortality and survival of *Anas platyrhynchos*, 89–97; *A. rubripes*, 89–97; *Bucephala albeola*, 568–575; *B. islandica*, 568–575; *Certhia familiaris*, 182; *Falco tinnunculus*, 343–344, 345–346; *Ficedula hypoleuca*, 968; *Forpus passerinus*, 866–868; *Larus glaucescens*, 389, 968; *Merops bullockoides*, 679–681, 682–683; *Pandion haliaetus*, 363–368; *Parus caeruleus*, 968; *Phylidonyris nigra*, 103, 104–105; *P. novaehollandiae*, 103, 104–105; *Spheniscus demersus*, 548–554; *Sturnus vulgaris*, 519–529; *Tachycineta bicolor*, 722; *Troglodytes aedon*, 282
Motacilla alba, 350–354
M. cinerea, 427–429
M. flava, 350–354
 Motmot, Broad-billed, 114–124, 128; Rufous, 114–124, 128
 Mourner, Rufous, 114–124, 129
 Moynihan, Martin, Social, sexual, and pseudosexual behavior of the Blue-bellied Roller, *Coracias cyanogaster*: the consequences of crowding or concentration (rev.), 457–458
 Mueller, Helmut C., review by, 747
 Mumme, Ronald L., see Tiersch, Terrence R., et al.
 Munn, Charles A., see O'Neill, John P., et al.
 Muringo-Gichuki, Cecilia, see Short, Lester L., et al.
 Murphy, Mary E., and James R. King, Ptilochronology: a critical evaluation of assumptions and utility, 695–704
 Murray, Bertram G., Jr., Measuring annual reproductive success, with comments on the evolution of reproductive behavior, 942–952
 Murre, Common, 184–185; Thick-billed, 184–185
Muscicapa striata, 350–354
Myiarchus cinerascens, 34–40
M. crinitus, 114–124, 129
Myiozetetes granadensis, 114–124, 129
Myrmeciza atrothorax, 731–733
M. exsul, 114–124, 128
M. stictothorax, 731–733
Myrmotherula axillaris, 114–124, 128
M. fulviventer, 114–124, 128
 Nakamura, Dean, see Tiersch, Terrence R., et al.
Nannopsittaca dachilleae, 225–228, 229
 Nelson, Douglas A., and Lisa J. Croner, Song categories and their functions in the Field Sparrow (*Spizella pusilla*), 42–52
Nesochen sandvicensis, 585–592
 Nest and nest site of *Ardea herodias*, 764–769; *Carduelis flammea*, 166; *Certhia americana*, 405–417; *Cistothorus palustris*, 170–173; *Colaptes auratus*, 405–417; *Empidonax difficilis*, 405–417; *Melanerpes formicivorus*, 405–417; *Myiarchus cinerascens*, 40; *Nannopsittaca dachilleae*, 228; *Parus gambeli*, 405–417; *Phaethon lepturus*, 911–921; *Phylidonyris nigra*, 101; *P. novaehollandiae*, 101; *Picoides pubescens*, 405–417; *P. villosus*, 405–417; *Sialia mexicana*, 40, 405–417; *Sitta canadensis*, 405–417; *S. carolinensis*, 405–417; *S. pygmaea*, 405–417; *Spheniscus demersus*, 548–554; *S. magellanicus*, 923–932; *Sphyrapicus thyroides*, 405–417; *S. varius*, 405–417; *Troglodytes aedon*, 405–417; *Tympanuchus cupido*, 896–902, 903
 Nestling of *Aethia pusilla*, 131–144; *Agelaius phoeniceus*, 711–715; *Cerorhinca monocerata*, 842–850; *Certhia familiaris*, 180–183; *Myiarchus cinerascens*, 34–40; *Oceanodroma leucorhoa*, 709–711; *Pandion haliaetus*, 363–368; *Pelecanoides georgicus*, 131–144; *P. urinatrix*, 131–144; *Sialia mexicana*, 34–40; *Sturnus vulgaris*, 519–529
 Nest parasitism, 16–23, 196–197, 348–354, 679–680, 683
 New Brunswick, 89–97, 147–151, 319–326, 329–340, 719–722, 977–980
 Newfoundland, 147–151
 New Jersey, 363–368, 519–529, 889–894

- New York, 42–50, 393–401, 602–609
 New Zealand, 960–963
 Noddy, Brown, 594–600
 Nolan, Val, Jr., see Wolf, Licia, et al.
 Nomenclature, 185–186
 North America, 230–245
 North Carolina, 8–14, 108–112, 429–431
 North Dakota, 602–609
 Northwest Territories, Canada, 319–326
 Norton, John, Simon Stuart, and Tim Johnson, World checklist of threatened birds (rev.), 451–452
 Norway, 71–76, 319–326, 329–340, 348–354
 Nova Scotia, 89–97
 Nudds, Thomas D., see Barnes, Gregory G., and —
 Nuthatch, Pygmy, 173–174, 175–176, 405–417; Red-breasted, 405–417; White-breasted, 405–417
Nyctidromus albicollis, 114–124, 128
 Nyström, K. G. Kenneth, Olof Pehrsson, and Dag Broman, Food of juvenile Common Eiders (*Somateria mollissima*) in areas of high and low salinity, 250–256
Oceanites oceanicus, 801–808
Oceanodroma leucorhoa, 709–711
 Ogi, Haruo, and Kouzi Shiomi, Diet of murres caught incidentally during winter in northern Japan, 184–185
 O'Halloran, John, see Yoerg, Sonja I., and —
 O'Hara, Robert J., review by, 990–994
 Ohio, 277–283, 725–727, 728–730
 Ohmart, R. D., see Rosenberg, K. V., et al.
 Olfaction in *Bombycilla cedrorum*, 177–179; *Tachycineta bicolor*, 177–179
 Oliphant, Lynn W., see Warkentin, Ian G., et al.
 Olson, John M., Thermal relations of nestling Red-winged Blackbirds in southeastern Michigan, 711–716
Oncocephala cinereigulare, 114–124, 129
 O'Neill, John P., Charles A. Munn, and Irma Franke J., *Nannopsittaca dachilleae*, a new species of parrotlet from eastern Peru, 225–229
 Ontario, 170–173, 965–966
Onychorhynchus mexicanus, 114–124, 129
Oporornis formosus, 114–124, 129
O. philadelphica, 114–124, 129, 147–151
 Oregon, 602–609
 Oring, Lewis W., see Alberico, Julie A. R., et al.
 Ortega, Catherine P., and Alexander Cruz, A comparative study of cowbird parasitism in Yellow-headed Blackbirds and Red-winged Blackbirds, 16–24
Oryzoborus funereus, 114–124, 130
 Osprey, 363–368
 Ovenbird, 114–124, 129, 147–151
 Ovenden, J. R., A. Wust-Saucy, R. Bywater, N. Brothers, and R. W. G. White, Genetic evidence for philopatry in a colonially nesting seabird, the Fairy Prion (*Pachyptila turtur*), 688–694
 Owl, Great Horned, 655, 658, 964–965; Northern Saw-whet, 437–439
Pachyptila desolata, 790–798, 801–808
P. turtur, 688–693
Pagodroma nivea, 790–798
 Panama, 780–788
Pandion haliaetus, 363–368
 Panza, Robin K., see Parkes, Kenneth C., and —
Parabuteo unicinctus, 108–112, 619–634, 638–647, 649–659, 661–670
 Paraque, Common, 114–124, 128
 Parasitism (see Nest parasitism)
 Parkes, Kenneth C., and Robin K. Panza, The type locality of *Fringilla savanna* Wilson, 185–186
 Parrotlet, Amazonian, 225–228, 229; Green-rumped, 863–870
Parus caeruleus, 820–829, 833–840, 968
P. carolinensis, 725–727
P. gambeli, 405–417
P. major, 187–189
 Pasquier, Roger F., review by, 747–748
Passerculus sandwichensis, 185–186
 Payne, L. L., see Payne, R. B., et al.
 Payne, R. B., L. L. Payne, I. Rowley, and E. M. Russell, Social recognition and response to song in cooperative Red-winged Fairy-wrens, 811–819
 Pearson, Scott M., Food patches and the spacing of individual foragers, 355–362
 Pehrsson, Olof, see Nyström, K. G. Kenneth, et al.
 Penguin, Adélie, 790–798; Emperor, 795–798; Gentoo, 801–808; Jackass, 548–554; Macaroni, 801–808; Magellanic, 923–932; Rockhopper, 960–963
 Pennsylvania, 177–179
 Peru, 225–228
 Petrel, Antarctic, 790–798; Cape, 795, 801–808; Snow, 790–798; White-chinned, 790–798, 801–808
Petroica multicolor, 190–194
Phaenostictus mcleannani, 114–124, 128
Phaeothlypis fulvicauda, 114–124, 129
Phaethon lepturus, 911–921
Phaethornis longuemareus, 114–124, 128
P. superciliosus, 114–124, 128
 Phalarope, Red, 771–777, 778; Red-necked, 771–777, 778; Wilson's, 771–777, 778
Phalaropus fulicaria, 771–777, 778
P. lobatus, 771–777, 778
P. tricolor, 771–777, 778
 Phillips, Allan R., The known birds of North and Middle America: distribution and variation, migrations, changes, hybrids, etc. Part I, Hirundinidae to Mimidae, Certhiidae (rev.), 999–1003
 Philopatry in *Pachyptila turtur*, 668–698
Phoebebetria palpebrata, 790–798
Phoeniculus purpureus, 285–292
Phylidonyris nigra, 99–105
P. novaehollandiae, 99–105
Phylloscopus collybita, 350–354

- P. trochilus*, 350–354
Phylogeny (see *Taxonomy*)
Physiology, digestion (see *Physiology, metabolism*); energy cost of activities, 34–40, 131–144, 614–617; flight, 108–112; growth, 695–703, 725–727, 893–894; hormones, 619–634, 638–647; metabolism, 34–40, 71–76, 79–86, 131–144, 614–617; nutrient reserves, 131–144, 556–560, 695–703, 709–711, 725–727, 893–894; nutritional status (see *Physiology, nutrient reserves*); olfaction, 177–179; osmoregulation, 89–97; temperature regulation, 38–39, 73–74, 74–75, 285–292, 711–715
Physiology of *Aethia pusilla*, 131–144; *Agelaius phoeniceus*, 562–566, 711–715; *Alle alle*, 71–76; *Ammodramus deserti*, 556–560; *Anas platyrhynchos*, 89–97; *A. rubripes*, 89–97; *Bombycilla cedrorum*, 177–179; *Galerida cristata*, 556–560; *Haliaeetus leucocephalus*, 614–617; *Melanerpes formicivorus*, 79–86; *Myiarchus cinerascens*, 34–40; *Oceanodroma leucorhoa*, 709–711; *Parabuteo unicinctus*, 108–112, 619–634, 638–647; *Parus carolinensis*, 725–727; *Pelecanoides georgicus*, 131–144; *P. urinatrix*, 131–144; *Phoeniculus purpureus*, 285–292; *Sialia mexicana*, 34–40; *Sturnus vulgaris*, 893–894; *Tachycineta bicolor*, 177–179; *Zonotrichia leucophrys*, 695–703
Pickford, B., see *Pickford*, P., et al.
Pickford, P., B. *Pickford*, and W. *Tarboton*, African birds of prey (rev.), 458
Picoides borealis, 200–201, 419–422
P. nuttallii, 303–313
P. pubescens, 405–417
P. villosus, 405–417
Piersma, Theunis, and Nick C. Davidson, Commentary: Confusions of mass and size, 441–443; see *Ens*, B. J., et al.
Pigmentation of *Larus argentatus*, 329–340; *L. cachinnans*, 329–339; *L. hyperboreus*, 329–340; *Nannospitta dachilleae*, 226–227, 229; *Spreo bicolor*, 53–58
Pintail, Northern, 934–940
Pipilo erythrourhynchus, 264–274
Pipit, Meadow, 350–354
Pipra mentalis, 114–124, 129
Piprites griseiceps, 114–124, 129
Piranga rubra, 114–124, 129
Pitangus sulphuratus, 114–124, 129
Pitocchelli, Jay, see *Martin*, Jean-Louis, and ———
Place, Allen R., Paul Sievert, and Ronald G. Butler, The volume of stomach oils increases during pre-fledging weight loss in Leach's Storm-Petrel (*Oceanodroma leucorhoa*) chicks, 709–711
Platyrinchus coronatus, 114–124, 129
Plumages (see *Molts* and ———)
Plumeleteer, Bronze-tailed, 114–124, 128
Polyandry (see *Mating systems*)
Polygamy (see *Mating systems*)
Polygyny (see *Mating systems*)
Power, D. M. (Ed.), Current ornithology, vol. 7 (rev.), 459
Power, Harry W., see *Stouffer*, Philip C., and ———
Prairie-Chicken, Greater, 896–902, 903
Predation by *Arenaria interpres*, 904–908; *Bubo virginianus*, 655, 658; *Larus argentatus*, 906
Predation on *Actitis macularia*, 904–908; *Agelaius phoeniceus*, 18, 20, 22; *Cistothorus palustris*, 171, 172; *Forpus passerinus*, 865; *Merops bullockoides*, 682; *Myiarchus cinerascens*, 40; *Parabuteo unicinctus*, 655, 658; *Petroica multicolor*, 190–194; *Phaethon lepturus*, 915, 916–917, 920; *Pholidonyris nigra*, 103–104, 104–105; *P. novaehollandiae*, 103–104, 104–105; *Sialia mexicana*, 40; *Sphyrapicus thyroides*, 409; *Sterna hirundo*, 904–908; *Tachycineta bicolor*, 719–722; *Xanthocephalus xanthocephalus*, 18, 20, 22
Prince Edward Island, 89–97, 319–326, 329–340
Prince, Peter A., see *Harrison*, Nancy M., et al.
Prion, Antarctic, 790–798, 801–808; Fairy, 688–693
Procellaria aequinoctialis, 790–798, 801–808
Procter-Gray, Elizabeth, Female-like plumage of sub-adult male American Redstarts does not reduce aggression from other males, 872–879
Pruett-Jones, S. G., review by, 737–739
Prunella modularis, 350–354
Pteroglossus torquatus, 114–124, 128
Ptilochronology, 695–703, 725–727, 889–894
Puerto Rico, 911–921
Puffbird, White-whiskered, 114–124, 128
Puffin, Atlantic, 755–761
Puffinus gravis, 801–808
P. griseus, 801–808
Pygoscelis adeliae, 790–798
P. papua, 801–808
Pyke, Graham H., see *Armstrong*, Doug P., and ———
Pyle, Peter, Larry B. Spear, William J. Sydeman, and David G. Ainley, The effects of experience and age on the breeding performance of Western Gulls, 25–33
Quail-Dove, Olive-backed, 114–124, 128; Ruddy, 114–124, 128
Quebec, 977–980
Quinn, Thomas W., Gerald F. Shields, and Allan C. Wilson, Affinities of the Hawaiian Goose based on two types of mitochondrial DNA data, 585–593
Raikow, Robert J., review by, 985–987
Rail, Roviana, 461–469
Rakonczay, Zoltán (Ed.), Vörös Könyv [Red data book of Hungary] (rev.), 221
Ralph, C. John, reviews by, 1005–1007
Ramphocænus melanurus, 114–124, 129
Ramphocelus passerinii, 114–124, 129
R. sanguinolentus, 114–124, 129
Ramphastos sulfuratus, 114–124, 128
Ratcliffe, Laurene M., see *Schluter*, Dolph, et al.; see *Seutin*, Gilles, et al.
Recurvirostra americana, 771–777, 778
Redpoll, Common, 166–169
Redstart, American, 147–151, 872–878
Redwing, 350–354

- Reed, J. Michael, see Alberico, Julie A. R., et al.
- Reed-Bunting, Common, 350-354
- Regulus calendula*, 880-887
- R. satrapa*, 880-887
- Remsen, J. V., Jr., and Melvin A. Traylor Jr., An annotated list of the birds of Bolivia (rev.), 445-446
- Rhynchoscyllus brevirostris*, 114-124, 129
- Rhytipterna holerythra*, 114-124, 129
- Ricklefs, Robert E., review by, 445-446
- Ridgely, Robert S., review by, 445-446
- Robin, American, 230-245, 248-249, 965-966; Clay-colored, 114-124, 129; Pale-vented, 114-124, 129; Scarlet, 190-194
- Robinson, Kathryn D., and John T. Rotenberry, Clutch size and reproductive success of House Wrens rearing natural and manipulated broods, 277-284
- Roby, Daniel D., A comparison of two noninvasive techniques to measure total body lipid in live birds, 509-518; Diet and postnatal energetics in convergent taxa of plankton-feeding seabirds, 131-146
- Rohwer, Frank C., Commentary: Response to T. M. Blackburn, 211-213
- Root, Terry, and Peter Stacey, Editorial: The conservation crisis, 199; see Stacey, Peter B., and —
- Rootes, William L., see Zink, Robert M., et al.
- Rosenberg, K. V., R. D. Ohmart, W. C. Hunter, and B. W. Anderson, Birds of the lower Colorado River valley (rev.), 1008
- Røskoft, Eivin, see Moksnes, Arne, et al.
- Rotenberry, John T., see Robinson, Kathryn D., and —
- Rowley, Ian, Behavioral ecology of the Galah (rev.), 745-746; see Payne, R. B., et al.
- Russell, E. M., see Payne, R. B., et al.
- Safriel, Uriel N., see Shkedy, Yehoshua, and —
- Saltator, Buff-throated, 114-124, 130
- Saltator maximus*, 114-124, 130
- Sanderling, 771-777, 778
- Sandpiper, Spotted, 904-908, 946-949, 950; Stilt, 771-777, 778; Western, 771-777, 778
- Santa Barbara Software Products, North American/World Birdbase, Version 2 (rev.), 456
- Sapsucker, Red-naped, 405-417; Williamson's, 405-417
- Saskatchewan, 89-97, 294-301
- Sauer, John R., and Sam Droege (Eds.), Survey designs and statistical methods for the estimation of avian population trends (rev.), 1005-1006
- Saunders, Sari, see Keast, Allen, and —
- Savard, Jean-Pierre L., G. E. John Smith, and J. N. M. Smith, Duckling mortality in Barrow's Golden-eye and Bufflehead broods, 568-577
- Schaffner, Fred Charles, Nest-site selection and nesting success of White-tailed Tropicbirds (*Phaethon lepturus*) at Cayo Luis Peña, Puerto Rico, 911-922
- Schluter, Dolph, Laurene M. Ratcliffe, and Peter R. Grant, Commentary: The taxonomic status of the small Genovesa ground-finch in the Galápagos, 201-204
- Schmidt-Koenig, K., see van den Elzen, R., et al.
- Schroeder, Michael A., Movement and lek visitation by female Greater Prairie-Chickens in relation to predictions of Bradbury's female preference hypothesis of lek evolution, 896-903
- Schuchmann, K.-L., see van den Elzen, R., et al.
- Schulenberg, Thomas S., and Douglas F. Stotz, The taxonomic status of *Myrmeciza stictothorax* (Todd), 731-733
- Sclerurus guatemalensis*, 114-124, 128
- Scotland, 755-761
- Scott, Thomas A., and Michael L. Morrison, Natural history and management of the San Clemente Loggerhead Shrike (rev.), 457
- Sealy, Spencer G. (Ed.), Auks at sea (rev.), 996-999; see Hobson, Keith A., and —
- Seddon, Philip J., and Yolanda van Heezik, Effects of hatching order, sibling asymmetries, and nest site on survival analysis of Jackass Penguin chicks, 548-555
- Seed-eater, Variable, 114-124, 130
- Seed-Finch, Thick-billed, 114-124, 130
- Seegar, Janis K. D., see Buehler, David A., et al.
- Seiurus aurocapillus*, 114-124, 129, 147-151
- S. motacilla*, 114-124, 129
- S. noveboracensis*, 114-124, 129, 147-151
- Setophaga ruticilla*, 147-151, 872-878
- Seutin, Gilles, Peter T. Boag, Bradley N. White, and Laurene M. Ratcliffe, Sequential polyandry in the Common Redpoll (*Carduelis flammea*), 166-170
- Sex, determination of, 206-207
- Sex ratio of *Parabuteo unicinctus*, 662-663
- Sexual dimorphism of *Parus caeruleus*, 835-836, 837-838
- Shearwater, Greater, 801-808; Sooty, 801-808
- Shields, Gerald F., review by, 748; see Quinn, Thomas W., et al.
- Shiomi, Kouzi, see Ogi, Haruo, and —
- Shkedy, Yehoshua, and Uriel N. Safriel, Fat reserves of an opportunist and of a specialist species in the Negev Desert, 556-561
- Short, Lester L., Jennifer F. M. Horne, and Cecilia Muringo-Gichuki, Annotated check-list of the birds of East Africa (rev.), 743-744
- Shoveler, Northern, 934-940
- Shutler, Dave, see Weatherhead, Patrick J., et al.
- Sialia mexicana*, 34-40, 405-417
- Sibley, Charles G., and Jon E. Ahlquist, Phylogeny and classification of birds: a study in molecular evolution (rev.), 985-994
- Sicklebill, White-tipped, 114-124, 128
- Siegfried, W. Roy, see Williams, Joseph B., et al.
- Sievert, Paul R., see Anderson, David J., et al.; see Place, Allen R., et al.
- Sitta canadensis*, 405-417
- S. carolinensis*, 405-417
- S. pygmaea*, 173-174, 175-176, 405-417
- Skua, Southern, 801-808

- Sloane, Sarah A., review by, 449–451
- Smith, G. E. John, see Savard, Jean-Pierre L., et al.
- Smith, J. N. M., see Savard, Jean-Pierre L., et al.
- Smith, Thomas Bates, review by, 216–218
- Snell, Richard R., Interspecific allozyme differentiation among North Atlantic white-headed larid gulls, 319–328; Variably plumaged Icelandic Herring Gulls reflect founders not hybrids, 329–341
- Snowcap, 114–124, 128
- Solomon Islands, 461–469
- Somateria mollissima*, 250–255
- Song (see Vocalizations)
- Sooty-Albatross, Light-mantled, 790–798
- Soper, Tony, see Sparks, John, and —
- South Africa, 53–58, 548–554
- South Carolina, 723–725
- Spadebill, Golden-crowned, 114–124, 129
- Sparks, John, and Tony Soper, Parrots: a natural history (rev.), 747–748
- Sparrow, Bachman's, 723–725; Black-striped, 114–124, 130; Field, 42–50, 355–361; Golden-crowned, 578–583, 584; Harris', 578–583, 584; Orange-billed, 114–124, 130; Rufous-collared, 432–436, 578–583, 584; Savannah, 185–186; White-crowned, 578–583, 584, 695–703; White-throated, 8–14, 355–361, 578–583, 584
- Spear, Larry B., see Pyle, Peter, et al.
- Speciation, 326
- Spectrograms of *Catharus fuscescens*, 978; *Malurus elegans*, 813; *Spizella pusilla*, 45
- Speich, Steven M., and Terence R. Wahl, Catalog of Washington seabird colonies (rev.), 221–222
- Speir, T. W., see Mizutani, Hiroshi, et al.
- Spheniscus demersus*, 548–554
- S. magellanicus*, 923–932
- Sphyrapicus thyroides*, 405–417
- S. varius*, 405–417
- Spinetail, Slaty, 114–124, 128
- Spizella pusilla*, 42–50, 355–361
- Spofford, Sally H., see Spofford, Walter R., and —
- Spofford, Walter R., and Sally H. Spofford, review by, 739–741
- Sporophila aurita*, 114–124, 130
- Spreo bicolor*, 53–58
- Stacey, Peter, and Walter D. Koenig (Eds.), Cooperative breeding in birds: long-term studies of ecology and behavior (rev.), 449–451; and Terry L. Root, Commentary: The conservation crisis: A proposed new federal agency for research on the environment, 734–735; see Root, Terry, and —
- Stap, Don, A parrot without a name: the search for the last unknown birds on earth (rev.), 748
- Starling, African Pied, 53–58; European, 519–529, 889–894
- Statistical and analytical methods (see also Census methods; Genetics, techniques; Ptilochronology), 3–4, 432–436, 441–442, 443–444, 695–703, 853–861, 942–951, 956–957, 959, 960–963, 967–968
- Steidl, Robert J., and Curtice R. Griffin, Growth and brood reduction of mid-Atlantic coast Ospreys, 363–370
- Sterna hirundo*, 904–908
- S. paradisea*, 790–798
- Stokes, Allen W., In memoriam: David Finley Barth, 707
- Stokes, David L., and P. Dee Boersma, Effects of substrate on the distribution of Magellanic Penguin (*Spheniscus magellanicus*) burrows, 923–933
- Storm-Petrel, Black-bellied, 801–808; Leach's, 709–711; Wilson's, 801–808
- Stotz, Douglas F., see Schulenberg, Thomas S., and —
- Stouffer, Philip C., and Harry W. Power, An experimental test of the brood-reduction hypothesis in European Starlings, 519–531; see White, Douglas W., et al.
- Stuart, Simon, see Norton, John, et al.
- Sturnus vulgaris*, 519–529, 889–894
- Suhonen, Jukka, see Kuitunen, Markku, and —
- Sula leucogaster*, 260–262
- Swallow, Barn, 956–957; Tree, 177–179, 393–401, 719–722
- Swanson, Gustav A., In memoriam: Kai Curry-Lindahl, 953–954
- Sweden, 250–255
- Sweijd, Neville, and Adrian J. F. K. Craig, Histological basis of age-related changes in iris color in the African Pied Starling (*Spreo bicolor*), 53–59
- Sydemian, William J., Facultative helping by Pygmy Nuthatches, 173–176; see Pyle, Peter, et al.
- Sylvia atricapilla*, 350–354
- S. borin*, 350–354
- Synallaxis brachyura*, 114–124, 128
- Taberlet, Pierre, and Jean Bouvet, A single plucked feather as a source of DNA for bird genetic studies, 959–960
- Tachycineta bicolor*, 177–179, 393–401, 719–722
- Tachyphonus delatrii*, 114–124, 129
- T. luctuosus*, 114–124, 129
- Tanager, Blue-gray, 114–124, 129; Crimson-collared, 114–124, 129; Dusky-faced, 114–124, 129; Golden-masked, 114–124, 129; Olive, 114–124, 129; Scarlet-rumped, 114–124, 129; Summer, 114–124, 129; Tawny-crested, 114–124, 129; White-shouldered, 114–124, 129
- Tangara larvata*, 114–124, 129
- Taraba major*, 114–124, 128
- Tarboton, W., see Pickford, P., et al.
- Taxonomy of Anatini, 471–488, 493–507; *Branta bernicla*, 585–592; *B. canadensis*, 585–592; *Bubo virginianus*, 964–965; *Calidris alba*, 771–777; *C. canutus*, 771–777; *C. himantopus*, 771–777; *C. mauri*, 771–777; *Chen canagica*, 585–592; *Fratercula arctica*, 761; *Gallirallus roviana*, 464–465; *Geospiza difficilis*, 201–204, 204–206; *G. fuliginosa*, 201–204, 204–206; *Limnodromus griseus*, 771–777; *Myrmeciza sticto-*

- thorax*, 731-733; ***Nannopsittaca dachilleae***, 226; *Nesochen sandvicensis*, 585-592; *Phalaropus fulicaria*, 771-777; *P. lobatus*, 771-777; *P. tricolor*, 771-777; *Recurvirostra americana*, 771-777; *Tringa melanoleuca*, 771-777; *Zonotrichia albicollis*, 578-583; *Z. atricapilla*, 578-583; *Z. capensis*, 578-583; *Z. leucophrys*, 578-583; *Z. querula*, 578-583
- Taylor, Jan R. E., see Gabrielsen, Geir Wing, et al.
- Taylor, Rebecca L., Stanley A. Temple, and David M. Bird, Nutritional and energetic implications for raptors consuming starving prey, 716-719
- Tazawa, Hiroshi, Osamu Kuroda, and G. Causey Whitlow, Noninvasive determination of embryonic heart rate during hatching in the Brown Noddy (*Anous stolidus*), 594-601
- Teal, Blue-winged, 934-940
- Techniques, activity recorder, 257-262
- Temple, Stanley A., see Taylor, Rebecca L., et al.
- Terenotriccus erythrurus*, 114-124, 129
- Tern, Arctic, 790-798; Common, 904-908
- Territory of *Parabuteo unicinctus*, 665, 667; *Tympanuchus cupido*, 896-902, 903
- Texas, 853-861
- Thalassoica antarctica*, 790-798
- Thalurania colombica*, 114-124, 128
- Thamnophilus punctatus*, 114-124, 128
- Thompson, Charles F., see Drilling, Nancy E., and —
- Thompson, John D., and Guy A. Baldassarre, Activity patterns of Nearctic dabbling ducks wintering in Yucatan, Mexico, 934-941
- Thraupis episcopus*, 114-124, 129
- Threnetes ruckeri*, 114-124, 128
- Thrush, Gray-cheeked, 114-124, 129; Song, 350-354; Swainson's, 114-124, 129; Wood, 114-124, 129
- Thryothorus atrogularis*, 114-124, 129
- T. nigricapillus*, 114-124, 129
- Tiersch, Terrence R., Ronald L. Mumme, Robert W. Chandler, and Dean Nakamura, Commentary: The use of flow cytometry for rapid identification of sex in birds, 206-208
- Tinamou, Little, 114-124, 128
- Tit, Blue, 820-829, 833-840, 968; Great, 187-189
- Tityra, Masked, 114-124, 129
- Tityra semifasciata*, 114-124, 129
- Tolmomyias assimilis*, 114-124, 129
- Tordoff, Harrison B., In memoriam: Robert M. Mengel, 161-164
- Toucan, Keel-billed, 114-124, 128
- Towhee, Rufous-sided, 264-274
- Trapp, John L., David A. Wiedenfeld, Hugh A. Ford, and Robert D. Magrath (Eds.), Recent Ornithological Literature supplement, 1A-63A, 1B-41B, 1C-46C, 1D-69D
- Traylor, Melvin A., Jr., see Remsen, J. V., Jr., and —
- Treecreeper, Common, 180-183
- Tringa melanoleuca*, 771-777, 779
- Troglodytes aedon*, 60-69, 277-283, 405-417, 728-730
- Trogon, Black-throated, 114-124, 128
- Trogon rufus*, 114-124, 128
- Tropicbird, White-tailed, 911-921
- Tucker, Vance A., The effect of molting on the gliding performance of a Harris' Hawk (*Parabuteo unicinctus*), 108-113; Stereoscopic views of three-dimensional, rectangular flight paths in descending African White-backed Vultures (*Gyps africanus*), 1-7
- Turdus grayi*, 114-124, 129
- T. iliacus*, 350-354
- T. merula*, 350-354
- T. migratorius*, 230-245, 248-249, 965-966
- T. obsoletus*, 114-124, 129
- T. philomelos*, 350-354
- T. pilaris*, 350-354
- Turnstone, Ruddy, 904-908
- Tympanuchus cupido*, 896-902, 903
- Tyrannulet, Yellow, 114-124, 128
- Tyrannus tyrannus*, 114-124, 129
- Udvardy, Miklos D. F., reviews by, 221, 222
- Uria aalge*, 184-185
- U. lomvia*, 184-185
- Vagvolgyi, Joseph, and Maria W. Vagvolgyi, Commentary: Response to Schluter, Ratcliffe, and Grant, 204-206
- Vagvolgyi, Maria W., see Vagvolgyi, Joseph, and —
- van den Elzen, R., K.-L. Schuchmann, and K. Schmidt-Koenig (Eds.), Current topics in avian biology. Proceedings of the International Centennial Meeting of the Deutsche Ornithologen-Gesellschaft 1988. Supplement to the *Journal für Ornithologie* (rev.), 746
- van Heezik, Yolanda, see Seddon, Philip J., and —
- van Rhijn, Johan G., The Ruff (rev.), 1007-1008
- Veery, 977-980
- Veit, Richard R., and George L. Hunt Jr., Broadscale density and aggregation of pelagic birds from a circumnavigational survey of the Antarctic Ocean, 790-800; see Harrison, Nancy M., et al.
- Venezuela, 863-870
- Vermivora peregrina*, 147-151
- V. pinus*, 114-124, 129
- Virginia, 371-379
- Vleck, Carol Masters, Nora A. Mays, James W. Dawson, and Arthur R. Goldsmith, Hormonal correlates of parental and helping behavior in cooperatively breeding Harris' Hawks (*Parabuteo unicinctus*), 638-648; see Mays, Nora A., et al.
- Vocalizations, 203, 228, 443-444, 582, 977-980; variety of, 42-50, 187-189
- Vocalizations of *Cathartes fuscescens*, 977-980; *Geospiza difficilis*, 203; ***Nannopsittaca dachilleae***, 228; *Parus major*, 187-189; *Spizella pusilla*, 42-50; *Zonotrichia capensis*, 582; *Z. leucophrys*, 582; *Z. querula*, 582
- Vulture, White-backed, 1-6

- Wagtail, Gray, 427–429; White, 350–354; Yellow, 350–354
- Wahl, Terence R., see Speich, Steven M., and —
- Wales, 427–429
- Waltman, James R., see Beissinger, Steven R., and —
- Warbler, Bay-breasted, 114–124, 129; Black-and-white, 147–151; Blackpoll, 147–151; Blue-winged, 114–124, 129; Buff-rumped, 114–124, 129; Canada, 114–124, 129; Chestnut-sided, 114–124, 129; Garden, 350–354; Icterine, 350–354; Hooded, 114–124, 129; Kentucky, 114–124, 129; Magnolia, 147–151; Mourning, 114–124, 129, 147–151; Prairie, 264–274, 945; Tennessee, 147–151; Willow, 350–354; Wilson's, 147–151; Worm-eating, 114–124, 129; Yellow, 196–197; Yellow-rumped, 147–151
- Warham, John, The petrels: their ecology and breeding systems (rev.), 1003
- Warheit, Kenneth I., review by, 447–449
- Warkentin, Ian G., Paul C. James, and Lynn W. Oliphant, Influence of site fidelity on mate switching in urban-breeding Merlins (*Falco columbarius*), 294–302
- Washington, 381–390, 602–609
- Wasserman, Fred E., see Morimoto, David C., et al.
- Waterthrush, Louisiana, 114–124, 129; Northern, 114–124, 129, 147–151
- Watts, Bryan D., see Dunning, John B., Jr., and —
- Waxwing, Cedar, 177–179
- Weary, Daniel M., How Great Tits use song-note and whole-song features to categorize their songs, 187–190; Ronald G. Weisman, Robert E. Lemon, Tina Chin, and Johanne Mongrain, Use of the relative frequency of notes by Veeries in song recognition and production, 977–981
- Weather, influence on (see Environment, influence on)
- Weatherhead, Patrick J., The adaptive value of thick-shelled eggs for Brown-headed Cowbirds, 196–198; Gordon F. Bennett, and Dave Shutler, Sexual selection and parasites in wood-warblers, 147–152; Robert D. Montgomerie, and Susan B. McRae, Egg-laying times of American Robins, 965–967
- Weights (see Mass and measurements)
- Weisman, Ronald G., see Weary, Daniel M., et al.
- Weller, Susan J., see Zink, Robert M., and —
- Wheelwright, Nathaniel T., and F. Blinn Dorsey, Short-term and long-term consequences of predator avoidance by Tree Swallows (*Tachycineta bicolor*), 719–723
- Wheye, D., see Ehrlich, P. R., et al.
- White, Bradley N., see Seutin, Gilles, et al.
- White, Douglas W., E. Dale Kennedy, and Philip C. Stouffer, Feather regrowth in female European Starlings rearing broods of different sizes, 889–895
- White, R. W. G., see Ovenden, J. R., et al.
- Whitehouse, Michael J., see Harrison, Nancy M., et al.
- Whittington, P., see Marchant, J. H., et al.
- Whittow, G. Causey, see Tazawa, Hiroshi, et al.
- Wiedenfeld, David A., review by, 456–457; see Trapp, John L., et al.
- Wigeon, American, 934–940; Chiloe, 969–972
- Wilds, Claudia P., review by, 446–447
- Wiley, R. Haven, Both high- and low-ranking White-throated Sparrows find novel locations of food, 8–15
- Williams, Joseph B., Morné A. du Plessis, and W. Roy Siegfried, Green Woodhoopoes (*Phoeniculus purpureus*) and obligate cavity roosting provide a test of thermoregulatory insufficiency hypothesis, 285–293
- Wilson, Allan C., see Quinn, Thomas W., et al.
- Wilsonia canadensis*, 114–124, 129
- W. citrina*, 114–124, 129
- W. pusilla*, 147–151
- Wolf, Licia, Ellen D. Ketterson, and Val Nolan Jr., Female condition and delayed benefits to males that provide parental care: a removal study, 371–380
- Wolff, W. J., see Ens, B. J., et al.
- Woodcreeper, Barred, 114–124, 128; Buff-throated, 114–124, 128; Plain-brown, 114–124, 128; Spotted, 114–124, 128; Wedge-billed, 114–124, 128
- Woodhaunter, Striped, 114–124, 128
- Woodhoopoe, Green, 285–292
- Woodnymph, Crowned, 114–124, 128
- Woodpecker, Acorn, 79–86, 405–417; Chestnut-colored, 114–124, 128; Downy, 405–417; Hairy, 405–417; Nuttall's, 303–313; Red-cockaded, 200–201, 419–422
- Wood-Wren, White-breasted, 114–124, 129
- Wrege, Peter H., and Stephen T. Emlen, Breeding seasonality and reproductive success of White-fronted Bee-eaters in Kenya, 673–687
- Wren, Bay, 114–124, 129; Black-throated, 114–124, 129; House, 60–69, 277–283, 405–417, 728–730; Marsh, 170–173; Nightingale, 114–124, 129; Song, 114–124, 129
- Wust-Saucy, A., see Ovenden, J. R., et al.
- Xanthocephalus xanthocephalus*, 16–23
- Xenops minutus*, 114–124, 128
- Xenops*, Plain, 114–124, 128
- Xiphorhynchus erythropygius*, 114–124, 128
- X. guttatus*, 114–124, 128
- Ydenberg, R. C., see Bertram, D. F., et al.
- Yellowhammer, 350–354
- Yellowlegs, Greater, 771–777, 779
- Yellowthroat, Common, 264–274; Olive-crowned, 114–124, 129
- Yoerg, Sonya I., and John O'Halloran, Dipper nestlings fed by a Gray Wagtail, 427–429
- Zink, Robert M., Donna L. Dittmann, and William L.

- Rootes, Mitochondrial DNA variation and the phylogeny of *Zonotrichia*, 578–584; and Susan J. Weller, review by, 452–455; see Dittmann, Donna L., and ———
- Zonotrichia albicollis*, 8–14, 355–361, 578–583, 584
- Z. atricapilla*, 578–583, 584
- Z. capensis*, 432–436, 578–583, 584
- Z. leucophrys*, 578–583, 584, 695–703
- Z. querula*, 578–583, 584
- Zwarts, L., see Ens, B. J., et al.

DATE OF ISSUE (Vol. 108, No. 4): 13 November 1991