

INDEX TO VOLUME XXVI

A

- Abbott, Clinton G., period of incubation of the golden eagle, 194
- Accipiter, 141
 cooperi, 147, 185
 velox, 99, 185
- Acridotheres tristis, 125, 127
- Acrocephalus familiaris, 177
- Aegialitis nivosa, 147
- Aeronautes melanoleucus, 70, 148, 186
- Aethiopsar cristatellus, 123, 132
 fuscus, 127
- Agelaius phoeniceus caurinus, 182
 phoeniceus californicus, 101
 phoeniceus fortis, 187
 phoeniceus neutralis, 149
 phoeniceus sonoriensis, 192
- Aimophila ruficeps, 71
 ruficeps ruficeps, 150
- Aix sponsa, 41
- Albatross, 33, 34
 Black-footed, 33, 34
 Royal, 72
 Short-tailed, 34
 Wandering, 72
- Aluco pratincola, 70, 100
- Amphispiza, 142
 belli, 150
 bilineata deserticola, 196
 nevadensis canescens, 150
 nevadensis nevadensis, 189
- Anas, 205
- Anser, 180
 albifrons gambeli, 181
- Anthony, A. W., the raided rookeries of Laysan, 33
- Anthus rubescens, 78, 103, 189, 230
- Aphelocoma californica californica, 101, 149
 woodhousei, 186
- Aquila, 179
 chrysaetos, 100, 148, 181, 186, 194
- Archibuteo ferrugineus, 74, 186, 213
 lagopus sancti-johannis, 74
- Archilochus alexandri, 100, 149, 229
- Arenaria melanocephala, 35, 69
- Asio flammeus, 181
 wilsonianus, 146, 148
- Astragalinus lawrencei, 150
 psaltria hesperophilus, 70, 102, 150, 188, 226
 tristis salicamans, 150
- Astur atricapillus, 185
 atricapillus striatulus, 99
- Asyndesmus lewisi, 100, 181, 186
- Auklet, Cassin, 35, 68
- Auriparus flaviceps, 153
- Averill, Chas. K., vigor, distribution, and pigmentation of the egg, 140
- Avocet, 91

B

- Baeolophus inornatus griseus, 190
 inornatus inornatus, 103, 152
- Bailey, Alfred M., four species new to North America, 195
- Bancroft, Griffing, the Gambel quail in San Diego, 229
- Bassett, F. N., are the feet of the western gull ever yellow, 72; references to feeding habits of certain birds, 106; the Anna hummingbird takes a shower bath, 227
- Beck, R. H., communication, 203
- Benjamin, Elbert, a third white-throated sparrow banded, 197
- Bernicla gambeli, 192
- Bicknell, Mrs. F. T., golden plover on the southern California coast, 77
- Bird, Red-tailed Tropic, 34
 Tropic, 34
- Bird banders, with the, 155, 197, 231
- Bittern, Least, 206
- Blackbird, 85, 124, 126, 142, 189
 Bi-colored Red-winged, 101
 Brewer, 48, 101, 187, 201
 Northwestern Red-winged, 182
 Red-winged, 22, 86, 94, 95, 98, 99, 101, 109
 Sonora Red-winged, 192
 Thick-billed Red-winged, 187
 Tri-colored Red-winged, 199
 Yellow-headed, 94, 98, 101, 187, 199
- Bluebird, 95, 125, 189
 Chestnut-backed, 190
 Eastern, 110
 Mountain, 190
 Western, 21, 104, 228
- Bobolink, 85, 94, 98, 111, 126, 215, 216
- Bobwhite, 86
- Bombycilla cedrorum, 77, 103, 111, 189
 garrula, 76, 77, 102
- Booby, Brewster, 74
- Boucard, Adolphe, communication concerning, 38
- Brachyramphus hypoleucus, 68, 147
 marmoratus, 180
- Branta bernicla, 179
 canadensis, 178, 179
 canadensis hutchinsi, 181
 canadensis minima, 178
 dickeyi, 179
 hypsibata, 178
 meniscula, 178
 propinqua, 178
- Brooks, Allan, two new sandpiper records for California, 37; crow-shooting contests, 202
- Brooks, W. Sprague, an additional note on the "following" habit in hawks, 105

- Bryant, Harold C., escaped foreign cage
 bird survives winter, 154; review
 of Forbes and Gross on distribution
 of Illinois land birds, 157; Sacra-
 mento's western martin colony, 195
Bubo virginianus, 106, 186, 220, 221, 222,
 223, 224, 225
 virginianus pacificus, 100, 148
 Buffle-head, 46, 88, 116
 Bunting, Cow, 94
 Indigo, 95
 Lazuli, 71, 102, 215
 Bush-tit, 142
 California, 104
 Lead-colored, 190
 Butcher-bird, 226
Buteo, 141
 borealis calurus, 69, 100, 148, 186
 lineatus elegans, 148
Butorides virescens anthonyi, 147
 Buzzard, Turkey, 28

C

Calcarius ornatus, 188
Calidris canutus, 91
 tenuirostris, 195
Callothrux robustus, 142
Calypte anna, 70, 100, 149, 226, 227
 costae, 70, 149
 Cardinal, 209, 211
Carpodacus cassini, 75, 101, 187
 mexicanus clementis, 70
 mexicanus frontalis, 101, 150, 187
Casmerodius alba egretta, 202
Cathartes aura septentrionalis, 99, 114,
 147
Catherpes mexicanus conspersus, 189
 mexicanus punctulatus, 32, 71, 112,
 152
Catoptrophorus semipalmatus inornatus,
 216
Centrocerus urophasianus, 111
Cerchneis, 205
 sparverius, 35
Certhia familiaris montana, 190, 229
 familiaris occidentalis, 182
 familiaris zelotes, 103
Ceryle alcyon, 106
 alcyon caurina, 100
Chaemepelia passerina pallescens, 147
Chaetura vauxi, 6
 Chaffinch, 88
Chamaea fasciata henshawi, 104, 152
 Chambers, W. Lee, another flight of Har-
 ris hawks, 75
 Chaney, Ralph W., breeding condition of
 the murrens on the Farrallones in
 June, 1923, 30
Charadrius dominicus dominicus, 78
 Chat, 96
 Long-tailed, 103
 Sand, 96
Chaulelasmus, 205
Chen hyperboreus hyperboreus, 181
 Chickadee, Bailey Mountain, 112
 Chestnut-backed, 105
 Mountain, 104, 142, 190
 Oregon, 105
 Chicken, Prairie, 86, 87
Chondestes grammacus strigatus, 102,
 150, 188
Chordeiles, 100
 acutipennis texensis, 3, 6, 148
 Chuck-will's-widow, 141
Cinclus mexicanus unicolor, 103
Circus hudsonius, 185
 Clabaugh, Ernest D., western bluebird
 nesting in Berkeley, 228
Coccyzus americanus americanus, 229
 americanus occidentalis, 36, 148, 229
 erythropthalmus, 111
Colaptes auratus borealis, 181
 cafer collaris, 70, 100, 148, 186
 chrysoides, 148
Columba fasciata fasciata, 99, 185
 Condor, California, 111, 153, 192, 201
Conopodera familiaris, 177
 kingi, 177
 Coot, 96, 109
 American, 185, 226
 Cormorant, 28, 30
 Brandt, 67, 69
 Farallon, 67, 69
Corvus brachyrhynchos hesperis, 101, 149
 caurinus, 72
 corax sinuatus, 70, 149, 187
 cryptoleucus, 105
 Coucal, Aldabra, 205
 Cowbird, 85, 208
 Red-eyed, 142
 Crane, 174
 Sandhill, 208, 216
 Creeper, 33
 California, 182
 Rocky Mountain, 190, 229
 Sierra, 103
 Crossbill, Sierra, 102
 Crow, 68, 85, 94, 127, 202
 Northwestern, 72
 Western, 101
Cryptoglaux acadica, 181
 Cuckoo, Black-billed, 111
 California, 36
 Yellow-billed, 229
 Curlew, Long-billed, 76, 92, 216
Cyanocephalus cyanocephalus, 101, 187
Cyanocitta stelleri annexens, 186
 stelleri diademata, 186
 stelleri frontalis, 101
 stelleri stelleri, 186
Cygnus columbianus, 179
 coscoroba, 180

D

Dafila acuta acuta, 195
 acuta tzitzihua, 88

- Davis, John M., notes from Eureka, California, 105
- Dendragapus obscurus howardi, 36
 obscurus sierrae, 99
- Dendrocygna fulva, 192
- Dendroica, 141, 142
 aestiva, 189
 aestiva brewsteri, 103, 151
 auduboni auduboni, 71, 103, 189, 194
 coronata hooveri, 103, 182
 nigrescens, 103, 105, 151, 189
 townsendi, 103
- Dewar, John M., notice of his book "the bird as a diver," 234
- Dickissel, 228
- Dickey, Donald R. (with A. J. van Rossem), a correction, 36; the status of the Florida gallinule of western North America, 93; notes on certain horned larks in California, 110
- Diomedea, 34
 albatrus, 33, 34
 exulans, 72
 immutabilis, 34
 nigripes, 33, 34
 regia, 72
- Dipper, American, 103
- Dixon, Joseph, nesting of the wood duck in California, 41; California condors breed in captivity, 192; early nesting of the junco on the Berkeley campus, 197.
- Dolichonyx oryzivorus, 111, 215
- Dove, 130
 Mourning, 85
 Western Mourning, 69, 76, 99, 181, 185
- Dowitcher, 90, 92
 Long-billed, 91
- Dryobates arizonae, 76
 nuttalli, 100, 148
 pubescens turati, 100, 148
 scalaris cactophilus, 148
 villosus hyloscopus, 100
 villosus leucothorectis, 186
 villosus orius, 181
- Duck, 88, 89, 95, 108, 174, 181
 Black, 194
 Buffle-head, 46, 88
 Canvas-back, 201
 Fulvous Tree, 11, 204
 Greater Scaup, 180
 Mallard, 194, 205
 Northern Eider, 88
 Old Squaw, 95
 Pintail, 88
 Redhead, 201
 Ruddy, 32, 76, 185
 Surf, 95
 Wood, 88, 89, 95, 108, 174, 181
- E
- Eagle, Golden, 100, 141, 146, 181, 186, 194
 Southern Bald, 70
- Egret, American, 22, 202
 White, 96
- Ellis, Ella H., American redstart in Los Angeles, 30
- Empidonax difficilis, 14
 difficilis difficilis, 101, 149
 griseus, 101, 117, 186, 195, 196
 hammondi, 101
 trailli trailli, 149
 wrighti, 149, 196
- Engle, Earl T., late occurrence of the broad-tailed hummingbird in Colorado, 72
- Eophona melanura, 154
- Erismatura jamaicensis, 32, 76, 185
- Euphagus cyanocephalus, 101, 150, 187
- F
- Falco, 205
 columbarius, 186
 columbarius columbarius, 100
 columbarius suckleyi, 181
 mexicanus, 186
 peregrinus anatum, 70
 sparverius phalaena, 70, 148
 sparverius sparverius, 100, 186
- Falcon, 95, 141, 143
 Prairie, 186
- Fantail, 130
- Finch, 142, 143, 177
 Black Rosy, 78
 California Purple, 75, 101, 142
 Cassin Purple, 75, 101, 117, 142, 187
 Gray-crowned Rosy, 78
 Guadalupe House, 142
 House, 142, 187, 198, 232
 Purple, 142
 Rosy, 142
 San Clemente House, 70
 Sierra Nevada Rosy, 117
- Finley, William L. and Irene, changing habits of the Vaux swift and western martin, 6
- Flamingo, 94, 98
- Fleming, J. H., the California condor in Washington, 111
- Flicker, 26, 52, 86, 125
 Boreal, 181
 Red-shafted, 70, 100, 186
 Yellow-shafted, 181
- Flycatcher, Ash-throated, 70, 101
 Gray, 101, 117, 186, 195
 Hammond, 101, 195
 Olive-sided, 101
 Western, 14, 101
 Wright, 195
- Fringilla coelebs, 88
- Fulica americana, 185, 226
- G
- Gabrielson, Ira N., two Oregon water bird records of interest, 230
- Gallinago delicata, 175

- Gallinula chloropus cachinnans, 93
 Gallinule, Florida, 93
 Gavia immer, 143
 Geococcyx californianus, 100, 148
 Geothlypis trichas scirpicola, 152
 Gignoux, Claude, nesting of pigmy nut-hatches at Lake Tahoe, 31; mid-winter occurrence of black-crowned night heron near Gridley, California, 109; turkey vultures near Gridley, California, in mid-winter, 114
 Glaucidium gnoma californicum, 100, 181
 Gnatcatcher, Western, 104, 190
 Goldfinch, 85, 142
 Green-backed, 70, 75, 102, 188, 226
 Lawrence, 142
 Willow, 62, 208
 Goose, 85, 178
 Canada, 193
 Emperor, 181
 Hutchins, 181
 Snow, 181
 White-fronted, 181
 Goshawk, 185
 Sahara Chanting, 205
 Western, 99
 Grackle, 95, 142
 Purple, 94
 Rusty, 94
 Yellow-headed, 94
 Grebe, Eared, 205
 Western, 109
 Grinnell, J., a possible function of the whiteness of the breast in crevice-searching birds, 32; the subspecific status of the hermit thrushes breeding in the Humboldt Bay district, 73; review of second installment of Phillips' Duck Book, 79; review of Chapin's guide to the Preparation of Birds for Study, 82; an improved bird skin for class use, 107; [with H. S. Swarth] review of Dawson's Birds of California, 116; review of Sclater's systematic list of the birds of Africa, 204; review of Howell's Birds of Alabama, 205
 Grosbeak, Canton, 154
 Black-headed, 232
 Pacific Black-headed, 102
 Western Evening, 101, 148
 Grouse, 97
 Dusky, 141
 Sage, 111
 Sharp-tailed, 203
 Sierra, 99, 236
 Spruce, 98, 141
 Grus mexicana, 216
 Guinea-fowl, 176
 Guiraca caerulea lazula, 151
 Gull, 30, 91, 94, 141, 173
 California, 68
 Glaucous-winged, 68
 Heermann, 67, 68, 192
 Mackerel, 106
 Red-billed, 106
 Sabine, 108
 Southern Black-backed, 106
 Western, 67, 68, 192
 Gymnogyps californianus, 153, 192
- H
- Haematopus bachmani, 69
 frazari, 69
 moquini, 205
 Haliaeetus leucocephalus leucocephalus, 70
 Hanna, Wilson C., some weights of eggs, 36; weights of about three thousand eggs, 146
 Hawk, 105
 American Sparrow, 35, 100
 Black Pigeon, 181
 Cooper, 185
 Cuban Sparrow, 141
 Desert Sparrow, 70
 Duck, 70, 205
 Ferruginous Rough-legged, 74, 186
 Harris, 75
 Hen, 95
 Marsh, 185
 Northern Pigeon, 181
 Pigeon, 105, 186, 205
 Red-bellied, 22
 Rough-legged, 74
 Sparrow, 34, 35, 86, 186, 205
 Western Red-tailed, 69, 100, 114, 186
 Hedges, Chas. F., the dickcissel and yellow-billed cuckoo in Montana, 228
 Heleodytes brunneicapillus couesi, 152
 Hen, Heath, 236
 Water, 96
 Henderson, A. D., the note of the ruddy, 32; the common loon in Alberta, 143
 Heron, 98, 174
 Black-crowned Night, 109
 White, 98
 Hesperiphona vespertina montana, 101, 182
 Heteractitis incanus, 69
 Hirundo erythrogaster, 71, 102, 189
 Hoffmann, Ralph, notes from the vicinity of Santa Barbara, 75; notes on the flight performance of the Wilson snipe, 175; breeding of the ancient murrelet in Washington, 191; song of the gray flycatcher, 195
 Honey-eater, 130
 Hornbill, Angola Yellow-beaked, 205
 Howell, A. B., the black phoebe as a fisherman, 191
 Huey, Laurence M., notes from southern and Lower California, 74; the natural end of a bird's life, 194; nup-

- tial flight of the black-chinned hummingbird, 229
 Hummingbird, 35, 94, 140
 Anna, 36, 70, 100, 101, 201, 226, 227, 229
 Black-chinned, 36, 100, 229
 Broad-tailed, 72
 Calliope, 101
 Costa, 70, 146, 229
 Rufous, 70, 100
 Husband, Rachel A., variability in *Bubo virginianus* from Rancho La Brea, 220
Hylocichla guttata guttata, 73, 74, 104
guttata nanus, 71, 73, 74, 104
guttata sequoiensis, 73, 153
guttata slevini, 73, 74
ustulata ustulata, 104, 153

I

- Ibis, 96
 Glossy, 96
Icteria virens longicauda, 103, 152
Icterus bullocki, 101, 150
cucullatus nelsoni, 150, 226
parisorum, 150
Iridoprocne bicolor, 189
Ixoreus naevius naevius, 104

J

- Jacana, 205
 Jay, 26, 68
 Blue, 85, 97
 Blue-fronted, 101
 California, 52, 101, 112
 Gray, 72
 Long-crested, 186
 Pinyon, 101, 187
 Woodhouse, 186
 Jewett, Stanley G., additional records of the European widgeon in Oregon, 32; three Oregon stragglers, 35; an intelligent crow, 72; additional records of alpine birds in Oregon, 78; the red-eyed vireo as a bird of Oregon, 227; the pipit nesting in Oregon, 230
Junco caniceps, 188
dorsalis, 188
hyemalis hyemalis, 188
mearnsi, 188
oreganus, 197
oreganus oreganus, 182
oreganus shufeldti, 75, 102, 182, 188
oreganus thurberi, 102, 150, 232
phaeonotus caniceps, 112
 Junco, 142, 197, 198
 Arizona, 142
 Gray-headed, 112, 188
 Intermediate, 102
 Oregon, 182
 Pink-sided, 188

- Red-backed, 188
 Shufeldt, 75, 182, 188
 Sierra, 102
 Slate-colored, 188
 Thurber, 232, 233, 234

K

- Kellogg, Mildred, western tanagers in Berkeley in midsummer, 227
 Kennard, Frederic H., some Arizona notes, 76
 Killdeer, 16, 85, 92, 185
 Kingbird, 28
 Eastern, 75
 Western, 70, 101, 181
 Kingfisher, 140
 Belted, 106
 Chocolate-backed, 205
 Western Belted, 100
 Kinglet, Ruby-crowned, 112, 117, 190
 Western Golden-crowned, 104, 181, 190
 Western Ruby-crowned, 104
 Kite, Mississippi, 205
 Swallow-tailed, 205
 White-tailed, 22
 Knot, 90, 91, 92
 Kofoid, Charles A., note on letter of Theodore Roosevelt concerning concealing and revealing coloration, 96

L

- Labarthe, Jules, destruction of inland nesting waterfowl, 108
Lanius borealis, 182
ludovicianus excubitorides, 189
ludovicianus gambeli, 75, 151, 226
Lanivireo solitarius cassini, 103, 151
 Lark, Desert Horned, 186
 Horned, 110
 Island Horned, 110
 Prairie Horned, 86
 Larus, 174
californicus, 68
dominicanus, 106
glaucescens, 68
heermanni, 68, 192
occidentalis, 68, 73, 147
scopulinus, 106
 Law, J. Eugene, California pelican in Arizona, 153; with the bird banders, 155, 197, 231
 Leopold, Aldo, coot caught by turtle, 226
 Leopold, Carl, do birds or other animals interpolate the third dimension, 191
Leucosticte atrata, 78
tephrocotis tephrocotis, 78
 Lily-trotter, 205
 Lincoln, Frederick C., banding notes on the migration of the pintail, 88
 Linnet, 32, 199
 California, 101

- Lobipes lobatus, 90, 231
 Longspur, Chestnut-collared, 142, 188
 Lapland, 142
 McCown, 142, 188
 Smith, 142
 Loon, Common, 143
 Lophodytes cucullatus, 74
 Lophortyx californica vallicola, 99, 147
 gambeli, 147, 229
 Lourie, Kivu, 205
 Loxia curvirostra bendirei, 102
 Low, George C., notice of his book "the literature of the Charadriiformes from 1894-1924", 234

M

- Macrorhamphus griseus scolopaceus, 91
 Magpie, 182, 203
 Yellow-billed, 101
 Mailliard, Joseph, autobiography of, 10;
 woodpeckers, pecan nuts, and squirrels, 30; sparrow hawk attacking robins, 34; a wintering ground of the Yolla Bolly fox sparrow, 112; some new records for northeastern California, 213
 Mallard, 194, 205
 Manorhina, 131
 Mareca, 205
 penelope, 32, 180
 Marila marila, 180
 Martin, 125
 Purple, 7, 128
 Western, 6, 7, 102, 195
 McAtee, W. L., do bird families have any permanency, 193
 Meadowlark, 99, 126, 301
 Rio Grande, 187
 Western, 70, 101, 187, 215
 Melanerpes formicivorus bairdi, 30, 100
 Melopelia asiatica trudeau, 147
 Melospiza coronatorum, 218
 fasciata clementae, 219
 fasciata graminea, 218
 melodia, 71, 217
 melodia caurina, 105
 melodia clementae, 217, 218, 219, 220
 melodia cooperi, 150, 217, 218, 219, 220
 melodia coronatorum, 218, 219, 220
 melodia graminea, 217, 218, 219, 220
 melodia merrilli, 102
 Merganser, American, 180
 Hooded, 74
 Mergus americanus, 180
 Miller, Alden H., the black-bellied plover at Buena Vista Lake, 106
 Miller, Loye, anomalies in the distribution of fossil gulls, 173; Branta dickeyi from the McKittrick pleistocene, 178
 Miller, Robert C., review of Walker on soaring flight, 80; review of Hankin on the flight of gulls, 81
 Miller-bird, 177
 Mimus polyglottos leucopterus, 77, 152
 Mockingbird, Western, 77
 Molothrus ater obscurus, 149
 Murre, 30
 California, 30
 Pallas, 88
 Murrelet, Ancient, 191
 Marbled, 180
 Xantus, 68
 Myadestes townsendi, 12, 104, 190
 Myiarchus cinerascens cinerascens, 70, 101, 149
 Myiochanes richardsoni richardsoni, 70, 101, 149
 Mynah, Common, 127
 Crested, 125, 132
 Hill, 128
 House, 127, 131
 Jungle, 127
 Myzantha, 131

II

- Nannus hiemalis pacificus, 103
 Nettion, 105
 formosum, 195
 Niedrach, Robert J., the white-necked raven nesting in eastern Colorado, 105
 Nighthawk, 97, 100, 141, 142
 Texas, 3, 6
 Western, 141
 Nucifraga columbiana, 182, 187
 Numenius americanus, 76, 92, 216
 Nutcracker, Clark, 182, 187
 Nuthatch, 33, 125
 Pigmy, 31, 190
 Red-breasted, 31, 103, 190
 Rocky Mountain, 190
 Slender-billed, 31, 103
 White-breasted, 33
 Nuttallornis borealis, 101
 Nyctea nyctea, 181
 Nycticorax nycticorax naevius, 109

O

- Oberholseria chlorura, 189
 Oceanodroma leucorhoa beali, 35
 Oporornis tolmiei, 103
 Oreortyx picta plumifera, 99, 147
 Oreoscoptes montanus, 75, 189
 Oreospiza chlorura, 151
 Oriole, 142
 Arizona Hooded, 208, 226
 Baltimore, 95
 Bullock, 101, 215
 Orchard, 112
 Scott, 116

- Osprey, American, 70
 Otocoris alpestris actia, 110, 149
 alpestris enthymlia, 110
 alpestris insularis, 110
 alpestris leucolaema, 186
 alpestris merrilli, 110
 alpestris sierrae, 110
 Otus asio, 78, 186
 asio bendirei, 148
 asio gilmani, 148
 asio quercinus, 100
 Owl, 125, 140
 American Barn, 70, 100
 Burrowing, 70
 California Pigmy, 100, 181
 Dusky Horned, 28
 Elf, 208
 Great Horned, 106
 Horned, 186
 Long-eared, 146
 Pacific Horned, 100
 Saw-whet, 181
 Screech, 78, 86, 186
 Short-eared, 181
 Snowy, 181
 Southern California Screech, 100
 Oxyechus vociferus vociferus, 185
 Oystercatcher, Black, 69, 116, 205
 Frazar, 69
- P**
- Pandion haliaetus carolinensis, 70
 Parabuteo unicinctus harrisi, 75
 Parmenter, Henry E., the gray jay at
 Lake Tahoe, 72
 Paroquet, Carolina, 205
 Partridge, 97
 Parus montanus, 190
 Passer domesticus, 102, 105, 106, 150, 187
 Passerculus beldingi, 71, 150
 rostratus rostratus, 71
 sandwichensis alaudinus, 70
 sandwichensis brooksi, 182
 sandwichensis nevadensis, 188
 sandwichensis sandwichensis, 182
 Passerella iliaca brevicauda, 112
 iliaca canescens, 76
 iliaca fuliginosa, 182
 iliaca mariposae, 102
 iliaca schistacea, 76
 iliaca sinuosa, 102
 iliaca stephensi, 150
 Passerina amoena, 71, 102, 151
 Peacock, 97
 Pelecanus californicus, 69, 147
 erythrorhynchos, 136
 occidentalis californicus, 153
 Pelican, 98, 208
 Brown, 67
 California Brown, 69, 153
 White, 98, 136
 Penthestes atricapillus occidentalis, 105
 gambeli, 104
 gambeli baileyae, 152
 gambeli gambeli, 190
 Perisoreus obscurus griseus, 72
 Petrel, Beal, 35
 Petrochelidon lunifrons, 153, 189
 lunifrons lunifrons, 102, 151
 Peucaea, 142
 Pewee, Western Wood, 70, 101
 Phaethon aethereus, 34
 rubricaudus, 34
 Phainopepla nitens, 151
 Phalacrocorax auritus albociliatus, 69, 147
 penicillatus, 69
 Phalaenoptilus nuttalli californicus, 70,
 75, 100, 148
 nuttalli nitidus, 75
 nuttalli nuttalli, 186
 Phalarope, Northern, 90, 231
 Red, 69
 Wilson, 90, 92
 Phalaropus fulicarius, 69
 Philacte canagica, 181
 Phloeotomus pileatus picinus, 100
 Phoebe, 86
 Black, 70, 101, 191
 Say, 186
 Pica nuttalli, 101
 pica hudsonia, 182
 Pigeon, 94, 125, 130
 Band-tailed, 99, 185, 201
 Wild, 11
 Pintail, 88
 Pipilo aberti, 151
 crissalis carolae, 102
 crissalis senicula, 37, 71, 151
 maculatus megalonyx, 102, 151
 maculatus montanus, 189
 Pipit, 78, 189, 230
 American, 103, 231
 Piranga hepatica, 189
 ludoviciana, 102, 151, 227
 Pisobia maculata, 36
 ruficollis, 195
 Planesticus migratorius propinquus, 34,
 71, 104, 153, 190, 229
 Plover, 141
 American Golden, 78
 Black-bellied, 37, 77, 106, 181
 Golden, 77
 Pochard, 201
 Polioptila caerulea obscura, 104, 153, 190
 californica, 153
 plumbea, 153
 Poecetes gramineus confinis, 188
 Poorwill, 141, 186
 Dusky, 70, 100
 Frosted, 75
 Potter, Jessica A., honey and humming-
 birds, 35
 Potter, Laurence B., unusual bird nesting
 records for southwest Saskatche-
 wan, 110; badger digs for bank
 swallows, 191

- Proctopus, 205
 Progne subis hesperia, 7, 102, 195
 Psaltriparus minimus californicus, 104
 minimus minimus, 153
 plumbeus, 190
 Ptarmigan, 141
 White-tailed, 141
 Ptychoramphus aleuticus, 35, 68, 147
 Puffinus griseus, 69
 Pyrocephalus rubinus mexicanus, 149
 Pyrrhuloxia sinuata sinuata, 151
- Q
- Quail, Gambel, 229
 Mountain, 99
 Valley, 99, 201, 215, 229
 Quayle, Ernest H., white-throated sparrow banded on Stanford campus, 197
 Querquedula discors, 231
- R
- Rail, Farallon, 235
 Rallus levipes, 147
 Raven, 69, 70, 94, 95
 Southeastern, 205
 Southern, 187
 Western, 70
 White-necked, 105
 Recurvirostra americana, 91
 Redhead, 201
 Redstart, American, 30
 Regulus calendula calendula, 190
 calendula cineraceus, 104
 satrapa olivaceus, 104, 190
 Richards, E. B., a list of the land birds of the Grass Valley district, California, 98
 Richmond, Charles W., photograph of, 115
 Ridgway, Robert, photograph of, 115, 201
 Riparia riparia, 151, 191
 Roadrunner, 100, 201, 202
 Robertson, John McB., English sparrow at Buena Park, Orange County, California, 105
 Robin, 34, 35, 86, 191
 Fijian, 130
 Western, 34, 71, 104, 190, 215, 229
 Roosevelt, Theodore, on the revealing and concealing coloration of birds, 94
 Ross, Roland Case, occurrence and behavior of certain shore birds in southern California, 90; what birds hold food with the feet, 112; more birds that grasp objects with the feet, 226
 Rough-leg, Ferruginous, 213, 217
 Rynchophanes mccowni, 188
- S
- Salpinctes obsoletus obsoletus, 71, 152, 189
 Sandpiper, 141
 Baird, 37
 Buff-breasted, 37
 Eastern Solitary, 38
 Least, 37, 77, 90, 92
 Pectoral, 36, 37
 Red-backed, 90, 92
 Western, 90
 Sapsucker, Red-naped, 186
 Sierra Red-breasted, 100
 Williamson, 100, 186
 Saunders, Aretas A., the study of bird sounds, 209
 Sayornis nigricans, 70, 101, 149, 191
 sayus, 149, 186
 Scolecophagus, 192
 Scoter, 95
 Seiurus motacilla, 106
 Selasphorus platycercus, 72
 rufus, 70, 100
 Setophaga ruticilla, 30
 Shaw, William T., the Sabine gull in Oregon and on the lower Yukon, 108
 Shearwater, Dark-bodied, 67, 69
 Sherman, Althea R., animal aggregations, 85
 Sherwood, Wm. E., dotted canyon wren in Oregon, 112
 Shrike, California, 75, 226
 Northern, 182
 White-rumped, 189
 Sialia currucoides, 190
 mexicana, 228
 mexicana bairdi, 190
 mexicana occidentalis, 71, 104, 228
 sialis, 110
 Silver-eye, 130
 Siskin, Pine, 102
 Sitta canadensis, 103, 190
 carolinensis aculeata, 103
 carolinensis nelsoni, 190
 pygmaea, 31
 pygmaea pygmaea, 152, 190
 Snipe, Wilson, 175, 208
 Solitaire, Townsend, 12, 104, 190
 Sparrow, 126
 Aleutian Savannah, 182
 Belding Marsh, 71
 Black-chinned, 142
 Brewer, 188
 Dwarf Savannah, 182
 English, 102, 105, 187, 201, 208
 Field, 210
 Fox, 76, 113
 Gambel, 76, 188, 199
 Golden-crowned, 102, 197, 198, 199, 214, 215, 232
 Grasshopper, 94
 House, 123
 Intermediate, 71, 102
 Lincoln, 199
 Long-billed Marsh, 71
 Los Coronados Islands Song, 218

- Merrill Song, 102
 Nevada Savannah, 188
 Nuttall, 197
 Rufous-crowned, 71
 Sage, 189
 San Clemente Song, 219
 Santa Barbara Island Song, 218
 Slate-colored Fox, 76
 Song, 22, 71, 85, 197, 199, 206, 208, 212, 217
 Sooty Fox, 182
 Valdez Fox, 102
 Western Chipping, 76, 102, 188
 Western Lark, 102, 188
 Western Savannah, 70
 Western Vesper, 188
 White-crowned, 188, 197, 198, 232
 White Mountains Fox, 76
 White-throated, 182, 197, 210
 Yakutat Song, 105
 Yolla Bolly Fox, 112
 Yosemite Fox, 102
Speotyto cucularia hypogaea, 70, 148
Sphyrapicus thyroideus, 100
 thyroideus nataliae, 186
 varius daggetti, 100
 varius nuchalis, 186
Spinus pinus pinus, 102
Spiza americana, 228
Spizella, 142
 atrogularis, 150
 breweri, 150, 188
 passerina arizonae, 102, 150, 188
 Spoonbill, Roseate, 98
 Sprot, G. D., *Zonotrichia* on Vancouver Island, 231
Squatarola squatarola, 106, 181
 Starling, Chinese, 123
 European, 123
 Japanese, 123
Steganopus tricolor, 90
 Stejneger, Leonhard, photograph of, 200
Stelgidopteryx serripennis, 151, 182, 189
Stellula calliope, 101
 Stephens, Frank, another California record for the gray-headed junco, 112
Sterna antillarum, 147
 maxima, 68
 Stork, 96, 174
 Pied, 96
Sturnella magna hoopesi, 187
 neglecta, 70, 101, 149, 187
Sturnus vulgaris, 123, 125
Sula brewsteri, 74
 Swallow, 71, 87, 94, 95, 141
 Bank, 94, 191
 Barn, 102, 189
 Cliff, 102, 153, 189
 Northern Violet-green, 189
 Rough-winged, 182, 189
 Tree, 125, 189
 Swan, 85
 Whistling, 193
 Swarth, Harry S., fall migration notes from the San Francisco Mountain region, Arizona, 183; white wing markings of the Heermann gull, 192; notes on certain summer occurrences of the gray flycatcher, 195.
 Swift, 94, 140
 Chimney, 6, 7, 8, 87
 Vaux, 6, 7
 White-throated, 70, 186, 236
Synthliboramphus antiquus, 191
 T
Tachycineta thalassina lepida, 189
 Tanager, 98
 Hepatic, 189
 Scarlet, 95
 Western, 102, 227
Tangavius aeneus aeneus, 149
 Tanner, Vasco M., an unique blackbird, 192
 Tattler, Wandering, 69
 Teal, Blue-winged, 231
 European, 201
 Green-winged, 201
Telespyza cantans, 177
 ultima, 177
Telmatodytes palustris paludicola, 182
 Tern, 141, 173
 Royal, 68
 Thick-head, 130
 Thrasher, 142
 Brown, 86
 Crissal, 142
 LeConte, 21, 117
 Sage, 75, 189
 Sonoma, 103
 Thrush, 124, 142
 Alaska Hermit, 104
 Dwarf Hermit, 71, 104
 Gray-cheeked, 142
 Hermit, 73, 74, 75, 142
 Olive-backed, 142
 Russet-backed, 104
 Song, 142
 Varied, 104
 Water, 209
 Wilson, 142
Thryomanes bewicki charienturus, 152
 bewicki drymoecus, 103
 bewicki eremophilus, 190
Tinnunculus columbarius, 105
 Tit, Plain, 112
 Titmouse, 28, 142
 Bridled, 142
 Gray, 190
 Plain, 103
 Tom-tit, 133
 Toothbill, Hairy-breasted, 205
 Nigerian Hairy-breasted, 205

- Totanus melanoleucus*, 185
Towhee, 95, 142
 Anthony Brown, 37, 71
 Arctic, 142
 Green-tailed, 189, 199
 Mountain, 189
 Northern Brown, 102
 Spurred, 102
Toxostoma bendirei, 152
 crissale, 152
 curvirostre palmeri, 152
 lecontei lecontei, 152
 redivivum, 152
 redivivum sonomae, 103
Tringa solitaria cinnamomea, 38
 solitaria solitaria, 38
Troglodytes aedon parkmani, 103, 152, 190
Tryngites subruficollis, 37
Turdus migratorius, 192
Turnstone, Black, 34, 69
Tyrannus tyrannus, 75
 verticalis, 70, 101, 149, 181
Tyto alba pratincola, 148
- U
- Uria troille californica*, 30
- V
- Van Denburgh, John, the birds of the Todos Santos Islands, 67
 Van Rossem, A. J., a survey of the song sparrows of the Santa Barbara Islands, 217
 Van Rossem, A. J. (with D. R. Dickey), see Dickey, D. R.
Verdin, 112
Vermivora, 141
 celata lutescens, 71, 103
 celata sordida, 71
 luciae, 151
 ruficapilla gutturalis, 103
Vireo belli arizonae, 151
 belli pusillus, 151
 huttoni huttoni, 103, 151
Vireo, 141, 143, 178
 Black-capped, 141, 142
 Cassin, 103
 Hutton, 103
 Red-eyed, 227
 Western Warbling, 103
 White-eyed, 209, 210
Vireosylva, 178
 gilva swainsoni, 103, 151
 olivacea, 227
Vultur californianus, 111
Vulture, California, 111, 112
 Turkey, 99, 114
- W
- Walker, Alex., notes on some birds from Tillamook County, Oregon, 180
Warbler, 96, 141
 Alaska Myrtle, 103, 182
 Audubon, 71, 103, 189, 194
 Bachman, 141
 Bay-breasted, 141, 142
 Blackburnian, 96, 141, 142
 Blackpoll, 141, 142
 Black-throated Gray, 103, 105, 189
 Black-throated Green, 96
 Blue-winged, 141
 Blue-winged Yellow, 96
 Calaveras, 103
 California Yellow, 103
 Canada, 209
 Cerulean, 141
 Dusky, 71
 Golden Pileolated, 103
 Golden-winged, 141
 Kentucky, 96
 Lucy, 141
 Lutescent, 103
 Mourning, 96
 Nashville, 141
 Orange-crowned, 141
 Pileolated, 105, 189
 Prothonotary, 142
 Swainson, 141
 Tennessee, 141
 Tolmie, 103
 Townsend, 103
 Virginia, 141
 Wilson, 209
 Worm-eating, 141
 Yellow, 141, 142, 189
 Ward, Henry B., banding white pelicans, 136
Water-thrush, Louisiana, 106
Waxwing, Bohemian, 76, 102
 Cedar, 77, 103, 111, 189
 Wetmore, Alexander, a warbler from Nihoa, 177
Whip-poor-will, 141
 Stephens, 141
Widgeon, European, 32, 180
Willet, Western, 216
Wilsonia pusilla chryseola, 103, 152
 pusilla pileolata, 105, 189
 Wood, Casey A., the nesting places of two albatrosses in the south seas, 72; developmental color changes in the eyes of New Zealand gulls, 106; the starling family at home and abroad, 123
Woodpecker, 26, 30, 33, 86, 125, 133, 140
 Arizona, 76
 Cabanis, 100
 California, 30, 100, 201
 Ivory-billed, 205
 Lewis, 100, 181, 186, 236
 Northern White-headed, 100
 Nuttall, 100

Pileated, 236
 Sierra, 181
 Western Pileated, 100
 White-breasted, 186
 Willow, 100
 Woods, Robert S., notes on the life history
 of the Texas nighthawk, 3
 Wren, 33, 125, 133
 Bewick, 33
 Canyon, 116, 189
 Desert, 190
 Dotted Canyon, 21, 32, 33, 71, 112
 House, 86
 Rock, 71, 189
 Sacramento Bewick, 103
 Tule, 182
 Western House, 103, 190, 215
 Western Winter, 103
 Wren-tit, Pallid, 104
 Wright, W. S., a unique swallow's nest,
 153
 Wyman, L. E., the pectoral sandpiper in
 southern California, 36; a Califor-
 nia condor in captivity, 153

X

Xanthocephalus xanthocephalus, 101, 187
Xema sabini, 108
Xenopicus albolaryvatus albolaryvatus, 100

Y

Yellowlegs, 92
 Greater, 185
 Yellowthroat, Maryland, 96

Z

Zamelodia melanocephala, 151
 melanocephala capitalis, 102
Zenaidura macroura marginella, 69, 76,
 99, 147, 181, 185
Zonotrichia albicollis, 182, 197
 coronata, 102, 214, 231, 232
 leucophrys, 232
 leucophrys gambeli, 71, 188, 198, 231
 leucophrys leucophrys, 102*, 188
 leucophrys nuttalli, 231

* Page 102, *Zonotrichia leucophrys leucophrys*
 should read *Zonotrichia leucophrys gambeli*.—Ed.