

INDEX TO VOLUME XXXIII

A

- Abbott, Clinton G., wood ibises summering in San Diego County, California, 29; four hundred black-necked stilts, 38; birds caught in spiders' webs, 169
- Accipiter cooperii, 112
 velox, 112
- Actitis macularia, 55, 111
- Ægithalus flaviceps, 163, 166
- Africa, notice of Bannerman's birds of tropical west, 132
- Agelaius phoeniceus californicus, 250
 phoeniceus caurinus, 116
 phoeniceus nevadensis, 250
 tricolor, 250
- Albatross, Black-footed, 214, 215
 Short-tailed, 215
 Yellow-nosed, 215
- Allen, Charles Andrew, life of, by Joseph Mailliard, 20
- Aluco pratincola, 138
- Ammodramus bairdi, 202
- Amphispiza belli nevadensis, 127
 bilineata, 36
- Anas icariotis, 212
 platyrhynchos, 111
 rubripes rubripes, 156
- Anthus spinolella, 161
 spinolella japonica, 161
 spinolella rubescens, 119, 159
- Aphelocoma californica californica, 204
 californica immanis, 116
- Aquila chrysaëtos, 37, 113, 157, 248
- Aramides cajanea, 174
 ypecaha, 107
- Archibuteo lagopus sancti-johannis, 112
- Archilochus alexandri, 138, 184
- Ardea herodias, 111
 herodias herodias, 222
 herodias treganzai, 250
- Arenaria interpres morinella, 157
- Arizona and New Mexico, notes on a collection of birds from, by Harry C. Oberholser, reviewed, 81
- Astur atricapillus striatulus, 112
- Asyndesmus lewisi, 114, 127
- Auriparus flaviceps, 36, 163
 flaviceps acaciae, 168
 flaviceps flaviceps, 167, 168
 flaviceps ignatius, 167
 flaviceps lamprocephalus, 167
 flaviceps ornatus, 167
- Authors' Names in "The Condor" Indexes, 210
- Avifauna of the Pleistocene in Florida, by Alexander Wetmore, reviewed, 173

Avocet, American, 50

B

- Baeolophus inornatus inornatus, 120
- Eaerg, W. J., birds of Arkansas, reviewed, 224
- Bailey, Alfred M., specimens from Point Barrow, Alaska, 78
- Bailey, Alfred M., and R. J. Niedrach, American egret in Colorado, 250
- Balanosphyra formicivora bairdi, 114, 139, 171
- Baldwin, S. Prentiss, bird-banding by systematic trapping, reviewed, 174
- Banding of ducks at Lake Merritt, 135
- Bannerman's birds of tropical west Africa, reviewed, 132
- Bartramia longicauda, 245
- Bassett, Frank N., Brewer blackbirds roosting in duck blinds, 171
- Bird Banding Association, Western, 79
- Bird-banding by systematic trapping, by S. Prentiss Baldwin, reviewed, 174
- Birds of Arkansas, by W. J. Baerg, reviewed, 224
- Birds of Golden Gate Park, San Francisco, by Joseph Mailliard, 40, 48
- Birds of Oklahoma, by Margaret Morse Nice, reviewed, 225
- Birds of tropical west Africa, by David Armitage Bannerman, reviewed, 132
- Bittern, 111
- Blackbird, Brewer, 102, 116, 138, 171, 201
 Northwestern Red-winged, 116
 Red-winged, 80, 102
 Tri-colored, 226
 Yellow-headed, 178, 228
- Bluebird, Mountain, 78, 121
 Western, 121, 172
- Bob-white, 112
 Masked, 40
- Bombycilla cedrorum, 118, 138
 garrula pallidiceps, 253
- Bonasa umbellus sabini, 112
- Booby, Blue-footed, 83
- Botaurus lentiginosus, 111
- Brachyramphus brevirostris, 37
- Braly, J. C., nesting of the piñon jay in Oregon, 29
- Brant, Black Sea, 125
- Branta canadensis canadensis, 229
 howardae, 30, 70
- British Birds' census of heronries, report on, by E. M. Nicholson, reviewed, 40
- Brodie club, notice of work of, 130
- Bubo virginianus pallescens, 248

- virginianus saturatus*, 113
 Bunting, Indigo, 129
 Lazuli, 118, 215
 Snow, 154, 155, 159
 Burt, W. H., Crabb's the woodpeckers of Oklahoma, 82
 Rush-tit, 215
 California, 120
 Coast, 169, 178, 205
 Buteo borealis, 72
 borealis calurus, 113, 139, 218, 222
 typhoicus, 72
- C
- Calcarius lapponicus lapponicus, 159
 Calypte anna, 138, 169, 182
 costae, 183
 Campbell, Berry, and Irene Wilson, robins nesting in Monrovia, California, 250
 Capella delicata, 157
 gallinago delicata, 52, 111
 Carpodacus cassini, 116
 mexicanus frontalis, 12-19, 116, 138, 169, 205
 purpureus californicus, 116
 Carriger, H. W., and W. E. Unglish, nesting of the Tolmie warbler in southern Santa Clara County, California, 222
 Casmerodus albus egretta, 34, 250
 Cathartes aura aura, 174
 aura septentrionalis, 112, 174
 Cathartidae, 7
 Cathartiformes, 70
 Cathartes mexicanus punctulatus, 119, 245
 Catoptrophorus semipalmatus inornatus, 54
 Ceophloeus pileatus picinus, 114
 Certhia familiaris zelotes, 120
 Ceryle alcyon, 219
 Chaetura vauxii, 115
 Chamaea fasciata fasciata, 120, 128
 Charadrius nivosus nivosus, 59
 semipalmatus, 157
 Chat, Long-tailed, 117, 119
 Check-list of the birds of the world, by James Lee Peters, 80
 Check-list of North American birds, 79
 Chickadee, Chestnut-backed, 120
 Oregon, 120
 Santa Cruz, 220
 Short-tailed Mountain, 120
 Chondestes grammacus strigatus, 117, 128, 138
 Chordeiles acutipennis texensis, 90
 minor hesperis, 115
 Chrysoptilus melanolaimus, 255
 melanolaimus nigroviridis, 255
 Cinclus mexicanus unicolor, 119
- Circus hudsonius*, 89
Clangula hyemalis, 156
 Clemens, W. A., and J. A. Munro, water-fowl in relation to the spawning of herring in British Columbia, reviewed, 225
Coccyzus americanus americanus, 161
 americanus occidentalis, 161
Colaptes cafer collaris, 114, 139, 205, 219
Colinus virginianus, 112
Columba fasciata, 112
 Compton, Lawrence V., an unusual date for the occurrence of the young of the California quail, 249; the white-winged scoter, a new state record for Kansas, 256
- Condor, 228
 California, 31, 32, 76, 79, 172, 174, 188
 Cooper Ornithological Club, regular meetings, minutes of, 43, 82, 134, 175, 226, 261; sixth annual meeting, 39, 79, 172, 177; governors' meeting, 179
- Coot, 47, 111
 American, 80
 Cormorant, 31, 135
 Brandt, 67, 69, 226, 228
 Farallon, 44, 228
- Corthylio calendula grinnelli*, 120
Corvus brachyrhynchos hesperis, 116, 125, 204
 Cowbird, Dwarf, 138, 178, 205, 214
 Nevada, 251
- Crabb, Edward Drane, the woodpeckers of Oklahoma, reviewed, 82
- Crane, 214
 Little Brown, 157
 Sandhill, 83
 Whooping, 157, 175
- Creeper, American Brown, 161
 Brown, 172
 Sierra, 120
- Crocethia alba*, 158
 Crossbill, 116
 Crow, 102, 204
 Western, 116, 124, 125
- Cryptoglaux acadica*, 171
 funerea magna, 216
 funerea richardsoni, 216
 ridgwayi, 249
- Curlew, Hudsonian, 158
 Long-billed, 47, 55, 56
- Cyanocephalus cyanocephalus*, 29
Cyanocitta stelleri carbonacea, 115
 stelleri frontalis, 115
- D
- Dafila acuta tzitzioha, 156
 Davidson, M. E. McLellan, on the breeding

- of *Puffinus chlororhynchus* in the Tonga group, 217
- DeGroot, Dudley S., history of a nesting colony of Caspian terns on San Francisco Bay, 188
- Dendragapus obscurus sierrae*, 112
- Dendroica aestiva brewsteri*, 119
auduboni, 127, 138
auduboni auduboni, 119, 184
coronata hooveri, 119
nigrescens, 119
occidentalis, 119
palmarum palmarum, 127
- Dichromana rufescens dickeyi*, 125
- Diomedea nigripes*, 215
- Dipper, 119
- Dixon, Joseph, Nevada Savannah sparrow breeds in Yellowstone, 38
- Dove, Mourning, 102, 103, 138, 149, 201
Ring, 149
Western Mourning, 112, 148, 254
- Dowitcher, Long-billed, 128
- Dryobates pubescens gairdneri*, 113
pubescens turati, 113
villosum harrisii, 113
villosum orius, 113
- Du Bois, A. Dawes, songs of the Baird sparrow, 202
- Duck, Black, 227
Harlequin, 134
Pintail, 155
Red-legged Black, 156
Wood, 227
- Dyer, Ernest I., concern exhibited by wild birds in the troubles of others, 215
- E**
- Eagle, 46
Bald, 133, 228
Golden, 37, 102, 113, 157, 176, 178, 227, 248
- Edge, C. W., western mockingbird, Oregon vesper sparrow, and Merrill song sparrow in Sonoma County, California, 75; white-tailed kites in Sonoma County, 78
- Egret, 134
American, 34, 47, 250
Lower California Reddish, 125
Snowy, 34, 47, 250
- Egretta thula brewsteri*, 250
- Eider, American, 156
King, 156, 157
Northern, 156
- Elanus leucurus majusculus*, 78
- Empidonax difficilis difficilis*, 115
hammondii, 115, 162
trailii brewsteri, 115
wrighti, 162
- Eocrex primus*, 107
- Ereunetes mauri*, 111, 243
mauri, 244
occidentalis, 243
pusillus, 158, 243
- Euphagus cyanocephalus*, 138, 171
cyanocephalus minusculus, 116
- F**
- Falco columbarius*, 139
columbarius columbarius, 113
ferrugineus, 212
mexicanus, 113
peregrinus anatum, 157
sparverius, 139
sparverius sparverius, 113, 205
- Falcon, Prairie, 113, 143, 179, 193-201
- Finch, California House, 12-19
California Purple, 116
Cassin Purple, 116
Gray-crowned Rosy, 140, 146
Hepburn Rosy, 140, 150
House, 116
Purple, 144, 215, 216
- Flicker, 219
Red-shafted, 102, 114, 139, 205
- Flycatcher, Ash-throated, 115, 216
- Hammond, 115
Olive-sided, 112, 115, 139
Traill, 115
Western, 115
- Fowler, F. H., studies of food and growth of the prairie falcon, 193; a near-tragedy due to bird banding, 213
- Fraser, J. Thomas, Jr., late nesting of the black phoebe, 34
- Fraser, J. Thomas, Jr., and Lawrence Zerlang, emperor goose in Humboldt County, California, 74
- Fringilla hudsonia*, 212
- Fringillidae*, 161
- Fulica americana*, 111
- G**
- Gabrielson, Ira N., the birds of the Rogue River valley, Oregon, 110
- Gallinule, Florida, 227
- Gallinulinae, 107
- Gander, Frank F., thrasher psychology, 73; notes on the habits and development of young quail, 85
- Garner, Edward, 254
- Gavia arctica pacifica*, 156
stellata, 156
- Geococcyx californianus*, 206, 207
conklingi, 207, 208, 216
- Geospizidae, 161
- Geothlypis trichas occidentalis*, 119
- Geranoaetus*, 174
- Glaucidium gnoma californicum*, 113
jardinii, 249

- Glaucionetta islandica, 75
 Gnatcatcher, Black-tailed, 35, 36
 Golden-eye, American, 76
 Barrow, 75
 Goldfinch, American, 169
 Green-backed, 117, 138, 139, 228
 Lawrence, 138, 139
 Willow, 116, 125, 139, 216
 Goose, Canada, 178, 229
 Emperor, 38, 74
 Ross, 47
 Wild, 102
 Goshawk, Western, 112
 Graves of California ornithologists, 221
 Grebe, Pied-billed, 111, 178
 Grinnell, J., the type locality of the California quail, 37; further occurrences of emperor geese in California, 38; review of Phillips and Lincoln on the conservation of waterfowl, 41; the streaked horned lark breeds in northwestern California, 74; an early name for the Allen hummingbird, 77; wholesale poisoning of wild animal life, 131; review of Bannerman's birds of tropical west Africa, 132; the type locality of the verdin, 163; another record of the rose-breasted grosbeak from California, 254
 Grosbeak, Black-headed, 118, 227, 228
 Evening, 116, 144
 Rose-breasted, 254
 Grouse, Oregon Ruffed, 112
 Ruffed, 40, 227
 Sierra, 112
 Grus americana, 157
 canadensis canadensis, 157
 Gull, Bonaparte, 177
 California, 123
 Heermann, 46
 Herring, 159
 Kumlien, 158
 Western, 66, 67, 69, 228
 Gymnogyps, 71
 californianus, 31, 32, 76
- H**
- Hanna, G. Dallas, Lichtenstein on California birds, 211
 Hanna, Wilson C., whistling swans on Salton Sea, 126; odd nesting site of ash-throated flycatcher, 216; nesting of the Bohemian waxwing in British Columbia, 253
 Hawk, American Sparrow, 113
 Cooper, 39, 112
 Duck, 157
 Marsh, 89, 134
 Pigeon, 113, 139, 143
 Red-tailed, 102, 139, 174, 178, 218
 Rough-legged, 112
 Sharp-shinned, 39, 112
 Sparrow, 139, 205
 Texas Night, 90
 Western Red-tailed, 113, 222
 Hawkins, Leslie, the Barrow golden-eye on Lake Merritt, Oakland, California, 75
 Hedymeles ludovicianus, 254
 melanocephalus melanocephalus, 118
 Hemignathus lucidus, 212
 obscurus, 212
 Hen, Sage, 44
 Heron, Anthony Green, 111
 Black-crowned Night, 138
 Great Blue, 34, 111, 134, 222
 Great White, 134
 Little Green, 227
 Treganza, 250
 Hesperiphona vespertina californica, 116
 Himantopus mexicanus, 38, 51, 89, 123
 Hirundo erythrogaster, 122
 rustica erythrogaster, 118
 Histrionicus histrionicus pacificus, 255
 Hoffmann, Ralph, saw-whet owl and California woodpecker on Santa Cruz Island, 171
 Hornung, Dr. John, death of, 83
 Howard, Hildegarde, Pliocene bird remains from Santa Barbara, California, 30; a new species of roadrunner from Quaternary cave deposits in New Mexico, 206; Cryptoglaux funerea in New Mexico, 216
 Huey, Laurence M., three note-worthy bird records from Barrow, Alaska, 36; the reddish egret, a bird new to the avifauna of California, 125; two new birds and other records for Lower California, Mexico, 127; the most western record of the indigo bunting, 129; northern Say phoebe records for southern and Lower California, 171
 Hummingbird, 23
 Allen, 20, 77, 138, 215, 216
 Anna, 127, 138, 169, 182, 185, 186, 187, 215, 216
 Black-chinned, 77, 138, 184, 186
 Calliope, 115
 Costa, 127, 183
 Migratory Allen, 78
 Non-migratory Allen, 78
 Ruby-throated, 23, 181
 Rufous, 21, 77, 127, 138
 Hydroprogne caspia imperator, 188
 Hylocichla guttata guttata, 120, 219
 nanus, 120
 sequoiensis, 120
 Hylomanes momotula, 212

I

- Ibis, Glossy, 134
 White, 134
 Wood, 29, 134
Icteria virens longicauda, 119
Icterus bullockii, 116, 138
 cucullatus nelsoni, 138, 184
Iridoprocne bicolor, 118
Ixoreus naevius, 151
 naevius naevius, 120

J

- Jabiru*, 174
Jacana, Mexican, 32
Jacana spinosa, 32
 Jacot, E. C., notes on the spotted and
 flammulated screech owls in Ari-
 zona, 8
Jaeger, Parasitic, 158
Jay, Blue-fronted, 115
 California, 102, 116, 178, 201, 204
 Piñon, 29
 Steller, 172
 Jewett, Stanley G., upland plover appar-
 ently established in Oregon, 245;
 nesting of the Pacific harlequin
 duck in Oregon, 255
Junco, 40, 102, 172
 Oregon, 134
 Point Pinos, 215
 Sierra, 139
 Slate-colored, 134
 Thurber, 117
 Townsend Oregon, 128
Junco oreganus shufeldti, 117
 thurberi, 117, 139
 townsendi, 128

K

- Kelso, Leon, some notes on young desert
 horned larks, 60
Killdeer, 32, 33, 47, 58, 59, 112, 126
Kingbird, 73
 Arkansas, 115
 Cassin, 138
 Western, 138
Kingfisher, 134
 Western Belted, 113
Kinglet, Golden-crowned, 48
 Sitka, 120
 Western Golden-crowned, 120
 Kinnear, N. B., some additional notes on
 James Hepburn, 169
Kite, White-tailed, 47, 78
 Kline, Fred, the mockingbird nests in
 Santa Cruz, California, 211

L

- Lagopus lagopus lagopus*, 157

- rupestris rupestris*, 157
Lanius borealis, 118
ludovicianus gambeli, 138
Lark, California Horned, 201
 Desert Horned, 60-65
 Dusky Horned, 115
 Horned, 89
 Hoyt Horned, 159
 Streaked Horned, 74, 115
Larus argentatus smithsonianus, 159
 californicus, 123, 218
 delawarensis, 218
 kumlieni, 158
 occidentalis, 66
 Law, J. Eugene, an orangeless mutant of
 the varied thrush and its bearing
 on sex color-differences, 151
 Leffingwell, Anne Maclay, and Dana Jack-
 son Leffingwell, winter habits of
 the Hepburn rosy finch at Clark-
 ston, Washington, 140
 Leopold, Aldo, "report on a game survey
 of the north central states", re-
 viewed, 223
Leucosticte tephrocotis littoralis, 140, 150
tephrocotis tephrocotis, 140-150
 Lichtenstein, H., on California birds, re-
 viewed, 211
 Lincoln and Phillips, on the conservation
 of waterfowl, reviewed, 41
Linnet, 102, 138, 205, 228
 California, 169, 178
 Linsdale, Jean M., facts concerning the
 use of thallium in California to
 poison rodents—its destructiveness
 to game birds, song birds and other
 valuable wild life, 92; review of
 Baerg's birds of Arkansas, 224;
 review of Margaret Morse Nice's
 birds of Oklahoma, 225
Lobipes lobatus, 111, 158
 Lofberg, Lila M., "office aids" in nest
 building, 245
Longspur, Lapland, 154, 159
Loon, Pacific, 156
 Red-throated, 47, 156
Lophodytes cucullatus, 111
Lophortyx californica, 3-7, 112, 249
 californica brunneiceps, 37, 38
 californica californica, 38, 85
 californica catalinensis, 38
 californica vallicola, 138
 gambeli gambeli, 219
 Lorquin, Henry Francis, 254
 Low, Dr. G. Carmichael, "the literature
 of the Charadriiformes from 1894-
 1928 with a classification of the
 order, and lists of the genera,
 species and subspecies", reviewed,
 223
Loxia curvirostra pusilla, 116

LIBRARY

UNIV OF IDAHO
269

Nov., 1931

INDEX TO VOLUME XXXII

Osprey, American, 113
 Otocoris alpestris actia, 89
 alpestris hoyti, 159
 alpestris leucolaema, 60-65
 alpestris merrilli, 115
 alpestris strigata, 74, 115
 Otus asio bendirei, 113
 asio querquinus, 138
 flammeolus, 10
 trichopsis, 8
 Ouzel, 228
 Owl, 216
 Barn, 39, 138
 Burrowing, 64, 65, 113, 178, 197, 201, 205
 California Pygmy, 113
 California Screech, 113
 Dusky Horned, 113
 Elf, 9, 10
 Flammulated Screech, 10
 Great Gray, 113
 Great Horned, 248
 Horned, 44, 193, 195
 Long-eared, 46
 Pacific Horned, 226
 Pygmy, 179
 Saw-whet, 171
 Screech, 102, 138
 Spotted Screech, 8, 9
 Oxyechus vociferus, 58, 112, 126
 Oyster-catcher, Black, 228

P

Palaeorallus troxelli, 108
 Palmer, T. S., authors' names in "The Condor" indexes, 210; where California ornithologists rest, 221; the scientific name of the western sandpiper—who was Mauri?, 243
 Pandion haliaeetus carolinensis, 113
 Parabuteo, 72
 unicinctus, 72
 Parrot, Thick-billed, 35
 Partridge, Hungarian, 40, 227
 Passer domesticus, 30, 138
 Passerculus rostratus rostratus, 219
 sandwichensis, 159
 sandwichensis alaudinus, 75, 117
 sandwichensis sandwichensis, 38, 117
 Passerella iliaca, 128
 iliaca altivagans, 117
 iliaca fulva, 118
 iliaca iliaca, 124
 iliaca insularis, 117
 iliaca mariposae, 118
 iliaca sinuosa, 117, 219
 iliaca townsendi, 118
 Passerina amoena, 118
 cyanea, 129

Pelecanus brachypterus, 212
 californicus, 66
 conspicillatus, 212
 crispus, 212
 fuscus, 212
 mitratus, 212
 onocrotalis, 212
 rufescens, 212
 trachyrhynchus, 212
 Pelican, 45, 133, 227
 Brown, 134, 212, 228
 California Brown, 66, 69
 White, 82
 Pelidna alpina sakhalina, 158
 Pemberton, J. R., new records from the Channel Islands of southern California, 218
 Penthestes atricapillus occidentalis, 120
 gambeli abbreviatus, 120
 rufescens barlowi, 220
 rufescens rufescens, 120
 Perisoreus obscurus griseus, 116
 Petrochelidon albifrons albifrons, 118
 Pewee, Western Wood, 115
 Wood, 139
 Phaeopus hudsonicus, 158
 Phalacrocorax auritus, 31
 penicillatus, 31, 66
 Phalaenoptilus nuttallii californicus, 114
 Phalarope, Northern, 111, 155, 158
 Red, 158
 Wilson, 49
 Phalaropus fulicarius, 158
 Phasianus torquatus, 112
 Pheasant, 102
 China, 112
 Hungarian, 40
 Mikado, 46
 Ring-necked, 227
 Philacte canagica, 38, 74
 Phillips and Lincoln on the conservation of waterfowl, reviewed, 41
 Phoebe, Black, 34
 Northern Say, 171
 Say, 115
 Pickens, A. L., some flowers visited by birds, 23
 Picoides americanus fasciatus, 114
 arcticus, 114
 Picus, 256
 Pigeon, Band-tailed, 48, 112, 228
 Wild, 102
 Pintail, 133, 156
 Pipilo fuscus, 210
 fuscus bullatus, 118
 fuscus crissalis, 138, 210
 maculatus falcifer, 128, 252
 maculatus falcinellus, 118
 maculatus oregonus, 118

- Pipit, 119, 184
 American, 159, 161
Piranga ludoviciana, 118, 129
rubra cooperi, 127
Pisobia bairdi, 158
fuscicollis, 158
Planesticus migratorius propinquus, 250
Plectrophenax nivalis nivalis, 159
Plesiocathartes, 72
Plover, Golden, 157
 Mountain, 218
 Semipalmated, 157, 158
 Snowy, 59
 Upland, 245
Pluvialis dominica dominica, 157
Podasocys montanus, 218
Podilymbus podiceps, 111
Polioptila californica, 35
 margaritae, 35
 melanura, 35
 melanura abbreviata, 36
 melanura lucida, 36
 melanura margaritae, 36
 melanura melanura, 36
 melanura nelsoni, 36
Pooecetes gramineus affinis, 75, 117
Poor-will, Dusky, 114
Porphyrio melanotus, 107
Potter, Laurence B., the house sparrow
 and the motor car, 30
Price, John B., some flocking habits of
 the California quail, 3; an exper-
 iment in staining California gulls,
 123; "familiar birds of the Stan-
 ford campus", reviewed, 130; some
 flocking habits of the crowned
 sparrows, 238
Psaltriparus minimus, 161
 minimus californicus, 120
 minimus minimus, 169, 205
 plumbeus, 161
Ptarmigan, Rock, 155, 157
 White-tailed, 134
Willow, 157
Puffinus borealis, 20
chlororhynchos, 217, 218
opisthomelas, 218
tenuirostris, 78

Q

- Quail*, 215
 California, 3-7, 37, 112, 226, 249
 California Valley, 38, 48, 85
 Coastal California, 38
Gambel, 40, 219
Plumed, 112
Mearns, 40
 Santa Catalina Island California, 38
 Valley, 102, 138, 170, 172
Querquedula cyanoptera, 247

- discors, 247
floridana, 174

R

- Rail*, Black, 46
 Light-footed, 43
Sora, 227
Virginia, 227
 Wood, 174
Rallidae, 107
Rallinae, 107
Rallus longirostris, 108
ypecaha, 107
Raven, 102, 228
Recurvirostra americana, 50
Regulus regulus olivaceus, 120
Rhynchositta pachyrhyncha, 35
Road-runner, 206, 228
Robertson, John McB., birds and eucalyp-
 tus trees, 137; some changes in the
 bird life of western Orange County,
 California, 204
Robin, 215, 216, 250
 Western, 120
Rowley, J. Stuart, occurrence of the
 white-throated sparrow in the San
 Joaquin Valley, California, 75
Ruby-throat, 23

S

- Salpinctes obsoletus obsoletus*, 119
Sanderling, 158
Sandpiper, Red-backed, 158
 Semipalmated, 155, 158, 243
 Spotted, 55, 111
 Western, 111, 243
 White-rumped, 158
Sapsucker, Northern Red-breasted, 114
 Red-naped, 114
 Sierra Red-breasted, 114
 Williamson, 114
Sarcorampus californianus, 212
Sayornis nigricans, 34, 219
 saya, 171
 saya yukonensis, 171
 sayus, 115, 219
Scoter, White-winged, 157, 256
Scotiaptex nebulosa nebulosa, 113
Sea-Eagle, West African, 133
Secretary-Bird, Northern, 133
Selasphorus allenii, 20, 77, 138
 rufus, 77, 127, 138
 sasin sasin, 78
 sasin sedentarius, 78
Shearwater, 218
 Black-vented, 218
Cory, 20, 133
Manx, 174
 North Atlantic Great, 133
 Slender-billed, 78

- Shrike, California, 138, 201
 North American, 40
 Northern, 118
- Sialia currucoides*, 78, 121
mexicana occidentalis, 121
- Siskin, Pine, 117, 139
- Sitta canadensis*, 120
carolinensis aculeata, 120
pygmaea pygmaea, 120
- Smith, Austin, records for several species
 of birds rare or local within Costa
 Rica, 249
- Snipe, Wilson, 52, 111, 157
- Solitaire, Townsend, 120, 246
- Somateria mollissima borealis*, 156
spectabilis, 157
- Sparrow, Alberta Fox, 117
Aleutian Savannah, 117
Baird, 39, 202
Bell, 228
Clay-colored, 128
Eastern Fox, 124
English, 138, 146
Forbush, 117
Fox, 75, 128
Gambel, 37, 138, 139
Golden-crowned, 46, 102, 117, 128,
 139, 238
Harris, 117, 127
House, 30
Kodiak Fox, 117
Lark, 102, 138, 139
Lincoln, 139
Merrill Song, 75
Nevada Sage, 127
Nevada Savannah, 38
Nuttall, 102, 117, 227
Nuttall White-crowned, 127, 242
Oregon Vesper, 75, 117
Puget Sound, 139
Puget Sound White-crowned, 238
Savannah, 155, 159
Song, 117, 205, 215
Townsend Fox, 118
Valdez Fox, 117
Warner Mountains Fox, 118
Western Chipping, 117, 205
Western Lark, 117, 128
Western Savannah, 75, 117
White-throated, 48, 75, 134
Yosemite Fox, 118
- Spaulding, E. S., the western tanager
 wintering in southern California,
 129
- Speotyto cunicularia hypugaea*, 64, 113,
 205
- Sphyrapicus ruber daggetti*, 114
ruber ruber, 114
thyroideus, 114
varius nuchalis, 114
- Spinus lawrencei*, 138
pinus, 139
pinus pinus, 117
psaltria hesperophilus, 117, 138
tristis salicamans, 116, 125, 139
- Spizella pallida*, 128
passerina arizonae, 117, 205
- Spizastur melanoleucus*, 249
- State Bird of California, 48
- Steganopus tricolor*, 49
- Stelgidopteryx serripennis*, 118
- Stellula calliope*, 115
- Stercorarius parasiticus*, 158
- Sterna paradisaea*, 159
- Stilt, Black-necked, 38, 51, 89, 123
- Stoner, Emerson A., black-necked stilts
 nesting in Suisun marshes, California,
 123; re-use of its nest by
 spotted towhee, 252; another ex-
 ample of frailty in mourning dove
 nest construction, 254
- Storer, Tracy I., the American egret in
 the lower Sacramento Valley, Califor-
 nia, 34; a seasonal feast of the
 willow goldfinch, 125; "known
 and potential results of bird and
 animal introduction with especial
 reference to California", reviewed,
 223
- Strix frontalis*, 212
- Sturnella neglecta*, 116
- Sumner, E. L., Jr., some observations on
 bird behavior, 89
- Sumner, E. L., Sr., eastern fox sparrow
 trapped in Berkeley, California,
 124; some banded birds recaptured
 after five to seven and one-half
 years, 128
- Sumner, F. B., golden eagle kills a cat,
 248
- Sutton, George Miksch, notes on birds ob-
 served along the west coast of
 Hudson Bay, 154
- Swallow, Barn, 118, 122
Cliff, 118
Northern Violet-green, 118
Rough-winged, 118
Tree, 118
- Swan, Trumpeter, 48, 134, 178
Whistling, 126, 134
- Swarth, H. S., review of Oberholser's
 notes on a collection of birds from
 Arizona and New Mexico, 81; the
 tyranny of the trinomial, 160;
 black-footed albatross on San Fran-
 cisco Bay, 214
- Swift, Vaux, 115
- T
- Tachycineta thalassina lepida, 118

- Tanager, Cooper, 127
 Scarlet, 144
 Western, 118, 129
- Teal, Blue-winged, 247
 Cinnamon, 247
 Green-winged, 156, 247
- Telmatodytes palustris paludicola, 120
- Telmatornis affinis, 108
 priscus, 108
 rex, 108
- Teratornis, 70, 174
 merriami, 174
- Tern, Arctic, 157, 159
 Black, 52
 Caspian, 188
 Least, 76
- Tetrao californicus, 37
- Thrasher, California, 73, 227
- Thrush, Alaska Hermit, 120
 Dwarf Hermit, 120
 Russet-backed, 215
 Sierra Hermit, 120
 Varied, 48, 120, 151
- Thryomanes bewickii calophonous, 119
 bewickii drymoecus, 119, 120
- Thryorchilus basultoi, 249
 browni ridgwayi, 249
- Titmouse, Plain, 120, 215
- Towhee, Anthony, 102
 Brown, 138, 139, 227
 California, 118, 215, 216
 California Brown, 210
 Green-tailed, 118
 Oregon, 118
 Sacramento Spotted, 118
 San Francisco Spotted, 252
 Spotted, 128, 134, 215
 Spurred, 102
- Totanus flavipes, 158
 melanoleucus, 111
- Toxostoma curvirostre, 36
 redivivum, 73
- Tribonyx mortierii, 107
- Trochilus rufus, 77, 212
- Troglodytes aedon parkmanii, 120
- Turdus migratorius propinquus, 120
- Turkey, 35
 Water, 134
- Turnstone, Ruddy, 157
- Tyler, John G., "pests" and agriculture, 258
- Tyrannus tyrannus, 73
 verticalis, 115, 138
 vociferans, 138
- U
- Uintornis lucaris, 256
- Unglisch, W. E., the dwarf cowbird in San Benito County, California, 214
- Unglisch, W. E., and H. W. Carriger, nest-
- ing of the Tolmie warbler in southern Santa Clara County, California, 222
- Urubitinga enecta, 72
- V
- Van Rossem, A. J., concerning some western races of *Polioptila melanura*, 35
- Verdin, 23, 163, 178
- Vermivora celata lutescens, 119
 peregrina, 127, 128
 ruficapilla gutturalis, 119
- Vireo, Cassin, 118
 Hutton, 118
 Western Warbling, 118
- Vireo gilvus swainsonii, 118
 huttoni huttoni, 118
 solitarius cassini, 118
- Vultur californianus, 212
 kernensis, 70
 papa, 70, 71
- Vulture, King, 71
 Mexican Turkey, 174
 Turkey, 102, 112, 227, 228
- W
- Warbler, Alaska Myrtle, 119
 Audubon, 119, 138, 184
 Black-throated Gray, 84, 119, 227
 Calaveras, 119
 California Yellow, 119
 Dusky, 84
 Golden Pileolated, 119, 214
 Hermit, 47, 119
 Lutescent, 119
 Macgillivray, 119
 Palm, 127
 Tennessee, 127, 128
 Tolmie, 222
 Yellow, 227
- Warrington, Henry, behavior of parent killdeers, 126
- Waterfowl, American, by John C. Phillips and Frederick C. Lincoln, reviewed, 41
- Waxwing, Bohemian, 253
 Cedar, 118, 134, 135, 138
- Wells, Caroline, bird notes from western Montana, 222
- Wetmore, Alexander, early record of birds in Arizona and New Mexico, 35; the California condor in New Mexico, 76; two primitive rails from the Eocene of Colorado and Wyoming, 107; the avifauna of the Pleistocene in Florida, reviewed, 173; bones of the great horned owl from the Carlsbad cavern, 248; record of an unknown woodpecker from the Lower Pliocene, 255

- Wetmoregyps daggetti, 177
 Weydemeyer, Winton, late nesting of a pair of barn swallows in Montana, 122; some recent records from Lincoln County, Montana, 128
 Wild Life Refuge, Salton Sea, 81
 Willett, G., the condor in San Benito County, California, 31; ten-year index to the Condor, 135
 Willett, Western, 54, 55
 Williams, Laidlaw, further notes on California brown pelicans at Point Lobos, California, 66
 Wilson, Irene, and Berry Campbell, robins nesting in Monrovia, California, 250
 Wilsonia pusilla chryseola, 119, 214
 Wolfe, Captain L. R., the breeding Limicolae of Utah, 49; ground nesting of crows in Wyoming, 124
 Woodpecker, Alaska Three-toed, 114
 Arctic Three-toed, 114
 California, 102, 114, 171, 139, 178
 Lewis, 102, 114, 127
 Modoc Hairy, 113
 Northern White-headed, 114
 Nuttall, 102
 Western Pileated, 114
 Willow Downy, 113
 Woodpeckers of Oklahoma by E. D. Crabb, reviewed, 82
 Woods, Robert S., hummingbird boarders, 181; a convenient feeding table, 210
 Wren, 216
 Canyon, 228, 245
 Dotted Cañon, 119
 House, 178, 228
 Rock, 119, 201
 San Joaquin Bewick, 120
 Seattle, 119
 Tule, 47, 120
 Western House, 120
 Western Winter, 120
 Winter, 160
 Vigors, 215
 Wren-tit, 120, 128, 172, 177, 215
 Wythe, Margaret W., Harris sparrow in Berkeley, 127
- X
- Xenopus albolarvatus albolarvatus, 114
- Y
- Yellowlegs, 47
 Greater, 111, 158
 Lesser, 155, 158
 Yellow-throat, Western, 119
 Youngworth, Wm., the least tern in the upper Missouri Valley, 76
- Z
- Zenaidura macroura marginella, 112, 138, 148, 254
 Zonotrichia albicollis, 75
 coronata, 117, 128, 139, 238
 harrisi, 127
 leucophrys gambeli, 37, 138, 219
 leucophrys nuttalli, 117, 242
 leucophrys pugetensis, 139, 238
 querula, 117