

INDEX TO VOLUME 59

By SYLVIA L. THOMSEN

A

- Acanthis flammea*, 71
 flammea flammea, 334
Accipiter cooperii, 23, 160, 194, 341
 gentilis, 141, 328
Acridotheres cristatellus, 66
 cristatellus cristatellus, 66
 grandis, 64, 66
Actitis macularia, 78, 204
Aeronautes saxatalis, 145
Agelaius phoeniceus, 103, 195, 364
Aimophila petenica, 126
Aix galericulata, 263
 sponsa, 141, 184, 263
Alauda gulgula, 65
Albatross, Short-tailed, 272
Alcedo alcedo, 223
 semitorquata, 222
Alectoris graeca, 133, 141
Alvarez del Toro, Miguel, and Paynter, Raymond A., Jr., blue and white swallow in Mexico, 268
Amazilia amabilis costaricensis, 84
 edward niveoventer, 270
 tzacatl, 253
 tzacatl tzacatl, 84
Amazona autumnalis, 79, 108, 109
 autumnalis salvini, 79
 farinosa, 252
Amazonetta brasiliensis, 184
Amblycercus holosericeus, 257
 holosericeus holosericeus, 102
Ammodramus savannarium, 40, 126
Amphispiza bilineata, 290
Anas acuta, 179, 248, 328, 340
 americana, 179
 bahamensis, 184
 bahamensis galapagensis, 184
 bernieri, 185
 capensis, 185
 carolinensis, 328
 castanea, 184
 clypeata, 179
 crecca, 179
 cyanoptera, 179, 184
 discors, 179, 248
 erythrorhyncha, 185
 fulvigula, 179, 184
 georgica, 184
 georgica georgica, 185
 leucophrys, 184
 melleri, 185
 penelope, 181
 platalea, 184
 platyrhynchos, 178, 328
 poecilorhyncha, 185
 punctata, 185
 querquedula, 183
 sibilatrix, 184
 smithi, 185
 sparsa, 185
 specularis, 184
 strepera, 179
 undulata, 185
 versicolor, 184
Anderson, Anders H., and Anderson, Anne, life history of the cactus wren. Part 1. Winter and prenesting behavior, 274
Anhinga anhinga, 249
Anhinga, 249
Ani, Groove-billed, 79, 252, 253
 Smooth-billed, 253
Anous minutus, 37
 stolidus, 37, 399
Anser albifrons, 328
Antbird, Bicolored, 92
 Chestnut-backed, 92
 Dusky, 91
 Nicaraguan, 214
 Spotted, 93
Anthracothorax prevostii gracilirostris, 83
Anthus pratensis, 309
Antpitta, Fulvous-bellied, 93
Antshrike, Barred, 90
 Fasciated, 90
 Great, 90
 Slaty, 90
Anthrush, Black-faced, 92, 254
 Ocellated, 93
Antwren, Dot-winged, 90
 Fulvous-bellied, 90
 White-flanked, 254
Aphanotriccus capitalis, 96
Aphelocoma, 195-197
Aphriza virgata, 329
Apus apus, 145
Aquila chrysaetos, 160, 210, 211, 396
Ara macao, 78
Aracari, Collared, 85
Aramides cajanea pacifica, 77
Aramus guarauna dolosus, 247
Aratinga astec, 108
 finschi, 78, 108, 252
Archilochus colubris, 193
Ardeola bacchus, 65
Arenaria interpres, 37
Arremon aurantirostris rufidorsalis, 107
Arremonops conirostris, 260
 conirostris lafresnayi, 260
 conirostris richmondi, 107, 260

- Artamus fuscus*, 64, 66
 Arvey, M. Dale, bay-breasted warbler off California coast, 268
Asio flammeus, 332
Aspatha gularis, 223
Atticora cyanoleuca patagonica, 97, 268
Attila, Bright-rumped, 254
Attila spadiceus, 254
 Auklet, Cassin, 144
Automolus ochrolaemus, 89
 ochrolaemus amusus, 89
 ochrolaemus cervinigularis, 89, 90
 ochrolaemus hypophaeus, 88-90
Aythya affinis, 248, 328
 marila, 328
- B**
- Baird, James, a western representative of the rufous-sided towhee collected in New Jersey, 401
 Baker, James Kenneth, and Selander, Robert K., the cave swallow in Texas, 345
 Baldpate, 179-181, 183, 248, 322, 328, 336
 Bananaquit, 101, 211, 256
 Banks, Richard C., birds mobbing a snake skin, 213
 Bartholomew, George A., Howell, Thomas R., and Cade, Tom J., torpidity in the white-throated swift, Anna hummingbird, and poor-will, 145
 Bartlett, Lawrence M., and Fisher, Harvey I., diurnal cycles in liver weights in birds, 364
Basileuterus rivularis, 102
 rivularis fulvicauda, 102
 Becard, White-winged, 94
 Behle, William H., and Goates, Wayne A., breeding biology of the California gull, 235
 Bellbird, Three-wattled, 272, 273
 Bird of Paradise, Long-tailed, 207
 Sickle-billed, 207
 Blackbird, Brewer, 400
 European, 308
 Red-winged (see also Redwing), 364, 366, 367, 371
 Rusty, 323, 334, 336
 Bluebird, Mountain, 375, 384
 Western, 142
 Bobwhite, 9, 11, 12, 16, 22
 Bobolink, 69
 Bohl, Wayne H., a northern breeding record for the Mexican black hawk in New Mexico, 143
Bombycilla cedrorum, 193
 garrulus, 70
Bonasa umbellus, 8, 67, 128, 177
 Bond, R. M., a second record of the yellow-bellied sapsucker from St. Croix, Virgin Islands, 211; the cattle egret in Jamaica, British West Indies, 269
- Booby, Blue-faced, 37
 Blue-footed, 37
 Brown, 37, 249
 Red-footed, 37
Branta canadensis, 239, 328
Brotogeris jugularis chrysopogon, 78, 79
 jugularis jugularis, 78
Bubo virginianus, 23, 348
 virginianus algistus, 332
Bubulcus ibis, 143, 400
Bucephala albeola, 328
 islandica, 341
 Buffle-head, 322, 328
 Bulbul, Chinese, 66
 Yellow-vented, 66
Bulweria bulwerii, 36
 Bunting, Crested, 66
 Indigo, 193
 Lark, 290
 Lazuli, 383, 391
Burhinus bistriatus, 126
 Burleigh, Thomas D., unusual early winter records from Oregon, 209
 Bushman, John B., and Porter, Richard D., characteristics and status of the solitary sandpiper in Utah, 203
 Bush-tit, 96, 142
 Buss, Irven O., ancient murrelet captured in southeastern Washington, 142
 Buss, Irven O., and Farner, Donald S., summer records of the golden-crowned sparrow in Okanogan County, Washington, 141
Buteo jamaicensis, 160, 192
 lagopus, 70, 328
 lineatus, 158
 magnirostris, 108, 250, 254
 magnirostris argutus, 76
Buteogallus anthracinus, 76, 143
Butorides maculatus, 76
 virescens, 76
- C**
- Cacique, Yellow-billed, 102, 257
 Cade, Tom J., Bartholomew, George A., and Howell, Thomas R., torpidity in the white-throated swift, Anna hummingbird, and poor-will, 145
Calamospiza melanocorys, 290
Calcarius lapponicus alascensis, 335
Calypte anna, 118-122, 145, 152, 153, 207
Campylorhynchus brunneicapillus, 53, 55, 57, 274
 brunneicapillus bryanti, 55
 brunneicapillus couesi, 55-57
 brunneicapillus guttatus, 57
 chiapensis, 57
 megalopterus, 57
 rufinucha capistratus, 57
 yucatanicus, 53, 55-57
 zonatus, 57

- Canachites canadensis*, 329
Capella delicata, 382
 gallinago delicata, 329
Caprimulgus carolinensis, 125, 126
 maculicaudus, 124-127
 ridgwayi, 126, 127
 salvini, 126, 127
 vociferus, 125, 126
Capsiempis flaveola, 96
 flaveola semiflava, 96
 Cardinal, 208
Carpodacus cassinii, 379, 380
 mexicanus, 112, 286
Caryothraustes polioaster scapularis, 105
Casmerodius albus, 141, 343
Cassidix mexicanus peruvianus, 252
 Catbird, 193
Catharacta skua, 37
Cathartes aura, 59, 61, 76, 160, 250
Catherpes mexicanus, 142, 348
Catoptrophorus semipalmatus, 252
Catreus wallichi, 177
Centrocercus urophasianus, 131, 269
Centropus bengalensis lignator, 65
Centurus pucherani, 86, 108, 254
 pucherani perileucus, 87
 pucherani pucherani, 87
 uropygialis, 276, 290
Cercomacra tyrannina crepera, 91
Certhia familiaris, 379, 380
Ceryle alcyon, 217
 rudis, 65
 torquata, 220
Chachalaca, Chestnut-winged, 77
Chaetura cinereiventris, 253
 cinereiventris phaeopygos, 82
 vauxi, 140
 vauxi richmondi, 81, 140
 vauxi tamaulipensis, 140, 141
 vauxi vauxi, 140, 141
Chalybura melanorrhhoa, 84, 248
 urochrysia, 84, 85
 urochrysia isaurae, 248
Chamaea fasciata, 213
Chamaethlypis poliocephala, 126
 poliocephala caninucha, 102
Charadrius collaris, 252
 semipalmatus, 142, 329
Chenopsis atrata, 400
Chickadee, Black-capped, 70, 193, 209, 322, 332, 333, 335
 Chestnut-backed, 404
 Mountain, 374, 375, 378-380
Chicken, Prairie, 177
Chiroxiphia lanceolata, 178
 pareola, 178
Chlidonias niger, 252
Chloroceryle amazona, 85, 217
 americana, 85, 217, 254
 americana isthmica, 85
Chlorophanes spiza arguta, 100
 spiza guatemalensis, 101
Chlorostilbon canivetii assimilis, 253
 mellisugus, 253
Chordeiles acutipennis, 151
 minor, 126
 Christensen, Glen C., and Gullion, Gordon W., a review of the distribution of gallinaceous game birds in Nevada, 128
 Christman, Gene M., some interspecific relations in the feeding of estuarine birds, 343
 Chuck-will's-widow, 125
Ciccaba virgata, 126
Circus aeruginosus, 65
 cyaneus, 160
 cyaneus hudsonicus, 328
 melanoleucus, 64, 65
Cisticola juncidis, 66
Clangula hyemalis, 328
Claravis pretiosa, 78
Coccyzus americanus, 69
Coereba flaveola, 211, 256
 flaveola mexicana, 101
Colaptes auratus, 332
 cafer, 384
Colibri coruscans, 176, 177
 thalassinus, 175
Colinus virginianus, 9
Colius striatus, 151
Colonia colonus, 254
 colonus leuconota, 95
Columba cayennensis, 252
 livia, 394, 395, 401
 speciosa, 78, 252
Columbigallina minuta, 126
 talpacoti, 252
 talpacoti rufipennis, 78
Coly, Speckled, 151
Condor, California, 59-62
Contopus cinereus, 255
 cinereus brachytarsus, 95, 255
 richardsonii, 382, 384
 virens, 255
Copsychus saularis saularis, 66
Coot, 59, 62
 American, 248, 341
Coragyps, 62
 atratus, 61, 76, 249
 occidentalis, 59, 61, 63
Cormorant, 59-62
 Double-crested, 62, 343
 Olivaceous, 249
Corvus brachyrhynchos, 160, 196, 199, 208, 395
 corax, 59, 70, 395, 396
 corax principalis, 333
 cornix, 170
 corone, 170
 Couffer, Jack C., nest of the Galápagos penguin, 399

- Cowan, I. McT., Udvardy, M. D. F., and Myres, M. T., the British Columbia nest records scheme, 308
- Cowbird, Brown-headed, 116
Red-eyed, 257
- Crake, Gray-breasted, 77
Yellow-breasted, 250
White-throated, 78, 250
- Crane, Sandhill, 141, 272, 322, 329
Whooping, 396
- Crane-Hawk, 77
- Creep, 375, 379, 380
- Crossbill, Red, 71
- Crossopylon, 177
- Crotophaga ani, 253
sulcirostris, 252, 253
sulcirostris sulcirostris, 79
- Crow, 62, 160, 165, 395
American, 196, 208
Carion, 170
European Hooded, 170
- Crow-pheasant, Lesser, 65
- Crypturellus boucardi, 126
- Cuckoo, Squirrel, 79, 252
Yellow-billed, 69
- Curlew, Hudsonian, 322, 329, 336
- Cyanerpes cyaneus carneipes, 101
lucidus, 101
- Cyanocitta cristata, 193
- Cyanocompsa cyanoides caerulea, 105
- Cyanocorax affinis, 256
- Cymbilaimus lineatus fasciatus, 90
- Cyphorhinus phaeocephalus infuscatus, 99
phaeocephalus lawrencii, 99
phaeocephalus richardsoni, 99
- Cypseloides cryptus, 82
niger, 82
- Cyrtonyx montezumae, 3
montezumae mearnsi, 3, 4-6
montezumae merriami, 4, 6
montezumae montezumae, 3-6
montezumae sallei, 4-6
ocellatus, 3-7
- auduboni, 210, 378-380
castanea, 268
coronata hooveri, 333
petechia, 101
striata, 334
tigrina, 340
townsendi, 209, 210
- Dicrurus leucophaeus hapwoodi, 64, 66
- Diomedea albatrus, 272
- Dixon, James B., Dixon, Ralph E., and Dixon, James E., natural history of the white-tailed kite in San Diego County, California, 156
- Dolichonyx oryzivorus, 69
- Dove, Blue Ground, 78, 108
Chinese Spotted, 65
Mourning, 193
Plain-breasted Ground, 126
Ring, 369
Ruddy Ground, 78, 108, 252
Rufous Turtle, 65
White-winged, 404
- Drongo, Ashy, 66
- Dryocopus lineatus, 87, 254
pileatus, 208
- Duck, African Black, 185
Bahama, 184
Black, 72, 179-181
Bronze-winged, 184
Galapagos Bahama, 185
Greater Scaup, 322, 328
Lesser Scaup, 322, 328
Marbled, 183
Meller, 185
North American Black, 185
Red-billed, 185
Spot-billed, 185
Wood, 141, 184, 263-265
Yellow-billed, 185
- Dumetella carolinensis, 193
- Dyal Bird, Chinese, 66
- Dysithamnus puncticeps puncticeps, 248
striaticiceps, 248

D

- Davis, John, determination of age in the spotted towhee, 195
- Davis, John, and Williams, Laidlaw, irruptions of the Clark nutcracker in California, 297
- Dendragapus obscurus, 128
- Dendrocolaptes certhia hesperius, 87
certhia nigrirostris, 87, 88
certhia sancti-thomae, 87, 88
- Dendrocopos albolarvatus, 337
pubescens, 142, 193
villosus, 379, 380
- Dendroica aestiva, 102, 210, 382, 384
aestiva rubiginosa, 333

E

- Eagle, Bald, 59, 60, 62, 144
Golden, 60, 144, 160, 210, 211
- Eaton, Stephen W., bird notes from western Kwangsi, China, 64
- Eckelberry, Don R., painting of four species of Nicaraguan antbirds, opp. 73; painting of three-wattled bellbird, opp. 273; the three-wattled bellbird, 273
- Edwards, Ernest P., yellow-billed cuckoo nesting in Yucatán, 69
- Egret, Cattle, 269, 400
African Cattle, 143
Common, 141, 343
Snowy, 343, 400

- Eisenmann, Eugene, notes on birds of the province of Bocas del Toro, Panamá, 247
- Elaenia flavogaster saturata*, 96
flavogaster subpagana, 97
- Elaenia*, Yellow-bellied, 96
- Elanoides forficatus*, 76
- Elanus coeruleus*, 64, 65
leucurus, 156
- Emerald, Fork-tailed, 253
- Emery, Ruth P., and Ross, R. Dudley, a bobolink in southern California, 69
- Empidonax traillii*, 382-384
traillii traillii, 332
virescens, 211
- Epimachus fastosus*, 207
fastosus fastosus, 207
meyeri meyeri, 207
- Ereunetes mauri*, 329
- Erolia minutilla*, 329
- Escalante, Rodolfo, and Haedo, Enrique Gomez, southernmost record of the blue-winged teal, 398
- Eucometis penicillata spodocephala*, 104
- Eupetomena macroura*, 176
- Euphagus carolinus*, 334
- Euphonia*, Olive-backed, 100, 102
 Yellow-crowned, 102
- Eurypyga helias*, 400
- Evenden, Fred G., observations on nesting behavior of the house finch, 112
- F
- Fairy, Purple-crowned, 85
- Falco, 396
albigularis, 108, 109
albigularis albigularis, 77
mexicanus, 396
sparverius, 348
tinnunculus saturatus, 64, 65
- Falcon, Bat, 77
 Laughing, 77, 250
 Prairie, 62, 396
- Farner, Donald S., and Buss, Irven O., summer records of the golden-crowned sparrow in Okanagan County, Washington, 141
- Farner, Donald S., and Mewaldt, L. Richard, translocated golden-crowned sparrows return to winter range, 268
- Fennell, Chester M., pale ouzel nesting in Korea, 402
- Finch, Black Rosy, 71
 Cassin, 380
 Gray-crowned Rosy, 71
 House, 112, 116, 117, 286, 290
 Slaty, 67
- Fisher, Harvey I., and Bartlett, Lawrence M., diurnal cycles in liver weights in birds, 364
- Flicker, 375, 384, 390
- Florida caerulea, 76, 400
- Flycatcher, Acadian, 211
 Boat-billed, 254
 Common Tody, 255
 Chipsacheery, 223
 Dusky-capped, 95, 255
 Gray-capped, 95, 255
 Kiskadee, 95
 Olivaceous, 255
 Olive-sided, 375
 Northern Royal, 96
 Piratic, 254
 Ruddy-tailed, 96
 Scissor-tailed, 144
 Social, 95, 106, 254
 Sulphur-bellied, 95
 Sulphur-rumped, 90, 96
 Tawny-chested, 96
 Traill, 322, 332, 335, 375, 382-384
 Yellow-olive, 96
- Foliage-gleaner, 89
 Buff-throated, 88
- Formicarius analis*, 254
analis umbrosus, 92
- Francolin, Chinese, 65
- Francolinus pintadeanus pintadeanus*, 65
- Fratercula arctica*, 227
- Fregata, 396
 ariel, 37
 magnificentens, 36, 249
 minor, 37
- Fregetta grallaria*, 36
- Frigate-bird, Great, 37
 Lesser, 37
 Magnificent, 36, 249
- Fulica americana*, 59, 248, 341
- Fulmar, 68, 69
- Fulmarus glacialis*, 68
- G
- Gadwall, 72, 179-181, 183
- Galbula ruficauda*, 85
- Gallinula chloropus*, 250
- Gallinule, Common, 250
 Purple, 250
- Garganey, 183
- Garrulux perspicillatus*, 66
- Gavia arctica*, 327
stellata, 327
- Geococcyx californianus*, 288
- Geothlypis semiflava*, 257
trichas, 382, 383
- Geotrygon montana*, 252
- Geranoospiza caerulescens*, 77
caerulescens nigra, 77
caerulescens balzarensis, 77
- Glaucidium brasilianum*, 126, 255
- Glyphorhynchus spirurus*, 87
spirurus sublestus, 87
spirurus pectoralis, 87

- Gnatwren, Long-billed, 99
 Gnatcatcher, Tropical, 99
 Goates, Wayne A., and Behle, William H., breeding biology of the California gull, 235
 Goldeneye, Barrow, 341, 404
 Goldfinch, American, 71, 193, 375, 384
 Goose, Canada, 239, 322, 328, 336
 White-fronted, 322, 328, 336
 Goshawk, 141, 322, 328, 335, 337
 Gould, Patrick J., specimen of parula warbler from southern California, 210
 Grackle, 208
 Boat-tailed, 252
 Common, 400
 Grallaria fulviventris dives, 93
 perspicillata, 93
 Grassquit, Blue-black, 107, 250, 260
 Yellow-faced, 105-107
 Grayson, Andrew Jackson, painting of Gila woodpecker, opp. 3
 Grebe, Horned, 322, 327
 Least, 249
 Pied-billed, 249-254
 Red-necked, 322, 327
 Greenlet, Gray-headed, 100, 256
 Tawny-crowned, 100
 Grosbeak, Black-faced, 105
 Black-headed, 375, 382-384, 391
 Blue-black, 105
 Evening, 70
 Pine, 334, 374, 375, 379, 380
 Slate-colored, 105
 Ground-chat, 126
 Ground-Cuckoo, Rufous-vented, 79
 Grouse, Black, 177
 Blue, 128, 129, 137
 Ruffed, 8, 9, 67, 128, 177
 Sage, 131, 132, 137, 269
 Sharp-tailed, 128-130, 177
 Spruce, 329
 Grus americana, 396
 canadensis, 329
 canadensis tabida, 141
 Gull, Bonaparte, 322, 331, 332, 336
 California, 235, 238-245, 332
 Common, 322, 331, 332
 Franklin, 252
 Glaucous, 68, 322, 330, 336
 Glaucous-winged, 62, 310, 332
 Herring, 68, 238
 Ivory, 68
 Sabine, 68
 Western, 62, 242
 Gullion, Gordon W., miscellaneous bird records from northeastern Nevada, 70; two records of unprovoked attack by golden eagles, 210; precocial strutting in sage grouse, 269
 Gullion, Gordon W., and Christensen, Glen C., a review of the distribution of gallinaceous game birds in Nevada, 128
 Gygis alba, 37
 alba microrhyncha, 37
 Gymnocichla chiroleuca nudiceps, 248
 nudiceps chiroleuca, 91
 Gymnogyps amplus, 61
 californianus, 59, 61, 63
 Gymnophrys leucaspis olivascens, 92
 Gymnostinops montezuma, 102, 257
 Gypohierax angolensis, 76
- ### H
- Haliaeetus leucocephalus, 59, 63
 Habia gutturalis discolor, 103
 gutturalis fuscicauda, 104
 Halcyon smyrnensis fusca, 65
 Hamerstrom, Frances, the influence of a hawk's appetite on mobbing, 192
 Harrier, Marsh, 65
 Pied, 65
 Hartman, Frank A., some additions to nesting data on Panamanian birds, 269
 Hawk, Common Black, 76
 Cooper, 23, 160, 194, 341
 Marsh, 160, 322, 328
 Mexican Black, 143
 Red-shouldered, 158, 160
 Red-tailed, 160, 192-194
 Roadside, 76, 250
 Rough-legged, 70, 322, 328
 Savanna, 250
 Sparrow, 60, 62, 348
 Heliothrix aurita, 85
 barroti, 85
 Henicorhina leucosticta tropaea, 98
 prostheleuca, 98
 Hermit, Little, 83
 Long-tailed, 82, 253
 Heron, Chinese Pond, 65
 Green, 76
 Little Blue, 76, 400
 Herpetotheres cachinnans, 250
 cachinnans cachinnans, 77
 Hesperiphona vespertina, 70
 Heterospizias meridionalis, 250
 Hight, Gordon L., Jr., and Norris, Robert A., subspecific variation in winter populations of savannah sparrows: a study in field taxonomy, 40
 Hirund-apus caudacutus, 65
 Hirundo daurica, 66
 rustica, 66, 256, 333
 Honeycreeper, Blue, 81
 Green, 100, 103
 Red-legged, 101
 Shining, 101
 Hoopoe, 65

- Howell, Thomas R., birds of a second-growth forest area of Nicaragua, 73
- Howell, Thomas R., Cade, Tom J., and Bartholomew, George A., torpidity in the white-throated swift, Anna hummingbird, and poor-will, 145
- Hummingbird, Allen, 118, 151, 152
- Anna, 118, 145, 149-154, 207
- Blue-chested, 84
- Broad-tailed, 383
- Calliope, 375, 382, 384
- Estella, 151
- Ruby-throated, 193
- Rufous, 69
- Rufous-tailed, 84, 253
- Scaly-breasted, 83
- Scintillant, 270
- Snowy-breasted, 270
- Violet-headed, 83
- Humphrey, Philip S., remarks on the courtship and voice of the black scoter, 139
- Hylocichla guttata*, 380, 382, 383
- minima minima*, 333
- mustelina*, 340
- ustulata*, 336, 380
- Hylophilus decurtatus*, 99, 256
- decurtatus decurtatus*, 100
- decurtatus pallidus*, 100
- ochraceiceps ochraceiceps*, 100
- ochraceiceps pallidipectus*, 100
- Hylophylax naevioides capnitis*, 93
- I**
- Icterus mesomelas*, 102, 257
- prothemelas*, 257
- prothemelas prothemelas*, 102
- Ictinia plumbea*, 76
- Iridoprocne albilinea*, 256
- albilinea albilinea*, 97
- bicolor*, 332, 384
- Ixoreus naevius meruloides*, 333
- J**
- Jacamar, Rufous-tailed, 85
- Jacana *jacana*, 251
- jacana hypomelaena*, 251
- spinosa*, 250, 251
- spinosa spinosa*, 250, 251
- Jacana, Middle American, 250
- Jaeger, Long-tailed, 322, 330
- Parasitic, 68, 322, 330
- Pomarine, 37, 68
- Jay, Blue, 193
- Canada, 322, 333, 335, 378
- Scrub, 199
- White-tipped Brown, 97, 106, 256
- Johnston, Richard F., selection and emberzine distraction display, 266
- Jollie, M., avian anatomy and the anatomist, 394
- Junco oreganus*, 141, 378-380, 383, 384
- Junco, Oregon, 141, 375, 378-380, 383, 384
- K**
- Kestrel, 65
- King, Joseph E., and Pyle, Robert L., observations on sea birds in the tropical Pacific, 27
- Kingbird, Eastern, 54, 193
- Tropical, 81, 95, 106, 250, 254
- Kingfisher, African Half-collared, 226-228
- Amazon, 85, 217-222, 224-228
- Belted, 217, 223, 227, 336
- Chinese Pied, 65
- European, 223
- Green, 85, 217, 220, 222, 227, 254
- Half-collared, 220, 222, 227
- Ringed, 220-222, 226, 227
- White-breasted, 65
- Kinglet, Golden-crowned, 375, 379, 380
- Ruby-crowned, 209, 374, 375, 379, 380
- Kiskadee, Great, 250, 253, 255, 258
- Kite, Black-eared, 65
- Black-winged, 65
- Gray-headed, 76
- Plumbeous, 76
- Swallow-tailed, 76
- White-tailed, 156-165
- Kittiwake, 68
- Klais *guimeti merrittii*, 83
- Knorrr, Owen A., communal roosting of the pygmy nuthatch, 398
- Knot, 72
- L**
- Lagopus lagopus alascensis*, 329
- Lampornis castaneiventris*, 270
- Lanius ludovicianus*, 23
- schach*, 66
- Lark, Horned, 144
- Larus argentatus*, 238
- californicus*, 37, 235, 245, 332
- canus*, 332
- canus brachyrhynchus*, 332
- glaucescens*, 310, 332
- hyperboreus*, 68, 332
- hyperboreus barrovianus*, 330
- occidentalis*, 242
- philadelphia*, 332
- pipixcan*, 252
- Laterallus albigularis*, 250
- exilis*, 77
- melanophaius*, 78
- melanophaius cinereiceps*, 78
- Legatus leucophaius*, 254
- Leopold, A. Starker, and McCabe, Robert A., natural history of the Montezuma quail in Mexico, 3
- Lepidocolaptes souleyetii*, 108, 254
- souleyetii compressus*, 88

- Leptodon cayanensis*, 76
Leucophoyx thula, 343, 400
Leucosticte atrata, 71
 tephrocotis, 71
 tephrocotis littoralis, 71
 Limpkin, 247
Lobipes lobatus, 330
 Longspur, 144
 Lapland, 323, 335
 Loon, Arctic, 322, 327, 337
 Red-throated, 322, 327
Lophodytes cucullatus, 341
Lophortyx californica, 11, 65, 133
 gambelii, 23, 135
Loxia curvirostra, 71
Lyrurus tetrix, 177
- M
- Macaw, Scarlet, 78
 Mackay, R. H., movements of trumpeter swans shown by band returns and observations, 339
Macrosphenus, 100
 Magpie, 59, 60, 62, 63, 66
 Black-billed, 70
Malacoptila panamensis, 85, 254
 panamensis fuliginosa, 85
 panamensis inornata, 85
 Mallard, 72, 178-185, 322, 328, 336
 Hawaiian, 185
Manacus candei, 93, 94
 manacus, 178
 vitellinus, 94
 Manakin, Blue-backed, 178
 Brown, 178
 Gould, 178
 Lance-tailed, 178
 Red-capped, 93
 Thrush-like, 94
 White-collared, 93
 Yellow-thighed, 178
 Mandarin, 263
 Mango, Green-breasted, 83
Manucodia, 177
Mareca americana, 248, 328
 Martin, Brown-chested, 255
 Gray-breasted, 97, 255
 Purple, 247
 McCabe, Robert A., and Leopold, A. Starker, natural history of the Montezuma quail in Mexico, 3
 McKinnon, Robert S., and Tomlinson, Jack T., pigeon wing-beats synchronized with breathing, 401
 Meadowlark, 208
 Eastern, 126
 Medina, Don R., and Moore, Robert T., a record of the slaty finch for Honduras, 67; the status of the chachalacas of western Mexico, 230
Megaceryle alcyon, 336
Megarynchus pitangua, 254
Melanerpes erythrocephalus, 193
Melanitta deglandi, 328
 nigra americana, 139
 nigra nigra, 140
Meleagris gallopavo, 17
Melophus lathami, 64, 66
Melospiza georgiana ericrypta, 209
 lincolni, 382-384
 lincolni gracilis, 209
 melodia, 43, 141, 193, 266, 382-384
 Merganser, American, 343
 Common, 342, 343
 Hooded, 341
 Red-breasted, 343
Mergus merganser, 342
 serrator, 343
 Mewaldt, L. Richard, and Farner, Donald S., translocated golden-crowned sparrows return to winter range, 268
Microbates, 100
Microchera albo-coronata parvirostris, 84
Microhoppas quixensis virgata, 90
 Miller, Alden H., migratory flight of a zonotrichia at 10,000 feet above ground level, 209; review of Audubon Western Bird Guide by Richard H. Pough, 403
 Miller, Loye, bird remains from an Oregon Indian midden, 59
Milvus lineatus, 65
Molothrus ater, 116
 Monroe, Morgan, hummingbird killed by frog, 69
 Moore, Robert T., and Medina, Don R., a record of the slaty finch for Honduras, 67; the status of the chachalacas of western Mexico, 230
 Mossman, Archie S., hooded mergansers at Afognak Island, Alaska, 341
Motacilla alba alboides, 66
 Motmot, Blue-throated Green, 223
 Green, 223
 Mountain-gem, White-throated, 270
 Murrelet, Ancient, 142, 143
Myadestes townsendi, 142
Myiarchus tuberculifer, 255
 tuberculifer nigricapillus, 95
Myiobius barbatus, 90, 96
 barbatus aureatus, 96
Myiodynastes luteiventris luteiventris, 95
Myiozetetes granadensis, 95, 255
 granadensis granadensis, 95
 similis, 95, 223, 254, 255
 similis texensis, 95
 Mynah, Black-necked, 66
 Crested, 66
 Long-crested Jungle, 66
 Myres, M. T., clutch size and laying dates in cliff swallow colonies, 311

- Myres, M. T., Cowan, I. McT., and Udvardy, M. D. F., the British Columbia nest records scheme, 308
- Myrmeciza exsul exsul, 92
- Myrmotherula axillaris, 254
fulviventris, 90, 96
fulviventris costaricensis, 90
- N**
- Neomorphus geoffroyi salvini, 79
- Nesofregatta albigularis, 36
- Nighthawk, Common, 126
Trilling, 151, 152
- Nightjar, Ridgway, 126
Salvin, 126
Spotted-tailed, 124-127
- Noddy, Blue-gray, 37
Common, 37
White-capped, 37
- Norris, Robert A., and Hight, Gordon L., Jr., sub-specific variation in winter populations of savannah sparrows: a study in field taxonomy, 40
- Notharchus macrorhynchos hyperrhynchus, 85
- Nucifraga caryocatactes, 305
columbiana, 297, 378-380
- Numenius phaeopus, 329
- Nuttallornis borealis, 380
- Nutcracker, Clark, 72, 297-306, 374, 375, 378-380
- Nuthatch, Pygmy, 398
Red-breasted, 375, 379, 380
- Nyctea scandiaca, 332
- Nyctidromus albicollis, 81, 126, 153
albicollis intercedens, 81
- O**
- Oceanites gracilis, 68
oceanicus, 68
- Oceanodroma castro, 36
furcata, 69
leucorhoa, 36, 151
melania, 36
- Oidemia nigra americana, 328
- Old-squaw, 322, 328, 336
- Olor buccinator, 339
columbianus, 327
- Onychorhynchus mexicanus fraterculus, 96
- Oporornis tolmiei, 210, 382-384
- Oreortyx picta, 11, 135
- Oreotrochilus estella, 151
- Oriole, Baltimore, 405
Black-cowled, 102, 257
Black-naped, 66
Hooded, 72
Yellow-tailed, 102, 257
- Oriolus chinensis, 66
- Orcopodola, Chestnut-headed, 257
Montezuma, 102, 257
- Ortalida wagleri, 233
- Ortalis garrula cinereiceps, 77
garrula frantzii, 77
leucogastra, 230
poliocephala, 230-233
poliocephala griseiceps, 231-234
poliocephala lajuelae, 230-233
poliocephala poliocephala, 230-233
poliocephala wagleri, 231, 233
ruficrissa, 230
vetula, 230-232
vetula deschauenseei, 231
vetula intermedia, 231
vetula jalapensis, 230
vetula leucogastra, 231, 232
vetula mcalli, 231, 232
vetula pallidiventris, 231
vetula plumbiceps, 231
vetula vallicola, 231
vetula vetula, 230, 232
wagleri, 232, 233
- Orthotomus, 100
sutorius, 66
- Oryzoborus crassirostris, 107
funereus, 107, 260
nuttingi, 106, 107
- Osprey, 60, 144
- Otus asio, 62
flammeolus, 142
- Ouzel, Pale, 402
- Owl, Barn, 79
Flammulated, 142
Ferruginous Pygmy, 126, 255
Horned, 23, 62, 144, 322, 326, 332, 335, 348
Screech, 60, 62
Short-eared, 322, 332
Snowy, 332
Squamulated Wood, 126
Striped, 80, 81
- P**
- Pachycephala pectoralis, 182
- Pachyramphus cinnamomeus, 254
polychopterus cinereiventris, 94
- Pagophila alba, 68
- Parakeet, Crimson-fronted, 78, 252
Orange-chinned, 78
- Parrot, Blue-headed, 252
Mealy, 252
Red-lored, 79
White-crowned, 252
- Partridge, Chukar, 133, 134, 137, 141
Hungarian, 16, 17, 130, 131
- Parula americana, 210
- Parus atricapillus, 70, 193, 209
atricapillus turneri, 333
bicolor, 348
gambeli, 378-380
inornatus, 213

- Passer domesticus*, 112, 193, 276
 montanus, 66
Passerculus sandwichensis, 40, 50, 141, 266
 sandwichensis anthinus, 334
 sandwichensis labradorius, 40-42, 45-48, 50, 51
 sandwichensis mediogriseus, 40-42, 44-48, 51
 sandwichensis nevadensis, 40-42, 44-48, 51
 sandwichensis oblitus, 40-42, 44-48, 51
 sandwichensis savanna, 40-42, 44-48, 51
Passerella iliaca, 382
 iliaca zaboria, 335
 lincolni, 336
 melodia, 199
Passerherbulus caudacutus, 40
Passerina amoena, 383
 cyanea, 193
Pauraque, 81, 126
Paynter, Raymond A., Jr., rough-winged swallows of the race stuarti in Chiapas and British Honduras, 212
Paynter, Raymond A., Jr., and Alvarez del Toro, Miguel, blue and white swallow in Mexico, 268
Pedioecetes phasianellus, 128, 177
Pelecanus occidentalis, 37, 249, 399
Pelican, Brown, 37, 249, 399
 White, 144
Penelope poliocephala, 233
Penguin, Galápagos, 399
Penttila, Harte E., and Wick, William Q., observations on a coot-muskrat relationship, 341
Perdix perdix, 17, 131
Perisoreus canadensis, 378
 canadensis pacificus, 333
Petrel, Ashy, 144
 Bulwer, 36
 Cook, 36
 Fork-tailed, 69
 Gould, 36
 Hawaiian, 27, 35
 Herald, 35
 Kermadec, 35
 Leach, 151
 Phoenix, 35
 Tahiti, 27, 35
Petrochelidon fulva, 268, 345, 346, 353, 355, 357, 359, 360, 362
 fulva cavicola, 345
 fulva citata, 345
 fulva coronata, 345
 fulva fulva, 353, 356, 357
 fulva pallida, 345, 353, 356-360
 pyrrhonota, 310, 311, 347, 353, 355, 357, 359, 360, 361
 Pewee, Tropical, 95, 255
 Western Wood, 375, 382, 384, 391
Phaenostictus mcleannani saturatus, 93
Phaeochroa cuvierii maculicauda, 83
 cuvierii roberti, 83
Phaeoprogne tapera, 255
 tapera fusca, 255
Phaëthon aethereus, 36
 lepturus, 36
 rubricauda, 36
Phaethornis guy, 175
 longuemareus, 175
 longuemareus saturatus, 83
 malaris, 82
 ruber, 175
 superciliosus, 82, 175, 253
 superciliosus cephalus, 82
 superciliosus longirostris, 82
Phalacrocorax, 59
 auritus, 62, 343
Phalaenoptilus nuttallii, 145, 212
 nuttallii californicus, 150
Phalarope, Northern, 322, 330
 Red, 37, 68
Phalaropus fulicarius, 37, 68
Phasianus colchicus, 135, 176
 colchicus torquatus, 65
 torquatus, 17
Pheasant, Eared, 177
 Cheer, 177
 Ring-necked, 16, 17, 65, 130, 135, 176
Pheucticus melanocephalus, 382-384
Phillips, Allan R., and Webster, J. Dan, the Vaux swift in western México, 140
Phloeocastes guatemalensis, 87
Phlogothraupis sanguinolenta aprica, 103
Piaya cayana, 252
 cayana thermophila, 79
Pica, 59, 63
 pica, 66, 70
Picoides arcticus, 380
Piculus rubiginosus, 87
Pigeon, 394, 395, 401
 Scaled, 78, 108, 252
 Pale-vented, 252
Pinicola enucleator, 334, 379, 380
Pintail, 72, 179-183, 248, 322, 328, 340
 Kerguelen, 185
 South American, 184, 185
 South Georgia, 185
Pionus menstruus, 252
 senilis, 108
Pipilo erythrophthalmus, 195, 197, 200, 201
 erythrophthalmus canaster, 200
 erythrophthalmus erythrophthalmus, 340
 erythrophthalmus megalonyx, 195-197, 200, 201

- Rissa tridactyla*, 68
Roadrunner, 288
Robin, 193, 194, 322, 333, 375, 379, 380, 382-384, 390
 American, 255
 English, 255
 New Zealand, 255
 Pacific, 255
 Tahiti, 255
 Western, 255
Shearwater, 402
 Black-vented, 27, 35
 Christmas, 27, 35
 Dusky, 35
 Fork-tailed, 35
 Hawaiian, 35
 New Zealand, 35
 Pacific, 35
 Short-tailed, 35
 Tahiti, 35
 Western, 35

- Pipit, Meadow, 309
Pipra erythrocephala, 94, 178
 mentalis, 94, 178
 mentalis mentalis, 93
Piranga erythromelas, 193
 ludoviciana, 378-380
Pitangus sulphuratus, 250, 253, 255
 sulphuratus guatemalensis, 95, 255
 sulphuratus rufipennis, 255
Pitylus grossus saturatus, 105
Platyrinchus coronatus superciliaris, 96
 Plover, Black-bellied, 336
 Collared, 252
 Golden, 37, 322, 329, 336
 Mountain, 144
 Semipalmated, 142, 322, 329, 336
 Plumeleeter, Dusky, 84
Pluvialis dominica, 37
 dominica fulva, 329
 Pocoyo, 81
Podiceps auritus cornutus, 327
 dominicus, 249
 griseogena holbollii, 327
Podilymbus podiceps, 249
 podiceps antarcticus, 249
Polioptila plumbea superciliaris, 99
Poocetes gramineus, 40
 Poor-will, 145, 149-154, 212
Porphyryla martinica, 250
 Porter, Richard D., and Bushman, John B., characteristics and status of the solitary sand-piper in Utah, 203
Porzana carolina, 267
 flaviventer, 250
 flaviventer woodi, 250
Procelsterna cerulea, 37
Procnias tricarunculata, 272, 273
Progne chalybea, 255, 268
 chalybea chalybea, 97
 subis hesperia, 247
Psaltriparus minimus, 96, 142
Psilorhinus mexicanus, 256
 mexicanus cyanogenys, 97
Ptarmigan, Willow, 322, 329
Pterodroma alba, 35
 cooki, 36
 heraldica, 35
 leucoptera, 36
 phaeopygia, 35
 phillipii, 35
 rostrata, 35
Pteroglossus torquatus torquatus, 85
 Puffbird, Whiskered, 254
 White-necked, 85
 White-whiskered, 85
 Puffin, 227
 Horned, 144
Puffinus assimilis, 35
 gravis, 68
 griseus, 35
 lherminieri, 35
 nativitatis, 35
 opisthomelas, 35
 pacificus, 35
 puffinus newelli, 402
 tenuirostris, 68
Pycnonotus aurigaster resurrectus, 66
 sinensis, 66
 Pyle, Robert L., and King, Joseph E., observations on sea birds in the tropical Pacific, 27
- ### Q
- Quail, California, 11, 65, 133, 134, 136
 Gambel, 23, 135-137
 Mearns, 3, 8
 Montezuma, 3-23
 Mountain, 11, 135, 136
 Ocellated, 3, 7
 Quail-Dove, Ruddy, 252
Querquedula cyanoptera, 398
 discors, 398
Quiscalus quiscula versicolor, 400
- ### R
- Rail, Clapper, 144, 267
 Gray-necked Wood, 77
Rallus limicola, 267
 longirostris, 267
 phillipsi, 267
 prentici, 267
Ramphastos sulfuratus, 87
 sulfuratus brevicarinatus, 85
 swainsonii, 87
Ramphocaenus melanurus, 100
 melanurus rufiventris, 99
 rufiventris, 100
Ramphocelus costaricensis, 258
 icteronotus, 258, 259
 passerinii, 258, 259
 passerinii passerinii, 103, 258
 Raven, 59, 62, 70, 322, 333, 395, 396
 Redpoll, 323, 334
 Common, 71
 Redwing, 103, 365-370
Regulus calendula, 379, 380
 calendula cineraceus, 209
 calendula grinnelli, 209
 satrapa, 379, 380
Rhinoptynx clamator, 80, 108
 clamator forbesi, 81
Richmondia cardinalis, 208
 riparia, 325
 riparia riparia, 333
 Ripley, S. Dillon, the display of the sickle-billed bird of paradise, 207; another record of the shearwater *Puffinus puffinus newelli*, 402

- Rissa tridactyla*, 68
 Roadrunner, 288
 Robin, 193, 194, 322, 333, 375, 379, 380, 382-384, 390
 American, 256
 Clay-colored, 99, 250, 256, 258
 Robinson, Gerald, observations of pair relations of white-headed woodpeckers in winter, 339
 Roest, Aryan I., observations on birds of central Oregon, 141
 Rogers, Harold E., and Wick, William Q., an unusual merganser fatality, 342
 Rollin, Noble, incubation by drake wood duck in eclipse plumage, 263
 Ross, R. Dudley, and Emery, Ruth, P., a bobolink in southern California, 69
 Ryder, Ronald A., avian-pinniped feeding associations, 68

S

- Salt, George William, an analysis of avifaunas in the Teton Mountains and Jackson Hole, Wyoming, 373
Saltator coerulescens grandis, 104
 maximus, 259
 maximus magnoides, 104
Saltator, Buff-throated, 104, 259
 Grayish, 104
 Sandpiper, Common, 65
 Least, 322, 329
 Solitary, 78, 203-206, 322, 329, 336
 Spotted, 78, 204
 Western, 322, 329
 Sapsucker, Williamson, 70
 Yellow-bellied, 211, 375, 382, 384, 391
Sarcoramphus papa, 76
Saxicola torquata, 64, 66
 Scaup, Lesser, 248
Schiffornis turdinus, 178
 turdinus verae-pacis, 94
 Scoter, American, 140, 336
 Black, 139, 140, 322, 328
 White-winged, 322, 328
 Seedeater, Black, 259
 Variable, 105, 107, 259
 White-collared, 105, 248, 259
 Seed-Finch, Nicaraguan, 106, 107
 Thick-billed, 107, 260
Seiurus noveboracensis notabilis, 334
 Selander, Robert K., and Baker, James Kenneth, the cave swallow in Texas, 345
Selasphorus alleni, 120
 floresii, 120
 platycercus, 120, 121, 383
 rufus, 69
 sasin, 118-122, 151, 152
 scintilla, 270
Semioptera wallacei, 175
 Shearwater, 402
 Black-vented, 27, 35
 Christmas, 27, 35
 Dusky, 35
 Greater, 68
 Slender-billed, 68
 Sooty, 35
 Wedge-tailed, 27, 35
 Shoveller, 72, 179, 181, 183, 328
 Cape, 185
 Northern, 248
 South American, 184
 Shrike, Loggerhead, 23
 Rufous-backed, 66
Sialia currucoides, 384
 mexicana, 142
 Sibley, Charles G., the evolutionary and taxonomic significance of sexual dimorphism and hybridization in birds, 166
 Siskin, 374, 375, 378, 380
Sitta canadensis, 379, 380
 neumayeri, 182
 pygmaea, 398
 tephronota, 182
 Skua, Great, 37
 Skutch, Alexander, life history of the Amazon kingfisher, 217
 Skylark, Lesser, 65
 Slud, Paul, Cape May warbler in Central America, 340; cattle egret in Costa Rica, 400
 Snipe, Wilson, 322, 329, 375, 382
 Snowcap, 84
 Solitaire, Townsend, 142
 Spadebill, Golden-crowned, 96
 Sparrow, Black-throated, 290
 Brewer, 290
 Chinese Tree, 66
 Chipping, 141, 257, 375, 378-380, 384
 English, 193, 276, 281, 289, 290
 Fox, 323, 335, 375, 382
 Golden-crowned, 141, 209, 210, 268, 269, 323, 335
 Grasshopper, 40, 49, 126
 Green-backed, 107, 260
 Harris, 71, 209, 404
 House, 112, 113, 116
 Leconte, 40, 49
 Lincoln, 209, 336, 375, 382-384
 Orange-billed, 107
 Petén, 126
 Savannah, 40-51, 141, 266, 323, 334
 Song, 43, 141, 193, 209, 266, 375, 382-384
 Swamp, 209, 272
 Tree, 323, 335
 Vesper, 40, 49
 White-crowned, 141, 269, 276, 290, 336, 369, 375, 382-384
 White-throated, 368, 369
Spatula clypeata, 249, 328

- Spheniscus mendiculus*, 399
Sphyrapicus thyroideus, 70
 varius, 211, 382, 384
 varius varius, 211
 Spinetail, Slaty, 88, 254
Spinus pinus, 378, 380
 tristis, 71, 193, 384
Spizella arborea ochracea, 335
 breweri, 290
 passerina, 141, 257, 378-380, 383, 384
Spodiornis rusticus barrilesensis, 67
 rusticus rusticus, 67
 rusticus uniformis, 67
Sporophila americana, 260
 aurita, 105, 259-261
 aurita aurita, 259, 260
 aurita corvina, 105, 259-261
 aurita ophthalmica, 260
 corvina, 260
 torqueola, 259, 260
 torqueola moreletii, 105, 248, 259, 260
 Spot-bill, 183
 Starling, 142, 214, 364-371
Steatornis, 361
 Stebbins, Robert C., a further observation on
 torpidity in the poor-will, 212
Stelgidopteryx ruficollis, 213, 320
 ruficollis fulvipennis, 213
 ruficollis ridgwayi, 213
 ruficollis serripennis, 213
 ruficollis stuarti, 213
 ruficollis uropygialis, 97
Stellula calliope, 382, 384
Stercorarius longicaudus, 330
 parasiticus, 68, 330
 pomarinus, 37, 68
Sterna fuscata, 37
 hirundo, 142, 252
 paradisaea, 68, 244, 332
 Stewart, James R., black swan in kelp off south-
 ern California, 400
Sthenelides, 268
 Stonechat, Chinese, 66
 Storm-petrel, Black, 36
 Elliot, 68
 Leach, 27, 36
 Madeiran, 27, 36
 White-bellied, 36
 White-throated, 27, 36
 Wilson, 68
 Stott, Ken, Jr., a first record of the cattle egret
 in Peru, 143
Streptopelia chinensis, 65
 orientalis, 65
 risoris, 369
Streptoprocne zonaris, 253
Sturnella magna, 126
Sturnus nigricollis, 66
 vulgaris, 66, 142, 364
Sula dactylatra, 37
 leucogaster, 37, 249
 nebouxi, 37
 sula, 37
 Sun-Bittern, 400
 Surf-bird, 322, 329
 Swallow, Ashy Wood, 66
 Bank, 322, 333
 Barn, 66, 256, 322
 Blue and White, 97, 268
 Cave, 345-363
 Cliff, 310, 311, 314, 316, 347, 352, 353, 355,
 356, 358, 359, 362
 Mangrove, 97, 256
 Rough-winged, 97, 212, 213, 220, 223
 Tree, 322, 332, 336, 375, 384
 Violet-green, 336, 337
 Swan, Black, 400, 401
 Trumpeter, 337
 Whistling, 322, 327
 Swift, Black, 82
 European, 145, 151
 Gray-rumped, 82, 253
 Spine-tailed, 65
 Vaux, 81, 140, 141
 White-chinned, 82
 White-collared, 253
 White-throated, 145-148, 151-154
Synallaxis brachyura, 254
 brachyura nigrofumosa, 88
Synthliboramphus antiquus, 142

T

- Tachycineta thalassina*, 336
Tachyphonus delatirii, 104
 delatirii longirostris, 104
 luctuosus axillaris, 104
 rufus, 259
 Tailor-bird, 66, 100
 Talley, George M., common grackle in Utah, 400
 Talmadge, Robert R., nesting of the ruffed grouse
 in California, 67
 Tanager, Blue-gray, 103, 258
 Crimson-collared, 103
 Golden-masked, 257, 258
 Gray-headed, 104
 Masked, 100, 103
 Palm, 258
 Red-throated Ant, 103
 Scarlet, 193
 Scarlet-rumped, 103, 258
 Tawny-crested, 104
 Western, 375, 378-380, 391
 White-lined, 259
 White-shouldered, 104
 Yellow-rumped, 258
 Yellow-winged, 103
Tanagra gouldi praetermissa, 102
 luteicapilla, 102

- Tangara chrysophrys*, 258
cyannicollis, 258
cyannicollis cyanopygia, 258
fanny, 257
francisca, 257
guttata, 258
gyrola, 258
larvata, 257, 258, 261
lavinia, 258
nigro-cincta, 109, 257, 258, 261
nigro-cincta larvata, 103
punctata, 258
Tangavivus aeneus, 257
Taraba major melanocrissus, 90
Teal, Baikal, 183, 184
 Blue-winged, 72, 179-181, 183, 248, 398
 Brazilian, 184
 Cape, 185
 Chestnut-breasted, 184
 Cinnamon, 179-181, 183, 184, 398
 Falcated, 183
 Green-winged, 72, 179-181, 183, 322, 328
 Hottentot, 185
 Madagascan, 185
 Ringed, 184
 Versicolor, 184
 Yellow-billed, 184
Terenotriccus erythurus fulvularis, 96
Tern, Arctic, 68, 244, 322, 332
 Black, 252
 Crested, 37
 Common, 142, 252
 Noddy, 399
 Royal, 252
 Sooty, 27, 37
 White, 37
Tetrao urogallus, 177
Thalasseus bergii, 37
 maximus, 252
Thalaurania furcata townsendi, 84
 furcata venusta, 84
Thamnophilus doliatus intermedius, 90
 punctatus atrinucha, 90
Thick-knee, Mexican, 126
Thorne, Oakleigh, II, rufous-sided towhee in
 Colorado, 340
Thrasher, Brown, 70
 Curve-billed, 276, 279, 282, 289, 290
Thraupis abbas, 103
 episcopus, 258
 episcopus diaconus, 103
 palmarum, 258
Thripadectes rufobrunneus, 270
Thrush, Black-faced Laughing, 66
 Gray-cheeked, 323, 333, 336
 Hermit, 374, 375, 380
 Swainson, 336, 375, 380, 382, 383
 Varied, 323, 333, 335
 Wood, 340
Thryomanes bewickii, 213
Thryothorus leucotis, 256
 maculipectus, 98
 maculipectus petersi, 98
 maculipectus umbrinus, 98
 maculipectus varians, 98
 modestus, 256, 261
 modestus elutus, 256
 nigricapillus costaricensis, 97
 rutilus, 98
 rutilus hyperythrus, 98
 rutilus paucimaculatus, 98
 thoracicus, 98
 thoracicus thoracicus, 97
 zeledoni, 256, 261
Tiaris olivacea pusilla, 105
Tilapia heudeloti, 179
 natalensis, 179
Tinamou, Boucard, 126
 Great, 126
Tinamus major, 126
Titmouse, Plain, 213
 Tufted, 348
Tityra semifasciata, 94
 semifasciata costaricensis, 95
 semifasciata personata, 94, 95
Tityra, Masked, 94
Todd, W. E. Clyde, Acadian flycatcher, a new
 bird for British Columbia, 211
Todirostrum cinereum, 255
 cinereum finitimum, 96
 sylvia schistaceiceps, 96
Tody-Flycatcher, Common, 96
 Slate-headed, 96
Tolmomyias sulphureus cinereiceps, 96
Tomlinson, Jack T., and McKinnon, Robert S.,
 pigeon wing-beats synchronized with
 breathing, 401
Torgos, 396
Toucan, Chestnut-mandibled, 87
 Keel-billed, 85
Towhee, Brown, 197, 348
 Rufous-sided, 340, 401
 Spotted, 195-197, 199-201, 213
Toxostoma curvirostre, 276
 rufum, 70
Tree-hunter, Streak-breasted, 270
Tringa hypoleucos, 65
 solitaria, 203
 solitaria cinnamomea, 203-206, 329
 solitaria solitaria, 78, 203-206
Troglodytes aedon, 193, 384
 musculus, 256
 musculus intermedius, 98
 troglodytes, 70
Trogon massena massena, 85
 rufus, 85
 rufus tenellus, 85

- violaceus braccatus*, 85
violaceus concinnus, 85
 Trogon, Black-throated, 85
 Slaty-tailed, 85
 Violaceous, 85
 Tropic-bird, Red-tailed, 36
 White-tailed, 36
 Turdus assimilis, 109
 casius, 256
 grayi, 99, 109, 250, 256-261
 megas, 99
 merula, 308
 migratorius, 193, 256, 379, 380, 382-384
 migratorius migratorius, 333
 pallidus, 402
 Turkey, Wild, 16, 17
 Turnstone, Ruddy, 37
 Tympanuchus cupido, 177
 Tyranniscus vilissimus, 255
 vilissimus parvus, 97
 Tyrannulet, Paltry, 97, 255
 Yellow, 96
 Tyrannus melancholicus, 250, 254
 melancholicus chloronotus, 95
 tyrannus, 54, 193
 Tyrant, Long-tailed, 95, 254
 Tyto alba guatemalae, 79
 alba pratincola, 79
- U
- Udvardy, M. D. F., Myres, M. T., and Cowan, I.
 McT., the British Columbia nest records
 scheme, 308
 Upupa epops longirostris, 64, 65
 Uroaëtus audax, 396
- V
- Veniliornis fumigatus sanguinolentus, 87
 Vermivora celata, 333
 celata celata, 333
 Vireo antiloquus, 256
 flavoviridis, 256
 gilvus, 383, 384
 olivaceus, 256
 Vireo, Warbling, 72, 375, 383, 384, 391
 Yellow-green, 256
 Volatinia jacarina, 250, 260
 jacarina splendens, 107
 Vulture, Black, 76, 108, 249
 King, 76, 108
 Palm-nut, 76
 Turkey, 59, 62, 76, 108, 160, 250
- W
- Wagtail, Pied, 66
 Yellow, 336
 Warbler, Audubon, 210, 374, 375, 378-380, 391
 Bay-breasted, 268
 Black-pollled, 323, 334, 335
 Cape May, 340
 Chinese Fan-tailed, 66
 Myrtle, 323, 333-335
 Orange-crowned, 72, 323, 333-335
 Parula, 210
 Pileolated, 72, 209, 210, 323, 334, 336
 River, 102
 Tolmie, 210, 375, 382-384
 Townsend, 72, 209, 210
 Yellow, 101, 210, 323, 333, 334, 336, 375, 382,
 384
 Water-thrush, Northern, 323, 334, 336
 Waxwing, Bohemian, 70
 Cedar, 193
 Webster, J. Dan, and Phillips, Allan R., the Vaux
 swift in western Mexico, 140
 Wetmore, Alexander, the classification of the os-
 cine passeriformes, 207; a fossil rail from
 the pliocene of Arizona, 267
 Whip-poor-will, 124, 125
 Common, 125
 Whistler, 182
 White-eye, South China, 66
 Wick, William Q., and Penttila, Harte E., observa-
 tions on a coot-muskrat relationship, 341
 Wick, William Q., and Rogers, Harold E., an un-
 usual merganser fatality, 342
 Widgeon, American, 179
 Chiloe, 184
 European, 181, 183, 184, 404
 Willet, 252
 Williams, Laidlaw, and Davis, John, irruptions
 of the Clark nutcracker in California, 297
 Williamson, Francis S. L., hybrids of the Anna
 and Allen hummingbirds, 118; ecological
 distribution of birds in the Napaskiak area
 of the Kuskokwim River delta, Alaska, 317
 Wilsonia pusilla, 210
 pusilla pileolata, 209, 334
 Wing, Wallace's Standard, 175
 Woodcreeper, Barred, 87
 Buff-throated, 88
 Streak-headed, 88, 254
 Wedge-billed, 87
 Woodnymph, Blue-crowned, 84
 Woodpecker, Arctic Three-toed, 380
 Black-cheeked, 86, 87, 254
 Downy, 142, 193, 332
 Gila, opp. 3, 72, 276, 290
 Golden-olive, 87
 Hairy, 374, 375, 379, 380
 Lineated, 87, 254
 Pale-billed, 87
 Pileated, 208
 Red-headed, 193
 Smoky-brown, 87
 White-headed, 337
 Wood-Wren, White-breasted, 98

Wren, Bay, 97

- Bewick, 213
- Cactus, 55, 57, 274, 276, 278-281, 283, 285-288, 290-295
- Cane-brake, 256
- Canyon, 142, 348
- House, 55, 193, 287, 384
- Long-billed, 287
- Long-billed Marsh, 55
- Plain, 256
- Song, 99
- Southern House, 98, 256
- Spot-breasted, 98
- Stripe-breasted, 97
- Winter, 70
- Yucatan Cactus, 53-57

Wren-tit, 213

X

- Xema sabini, 68
- Xenops minutus, 90, 91
 - minutus mexicanus, 90
 - minutus ridgwayi, 90
- Xenops, Plain, 90, 91
- Xiphorhynchus guttatus costaricensis, 88

Y

- Yellowthroat, 375, 382, 383
 - Gray-crowned, 102
 - Olive-crowned, 257
- Yocum, Charles F., breeding record of pintail in Humboldt County, California, 340

Z

- Zarhynchus wagleri, 257
- Zenaidura macroura, 193
- Zimmerman, Dale A., some remarks on the behavior of the Yucatan cactus wren, 53; spotted-tailed nightjar nesting in Veracruz, Mexico, 124
- Zonotrichia albicollis, 368
 - atricapilla, 141, 268, 335
 - coronata, 209, 210
 - leucophrys, 141, 209, 276, 290, 336, 382-384
 - leucophrys nuttalli, 369
 - querula, 71, 209
- Zosterops simplex, 66