

INDEX TO VOLUME 62

By JANE R. DURHAM

- A
- Acanthis hornemanni*, 463
Accipiter cooperii, 174
 gentilis, 151
 striatus, 174
 striatus suttoni, 295
 Adams, Lowell, and McKeever, Sturgis, acorn
 woodpecker resident east of the Sierra
 Nevada in California, 297
Aethia cristatella, 457, 458, 461
 pusilla, 457, 458, 462
Agelaius, 202, 203, 211, 213
 phoeniceus, 34, 38, 65, 202-214, 223
 phoeniceus littoralis, 36, 37
 phoeniceus megapotamus, 202
 phoeniceus phoeniceus, 37
 tricolor, 38
Aimophila carpalis, 57
 ruficauda, 217
 ruficauda acuminata, 217
Aix, 32, 429-430
 galericulata, 27, 29, 31
 sponsa, 27, 29, 33, 411
 Allen, John M., and Dawson, William R., thyroid
 activity in nestling vesper sparrows, 403
Alopochen, 29, 32
 aegyptiacus, 27
Amazilia rutila rutila, 218
Amazona finschi finschi, 218
Amazonetta, 32
 brasilensis, 25, 27
 leucophrys, 27
Ammomanes deserti, 91
Amphispiza bilineata, 220
Anas, 28-33, 427
 acuta, 28, 179, 372, 427, 459
 americana, 28
 auklandica, 28
 bahamensis, 28
 capensis, 28, 427
 carolinensis, 459
 castanea, 28, 31
 clypeata, 28
 crecca, 28, 459
 cyanoptera, 28
 discors, 28, 136
 erythrorhyncha, 28
 falcata, 28
 flavirostris, 28
 formosa, 28, 138, 480
 georgica, 28
 gibberifrons, 28
 leucophrys, 25, 430
 luzonica, 28
 melleri, 28
 nimia, 459
 penelope, 28
 platalea, 28
 platyrhynchos, 28, 29, 31, 179, 372, 397
 poecilorhyncha, 28
 punctata, 28
 querquedula, 28
 rhynchotis, 28
 rubripes, 28
 sibilatrix, 28
 smithii, 28
 strepera, 28, 372
 superciliosa, 28-30
 undulata, 28
 versicolor, 28
 Anderson, Anders H., and Anderson, Anne, life
 history of the cactus wren. Part III: the
 nesting cycle, 351
Ani, Smooth-billed, 218, 293, 294
Anser, 28, 32
 albifrons, 26
 anser, 26, 31
 caerulescens, 26
 canagicus, 26
 cygnoides, 26
 erythropus, 26
 fabalis, 26
 indicus, 26
 rossi, 26
Anseranas semipalmata, 26
Anthus cervinus, 462
 spinoletta, 469-472, 486-487
 spinoletta pacificus, 71
 spinoletta rubescens, 469, 472
Antpitta, Scaled, 139
Ant-Tanager, Red, 217
 Red-crowned, 73-87
 Red-throated, 73-87
Aphelocoma, 105
 coerulescens, 441
Aphriza virgata, 481
Aquila chrysaetos, 298
Aratinga canicularis clarae, 218
Archilochus colubris, 218
 Arnold, John R., black rail in San Joaquin Valley
 of California, 405
Arremonops rufivirgata sumichrasti, 218
Asio flammeus, 462, 486-487
 stygius, 295
Asyndesmus lewis, 410
Athene noctua plumipes, 409
Atlapetes, 282
Attila, Polymorphic, 222
Attila spadiceus pacificus, 222

- Auklet, Cassin, 140, 155, 157, 168-170, 188, 408
 Crested, 461
 Least, 462
 Parakeet, 69, 461
 Aythya, 30, 32, 426
 affinis, 29
 americana, 29, 136, 179, 372, 481
 baeri, 29
 collaris, 29, 136, 481
 ferina, 29
 fuligula, 29, 480
 innotata, 29
 marila, 29, 31
 novae-seelandiae, 29
 nyroca, 29
 valisineria, 29, 136-137, 179, 372
- B**
- Bailey, Bernard H., and Gallup, Fred, elegant tern and royal tern nesting in California, 65
 Balanosphyra formicivora, 297
 formicivora bairdi, 297
 Banks, Richard C., notes on birds from Hart's Pass, Washington, 70
 Becard, Rose-throated, 218
 Beebe, Frank L., painting of Peale falcon, opp. 145; the marine peregrines of the north-west Pacific coast, 145; an instance of piracy by the red-tailed hawk on the peregrine falcon, 480
 Bittern, Least, 478
 Blackbird, Brewer, 20, 38, 42, 140, 202
 European, 355
 Redwinged, 34, 36-38, 41-42, 65, 140, 202-214, 223
 Rusty, 140
 Tricolored, 38
 Yellow-headed, 37-38, 40, 42
 Blackford, John L., immature wood duck, a photograph, 411
 Bobolink, 139
 Bombycilla garrulus, 420
 Bond, R. M., bird trapped by sedge, 294
 Booby, Brown, 215
 Bowers, Darl E., correlation of variation in the wrentit with environmental gradients, 91
 Brachyramphus marmoratus, 168
 Brackbill, Hervey, determinate laying by house sparrows, 479
 Brambling, 396
 Brant, 169
 Black, 458
 Branta, 28, 32
 bernicla, 26, 169
 canadensis, 26, 372
 leucopsis, 26
 nigricans, 458
 ruficollis, 26
 sandvicensis, 26
- Brooks, James W., and Kenyon, Karl W., birds of Little Diomedea Island, Alaska, 457
 Brown, Richard McP., black-throated sparrows in south-central Oregon, 220
 Bubo virginianus, 222
 Bucephala, 32, 426-428, 430-432
 albeola, 179, 372, 430
 clangula, 30
 islandica, 30
 Buchanan, O. M., Jr., Miller, F. W., and Kirby, Hal P., occurrence and breeding of the golden-cheeked warbler in Dallas County, Texas, 66
 Bufflehead, 179, 372, 428-429, 432
 Bullfinch, 245, 389, 396-398
 Bunting, Blue, 218
 Indigo, 226
 Leclancher, 218
 Painted, 218
 Snow, 45, 248, 266, 397, 463
 Varied, 218
 Buss, Irvan O., Yocom, Charles F., and Crispens, Charles G., Jr., food habits of the California quail in eastern Washington, 473
 Buteo jamaicensis, 70, 174, 481
 lagopus, 176
 magnirostris, 295
 magnirostris xantusi, 295
- C**
- Cacicus cela, 38
 Cacique, Mexican, 218
 Cairina, 32, 429
 moschata, 27, 29, 430
 Calcarius lapponicus, 463
 lapponicus alascensis, 457
 Callonetta, 430
 Calocitta formosa, 216
 Campbell, John M., nesting of the golden eagle in the central Brooks Range of arctic Alaska, 298
 Camptorhynchus, 428, 430-432
 labradorius, 426
 Campylorhynchus brunneicapillus, 351-369
 Canary, 65, 245, 265, 395, 397
 Canvasback, 136-137, 179, 372
 Cardinal, 56-57, 60, 218
 Carduelis carduelis, 396-397
 carduelis carduelis, 250
 Carpodacus, 399
 cassinii, 67, 256
 erythrinus, 399
 mexicanus, 245-271, 378-402
 purpureus, 67, 256
 purpureus californicus, 67
 Cassiculus melanicterus, 218
 Cassidix, 42, 203, 212-213
 mexicanus, 20, 34-44, 203-206, 212-213
 mexicanus major, 35-36, 39-40, 42-43
 mexicanus mexicanus, 39-42
 mexicanus obscurus, 218

- mexicanus prosopidicola, 35-36, 39, 42-43
 mexicanus torreyi, 39-40
 Catbird, 73
 Cathartes aura, 70
 Centurus chrysogenys flavinuchus, 218
 Cepphus columba, 157, 457, 460
 Chaetura pelagica, 483
 vauxi, 483
 Chaffinch, 245, 253-254, 258, 261, 265-266, 396, 398
 Chamaea fasciata, 91-120, 396, 413
 fasciata canicauda, 97
 fasciata henshawi, 91, 104
 fasciata intermedia, 91, 104
 fasciata phaea, 97
 fasciata rufula, 91, 97, 104
 Charadrius vociferus, 408, 481
 Charitonetta, 428
 Chat, Yellow-breasted, 218, 226
 Chen hyperborea, 372, 458, 459
 Chenonetta, 32
 jubata, 27
 Chibia borneensis, 296
 menagei, 297
 Chickadee, Black-capped, 245
 Chestnut-backed, 405-408
 Mountain, 70-71, 221
 Childs, Henry E., Jr., and Maher, William J.,
 nesting attempt by a pair of barn swallows
 in northern Alaska, 141
 Chloephaga, 32
 melanoptera, 27
 picta, 27
 poliocephala, 27
 rubidiceps, 27
 Chloris chloris, 72, 396-397, 420
 Chlorostilbon canivetii auriceps, 215
 Chlorura chlorura, 57
 Chondestes grammacus strigatus, 218
 Chondrohierax uncinatus, 295
 uncinatus uncinatus, 295
 Chordeiles minor, 105, 169, 482
 Christman, Gene M., drawing of *Sporophila in-*
 termedia anchicayae, 122
 Circus cyaneus, 180
 Cissilopha, 216
 beecheii, 216-217
 san-blasiana, 217
 san-blasiana nelsoni, 216-217
 san-blasiana san-blasiana, 216-217
 Clangula, 32, 428, 430-432
 hyemalis, 31, 69, 179, 427, 459
 Claravis, 9
 Coccythraustes coccythraustes, 396-397
 Colaptes cafer, 408
 Colinus virginianus, 289
 Columba fasciata, 13, 177
 flavirostris, 13
 livia, 9, 13, 45-48, 333, 397
 Columbignallina, 9
 passerina, 8, 13-14, 17, 19, 22, 57
 talpacoti, 13, 19, 22
 talpacoti eluta, 218
 Columbina, 9
 Condor, California, 70, 298
 Contopus, 341
 pertenax pallidiventris, 218
 sordidulus, 396
 Coppa, Jon B., sapsuckers breeding in the Hua-
 lapai Mountains, Arizona, 294
 Cormorant, Pelagic, 458
 Corvus caurinus, 168
 corax, 182, 462
 corone, 420
 frugilegus, 420
 monedula, 194, 195, 393
 Cowbird, Bronzed, 218
 Brown-headed, 65, 89, 137-138, 202-214, 232,
 256, 455
 Shiny, 206
 Crane, Sandhill, 223, 459
 Whooping, 223, 374, 376
 Crispens, Charles G., Jr., Buss, Irven O., and Yo-
 com, Charles F., food habits of the Cali-
 fornia quail in eastern Washington, 473
 Crossbill, Red, 245
 Crotophaga ani, 293
 sulcirostris sulcirostris, 218
 Crow, Northwestern, 168, 182
 Cuckoo, Squirrel, 215
 Cunningham, John D., food habits of the horned
 and barn owls, 222
 Cyanerpes caeruleus, 66
 Cyanochen, 29, 32
 cyanoptera, 27
 Cyanocitta cristata, 295
 stelleri, 257
 Cyanocompsa parellina indigotica, 218
 Cyclorhynchus, 461
 psittacula, 69, 457, 458, 461
 Cygnopsis, 28
 Cygnus, 32
 atratus, 26
 cygnus, 26
 columbianus, 26
 olor, 26
 Cynanthus latirostris magicus, 218
 Cypselus comatus, 3

D

- Dacnis, 67
 albiventris, 66-67
 Davis, Donald G., brown-capped rosy finch nest-
 ing in buildings, 220
 Davis, John, notes on the birds of Colima, Mex-
 ico, 215; nesting behavior of the rufous-
 sided towhee in coastal California, 434

- Dawson, William R., and Allen, John M., thyroid activity in nestling vesper sparrows, 403
- Dawson, William R., and Evans, Francis C., relation of growth and development to temperature regulation in nestling vesper sparrows, 329
- Dendrocynna arborea*, 26
arcuata, 26
autumnalis, 26
bicolor, 26
eytoni, 26
javanica, 26
viduata, 26, 28
- Dendroica auduboni*, 67
chrysoparia, 66
discolor, 226, 442
nigrescens, 218
petechia rubiginosa, 218
- Dickcissel, 140-141
- Dicrurus annectans*, 296-297
balicassius balicassius, 297
hottentottus menagei, 297
hottentottus suluensis, 296
- Dixon, Keith L., additional data on the establishment of the chestnut-backed chickadee at Berkeley, California, 405
- Dolichonyx oryzivorus*, 139
- Dove, Diamond, 9
Dwarf Turtle, 45-46, 48
Ground, 8-9, 14, 20, 22, 56-57
Inca, 7-24
Mourning, 9, 19-20, 22, 168, 170, 223
Ring, 13
Rock, 9-11, 18, 45, 333, 337
Ruddy Ground, 218
White-fronted, 218
White-winged, 19
- Drepanis, 224
- Drongo, Crow-billed, 296
- Duck, Gray, 29
Harlequin, 426-427, 432, 459
Labrador, 426-427, 432
Mandarin, 29
Muscovy, 29
New Zealand Blue, 29
Ring-necked, 136, 481
Ruddy, 31, 137
Tufted, 480
Wood, 29, 33, 411
- Dumetella carolinensis*, 73
- Dunlin, 459
- E**
- Eagle, Bald, 156, 166, 175, 180, 183
Golden, 298
- Eckelberry, Don R., painting of slaty spinetail, opp. 413
- Eider, Common, 459
King, 67-68, 459
- Spectacled, 68, 459
Steller, 427, 432, 459
- Elaenia*, 341
- Elmore, Marjorie M., and Elmore, Dana T., ground-level nest of the mountain chickadee, 221
- Emberiza citrinella*, 420
- Emerald, Fork-tailed, 215
- Empidonax*, 341
difficilis, 216
difficilis bateli, 216
difficilis culiacani, 216
difficilis difficilis, 216
difficilis hellmayri, 216
difficilis immemoratus, 216
difficilis immodulatus, 216
difficilis occidentalis, 216
hammondii, 482
minimus, 218
traillii brewsteri, 218
- Eremophila alpestris*, 91, 336
- Ereunetes, 487
- Erithacus rubecula*, 263, 277, 420
- Erolia*, 487
acuminata, 69
alpina pacifica, 459
ptilocnemis, 68-69
- Escalante, Rodolfo, occurrence of the osprey in Uruguay, 138
- Eulabeia*, 28
- Euphagus*, 203, 213
carolinus, 140
cycnocephalus, 20, 38, 202, 205-206, 211-212
- Euphonia*, Lesson, 217
- Evans, Francis C., and Dawson, William R., relation of growth and development to temperature regulation in nestling vesper sparrows, 329
- F**
- Falco femoralis*, 70
mexicanus, 151
peregrinus, 145-189, 480
peregrinus anatum, 147, 148, 150-154
peregrinus babyloicus, 171
peregrinus leucogenys, 153
peregrinus pealei, opp. 145, 145-189
peregrinus peregrinus, 178
rusticolus, 150
sparverius, 408, 466
- Falcon, Aplomado, 70
Peale, opp. 145, 145-189
Peregrine, opp. 145, 145-189, 480-481
Prairie, 151, 183
- Farner, Donald S., and Wilson, A. C., the annual cycle of thyroid activity in white-crowned sparrows of eastern Washington, 414
- Fennell, Chester M., recent records of the little owl and water rail in Korea, 409

- Finch, Brown-capped Rosy, 220
 Cassin, 67, 256
 Gray-crowned Rosy, 71, 247
 House, 56, 245-271, 378-402
 Purple, 67, 256
 Fisher, Harvey I., records of the bar-tailed godwit and tufted duck on Midway Atoll, 480
 Fisler, George F., changes in food habits of short-eared owls feeding in a salt marsh, 486
 Flicker, Red-shafted, 408
 Flycatcher, Ash-throated, 218
 Coues, 218
 Hammond, 482
 Kiskadee, 218
 Least, 218
 Olivaceous, 218
 Ometepe, 341
 Scissor-tailed, 216
 Traill, 218
 Vermilion, 218
 Vermilion-crowned, 218
 Western, 216
 Wied Crested, 216
 Forest-Falcon, Collared, 295
Forpus cyanopygius cyanopygius, 218
Fratercula corniculata, 69, 457-458, 462
Fringilla coelebs, 245, 396-397, 420
montifringilla, 396-397
 Fulmar, 458
Fulmarus glacialis rogersii, 458

G

- Gadwall, 372
 Gallup, Fred, and Bailey, Bernard H., elegant tern and royal tern nesting in California, 65
Gallus domesticus, 397
 gallus, 338
Garrulus glandarius, 420
Geococcyx californianus, 67, 483-484
Geopelia, 22
 cuneata, 9
Geothlypis trichas, 226
 Giller, Donald R., and Selander, Robert K., first-year plumages of the brown-headed cowbird and redwinged blackbird, 202
Glaucidium brasilianum, 82
 brasilianum cactorum, 218
 gnoma, 139, 295
 minutissimum, 295
 Gnatcatcher, Blue-gray, 218, 226, 455
 Godwit, Bar-tailed, 480
 Hudsonian, 482
 Goldfinch, American, 258
 Continental, 250, 348, 396-397
 Lesser, 218
 Goose, Brent, 169
 Canada, 372
 Gray-lag, 31

- Magpie, 26
 Snow, 372, 459
 Goshawk, 151, 174-175, 184
 Grackle, Boat-tailed, 20, 34-44, 218
 Common, 42, 202
 Great-tailed, 203
Grallaria guatemalensis, 139
 Grassquit, Blue-black, 218
 Grebe, Least, 223
 Red-necked, 69, 408
 Greenfinch, 72, 396-399
 Greenlet, Gray-headed, 233, 237
 Grosbeak, Blue, 218
 Rose-breasted, 140
 Scarlet, 399
 Yellow, 218
 Grouse, Sharp-tailed, 473
Grus americana, 223, 374
 canadensis, 223, 458-459
 Guillemot, Pigeon, 157-158, 168, 460
Guiraca caerulea salicaria, 218
 Gull, Glaucous, 460
 Glaucous-winged, 167
 Mew, 69
Gymnogyps californianus, 70, 298
Gymnostinops montezuma, 38
 Gyrfalcon, 150-151, 174

H

- Habia*, 80
 cristata, 80
 gutturalis, 73-87
 gutturalis gutturalis, 80
 rubica, 73-87
 rubica rosea, 217
 Hailman, Jack P., insects available for a mockingbird wing-flashing in February, 405; hostile dancing and fall territory of a color-banded mockingbird, 464
Haliaeetus leucocephalus, 156
 Hansen, Henry A., changed status of several species of waterfowl in Alaska, 136
 Hatter, J., Baikal teal in British Columbia, 480
 Hawfinch, 396-397
 Hawk, Cooper, 174
 Duck, 151
 Marsh, 180
 Red-tailed, 174, 184, 480-481
 Roadside, 295
 Rough-legged, 176
 Sharp-shinned, 174, 295
 Sparrow, 408, 466
Hemidacnis, 67
Hemiprocne comata, 3-6
 comata barbarae, 3, 4, 6
 comata comata, 3-5
 comata major, 3-6
 comata nakamurai, 3-4, 6
 comata stresemanni, 3, 5

- Henry, G. M., painting of lesser tree-swift, opp. 3
- Heron, Black-crowned Night, 396
- Herreid, Clyde F., II, roadrunner a predator of bats, 67
- Hirundo rustica*, 141, 420
- Histrionicus*, 428, 430-432
histrionicus, 426, 459
- Holmes, Richard T., and Williams, Laidlaw, king eider at Monterey, California, 67
- Hubbs, Carl L., the rock sandpiper, another northern bird recorded from the cool coast of northwestern Baja California, 68
- Huey, Laurence, notes on Vaux and chimney swifts, 483
- Hummingbird (see Emerald)
- Allen, 403
- Broad-billed, 218
- Cazique, 139
- Cinnamomeous, 218
- Ruby-throated, 218
- Xantus, 409-410
- Hydroprogne caspia*, 66
- Hylocharis xantusii*, 409-410
- Hylocichla*, 82
guttata, 74, 168
- Hylophilus decurtatus*, 233
- Hymenolaimus malacorhynchus*, 29
- I
- Icteria virens*, 226
virens auricollis, 218
- Icterus cucullatus*, 253
cucullatus cucullatus, 218
pustulatus pustulatus, 218
spurius, 218
wagleri wagleri, 218
- Irving, Laurence, nutritional condition of water pipits on arctic nesting grounds, 469
- Isaac, Donald, and Marler, Peter, physical analysis of a simple bird song as exemplified by the chipping sparrow, 124; song variation in a population of brown towhees, 272
- Ixobrychus exilis*, 478
- J
- Jackdaw, 194, 198, 393
- Jaeger, Pomarine, 460
- Jay, Blue, 295-296
San Blas, 216
Scrub, 441, 453-456
Steller, 257
- Johnsgard, Paul A., hybridization in the Anatidae and its taxonomic implications, 25; classification and evolutionary relationships of the sea ducks, 426
- Johnston, Richard F., behavior of the Inca dove, 7; the age of the cave swallow colonies in New Mexico, 68; behavioral and ecologic notes on the brown-headed cowbird, 137; correction, 223
- Junco*, Oregon, 60, 126, 137, 245
Slate-colored, 245, 463
- Junco hyemalis*, 245
hyemalis hyemalis, 463
oreganus, 60, 126, 137, 245, 396
oreganus pinosus, 137
- Jynx torquilla*, 337
- K
- Kenyon, Karl W., and Brooks, James W., birds of Little Diomed Island, Alaska, 457
- Kessel, Brina, additional distribution records of some birds in interior Alaska, 481
- Kestrel, American, 178
- Kilham, Lawrence, eating of sand by blue jays, 295
- Killdeer, 408, 481
- Kingbird, Eastern, 84
Thick-billed, 218
Tropical, 218
Western, 218
- Kingfisher, Belted, 408
- Kirby, Hal P., Buchanan, O. M., Jr., and Miller, F. W., occurrence and breeding of the golden-cheeked warbler in Dallas County, Texas, 66
- Kite, Hook-billed, 295
- Kittiwake, Black-legged, 460
- L
- Lampornis amethystinus*, 139
- Lampronetta fischeri*, 68
- Lanius collurio*, 337, 459
ludovicianus, 207, 212
ludovicianus mexicanus, 218
- Lanyon, Wesley E., the Middle American populations of the crested flycatcher *Myiarchus tyrannulus*, 341
- Lark, Horned, 91, 336
- Larus argentatus*, 460
atricilla, 397
canus, 69
glaucescens, 167
hyperboreus, 457, 460
- Laterallus jamaicensis coturniculus*, 405
- Leptotila verreauxi angelica*, 218
- Leucosticte*, 220
australis, 220
tephrocotis, 71, 247
tephrocotis griseonucha, 220
tephrocotis littoralis, 71
tephrocotis tephrocotis, 71
- Limnodromus griseus*, 487
- Limosa haemastica*, 482
lapponica baueri, 480
- Longspur, Lapland, 463
- Lophortyx californicus*, 223, 284-292, 473-477
californicus achrusterus, 479
- Loxia curvirostra*, 245, 420
pytyopsittacus, 420
- Lunda cirrhata*, 155, 457, 458, 462

M

- Macropteryx comata major*, 3
 Magpie-Jay, 216
 Maher, William J., another record of the Baikal teal in northwestern Alaska, 138
 Maher, William J., and Childs, Henry E., Jr., nesting attempt by a pair of barn swallows in northern Alaska, 141
 Mallard, 29, 31, 179-180, 372
Maragarops fuscatus, 294
 Marler, Peter, and Isaac, Donald, physical analysis of a simple bird song as exemplified by the chipping sparrow, 124; song variation in a population of brown towhees, 272
 Marshall, Joe T., Jr., interrelations of Abert and brown towhees, 49
 McCaskie, R. G., and Nisbet, I. C. T., Wilson petrel off the California coast, 141
 McKeever, Sturgis, and Adams, Lowell, acorn woodpecker resident east of the Sierra Nevada in California, 297
 Meadowlark, Eastern, 226
 Western, 408
Megasceryle alcyon, 408
Melanitta, 32, 426, 428-432
 fusca, 30
 nigra, 427, 430
 perspicillata, 30, 68
Melanotis caerulescens caerulescens, 218
Melospiza undulatus, 337, 397
Melospiza lincolnii, 57
 melodia, 41, 248, 277, 396-397, 442, 487
 melodia gouldii, 138
 melodia samuelis, 138
 melodia santaecrucis, 138
 Melozone, 280, 282
 Merganser, Common, 31
 Hooded, 428
 Merganser merganser, 31
Mergus, 32, 427-428, 430-432
 albellus, 30
 cucullatus, 30, 428, 430
 merganser, 30, 31, 429, 430
 serrator, 30
 Mewaldt, L. Richard, and Morton, Martin L., further evidence of hybridization between *Zonotrichia atricapilla* and *Zonotrichia leucophrys*, 485
Micrastur semitorquatus, 295
Microxenops milleri, 66
 Miller, Alden H., a blackish race of the gray seed-eater of northern South America, 121; the slaty spinetail, 413
 Miller, F. W., Kirby, Hal P., and Buchanan, O. M., Jr., occurrence and breeding of the golden-cheeked warbler in Dallas County, Texas, 66
 Miller, Loye, condor remains from Rampart Cave, Arizona, 70; correction, 298
 Miller, Wilmer J., sexual dichromatism in two species of the Columbidae, 45
Mimus polyglottos, 405, 464-469
 polyglottos leucopterus, 218
Mniotilta varia, 67
 Mockingbird, 218, 405, 464-469
 Blue, 218
Molothrus, 202-203, 211
 ater, 38, 65, 89, 137-138, 202-214, 232, 256, 455
 ater ater, 202, 204
 ater obscurus, 202
 bonariensis, 38, 206
Momotus mexicanus mexicanus, 218
 Morton, Martin L., and Mewaldt, L. Richard, further evidence of hybridization between *Zonotrichia atricapilla* and *Zonotrichia leucophrys*, 485
Motacilla alba, 462
 flava tschutschensis, 462
 Motmot, Rufous-crowned, 218
 Murphy, Joseph R., imperfect albinism in a sandhill crane, 223
 Murre, Common, 69, 460
 Thick-billed, 460
 Murrelet, Ancient, 157, 168-170, 188
 Marbled, 168
Muscicapa striata, 420
Muscivora forficata, 216
Myiarchus, 341, 343, 345, 349
 brachyurus, 341-342
 cinerascens cinerascens, 218
 mexicanus, 341
 nuttingi, 341
 nuttingi brachyurus, 341
 tuberculifer, 345
 tuberculifer querulus, 218
 tyrannulus, 341-350
 tyrannulus brachyurus, 342-345, 349
 tyrannulus cooperi, 341, 343-345, 347-349
 tyrannulus insularum, 342-344, 349
 tyrannulus magister, 216, 341, 343-345, 347-349
 tyrannulus nuttingi, 344
Myiozetetes similis primulus, 218

N

- Neochen*, 29, 32
 jubatus, 27
Neochloe brevipennis, 88-90, 139
 brevipennis brevipennis, 88, 90, 139
 brevipennis browni, 88, 90, 139
Netta, 30, 32, 426
 erythrophalma, 29
 peposaca, 28-29
 rufina, 29
Nettapus, 32
 Nighthawk, 169
 Common, 482
 Nisbet, I. C. T., and McCaskie, R. G., Wilson petrel off the California coast, 141
 Nolan, Val, Jr., breeding behavior of the Bell vireo in southern Indiana, 225

Nyctea scandiaca, 458, 462
Nycticorax nycticorax, 396-397
Nyctidromus albigollis nelsoni, 218

O

Oceanites oceanicus, 141
Oceanodroma furcata, 140-141, 158, 168
 homochroa, 408
 leucorhoa, 140, 168
Oenanthe oenanthe oenanthe, 462
Oidema nigra, 69
Oldsquaw, 69, 179, 427-429, 459
Olor buccinator, 374
 columbianus, 370-377, 458
Oporornis tolmiei, 60
 tolmiei tolmiei, 218
Oriole, Hooded, 218, 253
 Orchard, 218
 Scarlet-headed, 218
 Wagler, 218
Oriolus oriolus, 420
 Orr, Robert T., and Rowley, J. Stuart, the nest
 and eggs of the slaty vireo, 88
Osprey, 138, 175
Otus flammeolus, 139
Owl, Barn, 70, 222
 Barred, 295
 Ferruginous, 82, 218
 Flammulated, 139
 Horned, 222
 Least Pygmy, 295
 Little, 409
 Northern Pygmy, 295
 Short-eared, 462, 486-487
 Snowy, 462
 Spotted, 295
 Stygian, 295
Oxyura ferruginea, 31
 jamaicensis, 31, 137
 jamaicensis andina, 31
 vittata, 31

P

Pandion haliaetus, 138, 175
Parakeet, Orange-fronted, 218
 Parkes, Kenneth C., geographic variation in the
 lesser tree-swift, 3; a drongo new to the
 Philippine list, 296
Parrot, Finsch, 218
Parrotlet, Mexican, 218
Parula pitiayumi pulchra, 218
Parus atricapillus, 245
 caeruleus, 245
 gambell, 221
 gambell abbreviatus, 70-71
 gambell grinnelli, 70
 inornatus, 406
 major, 245, 420
 rufescens, 405-408
 wollweberi, 67
Passer domesticus, 13, 190-201, 217, 247, 336, 396,
 420, 422, 479
 montanus, 420, 471
Passerculus sandwichensis, 487
 sandwichensis anthinus, 71
 sandwichensis nevadensis, 71
Passerella iliaca, 168
 iliaca olivacea, 71
Passerina ciris pallidior, 218
 cyanea, 226
 leclancherii grandior, 218
 versicolor dickeyae, 218
Pauraque, 218
 Pearson, Oliver P., speed of the Allen humming-
 bird while diving, 403
Pedioecetes phasianellus, 473
Petrel, Ashy, 408
 Fork-tailed, 140-141, 158
 Leach, 140
 Wilson, 141
Petrochelidon fulva pallida, 68
 pyrrhonota, 68, 253
Phainopepla, 212
Phainopepla nitens, 212
Phalacrocorax pelagicus, 457
 pelagicus pelagicus, 458
 urile, 458
Phalaenoptilus nuttallii, 294
Phalarope, Red, 177, 459
Phalaropus fulicarius, 177, 459
Pharomachus pavoninus, 66
Pheucticus chrysopleus chrysopleus, 218
 ludovicianus, 140
 Phillips, Allan R., and Schaldach, William, J., Jr.,
 new records of raptors from Jalisco, Mex-
 ico, 295
Phoebe, Black, 20, 253
Phylloscopus borealis, 482
 borealis kennicotti, 462
 trochilus, 133
Piaya cayana extima, 215
 cayana mexicana, 215
Pica pica, 420
Pigeon, Band-tailed, 177
Pintail, 31, 139, 179, 372, 427, 459
Pipilo aberti, 49-64, 105
 albicollis, 49
 erythrophthalmus, 57, 217, 277, 281-282,
 434-456
 erythrophthalmus megalonyx, 217
 fuscus, 49-64, 105, 126, 251, 272-283, 396, 442
 fuscus albigula, 63
 fuscus mesoleucus, 49-64
 fuscus petulans, 49, 62
Pipit, Red-throated, 462
 Water, 71, 469-472, 486-487
Piranga rubra cooperi, 218
Pitangus sulphuratus derbianus, 218
Platyparis aglaiae albiventris, 218
Plectrophenax nivalis, 45, 248, 397
 nivalis nivalis, 457, 463

- Plectropterus, 32
 gambensis, 27
 Podiceps dominicus, 223
 griseogenus, 69, 408
 Polioptila caerulea, 226, 455
 caerulea amoenissima, 218
 Polyplancta aurescens, 66
 Polysticta, 428-432
 stelleri, 427, 459
 Poecetes gramineus gramineus, 329-340, 403-405
 Poor-will, 294
 Psomocolax oryzivorus, 38
 Ptychoramphus aleutica, 140, 155, 408
 Puffin, Horned, 59, 462
 Tufted, 155, 157, 462
 Pygoscelis papua, 397
 Pyrocephalus rubinus mexicanus, 218
 Pyrrhula pyrrhula, 245, 389, 420
 Pyrrhuloxia, 56-58
 Pyrrhuloxia sinuata, 57
- Q**
- Quail, Bobwhite, 289
 California, 223, 284-292, 455, 473-477, 479
 Quiscalus, 203, 213
 quiscula, 42, 202, 205-206, 211, 213
 quiscula versicolor, 202
- R**
- Rail, Black, 405
 Water, 409
 Raitt, Ralph J., Jr., rocky mountain race of the
 Williamson sapsucker wintering in Cali-
 fornia, 142; breeding behavior in a popu-
 lation of California quail, 284
 Rallus aquaticus indicus, 409
 Raven, 182-183, 462
 Redhead, 136, 179, 372, 481
 Redpoll, Hoary, 463
 Redstart, American, 218, 408
 Richardson, Charles H., and Richardson, Alice I.,
 confirmation of occurrence of the Ameri-
 can redstart in coastal Santa Barbara
 County, California, 408
 Richardson, Frank, breeding of the fork-tailed
 petrel off the Washington coast, 140
 Richmondena cardinalis, 57
 cardinalis carnea, 218
 Rickard, W. H., an occurrence of the rose-
 breasted grosbeak in southern Nevada,
 140
 Ridgwayia pinicola, 139
 Rissa tridactyla pollicaris, 457-458, 460
 Roadrunner, 67, 483-484
 Robin, 62-63, 408
 European, 263, 277
 Rufous-backed, 218
 White-necked, 218
 Rowley, J. Stuart, and Orr, Robert T., the nest
 and eggs of the slaty vireo, 88
- Ryckman, Raymond E., and Ryckman, Joseph
 V., quail nesting inside woodrat houses in
 Baja California, 479
- S**
- Salpinctes obsoletus, 408
 Saltator, Gray, 218
 Saltator coerulescens richardsoni, 218
 Sams, James R., occurrence of the polymorphic
 attila in Sonora, Mexico, 222
 Sandpiper, Rock, 68-69
 Sharp-tailed, 69
 Spotted, 69
 Sapsucker, Williamson, 142
 Yellow-bellied, 294
 Sarkidiornis, 32
 Sayornis nigricans, 20, 253
 Scardafella, 12
 inca, 7-24
 Scaup, Greater, 31
 Lesser, 136
 Schaldach, W. J., Jr., occurrence of slaty and
 dwarf vires in Jalisco, Mexico, 139
 Schaldach, William J., Jr., and Phillips, Allan R.,
 new records of raptors from Jalisco, Mex-
 ico, 295
 Scoter, American, 69
 Black, 69
 Common, 69
 Surf, 68-69
 Seed-eater, Gray, 121-123
 Seiurus noveboracensis, 139
 Selander, Robert K., sex ratio of nestlings and
 clutch size in the boat-tailed grackle, 34;
 failure of estrogen and prolactin treatment
 to induce brood patch formation in brown-
 headed cowbirds, 65; least bittern, a pho-
 tograph, 478
 Selander, Robert K., and Giller, Donald R., first-
 year plumages of the brown-headed cow-
 bird and redwinged blackbird, 202
 Selasphorus sasin, 403
 Selsor, C. Jackson, and Stott, Ken, Jr., least grebe
 on the coast of southern California, 223
 Serinus canarius, 65, 396-397
 serinus, 420
 Setophaga ruticilla, 218, 408
 Sherwood, Glen A., the whistling swan in the
 west with particular reference to Great
 Salt Lake Valley, Utah, 370
 Shrike, Loggerhead, 207, 218
 Red-backed, 337
 Shrike-vireo, Chestnut-sided, 139
 Sick, Helmut, the honeycreeper *Dacnis albiven-*
 tris in Brazil, 66
 Sittasomus griseicapillus, 139
 Somateria, 31-32, 427-432
 mollissima, 30, 68, 459
 spectabilis, 30, 67-68, 459

- Sparrow, Black-throated, 220-221
 Chipping, 124-135, 272, 274, 276-277, 329, 331, 333-334, 336-337, 483
 English (see House Sparrow), 247, 479
 European Tree, 471
 Field, 226, 329, 331, 333-334, 336-337
 Fox, 71, 168
 Golden-crowned, 71, 485-486
 House, 13, 20, 190-201, 217, 247-248, 264, 268, 336, 396, 399, 479
 Lark, 218
 Lincoln, 56-57
 Olive, 218
 Rufous-crowned, 60
 Rufous-winged, 57
 Russet-tailed, 217
 Savannah, 71
 Song, 41, 138, 248, 251-252, 254, 263-264, 277, 397, 399, 442, 444
 Tree, 245, 333
 White-crowned, 56-57, 253, 334, 414-425, 463, 485-486
 Vesper, 329-340, 403-405
- Sphyrapicus thyroideus nataliae*, 142
thyroideus thyroideus, 142
varius daggetti, 294
varius nuchalis, 294
- Spinetail, Azara, 413
 Pale-breasted, 413
 Slaty, 413
- Spinus psaltria*, 396
psaltria psaltria, 218
tristis, 256
- Spiza americana*, 141
- Spizella arborea*, 245, 333
passerina, 124-135, 272, 329, 483
pusilla, 226, 329
- Sporophila*, 121
intermedia, 121-123
intermedia agustini, 121
intermedia anchicayae, 121-123
intermedia bogotensis, 121, 123
intermedia insularis, 121
intermedia intermedia, 121
schistacea, 121
- Starling, 296, 479, 482
- Stelgidopteryx ruficollis psammochrous*, 218
- Stercorarius*, 480
pomarinus, 460
- Sterna fuscata*, 460
- Stott, Ken, Jr., and Selsor, C. Jackson, least grebe on the coast of southern California, 223
- Streptopelia*, 45, 47
risoria, 13, 397
tranquebarica, 45, 47-48
- Strix occidentalis*, 295
varia, 295
- Sturnella*, 203
magna, 226
neglecta, 408, 487
- Sturnus vulgaris*, 296, 420, 479, 482
- Sula leucogaster*, 215
leucogaster nesiotis, 215
- Surfbird, 481-482
- Swallow, Barn, 141
 Cave, 68
 Cliff, 68, 253
 Rough-winged, 218
- Swan, Trumpeter, 374, 376
 Whistling, 370-377, 458
- Swift, Chimney, 483
 Vaux, 483
- Sylvia communis*, 420
- Synallaxis*, 413
albescens, 413
azarae, 413
brachyura, opp. 413, 413
- Synthliboramphus antiquus*, 157
- T
- Tadorna, 29, 32
cana, 27
ferruginea, 27
radjah, 27
tadorna, 27
tadornoides, 27
variegata, 27
- Tanager, Summer, 218
- Tanagra affinis godmani*, 217
- Tangavius, 203
aeneus, 38
aeneus assimilis, 218
- Teal, Baikal, 138, 480
 Blue-winged, 136
 Green-winged, 459
 Ringed, 25
- Tern, Caspian, 66
 Elegant, 65-66
 Royal, 65-66
 Sooty, 460
- Thalasseus elegans*, 65-66
maximus, 65-66
- Thompson, William L., agonistic behavior in the house finch. Part I: annual cycle and display patterns, 245; agonistic behavior in the house finch. Part II: factors in aggressiveness and sociality, 378
- Thoresen, Asa C., notes on winter and early spring bird activity on the Farallon Islands, California, 408
- Thrasher, Brown, 232, 297
 Crissal, 57
 Curve-billed, 56-57, 358, 361, 368
 Pearly-eyed, 294
- Threadgold, L. T., a study of the annual cycle of the house sparrow at various latitudes, 190
- Thrush, Aztec, 139
 Hermit, 74, 81, 168
 Mistle, 277
 Song, 133, 277
- Thryothorus*, 413
sinaloa sinaloa, 218

- Tit, Blue, 245
 Great, 245
 Titmouse, Bridled, 67
 Plain, 406-407
 Tityra, Masked, 218
 Tityra semifasciata griseiceps, 218
 Towhee, Abert, 49-64
 Brown, 49-64, 126, 251, 258, 272-283, 442
 California, 49, 52, 54, 61, 62, 63
 Canyon, 49-64
 Green-tailed, 54, 56-57
 Oregon, 435
 Rufous-sided, 57, 217, 277, 279, 280, 282,
 434-456
 Toxostoma curvirostre, 57, 358
 dorsale, 57
 rufum, 232, 297
 Tree-swift, Lesser, opp. 3, 3-6
 Troglodytes aedon, 334
 Trogon, Citreoline, 218
 Trogon citreolus citreolus, 218
 Turdus assimilis lygrus, 218
 ericetorum, 133, 277
 merula, 355, 420
 migratorius, 408
 philomelos, 420
 pilaris, 420
 rufo-palliatum rufo-palliatum, 218
 viscivorus, 277, 420
 Tympanistria, 9
 Tyrannus crassirostris pompalis, 218
 melancholicus occidentalis, 218
 tyrannus, 84
 verticalis, 218
 Tyto alba, 70, 222
- U
- Uria aalge, 69, 457-458, 460
 lomvia, 457-458, 460
 Uropsila leucogastra pacifica, 218
- V
- Vermivora ruficapilla ridgwayi, 218
 Vireo, Bell, 218, 225-244
 Black-capped, 217
 Dwarf, 139
 Philadelphia, 229, 234, 237, 242
 Red-eyed, 227, 229-230, 232-234, 237-239,
 242
 Slaty, 88-90, 139
 Solitary, 218, 232, 237, 242
 Warbling, 238
 White-eyed, 225-226, 229, 240, 242
 Yellow-green, 230, 233, 237
 Yellow-throated, 238
 Vireo, 225
 atricapilla, 217
 bellii, 225-244
 bellii arizonae, 218
 bellii medius, 218
 flavifrons, 238, 240
 flavoviridis, 230
 gilvus, 238
 griseus, 225-226, 228, 241
 nanus, 139
 olivaceus, 227-228, 230, 234, 240-241
 philadelphicus, 229-230
 solitarius, 232, 240
 solitarius plumbeus, 218
 Vireolanius melitophrys, 139
 Volatinia jacarina splendens, 218
 Vulture, Turkey, 70
- W
- Wagtail, White, 462
 Yellow, 462
 Walker, Alex., the rusty blackbird and dickcissel
 in Oregon, 140
 Warbler, Arctic, 462, 482
 Audubon, 67
 Black-and-white, 67
 Black-throated Gray, 218
 European Willow, 133
 Golden-cheeked, 66
 MacGillivray, 218
 Nashville, 218
 Olive-backed, 218
 Prairie, 226, 442, 445
 Tolmie, 60
 Wilson, 218
 Yellow, 218
 Warren, James W., temperature fluctuation in
 the smooth-billed ani, 293
 Waterthrush, Northern, 139
 Wauer, Roland H., rare migrants in Death Val-
 ley National Monument, California, 139;
 brown thrasher in Death Valley, Califor-
 nia, 297
 Wheatear, 461-462
 Wiggins, Ira L., notes on the behavior of the
 Xantus hummingbird, 409
 Williams, Laidlaw, and Holmes, Richard T., king
 eider at Monterey, California, 67
 Willis, Edwin, voice, courtship, and territorial
 behavior of ant-tanagers in British Hon-
 duras, 73
 Wilson, A. C., and Farner, Donald S., the annual
 cycle of thyroid activity in white-crowned
 sparrows of eastern Washington, 414
 Wilsonia pusilla chryseola, 218
 Woodcreeper, Olivaceous, 139
 Woodhewer, Ivory-billed, 218
 Woodpecker, Acorn, 297
 Golden-cheeked, 218
 Lewis, 410
 Woods, Robert S., notes on the nesting of the
 roadrunner, 483
 Wren, Cactus, 351-369
 House, 334, 336-337
 Rock, 408
 Sinaloa, 218
 White-bellied, 218

Wrentit, 91-120, 413
Wryneck, 337

X

Xanthocephalus xanthocephalus, 37-38
Xiphorhynchus flavigaster mentalis, 218

Y

Yellow-throat, 226
Yocom, Charles F., records of Lewis woodpecker
for Humboldt County, California, 410
Yocom, Charles F., Crispens, Charles G., Jr., and
Buss, Irven O., food habits of the Califor-
nia quail in eastern Washington, 473

Z

Zarhynchus wagleri, 38
Zenaida, 12
 asiatica, 12
Zenaidura, 12
 macroura, 9, 12, 168, 223
Zimmerman, Dale A., black-and-white warbler
and purple finch in New Mexico, 67
Zonotrichia, 414
 atricapilla, 71, 485-486
 coronata, 485
 leucophrys, 57, 253, 334, 396, 420, 485-486
 leucophrys gambelii, 414-425, 463, 485-486
 leucophrys pugetensis, 485