

INDEX TO VOLUME 65

By JANE R. DURHAM

- A**
- Acanthis flammea flammea*, 422
 hornemannii, 422
 hornemannii exilipes, 422, 423
 - Accipiter bicolor pileatus*, 316
 cooperii, 167, 304, 429
 gentilis, 423
 nissus, 167
 striatus, 197, 304, 423
 striatus suttoni, 331
 striatus velox, 331
 - Actitis macularia*, 52, 244, 305, 418
 - Aechmophorus mexicanus*, 318-323
 - Aechmophorus*, 279, 287, 288
 occidentalis, 66, 67, 279
 occidentalis clarkii, 66, 67
 occidentalis occidentalis, 66, 67
 - Aegolius acadicus*, 528
 acadicus acadicus, 236
 - Agapornis*, 171, 174, 175, 177, 178, 184, 189, 194
 cana, 171
 taranta, 171
 - Agelaius phoeniceus*, 73, 246, 432
 phoeniceus richmondi, 63
 - Ailuroedus*, 92, 96, 114, 117, 118, 123
 - Aimophila rufescens discolor*, 64
 rufescens pyrgitoides, 64
 - Albatross*, Black-footed, 13, 163
 Laysan, 12, 13
 Short-tailed, 163
 - Alcedo semitorquata*, 428
 - Alderton*, Cora C., the breeding behavior of the blue-black grassquit, 154
 - Alisterus cyanopygius*, 455
 - Amadon*, Dean, comparison of fossil and recent species: some difficulties, 407
 - Amazilia candida candida*, 54
 cyancephala guatemalensis, 54
 tzacatl tzacatl, 54
 - Amazona autumnalis autumnalis*, 53
 farinosa, 53
 finschii, 184, 188
 viridigenalis, 174
 - Amblycercus holosericeus holosericeus*, 62
 - Amblyornis*, 92, 96
 - Ammodramus savannarum cracens*, 64
 - Amphispiza bilineata belvederei*, 309
 - Anabacerthia variegaticeps*, 57
 - Anas*, 456
 acuta, 6, 417, 514
 carolinensis, 417
 crecca carolinensis, 6
 discors, 533
 discors discors, 533
 discors orphna, 533
 fulvigula, 333
 laysanensis, opp. 3, 3-23
 - platyrhynchos*, 456, 514
 platyrhynchos platyrhynchos, 6
 platyrhynchos wyvilliana, 6
 - Anastomus*, 449
 - Anderson*, Anders H., and Anderson, Anne, life history of the cactus wren. Part VI: competition and survival, 29
 - Anhima*, 453, 454, 456
 cornuta, 450, 453
 - Anhinga*, 50, 331
 anhinga leucogaster, 50
 - Anoës stolidus stolidus*, 329
 - Anser albifrons*, 417
 - Antbird*, Bare-crowned, 57
 Dusky, 57
 - Anthracothorax prevostii prevostii*, 54
 - Anthus cervinus*, 447
 rufogularis, 447
 spinoletta, 423
 - Antshrike*, Barred, 57
 Great, 57
 Russet, 57
 Slaty, 57
 - Ant-Tanager*, Red-crowned, 63
 Red-throated, 63
 - Antthrush*, Black-faced, 57
 - Antwren*, Dot-winged, 57
 Slaty, 57
 - Aphelocoma*, 148, 150-152
 coerulescens, 126, 127, 148-150, 311, 348, 469
 ultramarina, 126, 153
 ultramarina couchii, 137
 - Aplonis*, 123
 - Apteryx*, 449, 456
 - Apus apus*, 324, 325
 - Aquila*, 407
 chrysaëtos, 304, 417
 - Ara macao*, 53
 - Araçari*, Collared, 55
 - Aramides cajanea*, 52
 - Aramus guarauna*, 52
 - Aratinga*, 175, 177, 188, 189
 astec astec, 53
 canicularis, opp. 169, 169-199
 canicularis canicularis, 169, 196
 canicularis clarae, 169
 canicularis eburnirostrum, 169, 196
 holochlora, 182
 jendaya, 174
 - Archaeopteryx*, 449, 450, 456, 457
 - Archboldia*, 92, 96, 114
 - Archilochus alexandri*, 69
 colubris, 55
 - Ardea herodias*, 50, 304
 - Arenaria interpres*, 244, 444
 melaenocephala, 418

- Arnold, John R., fulvous tree duck at Fort Bragg,
Mendocino County, California, 442
- Arremon aurantiirostris saturatus, 64
- Arremonops conirostris, 157
 conirostris chloronotus, 64
- Asio flammeus, 423
 otus, 197
- Astrapia, 92, 100, 101, 122
- Attila spadiceus flammulatus, 57
- Attila, Bright-rumped, 57
- Aulacorhynchus prasinus prasinus, 55
- Auriparus flaviceps, 37
 flaviceps flaviceps, 307
- Automolus ochrolaemus amusos, 57
- Avocet, 443, 444
- Aythya affinis, 514
 americana, 444
 valisineria, 444
- Azurecrown, Red-billed, 54
- B**
- Babbler, Chinese, 241
- Bakus, Gerald J., unusual occurrence of the dipper in Washington, 166
- Balanophrya formicivora, 131
- Baldwin, Paul H., and Zaczkowski, Nick K., breeding biology of the Vaux swift, 400
- Bananaquit, 61
- Banks, Richard C., birds of Cerralvo Island, Baja, California, 300
- Banks, Richard C., and Medina, Don R., an albinistic Anna hummingbird, 69
- Barlow, Jon C., Klaas, Erwin E., and Lenz, John L., sunning of bank swallows and cliff swallows, 438
- Bartonek, James C., and Cornwell, George W., pseudo-sleeping attitude of the canvasback, 444
- Basileuterus rufifrons, 62
- Becard, Cinnamon, 58
 Rose-throated, 58, 383-399
 White-winged, 58
- Bentbill, Northern, 59
- Berrett, Delwyn G., first records for the ruddy-tailed flycatcher and purple-crowned fairy hummingbird from México, 163
- Bittern, 241, 242
- Blackbird, Brewer, 309
 Melodious, 62
 Redwinged, 63, 73, 74, 76-82, 84, 88, 246, 432-434, 436, 437
 Rusty, 416, 421
 Yellow-headed, 432, 434, 436, 437
- Blackford, John L., further observations on the breeding behavior of a blue grouse population in Montana, 485
- Bluebird, Eastern, 237, 359
 Western, 340
- Bock, Walter J., relationships between the birds of paradise and the bower birds, 91
- Bolander, Gordon L., parula warbler again in California, 164
- Bombycilla cedrorum, 308
 garrula pallidiceps, 421
- Bonasa umbellus, 272
- Booby, Brown, 304, 329
- Botaurus, 175
 stellaris stellaris, 241
- Brachyramphus marmoratum, 447
 marmoratum perdit, 447
- Brant, 446
- Branta bernicla, 446
 canadensis, 417
 canadensis minima, 417
 canadensis taverneri, 417
- Brodkorb, Pierce, two doves in the Pleistocene of Veracruz, México, 334
- Brotogeris, 188
 jugularis, 174, 175, 181
- Brown, Jerram L., social organization and behavior of the Mexican jay, 126; aggressiveness, dominance and social organization in the Steller jay, 460
- Brown, Larry N., status of the roadrunner in Missouri, 242
- Bubo virginianus, 135, 306, 419, 432, 433, 441
- Bubulcus ibis ibis, 51
- Bucephala, 417
 clangula, 279, 417
 islandica, 330
- Bullis, Harvey R., Jr., and Wetmore, Alexander, the birds of Serrana Bank in the western Caribbean Sea, 329
- Bunting, Indigo, 64, 533, 534
 Lark, 31
 Lazuli, 309, 341
 Painted, 64, 335
 Snow, 423, 444
 Varied, 334, 335
- Busarellus nigricollis nigricollis, 51
- Buteo, 314, 407, 408
 albonotatus, 313-317
 fuscescens, 407
 jamaicensis, 304, 433, 514
 lagopus, 314, 417
 magnirostris direptor, 51
 nitidus, 197
 nitidus micrus, 51
 platypterus, 456
 platypterus platypterus, 51
 regalis, 314
- Buteogallus, 407, 408
 anthracinus, 51, 316
 fragilis, 408
 milleri, 408
 urubitinga, 407
- Butorides virescens, 50
 virescens maculatus, 50

- C**
- Cacique, Yellow-billed, 62
 - Cairina moschata, 51
 - Calamospiza melanocorys, 31
 - Calcarius lapponicus, 423
 - lapponicus lapponicus, 310
 - Calidris canutus, 167, 333
 - Callipepla squamata, 266
 - Calocitta, 193
 - Calypte anna, 69, 70, 252
 - costae, 306
 - Campylopterus hemileucurus hemileucurus, 54
 - Campylorhynchus brunneicapillus, 29–43, 311
 - zonatus restrictus, 59
 - zonatus vulcanius, 59
 - Canachites canadensis, 272
 - canadensis osgoodi, 418
 - Canvasback, 444, 445
 - Capella gallinago, 418
 - Capercaillie, 270
 - Caprimulgus carolinensis, 54
 - vociferus arizonae, 236
 - vociferus vociferus, 54
 - Cardellina rubrifrons, 238
 - Cardiff, Eugene A., solitary vireo of the race plumbeus in California, 534
 - Cardinal, 31, 32, 245, 309, 311
 - Carphibis spinicollis, 455
 - Carpodacus mexicanus, 30, 83, 309, 341, 534
 - purpureus, 340
 - Caryothraustes poliogaster poliogaster, 63
 - Casmerodium albus egretta, 50
 - Cassidix major, 74
 - mexicanus mexicanus, 62
 - Casuarius, 456
 - Catbird, 237, 359
 - Common, 60
 - Cathartes, 314, 456
 - aura, 51, 304, 313–317
 - burrovianus, 314
 - Catharus aurantiirostris, 227
 - Catherpes mexicanus conspersus, 307
 - Catoptrophorus semipalmatus, 167, 244, 305
 - semipalmatus inornatus, 244
 - Celeus castaneus, 56
 - Centrocercus urophasianus, 512
 - Centropelma, 455
 - micropterum, 455
 - Centurus aurifrons pauper, 56
 - aurifrons santicruzi, 56
 - pucherani perileucus, 56
 - uropygialis brewsteri, 306
 - Cercomacra tyrannina crepera, 57
 - Certhia familiaris, 340
 - Ceryle alcyon alcyon, 55
 - torquata torquata, 55
 - Chachalaca, Plain, 52
 - Chaetura, 324
 - pelagica, 324, 400
 - vauxi, 400–406
 - Chaffinch, 81, 343, 517
 - Chamaea fasciata, 482
 - Chamaethlypis poliocephala caninucha, 62
 - Charadrius placidus, 241
 - semipalmatus, 244, 418
 - vociferus vociferus, 52
 - wilsonia, 305
 - Chat, Yellow-breasted, 62, 332
 - Chen rossii, 166
 - Chickadee, Black-capped, 423, 463, 481, 482
 - Boreal, 415, 420
 - Gray-headed, 415, 420
 - Chicken, Prairie, 272, 512
 - Chiroxiphia pareola, 48
 - Chlamydura, 92, 96
 - Chlidonias niger, 432
 - Chloroceryle aenea stictoptera, 55
 - amazona, 428
 - amazona mexicanus, 55
 - americana isthmica, 55
 - americana septentrionalis, 55
 - Chlorophanes spiza guatemalensis, 61
 - Chlorophonia occipitalis occipitalis, 63
 - Chlorophonia, Blue-crowned, 63
 - Chlorostilbon canivetii osberti, 54
 - Chlorura chlorura, 309
 - Chondestes grammacus strigatus, 309
 - Chordeiles, 165
 - acutipennis, 165
 - acutipennis littoralis, 165
 - acutipennis micromeris, 165
 - minor, 165, 166
 - minor chapmani, 165
 - minor neotropicalis, 165
 - minor panamensis, 165
 - Christensen, Glen C., sand grouse released in Nevada found in México, 67
 - Chrysococcyx caprius, 522
 - Chuck-will's-widow, 54
 - Ciccaba, 441
 - nigrolineata, 53
 - virgata, 440, 441
 - virgata centralis, 53
 - Cicinnurus, 92, 100–102, 113, 117, 119, 121, 122
 - Ciconia, 449, 450
 - Cinclus mexicanus, 166, 423
 - mexicanus anthonyi, 59
 - Circus, 314
 - cyaneus, 429, 442
 - cyaneus hudsonius, 417
 - Claravis pretiosa, 53
 - Cloephaga, 456
 - Cnemophilus, 92, 102, 104, 105, 119, 124
 - Coccothraustes, 110
 - Coccycus americanus americanus, 53
 - Cochlearius cochlearius zeledoni, 51
 - Coereba flaveola mexicana, 61
 - Colaptes auratus, 236, 419
 - auratus borealis, 334
 - auratus luteus, 334
 - cafer, 147, 236
 - chrysoides, 311

- Collias, Nicholas E., a spectrographic analysis of the vocal repertoire of the African village weaverbird, 517
- Colinus virginianus*, 256
- Collins, Charles T., the "downy" nestling plumage of swifts of the genus *Cypseloides*, 324; notes on the feeding behavior, metabolism, and weight of the saw-whet owl, 528
- Collocalia spodiopygia*, 324
- Columba cayennensis pallidicrissa*, 52
 fasciata, 52, 334
 livia, 68, 69, 167
 nigrirostris, 52
 speciosa, 52
- Columbigallina minuta interrupta*, 52
 talpacoti rufipennis, 52
- Columbina*, 306
 passerina pallescens, 306
- Colymbus cristatus*, 446
- Contopus cinereus brachytarsus*, 58
 pertinax pallidiventris, 237
 richardsonii richardsonii, 58
 sordidulus, 419
 sordidulus peninsulae, 307
 virens, 58
- Coot, 445
- Coquette, Black-crested, 54
- Coragyps atratus*, 51, 159, 304, 316
- Cormorant, Brandt, 304
 Double-crested, 304
 Olivaceous, 50
- Cornwell, George W., observations on the breeding biology and behavior of a nesting population of belted kingfishers, 426
- Cornwell, George W., and Bartonek, James C., pseudo-sleeping attitude of the canvasback, 444
- Corvus brachyrhynchos*, 330, 433, 530, 531
 brachyrhynchos brachyrhynchos, 237
 brachyrhynchos hesperis, 237
 corax, 246, 304, 307, 420
 monedula, 470
- Coscoroba*, 533
 coscoroba, 533
- Cotinga amabilis*, 57
- Cotinga*, Lovely, 57
- Cowbird, Bronzed, 62, 245
 Brown-headed, 73, 74, 77, 79, 80, 82, 86-88, 245, 246, 309, 448
 Giant, 62
- Crake, Ruddy, 52
- Crane, Sandhill, 416, 418
- Craspedophora*, 92, 100, 101, 122
- Crax rubra*, 52
- Creeper, Brown, 340
- Crocethia alba*, 244, 419
- Crossbill, Red, 239
 White-winged, 423
- Crotaphaga sulcirostris sulcirostris*, 53
- Crow, Common, 237, 330, 433, 530, 531
- Crowtit, Korean, 241
- Crypturellus*, 224
 soui, 224-231
 soui meserythrus, 50
 soui modestus, 224
 variegatus, 224
- Cuckoo, Didric, 522
- Pheasant, 53
- Squirrel, 53
- Striped, 53
- Yellow-billed, 53
- Curassow, Great, 52
- Curlew, Eskimo, 418
 Hudsonian, 418
 Long-billed, 305
- Cyanerpes cyaneus carneipes*, 61
 lucidus lucidus, 61
- Cyanocitta*, 127
 cristata, 195, 479
 stelleri, 126, 460-484
- Cyanocompsa cyanoides concreta*, 64
- Cyanocorax yncas centralis*, 59
- Cygnus buccinator*, 69
 columbianus, 69
 melancoryphus, 533
- Cypseloides*, 324, 326, 327
 niger, 324, 325
 niger borealis, 236
 rutilus, 324-327
- D**
- Davis, Betty S., Davis, John, and Fisler, George F., the breeding biology of the western flycatcher, 337
- Davis, John, Fisler, George F., and Davis, Betty S., the breeding biology of the western flycatcher, 337
- Dendragapus*, 505
 obscurus, 512
 obscurus fuliginosus, 485, 486, 509, 512
 obscurus obscurus, 485, 505, 506, 509, 512
 obscurus richardsonii, 485-513
- Dendrocincla anabatina anabatina*, 56
 homochroa homochroa, 56
- Dendrocolaptes certhia sancti-thomae*, 56
- Dendrocopos nuttallii*, 340
 pubescens leucurus, 237
 scalaris soulei, 306
 villosus, 340
- Dendrocygna bicolor*, 442
- Dendroica aestiva*, 61
 auduboni, 238, 534
 auduboni auduboni, 309
 castanea, 61
 coronata, 238, 421
 coronata hooveri, 421
 dominica, 61
 fuscata, 61
 kirtlandii, 87, 377
 magnolia, 61
 occidentalis, 238
 pensylvanica, 61

- petechia, 309, 331, 340, 421
 petechia morcomi, 309
 striata, 421
 striata lurida, 421
 striata striata, 421
 vires vires, 61
 Dickerman, Robert W., the grebe *Aechmophorus occidentalis clarkii* as a nesting bird of the Mexican plateau, 66; a critique of "Birds from Coahuila, México," 330
Diomedea albatrus, 163
 immutabilis, 13
 nigripes, 13, 163
Diphylloides, 92, 102, 122
 Dipper, 166, 423
 American, 59
 Dives dives dives, 62
 Dodo, 289
 Dove, Blue Ground, 53
 Gray-chested, 53
 Gray-headed, 53
 Ground, 306
 Inca, 32, 42
 Mourning, 30, 32, 42, 272, 334
 Plain-breasted Ground, 52
 Ring, 69, 272
 Rock, 68, 69
 Ruddy Ground, 52
 Ruddy Quail, 53
 White-winged, 52, 147, 305, 306
 Dowitcher, Long-billed, 419
Drepanornis, 92, 100, 101, 122
Dromiceius, 456
Dromococcyx phasianellus, 53
Dryocopus lineatus similis, 56
 Duck, Fulvous Tree, 442
 Harlequin, 17
 Hawaiian, 6
 Laysan, opp. 3, 3-23
 Mallard, 6, 514, 515
 Mottled, 333
 Peking, 268
 Ruddy, 444, 445
Dumetella carolinensis, 60, 237, 359
 Dunlin, 167
- E**
- Eagle, Bald, 417, 423
 Golden, 304, 311, 415, 417, 423
 Gray, 407
 Gray Sea, 407
 Eagle-buzzard, Gray, 407
 Eckelberry, Don R., painting of Laysan duck, opp. 3
 Edwards, Ernest P., and Morton, Eugene S., occurrence of the starling in Baja California, México, 530
 Egret, Cattle, 51
 Common, 50
 Snowy, 50, 304
 Eider, Common, 417
- Eisenmann, Eugene, breeding nighthawks in Central America, 165
Elaenia flavogaster subpagana, 59
 viridicata, 319
Elaenia, Greenish, 59, 319
 Yellow-bellied, 59
Elanoïdes forficatus, 51
Emerald, Fork-tailed, 54
 White-bellied, 54
Empidonax, 337, 338, 342, 349, 352
 albigularis axillaris, 58
 difficilis, 337-382
 difficilis difficilis, 307
 flaviventris, 58
 hammondii, 337, 349
 minimus, 58, 337, 349
 oberholseri, 331
 traillii, 318, 337, 363, 364
 traillii traillii, 58
 virescens, 337
 wrightii, 331, 337
Epimachus, 92, 100, 101, 122
Eremophilus alpestris enthymia, 331
Ereunetes mauri, 236, 244
 pusillus, 244, 419
Erithacus rubecula, 482
Erolia alpina, 167
 bairdii, 167, 236, 422
 melanotos, 52, 167, 422
 minutilla, 167, 244, 419
 Escalante, Rodolfo, notes on three species of waterfowl in Uruguay, 533
Eucometis penicillata, 63, 224
 penicillata pallida, 63
 penicillata spodocephala, 63
Euphagus carolinus carolinus, 421
 cyanoccephalus, 309
Euphonia, Olive-backed, 63
 Scrub, 63
 Yellow-throated, 63
 Evans, William E., Kielhorn, William V., and Norris, Kenneth S., bathing behavior of frigate birds, 240
- F**
- Falco albicularis albicularis*, 51
 columbarius bendirei, 417
 deiroleucus, 51
 mexicanus, 442
 peregrinus, 305, 442
 rusticolus, 423
 sparverius, 37, 304, 417
 sparverius peninsularis, 305
 sparverius sparverius, 52
 Falcon, Laughing, 51
 Orange-breasted, 51
 Peregrine, 167, 305, 442, 443
 Prairie, 442, 443
 Fantail, Burmese White-browed, 71
 White-throated, 70, 71

Farner, Donald S., and King, James R., the relationship of fat deposition to Zugunruhe and migration, 200
 Fennell, Chester M., and King, Ben F., recent records of birds in Korea, 241; recent records of birds in Korea, 446
 Finch, Black Rosy, 208
 Gray-crowned Rosy, 208
 House, 30-32, 37, 42, 83, 85, 309, 341, 534
 Laysan, 10, 13-15
 Purple, 340
 Fisler, George F., Davis, Betty S., and Davis, John, the breeding biology of the western flycatcher, 337
 Flatbill, Eye-ringed, 59
 Flicker, Gilded, 311
 Red-shafted, 147, 236
 Yellow-shafted, 236, 334, 415, 419, 423, 424
 Florida caerulea, 50
 Florisuga mellivora mellivora, 54
 Flycatcher (see also Fantail)
 Acadian, 337, 339
 Ash-throated, 306, 307
 Boat-billed, 58
 Brown-crested, 58
 Couch's, 237
 Dusky-capped, 58
 Gray, 337, 339
 Gray-capped, 157
 Great-crested, 58, 237
 Hammond, 337, 339, 349, 359, 368
 Least, 58, 337, 339, 342, 349, 368, 369
 Northern Royal, 59
 Nutting, 319
 Ochre-bellied, 59
 Olive-sided, 58, 415, 419, 423, 424
 Pileated, 318-323
 Ruddy-tailed, 58, 163
 Scissor-tailed, 58
 Sepia-capped, 59
 Social, 58
 Sulphur-bellied, 58
 Sulphur-rumped, 59
 Traill, 58, 337, 338, 342, 362
 Vermilion, 318
 Western, 307, 337-382, 448
 White-throated, 58
 White-throated Fantail, 70, 71
 Yellow-bellied, 58
 Yellow-olive, 59
 Foliage-gleaner, Buff-throated, 57
 Scaly-throated, 57
 Formicarius analis moniliger, 57
 Fowl, Domestic, 526, 527
 Fregata magnificens, 240, 304, 329, 528
 minor, 14, 240, 528
 Frigatebird, Magnificent, 240, 304, 329
 Fringilla, 120
 coelebs, 81, 343, 517
 montifringilla, 214, 215
 Fulica americana, 443, 445

G

Galbulia ruficauda melanogenia, 55
 Gallinule, Purple, 314
 Gallup, Fred, Sr., southward extension of breeding range of Forster tern on Pacific coast, 246
 Garrulus glandarius, 469
 Gavia adamsii, 416
 arctica, 416
 stellata, 416
 Geococcyx californianus, 37, 242
 Geothlypis trichas, 62
 trichas brachidactylus, 62, 331
 Geotrygon montana montana, 53
 Geranoaetus, 407, 408
 melanoleucus, 407, 408
 Glaucidium, 451
 brasiliianum ridgwayi, 53
 gnoma, 441
 jardinii, 441
 sjöstedti, 451
 Glyphorynchus spirurus pectoralis, 56
 Gnatcatcher, Black-tailed, 311
 Blue-gray, 60, 307, 308, 311, 340, 341
 Tropical, 60
 Gnatwren, Long-billed, 60
 Godwit, Bar-tailed, 422
 Goldeneye, 414, 417
 Barrow, 330
 Common, 279, 417
 Goldfinch, American, 238
 Lesser, 340, 341
 Goose, Canada, 415, 417
 Ross, 166
 White-fronted, 417
 Goshawk, 423
 Grackle, Boat-tailed, 62, 74, 79, 84
 Common, 74, 78
 Grassquit, Blue-black, 64, 154-162
 Grebe, Eared, 282, 284, 285, 287, 331
 Great, 279-288
 Great Crested, 281, 282, 284-287, 446
 Horned, 281-285, 287, 446
 Least, 287
 Pied-billed, 50, 445
 Red-necked, 279-288, 446
 Rolland, 280
 Silver, 287
 Taczanowski's, 287
 Western, 66, 67, 279, 282, 287, 288
 Greenlet, Gray-headed, 60
 Tawny-crowned, 60
 Grosbeak, Black-faced, 63
 Black-headed, 141, 340
 Blue, 64, 335
 Blue-black, 64
 Evening, 238
 Pine, 415, 421
 Rose-breasted, 63, 240

- Grouse, Black, 270
 Blue, 485-513
 Hazel, 270
 Ruffed, 272
 Sage, 512
 Sand, 67, 68
 Sharp-tailed, 272, 512
 Spruce, 272, 415, 418
 Willow, 270
- Grus, 293
 canadensis, 418
- Gryfalcon, 423
- Guan, Crested, 52
- Guiraca caerulea, 64, 335
- Gull, Black-headed, 141
 Bonaparte, 419
 California, 163, 164
 Glaucous, 27, 414, 415, 419
 Glaucous-winged, 24-28, 332, 333, 419
 Heermann, 305
 Herring, 24-28, 414
 Lava, 528
 Mew, 414, 415, 419
 Ring-billed, 163, 164
 Western, 28, 305, 514, 515
- Gymnichla nudiceps, 64
 nudiceps chiroleuca, 57
- Gymnogyps, 456
- Gymnorhinus cyanocephalus, 127
- Gymnostinops montezuma, 62
- H**
- Haibia gutturalis salvini, 63
 rubica confinis, 63
- Hadrostomus albiventris, 394
- Haematopus ostralegus, 444
 palliatus frazari, 305
- Hailman, Jack P., why is the Galápagos lava gull
 the color of lava?, 528
- Haliaeetus, 407
 albicilla, 407
 leucocephalus, 417
 melanoleucus, 407
- Hanson, W. C., census of ring-billed and California gull colonies in eastern Washington, 163
- Hardy, John William, epigamic and reproductive behavior of the orange-fronted parakeet, 169
- Harpagus diodon, 316
- Hawfinch, 110
- Hawk, Barred, 407
 Black-collared, 51
 Broad-winged, 51
 Common Black, 51, 316
 Cooper, 167, 304, 429, 431
 Duck, 305, 329
 Gray, 51, 197
 Great Black, 407
 Marsh, 414, 417, 423, 429, 431, 442, 443
 Pigeon, 415, 417, 423
- Red-tailed, 304, 307, 433, 514
 Roadside, 51
 Rough-legged, 417, 423
 Sharp-shinned, 197, 304, 423
 Sparrow, 37, 52, 304, 305, 310, 417, 423
 White, 51
 Zone-tailed, 313-317
- Hawk-Eagle, Black, 51
 Black-and-white, 51
 Ornate, 51
- Hawk-Owl, 423
- Heliornis fulica, 52
- Heliothryx barroti, 163
- Helmitheros vermivorus, 61
- Henicorhina leucosticta prostheleuca, 60
- Hermit, Little, 54
 Long-tailed, 54
- Heron, Black-crowned Night, 14
 Boat-billed, 51
 Great Blue, 50, 304, 329
 Green, 50
 Little Blue, 50
- Herpetotheres cachinnans chapmani, 51
- Hesperiphona vespertina brooksi, 238
 vespertina montana, 238, 239
- Heteroscelus incanum, 305
- Hines, John Q., birds of the Noatak River, Alaska, 410
- Hirundo rustica, 420
 rustica erythrogaster, 59
- Histrionicus histrionicus, 17
- Honeycreeper, Green, 61
 Red-legged, 61
 Shining, 61
- Huala, 279
- Hubbard, John P., noteworthy records from New Mexico, 236
- Hummingbird (see also Azurecrown, Coquette, Emerald, Hermit, Jacobin, Mango, Sa-brewing, and Woodnymph)
 Anna, 69, 70, 252
 Black-chinned, 69
 Costa, 306
 Purple-crowned Fairy, 163
 Ruby-throated, 55
 Rufous, 236
 Rufous-tailed, 54
 Scaly-breasted, 54
 Sparkling-tailed, 55
 Xantus, 306
- Hurlbert, Elgin B., orchard oriole in Monterey County, California, 534
- Hylocharis xantusii, 306
- Hylocichla minima minima, 420
 mustelina, 60
 ustulata swainsoni, 60, 237
 ustulata ustulata, 237
- Hylomanes momotula momotula, 55
- Hylophilus decurtatus decurtatus, 60
 ochraceiceps ochraceiceps, 60

I

- Ibis, 449
Icteria virens virens, 62
Icterus, 113
 _{bullockii}, 62
 _{chrysater chrysater}, 62
 _{cucullatus trochiloides}, 309
 _{galbula}, 62, 63
 _{mesomelas mesomelas}, 62
 _{parisorum}, 309
 _{prosthemelas prosthemelas}, 62
 _{pustulatus}, 193
 _{spurius}, 62, 534
Ictinia plumbea, 51
Iridoprocne albilinea albilinea, 59
 _{albiventer}, 314
 _{bicolor}, 420
Ixobrychus exilis, 451
Ixoreus naevius meruloides, 420

J

- Jacamar*, Rufous-tailed, 55
Jacana spinosa spinosa, 52
Jaçana, American, 52
Jackdaw, 470
Jacobin, White-necked, 54
Jaeger, Edmund C., aerial bathing of ravens, 246
Jaeger, Long-tailed, 419
 Parasitic, 414, 419
Jay, Blue, 142, 147, 195, 479, 480
 California, 149
 European, 469
 Gray, 415, 420
 Green, 59
 Mexican, 126–153
 Piñon, 127, 148
Scrub, 126, 138, 141, 142, 144–152, 311, 348, 354, 469, 470, 478, 480, 483
Steller, 126, 138, 141, 142, 144, 146–148, 150, 460–484
 White-tipped Brown, 59
Johnson, R. A., a two-year breeding record for the white-throated fantail flycatcher, 70
Johnston, Richard F., stimuli for ovulation in the rock dove, 68
Junco hyemalis, 208, 481
 _{hyemalis hyemalis}, 239, 422
 _{oreganus}, 83, 340, 476, 534
Junco, Oregon, 83, 340, 476, 478, 481, 482, 534
 Slate-colored, 208, 239, 415, 422, 481, 482

K

- Kaupifalco*, 407
Kelleher, K., Vermeer, K., Oldaker, R. F., and Udvary, M. D. F., aberrant glaucous-winged gulls, 332
Kielhorn, William V., Norris, Kenneth S., and Evans, William E., bathing behavior of frigate birds, 240
Killdeer, 52

- King, Ben F., and Fennell, Chester M., recent records of birds in Korea, 241; recent records of birds in Korea, 446
King, James R., and Farner, Donald S., the relationship of fat deposition to Zugunruhe and migration, 200
Kingbird, Eastern, 58
 Tropical, 58
 Western, 32, 58
Kingfisher, Amazon, 55, 428, 429
 Belted, 55, 306, 414, 415, 419, 426–431
 Green, 55
 Half-collared, 428
 Pygmy, 55
 Ringed, 55
Kinglet, Ruby-crowned, 415, 421
Kiskadee, Great, 58
Kite, Everglade, 51
 Plumbeous, 51
 Swallow-tailed, 51
Klaas, Erwin E., Lenz, John L., and Barlow, Jon C., sunning of bank swallows and cliff swallows, 438
Knot, 167, 333
Koloa, 6, 21
Kuich, Linda L., and Selander, Robert K., hormonal control and development of the incubation patch in icterids, with notes on behavior of cowbirds, 73

L

- Lagopus*, 418, 505
 _{lagopus}, 270, 418
 _{mutus}, 418
Lamprolia, 119
Land, Hugh C., a collection of birds from the Caribbean lowlands of Guatemala, 49
Lanius aurantius aurantius, 63
Lanius excubitor invictus, 237, 421
 _{ludovicianus}, 37
 _{ludovicianus nelsoni}, 308
Larus, 26, 28
 _{argentatus}, 24–28, 419
 _{californicus}, 163
 _{canus}, 419
 _{delawarensis}, 163
 _{fuliginosus}, 528
 _{glaucus}, 24–28, 332, 419
 _{heermannii}, 305
 _{hyperboreus}, 27, 28, 419
 _{occidentalis}, 28, 305, 514
 _{philadelphia}, 419
 _{ridibundus}, 141
Laterallus ruber ruber, 52
Leafscraper, Scaly-throated, 57
Lenz, John L., Barlow, Jon C., and Klaas, Erwin E., sunning of bank swallows and cliff swallows, 438
Lepidocolaptes souleyetii insignis, 56
Leptopogon amaurocephalus pileatus, 59

- Leptotila cassinii cerviniventris, 53
plumbeiceps plumbeiceps, 53
- Leucophoyx thula, 50, 304
thula brewsteri, 50
- Leucopternis, 407
albicollis ghiesbreghtii, 51
princeps, 407
- Leucosticte atrata, 208
tephrocotis littoralis, 208
tephrocotis tephrocotis, 208
- Lewin, Victor, reproduction and development of young in a population of California quail, 249
- Limnoctites rectirostris, 531–533
- Limnodromus, 167
scolopaceus, 418, 419
- Limnornis rectirostris, 532
- Limosa, 454
lapponica, 422
lapponica baueri, 452, 453
- Limpkin, 52
- Lipaugus unirufus unirufus, 58
- Lobipes lobatus, 422
- Loboparadisea, 92, 100, 102, 104, 105, 119, 124
- Longspur, Lapland, 310, 311, 423
- Loomelania melania, 303
- Loon, Arctic, 414–416
Red-throated, 414–416
Yellow-billed, 414–416
- Lophorina, 92, 102, 122
- Lophortyx californicus, 252, 311, 455
californicus achrusterus, 311
californicus brunnescens, 249–278
gambeli, 260, 315
- Loria, 92, 95, 100, 102–108, 111–114, 117, 119–124
- Loxia, 440
curvirostra stricklandi, 239
leucoptera, 423
- Lycocorax, 91, 92, 100, 122
- Lyrurus tetrix, 270
- M**
- Macaw, Scarlet, 53
- Macgregoria, 92, 105–107, 113, 117–121, 124, 125
- Magpie-jay, 193
- Malacoptila panamensis inornata, 55
- Mallard, 6
- Manacus candei, 57
manacus, 345, 348–350
- Manakin, Gray-headed, 57
Orange-headed, 44–48
Red-capped, 57
Thrush-like, 57
White-collared, 57
- Mango, Green-breasted, 54
- Man-o'-War, Pacific, 14, 240, 528
- Manucodia, 92, 99–101, 113, 117, 119, 122
- Mareca americana, 6, 417
- Marqua, David G., red-headed woodpecker in southern California, 332
- Martin, Gray-breasted, 59
Purple, 438
- McCaskie, R. G., the occurrence of the ruff in California, 166
- Mead, Rodney A., Cooper hawk attacks pigeon by stooping, 167
- Medina, Don R., and Banks, Richard C., an albinistic Anna hummingbird, 69
- Megaceryle alcyon, 306, 419, 426–431
- Megapaloelodus, 293, 294
connectens, 293
- Megarynchus pitangua mexicanus, 58
- Melanerpes erythrocephalus, 332
formicivorus, 56
- Melanitta deglandi, 209
- Melospiza lincolni, 423
lincolni alticola, 310
melodia, 341
- Melozone biarcuatum biarcuatum, 64
- Mengel, Robert M., painting of orange-fronted parakeet, opp. 169
- Menura, 94
- Merganser, Common, 279
Red-breasted, 414, 417
- Mergus merganser, 279
serrator, 417
- Micrathene whitneyi whitneyi, 236
- Micropalama himantopus, 167, 244
- Microrhopias quixensis boucardi, 57
- Miller, Alden H., the fossil flamingos of Australia, 289; the vocal apparatus of two South American owls, 440
- Miller, Grace M., and Williams, Alice, the trumpeter swan in Marin County, California, 69
- Milvus, 456
- Mimus polyglottos, 31
polyglottos leucopterus, 307
- Mino, 97, 120, 123
- Mniotilla varia, 61
- Mockingbird, 31, 32, 307
- Molothrus, 245
ater, 73, 245
ater artemisiae, 309
ater obscurus, 331
- Momotus momota goldmani, 55
momota lessoni, 55
- Morton, Eugene S., and Edwards, Ernest P., occurrence of the starling in Baja California, México, 530
- Morton, Eugene S., and Tate, James L., the trumpeter swan in San Joaquin County, California, 530
- Motacilla alba, 232–235
alba lugens, 232
alba ocularis, 235
cinernea, 242
cinernea robusta, 242
flava, 421
grandis, 242
- Motmot, Blue-crowned, 55
Tody, 55

- Mourner, Rufous, 57
 Murrel, Marbled, 447
Muscivora forficata, 58
 Muscovy, 51
Mycteria, 449
americana, 51
Myiarchus cinerascens cinerascens, 307
cinerascens pertinax, 306
crinitus, 239
boreus, 58, 237
nuttingi, 319
tuberculifer connectens, 58
tuberculifer lawrencei, 58
tyrannulus cooperi, 58
Myioctonus sulphureipygus sulphureipygius, 59
Myioborus miniatus intermedius, 62
Myiochanes richardsonii, 318
Myiodynastes luteiventris luteiventris, 58
Myiopagis viridicata placens, 59
Myiozetetes granadensis, 157
similis texensis, 58
Myrmotherula schisticolor, 64
schisticolor schisticolor, 57
- N**
- Necrosyrtes pileatus*, 451
monachus, 451
Nighthawk, Common, 165
Lesser, 165
Nightingale-Thrush, Orange-billed, 227
Niles, David M., a Ross goose in New Mexico, 166
Norris, Kenneth S., Evans, William E., and Kielhorn, William V., bathing behavior of frigate birds, 240
Notharchus macrorhynchus hyperrhynchus, 55
Nothocercus bonapartei, 227
Nothoprocta ornata, 83, 227
Nucifraga columbiana, 423
Numenius americanus, 305, 331, 332
americanus parvus, 332
borealis, 418
phaeopus, 418
Nutcracker, Clark, 423
Nuthatch, White-breasted, 340, 341
Nuttallornis borealis, 58, 419
Nyctea scandiaca, 419
Nyctibius grandis, 53
griseus mexicanus, 54
Nycticorax nycticorax, 14
Nyctidromus albicollis, 54, 226
albicollis yucatanensis, 54
- O**
- Oceanites gracilis*, 528
Oldaker, R. F., Udvardy, M. D. F., Kelleher, K., and Vermeer, K., aberrant glaucous-winged gulls, 332
Olor buccinator, 530
columbianus, 416, 530
Oncostoma cinereigulare cinereigulare, 59
Onychorhynchus mexicanus mexicanus, 59
- Oporornis formosus*, 61
tolmiei monticola, 61
Oriole, Baltimore, 62
Black-cowled, 62
Bullock, 62
Hooded, 309
Orchard, 62, 534
Scarlet-headed, 193
Scott, 309
Yellow-backed, 62
Yellow-tailed, 62
Oropendola, Chestnut-headed, 62
Montezuma, 62
Ortalis vetula plumbeiceps, 52
Oryzoborus funereus, 64
Osprey, 51, 304, 414, 415, 417, 423
Otis, 96
Otus asio, 135
flameolus, 441
flameolus flammeolus, 236
guatemalae guatemalae, 53
Ovenbird, 61, 87
Owl, Andean Pigmy, 440, 441
Barred, 432, 433
Black-and-White, 53
Burrowing, 306, 310, 312
Elf, 236
Ferruginous Pygmy, 53
Flammulated, 236, 441
Great Gray, 423
Great Horned, 135, 144, 147, 306, 415, 419, 423, 432, 433, 441
Long-eared, 197
Mottled, 53, 440, 441
Pigmy, 441
Saw-whet, 236, 528-530
Screech, 135, 147
Short-eared, 423
Snowy, 419, 423
Spotted, 236, 440, 441
Vermiculated Screech, 53
Oxyura jamaicensis, 444
Oystercatcher, 444
American, 305
- P**
- Pachyramphus cinnamomeus fulvidior*, 58
polychopterus cinereiventris, 58
Pachyrhamphus homochrous, 397
latirostris, 397
Pachyrhynchus aglaiae, 395
Palaeolodus, 293, 294
Pandion haliaetus, 51, 304, 417
Paphosia helena, 54
Parabuteo, 407
Paradigalla, 92, 100, 120-122
Paradisaea, 91, 92, 94-111, 114, 117, 120-122, 124
Parakeet, Green, 182
Olive-throated, 53
Orange-chinned, 174
Orange-fronted, opp. 169, 169-199
Yellow-headed, 174

- Parotia, 92, 102, 122
 Parrot, Brown-hooded, 53
 Lilac-crowned, 184
 Mealy, 53
 Red-crowned, 174, 184
 Red-lored, 53
 White-crowned, 53
 Partridge, Hungarian, 272
 Parula americana, 164
 Parus atricapillus, 423, 463, 481
 caeruleus, 463
 cinctus, 420
 cinctus lathami, 420
 hudsonicus, 420
 hudsonicus hudsonicus, 420
 inornatus, 340
 major, 463, 517
 wollweberi phillippi, 237
 Passer domesticus, 32
 Passerculus sandwichensis, 207, 422
 sandwichensis nevadensis, 332
 Passerella iliaca zaboria, 422
 Passerina amoena, 309, 341
 ciris, 335
 ciris pallidior, 64
 cyanea, 64, 533
 versicolor, 334
 Pauraque, 54, 226
 Pedioecetes phasianellus, 272, 512
 Pelecanus occidentalis californicus, 303
 Pelican, Brown, 303
 Penelope purpurascens, 52
 Perdix perdix, 272
 Perisoreus canadensis pacificus, 420
 Petrel, Black, 303, 310
 Graceful, 528
 Petrochelidon pyrrhonota, 59, 420, 438
 Peucedramus taeniatus, 239
 taeniatus arizonae, 238
 Pewee, Eastern Wood, 58
 Tropical, 58
 Western Wood, 58, 307, 415, 419, 423, 424
 Peyton, Leonard J., nesting and occurrence of white wagtails in Alaska, 232
 Peyton, Leonard J., and Williamson, Francis S. L., interbreeding of glaucous-winged and herring gulls in the Cook Inlet region, Alaska, 24
 Phaeochroa cuvieri roberti, 54
 Phaethornis longuemareus saturatus, 54
 superciliosus, 54
 superciliosus longirostris, 54
 Phainopepla, 31
 nitens, 31
 Phalacrocorax auritus, 304
 olivaceus mexicanus, 50
 pelagicus, 446
 penicillatus, 304
 Phalaenoptilus nuttallii dickeyi, 306
 Phalarope, Northern, 422
 Red, 305, 310
 Phalaropus fulicarius, 305
 Phasianus colchicus, 256
 Pheasant, Ring-necked, 256, 257, 268
 Pheucticus ludovicianus, 63, 240
 melanocephalus, 141, 340
 Philohela minor, 272
 Philomachus pugnax, 166
 Phloeocastes guatemalensis guatemalensis, 56
 Phlogothraupis sanguinolenta sanguinolenta, 63
 Phoebe, Black, 58, 351
 Phoeniconaias, 290, 294-298
 gracilis, 294-296
 minor, 294-296
 Phoeniconotius, 292-294, 298
 eyrensis, 292, 293, 297, 298
 Phoenicoparrus, 290, 294, 295, 298
 andinus, 295
 Phoenicopterus, 290-294, 297, 298, 449, 450
 chilensis, 292, 295
 copei, 291
 croizeti, 292, 294
 floridanus, 291
 minutus, 291
 novaehollandiae, 289-293, 297
 ruber, 289, 290-292, 294-298
 ruber roseus, 290, 292
 ruber ruber, 292, 297
 stocki, 291
 Phonygammus, 92, 100, 122
 Phylloscopus borealis kennicotti, 420
 Piaya cayana thermophila, 53
 Picoïdes tridactylus fasciatus, 419
 Piculet, Olivaceous, 56
 Piculus rubiginosus yucatanensis, 56
 Picumnus olivaceus, 64
 olivaceus dimotus, 56
 Pigeon, Band-tailed, 52, 334
 Pale-vented, 52
 Scaled, 52
 Short-billed, 52
 Piha, Rufous, 58
 Pinicola enucleator alascensis, 421
 Pintail, 6, 331, 415, 417, 514, 515
 Pionopsitta haematocephala haematocephala, 53
 Pionus senilis senilis, 53
 Pipilo erythrorththalmus, 340, 470
 fuscus, 31, 311, 340
 Pipit, Red-throated, 447
 Water, 423
 Pipra, 44, 48
 aureola, 44-48
 erythrocephala, 44-46, 48
 fasciicauda, 44
 mentalis, 44-46, 48
 mentalis mentalis, 57
 pira, 45
 Piprites griseiceps, 57
 Pipromorpha oleaginea assimilis, 59
 Piranga ludoviciana, 63
 olivacea, 63
 rubra rubra, 63

- Pitangus sulphuratus guatimalensis*, 58
Platyparsis, 393
 aglaiae, 383-399
 aglaiae aglaiae, 385, 387-395, 398
 aglaiae albiventris, 331, 383-392, 394, 395, 398
 aglaiae canescens, 385, 387-392, 397, 398
 aglaiae gravis, 383-392, 394-396, 398
 aglaiae homochrous, 385-393, 396-398
 aglaiae hypophaeus, 58, 385-393, 395-398
 aglaiae insularis, 385, 387-392, 395, 398
 aglaiae latirostris, 383, 385-393, 395-398
 aglaiae obscurus, 397
 aglaiae quimarinus, 385, 387-392, 397, 398
 aglaiae richmondi, 387, 394
 aglaiae sumichrasti, 383-398
 aglaiae yucatanensis, 383-385, 387-392, 394-398
 homochrous, 383, 392, 393
 homochrous canescens, 398
 homochrous homochrous, 393
 homochrous quimarinus, 397
 insularis, 395
- Platyrinchus mystaceus cancrominus*, 59
Plectrophenax nivalis, 423, 444
Plegadis falcinellus, 453, 454
Plover, American Golden, 418
 Black-bellied, 244, 418
 Long-billed, 241, 242
 Semipalmated, 244, 329, 414, 418, 422
 Wilson, 305
- Pluvialis dominica*, 418
Podiceps, 279, 286-288, 449, 450, 455
 auritus, 281, 446
 clarkii, 66, 67
 cristatus, 281
 dominicus, 287
 griseogena, 279, 446, 455
 major, 279-288
 nigriceps, 282
 occidentalis, 66
 occidentalis clarkii, 67
 occipitalis, 287
 rolland, 280
 tacazowskii, 287
- Podilymbus*, 287
 podiceps, 445
 podiceps podiceps, 50
- Polioptila caerulea*, 340
 caerulea caerulea, 60
 caerulea obscura, 308
 melanura, 311
 plumbea superciliaris, 60
- Poor-will, 306
Porphyrrula martinica, 314
Porzana carolina, 305
Porzanula palmeri, 14
Potoo, Common, 54
 Great, 53
- Prionodura*, 92, 96
Progne chalybea chalybea, 59
 subis, 331, 438
- Protonotaria citrea*, 61, 334
Psilorhinus morio cyanogenys, 59
Psittacula derbiana, 174
Psittirostra cantans, 10
Psomocolax oryzivorus, 62
 oryzivorus impacifus, 62
Ptarmigan, Rock, 416, 418
 Willow, 418
Pteridophora, 92, 102, 119, 122
Pterocles exustus hindustan, 67, 68
Pteroglossus torquatus torquatus, 55
Ptilonorhynchus, 91-96, 99, 106-110, 112, 117, 124
Ptiloris, 92, 100, 122
Ptychoramphus aleuticus, 451, 453
Puffbird, White-necked, 55
 White-whiskered, 55
Puffinus pacificus, 14
Pulich, Warren M., some recent records of the varied bunting for Texas, 334
Pyrocephalus rubinus, 318
Pyromelana, 96
Pyrrhuloxia sinuata, 32, 311
Pyrrhuloxia, 32, 311
- Q**
- Quail, Bobwhite*, 256, 268, 275
 California, 249-278, 311
 Gambel, 260, 315
 Scaled, 266
Quiscalus quiscula, 74
- R**
- Rail, Gray-necked Wood*, 52
 Laysan, 14, 15
Ramphastos sulfuratus sulfuratus, 55
Ramphocænus rufiventris rufiventris, 60
Ramphocelus passerinii passerinii, 63
Raven, Common, 246, 304, 307, 420
Recurvirostra americana, 443, 444
Redhead, 444
Redpoll, Common, 415, 416, 422
 Hoary, 415, 416, 422
Redstart, American, 62, 332
 Painted, 238
 Slate-throated, 62
Regulus calendula calendula, 421
Remiz pendulinus, 447
 pendulinus consobrinus, 447
Rhea, 96, 449
Rhipidura javanica, 70, 71
Rhopophilus pekinensis, 241
Rhynchoscyrus brevirostris brevirostris, 59
Rhynchositta pachyrhyncha terrisi, 331
Rhytipterna holerythra holerythra, 57
Richards, Gerald L., and *White, Clayton M.*, common crow nesting in Utah, 530
Richmondena cardinalis, 32, 245
 cardinalis clintoni, 309
Riparia riparia, 83, 420, 438
 riparia riparia, 237

- Roadrunner, 37, 43, 242, 243
 Robin, 237, 415, 420, 482
 American, 87
 Clay-colored, 60
 White-necked, 193
 White-throated, 60
 Rostrhamus sociabilis major, 51
 Rowley, J. Stuart, notes on the life history of the pileated flycatcher, 318
 Ruff, 166, 167
 Ryder, Ronald A., mottled duck and knot in Colorado, 333
 Rynchops, 96
 Ryser, Fred A., prothonotary warbler and yellow-shafted flicker in Nevada, 334
- S**
- Sabrewing, Violet, 54
 Salpinctes obsoletus, 31
 obsoletus obsoletus, 307
 Saltator atriceps atriceps, 63
 coerulescens grandis, 63
 maximus magnoides, 63
 Saltator, Black-headed, 63
 Buff-throated, 63
 Grayish, 63
 Sanderling, 244, 329, 419
 Sandpiper, Baird, 167, 236, 422
 Common, 444
 Least, 167, 244, 419
 Pectoral, 52, 167, 422
 Semipalmated, 244, 419
 Solitary, 52, 167, 414, 416, 418
 Spotted, 52, 244, 305, 414, 418
 Stilt, 167, 244
 Western, 236, 244
 Sapsucker, Yellow-bellied, 56
 Sarcoramphus papa, 51
 Sayornis nigricans, 351
 nigricans aquatica, 58
 Scardafella inca, 32
 Scaup, Lesser, 514, 515
 Scenopoeetes, 92, 96, 114, 118
 Schiffornis turdinus verae-pacis, 57
 Sclerurus guatemalensis guatemalensis, 57
 Seedeater, Variable, 64
 White-collared, 64
 Yellow-bellied, 157
 Seed-Finch, Thick-billed, 64
 Seiurus aurocapillus, 61, 87
 aurocapillus furvior, 61
 motacilla, 61
 noveboracensis notabilis, 421
 noveboracensis noveboracensis, 61
 Selander, Robert K., and Kuich, Linda L., hormonal control and development of the incubation patch in icterids, with notes on behavior of cowbirds, 73
 Selander, Robert K., and Webster, Fred S., Jr., distribution of the bronzed cowbird in Texas, 245
 Selasphorus rufus, 236
 Seleucidis, 92, 100, 122
 Semioptera, 92, 100, 119, 122
 Sericulus, 92, 96, 124
 bakeri, 92, 96
 Serinus canarius, 68
 Setophaga picta, 238
 ruficilla, 62, 331, 332
 ruficilla tricolora, 62
 Shag, Pelagic, 446
 Shearwater, Wedge-tailed, 14
 Shelton, Leonard A., a further record of a rose-breasted grosbeak in northern California, 241
 Shrike, Loggerhead, 308, 310
 Northern, 237, 415, 421
 Shrike-Tanager, Black-throated, 63
 Shrike-Vireo, Green, 60
 Sialia mexicana, 340
 sialis, 239, 359
 sialis sialis, 237
 Siglin, Roger J., and Weller, Milton W., comparative nest defense behavior of four species of marsh birds, 432
 Siskin, Pine, 534
 Sitta carolinensis, 340
 Sittasomus griseicapillus sylvoides, 56
 Skutch, Alexander F., life history of the little tinamou, 224
 Smaragdolanius pulchellus pulchellus, 60
 Smith, Christopher C., first breeding record of the spotted owl in British Columbia, 440
 Snipe, Common, 416, 418
 Red-bellied, 418
 Snow, David W., the display of the orange-headed manakin, 44
 Somateria mollissima, 417
 Sora, 305
 Spadebill, White-throated, 59
 Sparrow, Black-throated, 307, 309, 310
 Brewer, 31, 310
 Clay-colored, 239, 310
 Fox, 415, 422
 Golden-crowned, 200, 330, 422
 Grasshopper, 64
 Green-backed, 64, 157
 Harris, 200
 House, 32, 36, 37, 42
 Lark, 309
 Lincoln, 310, 423
 Orange-billed, 64
 Prevost Ground, 64
 Rusty, 64
 Savannah, 207, 415, 422
 Song, 341, 343, 358
 Tree, 200, 207, 330, 415, 416, 422, 481, 482
 White-crowned, 31, 83, 200, 253, 310, 415, 416, 422
 Sparrowhawk, European, 167
 Speotyto cunicularia hypugaea, 306
 Sphyrapicus varius varius, 56

- Spinetail, Rufous-breasted, 56
Spinus pinus, 534
 psaltria, 340, 341
 tristis pallidus, 238
Spizaëtus grinnelli, 408
 ornatus, 51
 tyrannus, 51
Spizastur melanoleucus, 51
Spizella arborea, 200, 207, 218, 220, 330, 481
 arborea ochracea, 422
 breweri, 31
 breweri breweri, 310
 pallida, 239, 310
Sporophila aurita corvina, 64
 nigriceps, 157
 torquata moreletti, 64
Squatarola squatarola, 244, 418
Starling, 530
Stelgidopteryx ruficollis, 59, 237
 ruficollis fulvipennis, 59
 ruficollis serripennis, 59
Stercorarius longicaudus, 419
 parasiticus, 419
Sterna anaethetus recognita, 329
 dougalii dougalii, 329
 forsteri, 246, 432
 fuscata, 14
 hirundo hirundo, 52
 paradisea, 419
Storer, Robert W., observations on the great
 grebe, 279
Stork, Wood, 51
Strauch, Joseph G., Jr., a tree sparrow in western
 Oregon, 330
Streptopelia decaocto, 272
 risoria, 69
Streptoprocne zonaris mexicanus, 54
Stresemann, Erwin, variations in the number of
 primaries, 449
Strix nebulosa, 423
 occidentalis, 440, 441
 occidentalis lucida, 236
 varia, 432, 433
Struthio, 449, 456
Sturnus vulgaris, 530
Sugden, Lawson G., Barrow golden-eye using
 crow nests, 330
Sula leucogaster brewsteri, 304
 leucogaster leucogaster, 329
Sungrebe, 52
Surnia ulula, 423
Suthora webbiiana, 241
Swallow, Bank, 83, 237, 420, 438–440
 Barn, 59, 420
 Cliff, 59, 329, 420, 438–440
 Eave, 439
 Mangrove, 59
 Rough-winged, 59
 Tree, 420
 Violet-green, 307
Swan, Black-necked, 533
Coscoroba, 533
Trumpeter, 69, 530
Whistling, 69, 415, 416, 530
Swift, Black, 236, 324
 Chestnut-collared, 324, 325
 Chimney, 324, 400–402, 404
 European, 324
 Vaux, 400–406
 White-collared, 54
Swiftlet, White-rumped, 324
Synallaxis erythrothorax erythrothorax, 56
- T**
- Tachybaptus*, 287
Tachycineta thalassina, 307
Tanager, Blue-gray, 63
 Crimson-collared, 63
 Golden-masked, 63
 Gray-headed, 63, 224
 Scarlet, 63
 Scarlet-rumped, 63
 Summer, 63
 Western, 63
 Yellow-winged, 63
Tanagra affinis affinis, 63
 gouldi gouldi, 63
 lauta lauta, 63
Tangara larvata, 63
Tangavius, 245
 aeneus, 245
 aeneus aeneus, 62
Tapera naevia excellens, 53
Taraba major melanocrissus, 57
Tate, James L., and Morton, Eugene S., the trum-
 pet swan in San Joaquin County, Cali-
 fornia, 530
Tattler, Wandering, 305
Teal, Blue-winged, 331, 533
 Cinnamon, 331
 Green-winged, 6, 417
Terenotriccus erythrurus, 163
 erythrurus fulvigularis, 58, 163
Tern, Arctic, 414, 419
 Black, 432, 434–437
 Bridled, 329
 Common, 52
 Elegant, 300, 305, 310, 312
 Forster, 246, 432, 434–437
 Noddy, 329
 Roseate, 329
 Royal, 305, 329
 Sooty, 14, 329
Tetrao urogallus, 270
Tetrastes bonasia, 270
Textor cucullatus, 517–527
 cucullatus cucullatus, 517
 cucullatus graueri, 517
Thalasseus elegans, 300, 305
 maximus, 305
 maximus maximus, 329
Thalurania colombica townsendi, 54

Thamnistes anabatinus anabatinus, 57
 Thamnophilus doliatus intermedius, 57
 punctatus atrinucha, 57
 Thrasher, Curve-billed, 30-33, 35, 36, 43, 331
 Gray, 308
 Palmer, 35
 Thraupis abbas, 63
 episcopus diaconus, 63
 Thrush, Gray-cheeked, 415, 420
 Swainson, 60, 237
 Varied, 415, 420
 Wood, 60
 Thryomanes bewickii, 340
 Thryothorus maculipectus umbrinus, 60
 modestus pullus, 60
 Tilmatura dupontii dupontii, 55
 Tinamou, Great, 50, 224, 225
 Highland, 227
 Little, 50, 224-231
 Ornate, 227
 Pileated, 224
 Variegated, 224
 Tinamus, 224
 major, 224
 major robustus, 50
 Tit, Blue, 463, 481, 482
 Great, 463, 481, 482, 517
 Penduline, 447
 Titmouse, Bridled, 237
 Plain, 340, 341
 Tityra inquisitor fraserii, 58
 semifasciata personata, 58
 Tityra, Black-crowned, 58
 Masked, 58
 Todirostrum cinereum finitimum, 59
 sylvia schistaceiceps, 59
 Tody-flycatcher, Common, 59
 Slate-headed, 59
 Tolmomyias sulphurescens cinereiceps, 59
 Tomlinson, Jack T., breathing of birds in flight, 514
 Totanus flavipes, 167, 244, 419
 melanoleucus, 167, 244
 Toucan, Keel-billed, 55
 Toucanet, Emerald, 55
 Towhee, Brown, 31, 311, 331, 340
 Green-tailed, 309
 Rufous-sided, 340, 346, 358
 Toxostoma cinereum cinereum, 308
 curvirostre, 30
 Tringa flavipes, 244
 hypoleucus, 444
 melanoleuca, 244
 solitaria, 167
 solitaria cinnamomea, 418
 solitaria solitaria, 52
 Troglodytes aedon, 307, 340
 musculus, 60
 Tropic bird, 182
 citreolus melanocephala, 55
 collaris puella, 55

massena massena, 55
 violaceus braccatus, 55
 Tropic bird, Bar-tailed, 55
 Citreoline, 55, 182
 Slaty-tailed, 55
 Violaceous, 55
 Turdus, 117
 assimilis, 193
 assimilis leucauchen, 60
 grayi grayi, 60
 merula, 117
 migratorius, 87, 420
 migratorius migratorius, 237, 239
 migratorius propinquus, 237
 Turnstone, 444
 Black, 414, 418, 422
 Ruddy, 244
 Typanuchus cupido, 272, 512
 Tyranniscus vilissimus vilissimus, 59
 Tyrannulet, Paltry, 59
 Tyrannus melancholicus chloronotus, 58
 tyrannus, 58
 verticalis, 32, 58

U

Udvardy, M. D. F., Kelleher, K., Vermeer, K., and Oldaker, R. F., aberrant glaucous-winged gulls, 332
 Urubitinga, 408
 milleri, 408

V

Van Velzen, Willet T., sight records of willets in Alaska, 167
 Veniliornis fumigatus sanguinolentus, 56
 Verdin, 37, 307, 308
 Vermeer, K., Oldaker, R. F., Udvardy, M. D. F., and Kelleher, K., aberrant glaucous-winged gulls, 332
 Vermivora celata, 340
 celata celata, 421
 celata orestera, 308
 chrysoptera, 61
 luciae, 238
 peregrina, 61
 pinus, 61
 ruficapilla, 239
 ruficapilla ridgwayi, 61, 238
 Vireo bellii arizonae, 237
 flavifrons, 60
 gilvus, 60, 331, 340
 griseus noveboracensis, 60
 huttoni stephensi, 237
 hypochryseus, 319
 olivaceus, 87, 331
 pallens semiflavus, 60
 philadelphicus, 60
 solitarius, 534
 solitarius cassini, 331, 534

- solitarius plumbeus, 331, 332, 534
 solitarius solitarius, 60
 vicinior, 237
 Vireo, Bell, 237
 Golden, 319
 Gray, 237, 448
 Hutton, 237
 Mangrove, 60
 Philadelphia, 60
 Red-eyed, 87
 Solitary, 60, 534
 Warbling, 60, 340, 341
 White-eyed, 60
 Yellow-throated, 60
 Volatinia jacarina, 154-162
 jacarina splendens, 64
 Voous, K. H., summering arctic and subarctic waders in the Caribbean Islands of Curaçao and Bonaire, 244
 Vulture, Black, 51, 159, 304, 312, 316
 King, 51
 Turkey, 51, 304, 313-317
 Yellow-headed, 314
- W
- Wagtail, Gray, 242
 Japanese, 242
 White, 232-235
 Yellow, 421
 Warbler, Arctic, 415, 420
 Audubon, 309, 534
 Bay-breasted, 61
 Black-and-White, 61
 Blackburnian, 61
 Blackpoll, 415, 421
 Black-throated Green, 61
 Blue-winged, 61
 Canada, 62
 Chestnut-sided, 61
 Golden-winged, 61
 Hermit, 238, 332
 Hooded, 62
 Kentucky, 61
 Kirtland, 87, 377, 378
 Lucy, 238
 MacGillivray, 61
 Magnolia, 61
 Myrtle, 238, 415, 421
 Nashville, 61, 238
 Olive, 238
 Orange-crowned, 308, 340, 341, 415, 421, 423
 Parula, 164
 Prothonotary, 61, 334
 Red-faced, 238
 Rufous-capped, 62
 Tennessee, 61
 Willow, 423
 Wilson, 62, 415, 421, 423
 Worm-eating, 61
 Yellow, 61, 309, 340, 421, 423
 Yellow-throated, 61
- Warner, Richard E., recent history and ecology of the Laysan duck, 3
 Waterthrush, Louisiana, 61
 Northern, 61, 415, 421
 Watson, George E., a second record of the pale-arctic red-throated pipit from St. Lawrence Island, Bering Sea, 447
 Waxwing, Bohemian, 415, 421, 423
 Cedar, 308
 Weaverbird, Village, 517-527
 Webster, Fred S., Jr., and Selander, Robert K., distribution of the bronzed cowbird in Texas, 245
 Webster, J. Dan., a revision of the rose-throated becard, 383
 Weller, Milton W., and Siglin, Roger J., comparative nest defense behavior of four species of marsh birds, 432
 Wetmore, Alexander, and Bullis, Harvey R., Jr., the birds of Serrana Bank in the western Caribbean Sea, 329
 Whimbrel, 418
 Whip-poor-will, 54, 236
 White, Clayton M., botulism and myiasis as mortality factors in falcons, 442
 White, Clayton M., and Richards, Gerald L., common crow nesting in Utah, 530
 White-eye, 482
 Chestnut-flanked, 447
 Red-flanked, 447
 Widgeon, American, 6, 417
 Wilbur, Sanford R., a record of the indigo bunting in northwestern California, 533
 Willet, 167, 244, 305
 Williams, Alice, and Miller, Grace M., the trumpeter swan in Marin County, California, 69
 Williamson, Francis S. L., and Peyton, Leonard J., interbreeding of glaucous-winged and herring gulls in the Cook Inlet region, Alaska, 24
 Willis, Edwin O., is the zone-tailed hawk a mimic of the turkey vulture ?, 313
 Wilsonia canadensis, 62
 citrina, 62
 pusilla, 62
 pusilla pileolata, 62, 421
 Woodcock, 272
 Woodcreeper, Barred, 56
 Ivory-billed, 56
 Ruddy, 56
 Streak-headed, 56
 Strong-billed, 56
 Tawny-winged, 56
 Wedge-billed, 56
 Woodnymph, Blue-crowned, 54
 Woodpecker, Acorn, 56, 131, 147
 Black-cheeked, 56
 Chestnut-colored, 56

- Downy, 237
Gila, 306, 311
 Golden-fronted, 56
 Golden-olive, 56
 Hairy, 340
 Ladder-backed, 306
 Lineated, 56
 Northern Three-toed, 415, 419
 Nuttall, 340
 Olivaceous, 56
 Pale-billed, 56
 Red-headed, 332
 Smoky-brown, 56
 Wren, Band-backed, 59
 Bewick, 340
 Cactus, 29-43, 311
 Canyon, 307
 House, 307, 340, 341, 359, 368
 Plain, 60
 Rock, 31, 307
 Southern House, 60
 Spot-breasted, 60
 White-breasted Wood, 59
 Wren-tit, 482
 Wyatt, Bruce, a short-tailed albatross sighted off
 the Oregon coast, 163

X

- Xanthocephalus xanthocephalus*, 432
Xanthomelus, 92, 96
Xenops minutus mexicanus, 57
Xenops, Plain, 57
Xiphocolaptes promeropirhynchus emigrans, 56
Xiphorhynchus flavigaster-eburneirostris, 56

Y

- Yadon, Vern, American redstart in the Monterey
 area of California, 332
 Yellowlegs, Greater, 167, 244
 Lesser, 167, 244, 415, 419
 Yellowthroat, Common, 62
 Gray-crowned, 62

Z

- Zaczkowski, Nick K., and Baldwin, Paul H.,
 breeding biology of the Vaux swift, 400
Zarhynchus wagleri wagleri, 62
Zenaida asiatica, 147
 asiatica asiatica, 52
 asiatica clara, 306
 asiatica mearnsi, 305, 306
Zenaidura macroura, 30, 272, 334, 529
 macroura carolinensis, 331
Zonotrichia, 203, 208, 210, 220
 albicollis, 215
 atricapilla, 200-203, 208-211, 214-217, 221,
 330, 422
 leucophrys, 31, 83, 253
 leucophrys gambelii, 200-213, 216-221, 310,
 422
 leucophrys nuttalli, 200-203, 210
 leucophrys pugetensis, 200, 201, 206, 207, 217
 querula, 200-204, 208, 210, 211, 215-217, 221
Zorrilla de San Martín, Juan C., notes on the
 rare furnariid *Limnoctites rectirostris* of
 Uruguay, 531
Zosterops, 482
 erythropleura, 447
 lateralis, 482