

INDEX TO VOLUME 66

By JANE R. DURHAM

A

- Acanthis flammea*, 308
Accipiter gentilis, 163
 striatus, 503
Actitis macularia, 225, 364, 369
Aegolius acadicus, 309
 harrisii iheringi, 517
Aëronautes saxatalis, 292
Agamia agami, 77
Agelaius phoeniceus brevirostris, 155, 156
 phoeniceus costaricensis, 156
 phoeniceus grinnelli, 155, 156
 phoeniceus richmondi, 155, 156
 tricolor, 515
Aimophila rufescens, 354
 ruficeps, 354
Alauda arvensis, 245
Albatross, Black-footed, 302
 Laysan, 302, 303
Alcorn, J. R., and Ford, Homer S., observations
 of golden eagle attacks on coyotes, 76
Alectoris graeca, 295
Amaurolimnas concolor, 154
 concolor guatemalensis, 154
Amazilia rutila graysoni, 225
 tzacatl, 187
Amazona finschi, 224
 ochrocephala tresmariae, 225
Ammodramus savannarum, 515
Amphispiza belli, 296
 bilineata, 293
Anas, 127
 acuta, 369
 diazi, 516
 discors, 369
Anhinga anhinga, 77
Anhinga, 77
Anous stolidus, 365-367
 stolidus galapagensis, 366
 stolidus ridgwayi, 366, 370
 tenuirostris, 366, 367
 tenuirostris diamesus, 366, 370
Anser albifrons, 159
Anthus gustavi gustavi, 245
 gustavi menzbieri, 245
 novaeeseelandiae, 245
 novaeeseelandiae richardi, 245
 novaeeseelandiae sinensis, 245
 spinoletta, 223, 226, 439, 498
Antshrike, Barred, 155
Anthrush, Black-faced, 170
Aphelocoma coerulescens, 296
Apus apus, 195
Aquila chrysaëtos, 76, 284, 299, 508, 516
Archilochus alexandri, 217, 219
 colubris, 52
Ardea cinerea, 247
 herodias, 224
 purpurea, 239
Arenaria interpres interpres, 364, 369
Arremon, 277
Arremonops, 277
Arvey, M. Dale, remarks on the South American
 furnariid Phacellodomus rufifrons, 437
Asio otus, 306
Asthenes dorbignyi, 250
Astrapia stephaniae, 162
Atlapetes, 277, 354
Atthis ellioti, 187
Auklet, Cassin, 456-476
Auriparus flaviceps, 293
Automolus rubiginosus umbrinus, 155
Aythya valisineria, 369

B

- Banks, Richard C., an experiment on a flammulated owl*, 79
Banks, Richard C., and McCaskie, R. Guy, distribution and status of the Wied crested flycatcher in the lower Colorado River Valley, 250
Barlow, Jon C., and Cuello, Juan, new records of Uruguayan birds, 516
Bartramia longicauda, 154, 159
Becard, Gray-collared, 155
Beidleman, Richard G., and Enderson, James H., starling-piñon jay associations in southern Colorado, 437
Bird of Paradise, Princess Stephanie, 162
Bittern, Chinese Least, 240
 Chinese Little, 240
 Least, 363
 Shrenk Little, 240
Blackbird, Brewer, 70-74, 308, 503
 European, 100
 Redwinged, 155
 Rusty, 161
 Tricolored, 515
 Yellow-headed, 14, 310
Blackcap, 377, 378
Bluebird, Eastern, 160
 Mountain, 298, 300, 503, 504, 507
 Western, 298, 300
Bluethroat, 243
Bobolink, 388
Bombycilla cedrorum, 160
 garrula, 160
Bonasa umbellus incana, 248
Booby, Blue-faced, 361
 Brown, 224
 Masked, 310
 Peruvian, 361
 Red-footed, 224, 361, 370
 White-bellied, 360, 362

- Brachospiza capensis*, 277, 278
 capensis antifagastae, 278
 capensis australis, 277
 capensis canicapilla, 277
 capensis costaricensis, 277
 capensis pulacayensis, 278
 Brackbill, Hervey, pseudo-sleeping by a herring gull, 309
 Brambling, 73
Branta bernicla, 217
 canadensis, 412
 Brooks, William S., and White, Clayton M., additional bird records for interior Alaska, 308
Brotogeris jugularis, 310
 Brown, Irene L., Mewaldt, L. Richard, and Morton, Martin L., orientation of migratory restlessness in *Zonotrichia*, 377
Bubo virginianus, 247, 292
Bucephala, 114, 126, 127
 albeola, 126
 Buchanan, O. Marcus, the Mexican races of the least pygmy owl, 103
 Buchanan, O. Marcus, and Fierstine, Harry L., another Pacific record of the black swift off México, 161
 Bufflehead, 126
 Bunting, Indigo, 224, 310, 445
 Lark, 501, 503, 506, 507, 516
 Lazuli, 293, 295, 299, 445
 Ortolan, 485
 Painted, 224
 Varied, 161
 Yellow, 485
 Bushtit, Common, 236, 296, 298
Buteo, 248
 jamaicensis, 247, 248, 292, 444
 jamaicensis fumosus, 225
 lagopus, 508
 lineatus, 247, 248
 magnirostris, 304
 platypterus, 159
 swainsoni, 444
Buteogallus anthracinus, 225, 227, 516

C

Calamospiza melanocorys, 501, 516
Calcarius lapponica, 246
Calidris canutus, 242
 canutus canutus, 242
 canutus rogersi, 242
Callipepla, 310
Callipharus, 81
Calothorax lucifer, 515, 516
Calypte anna, 192, 217
 costae, 217, 219, 292
Camptorhynchus, 126, 128
Camptostoma imberbe, 221, 226, 227
 obsoletum obsoletum, 517
Campylopterus hemileucurus, 154
 hemileucurus hemileucurus, 154, 155
 hemileucurus mellitus, 154, 155
Capella solitaria, 242
 solitaria japonica, 242
 Caracara, 162
 cheriway, 162
 cheriway pallidus, 225
 Cardinal, 29, 217, 218, 355, 486, 487
Cariama cristata, 517
Carpodacus cassinii, 223, 226, 300
 mexicanus, 86, 292
Casmerodius albus, 77, 247
 albus egretta, 224
Cassidix mexicanus, 156, 222, 223, 226
 nicaraguensis, 156
 Catbird, 310, 518
Cathartes aura, 162, 247, 294
 aura teter, 225
Catharus aurantiirostris albidior, 155
 aurantiirostris costaricensis, 155
Catoptrophorus semipalmatus, 225
Cepphus, 464
 columba, 459
Ceryle alcyon caurina, 226
 torquata, 227
 torquata torquata, 226
Cettia diaphone, 244
 diaphone cantans, 244
 diaphone takahashii, 244
 Chaffinch, 100
 Chalybura, 81
Chamaea fasciata, 235, 491
Charadrius alexandrinus, 225
 hiaticula, 242
 hiaticula semipalmatus, 154, 225
 vociferus, 446, 461, 501
 vociferus vociferus, 225
Chen caerulescens, 159
 hyperborea, 159
Chendytes, 372-376
 lawi, 372-376
 milleri, 374-376
Chickadee, Black-capped, 61, 438, 439
 Boreal, 439
 Chestnut-backed, 229-238
 Mountain, 61-64, 296-298, 300, 439, 503, 504
Chlidonias niger surinamensis, 154
 nigra, 365
 nigra surinamensis, 365, 369
Chlorostilbon canivetii, 51-55
Chlorura chlorura, 296
Chondrohierax uncinatus, 222
 uncinatus uncinatus, 225
Chordeiles acutipennis, 222, 477
 acutipennis texensis, 225
 minor, 477-490, 501
 minor minor, 477
Ciconia ciconia, 240
 ciconia boyciana, 240
 Circus, 304
 cyaneus, 225, 227, 502
Cisticola juncidis, 244

- Clangula*, 126, 128
 hyemalis, 126
 Clapp, Roger B., Michener, Martin C., and Weske, John Seddon, a breeding colony of Agami herons in Veracruz, 77
Coccyzus erythrophthalmus, 516
 melacoryphus, 368, 370
 minor, 221, 227
 minor ferrugineus, 368
 minor palloris, 225
Colaptes, 135
 auratus, 310
 cafer, 62, 300, 445
Colibri coruscans, 191
 thalassinus, 53, 194
Columba, 418, 420, 421
 fasciata, 160, 421, 439
 flavirostris madrensis, 225
 leucocephala, 421
 livia, 73, 377, 418, 421
 maculosa, 418, 421
 maculosa albipennis, 420
 oenas, 418
 palumbus, 418
 picazuro, 418-422
Columbigallina passerina pallescens, 225
Columbina, 65, 68, 69
 inca, 66, 67
 passerina, 65-69
 squamata, 67
 talpacoti, 67
Contopus richardsonii, 226
 sordidulus, 223, 235, 300
 Cook, Betty, and Frings, Hubert, the upper frequency limits of hearing in the European starling, 56
 Coot, American, 209-211, 363, 364
 Caribbean, 211
 Coquette, White-crested, 193
Coragyps atratus, 225
Cordon Bleu, Red-cheeked, 215, 216
Cormorant, Brandt, 7, 374, 458
 Double-crested, 440
 Galápagos Flightless, 310, 374, 376
Corvus brachyrhynchos, 247, 508
 caurinus, 217
 corax, 14, 292
 frugilegus, 206
 Cowan, I. McT., and Grant, P. R., a review of the avifauna of the Tres Marias Islands, Nayarit, México, 221
Cowbird, Brown-headed, 78, 296, 299, 308, 310
 Crane, Baillon, 241
 Red-and-white, 516
 Ruddy, 241
 Siberian Ruddy, 241
 Uniform, 154
Crocethia alba, 160, 225, 242
Crow, 247, 248, 508
Crypturellus, 169, 262
 boucardi, 165-181, 253-276
 cinnamomeus, 167
 columbianus, 167
 soui, 166, 255, 272
 tataupa, 171, 266
 variegatus, 179, 268
Cuckoo, Azara, 368
 Black-billed, 516
 Mangrove, 221
 Yellow-billed, 310
 Cuello, Juan, and Barlow, Jon C., new records of Uruguayan birds, 516
Cyanerpes cyaneus, 309
Cyanocitta cristata, 217, 248, 484
 stelleri, 86
Cynanthus latirostris lawrencei, 225
Cypseloides niger borealis, 161
 niger costaricensis, 161
- D**
- Dawson, William, and Lasiewski, Robert C., physiological responses to temperature in the common nighthawk, 477
 De Benedictis, Paul, and McCaskie, R. G., bay-breasted warbler and red-eyed vireo in Klamath County, Oregon, 76
Dendrocopos pubescens, 62
 scalaris, 300
 scalaris graysoni, 226
 villosus, 300
Dendroica aestiva, 299
 auduboni, 223, 226, 300, 503
 caerulescens, 160
 castanea, 76, 369, 370
 coronata, 78
 discolor, 161
 dominica albilora, 369, 370
 nigrescens, 223, 226, 296
 occidentalis, 301
 pensylvanica, 303
 petechia, 223, 368-370
 petechia morcomi, 226
 petechia rubiginosa, 226
 striata, 301
 townsendi, 78, 223, 226, 301, 308
 virens, 160
 Desfayes, Michel, an observation on the song of the black-capped chickadee, 438
Dichromanassa rufescens, 240, 442, 447
 rufescens dickeyi, 442
Diomedea immutabilis, 302, 303
 nigripes, 302
 Dixon, Keith L., and Gilbert, John D., altitudinal migration in the mountain chickadee, 61
Dolichonyx oryzivorus, 388
 Donahue, Julian P., and Phillips, Carleton J., black-crowned night herons in Durango, México, 518
Dove, Diamond, 419
 Eared, 421
 Gray-headed, 170, 274
 Ground, 65-69
 Inca, 66-68, 445

- Jamaican, 418
 Mourning, 137, 293, 296, 298, 418, 420, 446
 Rock, 73, 418, 420, 421
 Ruddy Ground, 67
 Scaly, 67
 Stock, 418, 421
 White-winged, 160, 222, 300
 Dowitcher, Short-billed, 46, 48
 Duck, Harlequin, 123, 126
 Mexican, 516
Dumatella carolinensis, 518
- E**
- Eagle, Bald, 78, 282-286
 Golden, 76, 77, 284, 298, 299, 508, 516
 Easterla, David A., bird records from San Luis Potosí, México, 514
 Eckelberry, Don R., watercolor of *Eupherusa cyanophrys*, opp. 81
 Egret, Chinese, 239, 240
 Common, 77, 247
 Lesser, 240
 Little, 239
 Reddish, 240, 442, 443, 447
 Snowy, 440, 447
Egretta garzetta, 239
 garzetta garzetta, 239
 eulophotes, 239
 thula, 440
 Eider, Common, 113, 114, 116-122, 124-128
 King, 113-124, 126-128
 Spectacled, 13, 115-122, 124, 126-128
 Steller, 113-119, 121-124, 126-128
Elaenia flavogaster, 194
 viridicata jaliscensis, 224
Elaenia, Yellow-bellied, 194
 Yellow-crowned, 224
 Elvira, 81
Emberiza citrinella, 217, 485
 hortulana, 217, 485
 Emerald, Fork-tailed, 51-55
Empidonax difficilis, 222, 223, 235
 difficilis difficilis, 226
 traillii, 515, 516
 wrightii, 296
 Enderson, James H., and Beidleman, Richard G., starling-piñon jay associations in southern Colorado, 437
Eremophila alpestris, 295, 438, 496
Ereunetes pusillus, 160
Erithacus rubecula, 378, 390
Erolia bairdii, 225, 227
 ferruginea, 243
 melanotos, 154, 225
 minutilla, 225
Estrilda troglodytes, 212-220, 485
Eudromia elegans, 264-266
Euphagus carolinus, 161
 cycnocephalus, 70-74, 308
Eupherusa, 81-83
 cyanophrys, opp. 81, 81-84
 egregia, 81
 eximia, 81
 eximia egregia, 81, 83
 eximia eximia, 81, 83
 eximia nelsoni, 81, 83
 nigriventris, 81, 83
 poliocerca, 81-83
Euphonia, Blue-headed, 156
Eupoda montana, 500
- F**
- Fairy, Purple-crowned, 186
Falco albigularis, 225
 columbarius, 225, 227
 femorialis, 159
 mexicanus, 292
 peregrinus anatum, 225
 sparverius, 78, 225, 309, 446, 506
 tinnunculus, 241
 vespertinus amurensis, 241
Falcon, Aplomado, 159
 Prairie, 292, 298, 506
 Red-footed, 241
 Fennell, Chester M., and King, Ben F., new occurrences and recent distributional records of Korean birds, 239
 Fierstine, Harry L., and Buchanan, O. Marcus, another Pacific record of the black swift off México, 161
 Finch, Black Rosy, 24, 26-30
 Cassin, 299, 300
 Gray-crowned Rosy, 24, 26-30, 301
 Hepburn Rosy, 24, 26-30
 House, 86, 292, 293, 295, 296, 299
 Zebra, 215-217
 Finzel, Jean E., avian populations of four herbaceous communities in southeastern Wyoming, 496
 Flicker, Red-shafted, 62, 298, 300, 445, 507
Florida caerulea, 224, 227, 447
 Flycatcher, Arizona, 250
 Ash-throated, 250, 251, 293, 295, 296, 298
 Gray, 296-298
 Great Crested, 160
 Lesser Crested, 250
 Northern Beardless, 221
 Olive-sided, 155
 Scissor-tailed, 438
 Sulphur-bellied, 155
 Traill, 516
 Vermilion, 222
 Western, 222, 223, 235
 Wied, 222
 Wied Crested, 250, 251
 Foliage-gleaner, Ruddy, 155
 Ford, Homer S., and Alcorn, J. R., observations of golden eagle attacks on coyotes, 76
Formicarius analis, 170
Forpus cyanopygius, 227
 cyanopygius insularis, 225
Fregata aquila, 363
 magnificens rothschildi, 224
 minor palmerstoni, 363

- minor ridgwayi, 363, 369
- Fringilla coelebs, 100
 - montifringilla, 73
- Frings, Hubert, and Cook, Betty, the upper frequency limits of hearing in the European starling, 56
- Frogmouth, Tawny, 488
- Fulica americana, 209, 369, 370
 - americana americana, 211, 225, 363, 364
 - americana colombiana, 210
 - americana grenadensis, 211
 - americana peruviana, 209-211
 - ardesiaca, 209-211
 - caribbea, 211

G

- Gallinula chloropus, 159, 241
 - chloropus indica, 242
- Gallinule, Common, 159
- Gampsonyx swainsonii leonae, 153
- Genelly, R. E., common egret preys on meadow-lark, 247
- Geococcyx californianus, 292
- Geopelia cuneata, 419
- George, William G., a Peruvian race of Spinus crassirostris, 248
- Geothlypis trichas, 293
- Geotrygon, 421
- Geranospiza, 305
 - caerulescens, 303-305
 - nigra, 303, 305
- Gilbert, John D., and Dixon, Keith L., altitudinal migration in the mountain chickadee, 61
- Gill, Frank B., the shield color and relationships of certain Andean coots, 209
- Glaucidium, 103, 104, 107, 108
 - brasilianum, 107, 108
 - gnoma, 107-109
 - griseiceps, 103
 - minutissimum, 103-112
 - minutissimum griseiceps, 103, 105, 106, 108-111
 - minutissimum griseiceps, 106, 108
 - minutissimum minutissimum, 108
 - minutissimum oberholseri, 103-106, 108-111
 - minutissimum occultum, 103, 106, 108-111
 - minutissimum palmarum, 103, 105, 108-111
 - minutissimum rarum, 106, 108
 - minutissimum sanchezi, 103, 106-111
 - palmarum, 103, 105
- Glazener, W. C., note on the feeding habits of the caracara in south Texas, 162
- Gnatcatcher, Black-tailed, 295, 298
 - Blue-gray, 293, 295-298, 515
- Godwit, Bar-tailed, 41
 - Hudsonian, 41-50
 - Marbled, 43, 44
- Goldfinch, American, 310
 - Lawrence, 301
 - Lesser, 293, 295, 299, 512
- Goodwin, Derek, some calls and displays of the
 - Picazuro pigeon, 418
- Goose, Blue, 159
 - Canada, 412
 - Snow, 159
 - White-fronted, 159
- Goshawk, 163
- Grackle, Boat-tailed, 222
 - Common, 494, 495
 - Great-tailed, 156
 - Nicaraguan, 156, 492, 493
- Granatellus venustus francescae, 226
- Grant, P. R., a new subspecies of lesser goldfinch from México, 512
- Grant, P. R., and Cowan, I. McT., a review of the avifauna of the Tres Marias Islands, Nayarit, México, 221
- Greenshank, Nordmann, 242
- Grosbeak, Black-headed, 296, 299
 - Blue, 157, 293, 299
 - Evening, 29, 484
 - Pine, 503, 504
 - Rose-breasted, 161
- Grouse, Ruffed, 248
- Guillemot, Pigeon, 459, 464, 466, 474
- Guiraca caerulea, 293
 - caerulea lazula, 157
- Gull, California, 14, 440, 502, 504
 - Franklin, 154
 - Glaucous-winged, 164
 - Herring, 309, 440
 - Ring-billed, 440
 - Western, 471
- Gullion, Gordon W., and Gullion, Ardelle M., water economy of Gambel quail, 32
- Gygis alba, 368
 - alba candida, 367
 - alba pacifica, 367, 370
- Gymnorhinus cyanocephala, 296, 437, 441
- Gymnostinops montezuma, 511

H

- Habia gutturalis, 272
- Haematopus ostralegus frazari, 225
- Haliaeetus leucocephalus, 282-286
- Hamilton, Terrell H., Selander, Robert K., and Johnston, Richard F., colorimetric methods in ornithology, 491
- Hardy, John William, ringed parakeets nesting in Los Angeles, California, 445
- Hargrave, Lyndon L., additional records of the scissor-tailed flycatcher in Arizona, 438
- Harris, Bruce K., recent bird records from southeastern New Mexico, 159; correction, 518
- Harrison, C. J. O., open-billed probing by the Princess Stephanie bird of paradise, 162
- Haverschmidt, F., nesting of the crane hawk in Surinam, 303
- Hawk, Broad-winged, 159
 - Black, 516
 - Black Crane, 303
 - Crane, 303-305

- Ferruginous, 501, 506
 Harris, 443-445
 Marsh, 501-507
 Red-shouldered, 247, 248
 Red-tailed, 247, 292, 298, 444, 501, 503
 Roadside, 304
 Rough-legged, 508
 Sharp-shinned, 503, 504
 Sparrow, 78, 298, 309, 446, 501, 503, 506, 507
 Swainson, 444
Heliomaster longirostris, 186
Heliornis fulca, 154
Heliathrix barroti, 186
Helospiza, 279
 Hensel, Richard J., and Troyer, Willard A., nesting studies of the bald eagle in Alaska, 282
 Heron, Agami, 77
 Black-crowned Night, 159, 443, 518
 Chestnut-bellied, 77
 Gray, 247
 Little Blue, 447
 Louisiana, 442, 443, 516
 Purple, 239
 Yellow-crowned Night, 159, 221, 442, 443
Hesperiphona, 30
 vespertina, 29, 217, 484
Heteroscelus incanus, 225, 364, 369
 Hill, David O., light sensitivity and the function of the nictitating membrane in a nocturnal owl, 305
Himantopus mexicanus, 225
Hirundo rustica, 501
Histrionicus, 126, 128
 histrionicus, 123
 Holmes, Richard T., notes on the occurrence of the Laysan albatross near the California coast, 302
 Honeycreeper, 309
 Howard, Hildegard, further discoveries concerning the flightless "diving geese" of the genus *Chendytes*, 372
 Howell, Thomas R., birds collected in Nicaragua by Bernardo Ponsol, 151; mating behavior of the *Montezuma oropendola*, 511
 Hubbard, S. H., Moberly, W. R., and Lasiewski, R. C., energetic relationships of a very small passerine bird, 212
 Hummingbird, Anna, 192
 Black-chinned, 219
 Broad-tailed, 296-298
 Costa, 219, 292, 293, 298
 Lucifer, 516
 Ruby-throated, 52
 Rufous, 300, 516
 Rufous-tailed, 187, 188
 Scaly-breasted, 186
 Violet-eared, 53, 194, 196
 White-eared, 191, 192, 196
 Wine-throated, 187
Hydranassa tricolor, 224, 227, 442, 516
Hydroprogne caspia, 154
Hylocharis leucotis, 191
Hylocichla guttata, 296
 ustulata, 223
 ustulata swainsoni, 226
 ustulata ustulata, 226
 I
 Ibis, Crested, 241
 Scarlet, 310
Icterus bullockii, 293
 chrysater chrysater, 155
 cucullatus, 161, 293
 galbula abellei, 135
 galbula bullockii, 130-150
 galbula galbula, 130-150
 parisorum, 296
 pustulatus graysonii, 226
Ictinia mississippiensis, 444
Ixobrychus eurhythmus, 240
 exilis hesperis, 363, 369
 sinensis, 240
 J
 Jay, Blue, 248, 484
 Gray, 484
 Piñon, 296, 298, 437, 441
 Scrub, 296, 298
 Steller, 86
 Jeter, Horace H., and Paxton, Robert O., little blue heron collected in California, 447
 Johns, J. E., testosterone-induced nuptial feathers in phalaropes, 449
 Johnsgard, Paul A., comparative behavior and relationships of the eiders, 113
 Johnston, Richard F., remarks on the behavior of the ground dove, 65
 Johnston, Richard F., Hamilton, Terrell H., and Selander, Robert K., colorimetric methods in ornithology, 491
 Johnston, Verna R., three winter records in the Central Valley of California, 517
 Junco, 100, 101, 277
 caniceps, 62, 300, 503
 oreganus, 85-102, 296, 401, 423-436
 phaenotus, 85-102, 423
 vulcani, 277
 Junco, Gray-headed, 62, 300, 503, 504, 507
 Mexican, 85-102, 423, 427, 432, 435
 Oregon, 85-102, 296, 297, 299, 300, 423-436
 K
 Kestrel, 241
 Kilham, Lawrence, interspecific relations of crows and red-shouldered hawks in mobbing behavior, 247
 Killdeer, 446, 461, 501, 504
 King, Ben F., and Fennell, Chester M., new occurrences and recent distributional records of Korean birds, 239
 King, James R., and Wales, Eugene E., Jr., observations on migration, ecology, and population flux of wintering rosy finches, 24

- Kingbird, Eastern, 155, 516
 Tropical, 222
 Western, 293, 295, 298
- Kinglet, Golden-crowned, 300
 Ruby-crowned, 235
- Kite, Hook-billed, 222
 Mississippi, 444
 Pearl, 153
- Knot, 242
- Konishi, Masakazu, effects of deafening on song development in two species of juncos, 85; song variation in a population of Oregon juncos, 423
- L**
- Lampronetta, 113, 126-128
- Lancaster, D. A., life history of the Boucard tinamou in British Honduras. Part I: distribution and general behavior, 165; life history of the Boucard tinamou in British Honduras. Part II: breeding biology, 253
- Lanius collurio, 377
 excubitor, 78
 ludovicianus, 296
- Lark, Horned, 294, 295, 298, 438, 496-510
- Larus, 286
 argentatus, 309, 440
 argentatus smithsonianus, 225
 atricilla, 225
 californicus, 440, 502
 delawarensis, 225, 440
 heermanni, 225
 occidentalis, 471
 pipixcan, 154
- Lasiewski, Robert C., and Dawson, William R., physiological responses to temperature in the common nighthawk, 477
- Lasiewski, R. C., Hubbard, S. H., and Moberly, W. R., energetic relationships of a very small passerine bird, 212
- Lateralus leucopyrrhus, 516
- Leptotila jamaicensis, 418
 plumbeiceps, 170, 272, 274
 verreauxi capitalis, 225
- Leucophoyx thula, 447
 thula thula, 224
- Leucosticte, 24, 29, 30
 atrata, 24, 25, 30, 63
 australis, 24
 tephrocotis, 301
 tephrocotis dawsoni, 24, 29
 tephrocotis griseonucha, 24, 29
 tephrocotis littoralis, 24, 25, 30
 tephrocotis tephrocotis, 24, 25, 30
 tephrocotis umbrina, 24
 tephrocotis wallowa, 24
- Limicola falcinellus sibirica, 243
- Limnodromus griseus, 46, 48
- Limosa fedoa, 43, 45
 haemastica, 41-50
 hudsonica, 43
 lapponica, 41
- Lobipes lobatus, 75, 160, 243, 449
- Locustela certhiola ochotensis, 243, 244
 certhiola pleskei, 244
 lanceolata, 244
- Longspur, Lapland, 246
 McCown, 161, 496, 499-502, 505, 506, 509, 510
- Lophortyx, 310
 californicus, 37, 293
 douglasii, 225
 gambelii, 32-40, 293
- Luscinia svecica svecica, 243
- M**
- Magpie, Black-billed, 503, 507, 508
- Man-o-War Bird, Lesser, 363
- Mareca americana, 369
- Marshall, Joe T., Jr., voice in communication and relationships among brown towhees, 345
- Martin, Purple, 310, 368
- McCaskie, R. G., three southern herons in California, 442
- McCaskie, R. Guy, and Banks, Richard C., distribution and status of the Wied crested flycatcher in the lower Colorado River Valley, 250
- McCaskie, R. G., and De Benedictis, Paul, bay-breasted warbler and red-eyed vireo in Klamath County, Oregon, 76
- McKay, George M., the Pacific nest records scheme in 1963, 306
- McMillan, Eben, and Miller, Alden H., hepatic tanager vagrant to coastal section of California, 308
- Meadowlark, Western, 247, 501
- Megalurus pryri pryri, 245
- Melanitta, 127, 376
 deglandi, 126, 374, 376
 nigra, 116
 perspicillata, 118, 376
- Melanotis caerulescens longirostris, 226
- Melospiza, 277-280
 georgiana, 277-280
 lincolni, 277-280
 melodia, 88, 277-280
 melodia azteca, 279
 melodia melodia, 279
 melodia saltonis, 279
- Melozone, 345, 354
 kieneri, 354
- Merganser, Red-breasted, 159
- Mergus, 114
 serrator, 159
- Mesophoyx intermedia, 240
- Mewaldt, L. Richard, Morton, Martin L., and Brown, Irene L., orientation of migratory restlessness in Zonotrichia, 377
- Michener, Martin C., Weske, John Seddon, and Clapp, Roger B., a breeding colony of Agami herons in Veracruz, 77

- Miller, Alden H., a review of the birds of Colombia and adjacent areas of South and Central America, by R. Meyer de Schauensee, 310
- Miller, Alden H., and McMillan, Eben, hepatic tanager vagrant to coastal section of California, 308
- Mimus polyglottos, 293, 446
polyglottos leucopterus, 226
- Mniotilta varia, 223, 224, 226
- Moberly, W. R., Lasiewski, R. C., and Hubbard, S. H., energetic relationships of a very small passerine bird, 212
- Mockingbird, 293-295, 298, 446
- Molothrus ater, 78, 223, 296, 308
ater artemisiae, 78
ater ater, 78
ater obscurus, 226
- Momotus momota, 196
- Moorhen, 241, 242
- Morton, Martin L., Brown, Irene L., and Me-waldt, L. Richard, orientation of migratory restlessness in Zonotrichia, 377
- Motacilla flava macronyx, 245
flava simillima, 245, 246
flava taivana, 245
- Motmot, Blue-diademed, 196
- Murre, Common, 15
- Muscivora forficata, 438
- Myadestes, 227
obscurus insularis, 226
townsendi, 299
- Myiarchus cinerascens, 250, 251, 293
crinitus, 160
tuberculifer tresmariae, 226
tyrannulus, 222
tyrannulus gamister, 226
tyrannulus magister, 250, 251
- Myiodynastes luteiventris luteiventris, 155
- Myiopagis viridicata jaliscensis, 224
viridicata minimus, 226
- N
- Nannopterum harrisi, 374, 376
- Nephoecetes niger, 161
- Nighthawk, Common, 477-490, 501, 502
Lesser, 222, 477, 485, 488
- Nightingale-thrush, Orange-billed, 155
- Nipponia nippon, 241
- Noddy, Black, 366
Common, 366
- Nothocercus bonapartei, 268
- Nothoprocta ornata, 253, 263
- Nucifraga columbiana, 300, 441
- Numenius americanus, 225
phaeopus, 369
phaeopus hudsonicus, 154, 225
- Nutcracker, Clark, 298, 300, 441, 503, 507
- Nuthatch, White-breasted, 296-298, 300
- Nuttallornis borealis, 155
- Nyctanassa violacea, 159, 221, 227, 442
violacea bancrofti, 224, 443
- Nycticorax nycticorax, 159, 443, 518
- Nyctidromus albicollis, 477, 484
albicollis insularis, 225
- O
- Oceanodroma melania, 224
- Oenanthe leucura, 310
- Oldsquaw, 126
- Oporornis formosus, 514
tolmiei, 223, 226, 227
- Oreortyx pictus, 296
- Oreoscoptes montanus, 295
- Oriole, Baltimore, 130-150
Bullock, 130-150, 293, 295, 299
Hooded, 161, 293, 295, 299
Orchard, 310
Scott, 296, 299
Yellow-backed, 155
- Oropendola, Montezuma, 511
- Orr, Robert T., and Rowley, J. Stuart, a new hummingbird from southern México, 81
- Osprey, 153, 363
- Otus asio, 232
flammeolus, 79
- Ovenbird, 223, 224, 434, 435
- Owl, Barn, 305, 306
Barred, 247, 248
Burrowing, 290, 298
Flammulated, 79
Great Horned, 247, 248, 292, 296, 298, 299
Hispaniolan Barn, 306
Ihering, 517
Least Pygmy, 103-112
Saw-whet, 309
Screech, 232
- P
- Pachyrhamphus major australis, 155
major major, 155
- Paige, Bruce B., the band-tailed pigeon in the Panamint Range of California, 439
- Pandion haliaëtus, 153, 363, 369
haliaëtus carolinensis, 225
- Paphosia adorabilis, 193
- Parabuteo unicinctus, 443-445
unicinctus harrisi, 444
- Parakeet, Ringed, 445-447
- Parmelee, David F., and Stephens, H. A., status of the Harris hawk in Kansas, 443
- Parrot, Lilac-crowned, 224
White-crowned, 154
- Parrotlet, Blue-rumped, 227
- Partridge, Chukar, 295, 296, 298, 299
- Parula pitiayumi insularis, 226
- Parus, 235, 236
atricapillus, 61, 438, 439
caeruleus, 62
carolinensis, 439
gambeli, 61-64, 296, 439, 503
gambeli grinnelli, 63
hudsonicus, 439
inornatus, 229-237, 296

- major, 62
 montanus, 438, 439
 rufescens, 229-238
 salicarius, 439
Passer domesticus, 73, 293, 485, 493, 495
Passerculus sandwichensis, 79
 sandwichensis crassus, 79
 sandwichensis nevadensis, 79
Passerella, 277-280
 iliaca, 277, 278, 280
 iliaca mariposae, 278
 melodia, 278
Passerina amoena, 293, 445
 ciris, 223
 ciris pallidior, 224, 226
 cyanea, 223, 224, 226, 227, 445
 versicolor, 161, 223, 226
Pauraque, 477, 483, 484
 Paxton, Robert O., and Jeter, Horace H., little blue heron collected in California, 447
 Paynter, Raymond A., Jr., generic limits of *Zonotrichia*, 277
 Pearson, Oliver P., metabolism and heat loss during flight in pigeons, 182
Pelecanus crispus, 7
 erythrorhynchos, 3-23, 400
 occidentalis, 8, 9, 15, 20, 162
 occidentalis californicus, 224
 onocrotalus, 7, 9, 19, 20
 rufescens, 7, 9
 Pelican, Brown, 8, 162
 White, 3-23, 440
 Penguin, Adelle, 21
Perisoreus canadensis, 484
 Petrel, Black, 224
Petrochelidon pyrrhonota, 501
 Pewee, Western Wood, 235, 300
Pezopetes, 277
Phacellodomus dorsalis, 438
 erythrophthalmus, 438
 ruber, 438
 rufifrons, 437, 438
 rufifrons fargoi, 438
 rufifrons inornatus, 438
 rufifrons peruvianus, 438
 rufifrons rufifrons, 438
 rufifrons sincipitalis, 438
 rufifrons specularis, 438
 sibilatrix, 438
 striaticeps, 438
 striaticollis, 438
Phaeochroa cuvierii maculicauda, 186
Phaëthon aethereus mesonauta, 224
 rubricauda, 360, 361, 370
 rubricauda melanorhynchos, 360, 361, 369
 rubricauda rothschildi, 360, 361
Phainopepla nitens, 295
Phainopepla, 295, 298
Phalacrocorax albociliatus, 376
 auritus, 440
 penicillatus, 7, 374, 376, 458
Phalaenoptilus nuttallii, 295, 477, 484
Phalarope, Northern, 160, 243, 449-455
 Red, 517
 Wilson, 364, 449-455
Phalaropus fulicarius, 517
Phasianus colchicus, 243
 Pheasant, Ring-necked, 243
Pheucticus ludovicianus, 161
 melanocephalus, 223, 226, 227, 296
 Philips, Robert L., ruffed grouse nesting in Utah, 248
 Phillips, Carleton J., and Donahue, Julian P., black-crowned night herons in Durango, México, 518
Philomachus pugnax, 243, 449
 Phoebe, Black, 162, 514
 Eastern, 160
 Say, 290, 291, 295, 298
Phoenicurus aureus, 243
Phrygilus, 277
 fruticeti, 250
 plebejus, 250
Phylloscopus borealis, 308
 tenellipes, 243
Pica pica, 286, 508
 Piculet, Olivaceous, 155
Picumnus olivaceus dimotus, 155
 Pigeon, Band-tailed, 160, 421, 439, 440
 Picazero, 418-422
 Spotted, 418, 420, 421
 White-crowned, 421
 Wood, 418, 421
Pinicola enucleator, 503
Pionus senilis decoloratus, 154
Pipilo, 277, 345, 354
 aberti, 345, 351, 352, 354, 356
 albicollis, 345, 349, 352-356
 chlorurus, 354
 erythrophthalmus, 86, 296, 354
 fuscus, 345, 347, 349, 351, 353-355, 423
 fuscus albigula, 345
 fuscus crissalis, 345, 356
 fuscus fuscus, 345, 352, 356
 fuscus mesoleucus, 345
 fuscus toroi, 353
Pipit, Pechora, 245
 Richard, 245
 Water, 439, 498, 500, 503-506, 509, 510
Piranga bidentata flammea, 226
 flava hepatica, 308
 ludoviciana, 78, 157, 223, 226, 296, 309, 517
 rubra, 308, 370
Platalea minor, 241
Platypsaris aglaiae insularis, 226
Plegadis, 369
 falcinellus mexicana, 225
Ploceus philippinus, 199-208
 Plover, American Golden, 151
 Golden, 364
 Mountain, 500-502, 505, 506, 509

Ringed, 242
 Semipalmated, 154, 160
 Upland, 154, 159
Pluvialis dominica, 151
 dominica dominica, 225
 dominica fulva, 364, 369
Podargus strigoides, 488
Polioptila caerulea 293, 515
 melanura, 295
Polysticta, 113, 123, 125-128
 stelleri, 113, 123, 125
Poocetes gramineus, 497
 Poorwill, 295, 296, 298, 477, 483-488
Porzana carolina, 154, 516
 fusca, 241
 fusca erythrothorax, 241
 paykullii, 241
 pusilla, 241
Progne subis, 368, 370
Psaltriparus minimus, 236, 296
Psarocolius, 511
 angustifrons, 511
 decumanus, 511
Pseliophorus, 277
Psittacula krameri, 445-447
Ptychoramphus aleutica, 456-476
Puffinus cuneatus, 224
Pygoscelis adeliae, 21
Pyrocephalus rubinus, 222, 223, 226, 227

Q

Quail, California, 37, 252, 293, 298, 310
 Gambel, 32-40, 293, 298
 Mountain, 296, 298, 299
Quiscalus nicaraguensis, 492, 493, 495
 quiscula quiscula, 494, 495
 quiscula versicolor, 494, 495

R

Ramphocaelus passerinii, 155
 Raven, Common, 14, 18, 292, 298
 Rea, Fr. Amadeo Michael, chestnut-sided warbler
 in southern California, 303
 Redpoll, Common, 308
 Redstart, American, 301, 369
 Daurian, 243
Regulus calendula, 235
 satrapa, 300
Rhynchophanes mccownii, 161, 496
 Richardson, Carl, and Sturges, Franklin W., bird
 records from southern Oregon, 514
Richmondia, 30
 cardinalis, 29, 217, 355, 486
 cardinalis mariae, 226
 Rickard, W. H., a vagrant occurrence of the
 black phoebe in southeastern Washington,
 162
Ridgwayia pinicola, 514
 Roadrunner, 292, 295, 298
 Robin, 62, 298, 300, 349, 500, 503-505, 509
 American, 88

 Clay-colored, 157
 European, 378, 381
 Rook, 206
 Root, Richard B., ecological interactions of the
 chestnut-backed chickadee following a
 range extension, 229
 Rowley, J. Stuart, and Orr, Robert T., a new
 hummingbird from southern México, 81
 Ruff, 243, 449
 Ryder, Ronald A., California gull nesting in
 Colorado, 440

S

Sabrewing, Violet, 154
Salpinctes obsoletus, 290, 459, 500
Saltator, Buff-throated, 196
 maximus, 196
Sanderling, 160, 242, 243
Sandpiper, Broad-billed, 243
 Buff-breasted, 154
 Curlew, 243
 Marsh, 242
 Pectoral, 154
 Solitary, 154, 516
 Spotted, 364
Sapsucker, Williamson, 300
 Saxena, R. N., and Thapliyal, J. P., absence of
 a refractory period in the common weaver
 bird, 199
Sayornis nigricans, 162, 514
 phoebe, 160
 saya, 290
Scardafella inca, 445
 Schaller, George B., breeding behavior of the
 white pelican at Yellowstone Lake, Wyo-
 ming, 3
 Schumacher, Della M., ages of some captive wild
 birds, 309
Scoter, Black, 116, 123, 126
 Surf, 118, 124, 126, 376
 White-winged, 126, 374, 376
Seedeater, White-collared, 222
Seiurus aurocapillus, 223, 434
 aurocapillus cinereus, 224, 226
 motacilla, 223, 224, 226
 noveboracensis, 223, 226, 516
 Selander, Robert K., the problem of timing of
 development of the incubation patch in
 male birds, 75
 Selander, Robert K., Johnston, Richard F., and
 Hamilton, Terrell H., colorimetric methods
 in ornithology, 491
Selasphorus platycercus, 296
 rufus, 217, 300, 515, 516
 sasin, 217
Seriema, 517
Setophaga ruticilla, 223, 226, 301, 369, 370
Shearwater, Wedge-tailed, 224
 Short, Lester L., Jr., and Sibley, Charles G., hy-
 bridization in the orioles of the Great
 Plains, 130

- Shrike, Loggerhead, 296, 298
 Northern, 78
 Red-backed, 377
 Sialia currucooides, 300, 504
 mexicana, 300
 sialis, 160
 Sibley, Charles G., and Short, Lester L., Jr., hybridization in the orioles of the Great Plains, 130
 Siskin, Pine, 308, 503, 504, 507
 Thick-billed, 248
 Sitta carolinensis, 296
 Skutch, Alexander F., life history of the scaly-breasted hummingbird, 186
 Skylark, 245
 Smith, Mary A., and Williamson, Francis S. L., the distribution and breeding status of the Hudsonian godwit in Alaska, 41
 Snipe, Solitary, 242
 Solitaire, Townsend, 298, 299
 Somateria, 113, 114, 116, 122-125, 127, 128
 fischeri, 113, 123, 125, 128
 mollissima, 123, 125
 mollissima mollissima, 113, 128
 mollissima v. nigra, 113, 121-123, 128
 spectabilis, 113, 123, 125
 Sora, 154, 516
 Sparrow, Andean, 206
 Black-chinned, 296, 299
 Black-throated, 293-296, 299
 Brewer, 296, 299
 Chipping, 244, 296, 297, 299, 300, 423, 426, 427, 432, 507
 Fox, 278
 Gambel, 399
 Gambel White-crowned, 391, 393
 Golden-crowned, 377, 404, 405, 413
 Grasshopper, 515
 Harris, 515
 House, 72, 73, 293, 299, 485, 493, 494
 Lincoln, 278
 Rusty-crowned Ground, 354
 Sage, 296, 299
 Savannah, 79
 Song, 88, 278, 507
 Swamp, 278
 Vesper, 497, 500, 501, 503-507, 509
 White-crowned, 30, 86, 94, 99, 310, 377, 381, 398, 409, 411, 413, 427-429, 498, 500, 503-505, 507, 509
 White-throated, 161, 377, 405, 406, 408-410, 413, 434
 Spatula clypeata, 369
 Speotyto cunicularia, 290, 306
 Sphyrapicus thyroideus, 300
 Spinus atratus, 250
 crassirostris, 248, 250
 crassirostris amadoni, 249
 crassirostris crassirostris, 249
 lawrencei, 301
 magellanicus, 250
 pinus, 308, 503
 psaltria, 293, 512-514
 psaltria psaltria, 226, 513
 psaltria witti, 512-514
 Spizella atrogularis, 296
 breweri, 296
 passerina, 244, 296, 423
 Spoonbill, Black-faced, 241
 Roseate, 310
 Sporophila torqueola, 222, 223, 226, 227
 Squatarola squatarola, 225, 227, 369
 Stager, Kenneth E., the birds of Clipperton Island, eastern Pacific, 357
 Starling, 56-60, 78, 163, 310, 377, 437
 Starthroat, Long-billed, 186
 Steganopus tricolor, 75, 225, 227, 364, 369, 449
 Stellula calliope, 217
 Stephens, H. A., and Parmelee, David F., status of the Harris hawk in Kansas, 443
 Sterna forsteri, 440
 fuscata, 154, 365
 fuscata crissalis, 224, 365, 369
 Stewart, Paul A., bird notes from southeastern Alaska, 78
 Stork, White, 240
 Streptopelia, 420, 421
 decipiens, 421
 roseogrisea, 421
 semitorquata, 421
 Strix minutissima, 103
 pumila, 103
 varia, 247, 306
 Sturges, Franklin W., and Richardson, Carl, bird records from southern Oregon, 514
 Sturnella neglecta, 247, 501
 Sturnus vulgaris, 56-60, 78, 163, 377, 437
 Sula dactylatra, 361, 365
 dactylatra californica, 361
 dactylatra granti, 361, 369
 leucogaster, 224, 360, 362
 leucogaster brewsteri, 362
 leucogaster nesiotis, 224, 362, 369
 nebouxii, 224
 sula, 361, 370
 sula websteri, 224, 361, 369
 variegata, 360, 361
 Sungrèbe, 154
 Swallow, Barn, 501, 502
 Cliff, 500-503, 506
 Violet-green, 298, 299, 503, 504
 Swift, Black, 161
 White-throated, 292, 295, 298, 299
 Sylvia atricapilla, 377
 borin, 378
 communis, 377, 390
 Synallaxis brachyura, 311

T

- Tachycineta thalassina, 299, 504
 Taeniopygia castanotis, 215, 216

- Tanager, Hepatic, 308, 309
 Summer, 308
 Western, 78, 157, 296, 297, 299, 309, 517
 Tanagra musica, 156
 musica elegantissima, 157
 musica vincens, 157
 Tattler, Wandering, 364
 Tern, Black, 154, 365
 Black Noddy, 366, 367
 Caspian, 14, 154
 Common Noddy, 365, 366
 Fairy, 367, 368
 Forster, 440
 Sooty, 154, 224, 365
 Thalasseus elegans, 225
 maximus maximus, 225
 Thamnophilus doliatus intermedius, 155
 doliatus pacificus, 155
 Thapliyal, J. P., and Saxena, R. N., absence of
 a refractory period in the common weaver
 bird, 199
 Thompson, William L., an early specimen of the
 indigo bunting from California, 445
 Thoresen, Assa C., the breeding behavior of the
 Cassin auklet, 456
 Thornbird, Rufous-fronted, 437
 Thrasher, Brown, 517
 Crissal, 300
 LeConte, 295, 298
 Sage, 294, 295, 298
 Thrush, Aztec, 514
 Hermit, 296-298, 300
 Mistle, 423
 Swainson, 223
 Thryomanes bewickii, 235, 296
 Thryothorus felix lawrencii, 226
 maculipectus, 192
 Tinamotis pentlandii, 176
 Tinamou, Boucard, 165-181, 253-276
 Colombian, 167
 Elegant, 264
 Great, 169, 171, 271
 Highland, 268
 Little, 166, 169, 171, 255, 272, 275
 Ornate, 253, 257, 268
 Rufescent, 167, 169
 Slaty-breasted, 165
 Tataupa, 171
 Variegated, 179, 268, 270
 Tinamus major, 169, 271
 Tit, Blue, 62
 Great, 62
 Willow, 438
 Titmouse, Plain, 229, 237, 296, 298
 Todirostrum cinereum, 187
 Tody-Flycatcher, Black-fronted, 187
 Totanus flavipes, 46
 melanoleucus, 46
 Towhee, Abert, 345-353, 355, 356
 Brown, 345, 354, 423, 426, 427, 432, 435
 California, 345-353, 355, 356
 Canyon, 345-356
 Green-tailed, 296, 299, 354
 Rufous-sided, 86, 296, 299, 354
 White-throated, 345-356
 Toxostoma dorsale, 300
 lecontei, 295
 rufum, 517
 Tringa flavipes, 225
 guttifer, 242
 solitaria, 225, 227, 516
 solitaria cinnamomea, 154
 stagnatilis, 242
 Troglodytes aedon, 137, 217, 235, 300, 485
 Trogon elegans goldmani, 225
 Tropic Bird, Red-tailed, 360
 Troyer, Willard A., and Hensel, Richard J., nest-
 ing studies of the bald eagle in Alaska, 282
 Tryngites subruficollis, 154
 Turdus grayi, 157
 merula, 100
 migratorius, 62, 88, 300, 349, 503
 rufo-palliatus graysoni, 226
 viscivorus, 423
 Turnstone, Ruddy, 364, 365
 Tyrannulet, Temminck, 517
 Tyrannus melancholicus, 222
 melancholicus occidentalis, 226
 tyrannus, 155, 516
 verticalis, 293
 Tyto alba, 306
 alba glaucops, 305
 alba pratincola, 225
- U
- Uraeginthus bengalus, 215, 216
 Uria aalge, 15
- V
- Verbeek, Nicolaas, A. M., a time and energy
 budget study of the Brewer blackbird, 70
 Verdin, 293, 295, 298
 Vermivora celata, 223, 235, 299
 celata lutescens, 226
 peregrina, 369, 370
 ruficapilla, 300
 Violet-ear, Gould, 191
 Vireo flavoviridis, 222
 flavoviridis forreri, 226
 gilvus, 223, 235
 gilvus swainsonii, 226
 huttoni, 235
 hypochryseus sordidus, 226
 olivaceus, 51, 76
 solitarius, 223, 226
 vicinior, 296
 Vireo, Gray, 296-298
 Hutton, 235
 Red-eyed, 51, 76
 Warbling, 235
 Yellow-green, 222

- Vuilleumier, François, and Williams, John E., notes on some birds from the Río Conchos, Chihuahua, México, 515
- Vulture, Turkey, 162, 247, 294, 298, 501, 503, 506, 507
- W
- Wade, Otis H., hepatic tanager in southern California, 308
- Wagtail, Yellow, 245, 246
- Wales, Eugene E., Jr., and King, James R., observations on migration, ecology, and population flux of wintering rosy finches, 24
- Warbler, Arctic, 308
- Audubon, 299, 300, 503, 504
- Bay-breasted, 76
- Black-and-White, 224
- Blackpoll, 301
- Black-throated Blue, 160
- Black-throated Gray, 296, 297, 299, 300
- Black-throated Green, 160
- Bush, 244
- Chestnut-sided, 303
- Fan-tailed, 244
- Garden, 378
- Hermit, 301
- Japanese Marsh, 245
- Kentucky, 514
- Lanceolated, 244, 245
- MacGillivray, 310
- Middendorff Grasshopper, 243, 244
- Mourning, 310
- Myrtle, 78
- Nashville, 300
- Orange-crowned, 235, 299
- Pale-legged Willow, 243
- Pallas Grasshopper, 244
- Prairie, 161
- Taczanowski Grasshopper, 244
- Townsend, 78, 301, 308
- Yellow, 223, 299, 368
- Yellow-throated, 369
- Waterthrush, Louisiana, 224
- Northern, 516
- Wauer, Roland H., ecological distribution of the birds of the Panamint Mountains, California, 287
- Waxbill, Black-rumped, 212-220, 485
- Waxwing, Bohemian, 160
- Cedar, 160
- Weaver Bird, Common, 199-208
- Weske, John Seddon, Clapp, Roger B., and Michener, Martin C., a breeding colony of Agami herons in Veracruz, 77
- Westcott, Peter W., unusual feeding behavior of a goshawk, 163; invasion of Clark nutcrackers and piñon jays into southeastern Arizona, 441
- Wheatear, Black, 310
- Whimbrel, 154
- White, Clayton M., and Brooks, William S., additional bird records for interior Alaska, 308
- White-eye, 309
- Whitethroat, 377
- Williams, John E., and Vuilleumier, François, notes on some birds from the Río Conchos, Chihuahua, México, 515
- Williamson, Francis S. L., and Smith, Mary A., the distribution and breeding status of the Hudsonian godwit in Alaska, 41
- Wilsonia pusilla, 223
- pusilla chryseola, 226
- Wolf, Larry L., nesting of the fork-tailed emerald in Oaxaca, México, 51
- Woodpecker, Downy, 62
- Hairy, 298, 300
- Ladder-backed, 300
- Wren, Bewick, 235, 296-298
- House, 137, 235, 298, 300, 485, 507
- Long-billed Marsh, 448
- Rock, 290, 291, 295, 296, 298-301, 459, 500, 501, 506
- Spotted-breasted, 192
- Wrentit, 235, 491
- X
- Xanthocephalus xanthocephalus, 14
- Y
- Yellowlegs, Greater, 46
- Lesser, 46
- Yellowthroat, 293, 295, 299
- Z
- Zarhynchus wagleri, 511
- Zenaida, 421
- asiatica, 160, 222, 300
- asiatica mearnsi, 225
- auriculata, 421
- Zenaidura macroura, 137, 293, 418, 446
- macroura carolinensis, 225
- Zonotrichia, 24, 277-280, 377-417
- albicollis, 161, 277-280, 377, 383, 384, 392, 402, 405, 406, 408-411, 413, 414, 434
- atricapilla, 277, 279, 280, 377, 383, 385, 404, 405, 410, 411, 413, 414
- capensis, 206, 277-280
- georgiana, 280
- iliaca, 280
- leucophrys, 86, 94, 223, 227, 277-280, 377, 385, 390, 427, 498
- leucophrys gambelii, 30, 226, 377, 382, 388, 390-402, 405, 409-411, 413, 414
- leucophrys nuttalli, 385, 386, 401, 411
- leucophrys oriantha, 381, 382, 387, 388
- leucophrys pugetensis, 377, 383, 384, 390, 401-403, 411, 413, 414
- lincolni, 280
- melodia, 280
- querula, 277, 279, 280, 515
- Zosterops palpebrosa, 309