

## INDEX TO VOLUME 76

New generic, specific, and subspecific names are printed in **boldface type**.

## A

- Abraham, Richard L., Vocalizations of the Mallard (*Anas platyrhynchos*), 401–420
- Acanthis flammica*, 298
- Accipiter cooperii*, 215, 219, 378, 379, 467  
*gentilis*, 219, 467  
*striatus*, 219, 222
- Actitis macularia*, 368
- Aechmophorus occidentalis*, 174, 305, 367
- Aegolius acadicus*, 334
- Aepyornis*, 148, 319, 323
- Aeronautes anodecolus*, 328
- Aethia cristatella*, 296, 424, 481, 482  
*pusilla*, 296, 424, 426, 481, 482  
*pygmaea*, 108, 297
- Agelaius phoeniceus*, 56, 59–61, 154, 321
- Aimophila*, 458  
*carpalis*, 30–32, 192  
*quinquestriata*, 30–32  
*quinquestriata septentrionalis*, 30
- Ainley, David G., and T. James Lewis, The history of Farallon Island marine bird populations, 1854–1972, 432–446
- Aix sponsa*, 73
- Alauda arvensis*, 226
- Albatross, Black-footed, 367  
 Laysan, 289
- Alcidae, 421
- Alle alle, 427, 428
- Ahlquist, Jon E., see Corbin, Kendall W.
- Amakihi, 62
- Amazilia rutila*, 461  
*tzacatl*, 461  
*violiceps*, 24, 31
- Amazona albifrons*, 24, 31  
*finschi*, 24
- Ammodramus savannarum*, 397, 399
- Amphispiza belli*, 399, 400  
*bilineata*, 189
- Anas acuta*, 72, 290, 410  
*americana*, 73, 291  
*boscas*, 154, 321  
*clypeata*, 72, 291, 409  
*crecca*, 59, 60, 73  
*crecca carolinensis*, 290, 415  
*crecca crecca*, 415  
*crecca nimia*, 290  
*cyanoptera*, 73  
*discors*, 72, 291  
*falcata*, 290  
*penelope*, 291  
*platyrhynchos*, 72, 290, 401, 475  
*platyrhynchos comboscas*, 223  
*platyrhynchos platyrhynchos*, 223  
*poecilorhyncha*, 288, 290  
*poecilorhyncha zonorhyncha*, 290  
*querquedula*, 290  
*rubripes*, 224  
*strepera*, 72, 290
- Anatidae, 417
- Anatinae, 70
- Anderson, Bertin W., Michael G. Reeder, and Richard L. Timken, Notes on the feeding behavior of the Common Merganser (*Mergus merganser*), 472–476
- Anderson, William L., and Ronald F. Labisky, Selected physiological responses of pheasants to minerals in corn, 109–112
- Ani, Groove-billed, 24, 349, 461  
 Smooth-billed, 349, 382
- Anianiau, 62
- Anous minutus*, 464  
*tenuirostris*, 464
- Anser domesticus*, 154, 321  
*fabalis*, 290  
*fabalis serrirostris*, 290
- Anthony, Robert G., and Irven O. Buss, Relationship of gonadal recrudescence and testicular melanogenesis in California Quail, 452–457
- Anthus spinoletta*, 297
- Antthrush, Black-faced, 102
- Antvireo, Plain, 263, 264
- Aphelocoma*, 468–470  
*coerulescens*, 275, 283, 284, 469  
*coerulescens woodhouseii*, 275  
*ultramarina*, 468
- Aphriza virgata*, 367
- Aplonis cantoroides*, 307–316  
*metallica*, 307–316  
*metallica metallica*, 308  
*metallica nitida*, 308  
*metallica purpleiceps*, 308
- Aquila chrysaetos*, 45, 174, 334, 356
- Ar, A., C. V. Paganelli, R. B. Reeves, D. G. Greene, and H. Rahn, The avian egg: Water vapor conductance, shell thickness, and functional pore area, 153–158
- Ar, A., see Paganelli, C. V.
- Ar, A., see Rahn, H.
- Ara militaris*, 23
- Aramides cajanea*, 169, 175
- Aratinga chloroptera*, 382  
*nana*, 104–106
- Archilochus alexandri*, 189  
*colubris*, 322
- Ardea herodias*, 367
- Arenaria interpres*, 293  
*melanocephala*, 368
- Arremonops rufivirgatus*, 463
- Asio flammeus*, 53, 297  
*otus*, 45, 59, 60, 378, 379
- Atlapetes, 458
- Auklet, Cassin's, 364, 368, 421–431, 433, 438, 440, 441, 444, 481–484  
 Crested, 269, 424, 428, 481  
 Least, 296, 424, 428, 481–484  
 Parakeet, 296, 428, 481, 482  
 Rhinoceros, 249, 424, 433, 438, 442–444, 481  
 Whiskered, 108, 297
- Auriparus flaviceps*, 26, 31, 116, 189, 217  
*flaviceps fraterculus*, 27
- Austin, George T., Nesting success of the Cactus Wren in relation to nest orientation, 216–217
- Aythya affinis*, 73  
*americana*, 59, 60, 72, 291  
*collaris*, 73  
*ferina*, 291  
*fuligula*, 291  
*marila*, 291  
*valisneria*, 73, 291
- Aythiinae, 70

## B

- Bailey, Alfred M., Second nesting of Broad-tailed Hummingbirds, 350
- Baker, Myron Charles, Genetic structure of two populations of White-crowned Sparrows with different song dialects, 351-356
- Balda, Russell P., see Marshall, Judy
- Baldwin, Paul H., see Martin, Stephen G.
- Bananaquit, 106, 107
- Bartonek, James C., see Divoky, George J.
- Bartramia longicauda, 108, 399
- Beard, Jamaican, 106
- Rose-throated, 25
- Bellbird, Bearded, 266
- Best, Louis B., An unusual case of nesting persistence in a female Field Sparrow, 349
- Betts, Burr J., see Colwell, Robert K.
- Bird of Paradise, 313
- Count Raggi's, 313
- Blackbird, Brewer's, 115, 380
- Melodius, 102
- Red-winged, 56, 154, 313, 321
- Yellow-headed, 369
- Bluebird, Eastern, 166
- Mountain, 335
- Western, 369
- Boag, D. A., see Zwickel, Fred C.
- Bobolink, 115, 396, 456
- Bobwhite, 174, 452, 471-472
- Black-throated, 461
- Bombycilla cedrorum, 185
- Bonasa umbellus, 114
- Booby, Blue-faced, 348
- Masked, 476, 477
- Red-footed, 476-478
- Borchelt, Peter L., and L. Duncan, Dustbathing and feather lipid in Bobwhite (*Colinus virginianus*), 471-472
- Borrero H., José Ignacio, Notes on the structure of the upper eyelid of Potoos (*Nyctibius*), 210-211
- Botaurus, 211
- Brachyrampus brevirostris, 296, 423
- marmoratus, 296
- Brambling, 297
- Brant, Black, 290
- Branta canadensis, 290, 475
- canadensis leucopareia, 290
- nigricans, 290
- Brigham, J. H., see Zwickel, Fred C.
- Brown, Hugh C., and Burt L. Monroe, Jr., Bird records from Honduras, 348-349
- Brush, Alan H., see Corbin, Kendall W.
- Bryan, Stuart R., Jr., Confirmation of the nesting of the Gray Jay in New Mexico, 357-358
- Bubo virginianus, 45, 249, 322, 358, 368
- Bucephala albeola, 73, 292
- clangula, 73, 291, 475
- islandica, 292
- Bucher, E. H., see Murton, R. K.
- Bufflehead, 73, 292
- Bullfinch, 276
- Greater Antillean, 106
- Bunnell, Pille, see Colwell, Robert K.
- Bunting, Blue, 463
- Indigo, 41, 115, 369, 463
- Lark, 397, 399
- Lazuli, 335
- Painted, 30, 99
- Reed, 226
- Rustic, 298
- Snow, 298
- Varied, 30
- Burger, J., Determinants of colony and nest-site selection in the Silver Grebe (*Podiceps occidentales*) and Rolland's Grebe (*Rollandia rolland*), 301-306
- Bushtit, Common, 378
- Buss, Irven O., see Anthony, Robert G.
- Buteo albicaudatus, 22, 31
- albonotatus, 214-215
- hemilasius, 214
- jamaicensis, 45, 214-215, 225, 332, 367, 378, 379, 466
- lagopus, 45, 293
- lineatus, 169, 332
- nitidus, 22, 31
- platypterus, 331
- polyosoma, 85
- regalis, 45, 113, 334, 466
- swainsoni, 45, 215, 466
- Buteogallus anthracinus, 23, 31
- Buzzard, Upland, 214
- Byrd, G. Vernon, David L. Johnson, and Daniel D. Gibson, The birds of Adak Island, Alaska, 288-300

## C

- Caccamise, Donald F., Competitive relationships of the Common and Lesser Nighthawks, 1-20
- Cairina moschata, 154, 310, 321
- Calamospiza melanocorys, 59, 61, 397, 399
- Calcarius lapponicus, 298
- mccowni, 399
- ornatus, 399
- Calder, William A., Jr., The thermal and radiant environment of a winter hummingbird nest, 268-273
- Calidris acuminata, 293
- alba, 294, 327
- alpina, 294
- bairdii, 293
- canutus, 294
- mauri, 293
- melanotos, 114, 293
- ptilocnemis, 294
- ruficollis, 293
- tenuirostris, 294
- Callipepla douglasii, 30, 32
- (*Lophortyx*) douglasii douglasii, 23
- gambelii, 23
- Calocitta, 468, 469
- formosa, 26, 31
- formosa colliciei, 27
- Calypte anna, 176-182, 268, 377
- costae, 368, 377, 379
- Campephilus guatemalensis, 25
- Camptostoma imberbe, 26, 31
- Campylorhynchus brunneicapillus, 185, 216
- brunneicapillus brunneicapillus, 27
- yucatanicus, 462
- Canachites canadensis, 212
- canadensis franklinii, 212
- Canvasback, 72-78, 291
- Capella gallinago, 114
- Caprimulgus ridgwayi, 24, 31
- Caracara, 23
- Chimango, 304
- Crested, 304
- Cardinal, 29, 33, 41, 42, 129, 185, 186, 189, 192, 194-196, 332, 350, 463

- Cardinalis cardinalis*, 31, 33, 129, 185, 332, 350, 463  
     *cardinalis affinis*, 29  
     *sinuata*, 29  
*Carduelis psaltria*, 31  
     (*Spinus*) *psaltria*, 29  
     *tristis*, 29  
 Carpenter, F. Lynn, see Colwell, Robert K.  
*Carpodacus*, 313  
     *cassini*, 335, 336  
     *mexicanus*, 31, 115, 185, 365, 377  
     *mexicanus clementis*, 369  
     *mexicanus ruberrimus*, 29  
     *mexicanus sonoriensis*, 29  
*Cassidix mexicanus*, 185, 282, 462  
 Catbird, 114  
     Gray, 462  
*Catharacta skua*, 154, 321  
*Cathartes aura*, 22, 31, 334  
*Catharus aurantiirostris*, 103  
     *frantzii*, 4  
     *guttatus*, 126, 335, 350  
     *guttatus guttatus*, 369  
     *occidentalis*, 4  
     *ustulatus*, 328, 350, 369  
*Catherpes mexicanus*, 31, 334  
     *mexicanus conspersus*, 28  
     *mexicanus meliphonus*, 27, 28  
     *mexicanus mexicanus*, 28  
*Catoptrophorus semipalmatus*, 327, 368  
*Centrocercus urophasianus*, 218  
*Centurus aurifrons*, 238–248, 461  
     *carolinus*, 238–248  
     *radiolatus*, 104–106, 238–248  
     *striatus*, 238–248  
     *uropygialis*, 186  
*Cephus columba*, 249, 296, 368, 429, 433  
     *grylle mandtii*, 339  
*Cerorhinca monocerata*, 249, 424, 433, 481  
*Certhia brachydactyla*, 33  
     *familiaris*, 335  
*Chachalaca*, Wagler, 23  
*Chaemaethypis poliocephala*, 462  
*Chaetura pelagica*, 328  
 Chaffinch, 33, 42  
*Charadrius alexandrinus*, 348  
     *montanus*, 399  
     *wilsonia*, 348  
 Chat, Yellow-breasted, 28  
*Chen caerulescens*, 113  
 Chickadee, Black-capped, 198–202, 478–479  
     Carolina, 479  
 Chicken, Domestic, 150, 154, 198, 307, 321–322  
 Chimango, 85  
 Chingolo, 33, 43  
*Chlidonias niger*, 114, 327  
*Chloroceryle americana*, 24, 31  
*Chlorostilbon canivettii*, 461  
*Chlorura chlorura*, 185  
*Chondestes grammacus*, 22, 377, 379, 396  
*Chordeiles acutipennis*, 1–18, 24, 31  
     *acutipennis texensis*, 368  
     *minor*, 1–18, 399  
 Chough, Alpine, 151  
*Circus cyaneus*, 45, 222, 293  
*Cissilopha*, 468  
     *beecheii*, 27, 31  
     *yucatanica*, 461  
*Clangula hyemalis*, 292, 342  
 Clapp, Roger B., Albinism in the Black Noddy (*Anous tenuirostris*), 464–465  
 Clark, William H., see Giezentanner, Keith I.  
 Clemans, Robert J., The bioenergetics of the Blue Jay in central Illinois, 358–360  
*Coccothraustes coccothraustes*, 297  
     *coccothraustes japonicus*, 298  
*Coccyzus americanus*, 24, 27, 30, 32, 332  
     *americanus occidentalis*, 204  
     *erythrophthalmus*, 128  
     *minor*, 22  
*Coereba flaveola*, 104–106  
 Coerebidae, 104, 447, 451  
 Colaptes, 313  
     *auratus*, 31, 59, 60, 126, 131, 239  
     *auratus cafer*, 368  
     *auratus chrysoides*, 185  
     *auratus tenebrosus*, 25  
     *cafer*, 377, 379  
*Colibri thalassinus cabanidis*, 447, 451  
*Colinus nigrogularis*, 461  
     *sullium*, 174  
     *virginianus*, 174, 452, 471  
 Columba, 307  
     *fasciata*, 368  
     *flavirostris*, 23, 31  
     *leucocephala*, 104–106, 349  
     *livia*, 59, 60, 131, 249, 307, 349, 461  
     *palumbus*, 80, 349  
 Columbidae, 104  
*Columbina passerina*, 23, 31, 461  
     *squamata*, 23, 31  
     *talpacoti*, 461  
 Colwell, Robert K., Burr J. Betts, Pille Bunnell, F. Lynn Carpenter, and Peter Feinsinger, Competition for the nectar of *Centropogon valerii* by the hummingbird *Colibri thalassinus* and the flower-piercer *Diglossa plumbea*, and its evolutionary implications, 447–452  
 Condor, California, 174  
*Coragyps atratus*, 22, 31  
 Corbin, Kendall W., Charles G. Sibley, Andrew Ferguson, Allan C. Wilson, Alan H. Brush, and Jon E. Ahlquist, Genetic polymorphism in New Guinea Starlings of the genus *Aplonis*, 307–318  
 Cormorant, Brandt's, 250, 364, 367, 433, 435, 438, 444  
     Double-crested, 154, 321, 346–348, 364, 367, 433, 435, 436, 440, 441–444  
     Neotropic, 22  
     Pelagic, 249, 289, 346–348, 364, 367, 433, 435, 436, 439, 444  
     Red-faced, 289  
 Corvidae, 104, 468, 470  
 Corvinae, 470  
*Corvus*, 469, 470  
     *brachyrhynchos*, 59, 60, 275  
     *corax*, 26, 31, 297, 368, 377, 379, 380  
     *cryptoleucus*, 26  
     *imparatus*, 26, 31  
     *jamaicensis*, 104–106  
 Cotinga, Mexican, 461  
 Cotingidae, 104  
*Coturnix coturnix*, 154, 307, 321  
 Cowbird, Bronzed, 28, 185  
     Brown-headed, 28, 154, 185, 189, 192, 321, 332, 349, 350  
 Crane, Gray-breasted, 170  
     Ocellated, 170  
     Red-and-white, 170  
     Ruddy, 170  
     Russet-crowned, 170  
     White-throated, 170  
 Crane, Sandhill, 114, 293  
 Creeper, Brown, 335

- Crossbill, Red, 334, 469  
*Crotophaga ani*, 349, 382  
     *sulcirostris*, 30, 32, 349, 461  
     *sulcirostris sulcirostris*, 24  
 Crow, Jamaican, 106  
     Mexican, 26  
 Cruz, Alexander, Feeding assemblages of Jamaican birds, 103–107  
 Cuckoo, Black-billed, 128  
     Common, 297  
     Guira, 85  
     Mangrove, 22  
     Oriental, 297  
     Yellow-billed, 24, 204–209, 332  
*Cuculus canorus canorus*, 288, 297  
     *saturatus horsfieldi*, 297  
 Curlew, Far Eastern, 295  
     Long-billed, 114, 348, 399  
 Cyanocitta, 468  
     *cristata bromia*, 358  
     *stelleri*, 469  
*Cyanocompsa parellina*, 463  
*Cyanocorax beecheii*, 103  
     *chrysops*, 468  
     *melanocyanea*, 102  
     *sanblasiana*, 102  
     *yncas*, 461  
     *yucatanica*, 102  
*Cyclorhynchus psittacula*, 296, 428, 481, 482  
*Cynanthus latirostris*, 24, 31

## D

- Dendragapus obscurus*, 212  
*Dendrocincla fuliginosa*, 264, 265  
*Dendrocolaptes certhia*, 102  
 Dendrocolaptidae, 263  
*Dendrocopus pubescens*, 109, 239  
     *villosus*, 109, 239  
*Dendrocygna autumnalis*, 22, 31, 32  
*Dendroica coronata*, 99, 462  
     *coronata auduboni*, 185, 369  
     *coronata coronata*, 369  
     *discolor*, 99  
     *dominica*, 462  
     *erithachorides*, 462  
     *graciae*, 336  
     *magnolia*, 369, 462  
     *occidentalis*, 369  
     *palmarum*, 99, 462, 463  
     *pennsylvanica*, 367, 462  
     *petechia*, 154, 185, 321, 462  
     *townsendi*, 369  
*Dickeissel*, 99, 115, 386, 395, 396, 399  
*Diglossa baritula*, 328, 450  
     *carbonaria*, 329  
     *plumbea*, 447, 451  
 Dioch, Red-billed, 80  
*Diomedea immutabilis*, 289  
     *nigripes*, 367  
*Dipodomys*, 312  
 Dives dives, 102  
 Divoky, George J., George E. Watson, and James C. Bartonek, Breeding of the Black Guillemot in northern Alaska, 339–343  
*Dolichonyx oryzivorus*, 115, 396, 456  
*Doricha eliza*, 461  
 Dotterel, Rufous-chested, 326  
 Dove, Caribbean, 461  
     Collared, 80  
     Eared, 80–87  
     Ground, 23  
     Inca, 185, 188, 192, 194  
     Mourning, 23, 80, 87, 185, 189, 192, 194, 196, 349, 368, 380, 399  
     Pink-headed, 80  
     Rock, 131, 132, 135, 249, 307, 349, 461  
     Scaled, 23  
     Turtle, 80  
     Vinaceous, 80  
     White-fronted, 23  
     White-winged, 23, 185, 189, 192, 194, 196, 382  
     Zenaida, 461  
 Dovekie, 427, 428  
 Drepanididae, 62  
*Dromiceius novae-hollandiae*, 150, 154, 321  
*Dryocopus lineatus*, 25  
 Duck, Black, 224  
     Comb, 326  
     Harlequin, 292, 357  
     Muscovy, 154, 310, 321  
     Pekin, 154, 321  
     Ring-necked, 72–78  
     Ruddy, 72–78  
     Spotbill, 290  
     Tufted, 291  
     Wood, 73  
*Dumetella carolinensis*, 114, 462  
 Duncan, L., see Borchelt, Peter L.  
 Dunlin, 294  
*Dysithamnus mentalis*, 263, 264

## E

- Eagle, Bald, 291, 293, 364, 365, 367, 376, 377, 380, 475  
     Golden, 45, 174, 334, 356–357  
     Whistling, 305  
*Ectopistes migratorius*, 80  
 Eider, Common, 291, 292, 342  
     King, 292  
     Steller's, 292  
 Elaenia, Forest, 263  
*Emberiza rustica*, 298  
     *schoeniclus*, 226  
 Emerald, Fork-tailed, 461  
 Emlen, John T., An urban bird community in Tucson, Arizona: Derivation, structure, regulation, 184–197  
*Empidonax*, 328, 368, 461  
     *difficilis difficilis*, 22  
     *oberholseri*, 334, 335  
     *traillii*, 334  
     *wrightii*, 334  
 Emu, 150, 154, 321  
*Endomychura hypoleuca*, 229  
     *hypoleuca scrippsi*, 368  
*Epirallus natator*, 172, 173  
*Eremophila alpestris*, 59, 61, 380, 397, 399, 400  
     *alpestris insularis*, 368  
*Estrilda troglodytes*, 117  
*Eugenes fulgens spectabilis*, 447  
*Eulampis jugularis*, 176  
*Eumota superciliosa*, 461  
*Euneornis campestris*, 104–106  
*Euphagus cyanocephalus*, 115, 380  
*Euphonia*, Jamaican, 106, 107  
     Yellow-throated, 462  
*Euthlypis lachrymosa*, 97

## F

- Falco columbarius*, 293  
     *mexicanus*, 45

- peregrinus, 216, 249, 293, 364, 376, 379  
 peregrinus anatum, 367  
 rusticolus, 293  
 sparverius, 23, 31, 45, 131, 364, 367, 379, 382, 461, 479  
 Falcon, Collared Forest, 103  
   Peregrine, 216, 249, 293, 364, 365, 367, 376, 377  
   Prairie, 45  
 Farner, Donald S., see Lewis, Robert Alan  
 Feinsinger, Peter, see Colwell, Robert K.  
 Ferguson, Andrew, see Corbin, Kendall W.  
 Ficedula albicollis, 226  
   hypoleuca, 226  
 Finch, Cassin's, 335, 336  
   Gray-crowned Rosy, 298  
   House, 29, 115, 185, 189, 192, 194, 195, 313, 364, 365, 369, 377, 380  
   Rosy, 115  
 Fitch, Henry S., Observations on the food and nesting of the Broad-winged Hawk (*Buteo platypterus*) in northeastern Kansas, 331-333  
 Flicker, Common, 25, 126, 131, 185, 192, 239, 368  
   Red-shafted, 313, 377  
   Yellow-shafted, 313  
 Flower-piercer, Carbonated, 329  
   Cinnamon-bellied, 450  
   Slaty, 328, 447-451  
 Flycatcher, Ash-throated, 22, 185, 189, 192, 368  
   Beardless, 26  
   Boat-billed, 461  
   Brown-crested, 26, 461  
   Collared, 226  
   Dusky, 334-336  
   Gray, 334  
   Nutting's, 26  
   Ochre-bellied, 263, 264  
   Olivaceous, 26  
   Pied, 226  
   Social, 461  
   Streaked, 125  
   Sulphur-bellied, 26  
   Trill's, 328  
   Verdin's, 26  
   Vermilion, 461  
   Vermilion-crowned, 26  
   Western, 22  
   Wied's Crested, 185  
   Willow, 334  
   Yucatan, 461  
 Formicariidae, 102, 263  
 Formicarius analis, 102  
 Forpus cyanopygius, 31  
   cyanopygius pallidus, 23  
 Fratercula arctica, 150, 154, 321, 425  
   corniculata, 297  
 Fregata magnificans, 440  
 Fringilla coelebs, 33  
   montifringilla, 297  
 Fringillidae, 104, 126, 263  
 Frost, Herbert H., see Smith, Dwight G.  
 Fulica americana, 169, 170, 175, 379  
   hesterna, 169, 170, 175  
 Fulmar, Northern, 289  
 Fulmaris glacialis, 289
- G**
- Gadwall, 72-78, 290  
 Gaines, David, Review of the status of the Yellow-billed Cuckoo in California: Sacramento Valley populations, 204-209  
 Gallinula brodkorbi, 174-175  
   chloropus, 170, 174-175  
 Gallinule, Common, 170  
 Gallinulinae, 172  
 Gallus gallus, 150, 154, 198, 307, 321  
 Garganey, 290  
 Garrulinae, 470  
 Gavia adamsii, 288  
   arctica, 289  
   arctica pacifica, 367  
   immer, 288  
   stellata, 289  
 Gelochelidon nilotica, 327, 337  
 Geococcyx californianus, 24, 31, 195  
   velox, 31, 32  
   velox melanchima, 24  
 Geothlypis trichas, 99, 102  
 Geotrygon chrysis, 382  
   montana, 104-106, 382  
 Gessaman, James A., see Sawby, Scott W.  
 Gibson, Daniel D., see Byrd, G. Vernon  
 Giezantner, Keith I., and William H. Clark, The use of western harvester ant mounds as strutting locations by Sage Grouse, 218-219  
 Glaucidium brasilianum, 31  
   brasilianum cactorum, 24  
 Gnatcatcher, Black-tailed, 189, 192  
   Blue-gray, 462  
   White-lored, 28, 462  
 Godwit, Bar-tailed, 294  
   Hudsonian, 327  
 Goldeneye, Barrow's, 292  
   Common, 73, 291, 475  
 Goldfinch, American, 29, 115, 350  
   Lawrence's, 377  
   Lesser, 463  
 Goldstein, Raymond B., Relation of metabolism to ambient temperature in the Verdin, 116-119  
 Gomez, E., see Murton, R. K.  
 Goose, Bean, 290  
   Canada, 290, 475  
   Embsden, 154, 321  
   Emperor, 290  
   Snow, 113  
 Goshawk, 219  
   Northern, 467  
 Grackle, Boat-tailed, 29  
   Common, 115, 154, 166, 321  
   Great-tailed, 185, 282, 462  
 Gracula religiosa, 33  
 Grassquit, Blue-black, 30, 463  
   Sooty, 263, 264  
   Yellow-shouldered, 106, 107  
 Grebe, Eared, 302, 305, 367  
   Hoary-headed, 305  
   Horned, 289  
   Little, 305  
   Pied-billed, 113, 174  
   Red-necked, 289  
   Rolland's, 301-306  
   Silver, 301-306  
   Western, 174, 305, 367  
 Greene, D. G., see Ar, A.  
 Greenwood, Raymond J., Reproductive aspects, growth, and development of Greenland Mallards, 223-225  
 Grosbeak, Black-headed, 22, 185, 313, 350, 369  
   Blue, 29  
   Rose-breasted, 128, 312, 313, 463  
 Ground-Dove, Common, 461  
   Ruddy, 461

- Grouse, Blue, 212-213  
 Franklin's Spruce, 212  
 Ruffed, 114  
 Sage, 218-219  
 Spruce, 212-213
- Grus canadensis, 114, 293
- Guillemot, Black, 339-343  
 Pigeon, 249, 296, 364, 368, 429, 433, 437, 438, 444
- Guira guira, 85
- Gull, Black-headed, 295  
 Bonaparte's, 368  
 Brown-hooded, 304  
 Franklin's, 304, 327  
 Glaucous, 295, 342  
 Glaucous-winged, 295, 343-344  
 Great Black-backed, 154, 321  
 Heermann's, 368  
 Herring, 149, 154, 295, 321, 343-344, 425, 475  
 Laughing, 348  
 Lesser Black-backed, 154, 321  
 Mew, 154, 295, 321  
 Ring-billed, 348, 475  
 Sabine's, 342, 368  
 Western, 229, 249, 364, 368, 422, 425, 426, 429, 433, 436, 437, 444
- Gymnogyps amplus, 174  
 californianus, 174
- Gymnorhinus, 468-470  
 cyanocephalus, 274, 468
- Gyrfalcon, 293
- H**
- Haematopus bachmani, 249, 293, 367, 433  
 ostralegus, 154, 321  
 palliatus, 348  
 palliatus frazari, 367
- Hafner, John C., Seasonal predation on moles by the Red-tailed Hawk, 225
- Haliaeetus, 214  
 leucocephalus, 291, 293, 364, 376, 379, 380, 475  
 leucocephalus leucocephalus, 367
- Haliaster sphenurus, 305
- Haliastur, 214
- Hardy, John William, Jays as army ant followers, 102-103
- Harris, Margaret A., and Robert E. Lemon, Songs of Song Sparrows: Reaction of males to songs of different localities, 33-44
- Harris, Stanley W., Status, chronology, and ecology of nesting storm petrels in northwestern California, 249-261
- Hatler, David F., Foods at a Golden Eagle nest in central Alaska, 356-357
- Hawfinch, 297
- Hawk, Broad-winged, 331-333  
 Common Black, 23  
 Cooper's, 215-216, 219-222, 378, 467  
 Ferruginous, 45, 113, 334, 466-468  
 Gray, 22  
 Marsh, 45, 222, 293  
 Red-backed, 85  
 Red-shouldered, 169, 332  
 Red-tailed, 45, 214, 225, 332, 367, 378, 380, 466-468  
 Rough-legged, 45, 293  
 Sharp-shinned, 219, 221, 222  
 Swainson's, 45, 215, 466-468  
 White-tailed, 22  
 Zone-tailed, 214
- Heliomaster constantii, 24, 31
- Heron, Great Blue, 367
- Heteroscelus incanus, 294, 327, 368
- Himantopus mexicanus, 114, 337
- Hirundo rustica, 368, 376, 379
- Histrionicus histrionicus, 292, 357
- Honeycreepers, Hawaiian, 62-68
- Hubbard, John P., Flight displays in two American species of Buteo, 214-215
- Hudson, Jack W., see Rising, James D.
- Hummingbird, Allen's, 364, 365, 368, 378  
 Anna's, 176-182, 268-272, 377  
 Black-chinned, 185, 189, 192, 194  
 Broad-billed, 24  
 Broad-tailed, 269, 272, 350  
 Calliope, 176  
 Cinnamon, 461  
 Costa's, 364, 365, 368, 377, 378  
 Fiery-throated, 450  
 Rieffer's, 461  
 Rivoli's, 447  
 Rufous, 368  
 Ruby-throated, 321  
 Violet-crowned, 24
- Hunt, George L., and Molly W. Hunt, Trophic levels and turnover rates: The avifauna of Santa Barbara Island, California, 363-369
- Hunt, Molly W., see Hunt, George L.
- Hydrobates pelagicus, 255
- Hydroprogne caspia, 368
- I**
- Ibis, White-faced, 113
- Icteria virens, 30, 32  
 virens auricollis, 28  
 virens tropicalis, 28
- Icteridae, 104, 126, 395
- Icterus, 313  
 auratus, 462  
 (bullockii) galbula, 22, 201  
 cucullatus, 29, 31, 192, 462  
 galbula, 128, 201, 462  
 galbula bullockii, 137-145, 369  
 galbula galbula, 137-145  
 gularis, 462  
 leucopteryx, 104-106  
 pustulatus, 30-32  
 pustulatus microstictus, 29  
 spurius, 29, 32, 462  
 wagleri, 29, 31
- Iridoprocne bicolor, 154, 297, 321
- Ixoreus naevius, 350
- J**
- Jaeger, Parasitic, 295, 348  
 Pomarine, 295, 327
- James, Frances C., and H. H. Shugart, Jr., The phenology of the nesting season of the American Robin (Turdus migratorius) in the United States, 159-168
- Jay, Beechey, 27  
 Blue, 358-360  
 Bushy-crested, 102  
 Gray, 222, 357-358  
 Green, 461  
 Mexican, 468, 469  
 Piñon, 274-286, 468-470  
 San Blas, 102  
 Scrub, 469  
 Steller's, 91, 357, 469  
 Yucatan, 102, 461

- Johnson, David L., see Byrd, G. Vernon  
 Johnson, Ned K., Montane avifaunas of southern Nevada: Historical change in species composition, 334-337  
 Johnson, Ned K., see Lynch, James F.  
 Johnson, Stephen R., First specimen of a Robin (*Turdus migratorius*) and three important sight records from St. Lawrence Island, Bering Sea, Alaska, 108  
 Jones, P. J., see Perrins, C. M.  
 Junco, Dark-eyed, 185  
   Oregon, 369  
   Slate-colored, 313  
   White-winged, 119  
 Junco, 313  
   *hyemalis aikeni*, 119  
   *hyemalis oregonus*, 185, 369

## K

- Kantrud, Harold A., see Stewart, Robert E.  
 Kestrel, American, 23, 45, 131, 364, 365, 367, 382, 461, 479-481  
 Kilham, Lawrence, Covering of stores by White-breasted and Red-breasted Nuthatches, 108-109  
 King, James R., see Lewis, Robert Alan  
 Kingbird, Cassin, 25  
   Eastern, 328  
   Loggerhead, 106  
   Thick-billed, 25  
   Tropical, 25, 461  
   Western, 25, 185, 368  
 Kingfisher, Belted, 368  
   Little Green, 24  
 Kinglet, Ruby-crowned, 335, 336  
 Kiskadee, 461  
 Kittiwake, Black-legged, 295  
 Knot, Great, 294  
   Red, 294  
 Kocan, R. M., and L. N. Locke, *Salmonella typhimurium* from a Maryland Mourning Dove, 349

## L

- Labisky, Ronald F., see Anderson, William L.  
 Lagopus lagopus, 356  
   *mutus*, 293, 356  
 Lanius excubitor, 297  
   *ludovicianus*, 45, 189, 380, 400  
 Lark, Horned, 380, 397, 399, 400  
   Island Horned, 364, 368  
 Larus, 342  
   *argentatus*, 149, 154, 295, 321, 343, 425, 475  
   *atricilla*, 348  
   *canus*, 154, 295, 321  
   *canus brachyrhynchus*, 295  
   *canus kamtschatschensis*, 295  
   *delawarensis*, 348, 475  
   *fuscus*, 154, 321  
   *glaucescens*, 295, 343  
   *heermanni*, 368  
   *hyperboreus*, 295, 342  
   *maculipennis*, 304  
   *marinus*, 321  
   *occidentalis*, 423, 433  
   *occidentalis wymani*, 368  
   *philadelphia*, 368  
   *pipixcan*, 304, 327  
   *ridibundus*, 295

- Laterallus albigularis*, 170  
   *exilis*, 170, 171  
   *guti*, 170, 171, 175  
   *jamaicensis*, 170  
   *leucopyrrhus*, 170  
   *ruber*, 170  
   *viridis*, 170  
 Lemon, Robert E., see Harris, Margaret A.  
 Lepidocolaptes affinis, 103  
   *leucogaster*, 25, 31  
 Leptotila jamaicensis, 461  
   *verreauxi*, 23, 31  
 Leucosticte spp., 115  
   *atrata*, 115  
   *australis*, 115  
   *tephrocotis*, 115, 298  
 Lewis, T. James, see Ainley, David G.  
 Lewis, Robert Alan, Donald S. Farner, and James R. King, Photoperiodic responses of a subtropical population of the finch (*Zonotrichia capensis hypoleuca*), 233-237  
 Ligon, J. David, Comments on the systematic relationships of the Piñon Jay (*Gymnorhinus cyanocephalus*), 468-470  
 Ligon, J. David, and James L. White, Molt and its timing in the Piñon Jay, *Gymnorhinus cyanocephalus*, 274-287  
 Lill, Alan, see Snow, D. W.  
 Limnithlypis swainsonii, 98  
 Limosa haemastica, 327  
   *lapponica*, 294  
 Liston, Steve, see McCaskie, Guy  
 Lobipes lobatus, 295  
 Longspur, Chestnut-collared, 399  
   Lapland, 298  
   McCown's, 399  
 Loon, Arctic, 289, 367  
   Common, 288  
   Red-throated, 289  
   Yellow-billed, 288  
 Lophodytes cucullatus, 73, 292  
 Lophortyx californicus, 452  
   *gambelii*, 195, 452  
 Lophura nychtherus, 154, 321  
 Loxia curvirostra, 334, 469  
 Loxigilla violacea, 104-106  
 Loxipasser anoxanthus, 104-106  
 Loxops parva, 62-68  
   *virens*, 62-68  
 Lunda cirrhata, 249, 297, 368, 433  
 Lynch, James F., and Ned K. Johnson, Turnover and equilibria in insular avifaunas, with special reference to the California Channel Islands, 370-384

## M

- Macaw, Military, 23  
 MacMillen, Richard E., Bioenergetics of Hawaiian Honeycreepers: The Amakihi (*Loxops virens*) and the Anianiau (*L. parva*), 62-69  
 Magpie-Jay, 26, 27  
 Mallard, 72-78, 223-225, 290, 401-420, 475  
 Manacus manacus, 262-266  
 Manakin, Golden-headed, 262-265  
   White-bearded, 262-265  
 Manuwal, David A., The natural history of Cassin's Auklet (*Ptychoramphus aleuticus*), 421-431  
 Manuwal, David A., The incubation patches of Cassin's Auklet, 481-484  
 Marshall, Judy, and Russell P. Balda, The breeding ecology of the Painted Redstart, 89-101

- Marti, Carl D., Feeding ecology of four sympatric owls, 45-61
- Marti, Carl D., An unusual House Sparrow roost, 229
- Martin, Stephen C., Paul H. Baldwin, and Edward B. Reed, Recent records of birds from the Yampa Valley, northwestern Colorado, 113-116
- McCaskie, Guy, Steve Liston, and William A. Rapley, First nesting of Black Skimmer in California, 337-338
- Meadowlark, Eastern, 313, 386, 399  
Western, 313, 364, 369, 380, 386, 397, 399, 400
- Megaceryle alcyon, 368
- Megarhynchus pitangua, 461
- Melanerpes erythrocephalus, 109, 114  
formicivorus, 379, 380  
herminieri, 244  
portoricensis, 238-247  
uropygialis, 31  
uropygialis fuscescens, 25
- Melanitta deglandi, 291, 292, 367  
fusca, 226  
nigra, 292  
perspicillata, 292, 367
- Melanotis caerulescens, 28, 31
- Meleagris gallopavo, 154, 321, 464
- Meliphagidae, 17
- Melospiza georgiana, 395  
lincolnii, 369  
melodia, 33, 165, 249, 298, 365, 379, 395  
melodia graminea, 369, 377
- Melospiza kieneri, 457, 458
- Merganser, Brown-headed, 474  
Common, 113, 292, 472-475  
Hooded, 73, 292  
Red-breasted, 292, 293, 474
- Mergus albellus, 292  
merganser, 113, 292, 472  
merganser americanus, 292  
merganser merganser, 293  
serrator, 292, 293, 474
- Merlin, 293
- Micrastur semitorquatus naso, 103
- Micropygia schomburgkii, 170
- Miller, P. C., see Smith, W. K.
- Milvago chimango, 85, 304
- Mimus gilvus, 462  
polyglottos, 16, 28, 31, 129, 185, 369, 380
- Misra, R. K., and Lester L. Short, A biometric analysis of oriole hybridization, 137-146
- Mniotilta varia, 102, 369, 462
- Mockingbird, 16, 129, 185, 186, 189, 192, 194-196, 369, 380  
Blue, 28  
Northern, 28  
Tropical, 462
- Molothrus aeneus, 28, 31  
ater, 28, 154, 189, 321, 332, 349, 350
- Momotidae, 263
- Momotus mexicanus, 31  
mexicanus vanrossemi, 25  
momota, 263, 264
- Monroe, Burt L., Jr., see Brown, Hugh C.
- Motmot, Blue-crowned, 263-265  
Rufous-crowned, 25  
Turquoise-browed, 461
- Murre, Common, 250, 296, 322, 433, 437, 438, 444  
Thick-billed, 296
- Murrelet, Ancient, 296, 427  
Kittlitz's, 296, 423  
Marbled, 296  
Xantus', 229, 364, 368
- Murton, R. K., E. H. Bucher, M. Nores, E. Gomez, and J. Reartes, The ecology of the Eared Dove (*Zenaidura macroura*) in Argentina, 80-88
- Myadestes genibarbis, 104-106  
townsendi, 335
- Myiarchus cinerascens, 22, 189, 368  
nuttingi, 26, 31  
tuberculifer, 31  
tuberculifer olivascens, 26  
tyrannulus, 26, 31, 185, 461  
yucatanensis, 461
- Myioborus miniatus, 95
- Myiodynastes luteiventris, 26, 30, 32  
maculatus, 125
- Myiopagis giamardii, 263
- Myiozetetes similis, 26, 31, 461
- Mynah, 42, 43  
Indian Hill, 33
- Mysomela obscura, 17

## N

- Nectarinia sericea, 17
- Nectariniidae, 17
- Nighthawk, Common, 1, 4, 399  
Lesser, 1, 24, 368
- Nightjar, Buff-collared, 24
- Noddy, Black, 464-465
- Nores, M., see Murton, R. K.
- Nucifraga, 468-470  
columbiana, 274, 275, 335, 468
- Numenius americanus, 114, 348, 399  
madagascariensis, 295  
phaeopus, 154, 295, 321, 368
- Nutcracker, Clark's, 274, 335, 468, 469
- Nuthatch, Corsican, 108  
European, 108  
Red-breasted, 108, 109, 117, 118, 378  
White-breasted, 108, 109, 128
- Nyctea scandiaca, 297, 481
- Nyctibius, 210-211  
aethereus, 210  
grandis, 210  
griseus, 210
- Nyctidromus albicollis, 461

## O

- Oades, Robert D., Predation of Xantus' Murrelet by Western Gull, 229
- Oceanodroma castro, 253, 255, 258  
furcata, 249, 289  
homochroa, 250, 367, 432  
leucorhoa, 289, 432
- Oenanthe oenanthe, 297
- Oilbird, 265
- Oldsquaw, 292, 342
- Oleandorff, Richard R., A courtship flight of the Swainson's Hawk, 215
- Oleandorff, Richard R., Some quantitative aspects of growth in three species of Buteos, 466-468
- Olor cygnus, 290
- Olson, Storrs L., The Pleistocene rails of North America, 169-175
- Olson, Storrs L., A melanistic White-tailed Tropicbird, 217-218
- Olszowka, A., see Paganelli, C. V.
- Oporornis formosus, 328  
tolmiei, 185
- Orangequit, 106, 107
- Oreortyx pictus, 334
- Oreoscoptes montanus, 400

- Oriole, Baltimore, 137, 313  
 Bullock's, 22, 137, 313  
 Golden, 462  
 Hooded, 29, 192, 462  
 Jamaican, 105, 106  
 Lichtenstein's, 462  
 Northern, 128, 129, 137, 369, 462  
 Orchard, 29, 462  
 Scarlet-headed, 29  
 Wagler's, 29
- Ortalis wagleri*, 31  
 (*poliocephala*) *wagleri*, 23
- Osprey, 376, 377, 380  
 Ostrich, 154, 319, 321  
 Ovenbird, 98, 128, 462
- Owl, Barn, 45-57, 131-135, 364, 365, 368  
 Barred, 222  
 Burrowing, 45-57, 364, 365, 368, 377, 378, 380  
 Ferruginous, 24  
 Great Gray, 54  
 Great Horned, 45-57, 249, 322, 358, 368  
 Long-eared, 45-57, 378  
 Saw-whet, 334  
 Short-eared, 53, 297  
 Snowy, 297, 481
- Oxyurinae, 70
- Oystercatcher, American, 348, 367  
 Black, 249, 293, 364, 367, 433, 436, 444  
 European, 154, 321
- P**
- Pachyptila belcheri*, 326  
*desolata*, 326
- Pachyramphus major*, 461
- Paganelli, C. V., A. Olszowka, and A. Ar, The avian egg: Surface, area, volume, and density, 319-325
- Paganelli, C. V., see Ar, A.
- Pandion haliaetus*, 376, 379
- Panterpe insignis*, 450
- Paradisaea minor*, 313  
*raggiana*, 313
- Parakeet, Hispaniolan, 382  
 Olive-throated, 106
- Parker, Anita L., Black-headed Grosbeak at Atlanta, Georgia, 350
- Parkes, Kenneth C., Systematics of the White-throated Towhee (*Pipilo albicollis*), 457-459
- Parrot, Finsch, 24  
 White-fronted, 24
- Parrotlet, Blue-rumped, 23
- Parula americana*, 31, 32, 369, 462  
*americana* ("pitiayumi"), 28
- Parula*, Northern, 369, 462
- Parus atricapillus*, 198, 478-479  
*bicolor*, 129, 332  
*carolinensis*, 479  
*cristatus*, 109  
*inornatus*, 334  
*major*, 33, 117, 225
- Passer domesticus*, 118, 131, 154, 185, 198, 229, 321, 358, 380, 456
- Passerculus sandwichensis*, 298, 369
- Passerella iliaca*, 369
- Passerina amoena*, 335  
*ciris*, 99  
*ciris pallidior*, 30  
*cyanea*, 41, 115, 369, 463  
 (*Guiraca*) *caerulea*, 29, 32  
*versicolor*, 30, 32  
*versicolor dickeyae*, 30
- Patten, Sam, Jr., and A. R. Weisbrod, Sympatry and interbreeding of Herring and Glaucous-winged Gulls in southeastern Alaska, 343-344
- Pauraque, 461
- Pavo cristatus*, 312, 344
- Peacock, 344-346
- Peafowl, 312
- Pelecanus occidentalis*, 364  
*occidentalis californicus*, 367
- Pelican, Brown, 364, 367
- Perisoreus canadensis*, 222, 357
- Perrins, C. M., and P. J. Jones, The inheritance of clutch size in the Great Tit (*Parus major* L.), 225-229
- Petrel, Ashy Storm, 250, 367, 432, 435, 444  
 Cook's, 289  
 Fork-tailed Storm, 249-260, 289  
 Leach's Storm, 249-260, 289, 433, 435, 444
- Petrochelidon pyrrhonota*, 31, 185, 328, 368  
*pyrrhonota melanogaster*, 26  
*pyrrhonota minima*, 26
- Phaethon lepturus*, 217-218  
*lepturus ascensionis*, 218  
*lepturus catesbyi*, 218
- Phainopepla*, 28, 185
- Phainopepla nitens*, 28, 31, 32, 185
- Phalacrocorax auritus*, 154, 321, 346, 433  
*auritus albociliatus*, 367  
*olivaceus*, 22  
*pelagicus*, 249, 289, 346, 364, 433  
*pelagicus resplendens*, 367  
*penicillatus*, 250, 367, 433  
*urile*, 289
- Phalarope, Northern, 295  
 Red, 295
- Phalaropus fulicarius*, 295
- Phaps histrionica*, 80
- Phasianus colchicus*, 59, 60, 109, 154, 312, 321, 380
- Pheasant, Chinese Silver, 154, 321  
 Ring-necked, 109, 154, 312, 321, 380
- Pheucticus*, 313  
*chrysopeplus*, 30-32  
*chrysopeplus dilutus*, 29  
*ludovicianus*, 128, 312, 463  
*melanocephalus*, 22, 185, 350, 369
- Philacte canagica*, 290
- Philohela minor*, 211
- Phoebe, Black, 25, 378
- Phyrrocorax graculus*, 151
- Pica pica*, 59, 60
- Picidae, 104, 106
- Picoides scalaris*, 31, 246  
 (*Dendrocopos*) *scalaris sinaloensis*, 25
- Pigeon, Band-tailed, 368  
 Flock, 80  
 Passenger, 80  
 Red-billed, 23  
 White-crowned, 106, 349  
 Wood, 80, 349
- Pintail, 72-78, 290, 410
- Pipilo, 313  
*aberti*, 457, 458  
*albicollis*, 457-459  
*albicollis albicollis*, 459  
*albicollis marshalli*, 459  
*albicollis parvirostris*, 459  
*chlorurus*, 457, 458  
*erythrophthalmus*, 33, 312, 457, 458  
*fuscus*, 31, 32, 195, 457, 458  
*fuscus intermedius*, 30  
*rutilus*, 457  
*rutilus parvirostris*, 458

- Pipit, Water, 297  
*Pipra erythrocephala*, 262-266  
*Pipraeidea melanota*, 329  
*Pipromorpha oleaginea*, 263, 264  
*Piranga ludoviciana*, 369  
  *olivacea*, 104-106  
  *rubra*, 29, 30, 32, 463  
*Pitangus sulfuratus*, 461  
*Platyparis aglaiae*, 25, 31  
  *niger*, 104-106  
*Platyrinchus mystaceus*, 263  
*Plectrophenax nivalis*, 298  
*Phegadis chihi*, 113  
Plenge, Manuel A., Notes on some birds in west-central Perú, 326-330  
Plover, American Golden, 293, 348  
  Black-bellied, 293  
  Eurasian Golden, 154, 321  
  Mountain, 399  
  Snowy, 348  
  Upland, 108  
  Wilson's, 348  
*Pluvialis apricaria*, 154, 321  
  *dominica*, 293, 348  
  *squatarola*, 293  
Pochard, Common, 291  
*Podiceps auritus*, 289  
  *caspicus*, 302  
  *grisegena*, 289  
  *nigricollis californicus*, 367  
  *novaehollandiae*, 305  
  *occipitales*, 301  
  *poliocephalus*, 305  
*Podilymbus podiceps*, 113, 174  
*Polioptila albiloris*, 31, 462  
  *albiloris nigriceps*, 28  
  *caerulea*, 462  
  *melanura*, 189  
*Polyborus plancus*, 23, 31, 304  
*Polysticta stelleri*, 292  
*Poocetes gramineus*, 33, 369, 399, 400  
*Porzana auffenbergi*, 173-175  
  *carolina*, 173  
Potoo, Common, 210  
  Great, 210  
  Long-tailed, 210  
Prion, Dove, 326  
  Slender-billed, 326  
*Procnias averano*, 266  
*Psaltriparus minimus*, 379  
  *minimus plumbeus*, 378  
*Psilorhinus*, 469  
Psittacidae, 104  
Ptarmigan, Rock, 293  
  Willow, 356  
*Pterodroma cookii*, 289  
*Ptychoramphus aleuticus*, 364, 368, 421, 428, 433, 481, 482  
  *aleuticus aleuticus*, 421  
  *aleuticus australe*, 421  
Puffin, Common, 150, 154, 321, 425, 429  
  Horned, 297  
  Tufted, 249, 297, 368, 433, 437, 440-444  
*Puffinus griseus*, 289  
  *tenuirostris*, 289  
*Pyrocephalus rubinus*, 461  
*Pyrrhula pyrrhula*, 276  
*Pyrrhuloxia*, 29, 33, 192, 195  
*Pyrrhuloxia sinuata*, 33, 195  
*Pyrrhuphonia jamaica*, 104-106
- Q**
- Quelea quelea*, 80  
Quail, California, 452-456  
  Douglas, 23  
  Gambel's, 23, 185, 192, 195, 452  
  Japanese, 154, 307, 321  
  Mountain, 334  
Quail-Dove, Key West, 382  
  Ruddy, 106, 382  
*Quiscalus mexicanus*, 30, 32  
  *mexicanus nelsoni*, 29  
  *quiscula*, 115, 154, 166, 321
- R**
- Rahn, H., and A. Ar, The avian egg: Incubation time and water loss, 147-152  
Rahn, H., see Ar, A.  
Rail, Black, 170  
  King, 169  
  Virginia, 114, 173  
  Wood, 169  
Rallidae, 169  
*Rallus elegans*, 169, 172  
  *limicola*, 114, 173-175  
  *longirostris*, 172, 173, 175  
  *obsoletus*, 172  
  *prenticei*, 174  
*Ramphocelus carbo*, 263  
Rapley, William A., see McCaskie, Guy  
Raven, Common, 26, 297, 364, 365, 368, 377, 380  
  Holarctic, 26  
  White-necked, 26  
Reartes, J., see Murton, R. K.  
Redhead, 72-77, 291  
Redpoll, Common, 298  
Redshank, Spotted, 294  
Redstart, American, 89, 90, 115, 128, 328, 462  
  Painted, 89-100  
  Slate-throated, 95  
Reed, Edward B., see Martin, Stephen G.  
Reeder, Michael G., see Anderson, Bertin W.  
Reeves, R. B., see Ar, A.  
*Regulus calendula*, 335  
Rhea, 150, 154, 321  
*Rhea americana*, 150, 154, 321  
*Riparia riparia*, 328, 380  
Rising, James D., and Jack W. Hudson, Seasonal variation in the metabolism and thyroid activity of the Black-capped Chickadee (*Parus atricapillus*), 198-203  
*Rissa tridactyla*, 295  
Roadrunner, 24, 192, 195  
  Lesser, 24  
Roberts, S. W., see Smith, W. K.  
Robertson, Ian, The food of nesting Double-crested and Pelagic Cormorants at Mandarte Island, British Columbia, with notes on feeding ecology, 346-348  
Robin, American, 108, 126, 154, 159-167, 185, 321, 350-351, 369  
  Clay-colored, 462  
  Rufous-backed, 28  
  White-throated, 103  
*Rollandia rolland*, 301  
*Rynchops niger*, 337
- S**
- Salpinctes obsoletus*, 369, 400  
Saltator, Black-headed, 463  
*Saltator atriceps*, 463  
  *coerulescens*, 463

- Sanderling, 294, 327  
 Sandpiper, Baird's, 293  
   Common, 294  
   Pectoral, 114, 293  
   Rock, 294  
   Rufous-necked, 293  
   Sharp-tailed, 293  
   Spotted, 368  
   Upland, 399  
   Western, 293  
   Wood, 294  
 Sapsucker, Yellow-bellied, 238, 461  
 Sarkidiornis melanotos, 326  
 Sawby, Scott W., and James A. Gessaman, Telemetry of electrocardiograms from free-living birds: A method of electrode placement, 479-481  
 Sayornis nigricans, 25, 31, 378, 379  
 Scardafella inca, 188  
 Scaup, Greater, 291  
   Lesser, 72-78  
 Scoter, Black, 292  
   Surf, 292, 367  
   Velvet, 226  
   White-winged, 291, 292, 367  
 Sealy, Spencer G., Ecological segregation of Swainson's and Hermit Thrushes on Langara Island, British Columbia, 350-351  
 Seedeater, Black-and-white, 329  
 Seiurus aurocapillus, 98, 128, 462  
   noveboracensis, 115  
 Selasphorus platycercus, 269, 350  
   rufus, 368  
   sasin, 368, 378, 379  
 Setophaga picta, 89  
   ruticilla, 89, 115, 128, 328, 462  
 Shallenberger, R. J., G. C. Whittow, and R. M. Smith, Body temperature of the nesting Red-footed Booby (*Sula sula*), 476-478  
 Sharma, Indra Kumar, Ecological studies of the plumes of the Peacock (*Pavo cristatus*), 344-346  
 Shea, David S., Barred Owl records in western Montana, 222  
 Sheartail, Mexican, 461  
 Shearwater, Short-tailed, 289  
   Sooty, 289  
 Short, Lester L., Nesting of southern Sonoran birds during the summer rainy season, 21-32  
 Short, Lester L., see Misra, R. K.  
 Shoveler, 72-78, 409  
   Northern, 291  
 Shrike, Loggerhead, 45, 189, 192, 195, 380, 400  
   Northern, 297  
 Shugart, H. H., Jr., see James, Frances C.  
 Sialia currucoides, 59, 61, 335  
   mexicana, 369  
   sialis, 166  
 Sibley, Charles G., see Corbin, Kendall W.  
 Siskin, Dark-backed, 29  
   Pine, 350  
 Sitta canadensis, 108, 117, 378, 379  
   carolinensis, 108, 128  
   europaea, 108  
   whiteheadi, 108  
 Skimmer, Black, 337-338  
 Skua, Great, 154, 321  
 Skylark, 226  
 Smew, 292  
 Smith, Dwight G., Charles R. Wilson, and Herbert H. Frost, History and ecology of a colony of Barn Owls in Utah, 131-136  
 Smith, R. M., see Shallenberger, R. J.  
 Smith, Susan M., Nest-site selection in Black-capped Chickadees, 478-479  
 Smith, W. K., S. W. Roberts, and P. C. Miller, Calculating the nocturnal energy expenditure of an incubating Anna's Hummingbird, 176-183  
 Snipe, Common, 114  
 Snow, D. W., and Alan Lill, Longevity records for some neotropical land birds, 262-267  
 Snyder, Helen A., and Noel F. R. Snyder, Increased mortality of Cooper's Hawks accustomed to man, 215-216  
 Snyder, Helen A., see Snyder, Noel F. R.  
 Snyder, Noel F. R., and Helen A. Snyder, Function of eye coloration in North American accipiters, 219-222  
 Snyder, Noel F. R., see Snyder, Helen A.  
 Solitaire, Rufous-throated, 106  
   Townsend's, 335  
 Somateria mollissima, 291, 292, 342  
   spectabilis, 292  
 Spadebill, White-throated, 263  
 Sparrow, Andean, 312  
   Bank, 380  
   Barn, 376, 378  
   Black-throated, 189, 192  
   Brewer's, 185, 399, 400  
   Chipping, 185, 350, 369, 378  
   English, 456  
   Field, 349  
   Five-striped, 30  
   Fox, 369  
   Golden-crowned, 369  
   Grasshopper, 397, 399  
   House, 118, 131, 133, 154, 185, 188, 192, 194, 195, 198, 201, 229, 321, 358, 380  
   Lark, 22, 377, 396  
   Lincoln's, 369  
   Olive, 463  
   Rufous-winged, 30, 192  
   Sage, 399, 400  
   Santa Barbara Island Song, 364, 369  
   Savannah, 298, 369  
   Song, 33-43, 165, 249, 298, 365, 377, 380, 395  
   Swamp, 395  
   Vesper, 33, 369, 399, 400  
   White-crowned, 33, 41-43, 185, 351-355, 369, 380  
   White-throated, 41  
 Speotyto cunicularia, 45, 59, 61, 364, 368, 377, 379  
 Sphyrapicus varius, 238, 239, 461  
 Spindalis zena, 104-106  
 Spinus lawrencei, 377, 379  
   pinus, 350  
   psaltria, 463  
   tristis, 115, 350  
 Spiza americana, 99, 115, 386, 399  
 Spizella breweri, 185, 399, 400  
   passerina, 185, 350, 378, 379  
   passerina arizonae, 369  
   pusilla, 349  
 Sporophila luctuosa, 329  
 Starling, 131, 165, 185, 189, 192, 194, 195, 226, 233, 364, 365, 369  
   Metallic, 307-316  
   Singing, 307-316  
 Starthroat, Constant, 24  
 Steatornis caripensis, 265  
 Stelgidopteryx ruficollis, 26, 31  
 Stellula calliope, 176-182

- Stercorarius*, 342  
   *parasiticus*, 295, 348  
   *pomarinus*, 295, 327  
*Sterna albifrons*, 348  
   *albifrons antillarum*, 349  
   *aleutica*, 296  
   *forsteri*, 337  
   *hirundo*, 348  
   *hirundo longipennis*, 296  
   *paradisaea*, 296, 342  
*Streptopelia*, 307  
   *bitorquata*, 80  
   *decaocto*, 80  
   *decipiens*, 80  
   *roseogrisea*, 80  
   *turtur*, 82  
   *vinacea*, 80  
 Stewart, Robert E., and Harold A. Kantrud, Breeding waterfowl populations in the Prairie Pothole Region of North Dakota, 70-79  
 Stilt, Black-necked, 114, 337  
*Strix nebulosa*, 54  
   *varia varia*, 222  
*Struthio camelus*, 154, 319, 321  
*Sturnella*, 313  
   *magna*, 386, 399  
   *neglecta*, 59-61, 369, 380, 386, 399, 400  
*Sturnus vulgaris*, 59-61, 131, 165, 189, 226, 233, 369  
*Sula dactylatra*, 348  
   *sula*, 476  
 Surfbird, 367  
 Swallow, Bank, 328  
   Barn, 368  
   Cliff, 26, 28, 185, 328, 368  
   Rough-winged, 26  
   Tree, 154, 297, 321  
   Violet-green, 26  
 Swan, Whooper, 290  
 Swift, Andean, 328  
   Chimney, 328  
*Synthliboramphus antiquus*, 296, 427
- T**
- Tachycineta thalassina*, 26, 31  
*Tachyphonus rufus*, 265  
*Tanager*, Bay-headed, 263  
   Blue, 463  
   Blue-gray, 263  
   Fawn-breasted, 329  
   Palm, 263  
   Rufous-chested, 329  
   Scarlet, 106  
   Silver-beaked, 263  
   Stripe-headed, 105  
   Summer, 29, 462  
   Western, 369  
   White-lined, 265  
*Tangara gyrola*, 263  
   *lauta*, 462  
*Tangavius aeneus*, 185  
 Tattler, Wandering, 294, 327, 368  
 Teal, Blue-winged, 72-78, 291, 415  
   Cinnamon, 73  
   Falcated, 290  
   Green-winged, 72-77, 290, 291  
 Tern, Aleutian, 296  
   Arctic, 296, 342  
   Black, 114, 327  
   Caspian, 368  
   Common, 296, 348  
   Forster's, 337  
   Gull-billed, 327, 337  
   Least, 348  
   Royal, 368  
   Sandwich, 349  
*Thalasseus maximus*, 369  
   *sandvicensis*, 349  
*Thlypopsis ornata*, 329  
 Thrasher, Bendire's, 185, 192, 195  
   Brown, 126  
   Curve-billed, 28, 185, 189, 192, 196  
   Sage, 399  
 Thraupidae, 104, 263  
*Thraupis episcopus*, 263, 463  
   *palmarum*, 263  
 Thrush, Cocoa, 263, 264  
   Hermit, 126, 335, 336, 350-351, 369  
   Mistle, 33  
   Orange-billed Nightingale, 103  
   Swainson's, 328, 350-351, 369  
   Varied, 350-351  
   White-chinned, 106  
   White-necked, 263, 264  
*Thryothorus albinucha*, 462  
   *felix*, 27, 31, 32  
   *rufalbus*, 102  
   *sinaloa*, 31, 32  
   *sinaloa cinereus*, 27  
*Thyromanes bewickii*, 368  
*Tiaris fuliginosa*, 263, 264  
 Timken, Richard L., see Anderson, Bertin W.  
 Tit, Crested, 109  
   Great, 33, 41, 43, 117, 118, 225-228  
 Titmouse, Plain, 334  
   Tufted, 129, 332  
 Towhee, Abert's, 457  
   Brown, 30, 192, 195, 457  
   Canyon, 458  
   Green-tailed, 185  
   Red-eyed, 313  
   Rufous-sided, 33, 312  
   Spotted, 313  
   White-throated, 457  
*Toxostoma bendirei*, 195  
   *curvirostre*, 31, 189  
   *curvirostre maculatum*, 28  
   *rufum*, 126  
 Tramer, Elliot J., On latitudinal gradients in avian diversity, 123-130  
 Tramer, Elliot J., Proportions of wintering North American birds in disturbed and undisturbed dry tropical habitats, 460-464  
 Tree Creeper, Short-toed, 33  
 Tree Duck, Black-bellied, 22  
*Tringa erythropus*, 294  
   *flavipes*, 108, 294  
   *glareola*, 294  
   *hypoleucos*, 294  
   *melanoleucus*, 294  
 Trochilidae, 447, 451  
*Troglodytes aedon*, 92, 154, 321-322, 378, 379  
   *musculus*, 461  
   *troglodytes*, 99, 297  
 Trogon, Coppery-tailed, 24  
*Trogon elegans*, 31  
   *elegans canescens*, 24  
 Tropicbird, Red-tailed, 217-218  
   White-tailed, 217-218  
 Turdidae, 104, 263  
*Turdus albicollis*, 103, 263-264  
   *aurantius*, 104-106  
   *fumigatus*, 263-264  
   *grayi*, 462

- jamaicensis, 104–106  
 merula, 464  
 migratorius, 108, 126, 154, 159, 166, 185, 321, 350  
 migratorius propinquus, 369  
 rufopalliatu, 30–32  
 rufopalliatu grisior, 28  
 viscivorus, 33  
 Turkey, 154, 321  
 Turnstone, Black, 368  
   Ruddy, 293  
 Tyrannidae, 104, 106, 263  
 Tyrannus caudifasciatus, 104–106  
   crassirostris, 30, 32  
   crassirostris pompalis, 25  
   melancholicus, 25, 31, 461  
   tyrannus, 328  
   verticalis, 25, 185, 368  
   vociferans, 25, 31  
 Tyto alba, 45, 131, 368, 379
- U**
- Uria aalge, 250, 296, 322, 433  
   lomvia, 296
- V**
- Verdin, 27, 116–118, 185, 189, 192, 195, 217  
 Vermivora celata, 365, 462  
   celata sordida, 369  
   luciae, 99, 185  
   virginiae, 335  
 Violet-ear, Green, 447–451  
 Vireo altiloquus, 104–106  
   flavoviridis, 125  
   gilvus, 128  
   griseus, 462  
   olivaceus, 30, 32, 115  
   olivaceus hypoleucus, 28  
   solitarius, 185  
   solitarius cassinii, 336  
   solitarius plumbeus, 335, 336  
 Vireo, Black-whiskered, 105, 106  
   Red-eyed, 28, 115  
   Solitary, 185, 335, 336  
   Warbling, 128  
   White-eyed, 462  
   Yellow-green, 125  
 Vireonidae, 104  
 Volatinia jacarina, 30, 31, 32, 463  
   jacarina splendens, 30  
 Vulture, Black, 22  
   Turkey, 22, 334
- W**
- Wallace, Robert A., Ecological and social implications of sexual dimorphism in five melanerpine woodpeckers, 238–248  
 Warbler, Black-and-white, 102, 369, 462  
   Chestnut-sided, 369, 462  
   Fan-tailed, 97  
   Grace's, 336  
   Hermit, 369  
   Hooded, 99, 102  
   Kentucky, 332  
   Lucy's, 99, 185  
   MacGillivray's, 185  
   Magnolia, 369, 462  
   Mangrove, 462  
   Meadow, 462  
   Myrtle, 369  
   Orange-crowned, 364, 365, 369, 462  
   Palm, 462  
   Parula, 28  
   Prairie, 99  
   Swainson's, 98  
   Townsend's, 369  
   Virginia's, 335  
   Wilson's, 185, 369  
   Yellow, 154, 185, 321, 462  
   Yellow-rumped, 99, 185, 369, 462  
   Yellow-throated, 462  
 Waterthrush, Northern, 115  
 Watson, George E., see Divoky, George J.  
 Waxbill, Black-rumped, 117, 118  
 Waxwing, Cedar, 185  
 Weisbrod, A. R., see Patten, Sam, Jr.  
 Weske, John S., White-winged Junco in Texas, 119  
 Wetmore, Alexander, The Egg of a Collared Forest-Falcon, 103  
 Wheatear, 297  
 Whimbrel, 154, 295, 321, 368  
 White, James L., see Ligon, J. David  
 Whittow, G. C., see Shallenberger, R. J.  
 Wiens, John A., Climatic instability and the "ecological saturation" of bird communities in North American grasslands, 385–400  
 Wigeon, American, 72–78, 291  
   European, 291  
 Willet, 327, 368  
 Wilson, Allan C., see Corbin, Kendall W.  
 Wilson, Charles R., see Smith, Dwight G.  
 Wilsonia citrina, 99, 102  
   pusilla, 185, 369  
 Woodcock, American, 211  
 Woodcreeper, Barred, 102  
   Plain-brown, 263, 264  
 Woodhewer, Ivory-billed, 25  
   Spotted-crowned, 103  
   White-striped, 25  
 Woodpecker, Acorn, 380  
   Cuban Green, 238  
   Downy, 109, 239  
   Gila, 25, 185, 186, 189, 192, 194–196  
   Golden-fronted, 238, 461  
   Guadeloupe, 244  
   Hair, 109, 239  
   Hispaniolan, 238  
   Jamaican, 104, 238, 246  
   Ladder-backed, 25, 246  
   Lineated, 25  
   Pale-billed, 25  
   Puerto Rican, 238, 246  
   Red-bellied, 238, 246  
   Red-headed, 109, 114  
 Wren, Bewick's, 368  
   Cactus, 27, 185–186, 189, 192, 196, 216  
   Canyon, 27–28, 334  
   Happy, 27  
   House, 92, 154, 321–322, 378–379  
   Rock, 364, 369, 380, 400  
   Rufous-and-white, 102  
   Sinaloa, 27  
   Tropical House, 461  
   White-browed, 462  
   Winter, 99, 297  
   Yucatan, 462
- X**
- Xanthocephalus xanthocephalus, 369  
 Xema sabini, 342, 368  
 Xiphorhynchus flavigaster, 25, 31  
 Xyphidiopicus percussus, 238

## Y

Yellowleg, Greater, 294  
Lesser, 108, 294  
Yellow-throat, 99, 102

## Z

Zenaida asiatica, 23, 31, 189, 382  
auriculata, 80-82  
aurita, 461  
macroura, 23, 80, 85, 87, 189, 349, 368, 380, 399

Zonibyx modestus, 326  
Zonotrichia albicollis, 41  
atricapilla, 369  
capensis, 33, 233-236, 312  
capensis costaricensis, 233  
capensis hypoleuca, 233-236  
leucophrys, 33, 185, 351, 369, 380  
leucophrys nuttali, 351, 354  
Zwickel, Fred C., D. A. Boag, and J. H. Brigham,  
The autumn diet of Spruce Grouse: A regional  
comparison, 212-214