

INDEX TO VOLUME 77

A

- Abbott, Ian, L. K. Abbott, and P. R. Grant, Seed selection and handling ability of four species of Darwin's finches, 332-335
- Abbott, L. K., see Abbott, Ian
- Able, Kenneth P., and Sidney A. Gauthreaux, Jr., Quantification of nocturnal passerine migration with a portable celimeter, 92-96
- Abraham, R. L., see Siegfried, W. R.
- Accipiter albogularis, 16, 22
cooperii, 77, 82, 133, 282
gentilis, 282
melanocephala, 16
nisus, 480
novaehollandiae, 16, 22
striatus, 77, 82, 133, 282
- Aceros plicatus, 21-22
- Acridotheres tristis, 514-515
- Acrocephalus stentoreus, 18, 22
- Actitis macularia, 283
- Adkisson, Curtis, S., see Conner, Richard N.
- Aechmophorus occidentalis, 281
- Aechmorrhynchus cancellatus, 515
- Aegithalos caudatus, 237
- Aegolius acadicus, 78, 283
- Aeronautes saxatalis, 287
- Agelaius phoeniceus, 40-43, 74-76, 86, 120, 252-253, 256, 258, 264, 286, 289, 328-331, 434, 506-509
tricolor, 120, 259
- Aimophila cassinii, 200
ruficauda, 314
- Aix sponsa, 286
- Alcedo atthis, 21-22
- Alectoris graeca, 321
- Amadina fasciata, 314
- Amaurolimnas concolor, 101
- Amazilia franciae, 314
rutila, 216-217
- Amazona albifrons, 350
- Anas acuta, 30, 281
americana, 282
bahamensis, 107
clypeata, 31, 282
crecca, 282
cyanoptera, 282, 340
discors, 210, 282
flavirostris, 105
georgica, 105
platyrhynchos, 214, 281, 340, 475-478
puna, 105, 327
strepera, 286
superciliosa, 21-22
- Andropadus latirostris, 314
- Ani, Groove-billed, 70, 306-307
Smooth-billed, 63, 65, 70, 314
- Anous stolidus, 107
- Antbird, Bicolored, 307, 458
Dot-backed, 98
Plumbeous, 98, 458
- Anthus correndera, 219
pratensis, 435
spinoletta, 76-77, 213, 285
trivialis, 237, 239
- Antshrike, Black-hooded, 307
Cinereous, 99, 460
- Antwren, Slaty, 307
- Apalis thoracica, 262
- Aplonis cantoroides, 19-22
grandis, 19-20, 23
metallica, 19-21, 23
- Aptenodytes forsteri, 276
patagonica, 276
- Aquila chrysaetos, 133, 206-208, 351-352
- Ara manilata, 98
severa, 98
- Archilochus alexandri, 283
colubris, 201-202
- Ardea cinerea, 477
- Arenaria interpres, 31, 219
melanocephala, 76, 485
- Arnheim, Norman, see Nolan, Richard A.
- Arremonops rufivirgatus, 308
- Asio flammeus, 73, 78-82, 133, 287
otus, 79-82, 133, 287
- Asyndesmus lewis, 283
- Atthis heloisa, 201
- Atticora cyanoleuca, 314
- Attila spadiceus, 307
- Attila, Bright-rumped, 307
- Automolus ochrolaemus, 307, 309
- Avocet, America, 31
- Aythya Affinis, 282
americana, 282, 340
collaris, 282
marila, 282
valisineria, 282

B

- Bailey, Edgar P., Discovery of a Golden Eagle nest on the Alaska peninsula, 207-208
- Baldwin, Paul H., see Beaver, Donald L.
- Bananaquit, 344
- Banks, Richard C., Plumage variation in the Masked Bobwhite, 486
- Barclay, H. J., and A. T. Bergerud, Demography and behavioral ecology of California Quail on Vancouver Island, 315-323
- Bartramia longicauda, 206
- Basileuterus rivularis, 308
- Batt, Bruce D. J., James A. Cooper, and George A. Cornwell, The occurrence of twin waterfowl embryos, 214
- Beaver, Donald L., and Paul H. Baldwin, Ecological overlap and the problem of competition and sympatry in the Western and Hammond's flycatchers, 1-13
- Becard, Rose-throated, 221
White-winged, 307
- Bentbill, Northern, 308
- Bericornis albo-cristatus, 314
- Bergerud, A. T., see Barclay, H. J.
- Bittern, American, 281
- Blackbird, Brewer's, 286, 331
European, 233, 237, 239, 400
Red-breasted, 101-102
Red-winged, 40-43, 74-76, 86, 120, 252-253, 256, 258, 264, 286, 289, 328-331, 434, 506-509
Rusty, 207
Tricolored, 120, 259
Yellow-headed, 252, 256-257, 261, 286, 328-331, 355
- Bluebird, 169
Mountain, 213, 285
Western, 76, 285
- Bobolink, 105-106, 286

- Bobwhite, 107, 321, 486
 Masked, 486-487
 Bombycilla cedrorum, 169-170, 252-253, 258, 263, 285
 garrulus, 287
 Bonasa umbellus, 161, 283
 Booby, Masked, 289
 Borror, Donald J., Songs of the Rufous-sided Towhee, 183-195
 Botaurus lentiginosus, 281
 Brachyramphus brevirostris, 500-501
 marmoratus, 500
 Branta canadensis, 214, 286, 478-480
 Braun, Clait E., see Marti, Carl D.
 Brotogeris cyanoptera, 458, 462
 sanctithomae, 98
 Brush, Alan H., see Nolan, Richard A.
 Bubo virginianus, 80, 82, 133, 222, 224-226, 283, 502-505
 Bubulcus ibis, 289, 353
 Bucephala albeola, 206, 282
 clangula, 282
 islandica, 206, 282
 Budgerigar, 381, 419
 Bufflehead, 206, 282
 Bullfinch, 305
 Puerto Rican, 344
 Bunting, Indigo, 252, 302, 395, 398, 509-510
 Lazuli, 286, 509-510
 Snow, 210-212, 288-289
 Burhinus bistriatus, 353-354
 Bushtit, 90-91
 Buteo jamaicensis, 77, 82, 127, 133-139, 282, 351, 480-482, 484
 lagopus, 338-339, 351-352
 lineatus, 77, 133-139, 480
 nitidus, 354
 platypterus, 229
 regalis, 351-352
 swainsoni, 133, 282
 Bycanistes brevis, 314
 bucinator, 314
 cylindricus, 314
 subcylindricus, 314
- C**
- Cacatua ducorpsi, 17, 22
 Cacicus cela, 458
 urophygialis, 308
 Cacique, Scarlet-rumped, 308
 Cacomantis castaneiventris, 17
 variolosus, 14, 17
 Cairina moschata, 214
 Calcearius lapponicus, 210, 288, 289, 338
 pictus, 207
 Calder, William A., see Waser, Nickolas A.
 Calidris alba, 30, 74, 76, 81-82, 107
 alpina, 73-78, 80-82
 bairdi, 98, 105
 fuscicollis, 24, 107, 219
 mauri, 74, 76, 81-82
 melanotos, 24, 31, 77, 98
 minutilla, 73-78, 80-82, 98
 Calothorax lucifer, 201
 Calypste anna, 196-197, 201-202, 217
 costae, 202
 Camarhynchus crassirostris, 314
 Campbell, R. Wayne, Hunting tactics of a Peregrine Falcon on Black Turnstones, 485
 Campophaga phoenicea, 314
 Campylorhynchus brunneicapillus, 34-45, 289, 301, 434
 Canachites canadensis, 91-92, 282
 Canary, 382, 398
 Canvasback, 282
 Capella gallinago, 76, 283
 Capito niger, 458
 Caprimulgus europaeus, 237
 rufus, 101
 Caracara, Crested, 219
 Yellow-headed, 101
 Cardinal, 86, 145, 175, 252, 256, 258, 261, 301, 333, 385-399
 Cardinalis cardinalis, 86, 145, 175, 252, 256, 258, 261, 301, 333, 385-399
 Carduelis cannabina, 263
 carduelis, 237
 chloris, 333
 Carib, Purple-throated, 140, 217
 Carpodacus cassinii, 286
 mexicanus, 76, 169, 173-174, 252, 257, 261, 375-384, 407-422
 purpureus, 252
 Cassidix mexicanus, 208-210, 289
 Catoptrophorus semipalmatus, 24, 74, 76-77
 Catbird, Gray, 252-253, 262, 285, 301
 Catharacta skua, 219
 maccormicki, 274
 Cathartes aura, 133
 Catharus fuscescens, 10, 252, 285
 guttatus, 10, 21, 252, 285
 ustulatus, 210, 285
 Catherpes mexicanus, 301
 Centropus grillii, 70
 Cephus columba, 439, 492
 Ceratogymna atrata, 314
 Certhia brachydactyla, 400
 familiaris, 76, 237, 284, 400
 Ceyx lepidus, 18, 20-22
 Chaetura, 107
 brachyura, 98
 spinicauda, 102
 vauxi, 102, 287
 Chaffinch, 119, 145, 233, 237, 239, 333, 381, 395-397, 399, 402, 407
 Charadrius alexandrinus, 105
 alticola, 105
 falklandicus, 105
 semipalmatus, 105
 vociferus, 74-76, 78, 86, 127, 283, 487-488
 Chauna torquata, 97
 Chat, Palm, 169-170
 Chickadee, Black-capped, 175-182, 284
 Boreal, 284
 Chestnut-backed, 284
 Gray-headed, 206
 Mountain, 284
 Chicken, Domestic, 154-159, 162, 214, 403, 515
 Chingolo, 67, 106, 145, 147, 303, 314, 364, 397, 407
 Chiroxiphia linearis, 307
 Chlidonia niger, 283, 355
 Chloephaga hybrida, 219
 picta, 218
 Chloroceryle americana, 306
 Chlorostilbon maugaeus, 344
 Chordeiles minor, 283
 Chrysococcyx caprius, 314
 klaas, 314
 lucidus, 16, 18-19, 22
 Chukar, 321
 Cicada Bird, 18, 21, 22
 Cinclodes fuscus, 219

- Cinclodes*, Bar-winged, 219
Cinclus mexicanus, 284
Cinnyris reichenowi, 314
Circus aeruginosus, 480
 cyaneus, 32, 77, 81–82, 206, 222, 287, 351, 480
 pygargus, 480
Cistothorus platensis, 219, 301
Clamator cafer, 314
 glandarius, 314
 jacobinus, 314
 Clapp, Roger B., Arctic Terns from the Phoenix Islands and at sea in the Central Pacific, 100
Coccythraustes coccythraustes, 237, 239, 333
Coccyzus americanus, 62–66, 70–71, 252, 341
 erythrophthalmus, 62–66, 70–71, 257, 264, 341
 melacoryphus, 63
 pumilus, 60–72
 Cockatoo, Solomon White, 17, 22
Coereba flaveola, 344
Colaptes auratus, 86, 206, 283, 366
 cafer, 127
Colinus virginianus, 107, 321, 486
Colius colius, 314
 striatus, 314
Collocalia esculenta, 18, 21–22
 spodiopygia, 18, 22
 vanikorensis, 18, 21, 22
Columba livia, 86, 289, 381
 pallidiceps, 15, 22
 palumbus, 237
 vitiensis, 15, 22
Columbina minuta, 355–356
 passerina, 305, 344, 355
 picui, 98
 talpacoti, 305–306
 Commer, Richard N., Irvine D. Prather, and Curtis S. Adkisson, Common Raven and Starling reliance on sentinel Common Crows, 517
Conopophaga aurita, 513
 castaneiceps, 513
 lineata, 513
 melanops, 513
 roberti, 513
Contopus sordidulus, 1–13, 284
 virens, 10–11
 Cooper, James A., see Batt, Bruce D. J.
 Coot, American, 74, 77, 80, 283, 325–326
 Giant, 324–327
 Horned, 324
Coracina caesia, 314
 caledonica, 15, 22
 holopolia, 16, 18, 22
 lineata, 18, 22
 novaeollandiae, 18, 22
 papuensis, 16, 18, 22
 tenuirostris, 18, 21–22
 Cormorant, Blue-eyed, 218
 Brandt's, 439, 443, 445–446, 448
 Double-crested, 207, 289, 431–438
 Great, 243
 King, 218
 Neotropic, 218
 Pelagic, 439, 492
 Rock, 218
 Cornwell, George W., see Batt, Bruce D. J.
Corvus brachyrhynchos, 86, 284, 517
 caurinus, 494
 corax, 134, 284, 517
 corone, 221
 monedula, 211
 woodfordi, 20, 23
Coturnix coturnix, 122, 473
Courcal, Black, 70
 Coulter, Malcolm C., Post-breeding movements and mortality in the Western Gull, *Larus occidentalis*, 243–249
 Cowbird, Brown-headed, 86, 120, 250–269, 286, 289
 Crane, Gray-breasted, 97
 Uniform, 101
Cranioleuca gutturata, 458
 Creeper, Brown, 76, 237, 284, 400
Crex crex, 237
Crocethia alba, 107
 Crockett, Allen B., and Harlo H. Hadow, Nest selection by Williamson and Red-naped Sapsuckers, 365–368
 Crossbill, Red, 221, 286
 White-winged, 220–221, 286
Crotophaga ani, 63, 65, 70, 314
 sulcirostris, 70, 304, 307
 Crow, Carrion, 221
 Common, 86, 284, 517
 Northwestern, 494
 Solomon, 20, 23
Crypturellus bartletti, 97
 cinnamoneus, 303
 Cuckoo, Black-billed, 62–66, 70–71, 264, 341
 Brush, 14, 17
 Common, 237, 266, 314
 Dwarf, 60–72
 Lesser Ground-, 304
 Shining Bronze, 16, 18–19, 22
 Squirrel, 64, 458
 Yellow-billed, 62–66, 70–71, 252, 341
 Cuckoo-Shrike, Barred-, 18, 22
 Black-faced, 18, 22
 Melanesian, 15, 22
 Papuan, 16, 18, 22
Cuculus canorus, 237, 266, 314
 Curlew, Long-billed, 76
 Custer, Thomas W., and Frank A. Pitelka, Correction factors for digestion rates for prey taken by Snow Bunting (*Plectrophenax nivalis*), 210–212
Cyanerpes cyaneus, 308
Cyanocitta cristata, 252–253, 259, 264, 517
 stelleri, 284
Cypseloides cherriei, 101
 cryptus, 102
 niger, 102, 287
 rutilus, 101, 352

D

- Dacnis cayana*, 458
Deconychura longicauda, 99
 Demaree, Salome Ross, Observations on roof-nesting Killdeer, 487–488
Dendragapus obscurus, 282, 423–430
Dendrocolaptes certhia, 306
Dendrocopos major, 237, 239
 medius, 237
 minor, 233, 237
 pubescens, 175–182, 283, 366
 villosus, 283, 366
Dendrocygna autumnalis, 97
Dendroica adelaidae, 344
 coronata, 76, 285
 discolor, 252, 256, 258, 260, 344
 pennsylvanica, 252
 petechia, 252, 256, 258, 262–263, 285
 townsendi, 77, 285
 Diamond, Jared M., Distributional ecology and habits

- of some Bougainville birds (Solomon Islands), 14-23
- Dicaeum aenum*, 20, 23
- Dichromanassa rufescens*, 207
- Dickcissel, 201, 261
- Dipper, 284
- Diving-petrel, Magellanic, 218
- Docl, Annabelle, see Kepler, Angela K.
- Dolichonyx oryzivorus*, 105-106, 286
- Dollar Bird, 21-22
- Dove, Common Ground, 305, 344, 355
- Gray-headed, 306
- Ground, 344
- Mourning, 86, 209, 252, 256-257, 283
- Picui Ground, 98
- Plain-breasted Ground, 355-356
- Red-throated Fruit, 15, 17, 19, 22
- Ring, 403, 434-435
- Rock, 86
- Ruddy Ground, 305-306, 355
- Ruddy Quail-, 344
- Rufous-brown Cuckoo, 21-22
- Scale-breasted Ground, 355
- Superb Fruit, 15, 17, 21-22
- Spotted, 107
- Yellow-bibbed Fruit, 15, 17, 22
- Dowitcher, 76
- Dryocopus martius*, 237
- pileatus*, 283
- Duck, Australian Black, 22
- Black-bellied Tree-, 97
- Harlequin, 282
- Muscovy, 214
- Ring-necked, 282
- Ruddy, 206, 282, 340
- Wood, 286
- Ducula pistrinaria*, 17, 22
- rubricera*, 17, 21-22
- Dulus dominicus*, 169-170
- Dumetella carolinensis*, 252-253, 262, 285, 301
- Dunlin, 73-78, 80-82
- Dunn, Erica H., The timing of endothermy in the development of altricial birds, 288-293
- Dunn, Erica H., Growth, body components and energy content of nestling Double-crested Cormorants, 431-438
- E**
- Eagle, Bald, 200, 206, 208, 282, 337-338, 480, 494
- Black-and-white Hawk-, 512
- Golden, 133, 206-208, 282, 351-352
- Sanford's, 16, 22
- Easterla, David A., The Chestnut-collared Swift in the lowlands of Sinaloa, México, 352
- Eclectus roratus*, 21-22
- Edinger, Bruce, see Hardy, John William
- Egret, Cattle, 289, 353
- Reddish, 207
- Snowy, 107, 207
- Egretta thula*, 107, 207
- Elaenia pelzelni*, 99
- Elaenia*, Brownish, 99
- Greenish, 308
- Elanus leucurus*, 78, 101, 133, 226-230
- Emberiza citrinella*, 233, 263, 381
- Emerald, Puerto Rican, 344
- Emlen, Stephen T., see Windsor, Donald
- Empidonax difficilis*, 1-13, 287
- hammondii*, 1-13, 284
- minimus*, 10-11, 252, 284
- oberholseri*, 11, 284
- trailii*, 283
- virescens*, 10-11
- wrightii*, 11
- Empidonomus aurantioatrocristatus*, 462
- Endomychura craveri*, 500
- hypoleuca*, 500
- Eos cardinalis*, 17, 22
- Eremophila alpestris*, 206, 213
- Erithacus rubecula*, 119, 237, 239
- Ervin, Stephen, Iris coloration in young Bushtits, 90-91
- Erythrura trichroa*, 20, 23
- Eudynamis scolopacea*, 21-22
- Eudypetes chrysocome*, 276
- chrysolophus*, 276
- Eudypetula minor*, 276
- Eulampis jugularis*, 140, 217
- Euphagus carolinus*, 207
- cycanocephalus*, 286, 331
- Euphonia gouldi*, 308-309
- Euphonia*, Olive-backed, 308-309
- Eurystomus orientalis*, 21-22
- Evans, Keith E., and Aaron N. Moen, Thermal exchange between Sharp-tailed Grouse (*Pediceetes phasianellus*) and their winter environment, 160-168
- F**
- Falco columbarius*, 73-74, 77, 81-82, 282
- deiroleucus*, 512
- femorialis*, 512
- mexicanus*, 133, 213-214, 351-352
- peregrinus*, 107, 282, 485
- rufigularis*, 512
- rusticolus*, 206
- sparverius*, 76, 82, 133, 206, 229, 282, 359-361
- tinnunculus*, 480
- Falcon, Aplomado, 512
- Bat, 512
- Orange-breasted, 512
- Peregrine, 107, 282, 485
- Prairie, 133, 213-214, 351-352
- Fantail, Cockerell's, 16, 19, 22
- Rufous-fronted, 15-16, 18, 22
- Solomon Mountain, 14-15, 18-19, 22
- Feare, C. J., Post-fledging parental care in Crested and Sooty Terns, 368-370
- Ficedula albicollis*, 233, 237, 239
- Finch, Bengalese, 401
- Blue-faced Parrot-, 20, 23
- Cassin's, 286
- House, 76, 169, 173-174, 252, 257, 261, 375-384, 407-422
- Large Ground, 334, 355
- Large-footed, 294
- Patagonian Yellow-, 219
- Purple, 252
- Rosy, 119, 289, 291
- Zebra, 401
- Flamingo, Chilean, 105
- Flicker, Common, 86, 206, 283, 366
- Red-shafted, 127
- Flycatcher, Acadian, 10-11
- Boat-billed, 307
- Collared, 233, 237, 239
- Dusky, 11, 284
- Gray, 11
- Great Crested, 11, 511
- Hammond's, 1-13, 284

- Kiskadee, 65, 307, 309
 Least, 10–11, 252, 284
 Olive-sided, 284
 Ruddy-tailed, 308
 Solomon Broad-billed, 16, 19, 22
 Stolid, 344
 Streaked, 305
 Western, 1–13, 287
 Willow, 283
- Foliage-gleaner, Buff-throated, 307, 309
 Cinnamon-rumped, 98
- Foster, Mercedes S., The overlap of molting and breeding in some tropical birds, 304–314
- Freese, Curtis H., Notes on nesting in the Double-striped Thick-knee (*Burhinus bistriatus*) in Costa Rica, 353–354
- Fringilla coelebs, 119, 145, 233, 237, 239, 333, 381, 395–397, 402, 407
- Fruitcrow, Purple-throated, 307, 309
- Fulica americana, 74, 77, 80, 283, 325–326
 armillata, 325
 atra, 325
 caribaea, 325
 cornuta, 324
 cristata, 325
 gigantea, 324–327
 leucoptera, 325
 rufifrons, 325
- Fulmar, Giant, 477

G

- Gadwall, 286
- Galbula chalcothorax, 98
 leucogaster, 98
- Gallinago media, 31
- Gallinula chloropus, 314
- Gallus gallus, 154–159, 214, 279, 403, 515
- Garrulus glandarius, 237
- Gasaway, William C., Dan F. Holleman, and Robert G. White, Flow of digesta in the intestine and cecum of the Rock Ptarmigan, 467–474
- Gauthreaux, Sidney A., see Able, Kenneth P.
- Gavia immer, 281
- Gelochelidon nilotica, 107
- Geococcyx californianus, 173
 velox, 314
- Geocolaptes olivaceus, 314
- Geoffroyus heteroclitus, 17, 22
 simplex, 17
- Geospiza conirostris, 332–335
 fortis, 314, 332–335
 fuliginosa, 314, 332–335
 scandens, 314, 332–335
 magnirostris, 334, 355
- Geothlypis trichas, 252, 285, 294
- Geotrygon frenata, 314
 montana, 344
- Gillett, William Humphrey, James L. Hayward, Jr., and John F. Stout, Effects of human activity on egg and chick mortality in a Glaucous-winged Gull colony, 492–495
- Glaucidium brasilianum, 98
 gnoma, 283
 minutissimum, 98
- Głowaciński, Zbigniew, see Weiner, January
- Glyphorhynchus spirurus, 306
- Cnateater, Chestnut-crowned, 513–514
- Cnatwren, Long-billed, 308–309
- Gochfeld, Michael, Hazards of tail-first fish-swallowing by young terns, 345–346
- Godwit, Black-tailed, 98
 Bar-tailed, 362
 Hudsonian, 97, 355, 362
 Marbled, 74, 76–77, 362
- Goldeneye, Barrow's, 206, 282
 Common, 282
- Goldfinch, American, 214, 252, 256, 258, 260, 262–263, 286
- Goose, Canada, 214, 286, 478–480
 Kelp, 219
 Upland, 218
- Goshawk, 282
- Grackle, Common, 86, 252, 256–257, 264
 Great-tailed, 208–210, 289
- Gracula religiosa, 400
- Grant, P. R., see Abbott, Ian
- Grassquit, Black-faced, 344
- Gray, Lincoln, see Williamson, Penelope
- Graybird, Black-bellied, 16, 18, 22
- Grebe, Eared, 281
 Horned, 281
 Pied-billed, 281
 Red-necked, 281
 Western, 281
- Greenfinch, 333
- Greenlet, Lesser, 308–309
- Grosbeak, Black-headed, 287–309
 Evening, 286, 395
 Pine, 286
 Rose-breasted, 252, 256, 258, 399
- Grouse, Blue, 282, 423–430
 Red, 165, 428
 Ruffed, 161, 283
 Sharp-tailed, 160–168, 283
 Spruce, 91–92, 282
- Grubb, Thomas C., Jr., Weather-dependent foraging behavior of some birds wintering in a deciduous woodland, 175–182
- Guillemot, Pigeon, 439, 492
- Gull, Andean, 327
 Black-headed, 221
 Bonaparte's, 349–350
 California, 339, 347–350
 Dolphin, 219
 Dominican, 219, 355
 Franklin's, 355
 Glaucous, 348
 Glaucous-winged, 243, 249, 347–350, 488–495, 498
 Great Black-backed, 477
 Heermann's, 207, 243, 347–350
 Herring, 221, 243, 247, 347–350, 436, 494–495, 498–499
 Kelp, 219, 355
 Lesser Black-backed, 498–499
 Mew, 348
 Ring-billed, 207, 286, 347–350
 Sabine's, 349
 Western, 243–249, 286, 347–350, 495, 498
- Gymnophaps albertisii, 17
 solomonensis, 15, 17, 22
 Gymnophaps leucaspis, 307, 458
- Gyr Falcon, 206

H

- Habia rubica, 458
- Hadow, Harlo H., see Crockett, Allen B.
- Haematopus ater, 219
 bachmani, 492

- leucopodus, 219
ostralegus, 488
- Hailman, Jack P., see Waide, Robert B.
- Halcyon albonotata, 18
bougainvillei, 18
chloris, 18, 21–22
leucopygia, 18, 22
sancta, 21–22
- Haliaeetus leucocephalus, 200, 206, 208, 282, 337–338, 480, 494
leucogaster, 16
sanfordi, 16, 22
- Haliastur indus, 21–22
- Hardy, John William, Ralph J. Raitt, Jorge Orejuela, Thomas Webber, and Bruce Edinger, First observation of the Orange-breasted Falcon in the Yucatan peninsula of México, 512
- Harrier, Hen, 480
Marsh, 480
Montagu's, 480
- Harrington, Brian A., Pelagic gulls in winter off southern California, 346–350
- Harris, Michael P., Additions to the Galapagos avifauna, 355
- Haverschmidt, F., The Plain-breasted Ground Dove in Surinam, 355–356
- Hawfinch, 237, 239, 333
- Hawk, Broad-winged, 229
Cooper's, 77, 82, 133, 282
European Sparrow, 480
Ferruginous, 351–352
Galapagos, 480, 482
Gray, 354
Harris', 480, 483–485
Marsh, 32, 77, 81–82, 206, 222, 287, 351, 480
Pied, 16, 22
Red-shouldered, 77, 133–139, 480
Red-tailed, 77, 82, 127, 133–139, 282, 351, 480–482, 484
Rough-legged, 338–339, 351–352
Rufous-breasted, 16, 22
Sharop-shinned, 77, 82, 133, 282
Swainson's, 133, 282
- Hayward, James L., Jr., see Gillett, William Humphrey
- Helicolestes hamatus, 97
- Hemiprocne mystacea, 18, 22
- Hemithraupis flavicollis, 458
- Henderson, Bryan A., Role of the chick's begging behavior in the regulation of parental feeding behavior of *Larus glaucescens*, 488–492
- Heppner, Frank H., and Christopher Willard, Inverted flight in Canada Geese, 478–480
- Hermit, Long-tailed, 344
- Heron, Black-crowned Night, 107, 222
Gray, 477
Zigzag, 97
- Hesperiphona vespertina, 286, 395
- Hilty, Steven, Notes on a nest and behavior of the Chestnut-crowned Gnatcatcher, 513–514
- Hippolais icterina, 262–263
- Hirundo rustica, 42–43, 102, 106–107, 252, 256–257, 262–263, 284, 289, 362–364, 434–435
tahitica, 21–22
- Histrionicus histrionicus, 282
- Holcomb, Larry C., Incubation patch fluctuation in Red-winged Blackbirds, 506–509
- Holleman, Dan F., see Gasaway, William C.
- Honeycreeper, Red-legged, 308
- Honey-eater, Bougainville, 20, 23
- Hornbill, Papuan, 21–22
- Howe, Marshall, A., Social interactions in flocks of courting Wilson's Phalaropes (*Phalaropus tricolor*), 24–33
- Howell, Thomas R., Bank Swallow (*Riparia riparia*), Bobolink (*Dolichonyx oryzivorus*), and other birds at a desert reservoir in Chile, 105–106
- Hummingbird, Allen's, 196–205
Anna's, 196–197, 201–202, 217
Black-chinned, 283
Broad-tailed, 201, 361
Calliope, 104, 201–203, 283
Cinnamon, 216–217
Purple-throated Carib, 150, 217
Ruby-throated, 201–202
Rufous, 196–205, 283
- Hylocichla mustelina, 10, 252, 256, 258, 260–261
- Hylophilus flavipes, 314
minor, 308–309
- Hylophylax punctulata, 98
- Hypochera amauropteryx, 314
- Hypocnemis cantator, 458

I

- Ibis, Buff-necked, 218
- Icterus galbula, 216, 252–253, 287
icterus, 344
spurius, 201
- Incubator Bird, 16, 22
- Indicator minor, 314
variegatus, 314
- Iridoprocne bicolor, 284, 289
- Ixoreus naevius, 73, 78, 285

J

- Jacamar, Bronzy, 98
- Jacana spinosa, 303
- Jaçana, Wattled, 303
- Jackdaw, 211
- Jay, Blue, 252–253, 259, 264, 517
Gray, 284
Steller's, 284
- Joyner, David E., Duck nest predation by gulls in relation to water depth, 339–341
- Junco hyemalis, 252, 286, 335, 399
phaeonotus, 395, 399
- Junco, Arizona, 399
Dark-eyed, 252, 286, 335, 399
Mexican, 395
Oregon, 395, 399
Slate-colored, 399
- Junglefowl, Burmese Red, 279

K

- Kalinoski, Ronald, Intra- and interspecific aggression in House Finches and House Sparrows, 375–384
- Kepler, Angela K., Cameron B. Kepler, and Annabelle Dod, First nest record of the White-winged Crossbill in Hispaniola, 220–221
- Kepler, Cameron B., see Kepler, Angela K.
- Keppie, Daniel M., Clutch size of the Spruce Grouse, *Canachites canadensis franklinii* in southwest Alberta, 91–92
- Kestrel, American, 76, 82, 133, 206, 229, 282, 359–361
European, 480
- Kiff, Lloyd F., Notes on southwestern Costa Rican birds, 101–103

Kilgore, Delbert L., Jr., and Knut Schmidt-Nielsen,
Heat loss from duck's feet immersed in cold
water, 475-478

Killdeer, 74-76, 78, 80, 86, 127, 283, 487-488

Kingbird, Eastern, 252-253, 283
 Loggerhead, 344
 Western, 252-253, 283

Kingfisher, Belted, 283
 Dwarf Forest, 22
 Green, 304
 River, 21-22
 Sacred, 21-22
 Ultramarine, 18, 22
 White-collared, 18, 21-22

Kinglet, Golden-crowned, 285
 Ruby-crowned, 76, 285

Kiskadee, Great, 65, 307, 309

Kite, Brahminy, 22
 Everglade, 229
 Slender-billed, 97
 White-tailed, 78, 101, 133, 226-230

Kittiwake, Black-legged, 347-349

Knopf, F. L., Schedule of presupplemental molt of
 White Pelicans with notes on the bill horn,
 356-359

Koel, 21-22

Kroodma, Donald E., Song patterning in the Rock
 Wren, 294-303

Kuechle, V. B., see Siegfried, W. R.

L

Lagonosticta jamesoni, 314

Lagopus lagopus, 165, 428
 leucurus, 206, 213
 mutus, 428, 467-474

Lamm, Donald W., Symbiotic relationships within a
 mixed waterfowl assembly, 207

Lamprospiza melanoleuca, 98

Lanius collurio, 289, 291
 excubitor, 207

Lanyon, Wesley E., Evidence of an incomplete pre-
 alternate molt in some South American
 Myiarchus flycatchers, 511

Lark, Horned, 206, 213

Larus argentatus, 221, 243, 247, 347-350, 436, 494-
 495, 498-499
 californicus, 339, 347-348
 canus, 348
 delawarensis, 207, 286, 347-350
 dominicanus, 219, 355
 fuscus, 498-499
 glaucescens, 243, 249, 347-348, 488-495, 498
 heermanni, 207, 243, 347-350
 hyperboreus, 348
 marinus, 477
 occidentalis, 243-249, 286, 347-350, 495, 498
 philadelphia, 349
 pipixcan, 355
 ridibundus, 221
 serranus, 327

Laterallus exilis, 97

Leck, Charles F., Notes on unusual and rare birds
 of St. Croix, 107

Leistes militaris, 101-102

Lemon, Robert E., How birds develop song dialects,
 385-406

Lepidocolaptes souleyetti, 307

Leptotila plumbeiceps, 306
 rufaxilla, 458
 verrauxi, 314

Lessonia rufa, 106, 219

Leucophaeus scoresbii, 219

Leucosticte australis, 213
 tephrocotis, 119, 289, 291

Lewis, Robert A., Reproductive biology of the White-
 crowned Sparrow (*Zonotrichia leucophrys*
 pugetensis Grinnell). I. Temporal organiza-
 tion of reproductive and associated cycles, 46-
 59

Lewis, Robert A., Reproductive biology of the White-
 crowned Sparrow. II. Environmental control
 of reproductive and associated cycles, 111-124

Limnodromus spp., 76

Limosa fedoa, 74, 76-77, 362
 haemastica, 97, 355, 362
 lapponica, 362
 limosa, 98

Lobipes lobatus, 24, 31-32, 76

Locustella fluviatilis, 237

Lonchura striata, 401

Longspur, Lapland, 210, 288-289, 338
 Smith's, 207

Loon, Common, 281

Lophoceros alboterminatus, 314
 bradfieldi, 314
 deckeni, 314
 erythrorhynchus, 314
 flavirostris, 314
 nasutus, 314
 pallidirostris, 314

Lophodytes cucullatus, 207, 282

Lophortyx californicus, 127, 315-323
 gambeli, 169, 321, 484

Lorikeet, Blue-eared, 15, 17, 21-22
 Duchess, 17, 22
 Meek's, 17, 22

Lory, Cardinal, 17, 22
 Rainbow, 17, 21-22

Loxia curvirostra, 221, 286
 leucoptera, 220-221, 286
 pytyopsittacus, 221

Loxigilla portoricensis, 344

Lunda cirrhata, 439

Lurocalis semitorquatus, 101

Luscinia luscinia, 237

M

Macaw, Chestnut-fronted, 98
 Red-bellied, 98

MacDonald, S. D., see Parmelee, David F.

MacRoberts, M. H., see Spray, C. J.

Macronectes giganteus, 477

Macropygia mackinlayi, 21-22

Mader, William J., Extra adults at Harris' Hawk nests,
 482-485

Magpie, Black-billed, 284

Marion, Wayne R., and Ryder, Ronald A., Perch site
 preferences of four diurnal raptors in north-
 eastern Colorado, 350-352

Mallard, 214, 281, 340, 475-478

Manakin, Long-tailed, 307

Margarops fuscatus, 344

Marti, Carl D., and Clait E. Braun, Use of tundra
 habitats by Prairie Falcons in Colorado, 213-
 214

Martin, Robert F., and Robert K. Selander, Mor-
 phological and biochemical evidence of hy-
 bridization between Cave and Barn swallows,
 362-364

- Martin, Gray-breasted, 102
 Purple, 102
 McFarlane, Robert W., Notes on the Giant Coot
 (*Fulica gigantea*), 324-327
 Meadowlark, Eastern, 252, 256, 258-259, 261, 306
 Greater Red-breasted, 219
 Western, 77, 286
 Megaceryle alcyon, 283
 Megadyptes antipodes, 276
 Megapodius freycinet, 16, 22
 Megarhynchus pitangua, 307
 Melaenornis edioloides, 314
 Melanerpes cruentatus, 458
 formicivorus, 127, 342-343
 Melanitta perspicillata, 206
 Meleagrididae, 154
 Meleagris gallopavo, 154-159, 283, 337, 358
 Melopsittacus undulatus, 381, 419
 Melospiza lincolni, 286
 melodia, 76, 145, 214, 252, 256, 258, 261-262,
 264, 279, 286, 328, 397-398, 492
 Melquist, Wayne E., see Schroeder, Gary J.
 Merganser, Common, 282
 Hooded, 207, 282
 Red-breasted, 207
 Mergus merganser, 282
 serrator, 207
 Merlin, 73-74, 77, 81-82, 282
 Microcerculus marginatus, 308
 Micropalama himantopus, 98, 107
 Micropsitta bruijnii, 15, 22
 finschii, 15, 17, 22
 Midget, Solomon, 20, 23
 Milvago chimachima, 101
 Mimochla plumbea, 344
 Mimus polyglottos, 169, 252, 257, 301-302, 344, 400,
 488
 Mino dumontii, 19-20, 23
 Mniotilta varia, 344
 Mockingbird, 169, 252, 257, 301-302, 344, 400, 488
 Moen, Aaron N., see Evans, Keith E.
 Molothrus ater, 86, 120, 250-269, 286, 289
 Monarch, Chestnut-bellied, 16, 19, 22
 Solomon Pied, 15, 19, 22
 Monarcha barbata, 15, 19, 22
 castaneiventris, 16, 19, 22
 cinerascens, 19
 frater, 19
 Monasa morphoeus, 458
 nigrifrons, 458
 Morococcyx erythropygus, 304
 Morton, Martin L., see Orejuela, Jorge E.
 Munding, Paul, Song dialects and colonization in
 the House Finch, *Carpodacus mexicanus*, on
 the East Coast, 407-422
 Murre, Common, 439, 446
 Murrelet, Ancient, 500
 Craveri's, 500
 Japanese, 500
 Kittlitz's, 500-501
 Marbled, 500
 Xantus', 500
 Muscicapa hypoleuca, 488
 striata, 237
 Myadestes townsendi, 285
 Myiagra ferrocyanea, 16, 19, 22
 Myiarchus brachyurus, 302
 caphalotes, 511
 crinitus, 11, 511
 stolidus, 344
 swainsoni, 511
 tuberculifer, 511
 tyrannulus, 302
 Myiodynastes maculatus, 307
 Myiopagis viridicata, 308
 Myna, Common, 514-515
 Indian Hill, 400
 Papuan, 19-20, 23
 Myrmeciza hyperthya, 98, 458
 Myrmotherula axillaris, 458
 brachyura, 458
 hauwelli, 458
 menetriesii, 458
 schisticolor, 307
 Myzomela Bougainville, 20, 23
 Myzomela lefargei, 20, 23
- N**
- Nectarinia jugularis, 20, 23
 Negrito, Rufous-backed, 106, 219
 Nesasio solomonensis, 18, 22
 Nesospingus speculariferus, 344
 Nighthawk, Common, 283
 Semicollared, 101
 Nightjar, European, 237
 Rufous, 101
 Ninox jacquinoti, 18, 22
 novaeseelandiae, 18
 odiosa, 18
 rufa, 18
 strenua, 18
 theomacha, 18
 Nisbet, I. C. T., Selective effects of predation in a
 tern colony, 221-226
 Noddy, Brown, 107
 Nolan, Richard A., Alan H. Brush, Norman Arnheim,
 and Allan C. Wilson, An inconsistency be-
 tween protein resemblance and taxonomic re-
 semblance: immunological comparison of
 diverse proteins from gallinaceous birds, 154-
 159
 Nolan, Val, Jr., External differences between newly
 hatched cuckoos (*Coccyzus americanus* and
 C. erythrophthalmus), 341
 Nucifraga columbiana, 284
 Numenius americanus, 76
 phaeopus, 21-22
 Nutcracker, Clark's, 284
 Nuthatch, 237, 239
 Pygmy, 284, 366
 Red-breasted, 284
 White-breasted, 175-182, 284, 366
 Nuttallornis borealis, 284
 Nyctea scandiaca, 160, 502-506
 Nycticorax nycticorax, 107, 222
 Nyctidromus albicollis, 304
- O**
- Oceanites gracilis, 355
 Oceanodroma furcata, 444
 leucorhoa, 439, 444-447
 melania, 355
 Ofelt, Courtland H., Food habits of nesting Bald
 Eagle in southeast Alaska, 337-338
 Oncostoma cinereigulare, 308
 Oniki, Yoshika, Temperatures of some Puerto Rican
 birds, with note of low temperatures in todies,
 344
 Oporornis tolmiei, 285

- Orejuela, Jorge E., and Martin L. Morton, Song dialects in several populations of Mountain White-crowned Sparrows (*Zonotrichia leucophrys oriantha*) in the Sierra Nevada, 145–153
- Oreopelia albifacies, 314
- Oriole, Northern, 216, 252–253, 287
Orchard, 201
- Oriolus oriolus, 237
- Osprey, 16, 22, 99–100, 107, 282
- Otus asio, 133, 287
nudipes, 107
- Ovenbird, 69
- Owings, Donald H., and Earl Handa, Shadows and detection of movement by a Burrowing Owl (*Speotyto cunicularia*), 501–502
- Owl, Barn, 78, 133
Barred, 287, 502–506
Burrowing, 133, 501–502
Fearful, 18, 22
Ferruginous Pygmy-, 98
Great Gray, 283
Great Horned, 80, 82, 133, 222, 224–226, 283, 502–506
Hawk-, 206, 287
Least Pygmy-, 98
Long-eared, 79–82, 133, 287
Puerto Rican Screech, 107
Pygmy, 283
Saw-whet, 78, 283
Screech, 133, 287
Short-eared, 73, 78–82, 133, 287
Snowy, 160, 502–506
Solomon Boobook, 18, 22
Striped, 101
- Oxyura jamaicensis, 206, 282, 340
- Oystercatcher, 488
Black, 492
Blackish, 219
Magellanic, 219
- P**
- Pachycephala implicata, 15, 19, 22
pectoralis, 15–16, 19, 22
- Pachyrhamphus polychopterus, 307
- Page, G., and D. F. Whitacre, Raptor predation on wintering shorebirds, 73–83
- Pandion haliaetus, 16, 22, 99–100, 107, 282
- Panyptila cayennensis, 102
- Parabuteo galapagoensis, 480, 482
unicinctus, 480, 482
- Parakeet, Painted, 98
Tui, 98
- Parmelee, David F., and S. D. MacDonald, Recent observations of the birds of Isla Contramaestra and Isla Magdalena, Straits of Magellan, 218–220
- Parrot, Eclectus, 21–22
Finsch's Pygmy, 15, 17, 22
Mountain Pygmy, 15, 22
Song, 17, 22
White-fronted, 350
- Partridge, Gray (or Hungarian), 283, 321
- Parula americana, 344
- Parula, Northern, 344
- Parus atricapillus, 175–182, 284
bicolor, 175–182
caeruleus, 233, 237–239, 263
cinctus, 206
gambeli, 284
hudsonicus, 284
inornatus, 294
major, 130, 237–239, 291
palustris, 237–238
rufescens, 284
- Passer domesticus, 86, 106, 173, 209, 211, 219, 252, 285, 289, 375–384, 402
montanus, 237, 239–240
- Passerculus sandwichensis, 76–77, 211, 240, 286
- Passerella iliaca, 215–216, 243, 286, 515
- Passerina amoena, 286, 509–510
cyanea, 252, 302, 395, 398, 509–510
- Pauraque, 306
- Pearson, David L., Range extensions and new records for bird species in Ecuador, Peru, and Bolivia, 96–99
- Pearson, David L., The relation of foliage complexity to ecological diversity of three Amazonian bird communities, 453–466
- Pedioecetes phasianellus, 160–168, 283
- Pelecanoides magellani, 218
- Pelecanus erythrorhynchus, 356–359
occidentalis, 207
onocrotalus, 358
- Pelican, Brown, 207
Great White, 358
White, 356–359
- Penguin, Adélie, 270–280, 335–337, 495
Chinstrap, 276
Emperor, 276
King, 276
Little Blue, 276
Magellanic, 218
Rockhopper, 276
Royal, 276
Yellow-eyed, 276
- Perdix perdix, 283, 321
- Perisoreus canadensis, 284
- Petrochelidon fulva, 362–364
pyrrhonota, 102, 284, 289, 364
- Petroica multicolor, 15, 19, 22
- Pewee, Eastern Wood, 10–11
Western Wood, 1–13, 284
- Pezites militaris, 219
- Pezopetes capitalis, 294
- Phaethon aethereus, 355
lepturus, 355
- Phaethornis superciliosus, 344
- Phainopepla nitens, 169–174
- Phalacrocorax albiventer, 218
aristotelis, 279, 431
atriceps, 218
auritus, 207, 289, 431–438
carbo, 243
magellanicus, 218
olivaceus, 218
pelagicus, 439, 492
penicillatus, 439, 443, 445–446, 448
- Phalarope, Northern, 24, 31–32, 76
Red, 28, 31, 76, 78
Wilson's, 24–33, 98, 105, 196, 283
- Phalaropus fulicarius, 28, 31, 76, 78
lobatus, 24
tricolor, 24–33
- Phasianus colchicus, 127, 154–159, 237, 283, 358, 467
- Pheasant, Ring-necked, 127, 154–159, 237, 283, 358, 467
- Pheucticus ludovicianus, 252, 256, 258, 399
melanocephala, 287, 399
- Phillips, Allan R., The migration of Allen's and other hummingbirds, 196–205

- Philomachus pugnax*, 24, 31
Philydor pyrrhodes, 98
Phlegopsis nigromaculata, 458
Phleocryptes melanops, 106
 Phoebe, Eastern, 252, 255-256, 258, 262-264
 Say's, 206
Phoenicopterus chilensis, 105
Phyllastrephus fischeri, 314
 flavistriatus, 314
Phylloscopus collybita, 119, 237
 sibilatrix, 237
 trivirgatus, 15, 18, 22
Piaya cayana, 64, 458
Pica pica, 284
Picoides arcticus, 283
 tridactylus, 283
Picus canus, 233
 Pigeon, Domestic, 86, 289, 381
 Gray, 17, 22
 Red-knobbed, 17, 21-22
 Solomon Crested, 15, 22
 Solomon Mountain, 15, 17, 22
 White-throated, 15, 22
 Yellow-legged, 15, 22
Pipicola enucleator, 286
 Pintail, 30, 281
 Yellow-billed, 105
 White-cheeked, 107
Pionites leucogaster, 458
 melanocephala, 458
Pipilo erythrophthalmus, 183-195, 252, 256, 258, 261,
 265, 287, 294, 395-396, 399
 fuscus, 395, 399
 Pipit, Correndera, 219
 Meadow, 435
 Tree, 237, 239
 Water, 76-77, 213, 285
Pipra fasciicauda, 463
Pipreola riefferii, 314
Piranga ludoviciana, 286
Pitangus sulphuratus, 65, 307, 309
 Pitelka, Frank A., see Custer, Thomas W.
Platypsaris aglaiae, 221
Platyrinchus coronatus, 98
Plectrophenax nivalis, 210-212, 288-289
Ploceus cucullatus, 131
 Plover, American Golden, 21-22, 105, 206
 Black-bellied, 74, 76
 Double-banded, 105
 Puna, 105
 Semipalmated, 105
Pluvialis dominica, 21-22, 105, 206
 squatarola, 74, 76
Podiceps auritus, 281
 griseogenus, 281
 nigricollis, 281
Podilymbus podiceps, 281
Polyborus plancus, 219
Poocetes gramineus, 252, 258, 261, 286, 289
Porphyrio porphyrio, 17, 22
Porzana carolina, 283
 Power, Dennis M., and James Rising, The Cattle
 Egret in central Baja California, México, 253
 Prather, Irvine D., see Conner, Richard N.
 Preston, F. W., see Shott, A. R.
Prinia inornata, 262-263
Progne chalybea, 102
 subis, 102
Protonotaria citrea, 107
Psaltriparus minimus, 90-91
Ptarmigan, Rock, 428, 467-474
 White-tailed, 206, 213
 Willow, 165, 428
Pterocles burchelli, 314
Pteroglossus castanotis, 458
Ptilinopus solomonensis, 15, 17, 22
 superbus, 15, 17, 21-22
 viridis, 15, 17, 19, 22
 Puffin, Tufted, 439
Puffinus griseus, 248, 439, 446
Pycnonotus barbatus, 314
 goiavier, 314
 xanthopygos, 314
Pygoptila stellaris, 458
Pygochelidon cyanoleuca, 102
Pygoscelis adeliae, 270-280, 335-337, 495
 antarctica, 276
Pyrocephalus rubinus, 462
Pyrrhula pyrrhula, 305
Pyrrhuloxia, 395-396, 400
Pyrrhura melanura, 458
 picta, 98
- ### Q
- Quail, California, 127, 315-323
 Gambel, 169, 321, 484
 Japanese, 122, 473
Querula purpurata, 307, 309
Quiscalus quiscula, 86, 252, 256-257, 264
- ### R
- Raikow, Robert J., The evolutionary reappearance of
 ancestral muscles as developmental anomalies
 in two species of birds, 514-517
 Rail, Plumbeous, 106
 Raitt, Ralph J., see Hardy, John William
Rallus sanguinolentus, 106
 Ralph, C. John, see Robert, Henry C.
 Ralph, Carol Pearson, Life style of *Coccyzus pumilus*,
 a tropical cuckoo, 60-72
Ramphocaenus melanurus, 308-309
Ramphocelus passerinii, 308
 Raven, Common, 134, 284, 517
Recurvirostra americana, 31
 Redhead, 282, 340
 Redstart, American, 286, 344
Regulus calendula, 76, 285
 regulus, 237
 satrapa, 285
Reinarda squamata, 98
Reinwardtoena crassirostris, 15, 22
Rhinoptynx clamator, 101
Rhipidura cockerelli, 16, 19, 22
 drownei, 14-15, 18-19, 22
 fuliginosa, 19
 leucophrys, 19, 21-22
 nebulosa, 19
 rufifrons, 15-16, 18, 22
 rufiventris, 19
 Ricklefs, Robert E., Patterns of growth in birds. III.
 Growth and development of the Cactus Wren,
 34-45
Riparia riparia, 105-106, 284, 359-361, 509
 Rising, James, see Power, Dennis M.
Rissa tridactyla, 347-349
 Risser, Arthur C., Jr., Experimental modification of
 reproductive performance by density in captive
 starlings, 125-132

- Roadrunner, 173
 Robert, Henry C., and C. John Ralph, Effects of human disturbance on the breeding success of gulls, 495-499
 Robin, American, 73, 86, 209, 252-253, 263, 285
 Scarlet, 15, 19, 22
 Rostrhamus sociabilis, 229
 Rothstein, Stephen I., An experimental and teleonomic investigation of avian brood parasitism, 250-271
 Rudd, Robert L., see Warner, J. Sauve
 Ruff, 24, 31
 Runnels, Steven R., Rose-throated Becard in Jeff Davis County, Texas, 221
 Rushbird, Wren-like, 106
 Rush-tyrant, Many-colored, 106
 Ryder, Ronald A., see Marion, Wayne R.
- S**
- Sage, Bryan L., Recent observations in the Wrangell Mountains, Alaska, 206-207
 Salpinctes obsoletus, 285, 294-303
 Sanderling, 30, 74, 76, 81-82, 107
 Sandpiper, Baird's, 98, 105
 Buff-breasted, 31
 Common, 21-22
 Least, 73-78, 80-82, 98
 Pectoral, 24, 31, 77, 98
 Solitary, 107
 Spotted, 283
 Stilt, 98, 107
 Upland, 206
 Western, 74, 76, 81-82
 White-rumped, 24, 107, 219
 Sapsucker, Red-naped, 365-368
 Williamson's, 283, 365-368
 Yellow-bellied, 283
 Sayornis phoebe, 252, 255-256, 258, 262-264
 saya, 206
 Scardafella inca, 314
 Scaup, Greater, 206
 Lesser, 282
 Schemske, Douglas W., Time budget and foraging site preference of the Cinnamon Hummingbird in Costa Rica, 216-217
 Schmidt-Nielsen, Knut, see Kilgore, Delbert L., Jr.
 Schroeder, Gary J., and Wayne E. Melquist, Intra-specific agonistic behavior of Ospreys (*Pandion haliaetus*), 99-100
 Scoter, Surf, 206
 Scott, J. Michael, see Wiens, John A.
 Screamer, Southern, 97
 Sealy, Spencer G., Egg size of Murrelets, 500-501
 Seiurus aurocapillus, 69
 motacilla, 107
 noveboracensis, 285
 Selander, Robert K., see Martin, Robert F.
 Selasphorus platycercus, 201, 361
 rufus, 196-205, 283
 sasin, 196-205
 Selenidera spectabilis, 306-307, 309
 Serinus canaria, 382, 398
 sharpei, 263
 Serpophaga hypoleuca, 99
 Setophaga ruticilla, 286, 344
 Shag, 279, 431
 Shearwater, Sooty, 248, 439, 446
 Shott, A. R., and F. W. Preston, The surface area of an egg, 103-104
 Shoveler, Northern, 31, 282
 Shrike, Northern, 207
 Red-backed, 289, 291
 Sialia currucoides, 213, 285
 mexicana, 76, 285
 Sicalis lebruni, 219
 Siegfried, W. R., R. L. Abraham, and V. B. Kuechle, Daily temperature cycles in Barred, Great Horned, and Snowy owls, 502-506
 Sirystes sibilator, 460
 Siskin, Pine, 286
 Sitta canadensis, 284
 carolinensis, 175-182, 284, 366
 europea, 237, 239
 pygmaea, 284, 366
 Skua, Great, 219
 Snipe, Common, 76, 283
 Great, 31
 Solitaire, Townsend's, 285
 Sora, 283
 Spadebill, Golden-crowned, 98
 Sparrow, Brewer's, 287
 Cassin's, 200
 Chipping, 252, 256, 258, 262-264, 286, 289, 294, 395, 400
 Field, 252, 289, 400
 Fox, 215-216, 243, 286, 515
 Golden-crowned, 47, 111-124, 397
 Harris', 397
 House, 86, 106, 173, 209, 211, 219, 252, 285, 289, 375-384, 402
 Lincoln's, 286
 Olive, 308
 Rufous-collared (or Andean), 67, 106, 145, 147, 303, 314, 364, 395, 397, 407
 Savannah, 76-77, 211, 240, 286
 Song, 76, 145, 214, 252, 256, 258, 261-262, 264, 279, 286, 328, 395, 397-398, 492
 Tree, 239, 289
 Vesper, 252, 258, 261, 286, 289
 White-crowned, 46-59, 77, 111-124, 145-153, 286, 289, 294, 395-396, 407
 White-throated, 333, 395-396
 Speotyto cunicularia, 133, 501-502
 Spheniscus magellanicus, 218
 Sphyrapicus thyroideus, 283, 365-368
 varius, 283, 365-368
 Spinus pinus, 286
 tristis, 214, 252, 256, 258, 260, 262-263, 286
 Spiza americana, 201, 261
 Spizastur melanoleucus, 512
 Spizella arborea, 239, 289
 breweri, 287
 passerina, 252, 256, 258, 262-264, 286, 289, 294, 395, 400
 pusilla, 252, 289, 400
 Spray, C. J., and M. H. MacRoberts, Notes on molt and juvenile plumage in the Acorn Woodpecker, 342-343
 Springer, Alan, M., Observations on the summer diet of Rough-legged Hawks from Alaska, 338-339
 Spurr, E. B., Behavior of the Adélie Penguin chick, 270-280
 Spurr, E. B., Orientation of Adélie Penguins on their territories, 335-337
 Starling, 84-89, 119, 125-132, 252, 256-257, 261, 285, 381, 435, 517
 Brown-winged, 19-20, 23
 Metallic, 19-21, 23
 Singing, 19-22

- Steatornis caripensis*, 314
Steganopus tricolor, 24-33, 98, 105, 196, 283
Stelgidopteryx ruficollis, 102, 252, 256-257, 261, 284
Stellula calliope, 104, 201-203, 283
 Stepney, P. H. R., First recorded breeding of the Great-tailed Grackle in Colorado, 208-210
Sterna bergii, 21-22, 368-369
 dougallii, 107, 222
 forsteri, 229
 fuscata, 221, 369, 494-495
 hirundinacea, 219
 hirundo, 100, 221-226, 345-346
 paradisaea, 100
 sandvicensis, 368
 Storm-petrel, Black, 355
 Fork-tailed, 444
 Leach's, 439, 444-447
 White-vented, 355
 Stout, John F., see Gillett, William Humphrey
 Strauch, Joseph G., Jr., A specimen of the Yellow-headed Blackbird from the Panama Canal Zone, 355
 Strauch, Joseph G., Jr., Observations at a nest of the Black-and-white Hawk-eagle, 512
Streptopelia chinensis, 107
 risoria, 403, 434-435
 semitorquata, 314
 turtur, 237
Streptoprocne zonaris, 102
Stresemannia bougainvillei, 15, 20, 23
Strix nebulosa, 283
 varia, 287, 502-506
Sturnella magna, 252, 256, 258-259, 261, 306
 neglecta, 77, 286
Sturnus vulgaris, 84-89, 119, 125-132, 237, 252, 285, 381, 435, 517
Sula dactylatra, 289
 Sunbird, Yellow-breasted, 20, 23
Surnia ulula, 206, 287
 Swallow, Bank, 105-106, 284, 359-361, 509
 Barn, 42-43, 102, 106-107, 252, 256-257, 262-263, 284, 289, 362-364, 434-435
 Blue-and-white, 102
 Cave, 362-364
 Cliff, 102, 284, 289, 364
 Pacific, 21-22
 Rough-winged, 102, 252, 256-257, 261, 284
 Tree, 284, 289
 Violet-green, 284
 Swamphen, Purple, 17, 22
 Swift, Band-rumped, 102
 Black, 102, 287
 Chestnut-collared, 102, 352
 Fork-tailed Palm-, 98
 Lesser Swallow-tailed, 102
 Mustached, 18, 22
 Short-tailed, 98
 Spot-fronted, 101
 Vaux's, 102, 287
 White-chinned, 102
 White-collared, 102
 White-throated, 287
 Swiftlet, Glossy, 18, 21-22
 Vanikoro, 18, 21-22
 White-rumped, 18, 22
Sylvia atricapilla, 237
 borin, 237
Synallaxis albescens, 314
Synthliboramphus antiquus, 500
 wumizusume, 500

T

- Tachuris rubrigastra*, 106
Tachycineta thalassina, 284
Tachyphonus luctuosus, 458
 rufus, 308-309
Taeniopygia guttata, 401
 Tanager, Bay-headed, 308
 Blue-gray, 308
 Puerto Rican, 344
 Red-billed Pied-, 98
 Rufous-winged, 308
 Scarlet-rumped, 308
 Western, 286
 White-lined, 308-309
Tangara arthus, 314
 chilensis, 458
 gyrola, 308
 labradorides, 314
 lavinia, 308
 mexicana, 458
 schrankii, 458
 xanthocephala, 314
 Tasmanian Native Hen, 69
 Teal, Blue-winged, 210, 282
 Cinnamon, 282, 340
 Green-winged, 282
 Puna, 105, 327
 Speckled, 105
Telmatodytes palustris, 239-240, 285, 294, 301-302, 328, 434-435, 484
Terenotriccus erythrurus, 308
 Tern, Arctic, 100
 Black, 283, 355
 Common, 221-226, 345-346
 Crested, 21-22, 368-369
 Elegant, 368
 Forster's, 229
 Gull-billed, 107
 Roseate, 107, 222
 Royal, 368
 Sandwich, 107, 368
 Sooty, 221, 369, 494-495
 South American, 219
Thalasseus bergii, 368-369
 elegans, 368
 maximus, 368
 sandvicensis, 107, 368
Thamnomanes ardesiacus, 458
 caesius, 99, 460
Thamnophilus bridgesi, 307
 doliatus, 314
Theristicus caudatus, 218
 Thick-knee, Double-striped, 353-354
 Thrasher, Bendire's, 484
 Brown, 214, 252-253, 263, 294, 301
 Curve-billed, 484
 Pearly-eyed, 344
Thraupis episcopus, 308-309
 palmarum, 458
Threnetes leucurus, 463
 Thrush, Hermit, 10, 21, 252, 285
 Island, 15, 22
 Mistle, 298, 400
 Olive-backed, 210, 285
 Red-legged, 344
 Song, 237, 239, 301
 Swainson's, 210, 285
 Varied, 73, 78, 285
 Wood, 10, 252, 256, 258, 260-261
Thryomanes bewickii, 301

- Thryothorus genibarbus, 314
 guarayanus, 458
 ludovicianus, 301
 Tiaris bicolor, 344
 Tinamous, Bartlett's, 97
 Thicket, 303
 Tit, Blue, 233, 237-239, 263
 Great, 130, 237-239, 291
 Marsh, 237-238
 Titmouse, Plain, 294
 Tufted, 175-182
 Tityra inquisitor, 307, 309
 semifasciata, 307
 Tityra, Black-crowned, 307, 309
 Masked, 307
 Todus mexicanus, 344
 Tody, Puerto Rican, 344
 Toucanet, Yellow-eared, 306, 309
 Towhee, Brown, 395, 399
 Rufous-sided, 183-195, 252, 256, 258, 261, 265,
 287, 294, 395-396, 399
 Toxostoma bendirei, 484
 curvirostra, 484
 rufum, 214, 252-253, 263, 294, 301
 Trachyphonus darnaudii, 314
 Treecreeper, Short-toed, 400
 Tribonyx mortierii, 69
 Trichoglossus haematodus, 17, 21-22
 Tringa flavipes, 98, 105
 hypoleucos, 21-22
 melanoleuca, 76, 98, 105, 206
 solitaria, 107
 Troglodytes aedon, 106, 252, 284, 289, 301-302
 troglodytes, 30, 237, 285, 301
 Trogon citreolus, 306
 massena, 306, 309
 Trogon, Citreoline, 306
 Slaty-tailed, 306, 309
 Tropicbird, Red-billed, 355
 White-tailed, 355
 Troupial, 344
 Tryngites subruficollis, 31
 Turdoides jardineii, 314
 Turdus merula, 233, 237, 239, 400
 migratorius, 73, 86, 209, 252-253, 263, 285
 musicus, 237
 philomelos, 237, 239, 301
 poliocephalus, 15, 22
 viscivorus, 298, 400
 Turkey, 154-159, 283, 337, 358
 Turnstone, Black, 76, 485
 Ruddy, 31, 219
 Tyrannulet, River, 99
 Tyrannus caudifasciatus, 344
 melancholicus, 314, 462
 tyrannus, 252-253, 283
 verticalis, 252-253, 283
 Tyto alba, 78, 133

U

- Upupa epops, 314
 Uria aalge, 439, 446

V

- Veery, 10, 252, 285
 Veniliornis affinis, 458
 Vermivora celata, 285
 peregrina, 285
 ruficapilla, 285

- Verner, Jared, Interspecific aggression between Yellow-headed Blackbirds and Long-billed Marsh Wrens, 328-331
 Vidua macroura, 314
 nigerrima, 314
 paradisaea, 314
 Vini margarethae, 17, 22
 meeki, 17, 22
 placentis, 15, 17, 21-22
 Vireo gilvus, 285
 latimeri, 344
 olivaceus, 252, 256, 258, 261, 285, 298
 solitarius, 285
 Vireo, Puerto Rican, 344
 Red-eyed, 252, 256, 258, 261, 285, 298
 Solitary, 285
 Warbling, 285
 Vulture, Turkey, 133

W

- Wagtail, Willie, 19, 21-22
 Waide, Robert B., and Hailman, Jack P., Different head-scratching attempts in a one-legged gull and parrot, 350
 Walsberg, Glenn E., Digestive adaptations of Phainopepla nitens associated with the eating of mistletoe berries, 169-174
 Warbler, Adelaide's, 344
 Black-and-white, 344
 Chestnut-sided, 252
 Great Reed, 18, 22
 Kirtland's, 264
 Leaf, 15, 18, 22
 MacGillivray's, 285
 Nashville, 285
 Orange-crowned, 285
 Prairie, 252, 256, 258, 260, 344
 Prothonotary, 107
 River, 308
 Tennessee, 285
 Townsend's, 77, 285
 Wilson's, 285
 Yellow, 252, 256, 258, 262-263, 285
 Yellow-rumped, 76, 285
 Warner, J. Sauve, and Robert L. Rudd, Hunting by the White-tailed Kite (*Elanus leucurus*), 226-230
 Waser, Nickolas M., and William A. Calder, Possible impairment of nest-building by hummingbirds by acetate leg-tags, 361
 Waterthrush, Louisiana, 107
 Northern, 285
 Waxwing, Bohemian, 287
 Cedar, 169-170, 252-253, 255, 258, 263, 285
 Weaverbird, African Village, 131
 Webber, Thomas, see Hardy, John William
 Webster, J. Dan, The Fox Sparrow in southwestern Yukon and adjacent areas, 215-216
 Weiner, January, and Zbigniew Głowaciński, Energy flow through a bird community in a deciduous forest in southern Poland, 233-242
 West, Steve, Gray Hawk feeding on worm lizard, 354
 Weydemeyer, Winton, Half-century record of the breeding birds of the Fortine, Montana area: Nesting data and population status, 280-287
 Whimbrel, 21-22
 Whistler, Golden, 15-16, 19, 22
 Solmon Mountain, 15, 19, 22
 Whitacre, D. F., see Page, G.
 White, Robert G., see Gasaway, William C.

- White-eye, Solomon Gray-throated, 15, 20, 23
 Solomon Yellow-throated, 15-16, 20, 23
- Whitmore, Robert C., Indigo Buntings in Utah with special reference to interspecific competition with Lazuli Buntings, 509-510
- Wiens, John A., and J. Michael Scott, Model estimates of energy flow in Oregon coastal sea-bird populations, 439-452
- Wigeon, American, 282
- Wiley, James W., The nesting and reproductive success of Red-tailed Hawks and Red-shouldered Hawks in Orange County, California, 1973, 133-139
- Wiley, James W., Three adult Red-tailed Hawks tending a nest, 480-482
- Willard, Christopher, see Heppner, Frank H.
- Willet, 24, 74, 76-77
- Williamson, Penelope, and Lincoln Gray, Foraging behavior of the Starling (*Sturnus vulgaris*) in Maryland, 84-89
- Wilson, Allan C., see Nolan, Richard A.
- Wilsonia pusilla, 285
- Windsor, Donald, and Emlen, Stephen T., Predator-prey interactions of adult and pre fledgling Bank Swallows and American Kestrels, 359-361
- Wittenberger, James F., An albinistic Marbled Godwit: a first record, 362
- Wolf, Larry L., "Prostitution" behavior in a tropical hummingbird, 140-144
- Woodcreeper, Barred, 306
 Buff-throated, 307, 309, 458
 Long-tailed, 99
 Streak-headed, 307
 Striped, 98
 Wedge-billed, 306
- Woodpecker, Acorn, 127, 342-343
 Blackbacked Three-toed, 283
 Downy, 175-182, 283, 366
 Grey-headed, 233
 Hairy, 283, 366
 Lesser Spotted, 233, 237
 Lewis', 283
 Northern Three-toed, 283
 Pileated, 283
- Wren, Bewick's, 301
 Cactus, 34-45, 289, 301, 434
 Canyon, 301
 Carolina, 301
 Grass, 219, 301
 House, 106, 252, 284, 289, 301-302
 Long-billed Marsh, 239-240, 285, 294, 301-302, 328, 434-435, 484
 Nightingale, 308
 Rock, 285, 294-303
 Short-billed Marsh, 219, 301
 Winter, 30, 237, 285, 301

X

- Xanthocephalus xanthocephalus, 252, 256-257, 261, 286, 328-331, 355
 Xema sabini, 349
 Xenops minutus, 307
 Xenops, Plain, 307
 Xiphorhynchus guttatus, 307, 309, 458
 obsoletus, 98
 triangularis, 314

Y

- Yellowhammer, 233, 263, 381
 Yellowlegs, Greater, 76, 98, 105, 206
 Lesser, 98, 105
 Yellowthroat, Common, 252, 285, 294

Z

- Zebrilus undulatus, 97
 Zenaida macroura, 86, 209, 252, 256-257, 283
 Zonotrichia albicollis, 333, 395-396
 atricapilla, 47, 111-124, 397
 capensis, 67, 106, 145, 147, 303, 314, 364, 395, 397, 407
 leucophrys, 46-59, 77, 111-124, 145-153, 286, 289, 294, 395-396, 407
 querula, 397
 Zosterops lateralis, 20, 380
 metcalfei, 15-16, 20, 23
 ugiensis, 15, 20, 23
 Zwickel, Fred C., Nesting parameters of Blue Grouse and their relevance to populations, 423-430