

INDEX TO VOLUME 80

A

- Abbott, Ian, and Abbott, L. K., Multivariate study of morphological variation in Galapagos and Ecuadorian Mockingbirds, 302-308
 Abbott, L. K., see Abbott, Ian
 Abraham, Kenneth F., Adoption of Spectacled Eider duckling by Arctic Loons, 339-340
Acanthis cannabina, 208
flammea, 227
flavirostris, 208
Accipiter cooperi, 12, 53, 66
gentilis, 5, 419, 455
nivus, 331, 419-422
Actitis hypoleucos, 311
macularia, 12, 453-454
Aegolius acadicus, 435
Aethia cristatella, 235-236
pygmaea, 236
Agelaius phoeniceus, 14, 111-112, 174-179, 290-294, 363
tricolor, 373
 Ainley, David G., Activity patterns and social behavior of non-breeding Adélie Penguins, 138-146
Ajaia ajaja, 159
Alauda arvensis, 312
Amazilia fimbriata, 330
tzacatl, 216-221
Ammodrammus savannarum, 38
Amphispiza belli, 348
bilineata, 230
Anas acuta, 12, 230
americana, 12
clypeata, 12
cyanoptera, 12
discors, 12
platyrhynchos, 12, 236
querquedula, 309
strepera, 12
 Anderson, Bertin W., and Ohmart, Robert D., Phainopepla utilization of honey mesquite forests in the Colorado River Valley, 334-338
 Anderson, Walter L., Vocalizations of Scaled Quail, 49-63
Anhima cornuta, 453
 Ani, Greater, see *Crotophaga major*
 Groove-billed, see *Crotophaga major*
 Smooth-billed, see *Crotophaga ani*
Anous stolidus, 84-87
Anser caerulescens, 147
fabalis, 309
 Antbird, Ocellated, see *Phaeostictus mcleannani*
 Warbling, see *Hypocnemis cantator*
 White-plumed, see *Pithys albifrons*
Anthus cervinus, 313
guttatus, 111-112
hodgsoni, 313
spragueii, 13
spinolletta, 92
 Antpitta, Black-crowned, see *Pittasoma michleri*
 Antshrike, Barred, see *Thamnophilus doliatus*
 White-shouldered, see *Thamnophilus aethiops*
 Apapane, see *Himatione sanguinea*
Aphelocoma coerulescens, 388
Aquila chrysaetos, 12, 444-446, 447-449
 Ar, A., see Yom-Tov, Y.
Archilochus alexandri, 66
Ardea herodias, 13, 159

Arenaria interpres, 295
Asio flammeus, 12, 197, 332, 365
otus, 12

- Athene cunicularia*, 3, 448
Atlapetes brunnineucha, 279, 281
 Auklet, Crested, see *Aethia cristatella*
 Whiskered, see *Aethia pygmaea*
Auriparus flaviceps, 66
 Avocet, American, see *Recurvirostra americana*

B

- Bailey, Stephen F., Latitudinal gradients in colors and patterns of passerine birds, 372-381
 Barthrotriot, Pale-throated, see *Threnetes leucurus*
Bartramia longicauda, 12
Baryphthengus ruficapillus, 454
Basileuterus melanogenys, 279
 Beck, Thomas D. I., and Braun, Clait, E. Weights of Colorado Sage Grouse, 241-243
 Beehler, Bruce, The status of *Sericornis nigroviridis*, 115-116
 Bentz, G. D., see Zusi, Richard L.
 Bird, Trumpet, see *Phonygammus keraudrenii*
 Bittern, European, see *Botaurus stellaris*
 Blackbird, Brewer's, see *Euphagus cyanocephalus*
 Red-winged, see *Agelaius phoeniceus*
 Rusty, see *Euphagus carolinus*
 Tricolored, see *Agelaius tricolor*
 Yellow-headed, see *Xanthocephalus xanthocephalus*
 Bluebird, Mountain, see *Sialia currucoides*
 Bobolink, see *Dolichonyx oryzivorus*
 Bobwhite, see *Colinus virginianus*
Bombycilla cedrorum, 13
Bonasa umbellus, 5, 130, 132, 240, 419
 Booby, Blue-faced, see *Sula dactylatra*
 Brown, see *Sula leucogaster*
 Red-footed, see *Sula sula*
Botaurus stellaris, 167
 Bourne, W. R. P., see Brown, R. G. B.
 Boyden, Thomas C., Territorial defense against hummingbirds and insects by tropical hummingbirds, 216-221
Brachyramphus marmoratus, 214
Branta canadensis, 147, 246-248
 Braun, Clait E., see Beck, Thomas D. I.
 Broad, William A., see Nisbet, Ian C. T.
 Brooks, William S., Avian prehatching behavior: functional aspects of the tucking pattern, 442-444
 Brown, R. G. B., Bourne, W. R. P., and Wahl, Terence R., Diving by shearwaters, 123-125
 Brushfinch, Chestnut-capped, see *Atlapetes brunnineucha*
Bubo virginianus, 12, 66, 435
Bubulcus ibis, 15-23, 164
 Bulbul, Yellow-vented, see *Pycnonotus goiavier*
 Bullfinch, see *Pyrrhula pyrrhula*
 Bunting, Indigo, see *Passerina cyanea*
 Lark, see *Calamospiza melanocorys*
 Lazuli, see *Passerina amoena*
 Painted, see *Passerina ciris*
 Reed, see *Emberiza schoeniclus*
 Rustic, see *Emberiza rustica*
 Snow, see *Plectrophenax nivalis*
 Burger, Joanna, Competition between Cattle Egrets and native North American herons, egrets and ibises, 15-23

- Bush-tanager, Sooty-capped, see *Chlorospingus pileatus*
- Buteo jamaicensis*, 12, 113, 435, 447
lagopus, 444–446
platypterus, 448
regalis, 12, 316–326, 327–333, 445, 448
swainsoni, 12
- Buteogallus anthracinus*, 66
- Butorides striatus*, 160
- Byrd, G. Vernon, Red-legged Kittiwake colonies in the Aleutian Islands, Alaska, 250
- Byrd, G. Vernon, Trapp, John L., and Gibson, Daniel D., New information on Asiatic birds in the Aleutian Islands, Alaska, 309–315
- C**
- Caccamise, Donald F., Seasonal patterns of nesting mortality in the Red-winged Blackbird, 290–294
- Calamospiza melanocorys*, 14
- Calcarius lapponicus*, 295–301, 361, 452–453
ornatus, 14
- Calidris alba*, 195
alpina, 295
bairdii, 295
ferruginea, 455
mauri, 451, 455
melanotos, 295
minuta, 451–452
pusilla, 295, 451, 455
ruficollis, 311, 451
subminuta, 312
temminckii, 311
- Callipepla douglasii*, 50
squamata, 49–63
- Calonectris diomedea*, 124
leucomelas, 124
- Calypte anna*, 66, 330
costae, 330
- Campylopterus largipennis*, 454
- Campylorhynchus brunneicapillus*, 37, 68, 373
turdinus, 454
- Campylorhynchus labradorius*, 407–418
- Canachites canadensis*, 5, 111–112, 130, 132
- Canary, Belgian, see *Serinus canaria*
- Capella gallinago*, 12
- Cardinal, see *Cardinalis cardinalis*
- Cardinalis cardinalis*, 41–48, 66
- Carduelis carduelis*, 404
chloris, 208
flammea, 243
lawrencei, 404
pinus, 14, 436
psaltria, 66, 405
sinica, 313–314
tristis, 14, 208, 401–406
- Carpodacus cassini*, 5, 203–210, 436
mexicanus, 66, 208
- Carveth, Robert G., see Zwickel, Fred C.
- Casmerodius albus*, 15–23, 159–172
- Cassidix mexicanus*, 427
- Catbird, see *Dumetella carolinensis*
- Cathartes aura*, 435, 448
- Catharus fuscescens*, 13
gracilirostris, 279
guttatus, 5, 13, 111–112, 435
occidentalis, 279
ustulata, 5, 13, 280, 373
- Catoptrophorus semipalmatus*, 12
- Centrocercus urophasianus*, 130, 132, 241–243
- Certhia familiaris*, 5, 111–112, 280, 436
- Chachalaca, Chestnut-winged, see *Ortalis garrula*
Plain, see *Ortalis vetula*
- Chaffinch, see *Fringilla coelebs*
- Chalybura buffonii*, 216–221
- Charadrius dubius*, 310
hiaticula, 310
mongolus, 310
montanus, 3, 201
vociferus, 12, 455
- Chat, Yellow-breasted, see *Icteria virens*
- Chickadee, Black-capped, see *Parus atricapillus*
Chestnut-backed, see *Parus rufescens*
Mountain, see *Parus gambelli*
- Chicken, White Leghorn, see *Gallus gallus*
- Childgren, John D., Effects of photoperiod and temperature on post-nuptial molt in captive White-crowned Sparrows, 222–229
- Chlidonias leucopterus*, 312
- Chlorospingus pileatus*, 279
- Chlorostilbon canivetii*, 218
- Chondestes grammacus*, 14
- Chordeiles minor*, 12
- Ciconia ciconia*, 154
- Cinclus mexicanus*, 5
- Circus cyaneus*, 12, 197, 445
- Clangula hyemalis*, 407, 416
- Clench, Mary H., Tracheal elongation in birds-of-paradise, 423–430
- Coccyzus americanus*, 66, 103, 105
erythrophthalmus, 12, 103–104
lansbergi, 105
melacoryphus, 105
pumilus, 105–106
- Cochlearius cochlearius*, 171
- Colaptes auratus*, 12, 66, 426, 435
- Colibri coruscans*, 251
thalassinus, 279
- Colinus virginianus*, 49–63, 343
- Columba fasciata*, 435
livia, 330
- Contopus pertinax*, 435
sordidulus, 13, 280
- Cooke, Fred, see Finney, George
- Coot, American, see *Fulica americana*
European, see *Fulica atra*
- Corvus brachyrhynchos*, 13, 44, 94, 249
corax, 197, 236–237, 243, 349, 373, 435
corone, 44
ossifragus, 349
- Costello, Donald P., see Henley, Catherine
- Cowbird, Brown-headed, see *Molothrus ater*
- Crake, Black, see *Porzana flavirostra*
Red-and-White, see *Lateralis leucopyrhodus*
- Crane, Sandhill, see *Grus canadensis*
- Crawford, John A., an albinistic Mountain Quail from Oregon, 343–344
- Crax rubra*, 348
- Creeper, Brown, see *Certhia familiaris*
- Crossbill, Red, see *Loxia curvirostra*
- Crotophaga ani*, 105
major, 105
- Crow, Common, see *Corvus brachyrhynchos*
Fish, see *Corvus ossifragus*
Hooded, see *Corvus corone*
- Cuckoo, Black-bellied, see *Piaya melanogaster*
Black-billed, see *Coccyzus erythrophthalmus*
Common, see *Cuculus canorus*
Dark-billed, see *Coccyzus melacoryphus*
Dwarf, see *Coccyzus pumilus*
Gray-capped, see *Coccyzus lansbergi*
Little, see *Piaya minuta*
Oriental, see *Cuculus saturatus*

- Squirrel, see *Piaya cayanna*
 Striped, see *Tapera naevia*
 Yellow-billed, see *Coccyzus americanus*
Cuculus canorus, 312
saturatus, 312
 Curassow, Great, see *Crax rubra*
 Curlew, Eurasian, see *Numenius arquata*
 Long-billed, see *Numenius americanus*
 Custer, Thomas W., and Pitelka, Frank A., Seasonal trends in summer diet of the Lapland Long-spur near Barrow, Alaska, 295-301
Cyanocitta cristata, 37, 41-48, 452
stelleri, 5, 435
Cypseloides niger, 5

D

- Dacelo gigas*, 389
 DeGraw, William A., see Kern, Michael A.
Dendragapus obscurus, 5, 109-111, 130, 132
Dendroica castanea, 372
coronata, 5, 13, 436
discolor, 372
dominica, 373
graciae, 436
nigrescens, 280
occidentalis, 373
petechia, 13, 66, 436
townsendii, 5
 Dick, Matthew H., and Donaldson, William, Fishing vessel endangered by Crested Auklet landings, 235-236
 Dickcissel, see *Spiza americana*
Diglossa baritula, 279
 Dirks, Susan J. see Holmes, Warren G.
Dolichonyx oryzivorus, 14, 355-371
 Donaldson, William, see Dick, Matthew H.
 Dove, Mourning, see *Zenaida macroura*
 Scaled, see *Scardafella squammata*
 White-winged, see *Zenaida asiatica*
Drycopus pileatus, 5, 348
 Duck, Harlequin, see *Histrionicus histrionicus*
 Labrador, see *Camptorhynchus labradorius*
 Ruddy, see *Oxyura jamaicensis*
Dumetella carolinensis, 13
 Dunnock, see *Prunella modularis*

E

- Eagle, Bald, see *Haliaeetus leucocephalus*
 Golden, see *Aquila chrysaetos*
 Egret, Cattle, see *Bubulcus ibis*
 Chinese, see *Egretta eulophotes*
 Great, see *Casmerodius albus*
 Intermediate, see *Egretta intermedia*
 Little, see *Egretta garzetta*
 Snowy, see *Egretta thula*
Egretta eulophotes, 309
garzetta, 163
intermedia, 163
thula, 15-23, 163
 Eider, Common, see *Somateria mollissima*
 King, see *Somateria spectabilis*
 Spectacled, see *Somateria fischeri*
 Steller's, see *Polysticta stelleri*
Elanus caeruleus, 88-91
leucurus, 88
notatus, 88
scriptus, 88
Emberiza rustica, 314
schoeniclus, 29, 314
Empidonax atriceps, 279
difficilis, 5, 13, 280, 435

- flavescens*, 279
hammondii, 5
minimus, 13
oberholseri, 5, 13, 435
traillii, 280
Eremophila alpestris, 13
 Erwin, R. Michael, Coloniality in terns: the role of social feeding, 211-215
Eulamprus jugularis, 330
Euphagus carolinus, 374
cyancephalus, 14, 373
 Evans, Edward W., Nesting responses of Field Sparrows (*Spizella pusilla*) to plant succession on a Michigan old field, 34-40

F

- Falcipennis falcipennis*, 130, 132
Falco columbarius, 331, 445
mexicanus, 3, 368, 444-446
peregrinus, 331
rufiangularis, 251
rusticolus, 133, 243
sparverius, 12, 330, 331, 435, 445, 448
 Falcon, Bat, see *Falco rufiangularis*
 Prairie, see *Falco mexicanus*
Fulica americana, 12
 Feduccia, Alan, see Henley, Catherine
 Finch, Cassin's, see *Carpodacus cassini*
 House, see *Carpodacus mexicanus*
 Large-footed, see *Pezopetes capitalis*
 Yellow-thighed, see *Pselliophorus tibialis*
 Zebra, see *Poephila guttata*
 Finney, George, and Cooke, Fred, Reproductive habits in the Snow Goose: the influence of female age, 147-158
 Flicker, Common, see *Colaptes auratus*
Florida caerulea, 15-23, 160
 Flower-piercer, Slaty, see *Diglossa baritula*
Fluvicola pica, 105
 Flycatcher, Ash-throated, see *Myiarchus cinerascens*
 Black-capped, see *Empidonax atriceps*
 Boat-billed, see *Megarhynchus pitangua*
 Couch's, see *Contopus pertinax*
 Dusky, see *Empidonax oberholseri*
 Gray-spotted, see *Muscicapa griseisticta*
 Least, see *Empidonax minimus*
 Olived-sided, see *Nuttallornis borealis*
 Sepia-capped, see *Leptopogon amarucocephalus*
 Western, see *Empidonax difficilis*
 White-bearded, see *Myiozetetes inornata*
 Wied's Crested, see *Myiarchus tyrannulus*
 Willow, see *Empidonax traillii*
 Yellowish, see *Empidonax flavescens*
 Fowl, Domestic, see *Gallus domesticus*
 Red Jungle, see *Gallus gallus*
 Franzreb, Kathleen E., Ohmart, Robert D., The effects of timber harvesting on breeding birds in a mixed-coniferous forest, 431-441
Fregata aquila, 82
ariel, 81
magnificens, 81-87
minor, 81
 Frigatebird, Magnificent, see *Fregata magnificens*
Fringilla coelebs, 61, 223
Fulica atra, 388

G

- Gadwall, see *Anas strepera*
Galbalcyrhynchus leucotis, 454
Gallinula chloropus, 387
martinica, 382-390

- mortierii*, 388
tenebrosa, 388
- Gallinule, Common, see *Gallinula chloropus*
 Purple, see *Gallinula martinica*
- Gallus domesticus*, 230
gallus, 56, 265, 442–444
- Gannet, see *Morus bassanus*
- Garganey, see *Anas querquedula*
- Gavia arctica*, 339–340
- Geer, Timothy A., Effects of nesting sparrowhawks on nesting tits, 419–422
- Gelochelidon nilotica*, 211–215
- Geothlypis trichas*, 13
- Gertler, Paul E., see Lemke, Thomas O.
- Gerygone ruficollis*, 116
- Gessaman, James A., Body temperature and heart rate of the Snowy Owl, 243–245
- Gibson, Daniel D., see Byrd, G. Vernon
- Gill, Frank B., and Wolf, Larry L., Comparative foraging efficiencies of some montane sunbirds in Kenya, 391–400
- Glaucidium gnoma*, 435
- Glaucis hirsuta*, 454
- Gochfeld, Michael, Behavioral adjustments to flightlessness by meadowlarks and terns, 251
- Godwit, Black-tailed, see *Limosa limosa*
 Marbled, see *Limosa fedoa*
- Goldfinch, American, see *Carduelis tristis*
 European, see *Carduelis carduelis*
 Lesser, see *Carduelis psaltria*
- Goose, Bean, see *Anser fabalis*
 Canada, see *Branta canadensis*
 Lesser Snow, see *Anser caerulescens*
- Goshawk, see *Accipiter gentilis*
- Grackle, Great-tailed, see *Cassidix mexicanus*
- Graves, Gary R., Predation on hummingbird by Oropendula, 251
- Graves, Gary R., and Plenge, Manuel A., First record of Curlew Sandpiper in Peru, 455
- Greenberg, R. S., see Myers, J. P.
- Greenfinch, see *Carduelis chloris*
 Oriental, see *Carduelis sinica*
- Greenlaw, Jon S., The relation of breeding schedule and clutch size to food supply in the Rufous-sided Towhee, 24–33
- Greenshank, see *Tringa nebularia*
- Grosbeak, Black-headed, see *Pheucticus melanocephalus*
 Evening, see *Hesperiphona vespertina*
 Pine, see *Pinicola enucleator*
 Rose-breasted, see *Pheucticus ludovicianus*
- Grouse, Blue, see *Dendragapus obscurus*
 Ruffed, see *Bonasa umbellus*
 Sage, see *Centrocercus urophasianus*
 Sharp-tailed, see *Pedioecetes phasianellus*
 Spruce, see *Canachites canadensis*
- Grus canadensis*, 346–347, 365, 426
- Guan, Crested, see *Penelope purpurascens*
- Gull, Franklin's, see *Larus pipixcan*
 Glaucous, see *Larus hyperboreus*
 Glaucous-winged, see *Larus glaucescens*
 Herring, see *Larus argentatus*
 Laughing, see *Larus atricilla*
 Mew, see *Larus canus*
 Red-billed, see *Larus novaehollandiae*
 Thayer's, see *Larus thayeri*
- Gyrfalcon, see *Falco rusticolus*
- H**
- Haematopus ater*, 344
bachmani, 344–346
- leucopodus*, 344
palliatus, 344–346
unicolor, 344
- Haliaeetus albicilla*, 331
leucocephalus, 235, 445
- Harrington, Fred H., Ravens attracted to wolf howling, 236–237
- Hawk, Black, see *Buteogallus anthracinus*
 Broad-winged, see *Buteo platypterus*
 Cooper's, see *Accipiter cooperii*
 Ferruginous, see *Buteo regalis*
 Marsh, see *Circus cyaneus*
 Red-tailed, see *Buteo jamaicensis*
 Rough-winged, see *Buteo lagopus*
 Swainson's, see *Buteo swainsoni*
 White, see *Leucopternis albicollis*
- Hawk-Eagle, Ornate, see *Spizaetus ornatus*
- Hen, Tasmanian Native, see *Gallinula mortierii*
- Hemicorhina leucophrys*, 279
- Henley, Catherine, Feduccia, Alan, and Costello, Donald P., Oscine spermatozoa: a light and electron-microscopy study, 41–48
- Hermit, Long-tailed, see *Phaethornis superciliosus*
 Rufous-breasted, see *Glaucis hirsuta*
- Heron, Black-crowned Night, see *Nycticorax nycticorax*
 Boat-billed, see *Cochlearius cochlearius*
 Great Blue, see *Ardea herodias*
 Green, see *Butorides striatus*
 Little Blue, see *Florida caerulea*
 Louisiana, see *Hydranassa tricolor*
- Hesperiphona vespertina*, 5, 8
- Heteroscelus brevipes*, 311
- Himatione sanguinea*, 452
- Hirundo rustica*, 13, 313
- Histrionicus histrionicus*, 5, 417
- Holmes, Warren G., and Dirks, Susan J., Daily song patterns in Golden-crowned Sparrows at 62° N latitude, 92–93
- Hoyt, Donald F., Vleck, David, and Vleck, Carol M., Metabolism of avian embryos: ontogeny and temperature effects in the Ostrich, 265–271
- Hummingbird, Anna's, see *Calyptra anna*
 Black-chinned, see *Archilochus alexandri*
 Broad-tailed, see *Selasphorus platycercus*
 Fork-tailed Emerald, see *Chlorostilbon canivetii*
 Rufous, see *Selasphorus rufus*
 Rufous-tailed, see *Amazilia tzacatl*
 White-vented Plumeleteer, see *Chalybura buffoni*
- Hydranassa tricolor*, 15–23, 160
- Hypocnemis cantator*, 454
- I**
- Ibis, Glossy, see *Plegadis falcinellus*
- Icteria virens*, 13, 66
- Icterus galbula*, 66
- Ixoreus naevius*, 5
- J**
- Jacamar, Chestnut, see *Galbalcyrhynchus leucotis*
- Jacana, see *Jacana spinosa*
- Jacana spinosa*, 387
- Jaeger, Parasitic, see *Stercorarius parasiticus*
- Jani, M. B., see Menon, G. K.
- Jay, Blue, see *Cyanocitta cristata*
 Florida Scrub, see *Aphelocoma coerulescens*
 Gray, see *Perisoreus canadensis*
 Steller's, see *Cyanocitta stelleri*
- Jehl, Joseph R., Jr., A new hybrid oystercatcher

- from South America, *Haematopus leucopodus*
× *H. ater*, 344–346
 Joyner, David E., Wing molt in female Ruddy Ducks,
102
 Junco, Dark-eyed, see *Junco hyemalis*
 Gray-headed, see *Junco caniceps*
 Yellow-eyed, see *Junco phaeonotus*
Junco caniceps, 436
hyemalis, 5, 12, 94, 112, 237–240, 280, 436
phaeonotus, 239

K

- Kepler, Cameron B., The breeding ecology of sea
birds on Monito Island, Puerto Rico, 72–81
 Kern, Michael D., and DeGraw, William A., Differences
in the composition of venous and cardiac
blood from White-crowned Sparrows, 230–234
 Kestrel, American, see *Falco sparverius*
 Kilham, Lawrence, Alarm call of Crested Guan when
attacked by Ornate Hawk-Eagle, 347–348
 Killdeer, see *Charadrius vociferus*
 Kingbird, Eastern, see *Tyrannus tyrannus*
 Western, see *Tyrannus verticalis*
 Kingfisher, Belted, see *Megaceryle alcyon*
 Kinglet, Golden-crowned, see *Regulus satrapa*
 Ruby-crowned, see *Regulus calendula*
 Kite, Australian Black-shouldered, see *Elanus notatus*
 Black-shouldered, see *Elanus caeruleus*
 Letter-winged, see *Elanus scriptus*
 White-tailed, see *Elanus leucurus*
 Kittiwake, Black-legged, see *Rissa tridactyla*
 Red-legged, see *Rissa brevirostris*
 Knudson, Robert B., see Raveling, Dennis G.
 Kookaburra, see *Dacelo gigas*
 Krekorian, Charles O'Neil, Alloparental care in the
Purple Gallinule, 382–390

L

- Lagopus lagopus*, 130, 132, 243
leucurus, 130, 132
mutus, 130, 132, 243
Lamponnis castaneoventris, 279
Lanius ludovicianus, 55
 Lark, Horned, see *Eremophila alpestris*
Larus argentatus, 248–249, 268
atricilla, 82–87, 330, 349
canus, 312
glaucescens, 272–275
hyperboreus, 339
marinus, 248–249
novaehollandiae, 155
pipixcan, 3
thayeri, 197
Laterallus leucopyrhulus, 388
 Lee, Julian C., Lapland Longspur in southeastern
Mexico, 452–453
 Lemke, Thomas O., and Gertler, Paul E., Recent
observations on the birds of the Sierra de la
Macarena, Colombia, 453–455
Lepidocolaptes affinis, 279
Leptopogon amaurocephalus, 454
Leucosternis albicollis, 453
Limosa fedoa, 12
limosa, 310
 Linnet, see *Acanthis cannabina*
 Littlefield, Carroll D., Behavior of a pair of Sandhill
Cranes on the day of nest destruction, 346–
347
 Longspur, Chestnut-collared, see *Calcarius ornatus*
 Lapland, see *Calcarius lapponicus*
 Loon, Arctic, see *Gavia arctica*

- Lophortyx californicus*, 49–63, 343
gambelii, 49–63, 66
Loxia curvirostra, 5, 14, 436
leucoptera, 5
Luscinia calliope, 313
Lyrurus mlokosiewiczi, 130, 132
Lyrurus tetrix, 130, 132

M

- MacRoberts, Michael H., see Williams, Laidlaw
 Magpie, Black-billed, see *Pica pica*
 Mallard, see *Anas platyrhynchos*
Malurus cyaneus, 389
 Manakin, Golden-headed, see *Pipra erythrocephala*
 Manucode, Glossy-mantled, see *Manucodia ater*
 Green-breasted, see *Manucodia chalybatus*
Jobi, see *Manucodia jobiensis*
Manucodia ater, 423
chalybatus, 423
comerti, 424–430
jobiensis, 424
Margarornis rubiginosus, 279
 Martin, Purple, see *Progne subis*
 Maxson, Stephen J., Ruffed Grouse use of supra-
orbital combs in displays, 240
 Meadowlark, Eastern, see *Sturnella magna*
 Western, see *Sturnella neglecta*
Megaceryle alcyon, 12
Megarhynchus pitangua, 251
Melanerpes carolinus, 41
uropygialis, 66
Melanitta deglandi, 407, 416
Melidectes belfordi, 116
Melopsittacus undulatus, 330
Melospiza lincolni, 5
melodia, 14, 38, 112, 280
 Mendelssohn, H., see Yom-Tov, Y.
 Menon, G. K., Jani, M. B., and Shah, R. V., Feather
papillae in the incubation patches of House
Sparrows, 101
 Merganser, Common, see *Mergus merganser*
Mergus merganser, 309
 Merlin, see *Falco columbarius*
 Michael, Edwin D., and Taylor, Curtis, Use of
interstate highway cuts as Starling nesting
sites, 113–114
 Middleton, Alex L. A., The annual cycle of the
American Goldfinch, 401–406
 Miller, Larry J., and Weise, Charles M., Effects of
altered photoperiod on migration orientation
in White-throated Sparrows (*Zonotrichia albicollis*), 94–96
Mimus longicaudatus, 302–308
macdonaldi, 302
parvulus, 302
polyglottos, 68
trifasciatus, 302
Mniotilla varia, 373
 Mock, Douglas W., Pair-formation displays of the
Great Egret, 159–172
 Mockingbird, see *Mimus polyglottos*
Molothrus ater, 14, 29, 37, 66, 348
 Montevecchi, W. A., Corvids using objects to dis-
place gulls from nests, 349
 Montevecchi, William, Tonic immobility responses of
Herring Gull chicks, 248–249
 Moorhen, Dusky, see *Gallinula tenebrosa*
 Morgan, K. R., Paganelli, C. V., and Rahn, H., Egg
weight loss and nest humidity during incuba-
tion in two Alaskan gulls, 272–275
 Morton, Martin L., Snow conditions and the onset

- of breeding in the Mountain White-crowned Sparrow, 285–289
- Morus bassanus*, 123, 155
- Motacilla alba*, 313
cinerascens, 313
- Motmot, Rufous, see *Baryphthengus ruficapillus*
- Mountaingem, White-throated, see *Lamponis castaneoventris*
- Murphy, Edward C., Breeding ecology of House Sparrows: spatial variation, 180–193
- Murre, Common, see *Uria aalge*
- Murrelets, Ancient, see *Synthliboramphus antiquus*
Marbled, see *Brachyramphus marmoratus*
- Muscicapa griseisticta*, 313
- Myadestes townsendi*, 5, 13, 436
- Myers, Barry S., Schultz, Brian B., and Sherman, Paul W., Predation on vertebrates by Clark's Nutcrackers, 449–451
- Myers, J. P., and Greenberg, R. S., Photographic record of the Little Stint (*Calidris minuta*) for mainland North America, 451–452
- Myiarchus cinerascens*, 66
tyrannulus, 66
- Myioborus torquatus*, 279
- Myiozetetes inornata*, 105
- Myzomela rosenbergii*, 116
- N**
- Necrosyrtes monachus*, 237
- Nectarina famosa*, 391–400
kilimensis, 391–400
reichenowi, 391–400
venusta, 391–400
- Neochelidon tibialis*, 454
- Nighthawk, Common, see *Chordeiles minor*
- Nightingale-thrush, Black-billed, see *Catharus gracilirostris*
Ruddy-capped, see *Catharus occidentalis*
- Nisbet, Ian C. T., Wilson, Karen J., and Broad, William A., Common Terns raise young after death of their mates, 106–108
- Noddy, Brown, see *Anous stolidus*
- Nucifraga columbiana*, 5, 13, 435, 449–451
- Numenius americanus*, 5, 13
arquata, 194
phaeopus, 194–202
- Nutcracker, Clark's, see *Nucifraga columbiana*
- Nuthatch, Pygmy, see *Sitta pygmaea*
Red-breasted, see *Sitta canadensis*
White-breasted, see *Sitta carolinensis*
- Nuttallornis borealis*, 5, 435
- Nyctea scandiaca*, 243–245
- Nycticorax nycticorax*, 15–23
- O**
- Ocreatus underwoodii*, 251
- Ohmart, Robert D., see Anderson, Bertin W.
- Ohmart, Robert D., see Franzreb, Kathleen E.
- Oldsquaw, see *Clangula hyemalis*
- Olor buccinator*, 426
columbianus, 426
- Opornis tolmiei*, 5, 13
- Oreortyx pictus*, 59, 343–344
- Oreoscoptes montanus*, 348
- Oriole, Northern, see *Icterus galbula*
- Oropendola, Crested, see *Psarocolius decumanus*
Dusky-green, see *Psarocolius atrovirens*
- Ornithodoras garrula*, 348
vetula, 428
- Osprey, see *Pandion haliaetus*
- Ostrich, see *Struthio camelus*
- Otus flammeolus*, 435
- Ovenbird, see *Seiurus aurocapillus*
- Owl, Burrowing, see *Athene cunicularia*
Flammulated, see *Otus flammeolus*
Great Horned, see *Bubo virginianus*
Long-eared, see *Asio otus*
Pygmy, see *Glaucidium gnoma*
Saw-Whet, see *Aegolius acadicus*
Short-eared, see *Asio flammeus*
Snowy, see *Nyctea scandiaca*
Tawny, see *Strix aluco*
- Oxyura jamaicensis*, 102–103
- Oystercatcher, American, see *Haematopus palliatus*
Black, see *Haematopus bachmani*
Blackish, see *Haematopus ater*
Magellanic, see *Haematopus leucopodus*
Variable, see *Haematopus unicolor*
- P**
- Paganelli, C. V., see Morgan, K. R.
- Pandion haliaetus*, 331
- Partridge, Gray, see *Perdix perdix*
- Parus atricapillus*, 13
bicolor, 41–48
caeruleus, 367, 419–422
gambeli, 5, 13, 435
hudsonicus, 5
major, 29, 38, 97, 147, 367, 419–422
rufescens, 280
- Passer domesticus*, 14, 101, 180–193, 420
moabiticus, 340–343
- Passerculus sandwichensis*, 14, 92, 112
- Passerina amoena*, 14, 373
ciris, 373
cyanaea, 38, 94, 373
- Patterson, Thomas L., and Petrinovich, Lewis, Territory size in the White-crowned Sparrow (*Zonotrichia leucophrys*): measurement and stability, 97–98
- Patterson, Thomas L., see Petrinovich, Lewis
- Pedioecetes phasianellus*, 12, 130, 132
- Penelope purpurascens*, 347–348
- Penguin, Adélie, see *Pygoscelis adeliae*
- Perdix perdix*, 12
- Perisoreus canadensis*, 5, 449
- Petrinovich, Lewis, and Patterson, Thomas L., Polygyny in the White-crowned Sparrow (*Zonotrichia leucophrys*), 99–100
- Petrinovich, Lewis, see Patterson, Thomas L.
- Peucedramus taeniatus*, 373, 436
- Pewee, Western Wood, see *Contopus sordidulus*
- Pezopetes capitalis*, 279, 280
- Phaenostictus mcleannani*, 373
- Phaethon lepturus*, 74–87
- Phaethornis superciliosus*, 454
- Phainopepla nitens*, 68, 334–338
- Phainopepla, see *Phainopepla nitens*
- Phalaenoptilus nuttalli*, 12
- Phalarope, Red, see *Phalaropus fulicarius*
Wilson's, see *Steganopus tricolor*
- Phalaropus fulicarius*, 295
- Phasianus colchicus*, 12
- Pheasant, Ring-necked, see *Phasianus colchicus*
- Pheucticus ludovicianus*, 3
melenocephalus, 280, 436
- Philomachus pugnax*, 312
- Phoebe, Say's, see *Sayornis saya*
- Phonygammus keraudrenii*, 423
- Phylloscopus trivirgatus*, 116
- Piaya cayana*, 105
melanogaster, 454
minuta, 454

Pica pica, 13, 427
Picoides arcticus, 5
 major, 419
 pubescens, 13, 280, 435
 scalaris, 66
 tridactylus, 5, 435
 vilosus, 12, 279, 435
Pigeon, Band-tailed, see *Columba fasciata*
Pinicola enucleator, 5, 14
Pintail, see *Anas acuta*
Pipit, Red-throated, see *Anthus cervinus*
 Sprague's, see *Anthus spragueii*
 Water, see *Anthus spinolella* or *Anthus guttatus*
Pipilo aberti, 66
 chlorurus, 436
 erythrorynchus, 14, 24–33, 38, 41–48, 280
Pipra erythrocephala, 134
Piranga flava, 373
 ludoviciana, 5, 14, 280, 436
 olivacea, 373
 rubra, 41–48, 66
Pitelka, Frank A., see Custer, Thomas W.
Pithys albifrons, 454
Pittasoma michleri, 373
Plectrophenax nivalis, 295
Plegadis falcinellus, 15–23
Plenge, Manuel A., see Graves, Gary R.
Plover, American Golden, see *Pluvialis dominica*
 Little Ringed, see *Charadrius dubius*
 Mongolian, see *Charadrius mongolus*
 Mountain, see *Charadrius montanus*
 Ringed, see *Charadrius hiaticula*
Pluvialis dominica, 295
Poephila guttata, 41
Polysticta stelleri, 417
Pooecetes gramineus, 14, 38
Poor-will, see *Phalaenoptilus nuttallii*
Porphyrio porphyrio, 388
Porzana flavirostra, 388
Powers, Leon R., see Rudeen, Steven
Procellaria assimilis, 124
 bulleri, 124
 carneipes, 124
 cinerea, 123
 creatopus, 124
 gavia, 124
 gravis, 124
 therminieri, 124
 pacificus, 124
 puffinus, 124
 tenuirostris, 123
Progne subis, 435
Prunella modularis, 420
Psarocolius atrovirens, 251
 decumanus, 251
Pselliphorus tibialis, 279
Pseudocolaptes lawrencii, 279
Ptarmigan, Rock, see *Lagopus mutus*
 Willow, see *Lagopus lagopus*
Ptilogonyx caudatus, 279
Ptiloprora guisei, 116
Puffinus griseus, 123–125
Pycnonotus goiavier, 101
Pygoscelis adeliae, 133–146
Pyrrhula pyrrhula, 227

Q

Quail, California, see *Lophortyx californicus*
 Elegant, see *Callipepla douglasii*
 Gambel's, see *Lophortyx gambelii*
 Mountain, see *Oreortyx pictus*
 Scaled, see *Callipepla squamata*

Quelea quelea, 180
Quelea, Red-billed, see *Quelea quelea*

R

Racket-tail, Booted, see *Ocreatus underwoodii*
Rahn, H., see Morgan, K. R.
Rail, Clapper, see *Rallus longirostris*
Rallus longirostris, 349
Rhamphastos cuvieri, 454
Raveling, Dennis G., Sifri, Mamduh, and Knudson,
 Robert B., Seasonal variation of femur and
 tibiotarsus constituents in Canada Geese, 246–
 248
Raven, Common, see *Corvus corax*
Recurvirostra americana, 12
Redpoll, Common, see *Acanthis flammea* or *Carduelis*
 flammea
Redshank, Spotted, see *Tringa erythropus*
Redstart, Collared, see *Myiochanes torquatus*
Regulus calendula, 5, 13, 373, 436
 satrapa, 5, 13, 373, 436
Rhea americana, 269
Rhea, Greater, see *Rhea americana*
Rich, Terrell D. G., Cowbird parasitism of Sage and
 Brewer's sparrows, 348
Rissa brevirostris, 250
 tridactyla, 144, 147, 250, 272–275, 349
Robin, American, see *Turdus migratorius*
 Indian, see *Saxicoloides fulicata*
Rohwer, Sievert, Passerine subadult plumages and
 the deceptive acquisition of resources: test of
 a critical assumption, 173–179
Rubythroat, Siberian, see *Luscinia calliope*
Rudeen, Steven, and Powers, Leon R., Body tem-
 perature of a nestling Golden Eagle, 447–449
Ruff, see *Philomachus pugnax*
Rynchops nigra, 214

S

Sabrewing, Gray-breasted, see *Campylopterus largi-*
 pennis
Salpinctes obsoletus, 13
Saltator coerulescens, 454
Saltator, Grayish, see *Saltator coerulescens*
Samson, Fred B., Vocalizations of Cassin's Finch in
 northern Utah, 203–210
Sanderling, see *Calidris alba*
Sandpiper, Common, see *Actitis hypoleucos*
 Curlew, see *Calidris ferruginea*
 Green, see *Tringa ochropus*
 Marsh, see *Tringa stagnatilis*
 Rufous-necked, see *Calidris ruficollis*
 Semipalmated, see *Calidris pusilla*
 Solitary, see *Tringa solitaria*
 Spotted, see *Actitis macularia*
 Terek, see *Xenus cinereus*
 Upland, see *Bartramia longicauda*
 Western, see *Calidris mauri*
 Wood, see *Tringa glareola*
Sapsucker, Williamson's, see *Sphyrapicus thyroideus*
 Yellow-bellied, see *Sphyrapicus varius*
Saxicoloides fulicata, 101
Sayornis saya, 3
Scardafella squammata, 105
Schultz, Brian B., see Mulder, Barry S.
Schwab, Robert G., Unilateral laparotomy as a
 technique to assay avian gonadal cycles, 446
Scoter, White-winged, see *Melanitta deglandi*
Screamer, Horned, see *Anhima cornuta*
Scytalopus argentifrons, 279

- Sealy, Spencer G., Possible influence of food on egg-laying and clutch size in the Black-billed Cuckoo, 103-104
- Seiurus aurocapillus*, 13
 noveboracensis, 3
- Selasphorus platycercus*, 435
 rufus, 3, 5, 436
 sasin, 330
- Sericornis, Black-and-Green, see *Sericornis nigroviridis*
Buff-faced, see *Sericornis perspicillatus*
- Sericornis nigroviridis*, 115-116
 nouhuysi, 116
 papuensis, 116
 perspicillatus, 115
 rufescens, 115
- Serinus canaria*, 208
- Shah, R. V., see Menon, G. K.
- Shearwater, Audubon's, see *Procellaria lherminieri*
Cory's, see *Calonectris diomedea*
Flesh-footed, see *Procellaria carneipes*
Fluttering, see *Procellaria gavia*
Gray-backed, see *Procellaria bulleri*
Great Gray, see *Procellaria cinerea*
Greater, see *Procellaria gravis*
Little, see *Procellaria assimilis*
Manx, see *Procellaria puffinus*
Pink-footed, see *Procellaria creatopus*
Short-tailed, see *Procellaria tenuirostris*
Sooty, see *Puffinus griseus*
Wedge-tailed, see *Procellaria pacifica*
White-faced, see *Calonectris leucomelas*
- Sherman, Paul W., see Mulder, Barry S.
- Shoveler, Northern, see *Anas clypeata*
- Shrike, Loggerhead, see *Lanius ludovicianus*
- Sialia currucoides*, 13, 436
- Sifri, Mamduh, see Raveling, Dennis
- Silky-flycatcher, Long-tailed, see *Ptilogonyx caudatus*
- Siskin, Pine, see *Carduelis pinus*
- Sitta canadensis*, 5, 13, 435
 carolinensis, 5, 435
 pygmaea, 435
- Skeel, Margaret A., Vocalizations of the Whimbrel on its breeding grounds, 194-202
- Skimmer, Black, see *Rynchops nigra*
- Siskin, see *Alauda arvensis*
- Snipe, Common, see *Gallinago gallinago*
- Solitaire, Townsend's, see *Myadestes townsendi*
- Somateria fischeri*, 339-340
 mollissima, 407, 416
 spectabilis, 235
- Snipe, Common, see *Capella gallinago*
- Sparrow, Black-throated, see *Amphispiza bilineata*
Brewer's, see *Spizella breweri*
Chipping, see *Spizella passerina*
Clay-colored, see *Spizella pallida*
Dead Sea, see *Passer moabiticus*
Field, see *Spizella pusilla*
Golden-crowned, see *Zonotrichia atricapilla*
Grasshopper, see *Ammodyramus savannarum*
House, see *Passer domesticus*
Lark, see *Chondestes grammacus*
Rufous-collared, see *Zonotrichia capensis*
Sage, see *Amphispiza belli*
Savannah, see *Passerculus sandwichensis*
Song, see *Melospiza melodia*
Vesper, see *Pooecetes gramineus*
White-crowned, see *Zonotrichia leucophrys*
White-throated, see *Zonotrichia albicollis*
- Sparrowhawk, see *Accipiter nisus*
- Sphyrapicus thyroideus*, 5, 435
 varius, 12, 435
- Spiza americana*, 360
- Spizaetus ornatus*, 347-348
- Spizella breweri*, 348
 pallida, 14
 passerina, 14, 35, 436
 pusilla, 34-40
- Spoonbill, Roseate, see *Ajaia ajaja*
- Stahlecker, Dale W., Effect of a new transmission line on wintering prairie raptors, 444-446
- Stamp, Nancy E., Breeding birds of riparian woodland in south-central Arizona, 64-71
- Starling, see *Sturnus vulgaris*
- Steganopus tricolor*, 12
- Stelgidopteryx ruficollis*, 13, 66
- Stellula calliope*, 5
- Stercorarius parasiticus*, 197
- Sterna albifrons*, 211-215
 aleutica, 312
 anaethetus, 83-87
 dougallii, 211-215
 fuscata, 83-87
 hirundo, 3, 106-109, 211-215, 251-252
 maximus, 211-215
 paradisaea, 211-215, 312
 sandvicensis, 211
- Stiles, Edmund W., Avian communities in temperate and tropical alder forests, 276-284
- Stint, Little, see *Calidris minuta*
Long-toed, see *Calidris subminuta*
Temminck's, see *Calidris temminckii*
- Stork, White, see *Ciconia ciconia*
- Strix aluco*, 324
- Struthio camelus*, 265-271, 426
- Sturnella defilippi*, 251-252
 loyca, 251-252
 magna, 454
 neglecta, 14
- Sturnus vulgaris*, 13, 66, 113-115, 420, 446
- Sula dactylatra*, 74-87
 leucogaster, 76-87
 sula, 79-87
- Swallow, Barn, see *Hirundo rustica*
Rough-winged, see *Stelgidopteryx ruficollis*
Violet-green, see *Tachycineta thalassina*
White-thighed, see *Neochelidon tibialis*
- Swan, Purple, see *Porphyrio porphyrio*
- Swan, Trumpeter, see *Olor buccinator*
Whistling, see *Olor columbianus*
- Synthliboramphus antiquus*, 214

T

- Tachycineta thalassina*, 13, 435
- Tangara gyrola*, 373
- Tanager, Bay-headed, see *Tangara gyrola*
Hepatic, see *Piranga flava*
Scarlet, see *Piranga olivacea*
Summer, see *Piranga rubra*
Western, see *Piranga ludoviciana*
- Tapaculo, Silvery-fronted, see *Scytalopus argentifrons*
- Tapera naevia*, 105
- Tarboton, Warwick R., Hunting and the energy budget of the Black-shouldered Kite, 88-91
- Tattler, Polynesian, see *Heteroscelus brevipes*
- Taylor, Curtis, see Michael, Edwin D.
- Teal, Blue-winged, see *Anas discors*
 Cinnamon, see *Anas cyanoptera*
- Tern, Aleutian, see *Sterna aleutica*
Arctic, see *Sterna paradisaea*
Bridled, see *Sterna anaethetus*
Common, see *Sterna hirundo*
Gull-billed, see *Gelochelidon nilotica*

- Least, see *Sterna albifrons*
 Roseate, see *Sterna dougallii*
 Royal, see *Sterna maximus*
 Sandwich, see *Sterna sandvicensis*
 Sooty, see *Sterna fuscata*
 White-winged Black, see *Chlidonias leucopterus*
- Tetrao parvirostris*, 130, 132
urogallus, 130, 132
- Tetrastes bonasia*, 130, 132
sewerzowi, 130, 132
- Thamnophilus aethiops*, 454
doliatus, 373
- Thomas, Betsy Trent, The Dwarf Cuckoo in Venezuela, 105
- Thompson, Larry S., Species abundance and habitat relations of an insular montane avifauna, 1-14
- Thrasher, Brown, see *Toxostoma rufum*
 Crissal, see *Toxostoma dorsale*
 Sage, see *Oreoscoptes montanus*
- Threnetes leucurus*, 454
- Thrush, Dusky, see *Turdus naumanni*
 Eye-browed, see *Turdus obscurus*
 Hermit, see *Catharus guttatus*
 Swainson's, see *Catharus ustulatus*
- Thryomanes bewickii*, 66
- Tit, Blue, see *Parus caeruleus*
 Great, see *Parus major*
- Titmouse, Tufted, see *Parus bicolor*
- Toucan, Cuvier's, see *Ramphastos cuvieri*
- Towhee, Abert's, see *Pipilo aberti*
 Green-tailed, see *Pipilo chlorurus*
 Rufous-sided, see *Pipilo erythrophthalmus*
- Toxostoma dorsale*, 66
rufum, 373
- Trapp, John L., see Byrd, G. Vernon
- Tree-Pipit, Indian, see *Anthus hodgsoni*
- Treerunner, Ruddy, see *Margarornis rubiginosus*
- Tringa erythropus*, 310
flavipes, 3
glareola, 312
nebularia, 310
ochropus, 201
solitaria, 201
stagnatilis, 310
- Troglodytes aedon*, 13, 268, 279, 342, 435
solstitialis, 279
troglodytes, 5, 280
- Trogon, Collared, see *Trogon collaris*
- Trogon collaris*, 279
- Tropicbird, White-tailed, see *Phaethon lepturus*
- Tuftedcheek, Buffy, see *Pseudocolaptes lawrencii*
- Turdus migratorius*, 13, 41-48, 280, 435
naumanni, 313
obscurus, 313
- Turnstone, Ruddy, see *Arenaria interpres*
- Twite, see *Acanthis flavirostris*
- Tympanuchus cupido*, 130, 132
pallidicinctus, 130, 132
- Tyrannulet, Paltry, see *Tyranniscus vilissimus*
- Tyranniscus vilissimus*, 279
- Tyrannus tyrannus*, 13
verticalis, 13
- U
- Uria aalge*, 124
- V
- Van Riper, Charles, III, and Van Riper, Sandra G., Observations on White Apapane at Hawaii Volcanoes National Park, 452
- Van Riper, Sandra G., see Van Riper, Charles, III
- Veery, see *Catharus fuscescens*
 Verdin, see *Auriparus flaviceps*
Vermivora celata, 5, 13, 436
gutturalis, 279
luciae, 66
virginiae, 436
- Violetear, Green, see *Colibri thalassinus*
 Sparkling, see *Colibri coruscans*
- Vireo carmioli*, 279
gilvus, 13, 280, 436
olivaceus, 41-48, 280
solitarius, 5
- Vireo, Red-eyed, see *Vireo olivaceus*
 Warbling, see *Vireo gilvus*
 Yellow-winged, see *Vireo carmioli*
- Vleck, Carol M., see Hoyt, Donald F.
- Vleck, David, see Hoyt, Donald F.
- Vulture, Hooded, see *Necrosyrtes monachus*
 Turkey, see *Cathartes aura*
- W
- Wagtail, Gray, see *Motacilla cinerea*
 White, see *Motacilla alba*
- Wahl, Terrence R., see Brown, R. G. B.
- Wakeley, James S., Factors affecting the use of hunting sites by Ferruginous Hawks, 316-326
- Wakeley, James S., Hunting methods and factors affecting their use by Ferruginous Hawks, 327-333
- Warbler, Bay-breasted, see *Dendroica castanea*
 Black-and-White, see *Mniotilla varia*
 Black-cheeked, see *Basileuterus melanogenys*
 Black-throated Gray, see *Dendroica nigrescens*
 Flame-throated, see *Vermivora gutturalis*
 Grace's, see *Dendroica graciae*
 Hermit, see *Dendroica occidentalis*
 Lucy's, see *Vermivora luciae*
 MacGillivray's, see *Oporornis tolmiei*
 Olive, see *Peucedramus taeniatus*
 Orange-crowned, see *Vermivora celata*
 Wilson's, see *Wilsonia pusilla*
 Prairie, see *Dendroica discolor*
 Red-faced, see *Cardellina rubrifrons*
 Virginia's, see *Vermivora virginiae*
 Yellow, see *Dendroica petechia*
 Yellow-rumped, see *Dendroica coronata*
 Yellow-throated, see *Dendroica dominica*
- Waterthrush, Northern, see *Seiurus noveboracensis*
- Water-tyrant, Pied, see *Fluvicola pica*
- Waxwing, Cedar, see *Bombycilla cedrorum*
- Webster, J. Dan, Notes on the birds of the Haines area of southeastern Alaska, 111-112
- Weise, Charles M., see Miller, Larry J.
- Whimbrel, see *Numenius phaeopus*
- Wigeon, American, see *Anas americana*
- Willet, see *Catoptrophorus semipalmatus*
- Williams, Laidlaw, and MacRoberts, Michael H., Song variation in Dark-eyed Juncos in Nova Scotia, 237-240
- Wilson, Karen J., see Nisbet, Ian C. T.
- Wilsonia pusilla*, 5, 92, 280
- Wittenberger, James F., The evolution of mating systems in grouse, 126-137
- Wittenberger, James F., The breeding biology of an isolated Bobolink population in Oregon, 355-371
- Wolf, Larry L., see Gill, Frank B.
- Woodcreeper, Elegant, see *Xiphorhynchus elegans*
 Spot-crowned, see *Lepidocolaptes affinis*
- Woodpecker, Downy, see *Picoides pubescens*
 Gila, see *Melanerpes uropygialis*

Great Spotted, see *Picoides major*
 Hairy, see *Picoides villosus*
 Ladder-backed, see *Picoides scalaris*
 Northern Three-toed, see *Picoides tridactylus*
 Pileated, see *Dryocopus pileatus*
 Red-bellied, see *Melanerpes carolinus*
 Woodwren, Gray-breasted, see *Henicorhina leucophrys*

Wren, Bewick's, see *Thryomanes bewickii*

Cactus, see *Campylorhynchus brunneicapillus*
 House, see *Troglodytes aedon*
 Mountain, see *Troglodytes solstitialis*
 Rock, see *Salpinctes obsoletus*
 Superb Blue, see *Malurus cyaneus*
 Thrush-like, see *Campylorhynchus turdinus*
 Winter, see *Troglodytes troglodytes*

X

Xanthocephalus xanthocephalus, 373
Xenus cinereus, 310–311
Xiphorhynchus elegans, 454

Y

Yellowlegs, Lesser, see *Tringa flavipes*
 Yellowthroat, Common, see *Geothlypis trichas*
 Yom-Tov, Y., Ar, R., and Mendelsohn, H., Incubation behavior of the Dead Sea Sparrow, 340–343

Z

Zenaida asiatica, 66, 341
macroura, 12, 66, 435
Zonotrichia albicollis, 41–48, 94–96
atricapilla, 92–94
capensis, 225
leucophrys, 5, 8, 93, 97–100, 208, 222–234,
 285–289, 373, 436, 448, 450
Zosterops novaeguineae, 116
 Zusi, Richard L., and Bentz, G. D., The appendicular myology of the Labrador Duck (*Campylorhynchus labradorius*), 407–418
 Zwickerl, Fred C., and Carveth, Robert G., Deser-
 tion of nests by Blue Grouse, 109–110