

# INDEX TO VOLUME 81

## A

- Accipiter bicolor*, 320  
*cooperii*, 219–220, 236  
*gentilis*, 195  
*Acridotheres tristis*, 205  
*Acrocephalus schoenobaenus*, 261  
*scirpaceus*, 261  
*Actitis macularia*, 99  
*Aethia cristatella*, 94  
*pusilla*, 94  
*Agelaius phoeniceus*, 25, 39, 91, 236, 258–264, 304,  
 314, 417–420, 436  
*tricolor*, 236  
 Ainley, D. G., see Roudybush, T. E.  
*Aix sponsa*, 432  
*Ajaia ajaja*, 306  
 Akepa, see *Loxops coccinea*  
 Albatross, Black-footed, see *Diomedea nigripes*  
     Galapagos, see *Diomedea irrorata*  
     Laysan, see *Diomedea immutabilis*  
     Royal, see *Diomedea epomophora*  
*Alectoris graeca*, 333  
 Amakihi, see *Loxops virens*  
*Amazona autumnalis*, 301, 321  
*Anabacerthia striaticollis*, 319  
*Anas acuta*, 312  
     *americana*, 312  
     *clypeata*, 427  
     *crecca*, 197, 214, 312  
     *discors*, 38  
     *fulvigula*, 432  
     *platyrhynchos*, 35–41, 312, 333, 336  
     *strepera*, 312  
 Ani, Smooth-billed, see *Crotophaga ani*  
*Anous stolidus*, 430, 431  
*Anser albifrons*, 432  
     *anser*, 49, 333  
     *caerulescens*, 46, 194, 232–235, 432  
     *erythropus*, 50  
     *fabalis*, 49, 229  
     *rossi*, 48  
 Antbird, Bicolored, see *Gymnopithys leucaspis*  
     Black-faced, see *Myrmoborus myotherinus*  
     Gray, see *Cercomacra cinerascens*  
*Anthracothorax prevostii*, 98  
 Antshrike, Black-capped, see *Thamnophilus schistaceus*  
     Bluish-slate, see *Thamnomanes schistogynus*  
     Dusky-throated, see *Thamnomanes ardesiacus*  
     Fasciated, see *Cymbilaimus lineatus*  
     Slaty, see *Thamnophilus punctatus*  
     Spot-winged, see *Pygiptila stellaris*  
     White-shouldered, see *Thamnophilus aethiops*  
 Ant-Tanager, Red-crowned, see *Habia rubica*  
 Antwren, Dot-winged, see *Microrhopias quixensis*  
     Gray, see *Myrmotherula menetriesii*  
     Ihering's, see *Myrmotherula iheringi*  
     Long-winged, see *Myrmotherula longipennis*  
     Ornate, see *Myrmotherula ornata*  
     Plain-throated, see *Myrmotherula hauxwelli*  
     Pygmy, see *Myrmotherula brachyura*  
     White-eyed, see *Myrmotherula leucophthalma*  
     White-flanked, see *Myrmotherula axillaris*  
 Apapane, see *Himatione sanguinea*  
*Aphelocoma ultramarina*, 6  
*Aptenodytes forsteri*, 195  
*Apteryx australis*, 198  
*Apus apus*, 133–145  
*Aquila chrysaetos*, 218  
*rapax*, 333

- Ar, A., Rahn, H., and Paganelli, C. V., The avian egg:  
 mass and strength, 331–337  
 Araçaris, Collared, see *Pteroglossus torquatus*  
*Aramides cajanea*, 100–101  
*Aramus guarauna*, 101  
*Ardea cinerea*, 170, 333  
*herodias*, 306  
*Ardeola ibis*, 93  
*Arenaria interpres*, 99, 295  
*Athene noctua*, 333  
 Atkins, Natasha, see Duffy, David C.  
*Artamus leucorhynchus*, 204  
*Asio flammeus*, 307–308, 398  
 Attila, Bright-rumped, see *Attila spadiceus*  
*Attila spadiceus*, 344  
 Auklet, Cassin's, see *Ptychoramphus aleuticus*  
     Crested, see *Aethia cristatella*  
     Least, see *Aethia pusilla*  
     Parakeet, see *Cyclorrhynchus psittacula*  
*Automolus infuscatus*, 343, 344  
     *ochralaemus*, 344  
     *rufipileatus*, 344  
*Aythya americana*, 38
- B**
- Balph, D. F., and Balph, M. H., Behavioral flexibility  
 of Pine Siskins in mixed species foraging groups,  
 211–212  
 Balph, M. H., see Balph, D. F.  
 Bananaquit, see *Coereba flaveola*  
 Baptista, L. F., and Matsui, M., The source of the dive-  
 noise of the Anna's Hummingbird, 87–89  
 Barlow, J. C., see Russell, S. M.  
 Barklow, W. E., Graded frequency variations of the  
 tremolo call of the Common Loon, 53–64  
 Batt, B. D. J., and Prince, H. H., Laying dates, clutch  
 size and egg weight of captive Mallards, 35–41  
 Batzli, G. O., see Williams, J. B.  
 Beal, K. G., and Gillam, L. D., On the function of prey  
 beating by Roadrunners, 85–87  
 Becard, Pink-throated, see *Platyparis minor*  
 Berman, S. L., see Raikow, R. J.  
 Berns, V. D., Golden Eagle nest on Kodiak Island,  
 Alaska, 218  
 Bird-of-paradise, Loria's, see *Loria loriae*  
 Black, C. P., see Holmes, R. T.  
 Blackbird, see *Turdus merula*  
     Brewer's, see *Euphagus cyanocephalus*  
     European, see *Turdus merula*  
     Red-winged, see *Agelaius phoeniceus*  
     Rusty, see *Euphagus carolinus*  
     Tri-colored, see *Agelaius tricolor*  
     Yellow-headed, see *Xanthocephalus xanthocephalus*  
 Bluebird, Eastern, see *Sialia sialis*  
 Bluhm, C. K., and Ward, K. E., Great Horned Owl pre-  
 dation on a Short-eared Owl, 307–308  
 Boag, P. T., and Ratcliffe, L. M., First record of a Black-  
 poll Warbler for the Galápagos, 218  
 Bobwhite, see *Colinus virginianus*  
 Boersma, P. D., and Wheelwright, N. T., Egg neglect  
     in the Procellariiformes: Reproductive adapta-  
     tions in the Fork-tailed Storm-petrel, 157–165  
*Bonasa umbellus*, 214, 217  
 Booby, Blue-faced, see *Sula dactylatra*  
     Brown, see *Sula leucogaster*  
 Borecky, S. R., see Raikow, R. J.  
 Boubou, Tropical, see *Laniarius ferrugineus*  
 Bowerbird, Great Grey, see *Chlamydera nuchalis*  
 Boyd, R. L., see Braun, C. E.

- Branta bernicla*, 47  
*canadensis*, 42, 195, 297  
*leucopsis*, 42–52
- Braun, C. E., Reid, V. H., Ray, T. D., and Boyd, R. L., Additional records of White-winged Doves in Colorado, 96
- Braun, C. E., see Giesen, K. M.
- Bubo bubo*, 333  
*virginianus*, 307–308
- Bubulcus ibis*, 99, 274, 333
- Bucephala albeola*, 197
- Bufflehead, see *Bucephala albeola*
- Bullfinch, see *Pyrrhula pyrrhula*
- Bunting, Indigo, see *Passerina cyanea*  
*Lazuli*, see *Passerina amoena*  
*Little*, see *Emberiza pusilla*  
*Snow*, see *Plectrophenax nivalis*
- Burger, J., Competition and predation: Herring Gulls versus Laughing Gulls, 269–277
- Burger, J., and Trout, J. R., Additional data on body size as a difference related to niche, 305–307
- Burhinus oedicnemus*, 333
- Buteo magnirostris*, 320  
*nitidus*, 411  
*rufinus*, 333
- Butler, R. W., and Kirbyson, J. W., Oyster predation by the Black Oystercatcher in British Columbia, 433–435
- Butorides striatus*, 99, 100, 306
- C**
- Cacicus cela*, 205
- Cacique, Yellow-rumped, see *Cacicus cela*
- Calcarius lapponicus*, 214
- Calidris mauri*, 295  
*minutilla*, 99  
*ptilocnemis*, 214
- Calypte anna*, 87–89  
*costae*, 87  
*helenae*, 197
- Campephilus guatemalensis*, 302  
*melanoleucus*, 299
- Campylorhynchus brunneicapillus*, 350  
*trochilirostris*, 344
- Canachites canadensis*, 214
- Capercaillie, see *Tetrao urogallus*
- Cardinal, see *Cardinalis cardinalis*
- Cardinalis cardinalis*, 251–257
- Carduelis carduelis*, 72, 333  
*chloris*, 333  
*flammea*, 96–97  
*hornemannii*, 96–97  
*pinus*, 211  
*spinus*, 212
- Carpodacus cassini*, 211
- Carr, G. S., Greater Shearwater in Costa Rica, 323
- Casmerodius albus*, 99, 306
- Catbird, see *Dumetella carolinensis*
- Catharacta skua*, 394
- Cathartes aura*, 171
- Catharus fuscescens*, 414  
*guttatus*, 414
- Cephus columba*, 213, 295  
*grylle*, 295
- Cercomacra cinerascens*, 344
- Certhia familiaris*, 122–132
- Chaffinch, see *Fringilla coelebs*
- Chat, Yellow-breasted, see *Icteria virens*
- Chickadee, Black-capped, see *Parus atricapillus*  
*Carolina*, see *Parus carolinensis*  
*Mexican*, see *Parus sclateri*  
*Mountain*, see *Parus gambeli*
- Chicken, Greater Prairie, see *Tympanuchus cupido*
- Chlamydera nuchalis*, 203
- Chlidonias leucoptera*, 333  
*niger*, 431
- Cioconia ciconia*, 333
- Circus aeruginosus*, 192  
*cyanurus*, 192
- Clark, G. A., Jr., Body weights of birds: A review, 193–202
- Coccyzus minor*, 98
- Coereba flaveola*, 98
- Colaptes auratus*, 370–375, 438
- Colinus virginianus*, 39, 196
- Collias, E. C., Collias, N. E., Jacobs, C. H., McAlary, F., and Fujimoto, J. T., Experimental evidence for facilitation of pair formation by bright color in weaverbirds, 91–93
- Collias, N. E., see Collias, E. C.
- Collocalia vanikorensis*, 407
- Colopteryx galeatus*, 291
- Columba leucocephala*, 98  
*livia*, 39  
*palumbus*, 141, 194, 290
- Columbina cruziana*, 398
- Condor, Andean, see *Vultur gryphus*  
 California, see *Gymnogyps californianus*
- Contopus sordidulus*, 436  
*virens*, 99
- Cooke, F., see Sulzbach, D. S.
- Coot, American, see *Fulica americana*
- Coragyps atratus*, 171
- Corapipo altera*, 424
- Cormorant, Brandt's, see *Phalacrocorax penicillatus*  
 Double-crested, see *Phalacrocorax auritus*  
*Guanay*, see *Phalacrocorax bougainvillii*  
*Pelagic*, see *Phalacrocorax pelagicus*  
*Red-faced*, see *Phalacrocorax urile*
- Corvus brachyrhynchos*, 279–250  
*corone*, 236, 333  
*ossifragus*, 274
- Cossypha cyanocampter*, 189
- Coturnix coturnix*, 141, 169, 293
- Cowbird, Brown-headed, see *Molothrus ater*
- Craniolæca curtata*, 319
- Creeper, Brown, see *Certhia familiaris*
- Crossbill, Red, see *Loxia curvirostra*
- Crotophaga ani*, 98, 196
- Crow, Carrion, see *Corvus corone*  
 Common, see *Corvus brachyrhynchos*  
 Fish, see *Corvus ossifragus*
- Cruz, A., and Johnston, D. W., Occurrence and feeding ecology of the Common Flicker on Grand Cayman Island, 370–375
- Cuckoo, see *Cuculus canorus*  
 Mangrove, see *Coccyzus minor*
- Cuculus canorus*, 39, 244
- Cyanocitta cristata*, 251–257
- Cyanocorax sanblasiana*, 411
- Cyclorrhynchus psittacula*, 94
- Cygnus olor*, 47, 186, 197
- Cymbilaimus lineatus*, 344
- Cyphorhinus aradus*, 186, 344
- D**
- Deconychura longicauda*, 344
- Delichon urbica*, 141
- Dendragapus obscurus*, 78–82, 217
- Dendrexetastes rufigula*, 344
- Dendroica caerulea*, 9–20, 99, 100  
*coronata*, 99  
*discolor*, 143  
*magnolia*, 99  
*palmarum*, 99  
*petechia*, 98, 99, 218, 436

- striata*, 99, 218, 219  
*tigrina*, 99  
*virens*, 99  
 Depner, G., see Ellis, D. H.  
*Diomedea epomophora*, 162  
*immutabilis*, 162  
*irrorata*, 162  
*nigripes*, 390–396  
 Dixon, K. L., and Martin, D. J., Notes on the vocalizations of the Mexican Chickadee, 421–423  
 Dove, Caribbean, see *Leptotila jamaicensis*  
   Galápagos, see *Zenaida galapagoensis*  
   Gold-billed Ground, see *Columbina cruziana*  
   Mourning, see *Zenaida macroura*  
   Rock, see *Columba livia*  
   Turtle, see *Streptopelia risoria*  
   White-tipped, see *Leptotila verreauxi*  
   White-winged, see *Zenaida asiatica*  
*Dryocopus lineatus*, 299–303  
   *pileatus*, 299, 372  
 Duck, Black-headed, see *Heteronetta atricapilla*  
   Domestic, see *Anas platyrhynchos*  
   Harlequin, see *Histrionicus histrionicus*  
 Duffy, D. C., and Atkins, N., A second breeding record for the Grey-hooded Gull (*Larus cirrocephalus*) on the coast of Peru, 219  
*Dumetella carolinensis*, 99, 100, 251–257
- E**
- Eagle, Bald, see *Haliaeetus leucocephalus*  
   Golden, see *Aquila chrysaetos*  
 Egret, Cattle, see *Ardeola ibis*  
   Cattle, see *Bubulcus ibis*  
   Great, see *Casmerodius albus*  
   Snowy, see *Egretta thula*  
*Egretta garzetta*, 333  
   *thula*, 306  
 Eider, Common, see *Somateria mollissima*  
*Elaenia*, Caribbean, see *Elaenia martinica*  
*Elaenia martinica*, 98  
*Elanoides forficatus*, 207  
 Eley, J. W., Parker, T. A. III, and Hunter, D. R., Notes on *Siptornis striaticollis* (Furnariidae) in Peru, 319  
 Ellis, D. H., and Depner, G., A seven-egg clutch for the Cooper's Hawk, 219  
*Emberiza pusilla*, 141  
*Empidonax difficilis*, 436  
   *euleri*, 287  
   *minimus*, 9–20  
   *oberholseri*, 436  
*Erythropygia galactotes*, 333  
*Eudocimus albus*, 376–389  
*Eudyptula minor*, 118  
*Euphagus carolinus*, 438  
   *cyancephalus*, 351, 436  
 Euphonia, Orange-bellied, see *Euphonia xanthogaster*  
*Euphonia xanthogaster*, 344  
 Ewert, D. N., Development of song of a Rufous-sided Towhee raised in acoustic isolation, 313–316
- F**
- Falco columbarius*, 99, 171  
   *mexicanus*, 170  
   *naumanni*, 333  
   *peregrinus*, 170  
   *sparverius*, 166  
   *tinnunculus*, 333  
 Falcon, Collared Forest, see *Micrastur semitorquatus*  
   Laughing, see *Herpetotheres cachinnans*  
   Peregrine, see *Falco peregrinus*  
   Prairie, see *Falco mexicanus*
- Finch, Cassin's, see *Carpodacus cassini*  
   Gray-crowned Rosy, see *Leucosticte tephrocotis*  
 Fitzner, R. E., and Hanson, W. C., A congregation of wintering Bald Eagles, 311–313  
 Flicker, Common, see *Colaptes auratus*  
*Florida caerulea*, 99, 306  
 Flycatcher, Dusky, see *Empidonax oberholseri*  
   Euler's, see *Empidonax euleri*  
   Grey-hooded, see *Pipromorpha rufiventris*  
   Least, see *Empidonax minimus*  
   McConnell's, see *Pipromorpha macconnelli*  
   Ochre-bellied, see *Pipromorpha oleaginea*  
   Olive-sided, see *Nuttallornis borealis*  
   Olive-striped, see *Mionectes olivaceus*  
   Sepia-capped, see *Leptopogon amaurocephalus*  
   Slaty-capped, see *Leptopogon superciliaris*  
   Streaked, see *Myioodynastes maculatus*  
   Western, see *Empidonax difficilis*  
   Yellow-margined, see *Tolmomyias assimilis*  
   Yellow-olive, see *Tolmomyias sulphurescens*  
 Foliage-gleaner, Buff-throated, see *Philydor rufus*  
   Buff-throated, see *Automolus ochrolaemus*  
   Chestnut-crowned, see *Automolus rufipileatus*  
   Olive-backed, see *Automolus infuscatus*  
   Rufous-tailed, see *Philydor ruficaudatus*  
 Forest-falcon, Slaty-backed, see *Micrastur mirandolaei*  
 Fowl, Domestic, see *Gallus gallus*  
 Frank, L. G., see Williams, P. L.  
*Fratercula corniculata*, 94, 214  
*Fregata magnificens*, 99  
   *tropicus*, 162  
*Fringilla coelebs*, 10, 181  
 Fujimoto, J. T., see Collias, E. C.  
*Fulica americana*, 312  
 Fulmar, Antarctic, see *Fulmarus glacialis*  
   Northern, see *Fulmarus glacialis*  
*Fulmarus glacialis*, 94, 198, 390–396  
   *glacialisoides*, 198
- G**
- Gadwell, see *Anas strepera*  
*Galerida cristata*, 333  
*Gallinula chloropus*, 333  
*Gallus gallus*, var. *domesticus*, 141, 154, 293, 311, 333  
 Gannet, see *Morus bassanus*  
*Gavia adamsii*, 53  
   *immer*, 53–64, 432  
   *stellata*, 432  
*Geothlypis trichas*, 99, 100  
*Geococcyx californianus*, 75, 85–87  
*Geranositta caerulea*, 320  
*Geronticus eremita*, 333  
 Giesen, K. M., and Braun, C. E., Nesting behavior of female White-tailed Ptarmigan in Colorado, 215–217  
 Giesen, K. M., and Braun, C. E., Renesting of White-tailed Ptarmigan in Colorado, 217–218  
 Gillam, L. D., see Beal, K. G.  
 Gilman, A. P., see Roudybush, T. E.  
*Glareola pratincola*, 333  
*Glaucidium brasilianum*, 300  
*Glaucis hirsuta*, 290  
*Glyphorynchus spirurus*, 344  
 Gnatwren, Collared, see *Microtates collaris*  
   Half-collared, see *Microtates cinereiventris*  
   Long-billed, see *Ramphocænus melanurus*  
 Godwit, Bar-tailed, see *Limosa lapponica*  
 Goldfinch, European, see *Carduelis carduelis*  
 Goose, Barnacle, see *Branta leucopsis*  
   Brant, see *Branta bernicla*  
   Cackling, see *Branta canadensis*  
   Canada, see *Branta canadensis*  
   Graylag, see *Anser anser*

- Lesser Snow, see *Anser caerulescens*  
 Lesser White-fronted, see *Anser erythropus*  
 Pink-footed, see *Anser fabalis*  
 Ross', see *Anser rossii*  
 Goshawk, see *Accipiter gentilis*  
 Gottfried, B. M., Anti-predator aggression in birds nesting in old field habitats: An experimental analysis, 251-257  
 Grabowski, G. L., Vocalizations of the Rufous-backed Thrush (*Turdus rufopalliatus*) in Guerrero, Mexico, 409-416  
 Grackle, Common, see *Quiscalus quiscula*  
     Great-tailed, see *Quiscalus mexicanus*  
 Grant, G. S., Ring-billed Gull feeding on date fruit, 432-433  
 Grant, K. T., see Grant, P. R.  
 Grant, P. R., and Grant, K. T., Breeding and feeding ecology of the Galapagos Dove, 397-403  
 Grassquit, Black-faced, see *Tiaris bicolor*  
 Grau, C. R., see Roudybush, T. E.  
 Graves, G. R., see Eley, J. W.  
 Grebe, Pied-billed, see *Podilymbus podiceps*  
     Silvery, see *Podiceps occipitalis*  
 Greenlet, Tawny-crowned, see *Hylophilus ochraceiceps*  
 Grosbeak, Evening, see *Hesperiphona vespertina*  
 Grouse, Black, see *Lyrurus tetrix*  
     Blue, see *Dendragapus obscurus*  
     Red, see *Lagopus lagopus*  
     Ruffed, see *Bonasa umbellus*  
     Sharp-tailed, see *Pediocetes phasianellus*  
     Spruce, see *Canachites canadensis*  
 Grzybowski, J. A., Responses of Barn Swallows to eggs, young, nests, and nest sites, 236-246  
 Guanay, see *Phalacrocorax bougainvillii*  
 Guillemot, Black, see *Cephus grylle*  
     Pigeon, see *Cephus columba*  
 Gull, Black-headed, see *Larus ridibundus*  
     Black-tailed, see *Larus crassirostris*  
     Bonaparte's, see *Larus philadelphia*  
     Brown-hooded, see *Larus maculipennis*  
     California, see *Larus californicus*  
     Glaucous, see *Larus hyperboreus*  
     Glaucous-winged, see *Larus glaucescens*  
     Great Black-backed, see *Larus marinus*  
     Grey-hooded, see *Larus cirrocephalus*  
     Herring, see *Larus argentatus*  
     Laughing, see *Larus atricilla*  
     Lesser Black-backed, see *Larus fuscus*  
     Mew, see *Larus canus*  
     Ring-billed, see *Larus delawarensis*  
     Sabine's, see *Xema sabini*  
     Silver, see *Larus novaehollandiae*  
     Western, see *Larus occidentalis*  
*Gygis alba*, 431  
*Gymnogyps californianus*, 166-172  
*Gymnopithys leucaspis*, 424  
*Gymnorhinus cyanocephalus*, 63  
*Gyps fulvus*, 333
- H**
- Haematoptus bachmani*, 433  
     *ostrealegus*, 433  
     *palliatetus*, 433  
*Haliaeetus leucocephalus*, 218, 311-313  
 Hall-Craggs, J., Sound spectrographic analysis: suggestions for facilitating auditory imagery, 185-192  
 Hanka, L. R., Choice of host nest by the Brown-headed Cowbird in Colorado and Wyoming, 436-437  
 Hannon, S. J., and Zwickel, F. C., Probable non-breeders among female Blue Grouse, 78-82  
 Hanson, W. C., see Fitzner, R. E.
- Harrier, Marsh, see *Circus aeruginosus*  
 Harrison, C. S., The association of marine birds and feeding Gray Whales, 93-96  
 Hawk, Bicolored, see *Accipiter bicolor*  
     Cooper's, see *Accipiter cooperii*  
     Crane, see *Geranospiza caerulescens*  
     Gray, see *Buteo nitidus*  
     Roadside, see *Buteo magnirostris*  
     Savannah, see *Heterospizias meridionalis*  
 Heinemann, D., see Wahl, T. R.  
*Helmintheros vermivorus*, 99  
*Hemiprocne comata*, 308  
     *longipennis*, 308  
 Hen-harrier, see *Circus cyaneus*  
*Henicorhina leucosticta*, 424  
 Heron, Black-crowned Night, see *Nycticorax nycticorax*  
     Great Blue, see *Ardea herodias*  
     Green, see *Butorides striatus*  
     Grey, see *Ardea cinerea*  
     Little Blue, see *Florida caerulea*  
     Louisiana, see *Hydranassa tricolor*  
     Northern Green, see *Butorides striatus*  
     Yellow-crowned Night, see *Nyctanassa violacea*  
*Herpetotheres cachinnans*, 322  
*Hesperiphona vespertina*, 211  
*Heteronetta atricapilla*, 195  
*Heterospizias meridionalis*, 320  
 Hicks, R. E., Guano deposition in an Oklahoma crow roost, 247-250  
 Hilsenbeck, S. G., Food of Silvery Grebes (*Podiceps occipitalis*) at Lake Cuicocha, Ecuador, 316  
*Himantopus himantopus*, 333  
*Himatione sanguinea*, 68  
 Hirsch, K. V., see Roudybush, T. E.  
*Hirundo rustica*, 99, 236  
*Histrionicus histrionicus*, 214  
 Holmes, R. T., Black, C. P., and Sherry, T. W., Comparative population bioenergetics of three insectivorous passerines in a deciduous forest, 9-20  
 Honey-guide, Greater, see *Indicator indicator*  
 Hummingbird, Allen's, see *Selasphorus sasin*  
     Anna's, see *Calypte anna*  
     Costa's, see *Calypte costae*  
     Cuban Bee, see *Calypte heleneae*  
     Hairy Hermit, see *Glaucis hirsuta*  
 Hunter, D. R., see Eley, J. W.  
*Hydranassa tricolor*, 306  
*Hydrobates pelagicus*, 143, 162  
*Hylocichla mustelina*, 414  
*Hylocitistes subulatus*, 344  
*Hylexetastes stresemanni*, 344  
*Hylophilus ochraceiceps*, 343, 344
- I**
- Ibis, Glossy, see *Plegadis falcinellus*  
     White, see *Eudocimus albus*  
     White-faced, see *Plegadis chihi*  
*Icteria virens*, 436  
*Icterus bullockii*, 93  
     *cucullatus*, 28, 93  
     *galbula*, 28-34, 436  
     *leucopteryx*, 98  
 Iwi, see *Vestiatia coccinea*  
*Indicator indicator*, 93  
*Iridoprocne bicolor*, 244, 438
- J**
- Jacobs, C. H., see Collias, E. C.  
 Jaeger, Long-tailed, see *Stercorarius longicaudus*  
     Parasitic, see *Stercorarius parasiticus*  
     Pomarine, see *Stercorarius pomarinus*

- Jay, Blue, see *Cyanocitta cristata*  
 Brown, see *Psilorhinus morio*  
 Mexican, see *Aphelocoma ultramarina*  
 Piñon, see *Gymnorhinus cyanocephalus*  
 San Blas, see *Cyanocorax sanblasiana*  
 Jenkins, J. M., Natural history of the Guam Rail, 404–408  
 Johnston, D. W., see Cruz, A.  
 Johnston, D. W., The uropygial gland of the Sooty Tern, 430–432  
*Junco caniceps*, 436  
*hyemalis*, 122, 180, 181, 314  
*phaeonotus*, 180, 181, 314  
 Junco, Dark-eyed, see *Junco hyemalis*  
 Gray-headed, see *Junco caniceps*  
 Yellow-eyed, see *Junco phaeonotus*

**K**

- Kessel, B., Starlings become established at Fairbanks, Alaska, 437–438  
 Kestrel, American, see *Falco sparverius*  
 Kiff, L. F., Peakall, D. B., and Wilbur, S. R., Recent changes in California Condor eggshells, 166–172  
 Kilham, L., Snake and pond snails as food of Grey-necked Wood-rails, 100–101  
 Kilham, L., and O'Brien, P., Early breeding behavior of Lineated Woodpeckers, 299–303  
 Kingbird, Tropical, see *Tyrannus melancholicus*  
 Western, see *Tyrannus verticalis*  
 Kirbyson, J. W., see Butler, R. W.  
 Kite, Everglade, see *Rostrhamus sociabilis*  
 Swallow-tailed, see *Elanoides forficatus*  
 Kittiwake, Black-legged, see *Rissa tridactyla*  
 Kiwi, Brown, see *Apteryx australis*  
 Knopf, F. L., Spatial and temporal aspects of colonial nesting of White Pelicans, 353–363  
 Koenig, W. D., and Williams, P. L., Notes on the status of Acorn Woodpeckers in Central Mexico, 317–318  
 Kushlan, J. A., Feeding ecology and prey selection in the White Ibis, 376–389

**L**

- Lagopus lagopus*, 216, 261  
*leucurus*, 214, 217–218  
*mutus*, 216  
 Lamm, D. W., see Russell, S. M.  
 Land-rail, Banded, see *Rallus philippensis*  
*Laniarius ferrugineus*, 189  
*Lanius versicolor*, 343, 344  
*Lanius nubicus*, 333  
*Larosterna inca*, 431  
*Larus argentatus*, 39, 141, 146–156, 158, 171, 230, 236, 249, 269–271, 295, 394, 427  
*atricilla*, 99, 142, 269–277  
*californicus*, 269–277, 390–396  
*canus*, 94, 275, 295  
*cirrocephalus*, 219, 438–439  
*crassirostris*, 275  
*delawarensis*, 141, 163, 269–277, 295, 432–433  
*fuscus*, 269–277  
*glaucescens*, 213, 275, 295, 390–396  
*hyperboreus*, 94, 295  
*maculipennis*, 274  
*marinus*, 295  
*novaehollandiae*, 118  
*occidentalis*, 116, 295, 390–396  
*philadelphica*, 94  
*ridibundus*, 146–156, 269–277, 333  
 Leafscraper, Black-tailed, see *Sclerurus caudacutus*  
*Leiothrix lutea*, 68  
 Leiothrix, Red-billed, see *Leiothrix lutea*

- Lemke, T. O., Fruit-eating behavior of Swallow-tailed Kites (*Elanoides forficatus*) in Colombia, 207–208  
*Leptasthenura fuliginiceps*, 208  
*Leptopogon amaurocephalus*, 344  
*superciliosus*, 287  
*Leptotila jamaicensis*, 98  
*verreauxi*, 90  
*Leucopsar rothschildi*, 205  
*Leucosticte tephrocotis*, 213  
 Levenson, H., Time and activity budget of Ospreys nesting in northern California, 364–369  
 Lill, A., Nest inattentiveness and its influence on development of the young in the Superb Lyrebird, 225–231  
*Limosa lapponica*, 294–298  
 Limpkin, see *Aramus guarauna*  
*Lobipes lobatus*, 295  
*Lonchura fuscans*, 90  
 Longspur, Lapland, see *Calcarius lapponicus*  
 Loon, Common, see *Gavia immer*  
 Yellow-billed, see *Gavia adamsii*  
*Lophortyx californicus*, 282  
*Loria loriæ*, 203  
*Loxia curvirostra*, 212  
*Loxops coccineus*, 68  
*virens*, 68  
*Lunda cirrhata*, 214, 295  
 Lundberg, C.-A., and Vaisanen, R. A., Selective correlation of egg size with chick mortality in the Black-headed Gull (*Larus ridibundus*), 146–156  
 Lyrebird, Superb, see *Menura superba*  
*Lyrrurus tetrix*, 261
- M**
- Mader, W. J., First nest description for the genus *Micrastur* (Forest Falcons), 320  
 Malcoha, Raffles', see *Phoenicophaeus chlorophaeus*  
 Mallard, see *Anas platyrhynchos*  
*Manacus manacus*, 289  
*vitellinus*, 90  
 Manakin, Golden-collared, see *Manacus vitellinus*  
 Red-capped, see *Pipra mentalis*  
 White-bearded, see *Manacus manacus*  
 White-ruffed, see *Corapipo altera*  
 Mango, Green-breasted, see *Anthracothorax prevostii*  
 Manuwal, D. A., Reproductive commitment and success of Cassin's Auklet, 111–121  
 Martin, D. J., Songs of the Fox Sparrow. II Intra- and Interpopulation variation, 173–184  
 Martin, D. J., see Dixon, K. L.  
 Martin, House, see *Delichon urbica*  
 Matsui, M., see Baptista, L. F.  
 McAlary, F., see Collias, E. C.  
 McClure, H. E., Nesting of the White-whiskered Tree Swift in Malaya, 308–311  
 McEllin, S. M., Nest sites and population demographics of White-breasted and Pigmy nuthatches in Colorado, 348–352  
 Meadowlark, Western, see *Sturnella neglecta*  
*Megaceryle alcyon*, 99  
*Megadyptes antipodes*, 36  
*Melanerpes carolinus*, 122–132  
*erythrocephalus*, 6, 122–132  
*formicivorus*, 1–7, 317–318  
*lewis*, 6  
*superciliaris*, 373, 374  
*Melanitta fusca*, 36  
*Meleagris gallopavo*, 293  
*Melopsittacus undulatus*, 333  
*Melospiza lincolni*, 436  
*melodia*, 39, 143, 173, 181, 214, 279, 314  
*Menura superba*, 225–231

- Mergus serrator*, 432  
*Merlin*, see *Falco columbarius*  
*Micrastur mirandollei*, 345  
 semitorquatus, 320  
*Microbates cinereiventris*, 101  
*collaris*, 101–102  
*Microrhopias quixensis*, 340, 343–344  
*Mimus gilvus*, 98  
*Mionectes olivaceus*, 344  
*Mniotilla varia*, 99  
 Mockingbird, Galápagos, see *Nesomimus parvulus*  
 Tropical, see *Mimus gilvus*  
*Molothrus ater*, 21, 244, 249, 304, 427, 436–437  
 Morrison, M. L., Eggshell thickness changes in Pacific Ocean Phaethontidae and Sulidae, 209  
 Morton, M. L., Fecal sac ingestion in the Mountain White-crowned Sparrow, 72–77  
*Morus bassanus*, 39, 432  
 Munia, Dusky, see *Lonchura fuscans*  
 Munn, C. A., Terborgh, J. W., Multi-species territoriality in neotropical foraging flocks, 338–347  
 Murre, Common, see *Uria aalge*  
 Thick-billed, see *Uria lomvia*  
 Murrelet, Ancient, see *Synthliboramphus antiquus*  
*Muscicapa striata*, 333  
*Mycteria americana*, 378  
*Myiodynastes maculatus*, 301  
 Myna, Common, see *Acridotheres tristis*  
 Rothschild's, see *Leucopsar rothschildi*  
*Myrmoborus myotherinus*, 344  
*Myrmotherula axillaris*, 304–341, 342, 344  
*brachyura*, 340, 343, 344  
*hauxwelli*, 340, 343  
*iheringi*, 340, 341, 342, 344  
*leucophthalma*, 340, 343, 344  
*longipennis*, 340, 342, 344  
*menetriesii*, 341, 342, 344  
*ornata*, 344
- N**
- Nectarinia osea*, 333, 336  
 Neill, R. L., see Sharp, M. S.  
*Nesomimus parvulus*, 398  
 Norman, D. O., see Smith, D. G.  
*Numenius phaeopus*, 99  
*Nutallornis borealis*, 436  
 Nuthatch, Pigmy, see *Sitta pygmaea*  
 White-breasted, see *Sitta carolinensis*  
*Nyctanassa violacea*, 306, 398  
*Nyctea scandiaca*, 213–214, 230  
*Nyctibius grandis*, 320–321, 322  
*griseus*, 322  
*Nycticorax nycticorax*, 244, 306, 333
- O**
- O'Brien, P., see Kilham, L.  
*Oceanodroma castro*, 157  
*furcata*, 157–165, 214, 390–396  
*homochroa*, 164  
*leucorhoa*, 102–103, 157, 214  
*tethys*, 162  
*Oceanites oceanicus*, 162, 230  
 O'Connor, R. J., Egg weights and brood reduction in the European Swift (*Apus apus*), 133–145  
 Ogilvie, M. A., see Owen, M.  
 Omao, see *Phaeornis obscurus*  
 Oniki, Y., and Willis, E. P., A nest of the Collared Gnatwren (*Microbates collaris*), 101–102  
*Oporornis formosus*, 99  
 Oriole, Bullock's, see *Icterus bullockii*  
 Hooded, see *Icterus cucullatus*  
 Jamaican, see *Icterus leucopteryx*  
 Northern, see *Icterus galbula*
- Osprey, see *Pandion haliaetus*  
 Ostrich, see *Struthio camelus*  
 Ovenbird, see *Seiurus aurocapillus*  
 Owen, M., and Ogilvie, M. A., Wing molt and weights of Barnacle Geese in Spitsbergen, 42–52  
 Owl, Great Horned, see *Bubo virginianus*  
 Short-eared, see *Asio flammeus*  
 Snowy, see *Nyctea scandiaca*  
 Oystercatcher, American, see *Haematopus palliatus*  
 Black, see *Haematopus bachmani*  
 European, see *Haematopus ostralegus*
- P**
- Pachyptila desolata*, 162  
 Paganelli, C. V., see Ar, A.  
*Pagodroma nivea*, 162  
*Pandion haliaetus*, 364–369  
 Parker, T. A., III, see Eley, J. W.  
 Parrot, Red-lored, see *Amazona autumnalis*  
 White-crowned, see *Pionis senilis*  
 Partridge, see *Perdix perdix*  
*Parula americana*, 99, 100  
 Parula, Northern, see *Parula americana*  
*Parus atricapillus*, 421  
*caeruleus*, 155  
*carolinensis*, 261, 421, 420  
*gambeli*, 421  
*hudsonicus*, 423  
*inornatus*, 421  
*major*, 36, 133, 143, 153  
*sclateri*, 421–423  
*Passer domesticus*, 86, 93, 141, 195, 236, 251, 267, 333, 427, 431, 436  
*moabiticus*, 333  
*montanus*, 104  
*Passerculus sandwichensis*, 196  
*Passerella iliaca*, 173–184, 204, 278  
*Passerina amoena*, 182, 436  
*cyanaea*, 99, 143  
 Patten, S. M., see Roudybush, T. E.  
 Paulson, D. R., see Perrone, Jr., M.  
 Peakall, D. B., see Kiff, L. F.  
 Pearson, O. P., Spacing and orientation among feeding Golden-crowned Sparrows, 278–285  
*Pedioecetes phasianellus*, 261  
*Pelagodroma marina*, 162  
*Pelecanus conspicillatus*, 359  
*erythrorynchos*, 353–363  
*occidentalis*, 170, 209, 361  
*onocrotalus*, 359  
*rufescens*, 359  
 Pelican, Australian, see *Pelecanus conspicillatus*  
 Brown, see *Pelecanus occidentalis*  
 European White, see *Pelecanus onocrotalus*  
 Pink-backed, see *Pelecanus rufescens*  
 White, see *Pelecanus erythrorynchos*  
 Penguin, Adélie, see *Pygoscelis adeliae*  
 Emperor, see *Aptenodytes forsteri*  
 Little, see *Eudyptula minor*  
 Yellow-eyed, see *Megadyptes antipodes*  
*Perdix perdix*, 429  
 Perrone, Jr., M., and Paulson, D. R., Incidence of distress calls in mist-netted birds, 423–424  
 Perry, D. R., The Great Potoo in Costa Rica, 320–321  
 Peterson, M. R., see Roudybush, T. E.  
 Petrel, Gray-faced, see *Pterodroma macroptera*  
 Mottled, see *Pterodroma inexpectata*  
 Snow, see *Pagodroma nivea*  
 Storm, see *Hydrobates pelagicus*  
*Petrochelidon pyrrhonota*, 438  
 Pewee, Western Wood, see *Contopus sordidulus*  
*Phaeornis obscurus*, 65–71  
*Phaethon rubricauda*, 209

- Phalacrocorax aristotelis*, 39, 143  
*auritus*, 209  
*bougainvillii*, 118, 248  
*pelagicus*, 213  
*penicillatus*, 116  
*urile*, 213
- Phalarope, Northern, see *Lobipes lobatus*  
 Red, see *Phalaropus fulicarius*
- Phalaropus fulicarius*, 295
- Phasianus colchicus*, 333
- Pheucticus ludovicianus*, 99
- Philydor ruficaudatus*, 342, 344  
*rufus*, 344
- Phoebe, Say's, see *Sayornis saya*
- Phoenicophaeus chlorophaeus*, 309
- Picoides borealis*, 372  
*pubescens*, 122–132, 302, 372  
*vilosus*, 372
- Piculet, Rufous-breasted, see *Picumnus rufiventris*
- Picumnus rufiventris*, 344
- Pigeon, White-crowned, see *Columba leucocephala*  
 Wood, see *Columba palumbus*
- Pinkowski, B. C., Effect of nesting history on egg size in Eastern Bluebirds, 210
- Pinkowski, B. C., Nest site selection in Eastern Bluebirds, 435–436
- Pintail, see *Anas acuta*
- Pionis senilis*, 301
- Pipilo erythrorththalmus*, 313–316  
*fuscus*, 282
- Pipra mentalis*, 90
- Pipromorpha macconnelli*, 286  
*oleaginea*, 286–292, 344  
*rufiventris*, 286
- Piranga ludoviciana*, 93
- Platyparis minor*, 344
- Pleasants, B. Y., Adaptive significance of the variable dispersion patterns of breeding Northern Orioles, 28–34
- Plectrophenax nivalis*, 214
- Plegadis chihi*, 306  
*falcinellus*, 306
- Ploceus cucullatus*, 91–93
- Podiceps occipitalis*, 316
- Podilymbus podiceps*, 431, 432
- Porzana palmeri*, 405
- Potoo, Common, see *Nyctibius griseus*  
 Great, see *Nyctibius grandis*
- Prickletail, Spectacled, see *Siptornis striaticollis*
- Prince, H. H., see Batts, B. D. J.
- Prinia gracilis*, 333
- Prion, Dove, see *Pachyptila desolata*
- Prion, Fairy, see *Pachyptila turtur*
- Procellaria tenuirostris*, 36
- Protonotaria citrea*, 99
- Psilorhinus morio*, 301
- Ptarmigan, Rock, see *Lagopus mutus*  
 White-tailed, see *Lagopus leucurus*
- Pterodroma inexpectata*, 162  
*macroptera*, 162
- Pteroglossus torquatus*, 301
- Ptychoramphus aleuticus*, 111–121, 214, 295
- Puffin, Horned, see *Fratercula corniculata*  
 Tufted, see *Lunda cirrhata*
- Puffinus bulleri*, 390–396  
*carneipes*, 390–396  
*creatopus*, 390–396  
*gravis*, 323  
*griseus*, 94, 162, 323, 390–396  
*puffinus*, 36, 162  
*tenuirostris*, 94
- Pycnonotus capensis*, 333
- Pygiptila stelleris*, 344
- Pygmy-owl, Ferruginous, see *Glaucidium brasiliandum*
- Pygmy-tyrant, Helmeted, see *Colopteryx galeatus*
- Pygoscelis adeliae*, 36, 431
- Pyrrhula pyrrhula*, 195
- Q**
- Quail, California, see *Lophortyx californicus*  
 Common, see *Coturnix coturnix*  
 Japanese, see *Coturnix coturnix*
- Quiscalus mexicanus*, 304, 411, 427  
*quiscula*, 143, 248, 304, 427, 436
- R**
- Rahn, H., see Ar, A.
- Raikow, R. J., Borecky, S. R., and Berman, S. L., The evolutionary re-establishment of a lost ancestral muscle in the bowerbird assemblage, 203–206
- Rail, Barred, see *Rallus torquatus*
- Guam, see *Rallus owstoni*  
 Laysan, see *Porzana palmeri*
- Rallus owstoni*, 404–408  
*philippensis*, 404  
*torquatus*, 404
- Ramphocænus melanurus*, 101
- Ratcliffe, L. M., see Boag, P. T.
- Ray, T. D., see Braun, O. E.
- Redhead, see *Aythya americana*
- Redpoll, Common, see *Carduelis flammea*  
 Hoary, see *Carduelis hornemannii*  
 Lesser, see *Carduelis flammea*
- Redstart, American, see *Setophaga ruticilla*
- Reid, V. H., see Braun, O. E.
- Ridgeley, R. S., and Wilcove, D., First nesting record of Gray-hooded Gull from Ecuador, 438–439
- Riparia riparia*, 99, 236
- Rissa tridactyla*, 39, 94, 116, 152, 213, 295, 394
- Roadrunner, see *Geococcyx californianus*
- Roberts, R. C., Habitat and resource relationships in Acorn Woodpeckers, 1–8
- Robin, American, see *Turdus migratorius*  
 Pale-vented, see *Turdus fumigatus*
- Robin-chat, Blue-shouldered, see *Cossypha cyanocampter*
- Rostrhamus sociabilis*, 101
- Roudybush, T. E., Grau, C. R., Peterson, M. R., Ainley, D. G., Hirsch, K. V., Gilman, A. P., and Patten, S. M., Yolk formation in some charadriiform birds, 293–298
- Russell, S. M., Barlow, J. C., and Lamm, D. W., Status of some birds on Isla San Andres and Isla Providencia, Colombia, 98–100
- Rutledge, J. T., see Schwab, R. G.
- S**
- Sandpiper, Rock see *Calidris ptilocnemis*  
 Western, see *Calidris mauri*
- Sayornis saya*, 436
- Schwab, R. G., and Rutledge, J. T., Photophase and testicular recrudescence in European Starlings, 265–268
- Sclerurus caudacutus*, 344
- Scoters, Velvet, see *Melanitta fusca*
- Scott, J. M., see van Riper III, C.
- Scytalopus magellanicus*, 208  
*superciliosus*, 208
- Scythebill, Red-billed, see *Campylorhamphus trochilirostris*
- Searcy, W. A., Size and mortality in male Yellow-headed Blackbirds, 304–305
- Searcy, W. A., Morphological correlates of dominance in captive male Red-winged blackbirds, 417–420
- Seiurus aurocapillus*, 31, 99, 182  
*noveboracensis*, 99

- Selasphorus sasin*, 88  
*Setophaga ruticilla*, 99, 100  
 Shag, see *Phalacrocorax aristotelis*  
 Sharp, M. S., and Neill, R. L., Physical deformities in a population of wintering blackbirds, 427–320  
 Shearwater, Buller's, see *Puffinus bulleri*  
   Flesh-footed, see *Puffinus carneipes*  
   Manx, see *Puffinus puffinus*  
   Pink-footed, see *Puffinus creatopus*  
   Short-tailed, see *Procellaria tenuirostris*  
   Sooty, see *Puffinus griseus*  
 Sherry, T. T., see Holmes, R. T.  
 Shields, G. F., see Troy, D. M.  
 Short, J. J., Patterns of alpha-diversity and abundance in breeding bird communities across North America, 21–27  
 Shoveler, Northern, see *Anas clypeata*  
 Shrike-tanager, White-winged, see *Lanio versicolor*  
*Sialia sialis*, 210, 435–436  
*Siptornis striaticollis*, 319  
 Siskin, Eurasian, see *Carduelis spinus*  
   Pine, see *Carduelis pinus*  
*Sitta carolinensis*, 122–132, 348–352  
   *pygmaea*, 348–352  
*Sittasomus griseicapillus*, 341, 343, 344  
 Skua, see *Catharacta skua*  
 Slud, P., First record of Leach's Storm-petrel in Costa Rica: a correction, 102–103  
 Slud, P., Calls of the Great Potoo, 322  
 Snow, B. K., and Snow, D. W., The Ochre-bellied Flycatcher and the evolution of lek behavior, 286–292  
 Snow, D. W., see Snow, B. K.  
 Smith, D. G., and Norman, D. O., "Leader-follower" singing in Red-winged Blackbirds, 83–85  
*Somateria mollissima*, 36, 427  
 Sparrow, Brewer's, see *Spizella breweri*  
   Eurasian Tree, see *Passer montanus*  
   Field, see *Spizella pusilla*  
   Fox, see *Passerella iliaca*  
   Golden-crowned, see *Zonotrichia atricapilla*  
   Harris, see *Zonotrichia querula*  
   House, see *Passer domesticus*  
   Ipswich, see *Passerculus sandwichensis*  
   Lincoln's, see *Melospiza lincolni*  
   Rufous-collared, see *Zonotrichia capensis*  
   Song, see *Melospiza melodia*  
   White-crowned, see *Zonotrichia leucophrys*  
   White-throated, see *Zonotrichia albicollis*  
*Spizella breweri*, 436  
   *pusilla*, 251–257, 261, 304  
 Spoonbill, Roseate, see *Ajaia ajaja*  
 Starling European, see *Sturnus vulgaris*  
*Stelgidopteryx ruficollis*, 244  
*Stercorarius longicaudus*, 394  
   *parasiticus*, 213, 390  
   *pomarinus*, 390  
*Sterna albifrons*, 430  
   *anaethetus*, 431  
   *caspia*, 430, 431  
   *forsteri*, 431  
   *fuscata*, 236, 430–432  
   *hirundo*, 146, 162, 170, 269, 333, 431  
   *maxima*, 99, 236, 431  
   *paradisaea*, 94, 152, 274, 295, 431  
   *sandvicensis*, 361, 431  
 Stiles, E. W., Nest and eggs of the White-browed Tapaculo (*Scytalopus superciliaris*), 208  
 Stork, Wood, see *Mycteria americana*  
 Storm-petrel, see *Hydrobates pelagicus*  
   Ashy, see *Oceanodroma homochroa*  
   Black-bellied, see *Fregetta tropica*
- Fork-tailed, see *Oceanodroma furcata*  
 Galápagos, see *Oceanodroma tethys*  
 Leach's, see *Oceanodroma leucorhoa*  
 Madeiran, see *Oceanodroma castro*  
 White-faced, see *Pelagodroma marina*  
 Wilson's, see *Oceanites oceanicus*
- Streptopelia decaocto*, 333  
   *risoria*, 162, 333, 335  
   *senegalensis*, 333  
   *turtur*, 333  
*Strix aluco*, 333  
*Struthio camelus*, 194, 333  
*Sturnella neglecta*, 314  
*Sturnus vulgaris*, 74, 244, 265–268, 429, 437–438  
*Sula dactylatra*, 209, 360  
   *leucogaster*, 209, 360  
   *sula*, 209
- Sulzbach, D. S., and Cooke, F., Demographic parameters of a nesting colony of Snow Geese, 232–235
- Sunbird, Palestine, see *Nectarinia osea*  
 Swallow, Bank, see *Riparia riparia*  
   Barn, see *Hirundo rustica*  
   Cliff, see *Petrochelidon pyrrhonota*  
   Mangrove, see *Tachycineta albilinea*  
   Rough-winged, see *Stelgidopteryx ruficollis*  
   Tree, see *Iridoprocne bicolor*  
   Violet-green, see *Tachycineta thalassina*
- Swan, Mute, see *Cygnus olor*  
 Swift, European, see *Apus apus*  
 Swiftlet, Vanikoro, see *Collocalia vanikorensis*  
*Sylvia borin*, 193  
*Synthliboramphus antiquus*, 214
- T**
- Tachycineta albilinea*, 90  
   *thalassina*, 438  
*Tachyphonus rufiventer*, 344  
 Tanager, Green-and-Gold, see *Tangara schrankii*  
   Palm, see *Thraupis palmarum*  
   Silver-throated, see *Tangara icterocephala*  
   Western, see *Piranga ludoviciana*  
   Yellow-crested, see *Tachyphonus rufiventer*  
*Tangara icterocephala*, 424  
   *schrankii*, 344  
 Tapaculo, Andean, see *Scytalopus magellanicus*  
   White-browed, see *Scytalopus superciliaris*  
 Teal, Blue-winged, see *Anas discors*  
   Green-winged, see *Anas crecca*  
*Teratornis merriami*, 197  
 Terborgh, J. W., see Munn, C. A.  
*Terenura callinota*, 319  
 Tern, Arctic, see *Sterna paradisaea*  
   Bridled, see *Sterna anaethetus*  
   Common, see *Sterna hirundo*  
   Noddy, see *Anous stolidus*  
   Royal, see *Sterna maximus*  
   Sandwich, see *Sterna sandvicensis*  
   Sooty, see *Sterna fuscata*  
*Tetrao urogallus*, 229  
*Thamnomanes ardesiacus*, 339, 342, 344  
   *schistogynus*, 339, 342, 344  
*Thamnophilus aethiops*, 344  
   *punctatus*, 90  
   *schistaceus*, 344  
 Thompson, W. L., Suggestions for preparing audio-spectrograms for publication, 220–221  
 Thrasher, Brown, see *Toxostoma rufum*  
   California, see *Toxostoma redivivum*  
*Thraupis palmarum*, 205  
 Thrush, Black-billed, see *Turdus ignobilis*  
   Clay-colored, see *Turdus grayi*  
   European song, see *Turdus philomelos*

- Great, see *Turdus fuscater*  
 Hermit, see *Catharus guttatus*  
 Mistle, see *Turdus viscivorus*  
 New Zealand, see *Turnagra capensis*  
 Rufous-backed, see *Turdus rufopalliatus*  
 Song, see *Turdus philomelos*  
 White-necked, see *Turdus assimilis*  
 Wood, see *Hylocichla mustelina*
- Thryothorus ludovicianus*, 261
- Tiaris bicolor*, 100
- Tit, Blue, see *Parus caeruleus*  
 Great, see *Parus major*
- Titmouse, Plain, see *Parus inornatus*
- Tit-spinetail, Brown-capped, see *Leptasthenura fuliginiceps*
- Tityra, Black-tailed, see *Tityra cayana*  
 Masked, see *Tityra semifasciata*
- Tityra cayana*, 301  
*semifasciata*, 301
- Tolmomyias assimilis*, 344  
*sulphurescens*, 290
- Towhee, Brown, see *Pipilo fuscus*  
 Rufous-sided, see *Pipilo erythrophthalmus*
- Toxostoma redivivum*, 282  
*rufum*, 251–257
- Tree Swift, Grey-rumped, see *Hemiprocne longipennis*  
 Lesser, see *Hemiprocne comata*
- Troglodytes aedon*, 39, 143, 210  
*troglodytes*, 213
- Tropicbird, Red-tailed, see *Phaethon rubricauda*
- Trout, J. R., see Burger, J.
- Troy, D. M., and Shields, G. F., Multiple nesting attempts by Alaskan Redpolls, 96–98
- Turdus assimilis*, 414  
*fumigatus*, 409  
*fuscater*, 414  
*grayi*, 414  
*ignobilis*, 414  
*merula*, 53, 189, 333, 409  
*migratorius*, 251–257, 409, 429, 436  
*philomelos*, 67, 143  
*plebejus*, 414  
*rufopalliatus*, 409–416  
*viscivorus*, 409
- Turkey, see *Meleagris gallopavo*
- Turnagra capensis*, 203
- Turnstone, Ruddy, see *Arenaria interpres*
- Tympanuchus cupido*, 261
- Tyrannus melancholicus*, 196  
*tyrannus*, 99  
*verticalis*, 31
- Tyto alba*, 333
- U**
- Uria aalge*, 213, 236, 295  
*lomvia*, 213
- Uroctonus cazieri*, 341
- V**
- Vaisanen, R. A., see Lundberg, C.-A.  
 van Riper III, C., and Scott, J. M., Observations on distribution, diet and breeding of the Hawaiian Thrush, 65–71
- Veery, see *Catharus fuscescens*
- Vermivora peregrina*, 99, 100
- Vestiaria coccinea*, 68
- Vireo, Black-whiskered, see *Vireo altiloquus*  
 Red-eyed, see *Vireo olivaceus*  
 San Andres, see *Vireo caribaeus*  
 Solitary, see *Vireo solitarius*  
 Thick-billed, see *Vireo crassirostris*  
 Warbling, see *Vireo gilvus*
- Vireo altiloquus*, 98  
*caribaeus*, 98  
*crassirostris*, 98  
*gilvus*, 436  
*olivaceus*, 9–20  
*solitarius*, 436
- Vleck, C. M., and Vleck, D., Metabolic rate in five tropical species, 89–91
- Vleck, D., see Vleck, C. M.
- Vultur gryphus*, 170
- Vulture, Black, see *Coragyps atratus*  
 Turkey, see *Cathartes aura*
- W**
- Wahl, T. R., and Heinemann, D., Seabirds and fishing vessels: Co-occurrence and attraction, 390–396
- Warbler, Blackpoll, see *Dendroica striata*  
 Black-throated Blue, see *Dendroica caerulescens*  
 Garden, see *Sylvia borin*  
 Hooded, see *Wilsonia citrina*  
 Prairie, see *Dendroica discolor*  
 Reed, see *Acrocephalus scirpaceus*  
 Sedge, see *Acrocephalus schoenobaenus*  
 Tennessee, see *Vermivora peregrina*  
 Worm-eating, see *Helmitheros vermivorus*  
 Yellow, see *Dendroica petechia*
- Ward, E. K., see Bluhm, C. K.
- Wasserman, F. E., The relationship between habitat and song in the White-throated Sparrow, 424, 426
- Waterthrush, Northern, see *Seiurus noveboracensis*
- Weatherhead, P. J., Behavioral implications of the defense of a Shoveler brood by Common Eiders, 427
- Weaverbird, Village, see *Ploceus cucullatus*
- Wheelwright, N. T., see Boersma, P. D.
- White-eye, Japanese, see *Zosterops japonica*
- Wigeon, American, see *Anas americana*
- Wilbur, S. R., see Kiff, L. F.
- Wilcove, D., see Ridgely, R. S.
- Williams, J. B., and Batzli, G. O., Competition among bark-foraging birds in Central Illinois: experimental evidence, 122–132
- Williams, P. L., and Frank, L. G., Diet of the Snowy Owl in the absence of small mammals, 213–214
- Williams, P. L., see Koenig, W. D.
- Willis, E. O., see Oniki, Y.
- Wilsonia citrina*, 99
- Woodcreeper, Bar-bellied, see *Hylexetastes stresemanni*  
 Buff-throated, see *Xiphorhynchus guttatus*  
 Cinnamon-throated, see *Dendrexetastes rufigula*  
 Long-tailed, see *Deconychura longicauda*  
 Olivaceous, see *Sittasomus griseicapillus*  
 Spix's, see *Xiphorhynchus spixii*  
 Striped, see *Xiphorhynchus obsoletus*  
 Wedge-billed, see *Glyporhynchus spirurus*
- Woodhaunter, Striped, see *Hylotistes subulatus*
- Woodpecker, Acorn, see *Melanerpes formicivorus*  
 Crimson Crested, see *Campephilus melanoleucos*  
 Downy, see *Picoides pubescens*  
 Hairy, see *Picoides villosus*  
 Lewis', see *Melanerpes lewisi*  
 Lineated, see *Dryocopus lineatus*  
 Pale-billed, see *Campephilus guatemalensis*  
 Pileated, see *Dryocopus pileatus*  
 Red-bellied, see *Melanerpes superciliaris*  
 Red-bellied, see *Melanerpes carolinus*  
 Red-cockaded, see *Picoides borealis*  
 Red-headed, see *Melanerpes erythrocephalus*
- Wood-rail, Grey-necked, see *Aramides cajanea*
- Woodswallow, White-breasted, see *Artamus leucorynchus*

Wood-wren, White-breasted, see *Henicorhina leuco-sticta*  
 Wren, Cactus, see *Campylorhynchus brunneicapillus*  
     Carolina, see *Thryothorus ludovicianus*  
     House, see *Troglodytes aedon*  
     Musician, see *Cyphorhinus aradus*  
     Winter, see *Troglodytes troglodytes*

**X**

*Xanthocephalus xanthocephalus*, 25, 304–305, 427–  
     430, 437  
*Xema sabini*, 295, 390–396  
*Xenops minutus*, 343, 344  
     rutilans, 319  
 Xenops, Plain, see *Xenops minutus*  
*Xiphorhynchus guttatus*, 90, 344  
     obsoletus, 341, 343, 344  
     spixii, 344

**Y**

Yasukawa, K., Territory establishment in Red-winged  
     Blackbirds: Importance of aggressive behavior  
     and experience, 258–264  
 Yellowthroat, Common, see *Geothlypis trichas*

**Z**

*Zenaida asiatica*, 98  
     galapagoensis, 397–403  
     macroura, 96, 251–257, 282, 436  
*Zonotrichia albicollis*, 63, 180, 194, 417, 424–426  
     atricapilla, 122, 278–285  
     capensis, 180, 261, 426  
     leucophrys, 72–77, 180, 181  
     querula, 284, 417  
*Zosterops japonica*, 68  
 Zwickel, F. C., see Hannon, S. J.