

- Cyanolyca viridicyana*, 385
Cyclarhis gujanensis, 386
 nigrirostris, 386
Cyclorrhynchus psittacula, 7
Cygnus atratus, 338
 buccinator, 132–137
 olor, 338
Cypseloides cryptus, 74
 fumigatus, 74
 rothschildi, 74
- D**
- Dacnis*, Blue, see *Dacnis cayana*
 Scarlet-thighed, see *Dacnis venusta*
Dacnis cayana, 36, 73
 venusta, 33
Daption capense, 338
Davis, William E., Jr., Paul K. Donahue, and Eleanor G. Perkins, Observations of the behavior of the Zigzag Heron, 460–461
Dawson, William R., and Albert F. Bennett, Metabolism and thermoregulation in hatchling Western Gulls, 103–105
DeHaven, Richard W., see Skorupa, Joseph P.
Dendragapus obscurus, 366
Dendrocygna bicolor, 69, 338
Dendroica autumnalis, 337
 castanea, 36, 439
 coronata, 348, 439
 dominica, 348
 fusca, 40, 386
 kirtlandii, 138–141
 magnolia, 439
 nigrescens, 22–30
 palmarum, 439
 pensylvanica, 36, 215, 439
 petechia, 22, 73, 336, 439
 pinus, 348
 striata, 439
 tigrina, 439
 townsendi, 215
 virens, 439
Dickcissel, see *Spiza americana*
Diglossa albilateralis, 386
 caeruleopectus, 389
 cyannea, 386
Dilworth, T. G., see Thomas, Donald W.
Dinsmore, James J., see Ryan, Mark R.
Diomedea nigripes, 314–319
Donahue, Paul K., see Davis, William E., Jr.
Donald, Tom, see Fox, Glen A.
Dove, Many-colored Fruit, see *Ptilinopus perousii*
 Mourning, see *Zenaida macroura*
 Palau Fruit, see *Ptilinopus pelewensis*
 Rock, see *Columba livia*
 Turtle, see *Streptopelia turtur*
 White-fronted, see *Leptotila verreauxi*
Dromaius novaehollandiae, 338
Dromococcyx pavoninus, 72
Dryocopus lineatus, 35
 pileatus, 22
Dubusia taeniata, 389
Duck, Australian Gray, see *Anas superciliosa*
 Harlequin, see *Histrionicus histrionicus*
 Mottled, see *Anas fulvigula*
 Ruddy, see *Oxyura jamaicensis*
 Torrent, see *Merganetta armata*
 Tufted, see *Aythya fuligula*
Ducula bicolor, 31
 concinna, 31
 luctuosa, 31
 myristicivora, 31
 oceania, 119–131
 spilorrhoa, 31
- Dumetella carolinensis*, 38, 150, 187–192, 418, 439
Dunn, Erica H., and I. Lehr Brisbin, Jr., Age-specific changes in the major body components and caloric weights of Herring Gull chicks, 398–401
- E**
- Eagle*, Bald, see *Haliaeetus leucocephalus*
 Solitary, see *Harpyhaliaetus solitarius*
Eastzer, David, Penn Richard Chu, and Andrew P. King, The young cowbird: Average or optimal nesting?, 417–425
Eclectus roratus, 119–131
Egret, Cattle, see *Bulbulcus ibis*
 Great, see *Casmerodius albus*
 Snowy, see *Egretta thula*
Egretta garzetta, 339
 sacra, 120
 thula, 164, 336
Elaenia chiriquensis, 36
 cristata, 57
 flavogaster, 36
 frantzii, 33
 pallatangae, 385
Elaenia, Greenish, see *Myiopagis viridicata*
 Lesser, see *Elaenia chiriquensis*
 Mountain, see *Elaenia frantzii*
 Sierran, see *Elaenia pallatangae*
 Yellow-bellied, see *Elaenia flavogaster*
Elanoides forficatus, 42, 380
Elanus leucurus, 69
Elepaio, see *Chasiempis sandwichensis*
Elliott, Phillip F., Evolution of promiscuity in the Brown-headed Cowbird, 138–141
Ellis, David H., and Richard L. Glinski, Some unusual records for the Peregrine and Pallid falcons in South America, 350–351
Empidonax alnorum, 215
 difficilis, 22–30
 flaviventris, 36
 minimus, 215, 293
 traillii, 215, 469–471
Empidonax aurantioatrocristatus, 74
Engbring, John, see Pratt, H. Douglas
Ensifera ensifera, 383
Eriocnemis alinae, 388
Erithacus megarhynchos, 339
 rubecola, 339
Erythrura trichroa, 119–131
Esacus magnirostris, 338
Eucometis penicillata, 37
Eudocimus albus, 164, 336
Eudyptes chrysolophus, 376
Eugenys fulgens, 182
Eumomota superciliosa, 109
Euphagus carolinus, 336
 cyanocephalus, 186, 293, 336, 339
Euphonia imitans, 37
 xanthogaster, 386
Euphonia, Orange-bellied, see *Euphonia xanthogaster*
 Tawny-bellied, see *Euphonia imitans*
- F**
- Facemire*, Charles F., Cowbird parasitism of marsh-nesting Red-winged Blackbirds, 347–348
Falco columbarius, 81–84
 deiroleucus, 70
 kreyenborgi, 350–351
 naumannii, 339
 peregrinus, 70, 81, 242, 310, 350–351
 sparverius, 215, 226–227, 380, 443
Falcon, Laughing, see *Herpetotheres cachinnans*
 Orange-breasted, see *Falco deiroleucus*

- menstruus*, 71, 382
senilis, 35
tumultuosus, 382
Pipilo erythrourhynchus, 22–30, 439
Pipra coronata, 35
mentalis, 35
Pipraeidea melanonota, 387
Pipreola riefferii, 385
Pipromorpha, Ochre-bellied, see *Pipromorpha oleaginea*
Pipromorpha oleaginea, 36
Piranga ludoviciana, 22–30
olivacea, 37
rubra, 37, 215, 387
Pitangus lictor, 43–57
sulphuratus, 49
Platyrinchus coronatus, 56
Plectropterus gambensis, 338
Plegadis falcinellus, 164
Plover, American Golden, see *Pluvialis dominica*
 Black-bellied, see *Pluvialis squatarola*
 Semipalmated, see *Charadrius semipalmatus*
 Snowy, see *Charadrius alexandrinus*
 Two-banded, see *Charadrius falklandicus*
Pluvialis dominica, 244
squatarola, 108
Pochard, Common, see *Aythya ferina*
Podiceps auritus, 193–198
cristatus, 338
griseogena, 338
nigricollis, 338
Podilymbus podiceps, 69, 230, 337
Poecilotriccus ruficeps, 385
Poephila guttata, 176, 336, 339
Pogonotriccus ophthalmicus, 385
poecilotis, 389
Poliolimnas cinereus, 119–131
Polyborus plancus, 242
Porphyrio porphyrio, 117–131, 338
Porzana carolina, 337
parva, 338
 Powers, Leon R., see Hunter, Samuel R.
 Prather, Irvine D., see McNabb, F. M. Anne
 Pratt, H. Douglas, Intra-island variation in the 'Elepaio on the island of Hawaii, 449–458
 Pratt, H. Douglas, John Engbring, Phillip L. Bruner, and Delwyn G. Berrett, Notes on the taxonomy, natural history, and status of the resident birds of Palau, 117–131
Premnoplex brunnescens, 384
Premnornis guttuligera, 74, 384
 Presler, Piotr, see Volkman, Nicholas J.
 Prickletail, Spectacled, see *Siptornis striaticollis*
Prinia gracilis, 339
Procellaria tenuirostris, 319
Procnias averano, 33
Progne chalybea, 174
modesta, 334–335
subis, 170–175, 334–335
tapera, 334–335
Prunella modularis, 339
Psaltriparus minimus, 22
Psarocolius montezuma, 37
wagleri, 37
Pseudocolaptes boissonneautii, 384
Pseudotriccus ruficeps, 389
Psilorhinus morio, 36
Pteroglossus frantzii, 35
torquatus, 33
Ptilinopus pelewensis, 117–131
perousii, 31
porphyraceus, 123
roseicapilla, 123
Ptychoramphus aleuticus, 7, 105–106, 337
Puffin, Horned, see *Fratercula corniculata*
 Tufted, see *Lunda cirrhata*
Puffinus bulleri, 314–319
creatopus, 314–319
griseus, 314–319
lherminieri, 120
pacificus, 338
puffinus, 314–319
tenuirostris, 314–319
Puffleg, Emerald-bellied, see *Eriocnemis alinae*
 Greenish, see *Haplophaedia aureliae*
Pycnonotus capensis, 339
Pygmy-Tyrant, Rufous-headed, see *Pseudotriccus rufoiceps*
Pygoscelis adeliae, 339, 373–378
antarctica, 373–378
papua, 373–378
Pyrocephalus rubinus, 48, 56
Pyroderus scutatus, 389, 390
Pyrrhoglaux podargina, 117–131
Pyrrhomias cinnamomea, 385
Pyrrhura melanura, 382
pyrrhula, 292
- Q**
- Quail-Dove, Ruddy, see *Geotrygon montana*
 Quetzal, Crested, see *Pharomachrus antisianus*
 Golden-headed, see *Pharomachrus auriceps*
Quiscalus quiscula, 336, 439
- R**
- Racket-tail, Booted, see *Ocreatus underwoodii*
 Rahn, H., see Carey, Cynthia
 Rahn, H., see Roudybush, T.
 Rail, Banded, see *Rallus philippensis*
 Clapper, see *Rallus longirostris*
 White-browed, see *Poliolimnas cinereus*
Rallina eurizonoides, 117–131
Rallus limicola, 337
longirostris, 142
philippensis, 119–131
Ramphastos ambiguus, 388
sulfuratus, 35
swainsonii, 35
tucanus, 33
Ramphocelus carbo, 41
passerini, 37
Ramphotrigon fuscicauda, 56
Raven, see *Corvus corax*
Recurvirostra avosetta, 338
 Redhead, see *Aythya americana*
 Redpoll, Common, see *Carduelis flammea*
 Redsell, Catherine A., see Montgomerie, Robert D.
 Redstart, American, see *Setophaga ruticilla*
 Golden-faced, see *Myioborus ornatus*
 Slate-throated, see *Myioborus miniatus*
Regulus calendula, 348, 439
regulus, 339
 Reid, Fiona A., see Smith, Douglas G.
Reinarda squamata, 72
 Remsen, J. V., Jr., and Robert S. Ridgely, Additions to the avifauna of Bolivia, 69–75
 Reynolds, R. T., J. M. Scott, and R. A. Nussbaum, A variable circular-plot method for estimating bird numbers, 309–313
Rhipidura lepida, 117–131
rufifrons, 127
Rhodopis vesper, 229
Rhytipterna holerythra, 35
 Ridgely, Robert S., see Remsen, J. V., Jr.
 Ridgely, Robert S., and Steven J. G. Gaulin, The birds

- collaris*, 74
nigricollis, 389
Starling, see *Sturnus vulgaris*
 Micronesian, see *Aplonis opaca*
Stauffer, Dean F., see Best, Louis B.
Stelgidopteryx ruficollis, 174
Sterna albifrons, 337
 anaethetus, 130
 dougalii, 338
 forsteri, 298, 325
 fuscata, 400
 hirundo, 70, 254, 338, 400
 maxima, 325, 337
 paradisaea, 70, 338
 sandvicensis, 325, 337, 345
 sumatrana, 130
Stiles, Edmund W., Bird community structure in alder forests in Washington, 20–30
Stinson, Christopher H., Weather-dependent foraging success and sibling aggression in Red-tailed Hawks in central Washington, 76–80
Storm-Petrel, Ashy, see *Oceanodroma homochroa*
 Black, see *Oceanodroma Melania*
 Fork-tailed, see *Oceanodroma furcata*
 Leach's, see *Oceanodroma leucorhoa*
Streptopelia risoria, 339
 senegalensis, 339
 turtur, 102
Streptoprocne zonaris, 74, 382
Strix aluco, 339
Struthio camelus, 338
Sturnella loyca, 424
 magna, 138–141, 386, 439
 neglecta, 363
Sturnus vulgaris, 102, 150, 222, 336, 339, 439
Sublegatus arenarum, 57
Suiriri affinis, 74
 suiriri, 57, 74
Sunangel, Tourmaline, see *Heliangelus exortis*
Surfbird, see *Aphriza virgata*
Swallow, Bank, see *Riparia riparia*
 Barn, see *Hirundo rustica*
 Blue-and-white, see *Notiochelidon cyanoleuca*
 Brown-bellied, see *Notiochelidon murina*
 Cliff, see *Petrochelidon pyrrhonota*
 Rough-winged, see *Stelgidopteryx ruficollis*
 Tree, see *Iridoprocne bicolor*
Swan, Trumpeter, see *Cygnus buccinator*
Swift, Rothschild's, see *Cypseloides rothschildi*
 Sooty, see *Cypseloides fumigatus*
 White-chinned, see *Cypseloides cryptus*
 White-collared, see *Streptoprocne zonaris*
Swiftlet, Vanikoro, see *Aerodramus vanikorensis*
Sylph, Long-tailed, see *Aglaiocercus kingi*
Synallaxis azarae, 384
Syndactyla subalaris, 384
Synthliboramphus antiquus, 2
Syrmaticus reevesi, 338
- T**
- Tachuris rubrigastra*, 57
Tachyphonus luctuosus, 37, 73
 rufus, 387
Tadorna tadorna, 135, 338, 411
Tanager, Bay-headed, see *Tangara gyrola*
 Beryl-spangled, see *Tangara nigroviridis*
 Blue, see *Thraupis episcopus*
 Blue-and-black, see *Tangara vassorii*
 Blue-gray, see *Thraupis episcopus*
 Dusky-faced, see *Mitrospingus cassini*
 Fawn-breasted, see *Pipraeidea melanonota*
 Flame-faced, see *Tangara parzudakii*
 Golden, see *Tangara arthus*
 Golden-crowned, see *Iridosornis rufivertex*
 Golden-eared, see *Tangara chrysotis*
 Golden-masked, see *Tangara larvata*
 Golden-naped, see *Tangara ruficervix*
 Grass-green, see *Chlorornis riefferii*
 Gray-headed, see *Eucometis penicillata*
 Green-and-gold, see *Tangara schrankii*
 Masked, see *Tangara nigrocincta*
 Metallic-green, see *Tangara labradorides*
 Opal-rumped, see *Tangara velia*
 Palm, see *Thraupis palmarum*
 Paradise, see *Tangara chilensis*
 Red-billed Pied, see *Lamprospiza melanoleuca*
 Rufous-crested, see *Creurgops verticalis*
 Saffron-crowned, see *Tangara xanthocephala*
 Scarlet, see *Piranga olivacea*
 Scarlet-rumped, see *Ramphocelus passerinii*
 Silver-beaked, see *Ramphocelus carbo*
 Silver-throated, see *Tangara icterocephala*
 Speckled, see *Tangara guttata*
 Summer, see *Piranga rubra*
 Western, see *Piranga ludoviciana*
 White-lined, see *Tachyphonus rufus*
 White-shouldered, see *Tachyphonus luctuosus*
 Yellow-bellied, see *Tangara xanthogastra*
Tangara arthus, 387
 chilensis, 73
 chrysotis, 387
 guttata, 37
 gyrola, 37
 icterocephala, 37
 labradorides, 387
 larrata, 37
 nigrocincta, 73
 nigroviridis, 387
 parzudakii, 387
 ruficervix, 387
 schrankii, 73
 vassorii, 387, 389
 velia, 73
 xanthocephala, 387
 xanthogastra, 73
Tapaculo, Unicolor, see *Scytalopus unicolor*
Teal, Blue-winged, see *Anas discors*
 Cinnamon, see *Anas cyanoptera*
 Green-winged, see *Anas crecca*
Terenura callinota, 384
Tern, Arctic, see *Sterna paradisaea*
 Black-naped, see *Sterna sumatrana*
 Bridled, see *Sterna anaethetus*
 Common, see *Sterna hirundo*
 Fairy, see *Gygis alba*
 Forster's, see *Sterna forsteri*
 Great-crested, see *Thalasseus bergii*
 Royal, see *Sterna maxima*
 Sandwich, see *Sterna sandvicensis*
 Sooty, see *Sterna fuscata*
Tetrao tetrix, 338
Thalasseus bergii, 130
Thamnophilus unicolor, 384
Thomas, Donald W., and T. G. Dilworth, Variation in peent calls of American Woodcock, 345–347
Thrasher, Brown, see *Toxostoma rufum*
 Curve-billed, see *Toxostoma curvirostre*
 Long-billed, see *Toxostoma longirostre*
 Sage, see *Oreoscoptes montanus*
Thraupis episcopus, 37, 387
 palmarum, 37
Threskiornis aethiopicus, 339
Thripadectes scrutator, 72
Thrush, Black-billed, see *Turdus ignobilis*
 Glossy-black, see *Turdus serranus*
 Gray-cheeked, see *Catharus minimus*
 Gray's, see *Turdus grayi*

