

INDEX TO VOLUME 87

A

- Accipiter cooperii*, 51, 400, 514
 striatus, 51
Acrocephalus schoenobaenus, 174
Actitis macularia, 344
Aechmophorus occidentalis, 391
Agelaius phoeniceus, 49, 276, 300, 304-305, 406, 407, 418
 xanthomus, 165
Agelaiocercus kingi, 542
Agriornis livida, 406, 483
 microptera, 476, 483
Aimophila cassinii, 336
 ruficeps, 53
Ainley, David G., Spear, Larry B., and Wood, Robert C.,
 Sexual color and size variation in the South Polar
 Skua, 427-428
Airola, Daniel A., and Barrett, Reginald H., Foraging and
 habitat relationships of insect-gleaning birds in a
 Sierra Nevada mixed-conifer forest, 205-216
Akepa, see *Loxops coccineus*
Albatross, Wandering, see *Diomedea exulans*
Amphispiza belli, 217-221, 294-295, 556-558, 562
 bilineata, 516
Anaerates parulus, 476, 480, 483
Anarhynchus frontalis, 546
Anas clypeata, 389
 georgica, 87, 154, 156
 platalea, 87, 154, 156
 platyrhynchos, 24, 33, 48, 156, 180, 525
 rubripes, 33-36
 sibilatrix, 156
 sparsa, 155
 strepera, 24, 156
Anderson, Bertin W., and Ohmart, Robert D., Habitat use
 by Clapper Rails in the lower Colorado River val-
 ley, 116-126
Anhinga, see *Anhinga anhinga*
Anhinga anhinga, 350
Ani, Groove-billed, see *Crotophaga sulcirostris*
Anous stolidus, 77, 364
Ankney, C. Davison, and Johnson, Sandra L., Variation
 in weight and composition of Brown-headed Cow-
 bird eggs, 296-299
Antbird, Chestnut-backed, see *Myrmeciza exsul*
Anthus hellmayri, 476, 483
 spinoletta, 190
Antwren, Checker-throated, see *Myrmotherula fulviventris*
 White-flanked, see *Myrmotherula axillaris*
Apalis flavida, 407
Aphelocoma coerulescens, 52, 56, 145-147, 192, 310, 386
 ultramarina, 197, 309-315
Aphrastura spinicauda, 475, 476, 480
Aphriza virgata, 429
Aplonis tabuensis, 407
Aptenodytes forsteri, 264
Apteryx australis, 93
Aquila chrysaetos, 20, 382, 398
Aratinga astec, 338
Archilochus alexandri, 514
 colubris, 542
Ardea herodias, 564
Arenaria interpres, 429
 melanocephala, 429
Artamella viridis, 407
Asio flammeus, 242
 otus, 51
Astheimer, Lee B., and Grau, C. R., Apparent double
 blastoderms in Adélie Penguin eggs, 150-151

- Astheimer, Lee B., and Grau, C. R., The timing and en-
 ergetic consequences of egg formation in the Adélie
 Penguin, 256-268
Asthenes anthoides, 476, 480, 483
 pyrrhroleuca, 476, 480, 483
Athene cunicularia, 152-154
Attila spadiceus, 407
Auklet, Cassin's, see *Ptychoramphus aleuticus*
 Rhinoceros, see *Cerorhinca monocerata*
Auriparus flaviceps, 514
Avery, Michael L., Annual molt pattern in a Malaysian
 population of Fantail Warblers (*Cisticola juncidis*),
 346-349
Avocet, American, see *Recurvirostra americana*
Aythya americana, 23-32, 395
 valisineria, 247

B

- Babbler, Common, see *Turdoides caudatus*
 Grey-crowned, see *Pomatostomus temporalis*
 Magellanic, see *Scytalopus magellanicus*
Bailey, Robert O., Protein reserve dynamics in postbreed-
 ing adult male Redheads, 23-32
Baker, Myron Charles, and Thompson, Daniel B., Song
 dialects of White-crowned Sparrows: historical pro-
 cesses inferred from patterns of geographic varia-
 tion, 127-141
Barclay, Robert M. R., see Weatherhead, Patrick J.
Barclay, Robert M. R., Leonard, Marty L., and Friesen
 Gaynette, Nocturnal singing by Marsh Wrens, 418-
 422
Barn-Owl, Common, see *Tyto alba*
Barrett, Reginald H., see Airola, Daniel A.
Bart, Jonathan, see Wilson, David M.
Bartramia longicauda, 344
Bédard, Jean, and LaPointe, Gisèle, Influence of parental
 age and season on Savannah Sparrow reproductive
 success, 106-110
Best, L. B., see Winter, B. M.
Best, Louis B., see Petersen, Kenneth L.
Best, Louis B., and Petersen, Kenneth L., Seasonal changes
 in detectability of Sage and Brewer's sparrows, 556-
 558
Bildstein, Keith L., and Collopy, Michael W., Escorting
 flight and agonistic interactions in wintering North-
 ern Harriers, 398-401
Binford, Laurence C., Re-evaluation of the "hybrid" hum-
 mingbird *Cyananthus sordidus* × *C. latirostris* from
 Mexico, 148-150
Blackbird, Austral, see *Curaeus curaueus*
 Brewer's, see *Euphagus cyanocephalus*
 Melodious, see *Dives dives*
 Red-winged, see *Agelaius phoeniceus*
 Yellow-headed, see *Xanthocephalus xanthocephalus*
 Yellow-shouldered, see *Agelaius xanthomus*
Bluebird, Eastern, see *Sialia sialis*
 Western, see *Sialia mexicana*
Blus, Lawrence, Henny, Charles J., and Krynsky, Alex-
 ander J., Organochlorine-induced mortality and
 residues in Long-billed Curlews from Oregon, 563-
 565
Bobwhite, Northern, see *Colinus virginianus*
Boissonneaua flavescens, 542-543
Bombycilla cedrorum, 84
Booby, Brown, see *Sula leucogaster*
 Masked, see *Sula dactylatra*
Brant, Black, see *Branta nigricans*

- Branta canadensis*, 23, 266, 383, 395
nigricans, 31
 Brodsky, Lynn H., and Weatherhead, Patrick J., Time and energy constraints on courtship in wintering American Black Ducks, 33–36
 Brown, Esther R., see Brown, Jerram L.
 Brown, Jerram L., and Brown, Esther R., Ecological correlates of group size in a communally breeding jay, 309–315
 Bryant, D. M., Hails, C. J., and Prys-Jones, R., Energy expenditure by free-living Dippers (*Cinclus cinclus*) in winter, 177–186
Bubo virginianus, 51, 384, 552
Bubulcus ibis, 145, 371
Bucephala albeola, 528–534
clangula, 247, 528–534
islandica, 528–534
 Bufflehead, see *Bucephala albeola*
 Buitron, Deborah, and Nuechterlein, Gary L., Experiments on olfactory detection of food caches by Black-billed Magpies, 92–95
 Bunting, Indigo, see *Passerina cyanea*
 Lark, see *Calamospiza melanocorys*
 Painted, see *Passerina ciris*
 Burger, Joanna, and Gochfeld, Michael, Nest site selection by Laughing Gulls: comparison of tropical colonies (Culebra, Puerto Rico) with temperate colonies (New Jersey), 364–373
 Bushtit, see *Psaltriparus minimus*
Buteo jamaicensis, 51, 247, 354, 371, 400
lagopus, 398
polyosoma, 476, 480, 483
regalis, 14–22
 Buttemer, William A., see Dawson, William R.
- C**
- Cacicus cela*, 407
 Cairns, David K., Ermine visitation to Black Guillemot colonies in northern Hudson Bay, 144–145
Calamospiza melanocorys, 336
Calidris bairdii, 344, 429
fuscicollis, 345
himantopus, 345, 429
melanotos, 344, 429
minutilla, 345
pusilla, 429
Callipepla californica, 51
gambelii, 291, 514
Calocitta formosa, 202
Calypte anna, 51, 292–293, 543
costae, 514
Camaroptera brevicaudata, 346
 Camaroptera, Grey-backed, see *Camaroptera brevicaudata*
 Campbell, R. Wayne, First record of the Eurasian Kestrel for Canada, 294
Campephilus magellanicus, 476, 483
Camptostoma obsoletum, 407
Campylorhynchus brunneicapillus, 514
 Canary, see *Serinus canaria*
 Canastero, Austral, see *Asthenes anthoides*
 Lesser, see *Asthenes pyrrholeuca*
 Canvasback, see *Aythya valisineria*
Caprimulgus carolinensis, 277
longirostris, 476, 483
vociferus, 276, 338
Caracara cheriway, 434
 Caracara, Chimango, see *Milvago chimango*
 Common, see *Caracara cheriway*
 Cardinal, Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 409, 516
Carduelis lawrencei, 291, 506
pinus, 291, 506
psaltria, 54, 291, 516
tristis, 54, 291, 426
 Carey, Cynthia, see Dawson, William R.
Carpodacus cassinii, 291, 426, 494–510
erythrinus, 498
mexicanus, 54, 291, 424–427, 516
purpureus, 54, 291
 Cash, Kevin J., see Evans, Roger M.
Casmerodius albus, 250
 Catbird, Gray, see *Dumetella carolinensis*
Catharacta antarctica, 316
chilensis, 316
lonnbergi, 316–326
maccormicki, 316–326, 427–428
skua, 316
Cathartes aura, 51, 93, 291, 350–355, 400, 476, 483
Catharus fuscescens, 277, 345
guttatus, 52, 60
minimus, 277
ustulatus, 277, 338, 345, 407
Catherpes mexicanus, 52
Catoptrophorus semipalmatus, 345
Cepphus columba, 535–541
grylle, 144–145
Cerorhinca monocerata, 238
Certhia americana, 52, 209
 Chachalaca, Plain, see *Ortalis vetula*
 Chaffinch, see *Fringilla coelebs*
Chamaea fasciata, 53
Charadrius alexandrinus, 389, 526
hiaticula, 429
semipalmatus, 345, 429
vociferus, 49, 338
 Chat, Yellow-breasted, see *Icteria virens*
Chen caerulescens, 23, 142–143
Cheramoeca leucosternum, 356
 Cherry, Jeffrey D., Doherty, Dorothy Holcomb, and Powers, Kevin D., An offshore nocturnal observation of migrating Blackpoll Warblers, 548–549
 Chickadee, Black-capped, see *Parus atricapillus*
 Chestnut-backed, see *Parus rufescens*
 Mountain, see *Parus gambeli*
 Chicken, see *Gallus gallus* or *Gallus domesticus*
Chiroxiphia caudata, 454, 455
Chloephaga hybrida, 156
poliocephala, 476, 483
Chloroceryle americana, 338
Chondestes grammacus, 336
Chordeiles acutipennis, 337, 338, 344
minor, 344
rupestris, 344
 Chorlote, see *Pseudodoseiura gutturalis*
 Chucao, see *Scelorchilus rubecula*
 Chuck-will's-widow, see *Caprimulgus carolinensis*
Cinclus cinclus, 177–186
mexicanus, 177
Circus approximans, 399
cinereus, 476, 483
cyaneus, 247, 398–401
Cisticola juncidis, 346–349
Cistothorus palustris, 418–422
 Clark, Robert G., and Ohmart, Robert D., Spread-winged posture of Turkey Vultures: single or multiple function?, 350–355
Coccothraustes vespertinus, 291
Coccyzus americanus, 277, 338, 345
erythrophthalmus, 338, 345
minor, 338
Colaptes auratus, 51, 338, 437, 514
pitius, 476, 480, 483
 Coleman, John S., Fraser, James D., and Pringle, Carol A., Salt-eating by Black and Turkey vultures, 291–292.

- Colinus virginianus*, 338
 Collopy, Michael W., see Bildstein, Keith L.
Columba cayennensis, 336, 338
 fasciata, 51, 291
 livia, 93, 291, 336
Columbina minuta, 336
 passerina, 338
 talpacoti, 336
 Condor, Andean, see *Vultur gryphus*
 California, see *Gymnogyps californianus*
 Conner, Richard N., Vocalizations of Common Ravens
 in Virginia, 379–388
Conopias inornatus, 406
 parva, 406
 trivirgata, 407, 416
Contopus virens, 277, 407
 Cooke, Fred, see Rockwell, Robert F.
 Coot, Red-gartered, see *Fulica armillata*
Coragyps atratus, 291, 353, 476, 483
 Cormorant, Brandt's, see *Phalacrocorax penicillatus*
 Flightless, see *Nannopterum harrisi*
 Little, see *Phalacrocorax niger*
 Pelagic, see *Phalacrocorax pelagicus*
 Coronet, Buff-tailed, see *Boissonneaua flavescens*
Corvus albicollis, 386
 brachyrhynchus, 49, 93, 100, 247, 380, 559
 corax, 21, 52, 247, 379–388
 corone, 94, 102
 monedula, 386
 nasicus, 386
 Cotter, R., see Lemon, R.E.
Coturnix coturnix, 44, 84
 japonica, 291
 Cowbird, Bronzed, see *Molothrus aeneus*
 Brown-headed, see *Molothrus ater*
 Shiny, see *Molothrus bonariensis*
 Creeper, Brown, see *Certhia americana*
 Crossbill, Red, see *Loxia curvirostra*
Crotophaga sulcirostris, 202, 338
 Crow, American, see *Corvus brachyrhynchus*
 Carrion, see *Corvus corone*
 Cuban, see *Corvus nasicus*
 Cuckoo, Black-billed, see *Coccyzus erythrophthalmus*
 Common, see *Cuculus canorus*
 Mangrove, see *Coccyzus minor*
 Squirrel, see *Piaya cayana*
 Yellow-billed, see *Coccyzus americanus*
Cuculus canorus, 174
Curaeus curaeus, 476, 480, 483
 Curlew, Long-billed, see *Numenius americanus*
 Cuthbert, Francesca J., Mate retention in Caspian Terns,
 74–78
Cyanocitta cristata, 93, 384
 stelleri, 309–315, 334, 560
Cyanocorax morio, 192–204
 yncas, 202
Cyananthus latirostris, 148–150
 sordidus, 148–150
- D**
- Dawson, William R., Buttemer, William A., and Carey,
 Cynthia, A re-examination of the metabolic re-
 sponse of House Finches to temperature, 424–427
Dendragapus canadensis, 281–286
 obscurus, 285
Dendrocopos lignarius, 476, 483
Dendroica adelaidae, 168
 castanea, 277
 cerulea, 345
 coronata, 53, 209, 515, 548
 fusca, 277, 345
 kirtlandii, 165, 406, 407
 magnolia, 277
 occidentalis, 209
 palmarum, 277
 pensylvanica, 277
 petechia, 96, 165, 277, 515
 striata, 277, 548–549
 tigrina, 277
 virens, 277
 DeSante, David F., see Isenhardt, Frank R.
 Dickcissel, see *Spiza americana*
Diomedea exulans, 236
 Dipper, see *Cinclus cinclus*
 American, see *Cinclus mexicanus*
 Diucon, Fire-eyed, see *Pyrope pyrope*
Diuca diuca, 476, 480, 483
Dives dives, 338
 Doherty, Dorothy Holcomb, see Cherry, Jeffrey D.
Dolichonyx oryzivorus, 345
 Dott, H. E. M., North American migrants in Bolivia, 343–
 345
 Douglas, Michael E., see Schnell, Gary D.
 Dove, Eared, see *Zenaida auriculata*
 Mourning, see *Zenaida macroura*
 Rock, see *Columba livia*
 Scaled, see *Scardafella squammata*
 White-winged, see *Zenaida asiatica*
 Duck, African Black, see *Anas sparsa*
 American Black, see *Anas rubripes*
 Pekin, see *Anas platyrhynchos*
Dumetella carolinensis, 276, 407, 561
- E**
- Eadie, John McA., and Gauthier, Gilles, Prospecting for
 nest sites by cavity-nesting ducks of the genus *Bu-*
cephala, 526–534
 Eagle, Bald, see *Haliaeetus leucocephalus*
 Golden, see *Aquila chrysaetos*
 White-tailed, see *Haliaeetus albicilla*
 Earthcreeper, Scale-throated, see *Upucerthia dumetaria*
 Egret, Cattle, see *Bubulcus ibis*
 Great, see *Casmerodius albus*
 Snowy, see *Egretta thula*
Egretta thula, 147
 tricolor, 147
 Eider, Common, see *Somateria mollissima*
Elaenia albiceps, 475, 476, 480
 flavogaster, 407
 Elaenia, White-crested, see *Elaenia albiceps*
Elanus caeruleus, 434
 leucurus, 341
Empidonax flaviventris, 277
 trillii, 514
 virescens, 277, 407
Empidonomus aurantiacrocristatus, 406
 varius, 402–417
Enicognathus ferrugineus, 476, 480, 483
 Erckmann, W. James, see Paulson, Dennis R.
Eremophila alpestris, 336
Eudytes pachyrhynchus, 256
Euphagus cyanocephalus, 444
 Evans, Roger M., and Cash, Kevin J., Early spring flights
 of American White Pelicans: timing and functional
 role in attracting others to the breeding colony, 252–
 255
- F**
- Falco columbarius*, 340
 concolor, 341
 eleonora, 341
 femoralis, 336–342
 mexicanus, 294, 398
 peregrinus, 20, 247, 336, 343, 371, 400, 423–424, 432
 pileatus, 340
 sparverius, 51, 337, 434–436, 437–438, 476, 483

- subbuteo*, 340
tinnunculus, 294, 435
 Falcon, Aplomado, see *Falco femoralis*
 Bat, see *Falco rufigularis*
 Eleonora's, see *Falco eleonorae*
 Peregrine, see *Falco peregrinus*
 Prairie, see *Falco mexicanus*
 Sooty, see *Falco concolor*
Ficedula hypoleuca, 69, 362
 Finch, Cassin's, see *Carpodacus cassinii*
 Common Diuca, see *Diuca diuca*
 Gray-hooded Sierra, see *Phrygilus gayi*
 House, see *Carpodacus mexicanus*
 Mourning Sierra, see *Phrygilus fruticeti*
 Patagonian Sierra, see *Phrygilus patagonicus*
 Plumbeous Sierra, see *Phrygilus unicolor*
 Purple, see *Carpodacus purpureus*
 Small Ground, see *Geospiza fuliginosa*
 Zebra, see *Poephila guttata*
 Findlay, C. Scott, see Rockwell, Robert F.
 Finnlund, M., Hissa, R., Koivusaari, J., Merila, E., and Nuuja, I., Eggshells of Arctic Terns from Finland: effects of incubation and geography, 79–86
 Firecrown, Green-backed, see *Sephanoides sephanoides*
 Fischer, David L., Piracy behavior of wintering Bald Eagles, 246–251
 Flicker, Austral, see *Colaptes pitius*
 Northern, see *Colaptes auratus*
 Flint, E. N., see Whittow, G. C.
Fluvicola pica, 406
 Flycatcher, Acadian, see *Empidonax virescens*
 Ash-throated, see *Myiarchus cinerascens*
 Brown-crested, see *Myiarchus tyrannulus*
 Great Crested, see *Myiarchus crinitus*
 Ochre-bellied, see *Mionectes oleagineus*
 Pied, see *Ficedula hypoleuca*
 Piratic, see *Legatus leucophaeus*
 Puerto Rican, see *Myiarchus antillarum*
 Rusty-margined, see *Myiozetetes cayanensis*
 Scissor-tailed, see *Tyrannus forficatus*
 Variegated, see *Empidonax varius*
 Willow, see *Empidonax trailii*
 Yellow-bellied, see *Empidonax flaviventris*
Forpus coelestis, 423
 Fraser, James D., see Coleman, John S.
 Fraser, James D., see McGarigal, Kevin
Fratrercula arctica, 238
Fregata magnificens, 371
Fregilupus varius, 406, 407
 Friesen, Gaynette, see Barclay, Robert M. R.
 Frigatebird, Magnificent, see *Fregata magnificens*
Fringilla coelebs, 468
Fulica americana, 156
 armillata, 87
 Fulmar, Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 76, 233
- G**
- Gadwall, see *Anas strepera*
Gallinago gallinago, 429
Gallus domesticus, 92
 gallus, 84, 150, 278, 291, 549
 Gannet, Northern, see *Sula bassanus*
Garrulus glandarius, 94
 Gauthier, Gilles, see Eadie, John McA.
Geococcyx californianus, 354
Geositta antarctica, 476, 483
 rufipennis, 476, 483
Geospiza fuliginosa, 145
Geothlypis trichas, 276, 515
 Giant-Petrel, Southern, see *Macronektes giganteus*
 Gibbs, H. Lisle, see Muldal, Alison
 Gill, Frank B., see Marcotullio, Peter J.
 Gnatcatcher, Black-tailed, see *Polioptila melanura*
 Blue-gray, see *Polioptila caerulea*
 Tropical, see *Polioptila plumbea*
 Gochfeld, Michael, see Burger, Joanna
 Godwit, Black-tailed, see *Limosa limosa*
 Goldcrest, see *Regulus regulus*
 Goldeneye, Barrow's, see *Bucephala islandica*
 Common, see *Bucephala clangula*
 Golden-Plover, Lesser, see *Pluvialis dominica*
 Goldfinch, American, see *Carduelis tristis*
 Lawrence's, see *Carduelis lawrencei*
 Lesser, see *Carduelis psaltria*
 Goose, Ashy-headed, see *Chloephaga poliocephala*
 Cackling, see *Branta canadensis*
 Canada, see *Branta canadensis*
 Lesser Snow, see *Chen caerulescens*
 Grackle, Boat-tailed, see *Quiscalus major*
 Common, see *Quiscalus quiscula*
 Greater Antillean, see *Quiscalus niger*
 Great-tailed, see *Quiscalus mexicanus*
 Grant, G. S., see Whittow, G. C.
 Grassquit, Blue-black, see *Volatinia jacarina*
 Yellow-faced, see *Tiaris olivacea*
 Grau, C. R., see Astheimer, Lee B.
 Graybill, Michael R., see Hodder, Janet
 Grebe, Eared, see *Podiceps nigricollis*
 Hooded, see *Podiceps gallardoi*
 Horned, see *Podiceps auritus*
 Pied-billed, see *Podilymbus podiceps*
 Silvery, see *Podiceps occipitalis*
 Western, see *Aechmophorus occidentalis*
 Grosbeak, Black-headed, see *Pheucticus melanocephalus*
 Blue, see *Guiraca caerulea*
 Rose-breasted, see *Pheucticus ludovicianus*
 Ground-Dove, Common, see *Columbina passerina*
 Plain-breasted, see *Columbina minuta*
 Ruddy, see *Columbina talpacoti*
 Ground-Sparrow, White-eared, see *Melospiza leucotis*
 Ground-Tyrant, Cinnamon-bellied, see *Muscisaxicola capistrata*
 Spot-billed, see *Muscisaxicola maculirostris*
 Grouse, Blue, see *Dendragopus obscurus*
 Spruce, see *Dendragopus canadensis*
 Guillemot, Black, see *Cephus grylle*
 Pigeon, see *Cephus columba*
Guiraca caerulea, 278
 Gull, Black-headed, see *Larus ridibundus*
 California, see *Larus californicus*
 Glaucous, see *Larus hyperboreus*
 Great Black-backed, see *Larus marinus*
 Herring, see *Larus argentatus*
 Iceland, see *Larus glaucoides*
 Kelp (Southern Black-backed), see *Larus dominicanus*
 Laughing, see *Larus atricilla*
 Lesser Black-backed, see *Larus fuscus*
 Red-billed, see *Larus scopulinus*
 Ring-billed, see *Larus delawarensis*
 Silver (Red-billed), see *Larus novaehollandiae*
Gygis alba, 76, 269
Gymnogyps californianus, 1–13, 374–378
Gymnorhinus cyanocephalus, 559–561
- H**
- Hails, C. J., see Bryant, D. M.
Haliaeetus albicilla, 79
 leucocephalus, 14, 246–251, 400
 Hamber, Janey A., see Snyder, Noel F. R.
 Hansen, Richard M., see MacCracken, James G.
Haplophaedia aureliae, 543
 Harrier, Australasian, see *Circus approximans*
 Cinereous, see *Circus cinereus*
 Northern, see *Circus cyaneus*
 Harris, Reid N., Commentary. Territoriality in Tree Swallows, 566

- Hatch, Jeremy J., Lateral asymmetry of the bill of *Loxops coccineus* (Drepanidinae), 546–547
- Hawk, Cooper's, see *Accipiter cooperii*
- Ferruginous, see *Buteo regalis*
- Harris', see *Parabuteo unicinctus*
- Red-backed, see *Buteo polyosoma*
- Red-tailed, see *Buteo jamaicensis*
- Rough-legged, see *Buteo lagopus*
- Sharp-shinned, see *Accipiter striatus*
- Hector, Dean P., The diet of the Aplomado Falcon (*Falco femoralis*) in eastern Mexico, 336–342
- Helmitheros vermivorus*, 277
- Henny, Charles J., see Blus, Lawrence J.
- Heppner, Frank H., see LeBaron, Geoffrey S.
- Heron, Great Blue, see *Ardea herodias*
- Tricolored, see *Egretta tricolor*
- Heteroscelus incanus*, 429
- Hill, Brad G., and Lein, M. Ross, The non-song vocal repertoire of the White-crowned Sparrow, 327–335
- Hirundinea ferruginea*, 406
- Hirundo fulva*, 356, 441–442
- pyrrhonota*, 345, 356, 441–443
- rustica*, 345, 356, 442, 443
- Hissa, R., see Finnlund, M.
- Hobby, Northern, see *Falco subbuteo*
- Hodder, Janet, and Graybill, Michael R., Reproduction and survival of seabirds in Oregon during the 1982–1983 El Niño, 535–541
- Honeyguide, Greater, see *Indicator indicator*
- Huels, Thomas R., Cave Swallow paired with Cliff Swallows, 441–442
- Huet-huet, see *Pteroptochos tarnii*
- Hummingbird, Andean, see *Oreotrochilus estella*
- Anna's, see *Calypte anna*
- Black-chinned, see *Archilochus alexandri*
- Costa's, see *Calypte costae*
- Dusky, see *Cyananthus sordidus*
- Ruby-throated, see *Archilochus colubris*
- Rufous, see *Selasphorus rufus*
- Humphrey, Philip S., see Livezey, Bradley C.
- Hylocichla mustelina*, 277
- I**
- Ibis, Buff-necked, see *Theristicus caudatus*
- White-faced, see *Plegadis chihi*
- Icteria virens*, 276, 515
- Icterus cucullatus*, 338
- dominicensis*, 165
- galbula*, 53, 276, 338
- gularis*, 338
- icterus*, 165
- spurius*, 278, 338
- Indicator indicator*, 145
- Isenhardt, Frank R., and DeSante, David F., Observations of Scrub Jays cleaning ectoparasites from Black-tailed Deer, 145–147
- Ixoreus naevius*, 53
- J**
- Jackdaw, see *Corvus monedula*
- Jackson, Jerome A., A mutualistic feeding association between Boat-tailed Grackles and Pied-billed Grebes, 147–148
- Jaeger, Long-tailed, see *Stercorarius longicaudus*
- Parasitic, see *Stercorarius parasiticus*
- Pomarine, see *Stercorarius pomarinus*
- Jakle, Martin D., see Szaro, Robert C.
- Jay, Blue, see *Cyanocitta cristata*
- Brown, see *Cyanocorax morio*
- European, see *Garrulus glandarius*
- Florida Scrub, see *Aphelocoma coerulescens*
- Gray-breasted (Mexican), see *Aphelocoma ultramarina*
- Green, see *Cyanocorax yncas*
- Pinyon, see *Gymnorhinus cyanocephalus*
- Scrub, see *Aphelocoma coerulescens*
- Steller's, see *Cyanocitta stelleri*
- Jehl, Jr., Joseph R., Leucism in Eared Grebes in western North America, 439–441
- Jehl, Jr., Joseph R., see Mahoney, Sheila A.
- Johnson, Eric V., Commentary, 446–447
- Johnson, Eric V., see Snyder, Noel F. R.
- Johnson, Sandra L., see Ankney, C. Davison
- Junco, Dark-eyed, see *Junco hyemalis*
- Junco hyemalis*, 53
- K**
- Kadlec, John A., see Reese, Kerry P.
- Kamp, Joseph W., see Taylor, J. Mary
- Kattan, Gustavo, and Murcia, Carolina, Hummingbird association with Acorn Woodpecker sap trees in Colombia, 542–543
- Keppie, Daniel M., and Redmond, Gerald W., Body weight and the possession of territory for male American Woodcock, 287–290
- Kestrel, American, see *Falco sparverius*
- Eurasian, see *Falco tinnunculus*
- Killdeer, see *Charadrius vociferus*
- Kim, Sooil, see Knight, Richard L.
- King, James R., see Mewaldt, L. Richard
- Kingbird, Eastern, see *Tyrannus tyrannus*
- Gray, see *Tyrannus dominicensis*
- Tropical, see *Tyrannus melancholicus*
- Western, see *Tyrannus verticalis*
- Kingfisher, Green, see *Chloroceryle americana*
- Kinglet, Golden-crowned, see *Regulus satrapa*
- Ruby-crowned, see *Regulus calendula*
- Kiskadee, Great, see *Pitangus sulphuratus*
- Kite, Black-shouldered, see *Elanus caeruleus*
- Snail, see *Rostrhamus sociabilis*
- White-tailed, see *Elanus leucurus*
- Kittiwake, Black-legged, see *Rissa tridactyla*
- Kiwi, Brown, see *Apteryx australis*
- Knight, Richard L., Kim, Sooil, and Temple, Stanley A., Predation of Red-winged Blackbird nests by mink, 304–305
- Koenig, Walter D., Dunking of prey by Brewer's Blackbirds: a novel source of water for nestlings, 444–445
- Koivusaari, J., see Finnlund, M.
- Krynsky, Alexander J., see Blus, Lawrence J.
- L**
- Lanius ludovicianus*, 53, 220
- LaPointe, Gisèle, see Bédard, Jean
- Lapwing, Northern, see *Vanellus vanellus*
- Southern, see *Vanellus chilensis*
- Lark, Horned, see *Eremophila alpestris*
- Larus argentatus*, 21, 74, 247, 322, 350, 370, 430–431, 484, 549–551
- atricilla*, 317, 364–373
- californicus*, 389, 484–493, 520
- delawarensis*, 74, 247, 431, 484
- dominicanus*, 156, 484
- fuscus*, 484
- glaucoides*, 485
- hyperboreus*, 429, 485
- marinus*, 247, 431, 484
- novaehollandiae*, 76, 484
- pipixcan*, 345
- ridibundus*, 84, 370
- scopulinus*, 484
- Lawton, Marcy F., and Lawton, Robert O., The breeding biology of the Brown Jay in Monteverde, Costa Rica, 192–204
- Lawton, Robert O., see Lawton, Marcy F.

- LeBaron, Geoffrey S., and Heppner, Frank H., Food theft in the presence of abundant food in Herring Gulls, 430–431
- Legatus leucophaeus*, 402–417
- Lein, M. Ross, see Hill, Brad G.
- Lemon, R. E., Cotter, R., MacNally, R. C., and Monette, S., Song repertoires and song sharing by American Redstarts, 457–470
- Leonard, Marty L., see Barclay, Robert M. R.
- Limnothlypis swainsonii*, 277
- Limosa haemastica*, 345
- limosa*, 429
- Livezey, Bradley C., and Humphrey, Philip S., Territoriality and interspecific aggression in Steamer-Ducks, 154–157
- Livezey, Bradley C., and Humphrey, Philip S., Commentary, 567
- Lonchura cucullata*, 165
- Lophonetta specularioides*, 156
- Lophortyx californica*, 476, 480, 483
- Lophotriccus galeatus*, 407
- Loxia curvirostra*, 291, 506
- Loxops coccineus*, 546–547
- Luscinia megarhynchos*, 418
- M**
- MacCracken, James G., Uresk, Daniel W., and Hansen, Richard M., Vegetation and soils of Burrowing Owl nest sites in Conata Basin, South Dakota, 152–154
- Machaeropterus pyrocephalus*, 453
- Machetornis rixosus*, 407
- MacNally, R. C., see Lemon, R. E.
- Macronectes giganteus*, 428
- Magpie, Black-billed, see *Pica pica*
- Magpie-Jay, White-throated, see *Calocitta formosa*
- Mahoney, Sheila A., and Jehl, Jr., Joseph R., Avoidance of salt-loading by a diving bird at a hypersaline and alkaline lake: Eared Grebe, 389–397
- Mahoney, Sheila A., and Jehl, Jr., Joseph R., Adaptations of migratory shorebirds to highly saline and alkaline lakes: Wilson's Phalarope and American Avocet, 520–527
- Mallard, see *Anas platyrhynchos*
- Manacus manacus*, 454
- Manakin, Band-tailed, see *Pipra fasciicauda*
- Bearded, see *Manacus manacus*
- Blue-crowned, see *Pipra coronata*
- Crimson-hooded, see *Pipra aureola*
- Fiery-capped, see *Machaeropterus pyrocephalus*
- Golden-headed, see *Pipra erythrocephala*
- Greater, see *Schiffornis major*
- Red-capped, see *Pipra mentalis*
- Round-tailed, see *Pipra chloromeros*
- Wire-tailed, see *Pipra filicauda*
- Mannikin, Bronze, see *Lonchura cucullata*
- Marcotullio, Peter J., and Gill, Frank B., Use of time and space by Chestnut-backed Antbirds, 187–191
- Margarops fuscatus*, 167
- Marti, Carl D., and Wagner, Phillip W., Winter mortality in Common Barn-Owls and its effect on population density and reproduction, 111–115
- Martin, Banded Sand, see *Riparia cincta*
- Brown-chested, see *Phaeoprogne tapera*
- Caribbean, see *Progne dominicensis*
- Gray-breasted, see *Progne chalybea*
- Purple, see *Progne subis*
- Marzluff, John M., Behavior at a Pinyon Jay nest in response to predation, 559–561
- Mayoh, Keith R., and Zach, Reto, A new method for matching hatchlings with their eggs, 300–301
- McArthur, Patrick D., see Searcy, William A.
- McGarigal, Kevin, and Fraser, James D., Barred Owl responses to recorded vocalizations, 552–553
- McKittrick, Mary C., Myology of the pectoral appendage in kingbirds (*Tyrannus*) and their allies, 402–417
- McMillan, Ian I., California Condor population estimates, 446
- Meadowlark, Eastern, see *Sturnella magna*
- Red-breasted, see *Pezites militaris*
- Western, see *Sturnella neglecta*
- Megarynchus pitangua*, 406
- Melanerpes aurifrons*, 338
- formicivorus*, 51, 312, 338, 542–543
- lewis*, 291, 437
- uropygialis*, 514
- Meleagris gallopavo*, 150
- Melospiza georgiana*, 278
- lincolni*, 53
- melodia*, 69, 222–228, 409, 516, 559
- Melospiza biarcuatum*, 554
- leucotis*, 554
- Merganser, Common, see *Mergus merganser*
- Mergus merganser*, 247
- Merilä, E., see Finnlund, M.
- Merlin, see *Falco columbarius*
- Mewaldt, L. Richard, and King, James R., Breeding site faithfulness, reproductive biology, and adult survivorship in an isolated population of Cassin's Finches, 494–510
- Midtgård, Uffe, Arteriovenous anastomoses in the incubation patch of Herring Gulls, 549–551
- Milvago chimango*, 476, 483
- Mimus polyglottos*, 53, 87, 165, 561
- saturninus*, 561
- Miner, Rufous-banded, see *Geositta rufipennis*
- Short-billed, see *Geositta antarctica*
- Mionectes oleagineus*, 407, 453
- Mniotilta varia*, 277
- Mockingbird, Chalk-browed, see *Mimus saturninus*
- Northern, see *Mimus polyglottos*
- Molothrus aeneus*, 276, 338
- ater*, 54, 165, 278, 296–299, 516, 561–562
- bonariensis*, 165–176
- Monette, S., see Lemon, R. E.
- Muldal, Alison, Gibbs, H. Lisle, and Robertson, Raleigh J., Preferred nest-spacing of an obligate cavity-nesting bird, the Tree Swallow, 356–363
- Murcia, Carolina, see Kattan, Gustavo
- Murray, Jr., Bertram G., Commentary. Interspecific aggression in Steamer-Ducks, 567
- Murre, Common, see *Uria aalge*
- Muscisaxicola capistrata*, 476, 483
- maculirostris*, 476, 480, 483
- Mycteria americana*, 147
- Myiarchus antillarum*, 165
- cinerascens*, 52, 56, 514
- crinitus*, 277, 338, 407
- tyrannulus*, 514
- Myiodynastes bairdii*, 407
- luteiventris*, 345, 407
- maculatus*, 407, 416
- Myiozetetes cayanensis*, 402–417
- granadensis*, 407
- luteiventris*, 406, 416
- similis*, 407
- Myrmeciza exsul*, 187–191
- Myrmotherula axillaris*, 452
- fulviventris*, 187
- N**
- Nannopterum harrisi*, 76
- Nectarinia sperata*, 407
- Netta erythrophthalma*, 156

- Nighthawk, Common, see *Chordeiles minor*
 Lesser, see *Chordeiles acutipennis*
 Sand-colored, see *Chordeiles rupestris*
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*
- Nightingale, see *Luscinia megarhynchos*
- Nightjar, Band-winged, see *Caprimulgus longirostris*
- Noddy, Brown, see *Anous stolidus*
- Notiochelidon cyanoleuca*, 345, 476, 480, 483
- Nucifraga caryocatactes*, 94
columbiana, 94
- Nuechterlein, Gary L., see Buitron, Deborah
- Nuechterlein, Gary L., and Storer, Robert W., Aggressive behavior and interspecific killing by Flying Steamer-Ducks in Argentina, 87–91
- Nuechterlein, Gary L., Commentary, 568
- Numenius americanus*, 563–565
- Nutcracker, Clark's, see *Nucifraga columbiana*
 Eurasian, see *Nucifraga caryocatactes*
- Nuthatch, Red-breasted, see *Sitta canadensis*
 White-breasted, see *Sitta carolinensis*
- Nuuja, I., see Finnlund, M.
- Nycticorax nycticorax*, 156, 371
- Nyctidromus albigollis*, 338, 340
- O**
- Oceanodroma castro*, 433
furcata, 76, 236, 432–434
leucorhoa, 76, 238, 434
- Ocreatus underwoodii*, 542
- Ohmart, Robert D., see Anderson, Bertin W.
- Ohmart, Robert D., see Clark, Robert G.
- Oporornis agilis*, 548
formosus, 276
philadelphia, 277
- Oreoscoptes montanus*, 295, 561
- Oreotrochilus estella*, 293
- Oriole, Altamira, see *Icterus gularis*
 Black-cowled, see *Icterus dominicensis*
 Hooded, see *Icterus cucullatus*
 Northern (Baltimore), see *Icterus galbula*
 Orchard, see *Icterus spurius*
- Ortalis vetula*, 337, 338
- Orthotomus atrogularis*, 407
- Oryzoborus fumereus*, 545
- Osborne, Timothy O., Fork-tailed Storm Petrel records from inland Alaska, 432–434
- Osprey, see *Pandion haliaetus*
- Ovenbird, see *Seiurus aurocapillus*
- Owl, Barred, see *Strix varia*
 Burrowing, see *Athene cucularia*
 Eurasian Tawny, see *Strix aluco*
 Great Horned, see *Bubo virginianus*
 Long-eared, see *Asio otus*
 Short-eared, see *Asio flammeus*
 Spotted, see *Strix occidentalis*
- P**
- Paine, R. T., Reestablishment of an insular Winter Wren population following a severe freeze, 558–559
- Pandion haliaetus*, 21, 79, 247, 336
- Parabuteo unicinctus*, 434, 514
- Paradisaea rubra*, 406–408
- Parakeet, Austral, see *Enicognathus ferrugineus*
 Aztec, see *Aratinga astec*
- Parrotlet, Pacific, see *Forpus coelestis*
- Parula americana*, 277
pitiayumi, 338
- Parula, Northern, see *Parula americana*
 Tropical, see *Parula pitiayumi*
- Parus atricapillus*, 327, 555–556
gambeli, 209
inornatus, 52, 56
major, 103, 223, 300, 469
rufescens, 209
- Passer domesticus*, 291, 362, 409, 435, 442
- Passerculus sandwichensis*, 106–110, 291, 302–303
- Passerella iliaca*, 53, 559
- Passerina ciris*, 273, 276
cyanea, 276, 323, 338, 468
- Paulson, Dennis R., and Erckmann, W. James, Buff-breasted Sandpipers nesting in association with Black-bellied Plovers, 429–430
- Pauraque, Common, see *Nyctidromus albigollis*
- Pelecanus conspicillatus*, 255
erythrorhynchos, 147, 252–255, 491
occidentalis, 147, 491
- Pelican, American White, see *Pelecanus erythrorhynchos*
 Australian, see *Pelecanus conspicillatus*
 Brown, see *Pelecanus occidentalis*
- Penguin, Adélie, see *Pygoscelis adeliae*
 Emperor, see *Aptenodytes forsteri*
 Fiordland Crested, see *Eudyptes pachyrhynchus*
 Jackass, see *Spheniscus demersus*
- Petersen, Kenneth L., and Best, Louis B., Nest-site selection by Sage Sparrows, 217–221
- Petersen, Kenneth L., see Best, Louis B.
- Petrel, Bermuda, see *Pterodroma cahow*
 Bonin, see *Pterodroma hypoleuca*
 Dark-rumped, see *Pterodroma phaeopygia*
- Peucedramus taeniatus*, 407
- Pezites militaris*, 476, 480, 483
- Phaeomyias murina*, 407
- Phaeoprogne tapera*, 362
- Phaethon rubricauda*, 76
- Phainopepla, see *Phainopepla nitens*
- Phainopepla nitens*, 53
- Phalacrocorax niger*, 350
olivaceus, 156
pelagicus, 535–541
penicillatus, 535–541
- Phalarope, Red-necked, see *Phalaropus lobatus*
 Wilson's, see *Phalaropus tricolor*
- Phalaropus fulicaria*, 429
lobatus, 389, 429, 520
tricolor, 344, 389, 520–527
- Pheucticus ludovicianus*, 273, 276
melanocephalus, 209
- Philomachus pugnax*, 429
- Phoebe, Black, see *Sayornis nigricans*
 Eastern, see *Sayornis nigricans*
 Say's, see *Sayornis saya*
- Phoeniculus purpureus*, 201
- Phrygillus fruticeti*, 476, 483
gayi, 483
patagonicus, 476, 480, 483
unicolor, 476, 483
- Phytotoma rara*, 476, 480, 483
- Piaya cayana*, 338
- Pica pica*, 92–95, 96–105, 145, 291
Picoides nuttallii, 51
pubescens, 51, 291, 382, 443
scalaris, 514
villosus, 51
- Pietz, Pamela J., Long call displays of sympatric South Polar and Brown skuas, 316–326
- Pigeon, see *Columba livia*
 Band-tailed, see *Columba fasciata*
 Pale-vented, see *Columba cayennensis*
- Pintail, Yellow-billed, see *Anas georgica*
- Pipilo alberti*, 516
chlorurus, 516
erythrophthalmus, 53, 276
fuscus, 53, 516

- Pipit, Hellmayr's, see *Anthus hellmayri*
 Rock, see *Anthus spinoletta*
- Pipra aureola*, 449
chloromeros, 453, 455
coronata, 455
erythrocephala, 454
fasciicauda, 449–456
filicauda, 449
mentalis, 455
- Piranga ludoviciana*, 209
olivacea, 278, 345
rubra, 276, 345, 515
- Pitangus lictor*, 406
sulphuratus, 338, 407, 416
- Pityriasis gymnocephala*, 407
- Plantcutter, Rufous-tailed, see *Phytotoma rara*
- Platyrinchus coronatus*, 407
- Plegadis chihii*, 84
- Plover, Black-bellied, see *Pluvialis squatarola*
 Common Ringed, see *Charadrius hiaticula*
 Egyptian, see *Pluvianus aegyptius*
 Snowy, see *Charadrius alexandrinus*
 Wry-billed, see *Anarhynchus frontalis*
- Pluvialis squatarola*, 429–430
Pluvianus aegyptius, 145, 444
dominica, 343, 429
- Pochard, African, see *Netta erythrophthalma*
- Podiceps auritus*, 391
gallardoi, 87
major, 156
nigricollis, 389–397, 439–441, 520
occipitalis, 87, 396
- Podilymbus podiceps*, 147–148, 391
- Poephila guttata*, 37–46
- Polioptila caerulea*, 52, 277
melanura, 515
plumbea, 423
- Pomatostomus temporalis*, 201
- Powers, Kevin D., see Cherry, Jeffrey D.
- Priedkalns, J., see Vleck, Carol M.
- Pringle, Carol A., see Coleman, John S.
- Procnias nudicollis*, 406, 407
- Progne chalybea*, 362
dominicensis, 340
subis, 277, 345, 356
- Protonotaria citrea*, 277
- Prys-Jones, R., see Bryant, D. M.
- Psaltiriparus minimus*, 52
- Pseudoseisura gutturalis*, 483
- Pterocles alchata*, 444
burchelli, 444
namaqua, 444
senegallus, 444
- Pterodroma cahow*, 238
hypoleuca, 232
phaeopygia, 229–245
- Pteroptochos tarnii*, 476, 480, 483
- Ptychoramphus aleuticus*, 256
- Puffin, Atlantic, see *Fratercula arctica*
- Puffinus auricularis*, 242
pacificus, 238
puffinus, 76
- Puffleg, Greenish, see *Haplophaedia aureliae*
- Pygarrhichas albogularis*, 476, 480, 483
- Pygoscelis adeliae*, 150–151, 256–268
- Pyrocephalus rubinus*, 406
- Pyrope pyrope*, 476, 480, 483
- Q**
- Quail, California, see *Lophortyx californica* or *Callipepla californica*
 Common, see *Coturnix coturnix*
 Gambel's, see *Callipepla gambelii*
 Japanese, see *Coturnix japonica* or *Coturnix coturnix*
- Quay, W. B., Cloacal sperm in spring migrants: occurrence and interpretation, 273–280
- Quiscalus major*, 147–148
mexicanus, 336, 338
niger, 165
quiscula, 276, 301, 304
- R**
- Rail, Yuma Clapper, see *Rallus longirostris*
Rallus longirostris, 116–126
- Ralph, C. John, Habitat association patterns of forest and steppe birds of northern Patagonia, Argentina, 471–483
- Raphael, Martin G., Orientation of American Kestrel nest cavities and nest trees, 437–438
- Raquet-tail, Booted, see *Ocreatus underwoodii*
- Ratcliffe, Laurene, and Weisman, Ronald G., Frequency shift in the fee bee song of the Black-capped Chickadee, 555–556
- Raven, Common, see *Corvus corax*
 White-necked, see *Corvus albicollis*
- Rayadito, Thorn-tailed, see *Aphrastura spinicauda*
Recurvirostra americana, 389, 520–527
- Redhead, see *Aythya americana*
- Redmond, Gerald W., see Keppie, Daniel M.
- Redshank, Common, see *Tringa totanus*
- Redstart, American, see *Setophaga ruticilla*
- Reese, Kerry P., and Kadlec, John A., Influence of high density and parental age on the habitat selection and reproduction of Black-billed Magpies, 96–105
- Regulus calendula*, 52, 515
regulus, 190
satrapa, 209
- Rich, Terrel, and Rothstein, Stephen I., Sage Thrashers reject Cowbird eggs, 561–562
- Riparia cincta*, 356
riparia, 345, 356, 443
- Rissa tridactyla*, 76, 322
- Ritter, Lyman V., see Verner, Jared
- Roadrunner, Greater, see *Geococcyx californianus*
- Robbins, Mark B., Social organization of the Bank-tailed Manakin (*Pipra fasciicauda*), 449–456
- Robertson, Raleigh J., see Muldal, Alison
- Robin, American, see *Turdus migratorius*
 Clay-colored, see *Turdus grayi*
- Rockwell, Robert E., Findlay, C. Scott, and Cooke, Fred, Life history studies of the Lesser Snow Goose V.: temporal effects on age-specific fecundity, 142–143
- Rogers, Christopher M., Growth rate and determinants of fledgling weight in Michigan-breeding Savannah Sparrows, 302–303
- Rosefinch, Common, see *Carpodacus erythrinus*
- Rostrhamus sociabilis*, 438
- Rothstein, Stephen I., see Rich, Terrel
- Ruff, see *Philomachus pugnax*
- Rynchops niger*, 370
- S**
- Salpinctes obsoletus*, 291
- Saltator atriceps*, 338
coerulescens, 338
- Saltator, Black-headed, see *Saltator atriceps*
 Grayish, see *Saltator coerulescens*
- Sandpiper, Baird's, see *Calidris bairdii*
 Buff-breasted, see *Tryngites subruficollis*
 Pectoral, see *Calidris melanotos*
 Semipalmated, see *Calidris pusilla*
 Solitary, see *Tringa solitaria*
 Spotted, see *Actitis macularia*
 Upland, see *Bartramia longicauda*
- Sapsucker, Red-breasted, see *Sphyrapicus ruber*
 Yellow-bellied, see *Sphyrapicus varius*

- Sayornis nigricans*, 52
phoebe, 277, 327, 406
saya, 51
- Scardafella squammata*, 336
- Scelorchilus rubecula*, 476, 480, 481
- Schiffornis major*, 455
- Schnell, Gary D., Worthen, Gary L., and Douglas, Michael E., Morphometric assessment of sexual dimorphism in skeletal elements of California Gulls, 484–492
- Schoonmaker, Peter K., Wallace, Michael P., and Temple, Stanley A., Migrant and breeding Peregrine Falcons in northwestern Peru, 423–424
- Schroeder, Michael A., Behavioral differences of female Spruce Grouse undertaking short and long migration, 281–286
- Scolopax minor*, 287–290
- Scytalopus magellanicus*, 476, 480, 483
- Sealy, Spencer G., see Weatherhead, Patrick J.
- Searcy, William A., McArthur, Patrick D., and Yasukawa, Ken, Song repertoire size and male quality in Song Sparrows, 222–228
- Seed-eater, Variable, see *Sporophila aurita*
 White-collared, see *Sporophila torqueola*
- Seed-Finch, Thick-billed, see *Oryzoborus funereus*
- Seiurus aurocapillus*, 277, 327
motacilla, 277
noveboracensis, 277
- Selasphorus rufus*, 542
- Sephanoides sephanioides*, 475, 476, 480, 481
- Serinus canaria*, 550
- Setophaga ruticilla*, 277, 457–470
- Shearwater, Manx, see *Puffinus puffinus*
 Townsend's, see *Puffinus auricularis*
 Wedge-tailed, see *Puffinus pacificus*
- Shelduck, Common, see *Tadorna tadorna*
- Shoveler, Northern, see *Anas clypeata*
 Red, see *Anas platatea*
- Shrike, Loggerhead, see *Lanius ludovicianus*
- Sialia mexicana*, 52
sialis, 276, 356, 360
- Simons, Theodore R., Biology and behavior of the endangered Hawaiian Dark-rumped Petrel, 229–245
- Siskin, Black-chinned, see *Spinus barbatus*
 Pine, see *Carduelis pinus*
- Sitta canadensis*, 209
carolinensis, 52, 291
- Skimmer, Black, see *Rynchops niger*
- Skua, Brown, see *Catharacta lonnbergi*
 Chilean, see *Catharacta chilensis*
 Falkland, see *Catharacta antarctica*
 Great, see *Catharacta skua*
 South Polar, see *Catharacta maccormicki*
- Snipe, Common, see *Gallinago gallinago*
- Snyder, Noel F. R., and Johnson, Eric V., Photographic censusing of the 1982–1983 California Condor population, 1–13
- Snyder, Noel F. R., and Hamber, Janet A., Replacement-clutching and annual nesting of California Condors, 374–378
- Somateria mollissima*, 23
- Sparrow, Black-throated, see *Amphispiza bilineata*
 Brewer's, see *Spizella breweri*
 Cassin's, see *Aimophila cassinii*
 Chiapas, see *Melospiza biarcuatum*
 Chipping, see *Spizella passerina*
 Field, see *Spizella pusilla*
 Fox, see *Passerella iliaca*
 Golden-crowned, see *Zonotrichia atricapilla*
 House, see *Passer domesticus*
 Ipswich, see *Passerculus sandwichensis*
 Lark, see *Chondestes grammacus*
 Lincoln's, see *Melospiza lincolni*
 Rufous-collared, see *Zonotrichia capensis*
 Rufous-crowned, see *Aimophila ruficeps*
 Sage, see *Amphispiza belli*
 Savannah, see *Passerculus sandwichensis*
 Song, see *Melospiza melodia*
 Swamp, see *Melospiza georgiana*
 White-crowned, see *Zonotrichia leucophrys*
 White-throated, see *Zonotrichia albicollis*
- Spear, Larry B., see Ainley, David G.
- Spheniscus demersus*, 180
- Sphyrapicus ruber*, 51
varius, 277
- Spinus barbatus*, 476, 480, 483
- Spiza americana*, 172, 336
- Spizella arborea*, 406, 414
breweri, 516, 556–558, 561
passerina, 278
pusilla, 276, 557
- Sporophila aurita*, 545
torqueola, 545
- Starling, European, see *Sturnus vulgaris*
- Steamer-Duck, Falkland Flightless, see *Tachyeres brachypterus*
 Flying, see *Tachyeres patachonicus*
 Magellanic Flightless, see *Tachyeres pteneres*
 White-headed Flightless, see *Tachyeres leucocephalus*
- Stelgidopteryx serripennis*, 356
- Stercorarius longicaudus*, 325, 429
parasiticus, 325, 429
pomarinus, 325, 429
- Sterna acuticauda*, 77
anaethetus, 364
antillarum, 370
caspia, 74–78
forsteri, 77
fusca, 269
hirundo, 74, 79, 345, 370
lunata, 269–272
maxima, 364
paradisaea, 79–86, 370
sandvicensis, 364
- Storer, Robert W., see Nuechterlein, Gary L.
- Stork, Wood, see *Mycteria americana*
- Storm-Petrel, Fork-tailed, see *Oceanodroma furcata*
 Leach's, see *Oceanodroma leucorhoa*
- Strepera graculina*, 407
- Streptopelia risoria*, 44
- Streptoprocne zonaris*, 340
- Strix aluco*, 114
occidentalis, 553
varia, 552–553
- Sturnella magna*, 172
neglecta, 54
- Sturnus vulgaris*, 53, 296, 407
- Sula bassanus*, 77
dactylatra, 76
leucogaster, 364
- Surfbird, see *Aphriza virgata*
- Swallow, Bank, see *Riparia riparia*
 Barn, see *Hirundo rustica*
 Blue-and-White, see *Notiochelidon cyanoleuca*
 Cave, see *Hirundo fulva*
 Cliff, see *Hirundo pyrrhonota*
 Mangrove, see *Tachycineta albilinea*
 Northern Rough-winged, see *Stelgidopteryx serripennis*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *Tachycineta thalassina*
 White-backed, see *Cheramoeca leucosternum*
- Swift, White-collared, see *Streptoprocne zonaris*
- Sykes, Jr., Paul W., Pesticide concentrations in Snail Kite eggs and nestlings in Florida, 438
- Sylph, Long-tailed, see *Agelaiocercus kingi*
- Szaro, Robert C., and Jakle, Martin D., Avian use of a

desert riparian island and its adjacent habitat, 511–519

T

- Tachycineta albilinea*, 187, 340, 362
bicolor, 277, 300, 356–363, 443, 566
thalassina, 52
- Tachyeres brachypterus*, 87, 154–157
leucocephalus, 154–157
patachonicus, 87–91, 154–157, 567, 568
pteneres, 154–157
- Tadorna tadorna*, 528
- Taeniopygia guttata*, 37
- Tanager, Blue-gray, see *Thraupis episcopus*
 Scarlet, see *Piranga olivacea*
 Summer, see *Piranga rubra*
 Western, see *Piranga ludoviciana*
- Tattler, Wandering, see *Heteroscelus incanus*
- Taylor, J. Mary, and Kamp, Joseph W., Feeding activities of the Anna's Hummingbird at subfreezing temperatures, 292–293
- Temple, Stanley A., see Knight, Richard L.
- Temple, Stanley A., see Schoonmaker, Peter K.
- Tern, Arctic, see *Sterna paradisaea*
 Black-bellied, see *Sterna acuticauda*
 Bridled, see *Sterna anaethetus*
 Caspian, see *Sterna caspia*
 Common, see *Sterna hirundo*
 Forster's, see *Sterna forsteri*
 Gray-backed, see *Sterna lunata*
 Least, see *Sterna antillarum*
 Royal, see *Sterna maxima*
 Sandwich, see *Sterna sandvicensis*
 Sooty, see *Sterna fuscata*
 White, see *Gygis alba*
- Theristicus caudatus*, 476, 483
- Thompson, Daniel B., see Baker, Myron Charles
- Thrasher, Bendire's, see *Toxostoma bendirei*
 Brown, see *Toxostoma rufum*
 California, see *Toxostoma redivivum*
 Crissal, see *Toxostoma dorsale*
 Curve-billed, see *Toxostoma curvirostra*
 LeConte's, see *Toxostoma lecontei*
 Pearly-eyed, see *Margarops fuscatus*
 Sage, see *Oreoscoptes montanus*
- Thraupis episcopus*, 338, 407
- Thrush, Austral, see *Turdus falcklandii*
 Gray-cheeked, see *Catharus minimus*
 Hermit, see *Catharus guttatus*
 Red-legged, see *Turdus plumbeus*
 Swainson's, see *Catharus ustulatus*
 Varied, see *Ixoreus naevius*
 White-necked, see *Turdus albicollis*
 Wood, see *Hylocichla mustelina*
- Thryomanes bewickii*, 52, 515
- Thurrow, Thomas L., see White, Clayton M.
- Tiaris olivacea*, 545
- Tit, Great, see *Parus major*
- Titmouse, Plain, see *Parus inornatus*
- Toland, Brian R., Double brooding by American Kestrels in central Missouri, 434–436
- Tolmomyias sulphurescens*, 407
- Towhee, Abert's, see *Pipilo aberti*
 Brown, see *Pipilo fuscus*
 Green-tailed, see *Pipilo chlorurus*
 Rufous-sided, see *Pipilo erythrophthalmus*
- Toxostoma bendirei*, 515
curvirostra, 515
dorsale, 561
lecontei, 561
redivivum, 53, 561
rufum, 276, 561
- Treerunner, White-throated, see *Pygarrhichas albobularis*
- Tringa flavipes*, 343, 429
melanoleuca, 343
solitaria, 343
totanus, 429
- Troglodytes aedon*, 69–73, 300, 338, 362, 475, 476, 480
troglydytes, 558–559
- Trogon, Citreoline, see *Trogon citreolus*
- Trogon citreolus*, 338
- Tropicbird, Red-tailed, see *Phaethon rubricauda*
- Troupial, see *Icterus icterus*
- Tryngites subruficollis*, 345, 429
- Turdoides caudatus*, 201
- Turdus albicollis*, 452
falcklandii, 476, 480, 483
grayi, 338
migratorius, 52, 276, 338, 407
plumbeus, 165
- Turnstone, Black, see *Arenaria melanocephala*
 Ruddy, see *Arenaria interpres*
- Turtle-Dove, Ringed, see *Streptopelia risoria*
- Turkey, see *Meleagris gallopavo*
- Tyrannus caudifasciatus*, 406
dominicensis, 165, 406
forficatus, 338, 406
melancholicus, 338, 402–417
niveigularis, 406
savana, 406
tyrannus, 277, 338, 406
verticalis, 52, 406
vociferans, 406
- Tyrant, Great Shrike, see *Agriornis livida*
 Grey-bellied Shrike, see *Agriornis microptera*
 Tufted Tit, see *Anairetes parulus*
- Tyto alba*, 111–115, 434

U

- Upucerthia dumetaria*, 476, 483
- Uresk, Daniel W., see MacCracken, James G.
- Uria aalge*, 76, 535–541

V

- Vanellus chilensis*, 476, 480, 483
vanellus, 429
- Veery, see *Catharus fuscescens*
- Veniliornis callonotus*, 423
- Verdin, see *Auriparus flaviceps*
- Vermivora celata*, 53
luciae, 515
peregrina, 277
pinus, 277
ruficapilla, 273, 276
- Verner, Jared, and Ritter, Lyman V., A comparison of transects and point counts in oak-pine woodlands of California, 47–68
- Vireo altiloquus*, 165
bellii, 515
flavifrons, 277
gilvus, 209, 515
griseus, 277
huttoni, 53
olivaceus, 172, 276, 345
solitarius, 209, 515
- Vireo, Bell's, see *Vireo bellii*
 Black-whiskered, see *Vireo altiloquus*
 Hutton's, see *Vireo huttoni*
 Red-eyed, see *Vireo olivaceus*
 Solitary, see *Vireo solitarius*
 Wandering, see *Vireo gilvus*
 White-eyed, see *Vireo griseus*
 Yellow-throated, see *Vireo flavifrons*

- Vleck, Carol M., and Friedkalns, J., Reproduction in Zebra Finches: hormone levels and effect of dehydration, 37–46
- Volatinia jacarina*, 543–546
- Vultur gryphus*, 423, 447, 476, 483
- Vulture, Black, see *Coragyps atrax*
- Turkey, see *Cathartes aura*
- W**
- Wagner, Phillip W., see Marti, Carl D.
- Wallace, Michael P., see Schoonmaker, Peter K.
- Warbler, Adelaide's, see *Dendroica adelaidae*
- Bay-breasted, see *Dendroica castanea*
- Black-and-White, see *Mniotilta varia*
- Blackburnian, see *Dendroica fusca*
- Blackpoll, see *Dendroica striata*
- Black-throated Green, see *Dendroica virens*
- Blue-winged, see *Vermivora pinus*
- Canada, see *Wilsonia canadensis*
- Cape May, see *Dendroica tigrina*
- Chestnut-sided, see *Dendroica pensylvanica*
- Connecticut, see *Oporornis agilis*
- Fantail, see *Cisticola juncidis*
- Hermit, see *Dendroica occidentalis*
- Hooded, see *Wilsonia citrina*
- Kentucky, see *Oporornis formosus*
- Kirtland's, see *Dendroica kirtlandii*
- Lucy's, see *Vermivora luciae*
- Magnolia, see *Dendroica magnolia*
- Mourning, see *Oporornis philadelphia*
- Nashville, see *Vermivora ruficapilla*
- Orange-crowned, see *Vermivora celata*
- Palm, see *Dendroica palmarum*
- Prothonotary, see *Protonotaria citrea*
- Sedge, see *Acrocephalus schoenobaenus*
- Swainson's, see *Limnothlypis swainsonii*
- Tennessee, see *Vermivora peregrina*
- Wilson's, see *Wilsonia pusilla*
- Worm-eating, see *Helmitheros vermivorus*
- Yellow, see *Dendroica petechia*
- Yellow-rumped (Myrtle), see *Dendroica coronata*
- Waterthrush, Louisiana, see *Seiurus motacilla*
- Northern, see *Seiurus noveboracensis*
- Waxwing, Cedar, see *Bombycilla cedrorum*
- Weatherhead, Patrick J., see Brodsky, Lynn M.
- Weatherhead, Patrick J., Sealy, Spencer G., and Barclay, Robert M. R., Risks of clustering in thermally-stressed swallows, 443–444
- Webber, Tom, Songs, displays, and other behavior at a courtship gathering of Blue-black Grassquits, 543–546
- Weisman, Ronald G., see Ratcliffe, Laurene
- Whip-poor-will, see *Caprimulgus vociferus*
- White, Clayton M., and Thurow, Thomas L., Reproduction of Ferruginous Hawks exposed to controlled disturbance, 14–22
- Whittow, G. C., Grant, G. S., and Flint, E. N., Egg water loss, shell water-vapor conductance, and the incubation period of the Gray-backed Tern (*Sterna lunata*), 269–272
- Wiley, James W., Shiny Cowbird parasitism in two avian communities in Puerto Rico, 165–176
- Wilson, David M., and Bart, Jonathan, Reliability of singing bird surveys: effects of song phenology during the breeding season, 69–73
- Wilsonia canadensis*, 278
- citrina*, 278
- pusilla*, 515
- Winnett-Murray, Kathy, First reported nest of the White-eared Ground-Sparrow (*Melospiza leucotis*), 554
- Winter, B. M., and Best, L. B., Effect of prescribed burning on placement of Sage Sparrow nests, 294–295
- Wood, Robert C., see Ainley, David G.
- Woodcock, American, see *Scolopax minor*
- Wood-Hoopoe, Green, see *Phoeniculus purpureus*
- Woodpecker, Acorn, see *Melanerpes formicivorus*
- Downy, see *Picoides pubescens*
- Gila, see *Melanerpes uropygialis*
- Golden-fronted, see *Melanerpes aurifrons*
- Hairy, see *Picoides villosus*
- Ladder-backed, see *Picoides scalaris*
- Lewis', see *Melanerpes lewis*
- Magellanic, see *Campephilus magellanicus*
- Nuttall's, see *Picoides nuttallii*
- Scarlet-backed, see *Veniliornis callonotus*
- Striped, see *Picoides lignarius*
- Wood-Pewee, Eastern, see *Contopus virens*
- Worthen, Gary L., see Schnell, Gray D.
- Wren, Bewick's, see *Thryomanes bewickii*
- Cactus, see *Campylorhynchus brunneicapillus*
- Canyon, see *Catherpes mexicanus*
- House, see *Troglodytes aedon*
- Marsh, see *Cistothorus palustris*
- Rock, see *Salpinctes obsoletus*
- Winter, see *Troglodytes troglodytes*
- Wrentit, see *Chamaea fasciata*
- X**
- Xanthocephalus xanthocephalus*, 418
- Y**
- Yasukawa, Ken, see Searcy, William A.
- Yellowlegs, Greater, see *Tringa melanoleuca*
- Lesser, see *Tringa flavipes*
- Yellowthroat, Common, see *Geothlypis trichas*
- Z**
- Zach, Reto, see Mayoh, Keith R.
- Zenaida asiatica*, 277, 337, 338, 423, 514
- auriculata*, 423, 476, 483
- macroura*, 51, 69, 291, 337, 338, 514
- Zonotrichia albicollis*, 278, 409
- atricapilla*, 53
- capensis*, 165, 476, 480, 483, 500
- leucophrys*, 43, 53, 57, 127–141, 327–335, 516, 550