

## INDEX TO VOLUME 92

### A

- Abelenda, M., see Puerta, M. L.  
*Aestrura heliodor*, 755  
*Accipiter cooperi*, 231, 475, 786  
    *ninus*, 475  
    *striatus*, 786  
*Acridotheres tristis*, 76–88  
*Acrocephalus arundinaceus*, 635  
    *scirpaceus*, 635  
*Actitis macularia*, 240, 922, 952  
Adaptation, 393–404  
*Adelomyia melanogenys*, 755  
Adult survival, 534–537, 938–946  
*Aechmophorus occidentalis*, 421–426  
*Aegolius acadicus*, 246–247, 489  
    *funereus*, 489, 517–519  
*Aeronautus saxatalis*, 135  
*Aethia cristatella*, 97–106  
    *pusilla*, 97–106  
Age at first breeding, 998–1011  
    effects, 166–173  
    structure, 491–495  
*Agelaius icterocephalus*, 436  
    *phoeniceus*, 86, 113–117, 167, 336–340, 410, 500,  
        732, 973, 1052  
    *xanthomus*, 465  
Aggression, 151–159, 369–378  
Aggressive behavior, 527–530  
    signal, 522–524  
*Aglaioecetes kingi*, 755  
*Aimophila cassini*, 136  
    *stolzmanni*, 972  
Air cell gas pressure, 556–563  
*Aix sponsa*, 74, 587–592  
Alaska, 709–725, 1068–1073  
*Alauda arvensis*, 634  
Albatross, Wandering, see *Diomedea exulans*  
Alcidae, 896–903  
Allan, Noella, see Morton, Martin L.  
*Alle alle*, 898  
Allometric equations, 205–209  
Alonso, J. A., see Puerta, M. L.  
Alonso, J. C., see Puerta, M. L.  
Alloparental care, 360–368  
Alloparenting, 246–247  
*Allophylus edulis*, 844–854  
Altitude, 166–173  
Alves, Maria Alice S., Social system and helping behavior in the White-banded Tanager (*Neothraupis fasciata*), 470–474  
*Amazilia rutila*, 1022–1030  
Amazonia, 427–443  
*Ammodramus aurifrons*, 433  
    *caudacutus*, 401  
*Amphispiza bilineata*, 388  
    *belli*, 264–266, 389  
Analyst variability, 313–325  
*Anas acuta*, 602, 1057–1065  
    *americana*, 375  
    *aucklandica*, 639–673  
    *castanea*, 639–673  
    *chlorotis*, 640  
    *clypeata*, 655  
    *creeca*, 1060  
    *discors*, 375, 1057–1065  
    *flavirostris*, 790–793  
    *gibberifrons*, 639–673  
    *laysanensis*, 660  
    *platyrhynchos*, 23, 247–248, 375, 589, 601, 655,  
        791  
    *rufipes*, 598–605  
    *strepera*, 375, 655  
    *versicolor*, 791  
Anatidae, 587–592  
Andersen, David E., Nest-defense behavior of Red-tailed Hawks, 991–997  
Anderson, Stanley H., see Raley, Catherine M.  
Andes, 754–760, 970–981  
Androgens, 259–261  
*Anser albifrons*, 242  
    *brachyrhynchus*, 179  
    *indicus*, 179  
Antarctica, 304–312, 582–586  
Antbird, Ash-breasted, see *Myrmoborus lugubris*  
Black-and-white, see *Myrmochanes hemileucus*  
Antshrike, Barred, see *Thamnophilus doliatus*  
Antwren, Leaden, see *Myrmotherula assimilis*  
*Anthropoides virgo*, 213  
Antipredator behavior, 530–532  
*Aphelocoma coerulescens*, 365, 783–788  
Aposematic warning, 522–524  
*Aptenodytes forsteri*, 914  
    *patagonica*, 307  
*Aquila chrysaetos*, 42, 693, 931–937  
Ar, Amos, see Meir, Moshe  
*Ara ararauna*, 799  
*Archilocus alexanderi*, 606–612, 1027  
*Ardea herodias*, 410  
*Arenaria interpres*, 151  
    *melanocephala*, 709–725  
Arizona, 193–198, 229–236, 485–490, 866–885  
Arrival schedule, 1040–1050  
*Artemisia*, 45–53  
Arthropod food availability, 413–420  
    resources, 141–150  
Asaga, Tomohiro, see Naito, Yasuhiko  
Ascent rate, 582–586  
*Asio otus*, 489  
Asymmetry, 625–633  
Astaxanthin, 798–801  
Atkinson, Samuel F., see Shaw, Denice M.  
*Atlantisia rogersi*, 662  
Atwood, Jonathan L., Elpers, Mary Jo, and Collins, Charles T., Survival of breeders in Santa Cruz Island and mainland California Scrub Jay populations, 783–788  
Auklet, Cassin's, see *Ptychoramphus aleuticus*  
Crested, see *Aethia cristatella*  
Least, see *Aethia pusilla*  
*Auriparus flaviceps*, 795–796, 858

- Australasian teal, 639–673  
 Avian communities, 866–885  
   frugivores, 291–303  
*Aythya affinis*, 598  
   *americana*, 973  
   *valisineria*, 369–378, 602
- B**
- Bader, Ahmad, see van Horne, Beatrice  
 $\beta$ -phocacholic acid, 593–597  
 Babbler, Grey-crowned, see *Pomatostomus temporalis*  
 Baird, Pat Herron, Concentrations of seabirds at oil-drilling rigs, 768–771  
 Baker, Allan J., Peck, Mark K., and Goldsmith, Margaret A., Genetic and morphometric differentiation in introduced populations of Common Chaffinches (*Fringilla coelebs*) in New Zealand, 76–88  
 Baldassarre, Guy A., see Thompson, John D.  
 Ballance, Lisa R., see Pitman, Robert L.  
 Bananaquit, see *Coereba flaveola*  
 Banding recoveries, 938–946  
 Banks, Richard C., Geographic variation in the Yellow-billed Cuckoo: Corrections and comments, 538  
 Banks, Richard C., Taxonomic status of the Rufous-bellied Chachalaca (*Ortalis wagleri*), 749–753  
 Barnhill, Rose Ann, see Karlin, Alvan A.  
 Barn Owl, see *Tyto alba*  
*Bartramia longicauda*, 240, 952  
 Beak, 839–843  
 Beal, Kathleen G., and Khamis, Harry J., Statistical analysis of a problem data set: Correlated observations, 248–251  
 Becker, Dale M., see Sieg, Carolyn Hull  
 Beecher, Michael D., see Stoddard, Philip K.  
 Bee-Eater, White-fronted, see *Merops bullockoides*  
 Behavior, 174–181, 254–255, 264–266  
 Behavioral ecology, 113–117  
   polymorphism, 527–530  
 Beletsky, Les D., see Erckmann, W. James  
 Belthoff, James R., and Ritchison, Gary, Natal dispersal: Greenwood (1980 revisited), 803–804  
 Benson, Karen L. P., see Benson, Robert H.  
 Benson, Robert H., and Benson, Karen L. P., Estimated size of Black-capped Vireo population in northern Coahuila, Mexico, 777–779  
 Bering Sea, 768–771  
 Berman, Susan, Cibischino, Maurizio, Dellaripa, Paul, and Montren, Linda,  
   Intraspecific variation in the hindlimb musculature of the House Sparrow, 199–204  
 Bile acids, 593–597  
 Biparental care, 922–930  
 Bird migration, 947–960  
 Birkhead, T. R., Pellatt, J. E., and Hunter, F. M., Numbers and distribution of sperm in the uterovaginal sperm storage tubules of the Zebra Finch, 508–516  
 Bittern, American, see *Botaurus lentiginosus*  
 Blackbird, Brewer's, see *Euphagus cyanocephalus*  
   Red-winged, see *Agelaius phoeniceus*  
   Rusty, see *Euphagus carolinus*
- Yellow-headed, see *Xanthocephalus xanthocephalus*  
 Yellow-hooded, see *Agelaius icterocephalus*  
 Blake, John G., see Hanowski, JoAnn M.  
 Blood lead levels, 931–937  
 Bloom, Peter H., see Pattee, Oliver H.  
 Bluebird, Eastern, see *Sialia sialis*  
 Blumstein, Daniel T., An observation of social play in Bearded Vultures, 779–781  
 Bock, Carl E., see Strong, Thomas R.  
 Body composition, 205–209, 496–499  
   mass, 1057–1065  
   size, 732–738  
   temperature, 29–44, 341–359, 961–969  
*Boissonneaua flavescens*, 102, 755  
 Boland, John M., Leapfrog migration in North American shorebirds: Intra- and interspecific examples, 284–290  
 Bolster, David C., and Robinson, Scott K., Habitat use and relative abundance of migrant shorebirds in a western Amazonian site, 239–242  
*Bombycilla cedrorum*, 216, 295, 551, 1027  
 Bond, Suzanne I., see Jehl, Joseph R., Jr.  
*Botaurus lentiginosus*, 973  
 Box-use rate, 674–687  
*Brachyrhynchus brevirostris*, 1070  
   *marmoratus*, 896–903, 1068–1073  
 Brant, Black, see *Branta bernicla*  
*Branta bernicla*, 242–244  
   *canadensis*, 174–181  
   *leucopsis*, 765  
   *sandvicensis*, 593–597  
 Brazil, 1078–1079  
 Breeding, 89–96 biology, 688–694  
   birds, 326–335  
   constraints, 886–896  
   experience, 726–731  
   season length, 67–75  
 Breese, Dawn, see Tershy, Bernie R.  
 Brilliant, Violet-fronted, see *Heliodoxa leadbeateri*  
 Brood parasitism, 336–340, 461–469, 861–865, 1031–1039  
   reduction, 775–776, 1012–1021  
 Brooding, 922–930  
*Brotogeris sanctithomae*, 435  
   *versicolorus*, 435  
 Brush, Alan H., see Hudon, Jocelyn  
*Bubo bubo*, 1085, 1086  
   *virginianus*, 487, 693, 786  
*Bubulcus ibis*, 410  
 Budgerigar, see *Melopsittacus undulatus*  
 Bullfinch, Eurasian, see *Pyrrhula pyrrhula*  
   Lesser Antillean, see *Loxigilla noctis*  
   Puerto Rican, see *Loxigilla portoricensis*  
 Bunting, Corn, see *Emberiza calandra*  
   Indigo, see *Passerina cyanea*  
 Burns, Douglas M., see Morton, Martin L.  
 Burson, Sherman L., III, Population genetics and gene flow of the Common Tern, 182–192  
*Buteo buteo*, 1085, 1086  
   *jamaicensis*, 29, 107–112, 693, 990–997  
   *lagopus*, 110  
   *lineatus*, 786

- regalis*, 30  
*swainsoni*, 29–44, 110, 950
- Buzzard, see *Buteo buteo*
- C**
- Caccamise, Donald F., see Morrison, Douglas W.  
 Caching, 475–484, 621–624  
*Cacicus cela*, 437  
 Cacique, Yellow-rumped, see *Cacicus cela*  
*Calidris alba*, 205–209, 240, 245, 288, 455, 716, 947–960  
*alpina*, 245, 712  
*bairdii*, 240, 954  
*canutus*, 712, 947–960  
*fuscicollis*, 240, 953  
*himantopus*, 240, 954  
*mauri*, 712  
*melanotus*, 240, 954  
*ptilocnemis*, 284–290, 712  
*pusilla*, 205, 712, 953  
 California coastal scrub, 67–75  
 Calling behavior, 485–490  
 Call types, 485–490  
*Callipepla gambelii*, 859  
*Callithrix flaviceps*, 781–783  
*Calypte anna*, 1027  
*Camptorhynchus raderius*, 653  
*Campylorhynchus brunneicapillus*, 855–860, 1073–1075  
 Canary, Common, see *Serinus canaria*  
 Cannell, Peter F., see Foster, Mercedes S.  
 Canvasback, see *Aythya valisineria*  
 Carbon, 897–903  
 Carcass composition, 1057–1065  
 Cardiff, Steven W., see Remsen, J. V., Jr.  
 Cardinal, Northern, see *Cardinalis cardinalis*  
   Red-capped, see *Paroaria gularis*  
*Cardinalis cardinalis*, 800  
*Carduelis chloris*, 635  
   *flammea*, 60  
   *pinus*, 500  
   *tristis*, 65, 1057  
 Carey, Cynthia, Leon-Velarde, Fabiola, and Monge, Carlos, Eggshell conductance and other characteristics of avian eggs laid in the Peruvian Andes, 790–793  
*Carnegiea gigantea*, 193–198  
 Carotenoids, 798–801  
 Carpenter, James R., see Sakai, Howard F.  
*Carpodacus cassini*, 825  
   *mexicanus*, 388, 500, 858, 1066–1067  
*Casmerodus albus*, 722–775  
 Castro, Gonzales, and Myers, J. P., Validity of predictive equations for total body fat in Sandpipers from different nonbreeding areas, 205–209  
 Castro, Gonzales, Wunder, Bruce A., and Knopf, Fritz L., Total body electrical conductivity (TOBEC) to estimate total body fat of free-living birds, 496–499  
 Catbird, Gray, see *Dumetella carolinensis*  
*Cathartes aura*, 932  
*Cathartes guttatus*, 296, 455, 545–555  
   *minimus*, 299  
   *ustulatus*, 296, 545–555, 956  
   Cavity dimensions, 982–990  
   nesting, 789  
*Cecropia* forest, 427–443  
 Census, 97–106, 326–335  
 Censusing, 215–219  
*Cephus grylle*, 898  
*Cercocarpus montanus*, 45–53  
 Cerrado, 470–474  
*Certhia americana*, 217  
   *brachydactyla*, 635  
   *familiaris*, 635  
 Chachalaca, Rufous-bellied, see *Ortalis wagleri*  
   West Mexican, see *Ortalis poliocephala*  
*Chamaea fasciata*, 67–75  
*Chamaepetes goudotii*, 970–981  
 Chandler, Ray C., and Mulvihill, Robert S., Wing-shape variation and differential timing of migration in Dark-eyed Juncos, 54–61  
 Charadriidae, 709–725  
*Charadrius semipalmatus*, 951  
   *vociferus*, 972  
 Chemosensory, 606–612  
*Chen caerulescens*, 242, 591, 630  
   *rossii*, 242  
 Chick growth, 726–731  
 Chickadee, Black-capped, see *Parus atricapillus*  
 Chiffchaff, see *Phylloscopus collybita*  
*Chloephaga melanoptera*, 790–793  
   *picta*, 791  
   *rufidiceps*, 791  
*Chlorostilbon canivetii*, 1022–1030  
   *stenura*, 755  
*Chordeiles minor*, 955  
 Chough, White-winged, see *Corcorax melanorhamphos*  
 Christmas Island, 886–896  
 Cibischino, Maurizio, see Berman, Susan  
*Cicca virgata*, 238  
*Ciconia ciconia*, 212  
*Cinclus cinclus*, 775–776  
*Circus cyaneus*, 107–112  
*Cistothorus palustris*, 401, 855, 973  
   *platensis*, 855, 973  
 Clark, Larry, Schreiber, Ralph W., and Schreiber, Elizabeth A., Pre- and post-El Niño Southern Oscillation comparison of nest sites for Red-tailed Tropicbirds in the Central Pacific Ocean, 886–895  
 Claws, 839–843  
 Clutch mortality, 674–687  
   size, 393–404, 534–537, 861–865  
*Cnemotriccus fuscatus*, 436  
 Coahuila, 777–779  
 Coastal scrub, 67–75  
*Coccycus americanus*, 537–538, 955  
   *erythrophthalmus*, 955  
 Coefficient of variation, 313–325  
*Coeligena coeligena*, 755  
   *helianthea*, 755  
   *torquata*, 755  
*Coereba flaveola*, 467  
*Colaptes auratus*, 193–198, 246, 292, 318, 344, 861  
*Colibri coruscans*, 755  
   *thalassinus*, 755  
 Collins, Charles T., see Atwood, Jonathan L.  
 Colombia, 754–760

- Coloniality, 1040–1050  
 Colonizing species, 76–88  
 Color analysis, 393–404  
     preferences, 545–555  
 Colorado, 45–53  
*Columba livia*, 22, 65  
 Columbiformes, 961–969  
*Columbina inca*, 859  
 Communal roosting, 254–255, 405–412, 795–798  
 Competition, 1082–1084  
*Compsohalieus [Phalacrocorax] harrisi*, 661  
 Condor, Andean, see *Vultur gryphus*  
     California, see *Gymnogyps californianus*  
 Conductance, 304–312  
 Conebill, Pearly-breasted, see *Conirostrum margaritae*  
*Conirostrum bicolor*, 433  
     *margaritae*, 433  
 Connecticut, 246–247  
*Conothraupis speculigera*, 1078–1079  
 Conspecific nest parasitism, 702–708  
*Contopus nigrescens*, 1078–1079  
     *sordidulus*, 238  
 Cooperative breeding, 360–368, 783–788  
*Corcorax melanorhamphos*, 365  
 Cormorant, Galapagos, see *Compsohalieus [Phalacrocorax] harrisi*  
 Corvidae, 695–701  
*Corvus brachyrhynchos*, 693, 700  
     *caurinus*, 695–701  
     *corax*, 318, 480  
     *corone*, 695  
     *frugilegus*, 225  
     *hawaiiensis*, 220–228  
*Coturnix coturnix*, 613  
     *japonica*, 21, 514, 856  
 Courtship, 369–378  
     display, 522–524  
 Cowbird, Brown-headed, see *Molothrus ater*  
     Shiny, see *Molothrus bonariensis*  
 Crane, Common, see *Grus grus*  
     Demoiselle, see *Anthropoides virgo*  
     Manchurian, see *Grus japonensis*  
*Cranioleuca vulpina*, 436  
 Creeper, Brown, see *Certhia americana*  
 Crest displays, 522–524  
 Crow, American, see *Corvus brachyrhynchos*  
     Carrion, see *Corvus corone*  
     Hawaiian, see *Corvus hawaiiensis*  
     Northwestern, see *Corvus caurinus*  
 Cruz, Alexander, see Post, William  
 Cruz, Felipe, see Cruz, Justine B.  
 Cruz, Justine B., and Cruz, Felipe, Effect of El Niño–Southern Oscillation conditions on nestling growth rate in the Dark-rumped Petrel, 160–165  
*Crypturellus undulatus*, 437  
 Cuckoo, Black-billed, see *Coccyzus erythrophthalmus*  
     Yellow-billed, see *Coccyzus americanus*  
 Curlew, Eskimo, see *Numenius borealis*  
 Curry, Robert L., Florida Scrub Jay kills a mockingbird, 256–257  
 Custer, Thomas W., and Frederick, Peter C., Egg size and laying order of Snowy Egrets, Great Egrets, and Black-crowned Night-Herons, 772–774  
*Cyanocitta cristata*, 257  
     *stelleri*, 318, 825  
*Cyanocorax morio*, 365  
*Cygnus atratus*, 23, 765  
*Cyananthus latirostris*, 1022–1030  
*Cyrtonyx montezumae*, 229–236
- D**
- D'Antonio, Carla, see Erckmann, W. James  
 Data labels, 277–283  
 Defense, 576–581  
 deGraw, William A., and Kern, Michael D., Postnuptial molt in Harris' Sparrows, 829–838  
 Dellaripa, Paul, see Berman, Susan  
 Demography, 938–946  
*Dendrocincla anabatina*, 782  
*Dendroica adelaidae*, 465  
     *chrysoparia*, 564–570  
     *coronata*, 292  
     *magnolia*, 238  
     *petechia*, 259–261, 419, 461–469  
     *virens*, 51, 326–335  
 Density, 491–495  
 Derrickson, Kim C., see Morton, Eugene S.  
 DeSante, David F., see Geupel, Geoffrey R.  
 Determinate laying, 861–865  
 Diet, 413–420, 474–484, 1022–1030  
 Differential egg predation, 695–701  
     migration, 54–61  
*Diomedea exulans*, 726–731  
 Dipper, Eurasian, see *Cinclus cinclus*  
 Dispersal, 182–192, 938–946  
 Display, 576–581  
 Distribution, 491–495, 517–519, 947–960  
     patterns, 970–981  
 Diurnal activity center, 405–412  
     pattern, 215–219, 475–484  
 Diving angle, 582–586  
     bout, 582–586  
     descent rate, 582–586  
     profile, 582–586  
 Dominance, 257–258, 532–534  
 Double brooding, 67–75  
 Doubly labeled water, 341–359  
 Dove, Inca, see *Columbina inca*  
     Mourning, see *Zenaida macroura*  
 Dovekie, see *Alle alle*  
 Dowitcher, Long-billed, see *Limnodromus scolopaceus*  
     Short-billed, see *Limnodromus griseus*  
 Drinking, 1–28  
 Droege, Sam, see Greenberg, Russell  
*Dromaius novaehollandiae*, 917  
 Dry season, 239–242  
*Dryocopus pileatus*, 332, 351  
 Duck, American Black, see *Anas rubripes*  
     Laysan, see *Anas laysanensis*  
     Ruddy, see *Oxyura jamaicensis*  
     Wood, see *Aix sponsa*  
 Dufty, Alfred M., Jr., and Wingfield, John C., Endocrine response of captive male Brown-headed Cowbirds to intrasexual social cues, 613–620  
 Dugatkin, Lee A., see Keys, Gregory C.  
*Dumetella carolinensis*, 295, 545–555  
 Dummy nest, 674–687  
 Dunnock, see *Prunella modularis*

**E**

- Eagle, Golden, see *Aquila chrysaetos*  
 Egg, 237–239, 304–312, 556–563, 761–767  
     color, 695–701  
     destruction, 855–860  
     rejection, 461–469  
     removal, 861–865  
     shape, 1031–1039  
     size, 695–701, 772–775  
     viability, 587–592  
 Eggshell, 304–312  
     conductance, 556–563, 790–793  
     thickness, 1031–1039  
 Egret, Cattle, see *Bubulcus ibis*  
     Great, see *Casmerodus albus*  
     Snowy, see *Egretta thula*  
*Egretta caerulea*, 973  
     *thula*, 772–775  
*Eleania*, Brown, see *Eleania pelzelnii*  
     Caribbean, see *Elaenia martinica*  
     Large, see *Elaenia spectabilis*  
     Small-billed, see *Elaenia parvirostris*  
*Elaenia martinica*, 465  
     *parvirostris*, 435  
     *pelzenii*, 433  
     *spectabilis*, 435  
 Electrical conductivity, 496–499  
 Electrophoresis, 76–88, 702–708  
 El Niño Southern Oscillation, 160–165, 886–896  
 Elpers, Mary Jo, see Atwood, Jonathan L.  
*Emberiza calandra*, 138  
     *citrinella*, 635  
*Emberizidae*, 393–404  
 Embryonic developmental asynchrony, 587–592  
*Empidonax affinis*, 1081  
     *alnorum*, 955  
     *fulvifrons*, 1081  
     *hammondi*, 135  
     *minimus*, 135  
     *oberholseri*, 135  
     *traillii*, 955  
     *wrighti*, 135  
 Endangered species, 1012–1021  
 Endocrine response, 613–620  
 Energetics, 795–798  
 Energy metabolism, 29–44, 341–359  
 Environmental influences, 732–738  
 Erickmann, W. James, Beletsky, Les D., Orians, Gordon H., Johnsen, Torgeir, Sharbaugh, Susan, and D'Antonio, Carla, Old nests as cues for nest-site selection: An experimental test with Red-winged Blackbirds, 113–117  
 Erythrocytes, 210–214  
 Estrildidae, 1–28  
*Eucometis penicillata*, 782  
*Eudocimus albus*, 489, 864  
*Eudyptes chrysophrys*, 584  
*Eudyptula minor*, 906  
*Euphagus carolinus*, 138  
     *cyancephalus*, 336  
*Euryanias finschi*, 640  
*Eurypyga helias*, 576–581  
 Evaporative heat loss, 961–969  
     water loss, 29–44, 379–392, 961–969

Evrard, James O., Male philopatry in Mallards, 247–248

Experimental design, 326–335  
 Extra-pair copulation, 242–244, 257–258, 702–708

**F**

- Facemire, Charles F., Facemire, Michael E., and Facemire, Mark C., Wind as a factor in the orientation of entrances of Cactus Wren nests, 1073–1075  
 Facemire, Mark C., see Facemire, Charles F.  
 Facemire, Michael E., see Facemire, Charles F.  
*Falco columbarius*, 475, 688–694  
     *eleonorae*, 475  
     *femoralis*, 238  
     *mexicanus*, 42, 475–484, 693  
     *novaeseelandiae*, 667  
     *peregrinus*, 475, 947–960  
     *rusticolus*, 475  
     *sparverius*, 30, 193, 257–258, 475, 693  
     *tinnunculus*, 475  
 Falcon, Aplomado, see *Falco femoralis*  
     Laughing, see *Herpetotheres cachinnans*  
     New Zealand, see *Falco novaeseelandiae*  
     Peregrine, see *Falco peregrinus*  
     Prairie, see *Falco mexicanus*  
 Fat, 496–499  
     scoring, 500–507 983–985  
 Feather composition, 913–921  
     flush, 798–801  
     structure, 913–921  
 Feces, 291–303  
 Fecundity, 491–495  
 Female aggression, 259–261  
 Ferrari, Stephen F., A foraging association between two kite species (*Ictinia plumbea* and *Leptodon cayanensis*) and buffy-headed marmosets (*Callithrix flaviceps*) in southeastern Brazil, 781–783  
 Ferrer, M., Hematological studies in birds, 1085–1086  
*Ficedula albicollis*, 536, 630  
     *hypoleuca*, 171, 535, 635, 922  
 Finch, Deborah M., Effects of predation and competitor interference on nesting success of House Wrens and Tree Swallows, 674–687  
 Finch, House, see *Carpodacus mexicanus*  
     Zebra, see *Poephila guttata*  
 Finite area sampling, 938–946  
 Flamingo, Greater, see *Phoenicopterus ruber*  
     Lesser, see *Phoeniconaias minor*  
 Flicker, Northern, see *Colaptes auratus*  
 Flight Call, 571–575  
 Flightlessness, 639–673  
 Flock position, 151–159  
 Flycatcher, Alder, see *Empidonax alnorum*  
     Ash-throated, see *Myiarchus cinerascens*  
     Buff-breasted, see *Empidonax fulvifrons*  
     Collared, see *Ficedula albicollis*  
     Dusky-capped, see *Myiarchus tuberulifer*  
     Fuscous, see *Chromotriccus fuscatus*  
     Least, see *Empidonax minimus*  
     Pied, see *Ficedula hypoleuca*  
     Pine, see *Empidonax affinis*  
     Puerto Rican, see *Myiarchus antillarum*  
     Short-crested, see *Myiarchus ferox*  
     Spotted, see *Muscicapa striata*

- Streaked, see *Myiodynastes maculatus*  
 Vermilion, see *Pyrocephalus rubinus*  
 Willow, see *Empidonax traillii*  
**F**  
 Food choices, 1022–1030  
     consumption, 29–44  
     habits, 220–228  
     resources, 141–150  
     use, 947–960  
 Foraging, 405–412, 768–771, 844–854  
     association, 781–783  
     behavior, 245, 427–443  
     distribution, 107–112  
     efficiency, 151–159  
     roles, 421–426  
     success, 1076–1077  
 Forbes, L. Scott, and Sealy, Spencer G., Foraging roles of male and female Western Grebes during brood rearing, 421–426  
 Forest-Falcon, Collared, see *Micrastur semitorquatus*  
*Forpus coelestis*, 972  
     *cyanopygius*, 972  
     *xanthopterygius*, 435  
 Foster, Mercedes S., Factors influencing bird foraging preferences among conspecific fruit trees, 844–854  
 Foster, Mercedes S., and Cannell, Peter F., Bird specimens and documentation: Critical data for a critical resource, 277–283  
 Fox, Jennifer A., see Hayes, Floyd E.  
 Francine, Jon, see Jehl, Joseph R.  
*Fratercula arctica*, 842  
     *cirrhata*, 910  
     *corniculata*, 910  
 Frederick, Peter C., and Custer, Thomas W.  
 Freeman, Scott, Gori, David F., and Rohwer, Sievert, Red-winged Blackbirds and Brown-headed Cowbirds: Some aspects of a host-parasite relationship, 336–340  
*Fringilla coelebs*, 76–88  
     *teydea*, 86  
 Frugivorous birds, 844–854  
 Frugivory, 545–555, 794–795  
 Fruit, 844–854  
     color, 545–555  
     crop, 844–854  
*Fulica americana*, 637, 842  
*Furnarius minor*, 433
- G**
- Gadwall, see *Anas strepera*  
 Galapagos Islands, 160–165  
*Gallus domesticus*, 861  
     *gallus*, 23  
 Ganey, Joseph L., Calling behavior of Spotted Owls in northern Arizona 485–490  
 Garcelon, David K., Observations of aggressive interactions by Bald Eagles of known age and sex, 532–534  
 Gaston, Anthony R., Population parameters of the Ancient Murrelet, 998–1011  
 Gene flow, 182–192  
 Genetic differentiation, 76–88  
*Geococcyx californianus*, 136  
 Geographic Information Systems, 564–570  
     variation, 537–538
- Geopelia cuniata*, 2  
*Geophaps plumifera*, 961–969  
*Geospiza fortis*, 630  
 Gessaman, James A., see Kirkley, John S.  
 Geupel, Geoffrey R., and DeSante, David F., Incidence and determinants of double brooding in Wrentits, 67–75  
 Geupel, Geoffrey R., see Murphy, Mary E.  
 Giant-Petrel, Northern, see *Macronectes halli*  
 Gill, Robert E., Jr., and Handel, Colleen M., The importance of subarctic intertidal habitats to shorebirds: A study of the central Yukon-Kuskokwim Delta, Alaska, 709–725  
 Gilroy, Beth Ann, see Thorstrom, Russell K.  
 Gizzard, 794–795  
*Glaucidium gnoma*, 489  
 Gnatcatcher, Black-tailed, see *Polioptila melanura*  
 Godwit, Bar-tailed, see *Limosa lapponica*  
     Hudsonian, see *Limosa haemastica*  
 Golden-Plover, American, see *Pluvialis dominica*  
     Lesser, see *Pluvialis dominica*  
 Goldfinch, American, see *Carduelis tristis*  
 Goldie, Kenneth N., see Thompson, Michael B.  
 Goldsmith, Arthur R., see Ketterson, Ellen D.  
 Goldsmith, Margaret A., see Baker, Allan J.  
 Goodman, Steven M., see Hayes, Floyd E.  
 Goose, Andean, see *Chloephaga melanoptera*  
     Bar-headed, see *Anser indicus*  
     Barnacle, see *Branta leucopsis*  
     Cackling, see *Branta canadensis*  
     Canada, see *Branta canadensis*  
     Greater Magellan, see *Chloephaga picta*  
     Greater White-fronted, see *Anser albifrons*  
     Hawaiian, see *Branta sandvicensis*  
     Lesser Snow, see *Chen caerulescens*  
     Pink-footed, see *Anser brachyrhynchus*  
     Ross', see *Chen rossii*  
     Ruddy-headed, see *Chloephaga rubidiceps*  
     Snow, see *Chen caerulescens*  
     Spur-winged, see *Plectropterus gambensis*  
 Gori, David F., see Freeman, Scott  
 Grackle, Carib, see *Quiscalus lagubris*  
     Common, see *Quiscalus quiscula*  
     Greater Antillean, see *Quiscalus niger*  
 Graff, Daniel A., see Willson, Mary F.  
 Granivorous birds, 379–392  
 Grassquit, Black-faced, see *Tiaris bicolor*  
 Graves, Gary R., Function of crest displays in royal flycatchers (*Onychorhynchus*), 522–524  
 Graves, Gary R., and Zusi, Richard L., An intergeneric hybrid hummingbird (*Heliodoxa leadbeateri* × *Heliangelus amethysticollis*) from northern Colombia, 754–760  
*Graydidascalus brachyurus*, 435  
 Grebe, Eared, see *Podiceps nigricollis*  
     Pied-billed, see *Podilymbus podiceps*  
     Titicaca, see *Rollandia microptera*  
     Western, see *Aechmophorus occidentalis*  
     White-tufted, see *Rollandia rolland*  
 Greenberg, Russell, and Droege, Sam, Adaptations to tidal marshes in breeding populations of the Swamp Sparrow, 395–404  
 Grosbeak, Black-headed, see *Pheucticus melanocephalus*  
 Group size, 151–159, 360–368

- Growth, 160–165, 341–359, 732–738, 904–912,  
 pattern, 904–912  
 rates, 904–912
- Grus grus*, 210–214  
*japonensis*, 213
- Guan, Band-tailed, see *Penelope argyrotis*  
 Bearded, see *Penelope barbata*  
 Red-faced, see *Penelope dabbenei*  
 Sickle-winged, see *Chamaepetes goudotii*
- Guillemot, Black, see *Cephus grylle*
- Gull, California, see *Larus californicus*  
 Glaucous, see *Larus hyperboreus*  
 Glaucous-winged, see *Larus glaucescens*  
 Heermann's, see *Larus heermanni*  
 Kelp, see *Larus dominicanus*  
 Laughing, see *Larus atricilla*
- Gutiérrez, R. J., and Pritchard, John, Distribution, density, and age structure of Spotted Owls on two southern California habitat islands, 491–495
- Gutiérrez, R. J., see Solis, David M., Jr.
- Gymnogyps californianus*, 931–937
- Gypaetus barbatus*, 779–781
- Gyrfalcon, see *Falco rusticolus*
- H**
- Haibia gutturalis*, 473  
*rubica*, 1079
- Habitat, 45–53, 229–236  
 selection, 45–53, 113–117  
 specialization, 427–443  
 use, 239–242, 264–266, 709–725, 947–960
- Hagey, L. R., Schteingart, C. D., Ton-Nu, H-T., Rossi, S. S., Odell, D., and Hofmann, A. F.,  $\beta$ -phocacholic acid in bile; biochemical evidence that the flamingo is related to an ancient goose, 593–597
- Haliaeetus leucocephalus*, 532–534, 931, 1006
- Handel, Colleen M., see Gill, Robert E., Jr.
- Handling time, 621–624
- Hanowski, Joann M., Niemi, Gerald J., and Blake, John G., Statistical perspectives and experimental design when counting birds on line transects, 326–335
- Harper, R. Given, see Neill, Andrew J.
- Harrier, Northern, see *Circus cyaneus*
- Harvey, William F., IV, see Kennamer, Robert A.
- Hatch, Scott A., see Piatt, John F.
- Hatching success, 695–701, 1012–1021
- Hawaii, 220–228, 1012–1021
- Hawk, Cooper's, see *Accipiter cooperii*  
 Ferruginous, see *Buteo regalis*  
 Red-shouldered, see *Buteo lineatus*  
 Red-tailed, see *Buteo jamaicensis*  
 Rough-legged, see *Buteo lagopus*  
 Sharp-shinned, see *Accipiter striatus*
- Swainson's, see *Buteo swainsoni*
- Hayes, Floyd E., Goodman, Steven M., Fox, Jennifer A., Tamayo, Tarsicio Granizo, and López, Nancy E., North American bird migrants in Paraguay, 947–960
- Heidweiller, J., and Zweers, G. A., Drinking mechanisms in the Zebra Finch and the Bengalese Finch, 1–28
- Helianthus amethysticollis*, 754–760
- Heliodoxa leadbeateri*, 754–760
- Helpers, 470–474
- Helping behavior, 360–368
- Hematocrit, 62–66
- Hemispheric reserve, 709–725
- Hemoglobin, 210–214
- Hendricks, Paul, McAuliffe, Joseph R., and Valiente-Banuet, Alfonso, On communal roosting and associated winter social behavior of Gray-breasted Woodpeckers, 254–255
- Hepp, Gary R., see Kennamer, Robert A.
- Heritability, 625–633
- Heron, Great Blue, see *Ardea herodias*  
 Little Blue, see *Egretta caerulea*
- Herpetotheres cachinnans*, 238
- Hiestand, Ed, see Smith, Dwight G.
- High altitude, 813–828
- Himantopus himantopus*, 530  
*mexicanus*, 530–532
- Hindlimb musculature, 199–204
- Hirundo pyrrhonota*, 73, 135, 956  
*rustica*, 135, 957
- Hoarding, 621–624
- Hobson, Keith A., Stable isotope analysis of Marbled Murrelets: Evidence for freshwater feeding and determination of trophic level, 896–903
- Hobson, Keith A., and Sealy, Spencer G., Female song in the Yellow Warbler, 259–261
- Hofmann, A. F., see Hagey, L. R.
- Holthuijsen, Anthoinie M., Prey delivery, caching, and retrieval rates in nesting Prairie Falcons, 475–484
- Home-range size, 739–748
- Hooge, Philip N., Maintenance of pair-bonds in the House Finch, 1066–1067
- Hormones, 166–173
- Hornero, Lesser, see *Furnarius minor*
- Horning, Cynthia L., see Stoddard, Philip K.
- Host selection, 461–469
- Huachuca Mountains, 866–885
- Hudon, Jocelyn, and Brush, Alan H., Carotenoids produce flush in the Elegant Tern plumage, 798–801
- Huecas, V., see Puerta, M. L.
- Hughes, Jeffrey H., see Quinlan, Susan E.
- Hummingbird, Anna's, see *Calyptra anna*  
 Black-chinned, see *Archilochus alexandri*  
 Olive-spotted, see *Leucippus chlorocercus*
- Hunter, F. M., see Birkhead, T. R.
- Hurly, T. Andrew, see Weisman, Ron
- Hybridization, 749–753
- Hydropsalis climacocerca*, 437
- Hylocichla mustelina*, 89–96, 444–460
- Hypothesis testing, 248–251
- I**
- Ibis, White, see *Eudocimus albus*
- Icterus bonana*, 467  
*dominicensis*, 467  
*galbula*, 125–140  
*icterus*, 467  
*laudabilis*, 467  
*spurius*, 136

*Ictinia plumbea*, 475–484  
 Idaho, 475–484  
 Incubation, 303–312, 587–592, 922–930  
 Indeterminate laying, 861–865  
 Indigobird, Village, see *Vidua chalybeata*  
 Infanticide, 775–776  
 Ingold, Danny J., Simultaneous use of nest trees by breeding Red-headed and Red-bellied woodpeckers and European Starlings, 252–253  
 Inkley, Douglas B., see Knopf, Fritz L.  
 Insular ecology, 491–495  
 Insularity, 639–673  
 Interactions, 532–534  
 Interference competition, 674–687  
 Intergeneric hybrid, 754–760  
 Interrupted migration, 125–140  
 Interspecific aggression, 256–257  
 competition, 970–981  
 Intertidal, 709–725  
 Intraspecific variation, 54–61, 199–204  
 Isoelectric focusing, 182–192

**J**

Jacana, Northern, see *Jacana spinosa*  
*Jacana spinosa*, 973  
 Jaeger, Parasitic, see *Stercorarius parasiticus*  
 Pomarine, see *Stercorarius pomarinus*  
 James, Paul C., see Warkentin, Ian G.  
 Jay, Blue, see *Cyanocitta cristata*  
 Brown, see *Cyanocorax morio*  
 Florida Scrub, see *Aphelocoma coerulescens*  
 Scrub, see *Aphelocoma coerulescens*  
 Steller's, see *Cyanocitta stelleri*  
 Jehl, Joseph R., Jr., Francine, Jon, and Bond, Suzanne I., Growth patterns of two races of California Gull raised in a common environment, 732–738  
 Johnsen, Peter B., see Stromberg, Mark R.  
 Johnsen, Torgeir, see Erckmann, W. James  
 Johnson, R. Kent, Roth, Roland R., and Paul, John T., Jr., Mass variation in breeding Wood Thrushes, 89–96  
 Johnsrude, Ingrid, see Weisman, Ron  
 Junco, Dark-eyed, see *Junco hyemalis*  
*Junco hyemalis*, 54–61, 62–66, 157, 922–930, 1057

**K**

Karlin, Alvan A., Smith, Kimberly G., Stephens, Micheline C., and Barnhill, Rose Ann, Additional evidence of multiple parentage in Eastern Bluebirds, 520–521  
 Kelly, Jeffrey F., see Pletschet, Sandra M.  
 Kennamer, Robert A., Harvey, William F., IV, and Hepp, Gary R., Embryonic development and nest attentiveness of Wood Ducks during egg laying, 587–592  
 Kennedy, E. Dale, and Power, Harry W., Experiments on indeterminate laying in House Wrens and European Starlings, 861–865  
 Kentucky, 982–990  
 Kern, Michael D., see deGraw, William A.  
 Kern, Michael D., Sogge, Mark K., and van Riper, Charles, III, Water-vapor pressure in nests of the San Miguel Island Song Sparrow, 761–767

Kerpez, Theodore A., and Smith, Norman S., Nest-site selection and nest-cavity characteristics of Gila Woodpeckers and Northern Flickers, 193–198

Kestrel, American, see *Falco sparverius*  
 Ketterson, Ellen D., Nolan, Val, Jr., Wolf, Licia, and Goldsmith, Arthur R., Effect of sex, stage of reproduction, season, and mate removal on prolactin in Dark-eyed Juncos, 922–930  
 Keys, Gregory C., and Dugatkin, Lee A., Flock size and position effects on vigilance, aggression, and prey capture in the European Starling, 151–159  
 Khamis, Harry J., see Beal, Kathleen G.  
 Khunjerab National Park, 779–781  
 King, James R., and Murphy, Mary E., Estimates of the mass of structures other than plumage produced during molt by White-crowned Sparrows, 839–843  
 King, James R., see Murphy, Mary E.

Kingbird, Eastern, see *Tyrannus tyrannus*  
 Gray, see *Tyrannus dominicensis*

Tropical, see *Tyrannus melancholicus*  
 White-throated, see *Tyrannus albogularis*

Kinglet, Golden-crowned, see *Regulus satrapa*  
 Kirkley, John S., and Gessaman, James A., Water economy of nestling Swainson's Hawks, 29–44

Kirkpatrick, Roy L., see Morton, John M.  
 Kite, Grey-headed, see *Leptodon cayanensis*  
 Plumbeous, see *Ictinea plumbea*

Slender-billed, see *Rostrhamus hamatus*  
 Kleptoparasitism, 1076–1077

*Knipolegus orenocensis*, 437  
 Knopf, Fritz L., Sedgwick, James A., and Inkley, Douglas B., Regional correspondence among shrub-steppe bird habitats, 45–53

Knopf, Fritz L., see Castro, Gonzalo  
 Koenig, Walter D., see Mumme, Ronald L.  
 Koenig, Walter D., see Weathers, Welsey W.  
 Krementz, David G., and Pendleton, Grey W., Fat scoring: Sources of variability, 500–507

**L**

Lake feeding, 897–903  
*Larus atricilla*, 1077  
*californicus*, 188, 732–738  
*dominicanus*, 667  
*glaucescens*, 700  
*heermanni*, 1076–1077  
*hyperboreus*, 178, 243  
 Leapfrog migration, 284–290  
 Leon-Velarde, Fabiola, see Carey, Cynthia  
*Leptodon cayanensis*, 781–783  
 Lequette, Benoît, and Weimerskirch, Henri, Influence of parental experience on the growth of Wandering Albatross chicks, 726–731  
*Leucippus chlorocercus*, 435  
 Leukocytes, 210–214  
*Limnodromus griseus*, 240  
*scolopaceus*, 714  
*Limosa haemastica*, 952  
*lapponica*, 709–725  
 Line transect, 326–333  
 Livezey, Bradley C., Evolutionary morphology of

- flightlessness in the Auckland Islands Teal, 639–673  
*Locustella naevia*, 635  
 Logistic regression, 688–694  
*Lonchura striata*, 1–28  
 López, Nancy E., see Hayes, Floyd E.  
*Lophodytes cucullatus*, 1031–1039  
*Lophotriccus pileatus*, 1078–1079  
 Lovvorn, James R., Courtship and aggression in Canvasbacks: Influence of sex and pair-bonding, 369–378  
*Loxigilla noctis*, 467  
 portoricensis, 467  
*Loxioides bailleui*, 1012–1021  
*Loxops virens*, 635
- M**
- Macaw, Blue-and-yellow, see *Ara ararauna*  
 MacMillen, Richard E., Water economy in Canvasbacks: Influence of sex and pair-bonding, 369–378  
*Macronectes giganteus*, 667  
 Magpie, Black-billed, see *Pica pica*  
 Male removal, 922–930  
 Mallard, see *Anas platyrhynchos*  
 Mallory, Mark L., and Weatherhead, Patrick J., Effects of nest parasitism and nest location on eggshell strength in waterfowl, 1031–1039  
 Manning, Jo, see Rohwer, Sievert  
*Manorina melanophrys*, 365  
 Manu River, 239–242  
*Margarops fuscatus*, 467  
 fuscus, 467  
 Marten, Beech, see *Martes foina*  
*Martes foina*, 1046  
 Marti, Carl D., Same-nest polygyny in the Barn Owl, 261–263  
 Martin, Purple, see *Progne subis*  
 Martínez del Rio, Carlos, Sugar preferences in hummingbirds: The influence of subtle chemical differences on food choice, 1022–1030  
 Martinique, 461–469  
 Mass, 89–96  
 loss, 761–767  
 variation, 89–96  
 Mating systems, 261–263  
 McAuliffe, Joseph R., see Hendricks, Paul  
 McKittrick, Mary C., Heritability of muscle size in Eastern Kingbirds, 625–633  
 Meadowlark, Eastern, see *Sturnella magna*  
*Megadyptes antipodes*, 904–912  
 Meir, Moshe, and Ar, Amos, Gas pressures in the air cell of the Ostrich egg prior to pipping as related to oxygen consumption, eggshell gas conductance, and egg temperature, 556–563  
*Melanerpes carolinus*, 252–253, 789, 983  
 chrysauchen, 352  
 cruentatus, 255  
 erythrocephalus, 252–253, 351, 789  
 formicivorus, 255, 341–359, 360–368  
 hypopolius, 254–255  
 uropygialis, 193–198  
*Melanocorypha calandra*, 634  
 Melbourne A. Carriker, Jr., 754–760
- Melopsittacus undulatus*, 344, 515  
*Melospiza georgiana*, 393–404  
 lincolni, 141–150  
 melodia, 67, 260, 613, 761–767, 922, 1051–1056  
 Merganser, Common, see *Mergus merganser*  
 Hooded, see *Lophodytes cucullatus*  
*Mergus australis*, 640  
 merganser, 798–801  
 Merlin, see *Falco columbarius*  
*Merops bullockoides*, 365  
*Mesembrinibis cayennensis*, 576–581  
 Metabolic water production, 379–394  
 Metabolism, 961–969  
*Metallura tyrianthina*, 755  
 Methods, 496–499  
 Mexico, 254–255, 749–753, 777–779  
 Meyer, Greg M., see Tershy, Bernie R.  
*Micrastur ruficollis*, 237–239, 781  
 semitorquatus, 237–239, 781  
*Micrathene whitneyi*, 193, 985  
 Microclimate, 1073–1075  
 Microhabitat selection, 795–798  
 Microevolution, 76–88  
 Migration, 284–290, 598–605, 813–828  
 Miles, Donald B., see Petter, Stephanie C.  
 Milne, Kathleen A., see Verner, Jared  
 Mimicry, 522–524  
*Mimus gilvus*, 466  
 polyglottos, 256–257, 295, 461–469  
 Miner, Bell, see *Manorina melanophrys*  
 Mixed diets, 291–303  
 reproductive strategy, 1040–1050  
 -species flock, 470–474  
 Mockingbird, Northern, see *Mimus polyglottos*  
 Tropical, see *Mimus gilvus*  
*Molothrus ater*, 259, 336–340, 468, 500, 613–620, 922  
 bonariensis, 461–469  
 Molt, 125–140, 839–843, 913–921  
 -breeding overlap, 813–828  
 intensity, 829–838  
 migration, 125–140  
 Monge, Carlos, see Carey, Cynthia  
 Monogamy, 174–181  
 Montana, 688–694  
 Montane, 813–828  
 Montren, Linda, see Berman, Susan  
 Moreno, Eulalia, The Musculi Flexor Perforatus Digitii II and Flexor Digitorum Longus in Paridae, 634–638  
 Morphology, 199–204, 732–738  
 Morphometrics, 76–88, 639–673  
 Morrison, Douglas W., and Caccamise, Donald F., Comparison or roost use by three species of communal roostmates, 405–412  
 Morton, Eugene S., and Derrickson, Kim C., The biological significance of age-specific return schedules in breeding Purple Martins, 1040–1050  
 Morton, Galen A., and Morton, Martin L., Dynamics of postnuptial molt in free-living Mountain White-crowned Sparrows, 813–828  
 Morton, John M., Kirkpatrick, Roy L., and Vaughan, Michael R., Changes in body composition of American Black Ducks wintering at Chinoteague, Virginia, 598–605  
 Morton, Martin L., Peterson, Linda E., Burns, Douglas

- M., and Allan, Noella, Seasonal and age-related changes in plasma testosterone levels in Mountain White-crowned Sparrows, 166–173
- Morton, Martin L., see Morton, Galen A.
- Morus serrator*, 910
- Motacilla alba*, 455  
  *flava*, 634
- Mourner, Rufous, see *Rhytipterna holerythra*
- Movements, 229–236
- Multiple parentage, 520–521
- Multivariate habitat analysis, 982–990
- Mulvihill, Robert S., see Chandler, C. Ray
- Mumme, Ronald L., Koenig, Walter D., and Pitelka, Frank A., Individual contributions to cooperative nest care in the Acorn Woodpecker, 360–368
- Munoz-Pulido, R., see Puerta, M. L.
- Murphy, Mary E., King, James R., Taruscio, Todd G., and Geupel, Geoffrey R., Amino acid composition of feather barbs and rachises in three species of pygoscelid penguins: Nutritional implications, 913–921
- Murphy, Mary E., see King, James R.
- Murre, Thick-billed, see *Uria lomvia*
- Murrelet, Ancient, see *Synthliboramphus antiquus*  
Japanese, see *Synthliboramphus wumizusume*  
Killitz's, see *Brachyramphus brevirostris*  
Xantus', see *Synthliboramphus hypoleucus*
- Marbled, see *Brachyramphus marmoratus*
- Muscicapa striata*, 147, 635
- Muscle size, 625–633
- Museum specimens, 277–283
- Myers, J. P., see Castro, Gonzalo
- Myiarchus antillarum*, 465  
  *cinerascens*, 193, 859  
  *ferox*, 433  
  *tuberculifer*, 1080  
  *tyrannulus*, 193
- Myioborus miniatus*, 455
- Myiodynastes maculatus*, 433
- Myiositta monachus*, 965
- Myrmoborus lugubris*, 433
- Myrmochanes hemileucus*, 433
- Myrmotherula assimilis*, 433  
  *garbei*, 1078  
  *longipennis*, 1078  
  *menetriesii*, 1078  
  *sunensis*, 1078–1079
- Myna, Common, see *Acridotheres tristis*
- N**
- Naito, Yasuhiko, Asaga, Tomohiro, and Ohyama, Yoshikuni, Diving behavior of Adélie Penguins determined by time-depth recorder, 582–586
- Nakamura, Tammie K., see Post, William
- Napo River, 427–443
- Nearctic migrants, 444–460
- Nectar composition, 1022–1030
- Nectarinia bouvieri*, 1083
- Neighbor, 1051–1056
- Neill, Andrew J., and Harper, R. Given, Red-bellied Woodpecker predation on nestling House Wrens, 789
- Nemosia pileata*, 435
- Neophema bourkii*, 388
- Neothraupis fasciata*, 470–474
- Neotropics, 444–460
- Nesonetta aucklandica*, 639
- Nest, 193–198, 237–239, 761–767  
  attendance, 587–592  
  cavity, 982–990  
  competition, 855–860  
  -defense behavior, 990–997  
  destruction, 855–860  
  -entrance orientation, 1073–1075  
  helpers, 246–247  
  microclimate, 29–44  
  old, 113–117  
  parasitism, 625–633  
  predation, 674–687, 855–860  
  site, 688–694, 1068–1073  
  -site selection, 886–896, 982–990, 1073–1075
- Nesting, 1031–1039, 1066–1067  
  success, 67–75, 475–484, 576–581, 709–725, 1012–1021
- Nestling, 220, 228, 237–239, 341–359, 413–420, 922–930  
  development, 576–581
- Nevada, 45–53
- New Mexico, 517–519
- New World, 284–290
- Niemi, Gerald J., see Hanowski, Joann M.
- Nighthawk, Common, see *Chordeiles minor*
- Night-Heron, Black-crowned, see *Nycticorax nycticorax*
- Nightjar, Ladder-tailed, see *Hydropsalis climacocerca*
- Nitrogen, 896–903
- Nocturnal feeding, 524–527
- seabird, 571–575
- Nolan, Val, Jr., see Ketterson, Ellen D.
- Nonbreeding ecology, 444–460
- North America, 947–960
- North American migrants, 284–290
- Northwestern California, 739–748
- Numenius borealis*, 952  
  *pharopus*, 952
- Nuthatch, White-breasted, see *Sitta carolinensis*
- Nutrition, 220–228
- Nycticorax nycticorax*, 772–775
- O**
- Observer variability, 313–325
- Oceanites oceanicus*, 525
- Oceanodroma leucorhoa*, 571–575  
  *melaena*, 525  
  *monorhis*, 571–575
- Ocreatus underwoodi*, 755
- Odell, D., see Hagey, L. R.
- Offspring size, 534–537
- Ohyama, Yoshikuni, see Naito, Yasuhiko
- Okumura, Hiroshi, see Taoka, Miki
- Oil-drilling rig, 768–771
- Old-growth forest, 739–748
- Omnivory, 256–257
- Onychorhynchus coronatus*, 522–524  
  *mexicanus*, 522–524
- Oregon, 264–266
- Orians, Gordon H., see Erckmann, W. James

- Oriole, Baltimore, see *Icterus galbula*  
 Black-cowled, see *Icterus dominicensis*  
 Bullock's, see *Icterus galbula*  
 Martinique, see *Icterus bonana*  
 Orchard, see *Icterus spurius*  
 St. Lucia, see *Icterus laudabilis*
- Oropendola, Chestnut-backed, see *Psarocolius angustifrons*
- Oropharyngeal anatomy, 1–28
- Ornis poliocephala, 749–753  
*wagleri*, 749–753
- Osprey, see *Pandion haliaetus*
- Ostrich, see *Struthio camelus*
- Otus asio, 246–247, 802, 982–990  
*choliba*, 581  
*flammeolus*, 489  
*kennicottii*, 193, 489, 786, 988
- Ovenbird, see *Seiurus aurocapillus*
- Owl, Barn, see *Tyto alba*  
 Barred, see *Strix varia*  
 Boreal, see *Aegolius funereus*  
 Eagle, see *Bubo bubo*  
 Elf, see *Micrathene whitneyi*  
 Flammulated, see *Otus flammeolus*  
 Great Horned, see *Bubo virginianus*  
 Long-eared, see *Asio otus*  
 Mexican Spotted, see *Strix occidentalis*  
 Mottled, see *Ciccaba virgata*  
 Northern Saw-whet, see *Aegolius acadicus*  
 Northern Spotted, see *Strix occidentalis*  
 Spotted, see *Strix occidentalis*  
 Tawny, see *Strix aluco*  
 Ural, see *Strix uralensis*
- Oxygen carrying capacity, 62–66  
 consumption, 556–563  
 dissociation curves, 62–66
- Oxyruncus cristatus*, 1079
- Oxyura jamaicensis*, 973
- P**
- Paedomorphosis, 639–673
- Pair-bond, 1066–1067
- Pair-bonding, 369–378
- Pakistan, 779–781
- Palila, see *Loxoides bailleui*
- Pandion haliaetus, 42, 481
- Paradisea rubra, 634
- Paraguay, 947–960
- Parakeet, Canary-winged, see *Brotogeris versicolorus*  
 Tui, see *Brotogeris sanctithomae*
- Parental age, 67–75  
 behavior, 421–426, 922–930  
 care, 67–75, 360–368  
 investment, 174–181
- Parkes, Kenneth C., Additional records of birds from the Distrito Federal, Mexico, including a possible hybrid *Spizella*, 1080–1081
- Paroaria gularis, 437
- Parrot, Bourke, see *Neophema bourkii*  
 Monk, see *Myiopsitta monachus*  
 Short-tailed, see *Graydidascalus brachyurus*
- Parrotlet, Blue-winged, see *Forpus xanthopterygius*
- Parus ater, 635, 732  
*atricapillus*, 118–124, 635  
*bicolor*, 623
- caeruleus, 536, 590, 635  
*carolinensis*, 623, 789  
*major*, 67, 536, 635, 675, 732  
*montanus*, 458
- Passer domesticus*, 76–88, 157, 199–204, 497, 500, 613, 635, 789, 858
- Passerculus sandwichensis*, 73
- Passerella iliaca*, 86, 284, 318
- Passerina cyanea*, 138, 938–946
- Patch preference, 844–854  
 use, 107–112
- Pattee, Oliver H., Bloom, Peter H., Scott, J. Michael, and Smith, Milton R., Lead hazards within the range of the California Condor, 931–937
- Paul, John T., Jr., see Johnson, R. Kent
- Paulson, Dennis R., Sandpiper-like feeding in Black-bellied Plovers, 245
- Payne, Laura L., see Payne, Robert B.
- Payne, Robert B., and Payne, Laura L., Survival estimates of Indigo Buntings: Comparison of banding recoveries and local observations, 938–946
- Peck, Mark K., see Baker, Allan J.
- Pectoral myology, 639–673
- Pelecanus occidentalis*, 910, 1076–1077  
*onocrotalus*, 798
- Pelican, Brown, see *Pelecanus occidentalis*  
 Great White, see *Pelecanus onocrotalus*
- Pellatt, J. E., see Birkhead, T. R.
- Pendleton, Grey W., see Krementz, David G.
- Penelope albipennis*, 970  
*argyrotis*, 976  
*barbata*, 976  
*dabbenei*, 975  
*montagnii*, 970–981
- Penguin, Adelie, see *Pygoscelis adeliae*  
 Chinstrap, see *Pygoscelis antarctica*  
 Gentoo, see *Pygoscelis papua*  
 Galapagos, see *Spheniscus mendiculus*  
 Humboldt, see *Spheniscus humboldti*  
 Jackass, see *Spheniscus demersus*  
 Macaroni, see *Eudyptes chrysophthalmus*  
 Yellow-eyed, see *Megadyptes antipodes*
- Perch availability, 107–112
- Peru, 239–242, 427–443
- Peterson, Linda E., see Morton, Martin L.
- Petrel, Dark-rumped, see *Pterodroma phaeopygia*  
 Juan Fernandez, see *Pterodroma externa*  
 White-winged, see *Pterodroma leucoptera*
- Petrochelidon fulva*, 972
- Petter, Stephanie C., Miles, Donald B., and White, Matthew M., Genetic evidence of mixed reproductive strategy in a monogamous bird, 702–708
- Phaethon rubricauda*, 886–896
- Phainopepla, see *Phainopepla nitens*  
*Phainopepla nitens*, 794–795
- Phalacrocorax atriceps*, 585
- Phalarope, Red, see *Phalaropus fulicaria*  
 Wilson's, see *Phalaropus tricolor*
- Phalaropus fulicaria*, 712, 954  
*tricolor*, 240, 922, 954
- Pharomachrus antisianus*, 800
- Pheucticus melanocephalus*, 1048
- Philopatry, 247–248

- Phoebe, Black, see *Sayornis nigricans*  
*Phoeniconaias minor*, 594  
*Phoenicophaeus chilensis*, 594  
*ruber*, 593–597  
*Phoeniculus purpureus*, 354  
*Phylloscartes virescens*, 1078–1079  
*Phylloscopus collybita*, 54  
 Phylogeny, 593–597  
 Piatt, John F., Roberts, Bay D., and Hatch, Scott, A.,  
     Colony attendance and population monitoring  
     of Least and Crested auklets on St. Lawrence  
     Island, Alaska, 97–106  
*Pica pica*, 700  
*Picoides borealis*, 351, 361  
*pubescens*, 217, 623  
*villosus*, 217  
 Pigeon, Spinifex, see *Geophaps plumifera*  
 Pintail, Northern, see *Anas acuta*  
*Pipilo chlorurus*, 45–53, 86  
*erythrophthalmus*, 67, 256–257  
*fuscus*, 136  
 Pitch change, 118–124  
 Pitelka, F. A., see Mumme, Ronald L.  
 Pitman, Robert L., and Ballance, Lisa T., Daytime  
     feeding by Leach's Storm-Petrel on a midwater  
     fish in the eastern tropical Pacific, 524–527  
 Plant cover density, 107–112  
 Plasma lipids, 210–214  
     nitrogenous wastes, 210–214  
     proteins, 210–214  
*Plecopterus gambensis*, 842–849  
 Pletschert, Sandra M., and Kelly, Jeffrey F., Breeding  
     biology and nesting success of Palila, 1012–1021  
*Ploceus nigerrimus*, 1083  
 Plover, Semipalmated, see *Charadrius semipalmatus*  
*Pluvialis dominica*, 240, 716, 951  
*squaterola*, 245, 947–960  
*Podiceps nigricollis*, 792  
*Podilymbus podiceps*, 792  
*Podotheca*, 839–843  
*Poephila acuticauda*, 2  
*guttata*, 1–28, 171, 508–516, 529, 556–563  
*Polioptila melanura*, 795–798  
 Polygyny, 775–776  
*Pomatorhinus temporalis*, 365  
 Population, 777–779  
     biology, 938–946  
     genetic structure, 182–192  
     monitoring, 97–106  
 Populations, 709–725  
 Pore structure, 304–312  
 Post, William, Nakamura, Tammie K., and Cruz, Al-  
     exander, Patterns of Shiny Cowbird parasitism  
     in St. Lucia and southwestern Puerto Rico, 461–  
     469  
 Postnuptial molt, 813–828, 829–838  
 Power, Harry W., see Kennedy, E. Dale  
 Prebasic molt, 54–61  
 Predation, 405–412, 789, 844–854, 1040–1050  
 Predator-defense behavior, 990–997  
 Preston, Charles R., Distribution of raptor foraging in  
     relation to prey biomass and habitat structure,  
     107–112  
 Prey biomass, 107–112  
     delivery, 475–484  
     selection, 141–150  
 Primary cavity nester, 252–253  
 Primates, 781–783  
 Pritchard, John C., see Gutiérrez, R. J.  
 Productivity, 67–75, 475–484  
 Prolactin, 922–930  
*Progne subis*, 74, 138, 193, 947–960  
 Protein, 598–605  
*Prunella modularis*, 364  
*Psaltriparus minimus*, 796  
*Psarocolius angustifrons*, 437  
*Pterodroma externa*, 526  
*leucoptera*, 525  
*phaeopygia*, 160–165  
 Puerta, M. L., Alonso, J. C., Huecas, V., Alonso, J. A.,  
     Abelenda, M., and Muñoz-Pulido, R., Hemato-  
     logy and blood chemistry of wintering Com-  
     mon Cranes, 210–214  
 Puerta, M. L., Reply to Ferrer, 1086  
 Puerto Rico, 461–469  
 Puffin, Atlantic, see *Fratercula arctica*  
 Pygmy-Owl, Northern, see *Glaucidium gnoma*  
*Pygoscelis adeliae*, 304–312, 582–586, 906, 913–921  
*antarctica*, 585, 906, 913–921  
*papua*, 584, 906, 913–921  
*Pyrocephalus rubinus*, 1080  
*Pyrhula pyrrhula*, 825
- Q**
- Quail, Japanese, see *Coturnix coturnix* or *C. japonica*  
     Montezuma, see *Cyrtonyx montezumae*  
 Quelea, Red-billed, see *Quelea quelea*  
*Quelea quelea*, 598  
 Quetzal, Crested, see *Pharomachrus antisianus*  
 Quinlan, Susan E., and Hughes, Jeffrey H., Location  
     and description of a Marbled Murrelet tree nest  
     site in Alaska, 1068–1073  
*Quiscalus lugubris*, 464  
*niger*, 461–469  
*palustris*, 973  
*quiscula*, 405–412
- R**
- Radiotelemetry, 246–247, 444–460  
 Radio tracking, 229–236  
 Rail, Clapper, see *Rallus longirostris*  
     Inaccessible Island, see *Atlantisia rogersi*  
     King, see *Rallus elegans*  
     Virginia, see *Rallus limicola*  
     Yellow, see *Coturnicops noveboracensis*  
 Rainforest, 444–460  
 Raley, Catherine M., and Anderson, Stanley H., Avail-  
     ability and use of arthropod food resources by  
     Wilson's Warblers and Lincoln's Sparrows in  
     southeastern Wyoming, 141–150  
*Rallus elegans*, 401  
*limicola*, 973  
*longirostris*, 401, 973  
 Ramirez, Feliciano Gutierrez, see Thorstrom, Russell  
     K.  
*Ramphocelus carbo*, 433  
 Ramos, Mario A., see Winker, Kevin

- Rappole, John H., see Winker, Kevin  
 Ratcliffe, Laurene, see Weisman, Ron  
 Raveling, Dennis G., see Sedinger, James S.  
 Raven, Common, see *Corvus corax*  
 Rawinski, John T., see Stahlecker, Dale W.  
 Recognition, 1051–1056  
*Recurvirostra americana*, 530–532  
*Recurvirostridae*, 530–532  
 Redhead, see *Aythya americana*  
 Redstart, American, see *Setophaga ruticilla*  
*Regulus satrapa*, 215–219  
 Reitsma, Leonard, see Holmes, Richard T.  
*Remiz pendulinus*, 635  
 Remote sensing, 564–570  
 Remsen, J. V., Jr., and Cardiff, Steven W., 970–981  
 Repeated measures, 248–251  
 Replacement males, 922–930  
 Reproduction, 261–263, 341–359  
 Reproductive behavior, 470–474
  - costs, 89–96
  - cycles, 166–173
  - effort, 89–96
  - strategy, 242–244
  - success, 813–828
 Return rates, 247–248  
*Rhytipterna holerythra*, 238  
*Riparia riparia*, 956  
 Riparian habitats, 866–885
  - woodlands, 674–687
 Ritchison, Gary, see Belthoff, James R.  
 River islands, 427–443  
 Roberts, Bay D., see Piatt, John F.  
 Robin, American, see *Turdus migratorius*  
 Robinson, Scott K., see Bolster, David C.  
*Rodricocichla rosea*, 634  
 Rohwer, Sievert, and Manning, Jo, Differences in timing and number of molts for Baltimore and Bullock's orioles: Implications to hybrid fitness and theories of delayed plumage maturation, 125–140  
 Rohwer, Sievert, see Freeman, Scott  
*Rollandia microptera*, 663
  - rolland*, 790–793
 Rollfinke, Brian F., and Yahner, Richard H., Effects of time of day and season on winter bird counts, 215–219  
 Rook, see *Corvus frugilegus*  
 Roost-site selection, 795–798  
 Rosenberg, Gary H., Habitat specialization and foraging behavior by birds of Amazonian river islands in northeastern Peru, 427–443  
 Rossi, S. S., see Hagey, L. R.  
*Rostrhamus hamatus*, 580  
 Rotenberry, John T., see Wiens, John A.  
 Roth, Roland R., see Johnson, R. Kent
- S**
- Saguaro, 193–198  
 Sakai, Howard F., and Carpenter, James R., The variety and nutritional value of foods consumed by Hawaiian Crow nestlings, an endangered species, 220–228  
*Salpinctes obsoletus*, 1080  
 Salt marsh melanism, 393–404  
*Saltator caerulescens*, 435  
 Sample area, 326–335
  - size, 326–335
 Sampling design, 313–325  
 Sanderling, see *Calidris alba*  
 Sandpiper, Baird's, see *Calidris bairdii*
  - Buff-breasted, see *Tryngites subruficollis*
  - Pectoral, see *Calidris ptilocnemius*
  - Semipalmated, see *Calidris pusilla*
  - Sharp-tailed, see *Calidris acuminata*
  - Solitary, see *Tringa solitaria*
  - Spotted, see *Actitis macularia*
  - Stilt, see *Calidris himantopus*
  - Upland, see *Bartramia longicauda*
  - Western, see *Calidris mauri*
  - White-rumped, see *Calidris fuscicollis*
 Santa Cruz Island, 783–788  
*Sarcoramphus papa*, 931  
 Savalli, Udo M., Interspecific aggression for food by a granivorous bird, 1082–1084  
*Sayornis nigricans*, 1080  
 Scapul, Lesser, see *Aythya affinis*  
 Schlinger, Barney A., Song as part of high intensity aggressive interactions of wintering White-throated Sparrows, 527–530  
 Schreiber, Elizabeth A., see Clark, Larry  
 Schreiber, Ralph W., see Clark, Larry  
 Schteingart, C. D., see Hagey, L. R.  
 Scientific collecting, 277–283  
*Scolopacidae*, 709–725  
 Scott, J. Michael, see Pattee, Oliver H.  
 Scott, Peter E., see Martin, Robert F.  
 Screech-Owl, Eastern, see *Otus asio*
  - Tropical, see *Otus choliba*
  - Western, see *Otus kennicottii*
 Seabird foraging, 524–527  
 Seabirds, 725–731, 768–771  
 Sealy, Spencer G., see Forbes, L. Scott  
 Sealy, Spencer G., see Hobson, Keith A.  
 Seasonal differences, 527–530  
 Seasonality, 947–960  
 Secondary cavity nester, 252–253  
 Sedgwick, James A., see Knopf, Fritz L.  
 Sedinger, James S., and Raveling, Dennis G., Parental behavior of Cackling Canada Geese during brood rearing: Division of labor within pairs, 174–181  
 Sedinger, James S., see Welsh, Daniel  
 Seed dispersal, 291–303  
 Seedeater, Chestnut-bellied, see *Sporophila castaneiventer*  
*Seiurus aurocapillus*, 326–335
  - motacilla*, 249
  - noveboracensis*, 249, 455*Selasphorus rufus*, 1027  
 Selection, 625–633  
 Sentinels, 470–474  
*Sericossypha albocristata*, 634  
*Serinus canaria*, 945  
*Serpophaga hypoleuca*, 433  
*Setophaga ruticilla*, 789, 1081  
 Sex ratio, 257–258
  - recognition, 571–575
 Sex-specific foraging, 621–624

- Sexual difference, 571–575  
 dimorphism, 530–532  
 selection, 775–776
- Shag, Blue-eyed, see *Phalacrocorax atriceps*
- Sharbaugh, Susan, see Erckmann, W. James
- Shaw, Denice M., and Atkinson, Samuel F., An introduction to the use of Geographic Information Systems for ornithological research, 564–570
- Shorebirds, 284–290, 709–725  
 migrant, 239–242
- Shoveler, Northern, see *Anas clypeata*
- Shrubsteppe, 45–53, 264–266
- Sialia sialis*, 520–521
- Sieg, Carolyn Hull, and Becker, Dale M., Nest-site habitat selected by Merlins in southeastern Montana, 688–694
- Siegel-Causey, Douglas, The correct spelling of *Hypoleucus* Reichenbach, 1852, 537
- Simons, Laurie Stuart, and Simons, Lee H., Experimental studies of nest-destroying behavior by Cactus Wrens, 855–860
- Simons, Lee H., see Simons, Laurie Stuart
- Simultaneous nesting, 252–253
- Siskin, Pine, see *Carduelis pinus*  
*Sitta carolinensis*, 215–219, 621–624, 789  
*europaea*, 635
- Smith, Dwight G., and Hiestand, Ed, Alloparenting at an Eastern Screech-Owl nest, 246
- Smith, Kimberly G., see Karlin, Alvan A.
- Smith, Milton R., see Pattee, Oliver H.
- Smith, Norman S., see Kerpez, Theodore
- Snakes, 855–860
- Social organization, 470–474  
 play, 779–781  
 stimulation, 613–620
- Sogge, Mark K., see Kern, Michael D.
- Solis, David M., Jr., and Gutiérrez, R. J., Summer habitat ecology of Northern Spotted Owls in northwestern California, 739–748
- Song, 259–261  
 production, 118–124
- Sordahl, Tex A., Sexual differences in antipredator behavior of breeding American Avocets and Black-necked Stilts, 530–532
- Sparrow, Black-throated, see *Amphispiza bilineata*  
 Brewer's, *Spizella breweri*  
 Chipping, see *Spizella passerina*  
 Clay-colored, see *Spizella pallida*  
 Fox, see *Passerella iliaca*  
 Harris', *Zonotrichia querula*  
 House, see *Passer domesticus*  
 Lincoln's, see *Melospiza lincolni*  
 Sage, see *Amphispiza belli*  
 Savannah, see *Passerculus sandwichensis*  
 Sharp-tailed, see *Ammodramus caudacutus*  
 Song, see *Melospiza melodia*  
 White-crowned, see *Zonotrichia leucophrys*  
 White-throated, see *Zonotrichia albicollis*  
 Yellow-browed, see *Ammodramus aurifrons*
- Species densities, 866–885  
 recognition, 118–124  
 richness, 866–885
- Sperm, 508–516
- competition, 257–258, 508–516  
 storage tubule, 508–516
- Spheniscus demersus*, 910  
*humboldti*, 583  
*mendiculus*, 910
- Spinetail, Dark-breasted, see *Synallaxis albicularis*  
 Red-backed, see *Cranioleuca vulpina*  
 White-bellied, see *Synallaxis propinqua*
- Spizaetus ornatus*, 781  
*tyrannus*, 781
- Spizella breweri*, 45–53, 264–266, 381  
*pallida*, 1081  
*passerina*, 1081  
*pusilla*, 702–708
- Sporophila castaneiventris*, 435
- Spot mapping, 313–325
- St. Lawrence Island, 97–106
- St. Lucia, 461–469
- Stable-isotope analysis, 896–903
- Staging, 709–725
- Stahlecker, Dale W., and Rawinski, John J., First records for the Boreal Owl in New Mexico, 517–519
- Stanback, Mark T., see Weathers, Wesley W.
- Starling, European, see *Sturnus vulgaris*
- Steamer-Duck, Flying, see *Tachyeres patachonicus*
- Stephens, Micheline C., see Karlin, Alvan A.
- Sterna elegans*, 798–801  
*forsteri*, 187  
*fuscata*, 525  
*hirundo*, 182–192, 910, 947–960  
*paradisea*, 344, 353
- Sternella neglecta*, 1051–1056
- Stigmatura napensis*, 433
- Stiles, Edmund W., see White, Douglas W.
- Stilt, Black-necked, see *Himantopus mexicanus*  
 Black-winged, see *Himantopus himantopus*
- Stoddard, Philip K., Beecher, Michael D., Horning, Cynthia L., and Willis, Mary S., Strong neighbor-stranger discrimination in Song Sparrows, 1051–1056
- Stomach, 794–795  
 contents, 291–303
- Storm-Petrel, Black, see *Oceanodroma Melania*  
 Leach's, see *Oceanodroma leucorhoa*  
 Wilson's, see *Oceanites oceanicus*
- Stork, White, see *Ciconia ciconia*
- Stotz, Douglas F., Corrections and additions to the Brazilian avifauna, 1078–1079
- Strahl, Stuart D., see Thomas, Betsy Trent
- Stranger, 1051–1056
- Stratum corneum*, 839–843
- Streptopelia risoria*, 613
- Strigiformes, 739–748
- Strix aluco*, 489, 988  
*occidentalis*, 485–490, 491–495, 739–748  
*varia*, 986
- Stromberg, Mark R., Habitat, movements and roost characteristics of Montezuma Quail in southeastern Arizona, 229–236
- Stromberg, Mark R., and Johnsen, Peter B., Hummingbird sweetness preferences: Taste or viscosity?, 606–612
- Strong, Thomas R., and Bock, Carl E., Bird species

- distribution patterns in riparian habitats in southeastern Arizona, 866–885
- Struthio camelus*, 212, 556–563
- Sturnella magna*, 1052
- Sturnus vulgaris*, 76–88, 151–159, 193, 252–253, 405–412, 550, 635, 861–865, 922
- Subadult plumage, 125–140, 1040–1050
- Subspecies, 393–404
- Sucrose, 606–612
- Sunangel, Amethyst-throated, see *Heliangelus amethysticollis*
- Sunbird, Orange-tufted, see *Nectarinia bouvieri*
- Sunbittern, see *Eurypyga helias*
- Supplanting, 532–534
- Survival, 998–1011
- Survivorship, 67–75, 783–788
- Swallow, Bank, see *Riparia riparia*
- Barn, see *Hirundo rustica*
  - Cliff, see *Hirundo pyrrhonota*
  - Tree, see *Tachycineta bicolor*
  - Violet-green, see *Tachycineta thalassina*
- Swan, Black, see *Cygnus atratus*
- Swanson, David L., Seasonal variation of vascular oxygen transport in the Dark-eyed Junco, 62–66
- Sweeteners, 606–612
- Swift, White-throated, see *Aeronautes saxatalis*
- Synallaxis albicularis*, 435
- gujanensis*, 435
  - propinqua*, 433
- Synthetic call, 571–575
- Synthliboramphus antiquus*, 897–903
- hypoleucus*, 1009
  - wumizusume*, 1009
- T**
- Tachycineta albilinea*, 972
- bicolor*, 135, 147, 534–537, 674–687
  - thalassina*, 135
- Tachyeres patachonicus*, 661
- Tamayo, Tarsicio Granizo, see Hayes, Floyd E.
- Tanager, Grey-headed, see *Eucometis penicillata*
- Hooded, see *Nemosia pileata*
  - Orange-headed, see *Thlypopsis sordida*
  - Silver-beaked, see *Ramphocelus carbo*
  - White-banded, see *Neothraupis fasciata*
- Taoka, Miki, and Okumuro, Hiroshi, Sexual differences in Flight Calls and the cue for vocal sex recognition of Swinhoe's Storm-Petrels, 571–575
- Taruscio, Todd G., see Murphy, Mary E.
- Taste, 606–612
- Taxonomy, 749–753
- Teal, Blue-winged, see *Anas discors*
- Green-winged, see *Anas crecca*
  - Puna, see *Anas versicolor*
  - Speckled, see *Anas flavirostris*
- Tern, Arctic, see *Sterna paradisea*
- Black-naped, see *Sterna sumatrana*
  - Common, see *Sterna hirundo*
  - Elegant, see *Sterna elegans*
  - Sooty, see *Sterna fuscata*
- Territoriality, 444–460, 1051–1056, 1082–1084
- Tershy, Bernie R., Breese, Dawn, and Meyer, Greg M., Kleptoparasitism of adult and immature Brown Pelicans by Heermann's Gulls, 1076–1077
- Tessaria* scrub, 427–443
- Testosterone, 166–173, 613–620
- Thalurania furcata*, 1027
- Thamnophilus doliatus*, 435
- Thermal ecology, 795–798
- Thermoregulation, 341–359
- Thlypopsis sordida*, 435
- Thomas, Betsy Trent, and Strahl, Stuart D., Nesting behavior of Sunbitterns (*Eurypyga helias*) in Venezuela, 576–581
- Thompson, Christopher W., see Walsberg, Glenn E.
- Thompson, John D., and Baldassarre, Guy A., Carcass composition of nonbreeding Blue-winged Teal and Northern Pintails in Yucatan, Mexico, 1057–1065
- Thompson, Michael B., and Goldie, Kenneth N., Conductance and structure of eggs of Adelie Penguins, *Pygoscelis adeliae*, and its implications for incubation, 304–312
- Thorstrom, Russell K., Turley, Charles W., Ramirez, Feliciano Gutierrez, and Gilroy, Beth Ann, Descriptions of nests, eggs, and young of the Barred Forest-Falcon (*Micrastur ruficollis*) and of the Collared Forest-Falcon (*M. semitorquatus*), 237–239
- Thrasher, Brown, see *Toxostoma rufum*
- Curve-billed, see *Toxostoma curvirostre*
  - Pearly-eyed, see *Margarops fuscatus*
  - Scaly-breasted, see *Margarops fuscus*
- Thraupidae, 470–474
- Thrush, Bare-eyed, see *Turdus nudigenis*
- Black-billed, see *Turdus ignobilis*
  - Gray-cheeked, see *Catharus minimus*
  - Hermit, see *Catharus guttatus*
  - Red-legged, see *Turdus plumbeus*
  - Song, see *Turdus philomelos*
  - Swainson's, see *Catharus ustulatus*
  - Wood, see *Hylocichla mustelina*
- Thryomanes bewickii*, 67, 855
- Thryothorus maculipectus*, 238
- rufalbus*, 855
- Tiaris bicolor*, 467
- Tidal marsh, 393–404
- Time-depth recorder, 582–586
- lapse photography, 97–106
- Tinamou, Undulated, see *Crypturellus undulatus*
- Tit, Blue, see *Parus caeruleus*
- Great, see *Parus major*
  - Willow, see *Parus montanus*
- TOBEC, 496–499
- Todirostrum maculatum*, 435
- Tody-Flycatcher, Spotted, see *Todirostrum maculatum*
- Toe flexor muscles, 634–638
- Ton-Nu, H-T., see Hagey, L. R.
- Towers, Steven R., Cuckoldry in an American Kestrel triad, 257–258
- Towhee, Green-tailed, see *Pipilo chlorurus*
- Rufous-sided, see *Pipilo erythrophthalmus*
- Toxostoma curvirostre*, 136, 856
- rufum*, 256
- Tringa flavipes*, 951
- melanoleuca*, 240, 951
  - solitaria*, 240, 951
- Troglodytes aedon*, 415, 674–687, 789, 855, 861–865
- troglodytes*, 413–420

Troglodytidae, 1073–1075

Trophic level, 896–903

Tropicbird, Red-tailed, see *Phaethon rubricauda*

Troupial, see *Icterus icterus*

*Tryngites subruficollis*, 240, 954

*Turdus ignobilis*, 433

*merula*, 293, 405–412, 455, 550

*migratorius*, 291–303, 550

*nudigenis*, 467

*philomelus*, 842

*plumbeus*, 467

Turley, Charles W., see Thorstrom, Russell K.

Turnstone, Ruddy, see *Arenaria interpres*

Turtle-Dove, Ringed, see *Streptopelia risoria*

*Tyrannus albogularis*, 433

*dominicensis*, 461–469

*melancholicus*, 433

*tyrrannus*, 625–633, 955

Tyrant, Riverside, see *Knipolegus orenocensis*

*Tyto alba*, 246–247, 261–263

## U

*Uria aalge*, 1009

*lomvia*, 898, 1008

Utah, 45–53, 261–263

## V

Valiente-Banuet, Alfonso, see Hendricks, Paul

Van Heezik, Yolanda, Patterns and variability of growth in the Yellow-eyed Penguin, 904–912

Van Horne, Beatrice, and Bader, Ahmad, Diet of nestling Winter Wrens in relationship to food availability, 413–420

Van Horne, Beatrice, see Wiens, John A.

Van Riper, Charles, III, see Avery, Michael L.

Van Riper, Charles, III, see Kern, Michael D.

Vaughan, Michael R., see Morton, John M.

Veery, see *Catharus fuscescens*

Verbeek, Nicolaas A. M., Differential predation on eggs in clutches of Northwestern Crows: The importance of egg color, 695–701

Verdin, see *Auriparus flaviceps*

*Vermivora celata*, 59

*peregrina*, 238

*ruficapilla*, 326–335

Verner, Jared, and Milne, Kathleen A., Analyst and observer variability in density estimates from spot mapping, 313–325

Vertical migrants, 524–527

*Vidua chalybeata*, 1083

*funerea*, 1082

*macroura*, 1082–1084

*raricola*, 1082

Vigilance, 151–159

*Vinciguerria lucetia*, 524–527

Vireo, Bell's, see *Vireo bellii*

    Black-capped, see *Vireo atricapillus*

    Black-whiskered, see *Vireo altiloquus*

    Red-eyed, see *Vireo olivaceus*

*Vireo altiloquus*, 461–469

*atricapillus*, 564–570, 777–779

*olivaceus*, 326–335

Virginia, 598–605

Viscosity, 606–612

Vocalization, 571–575

*Vultur gryphus*, 533, 931

Vulture, Bearded, see *Gypaetus barbaratus*

    King, see *Sarcoramphus papa*

    Turkey, see *Cathartes aura*

## W

Wagtail, Pied, see *Motacilla alba*

-Tyrant, Lesser, see *Stigmatura napensis*

Walsberg, Glenn E., Communal roosting in a very small bird: Consequences for the thermal and respiratory gas environments, 795–798

Walsberg, Glenn E., and Thompson, Christopher W., Annual changes in gizzard size and function in a frugivorous bird, 794–795

Warbler, Adelaide's, see *Dendroica adelaidae*

Black-throated Green, see *Dendroica virens*

Golden-cheeked, see *Dendroica chrysoparia*

Hooded, see *Wilsonia citrina*

Magnolia, see *Dendroica magnolia*

Nashville, see *Vermivora ruficapilla*

Tennessee, see *Vermivora peregrina*

Wilson's, see *Wilsonia pusilla*

Yellow, see *Dendroica petechia*

Warkentin, Ian G., Dispersal terminology: Changing definition in midflight?, 802

Water balance, 29–44

    budget, 29–44

    economy, 379–392

    -vapor pressure, 761–767

Waterfowl, 1031–1039

Waterthrush, Louisiana, see *Seiurus motacilla*

Northern, see *Seiurus noveboracensis*

Waxwing, Cedar, see *Bombycilla cedrorum*

Weatherhead, Patrick J., see Mallory, Mark L.

Weathers, Wesley W., Koenig, Walter D., and Stanback, Mark T., Breeding energetics and thermal ecology of the Acorn Woodpecker in central coastal California, 341–359

Weaver, Vieillot's Black, see *Ploceus nigerrimus*

Weimerskirch, Henri, see Lequette, Benoît

Weisman, Ron, Ratcliffe, Laurene, Johnsruude, Ingrid, and Hurly, T. Andrew, Absolute and relative pitch production in the song of the Black-capped Chickadee, 118–124

Welsh, Daniel, and Sedinger, James R., Extra-pair copulations in Black Brant, 242–244

Whelan, Christopher J., see Willson, Mary F.

Whimbrel, see *Numenius phaeopus*

White, Douglas W., and Stiles, Edmund W., Co-occurrences of foods in stomachs and feces of fruit-eating birds, 291–303

White, Matthew M., see Petter, Stephanie C.

Whydah, Pin-tailed, see *Vidua macroura*

Wiens, John A., van Horne, Beatrice, and Rotenberry, John T., Comparison of the behavior of Sage and Brewer's sparrows in shrubsteppe habitats, 264–266

Wigeon, American, see *Anas americana*

Wiggins, David A., Clutch size, offspring quality, and female survival in Tree Swallows—An experiment, 534–537

Williams, Joseph B., see Withers, Philip C.

Willis, Mary S., see Stoddard, Philip K.

Willson, Mary F., Graff, Daniel A., and Whelan, Christopher J., Color preferences of frugivorous birds in relation to the colors of fleshy fruits, 545–555  
*Wilsonia citrina*, 458  
*pusilla*, 141–150  
 Wind, 1073–1075  
 Wing shape, 54–61  
 Wingfield, John C., see Dufty, Alfred M., Jr.  
 Winker, Kevin, Rappole, John H., and Ramos, Mario A., Population dynamics of the Wood Thrush in southern Veracruz, Mexico, 444–460  
 Winter bird counts, 215–219  
 Wintering waterfowl, 598–605  
 Withers, Philip C., and Williams, Joseph R., Metabolic and respiratory physiology of an arid-adapted Australian bird, the Spinifex Pigeon, 961–969  
 Witting, David, see Safina, Carl  
 Wolf, Licia, see Ketterson, Ellen D.  
 Woodcreeper, Tawny-winged, see *Dendrocincla analis*  
 Woodhoopoe, Green, see *Phoeniculus purpureus*  
 Woodpecker, Acorn, see *Melanerpes formicivorus*  
     Downy, see *Picoides pubescens*  
     Gila, see *Melanerpes uropygialis*  
     Golden-naped, see *Melanerpes chrysauken*  
     Gray-breasted, see *Melanerpes hypopolius*  
     Great Spotted, see *Dendrocopus major*  
     Hairy, see *Picoides villosus*  
     Pileated, see *Dryocopus pileatus*  
     Red-bellied, see *Melanerpes carolinus*  
     Red-headed, see *Melanerpes erythrocephalus*  
 Wood-Pewee, Western, see *Contopus sordidulus*  
 Woodrey, Mark S., Economics of caching versus immediate consumption by White-breasted Nuthatches: The effects of handling time, 621–624  
 Wren, Bewick's, see *Thryomanes bewickii*  
     Cactus, see *Campylorhynchus brunneicapillus*

House, see *Troglodytes aedon*  
 Marsh, see *Cistothorus palustris*  
 Rock, see *Salpinctes obsoletus*  
 Rufous-and-white, see *Thryothorus rufulbus*  
 Sedge, see *Cistothorus platensis*  
 Spot-breasted, see *Thryothorus maculipectus*  
 Wrentit, see *Chamaea fasciata*  
 Wunder, Bruce A., see Castro, Gonzalo

**X**

*Xanthocephalus xanthocephalus*, 114  
*Xenonetta nesiotis*, 640

**Y**

Yahner, Richard F., see Rollinke, Brian F.  
 Yellowlegs, Greater, see *Tringa melanoleuca*  
     Lesser, see *Tringa flavipes*  
 Yoerg, Sonja I., Infanticide in the Eurasian Dipper, 775–776  
 Young, 237–239  
 Yukon-Kuskokwim Delta, 709–725

**Z**

*Zenaida asiatica*, 972  
     macroura, 38, 381, 859  
*Zonotrichia albicollis*, 123, 215–219, 326–335, 527–530  
     *atricapilla*, 388  
     *capensis*, 829  
     *leucophrys*, 65, 67, 166–173, 529, 813–828, 922, 1057  
     *nuttalli*, 831  
     *querula*, 829–838  
 Zusi, Richard L., see Graves, Gary R.  
 Zweers, G. A., see Heidweiller, J.