

RECENT PUBLICATIONS ON WADERS

Details of omissions to Mike Pienkowski, please.

AILES, I.W. and TOEPFER, J.E. 1977. Home range and daily movement of radio-tagged Upland Sandpipers in central Wisconsin. Inl. Bird Banding News. 49:203-212

ATKIN, K. 1977. Ringed Plover nesting under cover. Br. Birds 70: 500-501

ARTMANN, J.W. 1977. Woodcock status report, 1976. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Wildl. no. 209 i + 21 pp.

AXELL, H. and HOSKING, E. 1977. Minsmere, portrait of a bird reserve. Hutchinson, London. 230pp + appendix; 45 colour and 71 monochrome photos; 24 drawings and maps. £7.50

BAINBRIDGE, I.P. and MINTON, C.D.T. 1978. The migration and mortality of the Curlew in Britain and Ireland. Bird Study. 25: 39-50.

BANERJEE, V. and BANERJEE, M. 1977. Variations of erythrocyte number and haemoglobin content of a migratory bird: Philomachus pugnax (Linnaeus). Zool. Anz. 199: 261-264

BECKER, P. 1975. Elster zeigt mit Kiebitzen. Beitr. Naturkde Niedersachsen. 28: 50-51

BEHMANN, H. and REISER, K-H. 1971. Ring funde des Flussregenpfeifers (Charadrius dubius). Auspicium. 4: 235-239

BEINTEMA, A.J. 1975. Biotopgestaltung für Wiesenvogels. Schr. Reihe Landschaftspflege u. Naturschutz. 12: 121-126

BELOPOLSKI, L. and GORYAINOVA, G. 1975. Certain nesting peculiarities of the Turnstone (Arenaria interpres L.) in 1970 in the Barents, White and Baltic Seas. Commun. Baltic Commiss. Study Bird Migr. 8:196-205
(Russian with English summary)

BELOW, T.H. 1975. Ruddy Turnstones feeding on Coconuts. Fla. Field Nat. 3 (2): 50

BENGTSON, S.-A. 1975. Observasjoner av hekkebiologien hos fjaereplytt Calidris maritima pa Svalbard. Fauna. 28:81-86

BESER, H.J. and VON HELDEN-SARNOWSKI, S. 1974. Zur Ökologie und Biologie des Austernfischers (Haematopus ostralegus L.) an südlichsten Punkt seiner Verbreitung in Deutschland. Charadrius. 10:37-54

BESER, H.J. 1977. Zur Brutoekologie des Flussregenpfeifers (Charadrius dubius) in zwei Kiesgruben am Niederrhein. Charadrius. 13(3):65-70

BIANKI, V.V. 1977. Gulls, Shorebirds and Alcids of Kandalaksha Bay. (Translation of Vol.6 of Proc. of the Kandalaksha State Reserve). Israel Program for Scientific

- Translations, Jerusalem. (Distributed in Britain by John Wiley & Sons). vi + 250pp; 135 figs. £18.75
- BOORMAN, L.A. and RANWELL, D.S. 1977. Ecology of Maplin Sands. Inst. of Terrestrial Ecology, 68 Hills Road, Cambridge, England. £2.00
- BOURNE, W.R.P., BOGAN, J.A., BULLOCK, D., DIAMOND, A.W. and FEAR, C.J. 1977. Abnormal terns, sick sea and shore birds, organochlorines and arboviruses in the Indian Ocean. Mar. Pollut. Bull. 8:154-158
- BRADSTREET, M.S.W., PAGE, G.W. and JOHNSTON, W.G. 1977. Shorebirds at Long Point, Lake Erie, 1966-1971: seasonal occurrence, habitat preference, and variation in abundance. Can. Field-Nat. 91: 225-236
- BRAESTRUP, L., CLAUSEN, J. and BEIG, O. 1974. DDE, PCB and aldrin levels in arctic birds in Greenland. Bull. Environm. Contam. and Toxicol. 11: 326-332
- BRANSON, N.J.B.A. and MINTON, C.D.T. (Eds.) 1978. Wash Wader Ringing Group Report 1975-76. £1.50 + postage (30p Britain, 60p Europe, £1.00 elsewhere) from Dr. C.D.T. Minton, "Tregolwyn", 45 Bodenham Road, Hereford, England.
- BRAUN, H.-G. 1977. Aufreten und Durchzug der Bekassine (Gallinago gallinago), Doppelschnepfe (Gallinago media) und Zwergschnepfe (Lymnocryptes minimus) auf Helgoland. Ornithol. Mitt. 29(10): 205-208
- BRIESEMEISTER, E. 1974. Zum Brutbestand des Kiebitz im Jahre 1972 in der Magdeburger Elbaue und der Magdeburger Börde. Apus. 3: 98-102
- BROWN, A. 1978. Reaction of grey Phalarope to Sparrowhawk. Scott. Birds. 10:22
- BRUNS, H. 1975. Zur feldornithologischen Bestimmung der Strandläufer. Orn. Mitt. 27: 244-247
- BUB, H. 1975. Flügelmasse und Gewichte einer Kiebitz-Population in Nordwest-Deutschland. Beitr. Naturkde. Niedersachsen. 28: 14-18
- BURGER, J., HOWE, M.A., HAHN, D.C. and CHASE, J. 1977. Effects of tide cycles on habitat selection and habitat partitioning by migrating shorebirds. Auk. 94:743-758
- BURNIER, E. 1977. Sur l'hivernage du Pluvier guignard en Algérie. Nos Oiseaux. 32: 74
- CHRISTENSEN, S. 1977. Alaskaryle Calidris mauri pa Tipperne den 12, 30 og 31 Maj 1976. Dansk orn. Foren. Tidsskr. 71: 145-147. (Danish with English summary).
- CLARK, A., MADDEN, S.T. and MILSTEIN, P LE S. 1974. Black-tailed Godwit influx. Bokmakierie. 26: 101
- COON, R.A. 1977. Nesting habitat, fall migration, and harvest characteristics of the American Woodcock in Pennsylvania. Ph.D. dissertation, Pennsylvania State Univ. 172pp.

- CRAWFORD,D. 1975. Numbers of waders and water-birds in relation to salinity in the saltfields of Adelaide, South Australia. South Austral. Ornithologist. 26:193-195
- DINSMORE,J.J. 1977. Notes on Avocets and Stilts in Tampa Bay, Florida. Fla. Field Nat. 5(2): 25-30
- DITTBERNER,H. and DITTBERNER,W. 1977. Erstnachweis des Graubruststrandläufers, Calidris melanotos (Vieillot), in der Mark Brandenburg. Beitr. Vogelkd. 23(2): 65-71
- DOWSETT,R.J., LEMAIRE,F. and STJERNSTEDT,R. 1977. The voice of the Courser Rhinoptilus cinctus. Bull. Br. Orn. Club. 97(3): 73-75
- DRENCKHAHN,D. 1975. Das Prachtkleid männlicher Kampfläufer (Philomachus pugnax). Corax. 5: 102-113
- DUMMIGAN,K.A. 1977. Food-piracy by Iceland Gull on Oystercatchers. Br. Birds. 70: 392
- EVERY,B. 1974. Abnormal clutch size for the Black-winged Stilt. Ostrich. 45: 260
- FERNs,P.N. 1977. Wading birds of the Severn Estuary. Report to the Nature Conservancy Council. 114pp. £0.50. (Cheques payable to "Zoology Dept., University College, Cardiff") from Dr. P.N.Ferns, Zoology Dept., University College, Cathays Park, Cardiff, Wales.
- FISCHER,H.-U. 1974. Limikolen-Brutvorkommen im Bezirk Erfurt von 1965 bis 1973. Mitteil. Arbeitsg. Avifauna Bezirk Erfurt. 2: 51-55
- FLINT,V.E. and KONDRATJEW,A.J. 1977. Materialien zur Biologie des Kiebitzregenpfeifers (Pluvialis squatarola L.) Beitr. Vogelkd. 23: 265-277
- GERDES,K. 1975. Schlafplatzflüge der Uferschnepfe (Limosa limosa) und anderer Arten im Bereich des Dollart. Vogelkdl. Ber. Niedersachsen. 7: 3-12
- GOFF,M.L. 1977. A new species of Toritrombicula (Acarina: Trombiculidae) from the Pacific Golden Plover in the Hawaiian Islands. J. Med. Entomol. 13: 735-737
- GOSS-CUSTARD,J.D. 1978. Sequential choice for prey size by captive Redshank Tringa totanus. Ibis. 120: 230-232
- GRAUMANN,G., GROTHMANN,M. and MÜLLER,S. 1975. Limikolen-Zählungen im September und Oktober 1973 am Warnemünder Strand. Orn. Rundbrief Mecklenburg N.F. 16: 36-44
- GROSSKOPF,G. 1975. Der Bestand des Rotschenkels (Tringa totanus) in Niedersachsen. Vogelkdl. Ber. Niedersachsen. 7: 53-58
- GROSSLER,K. 1977. Der Durchzug des Flussregenpfeifers, Charadrius dubius curonicus, im Flut- und Klaerbeckengebiet von Leipzig. Beitr. Vogelkd. 23: 107-116

- GROVES,S. 1978. Age-related differences in Ruddy Turnstone foraging and aggressive behaviour. Auk. 95: 95-103
- GYLLIN,R. 1976. Notes on the waders of Iran. Bonn. zool. Beitr. 27: 39-46
- HÄCKER,K. 1972. Der Kiebitz-Bestand in der Friedländer Grossen weise. Falke. 19: 230-234
- HALE,W.G. 1974. The taxonomic status of the redshank (Tringa totanus) in Hungary. Aquila. 78/79: 199-207
- HARDWICK,E.B. 1976. Foraging strategy of the Black Oystercatcher (Haematopus bachmani Audobon) Can. J. Zool. 54:142-155
- HARVEY,W.G. 1974. The occurrence of waders in the Dar es Salaam area of Tanzania. E. Afr. Nat. Hist. Soc. Bull. 1974: 48-51, 66-69, 80-82, 90-92.
- HEIM,P.J. 1974. Eiblage, Gelegegrösse und Brutdauer beim Kiebitz Vanellus vanellus. Orn. Beob. 71: 283-288
- HEYNE,K.-H. 1975. Starker Durchzug und Zugstau von Limikolen in einem inländischen Rastbiotop im Frühjahr 1975. Regulus 11: 320-323
- HOLMES,A.S. 1978. Feeding association between Redshank and injured Oystercatcher. Br. Birds. 71: 38-39
- HÖLZINGER,J. 1975. Verhalten und Nahrungsgrundlage des Flussregenpfeifers Charadrius dubius in wasserführenden und wasserlosen Brutrevieren. Orn. Beob. 72: 9-17
- HÖLZINGER,J. 1975. Untersuchungen zum Verhalten des Flussregenpfeifers Charadrius dubius bei gestortem und ungestürtem Brutablauf. Anz. orn. Ges. Bayern. 14: 166-173
- HOOGERWERF,A. 1974. Plaatstrouw bij een albino Scholekster, Haematopus ostralegus L., op Vlieland. Limosa. 47:147-149
- HORTON,G.T. 1976. Studies of wintering Woodcock (Philohela minor) in east central Alabama. M.S. thesis, Auburn Univ. 103pp.
- HUDSON,R. 1977. Charadrius semipalmatus in the Azores. Bull. Br. orn. Club. 97(4): 135
- HULSCHER,J.B. 1977. Wat verkeersslachtoffers van Sckoleksters ons nog kunnen leren. Vanellus. 30:170-179
(Author can supply English summary: What we can learn from Oystercatcher casualties on roads.)
- HUME,R.A. 1978. Posture of Jack Snipe while feeding. Br. Birds. 71: 79
- IMBODEN,C. 1974. Zug, Fremdansiedlung und Brutperiode des Kiebitz Vanellus vanellus in Europa. Eine gesamteuropäische EURING - Ringfundauswertung mit Hilfe einer EDV - Anlage. Orn. Beob. 71: 5-134

- INGRAM,C. 1978. Carriage of the young and related adaptations in the anatomy of the Woodcock.
Scolopax rusticola. Ibis. 120: 67
- IRVING,C. 1978. Arctic life of birds and mammals including Man. Zoophysiology and ecology 2. Springer-Verlag, Berlin. 192pp. £12.75
- JENKINS,J. 1977. Reactions of feeding waders to Brown Rats. Notornis. 24: 197
- KALBE,L. 1974. Zum Vorkommen von Limikolen an Abwasserteichen bei Nauen (Bez, Potsdam) in den Jahren 1962 bis 1967. Veröff. Bez.-Mus. Potsdam H.18, Beitr. Tierwelt Mark. 6: 31-46
- KALCHREUTER,H. 1975. Zur Populationsdynamik der Waldschepfe (Scolopax rusticola) nach europäischen Ringfunden. Z.Jagdwiss. 21: 1-14
- KARIGER,J. 1975. Die Kiebitzwiessen zwischen Imbringen und Altlinster. Regulus. 11: 344-345
- KOHN,H.-L. 1974. Die Mauser der Knutts. Zwischen Eider und Weidau, Heimatkal. f. Nordfriesland 1975: 169-172
- KONDRATIEV,A.J. 1977. (Stages of incubation and nest behaviour in the Charadriiformes.) Zool. Zh. 56:1668-1674 (Russian with English summary)
- KÖNIG,D. 1975. Eine Erregungshaltung bei der Bekassine (Gallinago gallinago) Corax. 5: 126-129
- KREITZER,J.F. 1973. Thickness of the American Woodcock eggshell, 1971. Bull. Environ. Contam. and Toxicol. 9:281
- KRÖNN,W.B. and CLARK,E.R. 1977. Band-recovery distribution of eastern Maine Woodcock. Wildl. Soc. Bull. 5(3): 118-122
- KRÜGER,H.-P. 1974. Limicolenbeobachtungen im Teichgebiet von Peitz. Veröff. Bez. Mus. Potsdam H.18, Beitr. Tierwelt Mark. 6: 47-62
- KRÜGER,S., MAHLING,E., MELDE,M., and MENZEL,F. 1972. Die Limikolen in der Oberlausitz, Teil 1. Abh. Ber. Nat. Mus. Görlitz. 47/XII: 1-44
- KRÜGER,S., MAHLING,E., MELDE,M., MENZEL,F. and SCHULZE,K.-H. 1973. Die Limikolen in der Oberlausitz, Teil 2. Abh. Ber. Nat. Mus. Görlitz. 48/Vl: 1-48
- LOUETTE,M., BECUWE,M. and EYCKERMANN,R. 1977. Observations ornithologiques en Anatolie et en Thrace. Gerfaut 67: 427-436
- MACLEAN,G.L. 1975. Belly-soaking in the Charadriiformes. J. Bombay Nat. Hist. Soc. 72: 74-82
- MACLEAN,G.L. 1977. Comparative notes on Black-fronted and Red-kneed Dotterels. Emu. 77: 199-207

- MAGNETAT,D. and GLAYRE,D. 1975. Un Bécasseau rousset
Tryngites subruficollis dans la plaine de l'Orbe.
Nos Oiseaux. 33: 105-108
- MARCSTRÖM,V. and SUNDGREN,F. 1977. On the reproduction of
the European Woodcock. Viltrevy. 10(2): 27-40
- MATTHES,W. 1973. Erster Ringfund eines Sichelstrandläufers
Calidris ferruginea für den Arbeitsbereich der
Vogelwarten Radolfzell und Helgoland. Emberiza.2:183
- MAUERSBERGER,C. 1971. Die Bedeutung binnennäher
Feuchtgebiete für Limikolen und für ihre Erforschung.
Beitr. Vogelkde. 17: 313-316
- MCNEIL,R. and BURTON,J. 1977. Southbound migration of
shorebirds from the Gulf of St. Lawrence. Wilson
Bull. 89: 167-171
- MELCHIOR,E. 1976. Massenansammlung von Bekassinen.
Regulus. 12: 24-25
- MOFFATT,R. 1977. Observations of a nesting Painted Snipe.
Aust. Birds. 12(1): 11
- MORGAN,R.A. 1978. Changes in the breeding bird community
at Gibraltar Point, Lincolnshire, between 1965
and 1974. Bird Study. 25: 51-58
- MORGENWECK,R.C. and MARSHALL,W.H. Wing marker for American
Woodcock. Bird-Banding. 48: 224-227
- "MÜLLER,W. 1975. Brutbestandsaufnahme des Flussuferläufers
Tringa hypoleucos am unteren Hinterheim. Orn. Beob.
72: 44-52
- NAKAMURA,K. 1975. (On a Red-necked Phalarope encountering
a typhoon during migration). Tori. 23: 31-34
(Japanese with English summary).
- NERO,R.W. 1977. The American Woodcock in Manitoba. Blue Jay.
35(4): 240-256
- NOTHDURFT,W. 1975. Vorkommen der Bekassine Gallinago
gallinago (L) im Westharz. Beitr. Naturkde.
Niedersachsen. 28: 10-13
- PAGE,D. 1978. Female Dotterel tending chick. Br. Birds. 71:38
- PAGE,D. 1978. Distinctive feeding action of Baird's
Sandpiper. Br. Birds. 71:78
- PAULL,D.E. 1978. Further hard-weather concentration of
Snipe. Br. Birds. 71: 221
- PRANGE,H. 1972. Limikolenbeobachtungen auf dem "Bock"
nordwestlich von Stralsund. Beitr. Vogelkde.18: 367-387
- PRATER,A.J. and DAVIES,M. 1978. Wintering Sanderlings in
Britain. Bird Study. 25: 33-38
- PRATER,A.J., MARCHANT,J.H. and VUORINEN,J. 1978. Guide to
the identification and ageing of Holarctic waders.
BTO Guide 17, British Trust for Ornithology, Tring,
England. 168pp. £2.50

- PRINGLE, J.S. and COOPER, J. 1977. Wader populations (*Charadrii*) of the marine littoral of the Cape Peninsula, South Africa. Ostrich. 48: 98-105
- REISER, K.-H. and HEIN, K. 1974. Zum Vorkommen und zur Brutbiologie des Flussregenpfeifers (*Charadrius dubius*) in Schleswig-Holstein. Corax. 5: 9-30
- ROBERTS, M.G. Belly-soaking in the Whitefronted Plover. Ostrich. 48: 111-112
- ROBERTSON, H.A. and DENNISON, M.D. 1977. Red-kneed Dotterel (*Charadrius cinctus*) - first record for New Zealand. Notornis. 24: 193-194
- ROBERTSON, I.S. 1978. Avocet with pink feet. Br. Birds. 71:78
- ROUX, G. 1975. Heron cendré prédateur d'un Bécasseau. Nos Oiseaux. 33: 183
- SCHAMEL, D. and TRACY, D. 1977. Polyandry, replacement clutches, and site tenacity in the Red Phalarope (*Phalaropus fulicarius*) at Barrow, Alaska. Bird-Banding. 48: 314-324
- SCHIEMANN, H. 1977. Über das vorkommen der Wassertreter (*Phalaropodidae*) in den Brandenburgischen, Sächsischen und Thüringischen Bezirken, sowie in Berlin. Beitr. Vogelkd. 23: 49-56
- SCHLENKER, R. 1975. Baustellen als Limikolen - Rastplätze. Corax. 5: 141-143
- SCHLENKER, R. 1975. Dunkler Wasserläufer (*Tringa erythropus*) als Kommensale. Egretta. 18: 19-20
- SCHNEIDER, D. 1978. Equalisation of prey numbers by migratory shorebirds. Nature. 271: 353-354
- SEEGER, J.-J. 1972. Seltene Limikolenarten am Gölper See und dessen Umgebung 1965-1970. Falke. 19: 27-28
- SEEGER, J.-J. 1974. Untersuchungen zum Brutbestand von Limikolen im Bereich der unteren Havel. Beitr. Vogelkde. 20: 421-426
- SENNER, S. and NORTON, D.W. 1976. Shorebird migration and oil development in the Copper River delta area. Proc. Alaska Sci. Conf. 27: 179
- SHARROCK, J.T.R. and the Rare Breeding Birds Panel 1978. Rare breeding birds in the United Kingdom in 1976. Br. Birds. 71: 11-33
- SILLIMAN, J., MILLS, G.S. and ALDEN, S. 1977. Effect of flock size on foraging activity in wintering Sanderlings. Wilson Bull. 89: 434-438
- STINSON, C.H. 1977. The Spatial distribution of wintering Black-bellied Plovers. Wilson Bull. 89: 470-472
- SULTANA, J. and GAUCI, C. 1977. Purple Sandpiper *Calidris maritima*: a new species to the list of the birds of Malta. I-Merill. 18: 26

- SUMMERS,R.W. 1978. Results from dye-marking waders in the southwestern Cape. Ostrich. 49: 48-51
- SUMMERS,R.W., COOPER,J. and PRINGLE,J.S. 1977. Distribution and numbers of coastal waders (Charadriii) in the south-western Cape, South Africa, summer 1975-76. Ostrich. 48: 85-97
- SZABO,L.V. 1975. Nesting of the black-winged pratincole (Glareola nordmanni) in Hartobagy. Aquila. 80/81:55-72
- TATARINKOVA,I.P. 1977. (Sex, age and seasonal differences in size and weight of Calidris maritima maritima (Charadriiformes, Charadriidae).) Zool. Zh. 56:1735-1736 (Russian with English summary)
- TIMM,R.M. and ZINK,R.M. 1977. Arthropods consumed by an immature Marbled Godwit. Prairie Nat. 9(1):11-12
- TOFT,G.O. 1975. (First breeding of the Avocet in Norway) Sterna. 14:22 (Norwegian with English summary).
- TYSSE,T. and REE,.V. 1977. (First record of a White-rumped Sandpiper, Calidris fuscicollis, in Norway.) Sterna. 16: 87-91. (Norwegian with English summary).
- UNDERHILL,L.G. and WHITELAW,D.A. 1977. An ornithological expedition to the Namib coast summer 1976/77. Western Cape Wader Group, Cape Town. 106pp. Available from M. Waltner, 5 Montague Way, Pinelands, 7405, South Africa. (Price: R3-00 in Southern Africa; R4-00 elsewhere surface mail; R5-00 airmail.)
- WADEWITZ,O. 1977. Einiges über die Waldschnepfe, Scolopax rusticola, Beitr. Vogelkd. 23: 101-106
- WILKINSON,J.P. 1978. Unusual plumage of Greenshank. Br. Birds, 71:79
- WINEGARDNER,S.C. 1976. Ecology of the Common Snipe in northern Utah. M.S. thesis, Utah State Univ. 76pp.
- WISHART,R.A. 1977. Some features of breeding and migration of Woodcock in southwestern Quebec. Bird-Banding. 48: 337-340