

RECENT PUBLICATIONS ON WADERS

Compiled by Theunis Piersma

We try to make these lists as complete as possible and therefore help is very welcome (sending titles, abstracts or reprints)! These should be sent to: Theunis Piersma, Hendrikstraat 21, 9724 NA Groningen, The Netherlands. Thanks to Cor Smit, Frank-Ulrich Schmidt, Meinte Engelmoer and our editors for help. Translated titles of papers in languages other than English are bracketed: round brackets if the English translation is by the author; square brackets if the translation is by others (here the original title is given as well).

- ADAM,G. 1979. Dünnschnabelmöwe (*Larus genei*) und Graubruststrandläufer (*Calidris melanotos*) in der Camargue (Südfrankreich). [Slender-billed Gull and Pectoral Sandpiper in the Camargue.] *Orn. Mitt.* 31: 91-92. In German.
(Pelikanstr. 17, 7000 Stuttgart 50, W.Germany.)
- ALERSTAM,T. & G.HÖGSTEDT. 1982. Bird migration and reproduction in relation to habitats for survival and breeding. *Ornis Scand.* 13: 25-37. (Dept. Anim. Ecol., Univ. Lund., Ecol. Building, S-223 62 Lund, Sweden.)
Model approach; applied to different species groups, e.g. waders.
- ALTEVOGT,R. & T.A.DAVIS. 1981. Nocturnal activity of the Turnstone (*Arenaria interpres*) on South Sentinel (Andaman Islands). *J. Bombay Nat. Hist. Soc.* 77: 508-509.
- ASH,J.S. 1981. Spring passage of Whimbrel *Numenius phaeopus* and other waders off the coast of Somalia. *Scopus* 5: 71-76. (Natl. Mus. Nat. Hist., Washington, DC 20560, USA.)
- ASH,J.S. & J.E.MISKELL. 1981. The Dunlin *Calidris alpina* in Ethiopia and Somalia. *Scopus* 5: 32-33.
- AVERY,M. & G.SHERWOOD. 1982. The lekking behaviour of Great Snipe. *Ornis Scand.* 13: 72-78. (Dept. Zool., Tillydrone Ave., Aberdeen AB9 2TN, Scotland, UK.)
- BAHR,L.M. & W.P.LANIER. 1981. The ecology of intertidal oyster reefs of the south Atlantic coast: a community profile. USFWS, Ofc. Biol. Socs., FWS/OBS-81/15, 105pp. (e.g. on American Oystercatcher densities and consumption.)
- BEINTEMA,A.J., T.F.de BOER, J.B.BUKER, G.J.D.M.MUSKENS, R.J.van der WAL & P.M. ZEGERS. 1982. Verstoring van weidevogellegels door weidend vee. [Disturbance of clutches of meadowbirds by grazing cattle and sheep.] In Dutch. Rapport Directie Beheer Landbouwgronden, Utrecht & Ryksinstituut voor Natuurbeheer, Leersum. 55pp. (D.B.L., Minist. Landbouw & Visserij, Postbus 20022, 3502 LA Utrecht, Netherlands.) Oystercatcher, Lapwing, Black-tailed Godwit, Redshank and Ruff.
- BELL,B.D. 1981. Common Sandpiper on South Island. *Notornis* 28: 160. (Wildl. Serv., Dep. Internal Affairs, Wellington, New Zealand.)
- BENTZIEN,D. 1979. Bemerkungen zum Brutvorkommen des Flussregenpfeifers (*Charadrius dubius*) auf Kulturlandflächen nordwestlich von Hamburg. [Notes on breeding Little Ringed Plovers near Hamburg.] *Hamb. avifaun. Beitr.* 16: 166-168. In German. (Langkoppelweg 62, 2083 Halstenbek, W.Germany.)
- BROWN,J.S. 1981. American Woodcock in Beckham County, Oklahoma. *Bull. Okla. Ornithol. Soc.* 14:32. (106 Sunset, Elk City, OK73644, USA.)
- BROWNE,P.W.P. 1981. Breeding of six Palearctic birds in southwest Mauritania. *Bull. Brit. Ornithol. Club* 101: 306-310. (115 Crichton St., Ottawa, Ontario, Canada K1M 1V8.) E.g. on *Charadrius alexandrinus*.
- BUTLER,W.F. & G.S.PFAFFENBERGER. 1981. Notes on parasites of the Long-billed Curlew, *Numenius americanus*, from eastern New Mexico. *J. Wildl. Dis.* 17: 537-538. (Nat. Hist. Mus., Eastern N. Mex. Univ., Portales 88130, USA.)
- CAWITHORNE,A. 1982. Hard facts about cold weather. *BTO News*, Nr. 119 (March 1982): 1-2. Many starved waders, esp. Redshank, reported in Britain.
- CHRISTEN,W. 1979. Geringer Nestabstand zweier Trielpaare im Elsass. [Small nest distance in two Stone Curlew pair in Alsace.] *Orn. Beob.* 76: 41.
- CLAY,T. 1981. The Ischnoceran lice (Phthiraptera) of the Oystercatchers (Aves: Haemantopodidae). *Can. J. Zool.* 59: 933-938. (Brit. Mus. (Nat. Hist), Cromwell Road, London SW7 5BD, UK.)
- CLOSE,D. & R.JAENSCH. 1981. Wader counting in South Australia. *The Stilt* No.1: 2-3. Abstract. (30 Diosma Drive, Coromandel Valley, S.A.5051, Australia.)
- CONRAD,U., R.HOLZ, & D.SELLIN. 1979. Die Entwicklung des Limikolenbrutbestandes am südlicher Greifswalder Bodden von 1967 bis 1978. [The development of the population of breeding waders in southern Greifswalder Bodden from 1967 to 1978.] *Orn. Rundbr. Mecklenburgs N.F.* 21: 56-72. In German. (DDR-22 Greifswald, Hans-Beimler Str. 11, Zi. 433, DDR.)
- CONNOR,M.A. 1981. Common Sandpiper perched four metres up a tree. *Aust. Bird Watcher* 9:32. (Dept. Chem. Eng., Univ. Melbourne, Parkville, Victoria 3052, Australia.)
- CURRY,P. 1981. The Forestdale phenomenon. *The Stilt* No.1:5. Abstract. (29 C. Mills Rd., Kelmscott, W.A. 6111, Australia.) Waders using inland lake bed seasonally.
- CURRY,P. 1981. Unusual leg color in Red-capped Plovers. *The Stilt* No.1:11.
- DANN,P. 1981. Resource allocation among 3 congeneric species of Sandpiper. *The Stilt* No.1:3. Abstract. (Penguin Reserve Comm. of Management, PO Box 403, Cowes, Phillip Island, 3922 Victoria, Australia.)
- DAVIDAR,P. 1980. Occurrence of the Woodcock (*Scolopax rusticola*) at low altitudes. *J. Bombay Nat. Hist. Soc.* 77: 511. (Canowrie, Coonoor-643 101, Nilgiris, India.)
- DAVIS,M.M. 1980. Red-capped Dotterel in North Canterbury. *Notornis* 27: 367-368. (211 Hills Rd., Christchurch 1, New Zealand.)
- DUBOIS,P. 1981. Greater Sand Plovers in Europe. *Brit. Birds* 74: 268. (5 rue de Tournelles, 78000 Versailles, France.)
- DUCEY,J. 1981. Breeding of the Least Tern and Piping Plover on the Lower Platte River, Nebraska. *Nebr. Bird Rev.* 49: 45-51. (106 S. 50th Ave.#2, Omaha, NE 68132, USA.)
- DIJK,G.van. 1981. Het inventarisen van weidevogels. [Censusing breeding meadowbirds.] *Limosa* 54: 143-144. Summary. (Staatbosbeheer, Museumlaan 2, 3581HK Utrecht, Netherlands.)
- ECKERT,K. 1981. First record of Wilson's Plover for Minnesota. *Loon* 53: 123-125. (9735 North Shore Dr., Duluth, MN55804, USA.)
- EDWARDS,P.J. 1982. Plumage variation, territoriality and breeding displays of the Golden Plover *Pluvialis apricaria* in southwest Scotland. *Ibis* 124: 88-96. (Edw. Grey Inst., Dept. Zool., South Parks Rd., Oxford, UK.)
- ENNIS,T. 1981. Breeding Golden Plovers *Pluvialis apricaria* (L.) in Co. Antrim. *Irish Nat. J.* 19: 424-425.
- EVANS,P.R. & S.J.MOON. 1981. Heavy metals in shorebirds and their prey in north-east England. In: P.J.Say & B.A.Whitton (eds.) *Heavy metals in Northern England: Environmental and Biological Aspects*. Univ. of Durham, Dept. of Botany. ISBN 0 903569 01 9, pp.181-190.
- EVERTS,W. 1979. Zuchterfolg bei Spornkiebitzen (*Hoplopterus spinosus*). [Breeding results in Spur-winged Lapwings.] *Volière* 2: 115-116. In German. (Zool. Garten, Adenauerallee 3a, 3000 Hannover-1, W.Germany.)
- FAVALORO,N.J. 1981. Ruddy Turnstones west of the Darling River, N.S.W. *Aust. Bird Watcher* 9: 99-100. (P.O.Box 765, Milchira, Victoria 3500, Australia.)
- FENWOOD,J.D. & L.O.WEBB. 1981. An aerial photo inventory of Woodcock habitat in West Virginia. *Wildl. Soc. Bull.* 9: 306-307. (Forest Serv., PO Box 225, Mount Ida, AR 71957, USA.)

- FERNES,P.N. 1981. Identification, subspecific variation, ageing and sexing in European Dunlins. Dutch Birding 3: 85-98. (Dept. Zool., Univ. Coll., PO Box 78, Cardiff CF1 1XL, Wales, UK.)
- FERRER,X., A.MARTINEZ, A.MOTIS & J.MUNTANER. 1979. Nuevas citas de Xenus cinereus (Guld.) (Aves, Scolopacidae) para la península Ibérica. [New observations of Terek Sandpipers on the Iberian Peninsula.] In Spanish with Engl. summ. Misc. Zool., Barcelona 5: 185-186. (Dpto. de Zoología, Fac. de Biología, Univ. de Barcelona, Barcelona 7, Spain.)
- FERRER,X. & A.MARTINEZ-VILALTA. 1981. (Waterfowl counts in Catalonia during January of 1977, 1979 and 1980.) In Spanish with Engl. summ. Butll. Inst. Cat. Hist. Nat. 47 (Sec. Zool., 4): 165-173. Almost 30,000 waders counted.
- FOGARTY,M.J. & K.A.ARNOLD. 1980. Common Snipe In: G.C.Sanderson (ed.) Management of migratory shore and upland game birds in North America. Univ. Nebraska Press, Lincoln & London. pp.189-210.
- FOLLEN,D.G.Sr. 1981. Marbled Godwits at Marshfield. Passenger Pigeon 43: 62.
- FORRESTER,D.J. & P.P.HUMPHREY. 1981. Susceptibility of the Knot (Calidris canutus) to Plasmodium hermani. J.Parasitol. 67: 747-748. (Lab. Wildl. Dis. Res., Coll. Vet. Med., Univ. Fla., Gainesville 32610, USA.)
- GALLUCCI,T. 1980. Third Texas nest of the Mountain Plover. Bull. Texas Ornithol. Soc. 13: 51-52. (Dept. Wildl. Fish. Sci., Texas A & M Univ., College Station, TX 77843, USA.)
- GERRITSEN,G.J. 1981. Pleisterende oeverlopers op de Ramsprong tydens de nazomertrek. [Common Sandpipers on the Ramsprong during autumn migration.] Watervogels 6: 169-173. In Dutch. (De Genestelstraat 4, 8023 BE Zwolle, Netherlands.)
- GORIUP,P.D. 1982. Behaviour of Black-winged Stilts. Brit. Birds 75: 12-29. (Lyndisfarne, Lower Road, Salisbury SP2 9BB,UK.)
- GOSS-CUSTARD,J.D. 1981. Feeding behaviour of Redshanks, Tringa totanus, and optimal foraging theory. In: A.C.Kamil & T.D.Sargent (eds.) Foraging Behavior: Ecological, Ethological and Psychological Approaches. Garland STPM Press, N.Y., pp. 115-133.
- GOSS-CUSTARD,J.D., S.E.A.le V.dit DURRELL, S.McGRORTY & C.J.READING. 1980. Diet of individual Oystercatchers on the Exe estuary. Inst. Terr. Ecol. Annu. Rep. 1980, p.54.
- HANSEN,W. 1979. Beitrag zur Erforschung des Mauserverlaufs beim Kiebitz (Vanellus vanellus). [On the moult of Lapwings.] Beitr. Naturk. Niedersachs. 32: 37-39. In German.
- HARRISON,K.C. & P.A.G.HOWELL. 1980. Unusual behaviour of Asiatic Whimbrel. Notornis 27: 394-395. (50 Athol Terrace, Christchurch 4, New Zealand.)
- HAWKINS,J.M. 1980. Godwits chasing skua. Notornis 27: 391. (772 Atawhai Dr., Nelson, New Zealand.) Limosa lapponica US. Catharacta sp.
- HENDERSON,D. 1981. Studies on paleartic waders at George Town, Tasmania. The Stilt No.1:2. Abstract. (PO Box 29, Legana, Tas. 7261, Australia.)
- HOWE,M.A. 1982. Social organization in a nesting population of Eastern Willets (Catoptrophorus semipalmatus). Auk 99: 88-102. (Migr. Bird and Habitat Res. Lab., Patuxent Wildl. Res. Center, Laurel, Maryland 20811, USA.)
- JOHNSGARD,P.A. 1981. The 6,000-mile odyssey of a globe-trotting bird. Anim. Kingdom 84: 16-21. (Dept. Life. Sci., Univ. Nebraska, Lincoln, NE 68588, USA.) Story of Pacific Golden Plover.
- JONAS,R. 1979. Brutbiologische Untersuchungen am einer Population der Uferschnepfe (Limosa limosa). [Research into a breeding population of Black-tailed Godwits.] Vogelwelt 100: 125-136. In German.
- JONKERS,D.A. G.van DIJK & S.BRAAKSMA. 1981. De weidevogelbevolking van de polder Arkenheem. (The meadowbird population of polder Arkenheem, central Netherlands.) Watervogels 6: 187-194. In Dutch. (Roerdampstr.31, 3815 BT Amersfoort, Netherlands.) Declining.
- JOUBERT,C.S.W. 1981. The density of shore birds on a Natal sandy beach. Ostrich 52: 190-192. (Ocean Res. Inst., PO Box 10712, Mar. Parade 4056, S.Africa.)
- JUREK,R.M. & H.R.LEACH. 1980. Shorebirds. In: G.C.Sanderson (ed.) Management of migratory shore and upland game birds in North America. Univ. Nebraska Press. Lincoln & London. pp. 301-322.
- KAISER,P.H. 1979. Upland Sandpiper nesting in southeastern South Dakota. Proc. S.D.Acad. Sci. 58: 59-68. (School for Fish & Wildl., Univ. Mo., 639600, USA.)
- KHRABRYI,V.M. 1980. (Nesting of Lapwing (Vanellus vanellus) in the area of new building construction in Leningrad.) Ornithologija 15: 216. In Russian.
- KIESER,J.A. & R. LIVERSIDGE. 1981. Identification of White-fronted Sand Plover. Dutch Birding 3: 81-84. (Glenanda Shopping Cent., Vorster Ave., Glenanda, Johannesburg 2190, S.Africa.)
- KING,B. 1981. Dotterel excavating hollow and resting in it. Brit. Birds 74: 396. (Gull Cry, 9 Park Rd., Newlyn, Penzance, Cornwall, UK.)
- KING,B. 1982. Behaviour of Golden Plovers in strong wind. Brit. Birds 75: 32.
- KINSKY,F.C. & J.C.YALDWYN. 1981. The bird fauna of Niue Island, South-west Pacific, with special notes on the White-tailed Tropic Bird and Golden Plover. Natl. Mus. N.Z. Misc. Ser. No.2, 49pp., April 1981.
- KLOPFENSTEIN,A. & T.REISS. 1979. Brutverbreitung des Flussregenpfeifers im Raum Basel. [Breeding distribution of the Little Ringed Plover around Basel.] Orn. Beob. 76: 45-46. In German.
- KOOIKER,G. 1979. Beobachtungen über das Feinderthalten beim Kiebitz (Vanellus vanellus). [Observations on aggressive behaviour in Lapwings.] Orn. Mitt. 31: 299-332. In German. (Wallhegge 12, 4500 Osnabrück, W.Germany.)
- KRONBACH,D. & W.WEISE. 1981. Beobachtung von Mornellregenpfeifern, Eudromias morinellus, bei Burgstadt/SA. [Observation of Dotterels near Burgstadt.] Beitr. Vogelk. 27: 126-127. In German.
- " KUHNAST,O., R.LILLE & V.MORITZ. 1979. Überwinterungen des Flussuferläufers (Actitis hypoleucos) in Hamburg. [Wintering Common Sandpipers in Hamburg.] Hamb. avifaun. Beitr. 16: 149-156. (Diagonalstr. 16, 2000 Hamburg 26, W. Germany.)
- LAMBERT,A. & B.RATCLIFFE. 1981. Present status of the Piping Plover in Michigan. Jack-Pine Warbler 59: 44-52. (c/o Long Point Bird Obs., Box 160, Point Rowan, Ontario, Canada NOE 1M0.)
- LANGLEY,P.J. 1981. Birds of the North East England Forests. Q.J.For. 75:253. (10 Plovers Down, Olivers Battery, Winchester, England, UK.) On Curlews.
- LANGRIDGE,H.P. & T.TROTISKY. 1981. First Florida record of a Black-tailed Godwit. Fla. Field. Nat. 9:63. (1421 W.Ocean Ave., Lantana, FL 33462, USA.)
- LINGLE,G.R. 1981. Status of American Woodcock in Nebraska with notes on a recent breeding record. Prairie Nat. 13: 47-51. (N.Prairie Wildl. Res. Cent., PO Box 1747, Jamestown, ND 58401, USA.)
- LISTER,S.M. 1981. Le Grand Maubeche Calidris tenuirostris nouveau pour l'ouest du Paléarctique. [Great Knot in Morocco, August 27th 1980.] Alauda 49: 227-228. In French with Engl. summary. (29A Southcliffe Rd., Withernsea, N.Humberse, UK.)
- LEOPOLD,M.F., E.C.L.MARTEIJN & C.SWENNEN. 1981. (Swimming Curlews Numenius arquata.) Limosa 54:141. In Dutch with Engl. summ. (N.I.O.Z., PO Box 59, 1790 AB Den Burg, Texel, Netherlands.)
- LUKES,R. 1981. Purple Sandpiper at Bailey Harbor. Passenger Pigeon 43:61.
- MAHEO,r. 1980. Importance des zones humides littorales en rapport avec les exigences écologiques et al distribution des limicoles séjournant en France. [The importance of coastal wetlands in relation to ecological requirements and the distribution of waders wintering in France.] Bull. Mens. Off. Natl. Chasse No. Spec. Sci. Techn. (Paris) pp.175-187, Nov. 1980. In French with Engl. summ. (Station Biol. Bailleron, Séné, 5600 Vannes, France.)
- MARTINDALE,J. 1981. AWG Wader Counts in Australia. The Stilt No.1:9-11 + appendix (14pp). (R.A.O.U., 21 Gladstone Rd., Monee Ponds, Vic.3039, Australia.)

- MAUERSBERGER,G. 1978. Aggressive Verhaltensmuster des Uferläufers, *Tringa hypoleucus*. [Aggressive display of Common Sandpiper.] *Orn. Iber. Mus. Hein.* 3: 73-74. In German.
- MCBRIDE,A. 1981. Waders' varied reactions to a rainstorm. *The Stilt* No.1:11. (c/o Universal Telecasters Qld., 5th Floor, 291 George St., Sydney, N.S.W. 2000, Australia.)
- MCNICHOLL,M.K. 1981. Egg-teeth of Spotted Sandpipers. *N. Am. Bird Bander* 6: 44-45. (128 Silvergrove Hill N.W., Calgary, Alberta, Canada T3B 4Z5.)
- MELLON,R. 1981. A dichotomous key to the shorebirds of North America. (Mellon Biol. Servcs., PO Box 63, Morrisville, PA 19067, USA.) \$2.95.
- MERILA,E. 1980. (A nine-meter dive of the Common Sandpiper (*Tringa hypoleucus*).) *Aureola* 5:46. In Finnish with Engl. summ.
- MESTER,H. 1978. Zur Biologie von Kiebitz-Federlingen. *Angew. Parasitologie* 19: 20-28. In German. (Jon Rüschenfeld 57, 4400 Münster, W.Germany.)
- MINTON,C.D.T. 1981. Findings from biometric and moult data. *The Stilt* No.1: 5-6. Abstract. (74 Dendy Street, Brighton, Vic. 3186, Australia.) Interesting generalisations for weight and moult patterns of waders in Australasia.
- MOORE,J.R., T.FAIRLEY, D.HAMILTON & P.RODRIGUEZ. 1981. Observations on a Red Phalarope in Hattiesburg, Mississippi. *Miss. Kite* 11: 15-17. (J.M.Frazier Mus. Nat. Sci., Box 5087, Southern Sta., Hattiesburg, MS 39401,USA.)
- MÜLLER,S. 1979. Sommervorkommen von Meerstrandläufern an der Ostseeküste Mecklenburgs. [Occurrence in summer of Purple Sandpipers at the Baltic coast of Mecklenburg.] *Orn. Rundbr. Mecklenburgs N.F.* 22:84. In German. (Lilienthalstr. 10, 253 Rostock-Warnemünde, DDR.)
- MYERS,J.P., P.G.CONNORS & F.A.PITELKA. 1981. Optimal territory size and the Sanderling: compromises in a variable environment. In: A.C.Kamil & T.D.Sargent (eds.) *Foraging Behavior: Ecological, Ethological and Psychological Approaches*. Garland STPM Press, N.Y., pp.135-158.
- NEDERLANDSE STELTLOPERWERK GROEP. 1981. Steltloperonderzoek in het binnenland. [Inland wader research in the Netherlands.] *Watervogels* 6: 175-181. (c/o A.J.von Dijk, Kippenburgweg 5, 7975 PP Uffelte, Netherlands.) On WSG Inland Wader Counts Project and other proposals.
- NEELAKANTAN,K.K., K.V.SREENIVASAN & V.K.SURESHKUMAR. 1980. The Crab Plover (*Dromas ardeola*) in Kerala. *J. Bombay Nat. Hist. Soc.* 77: 508. (Kerala Nat. Hist. Soc., Trivandrum, Kerala, India.)
- NEELAKANTAN,K.K. & V.K.SURESHMAR. 1980. Occurrence of the Black-winged Stilt (*Himantopus himantopus*) in Kerala. *J. Bombay Nat. Hist. Soc.* 77: 510.
- NERO,R.W. 1981. Additional American Woodcock notes for Manitoba. *Blue Jay* 39: 202-205. (Man. Wildl. Branch, Box 14, 1495 St. James St., Winnipeg, Manitoba, Canada R3H 0W9.)
- NIEDERFRINGER,O. 1980. Neuer Brutplatz des Mornellregenpfeifers *Euchomias morinellus* in den Alpen. [New breeding site of the Dotterel in the Alps.] *Monticola* 4: 116-119. (E-Toti-Str. 6, I-39012 Meran, W.Germany.)
- NILSSON,S.G. 1982. Seasonal changes in census efficiency of birds at marshes and fen mires in southern Sweden. *Holarct. Ecol.* 5: 55-60. (Dept. Zool., Univ. Uppsala, PO Box 561, S-751 22 Uppsala, Sweden.)
- N.O.M.E. 1982. Wintering waders on the Banc d'Arguin, Mauritania. Report of the Netherlands Ornithological Mauritanian Expedition 1980. Communication number 6 of the Wadden Sea Working Group, Stichting Veth tot steun aan Waddenonderzoek, Leiden. pp. 1-283. In English with French, Dutch, Arabian and Frisian summaries. (Obtainable by paying Dfl.25 or £7 to bank account 570906008 of the Algemerie Bank Nederland, Groningen for the Netherlands Orn. Maur. Exp. 1980, Semarangstr, 8a, 9715 JW Groningen, Netherlands or sending £6 by International Money Order to the same address.)
Papers directly concerned with waders are:
PIERSMA,T. Numbers of waders at high tide. pp.67-90.
ENGELMOER,M. Importance of the Banc d'Arguin for wintering waders. pp.91-100.
ENGELMOER,M. Distribution and feeding of waders at low tide. pp.101-134.
PIERSMA,T. Foraging of Bar-tailed Godwits. pp.135-148.
PIERSMA,T. Foraging of Grey Plovers. pp.149-154.
ENGELMOER,M. Foraging of Oystercatchers. pp.155-160.
PIERSMA,M. & M.ENGELMOER. Waders and their food resources; general discussion. pp.161-164.
ALTENBURG,W. Avifauna. pp.165-210.
- ODDIE,W.E. & B.A.E.MARR. 1981. Identification of Semipalmated Sandpipers and Little Stints in autumn. *Brit. Birds* 74: 396-398. (74 South Hill Park, London NE3, UK.)
- OLSON,S.L. & D.W.STEADMAN. 1981. The relationships of the Pedronomidae (Aves: Charadriiformes). *Smithsonian Contr. Zool.* No. 337. 25pp.
- OSBORN,D. 1980. Mass deaths of birds on the Mersey estuary. *Inst. Terrestrial Ecol. Annu. Rep.* pp.68-70, 1980.
- OWEN,R.B.Jr. 1980. American Woodcock. In: G.C.Sanderson (ed.) *Management of migratory shore and upland game birds in North America*. Univ. Nebraska Press, Lincoln & London. pp.149-188.
- PEGLER,J. 1981. A comparison of wader distribution in Botany Bay and Port Stephens. *The Stilt* No.1:2. Abstract.
- PETERSEN,W.R., P.K.DONAHUE & N.ATKINS. 1981. First record of Dunlin (*Calidris alpina*) for Peru and continental South America. *Am. Birds* 35: 342-343. (22 Hutchinson Terrace, Whitman, MA 02382, USA.)
- PHILIPPONA,J. 1981. Telling van weidvogels in het Staphorsterveld in 1981. [Count of meadowbirds breeding in the Staphorsterveld in 1981.] *Watervogels* 6: 195-197. In Dutch. (Noordermeent 29, 8317 AA Kraggenburg, N.O.P., Netherlands.)
- PIERCE,R.J. 1980. Habitats and feeding of the Auckland Island Banded Dotterel (*Charadrius bicinctus exilis* Falla 1978) in autumn. *Notornis* 27: 309-324. (Dept. Zool., Univ. Otago, Dunedin, New Zealand.)
- PIGEON,P. 1981. Observation d'un Phalarope à bec étroit *Phalaropus lobatus* et d'un Phalarope à bec large *Phalaropus fulicarius* à Aulnois-sous-Laon (Ais-ne). *Alauda* 49:232. In French. (Reneuil, 0200 Laon, France.)
- POLLARD,C.J.W.A. 1980. A visual record of Chestnut-banded Sandplover at the Victoria Falls. *Honeyguide* No.102:37. (Zimbabwe Police, PO Box, Victoria Falls, Zimbabwe.)
- PRATT,H.D. 1980. A Buff-breasted Sandpiper on Kauai. *'Elepaio* 41:49. (Mus. Zool., La. State Univ., Baton Rouge 70893, USA.)
- PURCHASE,D. 1981. Wader banding in Australia, East Asia and the Pacific. *The Stilt* No.1:4.
- RANKIN,G.D. 1982. Mallophaga on the eggs of wading birds. *Ibis* 124: 183-187. (Dept. Zool., Univ. Durham, Science Labs., South Rd., Durham DH1 3LE, UK.)
- REED,S.M. 1981. New Zealand Dotterel (*Charadrius obscurus*) - an endangered species. *Notornis* 28: 129-132. (4 Namaku Rd., Meadowbank, Auckland 5, New Zealand.)
- REES,G.H. 1981. Black-tailed Godwit displaying over heathland. *Brit. Birds* 74:398. (16 Winch Crescent, Haverfordwest, Dyfed, Wales, UK.)
- RENAUD,W.E., S.R.JOHNSON & P.D.HOLLINGDALE. 1979. Breeding birds of Arctic Bay, Baffin Island, N.W.T., with notes on the biogeographic significance of the avifauna. *Arctic* 32: 122-134. (LGC Ltd., 44 Eglington Ave. W., Toronto, Ontario, Canada M4R 1A1.)
- RETTIG,K. 1981. Der Limikiden-Durchzug auf küstennahen Spülfeldern. [Wader migration through sewage farms near the coast.] *Beitr. Naturk. Niedersachs* 34: 180-185. In German. (Danziger Str.11, 2970 Emden, W.Germany.)
- RITTINGHAUS,H. 1981. Oldecoog, ein prominenter Rastplatz für Laro-Limikolen. *Beitr. Naturk. Niedersachs* 34: 175-179. In German. (Bismarckstr. 69, 2940 Wilhelmshaven, W.Germany.)
- ROBIN,K. 1981. Brut des Spornkibitzes *Hoplopterus spinosus* im Tierpark Bern. [Breeding of the Spur-winged Plover in the Zoo of Bern.] *Ornithol. Beob.* 78: 209-210. In German with Engl. summ. (Tierpark Dahlholzli Bern, Bern, Switzerland.)

- RUITENBEEK,W. 1982. Kluten onderzoek. Eertse voorlopige verslag over 1981. [Avocet research. First preliminary results for 1981.] Graspieper 2: 3-11. In Dutch. Survey of breeding pairs in province of Noord Holland.
- RUNDLE,W.D. & L.H.FREDRICKSON. 1981. Managing seasonally flooded impoundments for migrant rails and shorebirds. Wildl. Soc. Bull. 9: 80-87. (US Fish & Wildl. Serv., Wildl. Ass. Off., Columbia, SC 29201, USA.)
- SAWYER,M. 1981. Solitary Sandpiper: probable nesting in Oregon. Oreg. Birds 7: 131-133.
- SCHARDIEN,B.J. 1981. Behavioural ecology of a southern population of Killdeer. Ph.D. dissertation, Miss. State Univ., 126 pp.
- SCHEKKERMAN,H. 1982. Drieteentjes op Skylge in 1981. [Sanderlings on Terschelling in 1981.] Aythya 21: 13-19. In Dutch. (Mr. Ludwigstr.1, 1901 PS Castricum, Netherlands.) Information on numbers, distribution & foraging in July/August.
- SCHIEMANN,H. 1980. Der Durchzug der Odinhühnchen (Phalaropus lobatus) in den Donauländern. [Migration of Phalaropus lobatus through the Danube countries.] Bonner Zool. Beitr. 30: 284-309. In German. (Kirchstr. 15, D-7988 Wagen 4, W.Germany.)
- SCHNEIDER,D. & B.A.HARRINGTON. 1981. A comparison of shorebird numbers and food density at two adjacent coastal locations. Estuaries 4:267. Abstract. (Univ. California, Irvine, CA, USA.)
- SHISSLER,B.P. & D.E.SAMUEL. 1981. Woodcock summer field studies in West Virginia. Trans. Northeast Sect. Wildl. Soc. 38: 32-41. (Div. Forestry, W. VA. Univ., Morganstown, WV 26506, USA.)
- SHISSLER,B.P., D.E.SAMUEL & D.L.BURKHART. 1981. An ageing technique for American Woodcock on summer fields. Wildl. Soc. Bull. 9: 302-305.
- SIMON,A. 1980. Zur Vorkommen des Mornellregenpfeifers in der Schweiz. [On the occurrence of Dotterels in Switzerland.] Monticola 4: 120-121. In German. (Tobelggstr. 15, CH-8049 Zürich, Switzerland.)
- SKINNER,N.J. & N.P.E.LANGHAM. 1981. Hudsonian Godwit in Fiji. Notornis 28: 138-139. (School Nat. Resourc., Univ. S. Pacific, PO Box 1168, Suva, Fiji.)
- SMITH,F.T.H. 1981. A retraction of Victorian Dunlin records. Austr. Bird Watcher 9:43. (71 Cobden St., Kew, Vic.3101, Australia.)
- SMITH,J.L. 1981. Shorebirds at Beckley Airport. Redstart 48: 67-68. (4423 16th St. Rd., Huntingdon, WV 25701, USA.)
- SMITH,K. & G.WILLIAMS. 1982. Breeding wader surveys (how to participate in the surveys & main drain on the plains). EIO News No.119: 4-5.
- STANLEY,N.F. 1981. Waders and their microbes. The Stilt No.1: 6-8. (Dept. Microbiology, Univ. of W.Australia, Australia.)
- STEDMAN,S.J. 1980. Recent records and status of the Whimbrel in Tennessee. Migrant 51: 88-89. (2223 Tomassie Dr., Knoxville, TN37920, USA.)
- SUTHERLAND,W.J. 1982. Food supply and dispersal in the determination of wintering population levels of Oystercatchers, Haematopus ostralegus. Est. Coastal Shelf Science 14: 223-229. (Edward Grey Inst., Dept. Zool., South Parks Rd., Oxford, UK.)
- TOMKOVICH,P.S. 1980. (To biology of Least Sandpiper (Calidris subminuta).) Ornithologija 15:10. In Russian.
- TREE,A.J. 1980. Migration as an ecological adaptation in central African Charadrii. Honeyguide No.102: 16-25. (101 Lomagundi Rd., Greencroft, Salisbury, Zimbabwe.)
- TREE,A.J. 1980. Bar-tailed Godwit at Lake McIlwaine - a species new to Zimbabwe. Honeyguide No.102:37.
- TYLER,J.D. 1981. Dunlin in Comanche County, Oklahoma. Bull. Okla. Ornithol. Soc. 14:23. (Dept. Biol., Cameron Univ., Lawton, OK73505, USA.)
- UNESCO. 1981. The coastal ecosystems of West Africa: coastal lagoons, estuaries and mangroves. A workshop report, Dakar, 11-15 June 1979. Unesco reports in marine science 17, UNESCO, Paris. (Div. Mar. Sciences, Unesco, Place de Fontenoy, 75700 Paris, France.)
- VEITCH,D. 1981. Wader banding near Auckland. The Stilt No.1:1. Abstract.
- VOGELZANG,F. 1982. Waarneming van een Amerikaanse Oeverloper Actitis macularia (L.) in de Diemerpolder en een overzicht van de veldkenmerken in niet broedkleed. [Observation of Spotted Sandpiper in Noord Holland and summary of field characters in non-breeding plumage.] Graspieper 2: 22-26. In Dutch.
- WALTNER,M. 1979/1980. Waders and wader-ringing. Rings for waders. Safring News 8: 15-18 and 9: 43-44. (5 Montague Way, Pinelands 7405, S.Africa.)
- WALTNER,M. 1981. Unusual waders at Langebaan. Safring News 10: 9-11.
- WERKGROEP WEIDEVOGELS NOORDHOLLANDS NOORDERKWARTIER. 1982. Weidevogels in Noordhollands Noorderkwartier. [Meadowbirds in Noordhollands Noorderkwartier.] Publikatie S.V.N., 1982, 120pp. In Dutch. (Available for Dfl.14.75 on giro account nr.8578 of Bank Mees & Hoop, Amsterdam to nr. 213252805 of 'Weidevogels'.) Extensive information on population trends in Oystercatcher, Lapwing, Snipe, Black-tailed Godwit, Redshank and Ruff in connection with agricultural developments.
- WILSON,B.L. 1981. Whimbrel in southwest Iowa. Iowa Bird Life 51: 105-106. (Rt. 1, Box 41, Hastings, IA 51550, USA.)
- WÜST,W. 1981. Avifauna Bavariae. Die Vogelwelt Bayerns im Wander der der Zeit. Br.1: Gaviiformes-Charadriiformes. München.
- ZONFRILLO,B. 1981. Holarctic and Nearctic sandpipers. Bull. Br. Ornithol. Club 101: 311-312. (28 Brodie Rd., Glasgow 621 3SB, Scotland, UK.)

REVIEWS

Studies on the Movement and Population Structure of Indian Avifauna: Annual Report 1, June 1980 - July 1981

by Ali,S. & Hussain,S.A. 1981 (?). 141pp. Bombay Natural History Society, Hornbill House, Shahid Bhegat Singh Road, Bombay 400 023, India. (No price given)

This report summarises the progress made during the first year of a 5-year study, sponsored by the Indian Ministry of Agriculture and the U.S. Fish & Wildlife Service, and funded by the U.S. Foreign Currency programme. The survey involves extensive vegetation surveys and invertebrate sampling programmes, as well as the trapping of very large numbers of birds in terrestrial, freshwater and estuarine habitats. Two main sites are being studied: the Keoladeo Ghana Bird Sanctuary in Bharatpur, in northern India, which is a major waterfowl refuge; and Point Calimere, a forest, marsh, estuary and salt-pan complex in south-east India. I will restrict this summary mainly to the information on waders in the report.