

## RECENT PUBLICATIONS ON WADERS

compiled by Theunis Piersma

Since we try to make these lists as complete as possible, any help (pointing out omissions; sending new titles, abstracts or reprints) is most welcome. These should be sent to Theunis Piersma, Korte Nieuwstraat 4, 9724 LC Groningen, The Netherlands. Help was received gratefully from Mike Pienkowski, Cor Smit, F.U. Schmidt and Jadwiga Gromadska. Jadwiga Gromadska also prepared some summaries of Russian papers, two of which appear as Appendices to this list. Translated titles of papers in languages other than English are bracketed: round brackets if the translation is by the author(s); square brackets if not.

- AEBISCHER, N.J. 1983. Restoring the legibility of the inscriptions on abraded or corroded bird-rings. *Ring. & Migr.* 4: 275-280. (Dept. Zool., Univ. Durham, South Rd., Durham DH1 3LE. U.K.)
- ALLAN, D. 1983. Blackwinged Plover (R243) in the Transvaal. *Mitwatersrand Bird Club News* 120:8.
- AMOS, E.J.R. & WINGATE, D.B. 1983. First record of Wood Sandpiper, *Tringa glareola*, from Bermuda. *Am. Birds* 37: 115-116. ('Corncrake', Ord Rd., Warwick Parish, Bermuda.)
- ANDRUSENKO, N.N. & DUDENKOV, N.A. 1982. [Faunistics notes on waders of Tengiz Lake.] *Ornitologia* 17:155. In Russian.
- ARPPE, H. 1983. (Little Ringed Plover *Charadrius dubius* incubating pieces of mortar.) *Ornis Fennica* 60:90. In Finnish with English summary. (Kirkkoherrantie 5 B 117, SF-00650 Helsinki 65, Finland.)
- BADMAN, F.J. & MAY, I.A. 1983. Waders in northern South Australia. *S. Aust. Ornithol.* 29: 29-39. (Box 38, Marree, S.A. 5733, Australia.)
- BALLOT, J.-N., CLERC, P. & YESOU, P. 1981. Un Pluvier asiatique *Charadrius asiaticus* en Bretagne: premiere donnee francaise. [Caspian Plover in Brittany: first french record.] *L'Oiseau R.F.O.* 51: 239-243. In French. (Route de Pen-an-Toul, F-29219 Le Relecq Kerhuon, France.)
- BAMFORD, M.J. 1983. Waders at Useless Loop, Shark Bay, in September 1981. *The Stilt* 4: 13-14. (5 Elizabeth St., South Perth, WA6151, Australia.)
- BECUWE, M., BURGGRAEVE, G., BURNY, J., LINGIER, P., RAPPE, G. & GOMPEL, J. van. 1983. (The distribution and numbers of coastal waders along the North Sea coast of Belgium and the adjoining part of the Netherlands south of the river Scheldt, 1972-1979.) *Wielewaal* 49: 341-372. In Flemish with English and French summaries. (Lab. Decol. Dieren, Zoogeogr. & Natuurbehoud, R.U. Gent, K.L. Ledeganckstr. 35, B-9000 Gent, Belgium.)
- BEDNORZ, J. 1983. (Avifauna of Stowinski National Park with the consideration of quantitative relations.) *Prace Kom. Biol. PTPN* 65: 1-101. In Polish with English summary. (Poznan Univ., ul. Fredry 10, 61-701 Poznan, Poland.)
- BEINTEMA, A.J. & MUSKENS, G.J.D.M. 1983. Changes in the migration pattern of the Common Snipe. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 146-160. (RIN, P.O. Box 46, 3956 ZR Leersum, The Netherlands.)
- BELYAEV, K.G. 1982. [Spring and summer waders population at the northeastern coast of Baikal Lake.] *Ornitologia* 17: 158-159. In Russian.
- BENDORF, C.J. 1983. Whimbrel in Johnson County. *Iowa Bird Life* 53: 57-58. (825 7th Ave., Iowa City, IA 52240, U.S.A.)
- BERLICH, H. & KALCHREUTER, H. 1983. A study of harvesting roding Woodcock in spring. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 92-99. (Arbeitskreis Wildbiol. & Jagd, Univ. 6300 Giessen, West Germany.)
- BERG, A.B. van den. 1983. (Occurrence of Red-necked and Grey Phalarope in Netherlands in 1970-1981.) *Dutch Birding* 5: 69-73. In Dutch with English summary. (Duinlustparkweg 98, 2082 EG Santpoort-Zuid, The Netherlands.)
- BEVIS, J.H. 1981. Red Phalarope sighted in southeast Alberta. *Oriole* 46: 45-46. (1197 Mayfield Dr., Decatur, GA 30033, U.S.A.)
- BOERE, G.C. 1984. Steenlopers, succesvolle wereldwijde scharrelaars. [Turnstones, successful worldwide 'scavengers'.] *Vogels* 4: 24-27. In Dutch. (Voorstr. 7, 4153 AH Beesd, The Netherlands.)
- BOERE, G.C., BRAAKSMA, S., BEKHUIS, J. & OPDAM, P. 1983. *Bird census projects in the Netherlands*. Report of State Forest Service, Dept. Nature Conservation. 13pp. (SBB, P.O. Box 20020, 3506 LA Utrecht, The Netherlands.)
- BOERE, G., ROSELAAR, K. & ENGELMOER, M. 1984. The breeding origins of Purple Sandpipers *Calidris maritima* in the Netherlands. *Ardea* 72: 101-109.
- BOUMAN, A., OLSTHOORN, D., KAMP, J. van der & VALKENBURG, G. 1983. *Verslag bewaking Rottumerplaat en Rottumeroog in 1982*. [Report of the guards of Rottumerplaat & Rottumeroog, 1982, Dutch Wadden Sea.] Report Staatsbosbeheer Groningen, 53pp. In Dutch. Results of wader counts in the period April - September.
- BIRIGGS, K. 1983. The distribution and reproduction of Ringed Plovers breeding coastally and inland in north-west England. *Bird Study* 30: 222-228. (26 Hazelmount Dr., Warton, Carnforth, Lancs. LA5 9HU, U.K.)
- BUNDY, G. 1983. Call of Pintail Snipe. *Brit. Birds* 76: 575-576. (The Crest, Blythe Shute, Chale, Isle of Wight, PO38 2HJ, U.K.)
- BURGER, A.E. 1981. Food, foraging and social behaviour of Lesser Sheathbills *Chionis minor* at Marion Island. In: J.Cooper (ed.) *Proc. Symp. Birds Sea & Shore*, 1979, p.62. Abstract only. (Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S. Africa.)

- BYRKJEDAL, I. 1983. (The first Norwegian record of Kittlitz's Plover.) *Stav. Museum Arbok* 1982: 37-44. In Norwegian with English summary. (Zool. Mus., Univ. of Bergen, Bergen, Norway.)
- CAMPHUYSEN, C.J. & DIJK, J. van. 1983. (Seabirds and estuary birds along the Netherlands coast, 1974-1979.) *Limosa* 56: 81-230. In Dutch with English summary. (Available from The Secretary, Limosa, A.L.Spaans, RIN, P.O. Box 9201, 6800 HB Arhem, The Netherlands, for DM20 (excl. p. & p.). Payment after receipt of invoice.) A wealth of information on timing of wader migration along the Dutch coast.
- CARLSSON, U.T. 1983. Varmlandsinventeringen 1982. *Varmlandsornitologen* 11: 21-27. In Swedish. With maps of breeding distributions during 1972-1982 of Golden Plover and Curlew.
- CARTER, M. 1983. Visible wader migration into northern Australia. *The Stilt* 4: 18-19. (c/o P. Curry, 29 Canningmills Rd., Kelmscott, WA 6111, Australia.)
- CAUDRON, E., DUCROTOY, J.-P. & TRIPLET, P. 1983. Avifaune et macrozoobenthos dans l'estuaire de la Somme. I. L'Huitrier pie *Haematopus ostralegus* et les populations de Coques *Cerastoderma edule* (Mollusque: Bivalve). [Avifauna and macrobenthos in the estuary of the Somme. I. Oystercatchers and the Cockle populations.] *L'Oiseau R.F.O.* 53: 227-240. In French with English summary. (GEMEL, Stat. d'Etudes Baie de Somme, Quai Jeanne-d'Arc, 80230 St-Valery-sur-Somme, France.)
- CLAUSAGER, I. 1983. Wing collection of Woodcock in Denmark. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 118-126. (Game Biol. Stat., Kalo, 8410 Ronde, Denmark.)
- CLAUSAGER, I. 1983. Analysis of the hunting bag of Snipe in Denmark. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 161-164.
- CLOSE, D. 1982. Evaluating the quality of wader sites. *The Stilt* 3:14. (c/o P. Curry, 29 Canningmills Rd., Kelmscott, WA 6111, Australia.)
- CONNORS, P.G. 1983. Taxonomy, distribution, and evolution of Golden Plovers (*Pluvialis dominica* and *Pluvialis fulva*). *Auk* 100: 607-620. (Bodega Mar. Lab., Univ. California, Bodega Bay, CA 94923, U.S.A.)
- COMMECY, X. & SUEUR, F. 1983. La reserve de la Baie de la Somme. *Homme et Oiseau* 21: 257-258. In French. (c/o rue du Bosquet, 80120 Rue, France.)
- COMMECY, X. & SUEUR, F. 1983. *Avifaune de la Baie de Somme et la Plaine maritime piccarde*. Amiens (GEPOP), 235pp. (Available for 85FF (incl. p. & p.) from GEPOP, Musee de Picardie, rue de la Republique, 8000 Amiens, France.)
- CROWE, A.A. 1981. The comparative feeding behaviour of the Whitefronted Sandplover *Charadrius marginatus* and the Sanderling *Calidris alba* in the southwestern Cape, South Africa. In: J. Cooper (ed.) *Proc. Symp. Birds Sea & Shore, 1979*, p.42. Abstract only. (Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- CURRY, P. (ed.) 1982. How many waders have they found in Japan? *The Stilt* 3:15. (29 Canningmills Rd., Kelmscott, WA 6111, Australia.)
- CURRY, P. 1983. Red-necked Stints passing over a dry lakebed in central Western Australia. *The Stilt* 4:20.
- CURRY, P., JAENSCH, R.P., CONGREVE, P. & KEELING, S.D. 1983. First records of Little Stint, White-rumped Sandpiper, Buff-breasted Sandpiper and Little Ringed Plover from south-western Australia. *The Stilt* 4: 6-12.
- DAVIES, S. 1982. Ageing criteria of Sanderlings in Australia. *The Stilt* 3: 11-13. (c/o P. Curry, 29 Canningmills Rd., Kelmscott, WA 6111, Australia.)
- DAVIS, T.H. 1983. The 1982 fall shorebird season at Jamaica Bay Wildlife Refuge. *Kingbird* 33: 94-102. (9446 85 Rd., Woodhaven, NY 11421, U.S.A.)
- DAVIS, T. 1983. Censusing breeding waders on Outer Hebrides machair. *BTO News* 129:9. On WSG/NCC Survey 1983.
- DAVYDOV, A.V. 1982. [Waders near Lower Ishym river.] *Ornitologia* 17:163. In Russian.
- DEBRUN, N. 1983. Kieviten (*Vanellus vanellus*) in Zuid-oost Brabant: enkele najaarstellingen in 1978 en 1979. [Lapwings in south-east Brabant, Belgium: some counts in the autumns of 1978 and 1979.] *Ornis Flandriae* 5:8. In Flemish. (Parkdreef 90, B-3030 Heverlee, Belgium.)
- DELAP, E. 1983. Red Phalarope in Rogers County, Oklahoma. *Bull. Okla. Ornithol. Soc.* 16: 21-22. (409 N. Wyandotte, Dewey, OK 74029, U.S.A.)
- DENNIS, R.H. 1983. Purple Sandpipers breeding in Scotland. *Brit. Birds* 76: 563-566. (RSPB Highland Off., Landberg, North Kersock, Inverness, IV1 1XD, U.K.)
- DICK, W.J.A. 1981. The 1978/79 spring passage of Siberian Knot *Calidris canutus*. In J. Cooper (ed.) *Proc. Symp. Birds Sea & Shore, 1979*, p.232. Abstract only. (125 Leathwaite Rd., London SW11 6RW, U.K.)
- DITTBERNER, H. & DITTBERNER, W. 1983. Zum Vorkommen der Pfuhlschnepfe (*Limosa lapponica* L.) in der DDR. [On the occurrence of Bar-tailed Godwits in East Germany.] *Beitr. Vogelkd.* 29: 19-28. In German. (Karl-Frank-Str. 24, DDR-1162 Berlin, East Germany.)
- DODD, S. & MOSS, D. 1983. The Turnstone population at Rhos-on-Sea. In D. Moss (ed.) *Scan Ringing Group Report for 1981 and 1982*, pp.56-57.
- DUCEY, J. 1982. The 1982 Least Tern and Piping Plover breeding season on the Lower Platte River, Nebraska. *Nebr. Bird Rev.* 50: 68-72. (910 North 49th Str., Omaha, NE 68132, U.S.A.)
- DWYER, T.J., McAULEY, D.G. & DERLETH, E.L. 1982. Trends in Woodcock habitat and singing ground counts in the eastern United States. *Trans. Northeast Sect. Wildl. Soc.* 39:85. Abstract only. (Patuxent Wildl. Res. Cent., Laurel, MD 20708, U.S.A.)
- EIFLER, G. 1982. Ein weiterer Nachweis des Odinschunchen, *Phalaropus lobatus* (L.), in der Oberlausitz. [A further observation of a Red-necked Phalarope in Oberlausitz.] *Abh. Ber. Naturkundermus. Gorlitz* 56: 47-48. In German. (Geschwister-Scholl-Str. 53, DDR-8801 Eckartsberg, East Germany.)

- ELLINGWOOD, M.R., SHISSLER, B.P. & SAMUEL, D.E. 1982. Singing ground preference exhibited by American Woodcock. *Trans. Northeast Sect. Wildl. Soc.* 39:118. Abstract only. (Div. Forestry, W. Va. Univ., Morgantown 26506, U.S.A.)
- EMDE, F. 1983. Brutvorkommen und Durchzug der Limikolen im nord-westlichen Nordhessen - Teil 2. [Breeding and migration of waders in northwest Nordhessen - Part 2.] *Vogelk. Heft Edertal* 9: 69-80. In German. On kentish Plover, Little Ringed Plover, Ringed Plover and the sandpipers.
- EMMS, S. & ELSTON, D. 1983. *Oxford Ornithological Expedition to Iceland 1982. Expedition Report.* Oxford, 25+pp. (Queen's College, Oxford, U.K.) Studies on food and foraging of Knots in Longufjordur Bay, S.W. Iceland by a two-man expedition in July/August 1982.
- ENGELMOER, M., ROSELAAR, K., BOERE, G.C. & NIEBOER, E. 1983. Post-mortem changes in measurements of some waders. *Ring. & Migr.* 4: 245-248. (SBB, Dept. Nature Cons., P.O. Box 20020, 3502 LA Utrecht, The Netherlands.)
- ENS, B.J. & GOSS-CUSTARD, J.D. 1984. Interference among oystercatchers *Haematopus ostralegus* feeding on mussels *Mytilus edulis* on the Exe estuary. *J. Anim. Ecol.* 53: 217-232. (Zool. Laboratory, Univ. Groningen, Kercklaan 30, Haren, The Netherlands.)
- EVERHART, S.H. 1982. Wilson's Phalaropes in spring at Baltimore Harbor. *Md. Birdlife* 38:43. (Ocean Data Systems, 4505 Franklin Ave., Wilmington, NC 28403, U.S.A.)
- FADAT, C. & LANDRY, P. 1983. Influence of temperature on the migration pattern of Woodcock wintering in France. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 28-42. (ONC, Sect. Becasse, Quai Cot, 34800 Clermont L'Herault, France.)
- FERNS, P.N. 1981. Seasonal and annual changes in the distribution of shorebirds in the Severn estuary. In J. Cooper (ed.) *Proc. Symp. Birds Sea & Shore, 1979*, pp.347-377. (Zool. Dept., Univ. Coll., Cathays Park, Cardiff CF1 1XL, U.K.)
- FERRAND, Y. 1983. A behavioural hypothesis derived from 5-year's observations of roding Woodcock. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 68-82. (ONC, Sect. Becasse, Quai Cot, 34800 Clermont L'Herault, France.)
- FRY, C.H. 1983. Incubation, brooding and a structural character of the African Jacana. *Ostrich* 54: 175-176. (Univ. Aberdeen, Dept. Zool., Aberdeen AB9 2TN, U.K.)
- FINCH, B.W. 1981. Asiatic Dowitcher *Limnodromus semipalmatus* at Moitaka settling ponds: second record for the New Guinea region. *Papua New Guinea Bird Soc. Newsl.* No. 183-184: 36-39.
- FOPPEN, R. & SCHOLS, R. 1983. Vogels van de Muldersplas te Thull. [Birds of the Muldesplas at Thull.] *Natuurhist. Maandblad* 72: 220-225. In Dutch. (Laurentiusstr. 22, Neerbeek, The Netherlands.) Results of counts (including 6 diagrams for waders) at a small lake in Limburg, Netherlands.
- GARNETT, S. 1983. Report on the fifth aerial survey of migratory wading birds between Waipa and Milingimbi, 9-13 February, 1983. *The Stilt* 4: 15-17. (c/o P. Curry, 29 Canningmills Rd., Kelmscott, WA 6111, Australia.)
- GARNETT, S. & CARRUTHERS, I. 1982. Error in aerial survey of wading birds. *The Stilt* 3: 5-7.
- GARNETT, S. & CARRUTHERS, I. 1982. Report on the second aerial survey of waders in N.E. Australia, February 1982. *The Stilt* 3: 18-20.
- GEROUDET, P. 1983. Comportement alimentaire gregaire de Chevaliers arlequins au Senegal. [Gregarious feeding habits of Spotted Redshanks in Senegal.] *Mos Oiseaux* 37: 35-36. In French. (37 Ave. de Champel, CH-1206 Geneva, Switzerland.)
- GASTEREN, H. van. 1984. Verslag laagwatertelling op Terschelling op 10/8/83. [Report on low tide counts around Terschelling on 10 August 1983.] *Aythya* 22: 4-11. In Dutch. (c/o Mr. Ludwigstr. 1, 1901 PS Castricum, The Netherlands.)
- GASTEREN, H. van. 1984. Fourageersucces by Bontbekplevieren. [Foraging success in Ringed Plover on Terschelling.] *Aythya* 22: 17-21. In Dutch.
- GLOE, P. 1983. Vorwärts- und aufwärtsdrohender Austernfischer (*Haematopus ostralegus*). [Threat behaviour in Oystercatchers.] *Orn. Mitt.* 35: 155-156. In German. (Muhlenstr. 10, D-2223 Meldorf, West Germany.)
- GLOE, P. 1983. Skua (*Stercorarius skua*) als "Watterschutz" für einen Kiebitzregenpfeifer (*Pluvialis squatarola*). Great Skua protects Grey Plover against bad weather. *Orn. Mitt.* 35:159. In German.
- GOSS-CUSTARD, J.D. & DURRELL, S.E.A. Le V. dit. 1983. Oystercatchers on the Exe estuary. *Devon Birds* 36: 27-37. (ITE, Furzebrook Res. Stat., Wareham, Dorset, U.K.)
- GOSS-CUSTARD, J.D., CLARKE, R.T. & DURRELL, S.E.A. Le V. dit. 1984. Rates of food intake and aggression of oystercatchers *Haematopus ostralegus* on the most and least preferred mussel *Mytilus edulis* beds of the Exe estuary. *J. Anim. Ecol.* 53: 233-246.
- GREENWOOD, J.G. 1983. Dunlin *Calidris alpina* in South America. *Bull. Br. Ornithol. Club* 103: 110-111. (Sci. Dept., Stranmillis Coll., Belfast BT9 5DY, U.K.)
- GROMADZKA, J. 1983. (Distribution of breeding sites and number of southern Dunlin (*Calidris alpina schinzii*) on southern Baltic coast.) *Not. orn.* 24: 31-36. In Polish with English summary. (Nadwisłanska 108, 80-680 Gdansk, Poland.)
- GROMADZKA, J. & GROMADZKI, M. 1983. Changes in wader numbers at the Gulf of Gdansk during the autumn migration; a methodological approach. *Ornis Fennica, Suppl.* 3: 56-58.
- GROVES, S. 1982. *Aspects of foraging in Black Oystercatchers (Aves: Haematopodidae).* Ph.D. dissertation, Univ. British Columbia. On *H. bachmani*.

- GUARD, R. & GARNETT, S. 1982. Report on the first aerial survey of waders in N.E. Australia, December, 1981. *The Stilt* 3: 16-17. (73 Walsh St., Edge Hill, Cairns, Queensland 4870, Australia.)
- GUTZWILLER, K.J., KINSLEY, K.R., STORM, G.L., TZILKOWSKI, W.M. & WAKELEY, J.S. 1983. Relative value of vegetation structure and species composition for identifying American Woodcock breeding habitat. *J. Wildl. Manage* 47: 535-540. (Dept. Zool., Univ. Wyo., Laramie, WY 82071, U.S.A.)
- HALL, D. 1981. Plovers nesting on Nelspruit Airport. *Witwatersrand Bird Club News* 115:7. On *Vanellus coronatus*.
- HANDEL, C.M. & GILL, R.E. 1983. Yellow birds stand out in a crowd. *N. Am. Bird Bander* 8: 6-9. (USFWS, 1011 E. Tudor Rd., Anchorage, AK 99503, U.S.A.) On *Calidris alpina* & *C. mauri* in Alaska.
- HARRADINE, J. 1983. The Woodcock production survey in Great Britain. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 100-117. (B.A.S.C., Marford Mill, Rossett, Clwyd LL12 OHL, U.K.)
- HAY, R. 1983. Shorebirds of the Miranda coastline. *Tane* 29: 15-30. (Dept. Zool., Univ. Auckland, Private Bag, Auckland, New Zealand.)
- HERKENRATH, H. 1983. Bemerkenswerte Verhaltensbeobachtungen an Waldschnepfe (*Scolopax rusticola*) und Schwarzspecht (*Dryocopus martius*) im Wildschutzgebiet Edersee. [Remarkable behavioural observations on Woodcock and Black Woodpeckers in the reserve Edersee.] *Vogelk. Hefte Edertal* 9:90. In German. (Rausingen 45, D-4755 Holzwickede, West Germany.)
- HEEZIK, Y.M. van, GERRITSEN, A.F.C. & SWENNEN, C. 1983. The influence of chemoreception on the foraging behaviour of two species of sandpipers *Calidris alba* and *Calidris alpina*. *Neth. J. Sea Res.* 17: 47-56. (Dept. Zool., Univ. Otago, P.O. Box 56, Dunedin, New Zealand.)
- HEISER, F. 1983. Steppenkiebitz *Chettusia gregaria* im Lech-Donau-Winkel. [Observation of Sociable Plover in Lech-Donau-Winkel.] *Anz. orn. Ges. Bayern* 22:113. In German. (Baumenheimer Str. 14, D-8850 Donauworth, West Germany.)
- HEPBURN, I.R. 1983. Hunting bags and population of Woodcock in Europe. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 138-145. (FACE Migr. Birds Prog., Marford Mill, Rossett, Clwyd LL12 OHL, U.K.)
- HIRONS, G. 1983. The breeding biology and behaviour of the Woodcock *Scolopax rusticola*. *Ibis* 125:589. Abstract only. (Dept. Biol., Building 44, Univ. Southampton, Hants. SO9 5NH, U.K.)
- HIRONS, G. 1983. A five-year study of the breeding behaviour and biology of the Woodcock in England - A first report. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 51-67.
- HIRONS, G. & BICKFORD-SMITH, P. 1983. The diet and behaviour of Eurasian Woodcock wintering in Cornwall. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 11-17.
- HOCKEY, P.A.R. 1981. Feeding techniques of the African Black Oystercatcher *Haematopus moquini*. In J.Cooper (ed.) *Proc. Symp. Birds Sea & Shore, 1979*, pp.99-115. (Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- HOCKEY, P.A.R. 1984. Growth and energetics of the African Black Oystercatcher *Haematopus moquini*. *Ardea* 72: 111-118.
- HOEBEL, W.-D. 1982. Steppenkiebitz im Saalkreis. [Sociable Plover in Saalkreis.] *Apus* 4: 281-282. In German. (Kopernikusstr. 11, DDR-4030 Halle, East Germany.)
- HOFFMAN, T.R. 1982. Occurrence of certain waders in Sri Lanka. *J. Bombay Nat. Hist. Soc.* 79: 668-669. (Ceylon Bird Club, c/o P.O. Box 11, Colombo, Sri Lanka.)
- HOLZ, R. 1982. Unser Kustenvogelschutz im Überblick. [A review of protection measure of our coastal birds.] *Meer und Museum* 3: 12-23. In German. Much information about numbers and distribution of breeding waders in northern part of East Germany (see also WSG Bull. 39:61).
- HOOGEN, G.J. van & WOORTMAN, A. 1982. *Verslag bemaking Engelsmanplaat 1981. [Report of wardens of Engelsmanplaat for 1981.]* Report Staatsbosbeheer Nr.1982-7, Leeuwarden. 69pp. In Dutch. (SBB Natuurbehoud, Landbouwcentrum, Leeuwarden, The Netherlands.) High-tide counts and notes on nesting species.
- IMPE, J. van & BULTEEL, G. 1983. De Bonte Strandloper *Calidris alpina schinzii* een nieuwe broedvogel voor België. [Dunlin, a new breeding species for Belgium.] *Wielewaal* 49: 333-337. In Flemish.
- IRISOV, V. Yu. 1982. Waders of Chagan-Uzun river basin (south-eastern Altai). *Ornitologia* 17: 165-166. In Russian.
- JAENSCH, R.P. 1983. The Asian Dowitcher in north-western Australia. *The Stilt* 4: 2-5. (c/o P.Curry, 29 Canningmills Rd., Kelmscott, WA 6111, Australia.)
- JARVINEN, O. & VAISANEN, R.A. 1983. Correction coefficients for linetranssect censuses of breeding birds. *Ornis Fennica* 60: 97-104. (Dept. Zool., Univ. Helsinki, P.Rautatiekatu 13, SF-00100 Helsinki 10, Finland.)
- JESCHKE, L. 1982. Salzgrasland als Vogelbiotop. [Salty meadowlands as breeding habitat for birds.] *Meer und Museum* 3: 40-51. In German.
- JOHNSON, D.B. 1982. Recent Purple Sandpiper records in northeastern Illinois. *Ill. Audubon Bull.* 201: 35-36. (1159 Buckingham St., Wheeling, IL 60090, U.S.A.)
- JOHNSON, G. 1983. Seasonal variation in wader weights in North Wales. In: D.Moss (ed.), *Scan Ringing Group Report for 1981 and 1982*. pp. 45-55.
- JOHNSON, J. 1983. Green Sandpiper (R259)? *Witwatersrand Bird Club News* 121:17.
- KALCHREUTER, H. (ed.). 1983. *Proceedings Second European Woodcock and Snipe Workshop, Fordingbridge, England 30 March - 1 April 1982*. IWRB, Slimbridge. 164pp. In English with French summaries. (Available for £5 or DM19.80 at Verlag Dieter Hoffman, 65 Mainz 41, West Germany.) The 15 contributions (13 on Woodcock!) are given separately in this listing.
- KAUTESK, B.M., SCOTT, R.E., ALDCROFT, D.S. & IRELAND, J. 1983. Temminck's Stint at Vancouver, British Columbia. *Am. Birds* 37: 347-349. (Apt. 6, 1661 East 10th Ave., Vancouver, B.C. V5N 1X6, Canada.)

- KEELING, S. 1982. Foot-shaking behaviour in a Large Sand Plover. *The Stilt* 3:23. (c/o P. Curry, 29 Canningmills Rd., Kelmscott, WA 6111, Australia.)
- KERSTEN, M., PIRESMA, T., SMIT, C. & ZEGERS, P. 1983. Wader migration along the Atlantic coast of Morocco, March 1981. Report of the Netherlands Morocco Expedition 1981. RIN Report 83/20, Texel. 220pp. In English with Dutch, French and Arabic summaries. (Available for DF22 payable on Postal Giro Account 949402 of Research Inst. Nature Manage., Kemperbergerweg 67, 6816 RM Arnhem, The Netherlands, making reference to RIN-report 83/20.) The individual chapters about waders in this report are listed separately.
- KERSTEN, M. & PIERSMA, T. 1983. Wader studies. In: M. Kersten, T. Piersma, C. Smit & P. Zegers. *Wader migration along the Atlantic coast of Morocco, March 1981*, pp. 47-118. RIN report 83/20.
- KHLEBOSOLOV, E. I. 1983. (On trophic selection in some tundra Charadriiformes.) *Zool. Zh.* 62: 963-965. In Russian with English summary. (Inst. Biol. Problems North, Far East Sci. Center, USSR Acad. Sci., Magadan, U.S.S.R.)
- KIESER, J. A. 1983. Dunlin *Calidris alpina*: new to Argentina. *Am. Birds* 36: 1024-1025. (Glenanda Shop. Cent., Vorster Ave., Glenanda, 2190 Johannesburg, S. Africa.)
- KIESER, J. A. & KIESER, G. A. 1983. Field identification of juvenile Buff-breasted Sandpiper. *Bokmakerie* 35: 15-16.
- KNEIS, P. 1980. Eine Beobachtung zur Individualherkennung beim Sandregenpfeifer. [An observation of individual recognition by Ringed Plovers.] *Falke* 27: 342-343. In German.
- KORTE, K. de. 1983. Arctische steltlopers (I). [Arctic waders (I).] *Vogels* 3: 236-239. In Dutch. (Zool. Mus., Plantage Middenlaan, Amsterdam, The Netherlands.) Narrative on Ringed and Golden Plovers and Turnstone.
- KOSHELEV, A. I. 1982. [Materials on waders in southern Baraba steppe.] *Ornitologia* 17: 167-168. In Russian.
- KOSTIN, Yu. V. 1982. Additions to waders fauna of the Crimea. *Ornitologia* 17:167. In Russian.
- KYDYRALIEV, A. K. 1982. [New nesting species of waders in Kirgizia.] *Ornitologia* 17: 169-170. In Russian.
- LANE, B. & JESSOP, A. 1983. *National Wader Count, Summer 1983*. Report to Participants. Australian Wader Studies Group. RAOU, Monee Ponds, May 1983, 20pp. (Available for \$Aust. 1.00 (airmailed) from RAOU, 21 Gladstone St., Monee Ponds 3039, Victoria, Australia.)
- LANE, B. & JESSOP, A. 1983. *National Wader Count Winter 1983*. Report to Participants. RAOU, Monee Ponds, December 1983, 8pp. (Also available for \$Aust. 1.00, see above.)
- LANK, D. B. 1983. *Migratory behavior of Semipalmated Sandpipers at inland and coastal staging areas*. Ph.D. dissertation, Cornell Univ., 304pp.
- LAU, U. 1982. Ein Zugrast- und Überwinterungsplatz für Wasservogel. [A stopover and wintering area for waterbirds.] *Meer und Museum* 3: 52-54. In German. On the importance of the reserve "Die und Kirr", D.D.R.
- LAURSEN, K., GRAM, I. & FRIKKE, J. 1983. Aantallen vogels voor en na inpoldering Deense Wad. [Numbers of birds before and after reclamation (of part of the) Danish Wadden Sea.] *Waddenbulletin* 18: 209-210. In Dutch. (Game Biol. Stat., Kalo, Ronde, Denmark.)
- LEBEURIER, E. 1982. (Occurrence and diet of Woodcock *Scolopax rusticola* in Brittany, France.) *Oiseau* 52: 237-250. In French with English summary. (Kernano, rue Anatole-France, Coatserho, 29210 Moslax, France.)
- LEHMANN, C. 1981. Zum Schlafverhalten des Flussuferlaufers. [On the sleeping behaviour of the Common Sandpiper.] *Falke* 28:28. In German.
- LEISCHNIG, S. 1980. Wissenwertes über die Waldschnepfe. Worthy knowledge of Woodcock. *Falke* 27: 412-414. In German.
- LESCOURET, F. & GENARD, M. 1982. Première nidification prouvée du Pluvier guignard (*Eudromias morinellus*) dans les Pyrénées françaises. First proved breeding of Dotterel in French Pyrénées. *L'Oiseau R.F.O.* 52:367. In French. (Lab. Faune Sauvage, CRA Toulouse, B.P.12, F-31320 Castanet-Tolosan, France.)
- LIPPENS, L. 1981. Comportement inhabituel du Chevalier combattant. [Abnormal behaviour in Ruffs.] *Gerfaut* 71: 107-108. In French. (Boslaan 43, B-8300 Knokke-Heist, Belgium.) 15-40 Ruffs followed ploughing tractor in September.
- LYSENKO, V. J. 1983. [Nesting of waders in Zaporezhe region.] *Ornitologia* 18:168. In Russian. See summary in Appendix 1.
- MACHIKUNAS, A. 1982. [Dynamics of the numerical abundance of Charadriiformes species nesting on the Kaunas reservoir.] *Biul. Mosk. o-va ispyt. prir. otd. biol.* 87: 61-64. In Russian. In Lithuania, waders are not numerous. Kaunas reservoir (suitable habitat = 400 ha) is biggest area in this republic. Numbers of breeding pairs of *Calidris alpina*, *Gallinago media* and *Philomachus pugnax* have decreased drastically during past 20 years. Most numerous species are: *Vanellus vanellus* c.70 pairs; *Gallinago gallinago* max. 40 pairs; *Limosa limosa* max. 33 pairs; *Tringa totanus* max. 30 pairs; *Charadrius dubius* c.30 pairs; and *Actitis hypoleucos* c.30 pairs.
- MAHED, R. 1983. *Limicoles séjournant en France, janvier 1983, avril 1983*. [Waders in France in January and April 1983.] Report ONC-CREBS/Univ. Rennes, 63pp. In French. (Univ. Rennes I, Stat. Biol. de Bailleron, 56860 Sene, France.)
- MALCHEVSKIJ, A. S. & PUKINSKIJ, J. B. 1983. [Birds of Leningrad district and surroundings.] Vol.1, Leningrad, Charadrii, pp.261-347. In Russian. See summary in Appendix 2.
- McLACHLAN, A. & WOOLDRIDGE, T. 1981. The role of birds in the ecology of Eastern Cape sandy beaches, South Africa. In J. Cooper (ed.) *Proc. Symp. Birds Sea & Shore, 1979*, pp.117-118. Abstract only. (Dept. Zool., Univ. Port Elizabeth, Box 1600, Port Elizabeth, S. Africa.)

- MEAD, C.J. & HUDSON, R. 1983. Report on bird-ringing for 1982. *Ring. & Migr.* 4: 281-320. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- MILLER, E.H., GUNN, W.W.H. & HARRIS, R.E. 1983. Geographic variation in the aerial song of the Short-billed Dowitcher (Aves, Scolopacidae). *Can. J. Zool.* 61: 2191-2198. (Vert. Zool. Div., B.C. Prov. Mus., Victoria BC, Canada V8V 1X4.)
- MINTON, C. 1982. AWSG Wader Expedition in North-west Australia, August/September 1982. *The Stilt* 3: 2-4. (165 Dalgetty Rd., Beaumaris, Melbourne 3193, Australia.)
- MITCHELL, O. 1983. The breeding status and distribution of Snipe, Redshank and Yellow Wagtail in Sussex. *Sussex Bird Report* 34(1981): 65-71.
- MOBUS, K. 1981. Das "Alte Feld" - eine Hochfläche am Nordweststrand des Kellerwaldes als Limikolenrastplatz. [The "Alte Feld" as roosting place for waders.] *Vogelk. Hefte Edertal* 7: 28-54. In German. (Textorstr. 20, D-6000 Frankfurt 70, West Germany.)
- MOBUS, K. 1982. Brutvorkommen und Durchzug der Limikolen im nordwestlichen Nordhessen - Teil 1. [Breeding and migration of waders in northwest Nordhessen - Part 1.] *Vogelk. Hefte Edertal* 8: 43-54. In German. Oystercatcher, Dotterel, Grey Plover, Golden Plover and Lapwing are discussed.
- MOON, S.J. 1983. Little Whimbrel: new to Britain and Ireland. *Brit. Birds* 76: 438-445. (Rooklands, 36 Hookland Rd., Newton, Porthcawl, Mid Glamorgan, U.K.)
- MORDUE, T.A. 1981. Wader passage in the Northern Province, Papua New Guinea - October-December 1980. *Papua New Guinea Bird Soc. Newsl.* No. 181-182: 18-20. (P.O. Box 28, Papondetta, Papua New Guinea.)
- MORDUE, T.A. 1981. Buff-breasted Sandpiper at Sangara, Oro province. First record for the New Guinea region. *Papua New Guinea Bird Soc. Newsl.* No. 183-184: 34-35.
- MORDUE, T.A. 1981. Wader passage at Sangara, Oro province August-November 1981. *Papua New Guinea Bird Soc. Newsl.* No. 185-186: 6-11.
- MORDUE, T.A. 1982. Raptors preying on feeding waders. *Papua New Guinea Bird Soc. Newsl.* No. 187-188: 9-10. *Haliastur indus* & *Accipiter cirrocephalus* preying on *Calidris acuminata*.
- MOSER, M. & FERNS, P. 1983. 1984 West Coast Spring Passage Project (A joint project of the BTO and Wader Study Group). *BTO News* No. 129:10. Outline and request for help.
- MOSS, D. (ed.). 1983. *Scan Ringing Group Report for 1981 and 1982*. Llanfairfechan, Gwynedd, May 1983, 68pp. (Available for £1.50 (incl. p. & p.) from D.Moss, Llanfairfechan, Gwynedd LL33 ODU, U.K.)
- MUELLER, O. 1982. Ein Bericht über die erste Schnepfenvogel (Scolopacidae) Exkursion an die nordwestaustralische Küste. [News about the first scolopacid waders-excursion to coast of N.W. Australia.] *Vogelwelt* 103: 237-239. In German. (7 Hamer Ave., Wembly Downs 6019, Perth, Australia.)
- MULLER, S. 1982. Brutvogel auf dem Schmidt-Bulten. [Breeding birds on Schmidt-Bulten, DDR.] *Meer und Museum* 3: 32-33. In German.
- MURRAY, Jr., B.G. 1983. Notes on the breeding biology of Wilson's Phalarope. *Wilson Bull.* 95: 472-475. (Dept. Biol. Sci., Livingstone Coll., Rutgers Univ., New Brunswick, NY 08903, U.S.A.)
- NAWROCKI, P., ERMACZEK, A.J., JESIONOWSKI, J., NAWROCKA, B. & WINICKI, A. 1983. (Birds of the Kramskie marshes during breeding period in the years 1976-1979.) *Prace Kom. Biol. PTPN.* 67: 19-41. In Polish with English summary. (Sekcja Ornitologiczna Kola, UAM, Fredry 10, 61-701 Poznan, Poland.)
- NEWMAN, M. 1982. Hooded Plover: is Tasmania the real stronghold? *The Stilt* 3: 8-9. (c/o P.Curry, 29 Canningmills Rd., Kelmscott, WA 6111, Australia.)
- OLD, A. 1979. East Tilbury waders, recovery data and maps. *Pitsea Marsh & Group Report* 3: 32-46. On Lapwing, Dunlin & Redshank.
- OORDIJK, K. & WOORTMAN, A. 1983. *Verslag bewaking Engelsmanplaat 1982*. [Report of wardens of Engelsmanplaat 1982.] Staatsbosbeheer Leeuwarden, Verslag Nr. 1983-14. 97pp. In Dutch. (SBB Natuurbehoud, Landbouwcentrum, Leeuwarden. The Netherlands.) High-tide counts and notes on breeding species.
- ORING, L.W. & LANK, D.B. 1983. The role of experience in a polyandrous mating system. *Proc. N.D. Acad. Sci.* 37:83. (Biol. Dept., Univ. N. Dakota, Grand Forks 58202, U.S.A.)
- PARKER, S.A. 1982. A new sandpiper of the genus *Calidris*. *S. Australian Nat.* 56:63. (S. Aust. Mus., N. Terrace, Adelaide, SA 5000, Australia.) *Calidris paramelanotus*, Cox's Sandpiper!!
- PEARSON, G. 1982. Mobile cannon netting for waders at Eyre Bird Observatory. *SWANS (State Wildl. Authority News Serv.)* 12: 27-30.
- PIERSMA, T. 1983. The Wadden Sea. *Naturopa* 44: 14-19. Available in English, French, German & Italian. (Korte Nieuwstr. 4, 9724 LC Groningen, The Netherlands). On life of wildfowl and waders in Wadden Sea.
- PIERSMA, T. & BOERE, G. 1983. Wetlands in West Afrika: belangrijk voor Nederland. [Wetlands in West Africa: important for the Netherlands.] *Vogels* 3: 220-222. In Dutch.
- PIERSMA, T. & ZEGERS, P. 1983. Aspects of the foraging behaviour of Grey Plovers. In M.Kersten, T.Piersma, C.Smit & P.Zegers, *Wader migration along the Atlantic coast of Morocco, March 1981*, pp. 119-126. RIN report 83/20.
- PIROW, P.C. 1981. Ethiopian Snipe (R250). *Witwatersrand Bird Club News* 115:10.
- POTTS, G.R. & HIRONS, G.J.M. 1983. Towards a realistic simulation model for Woodcock populations. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 83-91. (Game Cons., Fordingbridge, Hants. SP6 1EF, U.K.)
- PRATER, A.J. 1981. A review of the patterns of primary moult in Palearctic waders (Charadrii). In J.Cooper (ed.), *Proc. Symp. Birds Sea & Shore, 1979*, pp. 393-409. (RSPB, 4 Church St., Shoreham-by-Sea, Sussex BN4 5DG, U.K.)

- PROP, J. 1984. Broeden in het hoge noorden. [Breeding in the far north.] *Waddenbulletin* 19: 4-6. In Dutch. (Zool. Lab., Univ. Groningen, P.O. Box 14, 9750 NN Haren, The Netherlands.) Mainly about Barnacle Geese on Spitzbergen, but of interest for wader people.
- PTACEK, J. & SCHWILLING, M. 1983. Mountain Plover reintroduction in Kansas. *Bull. Kansas Ornithol. Soc.* 34: 21-22. (RR1, Wilson, KS 67490, U.S.A.)
- PUTTICK, G.M. 1981. Curlew Sandpiper *Calidris ferruginea* foraging related to prey availability. In J.Cooper (ed.), *Proc. Symp. Birds Sea & Shore, 1979*, p.116. Abstract only. (Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- RABE, D.L., PRINCE, H.H. & BEAVER, D.L. 1983. Feeding-site selection and foraging strategies of American Woodcock. *Auk* 100: 711-716. (Dept. Fish Wildl., Mich. State Univ., East Lansing, MI 48824, U.S.A.)
- RADFORD, D.J. 1983. Crab-eating technique of Curlew. *Brit. Birds* 76:453. (4 High Ridge, Alton, Hants., U.K.)
- RANDLA, T. 1983. (On the spring hunt on the Woodcock.) *Loodusevaatlusi 1980*: 75-78. In Estonian with English summary.
- REED, T.M., BARRETT, J.C., BARRETT, C. & LANGSLOW, D.R. 1983. Diurnal variability in the detection of Dunlin. *Bird Study* 30: 244-246. (NCC, P.O. Box 6, Godwin House, Huntingdon, Cambs., U.K.)
- REZANOV, A.G. & KHORKOV, V.V. 1983. (On the behaviour of the Black-bellied Sandpiper (*Calidris alpina*) during the autumn migration and wintering.) *Biul. mosk. o-va ispyt. prir. otd. biol.* 88: 8-14. In Russian with English summary. Dumlins studied on west coast Caspian Sea, Syr Daria river delta and Sorbulak Lake (Alma Ata): on habitat, feeding associations, territoriality and daily activities.
- RHIJN, J.G. van. 1983. On the maintenance and origin of alternative strategies in the Ruff *Philomachus pugnax*. *Ibis* 125: 482-498. (Zool. Lab., Univ. Groningen, P.O. Box 14, 9750 NN Haren, The Netherlands.)
- RIDDIFORD, N. 1983. Call of tundra Ringed Plover. *Brit. Birds* 76: 534-535. (Bird Obs., Fair Isle, Shetland, U.K.)
- ROBERTS, G. 1983. A sighting of the Dunlin *Calidris alpina* in North Queensland and a review of Australian Dunlin records. *Sunbird* 13: 15-19. (21 Kensington Ave., Seven Hills, Queensland 4170, Australia.)
- ROBERTSON, H.G. 1981. Annual summer and winter fluctuations of Palearctic and resident waders (Charadrii) at Langebaan Lagoon, South Africa. In J.Cooper (ed.), *Proc. Symp. Birds Sea & Shore, 1979*, pp. 335-345. (Western Cape Wader Group, Waterford, Massinger Rd., Diep River 7800, S.Africa.)
- ROBILLER, F. & BORRMANN, K. 1980. Nestreviergrenzen und verhaltensweisen der Sabelschnabler am Salzsee "Budosszek" in Ungarn. [Nesting territory and behaviour patterns of Avocets in Hungary.] *Falke* 27: 262-269. In German.
- ROBILLER, F. & BORRMANN, K. 1980. Ergänzende Untersuchungen über Nestabstände von Sabelschnabler und Seeregenpfeifer am Budosszek-To in Ungarn. [Supplementary observations on nest-distances of Avocets and Kentish Plovers at Budosszek in Hungary.] *Falke* 27: 152-155. In German.
- ROCHESTER, J. & MOSS, D. 1983. Some results of studies in weight loss in Dunlin *Calidris alpina* and Turnstone *Arenaria interpres* after capture. In D.Moss (ed.), *Scan Ringing Group Report for 1981 and 1982*, pp. 58-59.
- ROOMEN, M. van. 1984. Hoogwatertrek van enkele steltlopersoorten by Stryp. [High-tide roosting flights of some wader species to Stryp, Terschelling.] *Aythya* 22: 12-16. In Dutch. (Keldercroftlaan 43, 1851 VG Heiloo, The Netherlands.)
- ROOS, G.Th. de. 1981. The significance of the Isle of Vleiland, Dutch Wadden Sea, for breeding and wintering waders (Charadrii). In J.Cooper (ed.), *Proc. Symp. Birds Sea & Shore, 1979*, pp. 379-391. (Dorpsstr. 198, 8899 AP Vleiland, The Netherlands.)
- ROSELAAR, C.S. 1983. Subspecies recognition in Knot *Calidris canutus* and occurrence of races in Western Europe. *Beaufortia* 33: 97-109. (Zool. Mus., Univ. Amsterdam, P.O. Box 20125, 1000 HC Amsterdam, The Netherlands.)
- ROZEMEIJER, P.J. 1983. Wulpen (*Numenius arquata*) op de Noordhollandse slaappleatsen. [Curlews on the roosts in Noord-Holland.] *Graspieper* 3: 3-7. In Dutch. (Dorpsstr. 203, 1531 HE Wormen, The Netherlands.)
- RYAN, M.R. 1982. *Marbled Godwit habitat selection in the northern prairie region*. Ph. D. dissertation, Iowa State Univ., 110pp.
- SALMON, D.G. & MOSER, M.E. 1983. *Wildfowl and Wader Counts 1982-1983*. The results of the National Wildfowl Counts of Estuaries Enquiry. Report to the Wildfowl Trust, Slimbridge, 50pp. (Wildfowl Trust, Slimbridge, Glos. GL2 7BT, U.K.)
- SCHERL, L. 1981. Der Triel (*Burhinus oedcnemus*) auf dem Frühjahrszug bei Regensburg. [A Stone Curlew on spring migration near Regensburg.] *Jber. OAG Ostbayern* 9: 263-264. In German. (Agnesstr. 15, D-8400 Regensburg, West Germany.)
- SCHEUFFLER, H., STIEFEL, A. & STURMHOFEL, E. 1982. Die Brutvogel des NSG "Inseln Die Und Kirr" und ihre Betreuung durch die Vogelwarter. [Breeding birds of the reserve "Die & Kirr" and the role of the wardens.] *Meer und Museum* 3: 24-32. In German. (c/o Gr. Steinstr. 19, 4020 Halle, East Germany.) On breeding wader numbers over 20 years and phenology of breeding (over 10 years for Redshank!).
- SCHIEMANN, H. 1983. Bei Odinswassertretern (*Phalaropus lobatus*) in Island. [Red-necked Phalarope on Iceland.] *Orn. Mitt.* 35: 131-132. In German.
- SCHMID, U. 1983. Spatelraubmowe (*Stercorarius pomarinus*) schlägt Austernfischer (*Haematopus ostralegus*). [Pomarine Skua strikes Oystercatcher.] *Vogelwelt* 104: 151-152. In German. (Molkestr. 7, D-7270 Nagold, West Germany.)

- SCHWILLING, M.D. 1983. American Woodcock nesting in Bourbon County. *Kans. Ornithol. Soc. Bull.* 34: 26-27. (Kans. Fish & Game Comm., 832E 6th St., Emporia, KS 66801, U.S.A.)
- SIEFKE, A. 1980. Bemerkenswerte Nachweise für Winterortstreue beim Sandregenpfeifer. [Noteworthy reports of winter site fidelity in Ringed Plovers.] *Falke* 27: 56-58. In German. (Vogelwarte Hiddensee, Hiddensee/Kloster, East Germany.)
- SIEFKE, A. 1980. Zur Brutbestandsermittlung bei Sandregenpfeifer, Zwergseeschwalbe und Austernfischer. [On breeding status research for the Ringed Plover, Little Tern and Oystercatcher.] *Falke* 27: 304-309. In German.
- SMIT, C. 1983. Avifauna. In M. Kersten, T. Piersma, C. Smit & P. Zegers, *Wader migration along the Atlantic coast of Morocco, March 1981*, pp. 131-160. RIN report 83/20.
- SMITH, K.W. 1983. The status and distribution of waders breeding on wet grasslands in England and Wales. *Bird Study* 30: 177-192. (RSPB, The Lodge, Sandy, Beds. SG19 2DL, U.K.)
- SORENSEN, S. & SKELDAL, L. 1983. Nyt om Faeroerne. *Fugle* 3-4: 20-21. In Danish. With some remarks on wintering waders.
- SPANO, S. & GHELINI, A. 1983. Some results of a five years study on Woodcock in Italy. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 127-131. (Inst. Zoologia, Univ. Genova, Via Balbi's, 16126 Genova, Italy.)
- SPENCE, B.R. 1983. Greater Sand Plover in Humberside. *Brit. Birds* 76: 574-575. (Spurn Bird Obs., Kilsea, Hull HU12 0UG, U.K.)
- SPERLING, D. 1981. Maibeobachtung des Steinwalzers (*Arenaria interpres*) in der Oberlausitz. Observation in May of Turnstones in Oberlausitz. *Abh. Ber. Naturkundemus. Gorlitz* 55:31. In German. (Juri-Gagarin-Str. 26, DDR-8600 Bautzen, East Germany.)
- STEEMAN, C. 1983. Nieuwe Broedgevallen van Bonte Strandloper *Calidris alpina schinzii* op linker Scheldeoever in 1983. [New breeding attempts of Dunlin on left shore of Scheldt in 1983.] *Wielewaal* 49: 338-340. In Flemish.
- STEVENTON, D.J. 1983. The Ringed Plover *Charadrius hiaticula* in Hampshire. *Hampshire Bird Report* 1982: 84-88. (Saffron, Laurel Gardens, Locks Heath, Southampton, SO3 6QH, U.K.)
- STIEFEL, A., SCHEUFFLER, H. & STURMHÖFEL, E. 1982. Die wissenschaftliche Vogelberingung auf Die und Kirr und die Bisheringen Ergebnisse. [The scientific bird ringing on Die and Kirr and preliminary results.] *Meer und Museum* 3: 55-64. In German. (Gr. Steinstr. 19, 4020 Halle, East Germany.)
- STREICHER, S. et al. 1982. Das Küstenvogelschutzgebiet "Inseln Die und Kirr". [The coastal bird reserve "Islands Die and Kirr".] *Meer und Museum*, band 3, 80pp. Schriftenreihe des Meeresmuseums Stralsund, Museum für Meereskunde und Fischerei der DDR. In German. A nicely produced book, with many papers containing information on waders (listed separately).
- STREICHER, S. 1982. 20 Jahre Küstenvogelschutz auf den Inseln Die und Kirr. [Twenty years protection of coastal birds on the islands of Die and Kirr, DDR.] *Meer und Museum* 3: 2-11. In German.
- STRONACH, B. 1983. A report concerning the reproductive organs of Woodcock in the month of February. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 43-50. (Dept. Fish & For., For. & Wildl. Serv., Sidmonton Place, Bray, Co. Wicklow, Ireland.)
- SUEUR, F. 1982. Les limicoles nicheurs du littoral picard. [The breeding waders of the coast of Picardie.] *Picardie Nature* 15: 13-14. In French. (rue du Bosquet, 80 120 Rue, France.)
- SUEUR, F. 1983. Le régime alimentaire de la Becasse des Bois *Scolopax rusticola* dans le Marquenterre (Somme). [Food of Woodcock in Marquenterre.] *L'Avocette* 7: 38-48. In French.
- SUEUR, F. 1983. Le Chevalier gambette *Tringa totanus* sur le littoral picard. [The Redshank on the coast of Picardie.] *L'Avocette* 7: 49-62. In French.
- SUEUR, F. 1983. Oiseaux de Picardie. *Les Echassiers. [Birds of Picardie. The Waders.]* Amiens-Bellegarde. Le Courrier Picard/Le Credit Agricole de la Somme. 1983. In French.
- SUEUR, F. 1983. Liste rouge des oiseaux nicheurs menacés et rares dans la Somme. [Red list of endangered and rare breeding birds in Somme.] *Doc. multicop. GEPOP*, 19pp. In French.
- SWANN, R.L. 1981. Bar-tailed Godwits on the Moray Firth. *Highland Ringing Group Report* 4: 3-5.
- SWENNEN, C., BRUIJN, L.L.M. de, DUIVEN, P., LEOPOLD, M.F., & MARTEIJN, E.C.L. 1983. Differences in bill form of the oystercatcher to specific foraging techniques. *Neth. J. Sea Res.* 17: 57-83. (N10Z, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- TAPPER, S.C. & HIRONS, G.J.M. 1983. Recent trends in Woodcock bags in Britain. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 132-137. (Game Cons., Fordingbridge, Hants. SP6 1EF. U.K.)
- TASSINARI, G.B. 1981. *Piropira fulvo Tryngites subruficollis* nel Ravennate. [Dead Buff-breasted Sandpiper near Ravenna.] *Gli Ucelli* 6:115. In Italian. (Via Carbonarie 7, I-47013 Dovadola, Italy.)
- TAUCHNITZ, H. 1982. Mornellregenpfeifer am Helmestausee. [Dotterel at Helmestausee.] *Apus* 4:282. In German. (Sudstr. 47, DDR-4020 Halle, East Germany.)
- TAYLOR, P.B. 1982. Field identification of Sand Plovers in East Africa. *Dutch Birding* 4: 113-120. (P.O. Box 25 138, Nairobi, Kenya.)
- TAYLOR, P.B. 1982. Leg colour of Sand Plovers. *Dutch Birding* 4: 139-140.
- TAYLOR, P.B. 1983. Jack Snipe *Lymnocyptes minimus*, Common Snipe *Gallinago gallinago* and Broad-billed Sandpiper *Limicola falcinellus* at Ndola, Zambia. *Scopus* 7: 20-21.
- TCHERNITCHKO, I.I. 1980. [Structure of breeding colonies of avocets in north-eastern part of Prichernomore.] *Ornitologia* 15: 80-88. In Russian.



- THOMPSON, D.B.A. 1983. Prey assessment by plovers (Charadriidae): net rate of energy intake and vulnerability to kleptoparasites. *Anim. Behav.* 31: 1126-1136. (Dept. Zool., Univ. Nottingham, University Park, Nottingham NG7 2RD, U.K.) On Golden Plovers and Lapwings.
- TIEDE, G. 1980. Erneuter nachweis des Terekwasserlaufers auf Rugen. [New observation of Terek Sandpiper on Rugen, DDR.] *Falke* 27: 156-157. In German.
- TIKHONOV, A.V. & FOKIN, S.Yu. 1982. (Defense behaviour of Charadriiformes in the nesting period.) *Ornitologia* 17: 54-65. In Russian with English summary.
- TOLK, R. 1983. De Meeslouwepolder: ontwikkeling van opspuitterrein tot klein vogelparadijs. [The Meeslouwepolder: a sand depot develops into a birds' paradise.] *Vogeljaar* 31: 236-244. In Dutch. (P.Marijkelaan 2, 2264 TD Leidschendam, The Netherlands.) With: max. wader numbers per month and breeding status.
- TOMKOVICH, P.S. 1982. [Peculiarities of autumn migration of the Sharp-tailed Sandpiper.] *Biul. Mosk. o-va. ispyt. prir. otd. biol.* 87: 56-61. In Russian.
- TOMKOVICH, P.S. & FOKIN, S.Yu. 1983. (On the ecology of Temminck's Stint in Northeast Russia.) *Ornitologia* 18: 40-56. In Russian with English summary.
- TOMKOVICH, P.S. & MOROSOV, V.V. 1983. (Certain biological features of the Western Sandpiper on the Chukotski Peninsula.) *Biul. Mosk. o-va. ispyt. prir. otd. biol.* 88: 38-50. In Russian with English summary.
- TOMKOVICH, P.S. & SOROKIN, A.G. 1983. (The bird fauna of eastern Chukotka.). In V.E. Flint & P.S. Tomkovich (eds.), *Distribution and systematics of birds. Investigations of the Fauna of Soviet Union*. Vol. 21: 77-159. Moskva. In Russian with short English summary.
- TREE, A.J. 1982. A simple wader catching technique. *The Stilt* 3:21. Torch and handnet.
- TRIPLET, P. & SUEUR, F. 1983. Elevage d'une jeune Avocette *Recurvirostra avosetta* par un couple d'Huitriers pies *Haematopus ostralegus* dans le Marquenterre (Somme). [Rearing of a young Avocet by a pair of Oystercatchers in Marquenterre, Somme.] *L'Oiseau R.F.O.* 53: 251-260. In French with English summary. (Ecole, Rue de Repos, 80 550 Le Crotoy, France.)
- TRULL, P. 1983. Shorebirds and noodles. *Am. Birds* 37: 268-269.
- TURRIAN, F. 1982. Deux especes de Phalaropes dans le canton de Geneve. [Two Phalarope species near Geneva.] *Nos Oiseaux* 36: 283-286. In French. (111 rue des Parcs, CH-2000 Neuchatel, Switzerland.)
- TUULE, E. 1983. (On the distribution and nesting density of the Curlew (*Numenius arquata*) in the vicinity of Saue.) *Loodusevaatlusi* 1980: 91-96. In Estonian with English summary.
- UNDERHILL, L. 1981. A classification of parts of the southern African coast based on counts of waders (Charadrii). In J. Cooper (ed.), *Proc. Symp. Birds Sea & Shore, 1979*, pp. 315-331. (Dept. Math. Stat., Univ. Cape Town, Rondebosch 7700, S. Africa.)
- ULBRICHT, J. 1979. Zur Territorialstruktur einer "Kolonie" des Flusseregenpfeifers. [On the territorial structure of a Little Ringed Plover colony.] *Falke* 26: 351-354. In German.
- VALK, M. van der. 1983. Hoogwatertelling 6/4/83 Terschelling en nog wat meer. [High-tide count on 6 April 1983 on Terschelling and somewhat more.] *Aythya* 22: 13-21. In Dutch. (IBB-iaan 225, 3582 ZV Utrecht, The Netherlands.)
- VARTAPETOV, L.G. 1982. [Waders in middle taiga between Ob and Irtysh rivers.] *Ornitologia* 17: 159-160. In Russian.
- VINTER, S.V. 1982. [Waders of Bureya-Khingan lowlands.] *Ornitologia* 17:161. In Russian.
- VISSER, H. 1983. *Opopoeiende kievit-, grutto- en turekiurkuikens, maart-juni 1983*. [On the biology of growing chicks of Lapwing, Black-tailed Godwit and Redshank, March-June 1983.] Doctoraalverslag RUG/RIN, 43pp. In Dutch. (c/o A.J. Beintema, RIN, P.O. Box 46, 3956 ZR Leersum, The Netherlands.)
- VOIGT, H.-J. 1983. Spatester hessischer Nachweis eines Knutts (*Calidris canutus*) am Affolderner See. [Latest observation of a Knot in Hessen.] *Vogelk. Hefte Edertal* 9:89. In German.
- WALL, L.E. 1982. Little Ringed Plover (*Charadrius dubius*) near Hobart. *The Stilt* 3:22. (c/o P. Curry, 29 Canningmills Rd., Kelmescott, WA 6111, Australia.)
- WALLACE, D.I.M. 1983. Lapwings robbing Golden Plovers. *Brit. Birds* 76: 452-453. (68 Selby Rd., Holme on Spalding Moor, by York YO4 4EU, U.K.)
- WALTERS, J. 1983. Rui-onderzoek by vogels. [Moult-research in birds.] *Vogeljaar* 31: 217-235. In Dutch. (ITZ, P.O. Box 20125, 1000 HC Amsterdam, The Netherlands.) Reviews field methods and a few results, some on waders.
- WALTNER, M. & SINCLAIR, J.C. 1981. Distribution, biometrics and moult of the Terek Sandpiper *Xenus cinereus* in southern Africa. In J. Cooper (ed.), *Proc. Symp. Birds Sea & Shore, 1979*, pp. 233-266. (Western Cape Wader Study Group, 5 Montagu Way, Pinelands 7405, S. Africa.)
- WHITLATCH, R.B. 1982. The ecology of New England tidal flats: a community profile. *USF & WS, Ofc. Biol. Serv. FWS/OBS 81/01*, 125pp. (USFWS, 1010 Gause Blvd., Slidell, LA 70458, U.S.A.)
- WIDRIG, R.S. 1983. December nesting of the Collared Plover in Western Mexico. *Am. Birds* 37: 273-274. (1515 Lakeside Ave., S., Seattle, WA 98144, U.S.A.)
- WILLIAMS, G., HENDERSON, A., GOLDSMITH, L. & SPREADBOROUGH, A. 1983. The effects on birds of land drainage improvements in the North Kent marshes. *Wildfowl* 34: 33-47. (RSPB, The Lodge, Sandy, Beds. SG19 2DL, U.K.)

WILLIAMS, S.R. (ed.). No date. *The report of the Joint Services Expedition to Princess Marie Bay, Ellesmere Island, 1980*. Report, c.400pp., one separate map. With a chapter on waders by Brian Wits.

WILSON, J. 1983. Wintering site fidelity of Woodcock in Ireland. *Proc. 2nd Eur. Woodcock & Snipe Workshop*: 18-27. (For Wildl. Serv., Sidminton Place, Bray, Co. Wicklow, Ireland.)

WINIECKI, A. 1983. (Ecology and phenology of water- and wadingbirds of water pastures in the valley of Middle Warta River.) *Prace Kom. Biol. PTPN.* 67: 57-96. In Polish with English summary. (Univ. Adama Nickiewicza, Fredry 10, 61-701 Poznan, Poland.)

WITTS, B.F. No date. Waders. Section 4D in *The report of the Joint Services Expedition to Princess Marie Bay, Ellesmere Island, 1980*. (Oakwood, Duffield Lane, Woodmancote, Emsworth, Hants., U.K.) Breeding biology, food and morphometrics of Baird's Sandpiper and Knot.

WOLFF, W.J. 1983. Benthic animals: a filter system coupling primary production to estuarine birds? *Estuaries* 6: 290-291. (RIN, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)

ZEGERS, P. 1983. Note on the catching of waders. In M. Kersten, T. Piersma, C. Smit & P. Zegers, *Wader migration along the Atlantic coast of Morocco, March 1981*. RIN report 83/20, pp. 43-46.

ZHMUD, M.E. 1983. (On egg-laying by *Tringa totanus* twice-separated during a season.) *Biul. Mosk. o-va. ispyt. prir. otd. biol.* 88: 15-17. In Russian with English summary. Study on Tiligul'skiy estuary, 42 km E. of Odessa. In 1980 350-400 pairs on 17 little islands (total 15 ha). Densities up to 300 pairs ha<sup>-1</sup>. 2-3% of breeding birds went on to second brood after successful hatching of the first.

ZINOVIEV, V.I. 1982. Ecology and numbers of some waders near upper Volga. *Ornitologia* 17:164. In Russian.

ZOMERDIJK, P. 1983. De Houtsnip (*Scolopax rusticola*). Deel 1. [The Woodcock. Part 1.] *Graspieper* 3: 107-121. In Dutch. (Kalmanstr. 21, 1817 HV Alkmaar, The Netherlands.) On habitat, food display, breeding & population biology.

ZOMERDIJK, P. 1983. De Houtsnip (*Scolopax rusticola*). Deel 2. *Graspieper* 3: 170-185. In Dutch. On migration, recoveries of Dutch ringed birds and hunting.

ZUBTSOVSKAYA, N.E. & GUVRIEV, V.N. 1982. [Materials on nesting of waders in Chelyabinsk region.] *Ornitologia* 17: 164-165. In Russian.

#### APPENDIX 1. Summary of Lydsenko, V.J. (1983).

Numbers of breeding pairs for 1968-1978, in study area indicated in Figure 1, were:

*Haematopus ostralegus* 80-90 pairs,  
*Recurvirostra avosetta* 350-400 pairs, *Burhinus oedicnemus* 4-5 pairs, *Charadrius dubius* 50-60 pairs, *Charadrius alexandrinus* 2500-3000 pairs, *Vanellus vanellus* 550-600 pairs, *Tringa totanus* 600 pairs, *Actitis hypoleucos* 50 pairs.





Figure 1. Study area of Lydsenko (1983), in the Ukraine, north of the Black Sea.



APPENDIX 2. Summary of Malchevskij, A.S. and Pukinskij, J.B. (1983).

21 wader species breed in Leningrad district (Figure 1). Most numerous are *Vanellus vanellus*, *Scolopax rusticola*, *Tringa hypoleucos* and *Tringa ochropus*. the status of each breeding species as is follows:

*Haematopus ostralegus*. 22-25 pairs on Berezovye islands in the northern Gulf of Finland.

*Charadrius dubius*. Occurs in the whole region; most abundant on western coasts of Gulf of Finland and along shores of Ladoga lake.

*Charadrius hiaticula*. Extremely rare. In last decades found only twice: on Berezovye islands, and on northern coast of Gulf of Finland.

*Pluvialis apricaria*. Breeder in the 1960s. In 1966 and 1967 25 pairs were recorded, but there were probably more (locations in Figure 2).

*Vanellus vanellus*. Abundant in the whole region. Numbers have certainly increased.

*Calidris alpina schinzii*. In the 1960s, 2 nests on coastal meadow on southern coast of Gulf of Finland. In 1979 nested on Berezovye islands (Figure 2).

*Philomachus pugnax*. Relatively common in meadow habitats in 1960s (e.g. near Leningrad), but has now decreased drastically.

*Lymnocyptus minimus*. Rare species, less abundant in years with early spring. More numerous in northern part of district.

*Gallinago gallinago*. Common over the whole region.

*Gallinago media*. Decreasing number of breeding pairs. Only few localities, with c. 20 displaying birds.

*Scolopax rusticola*. Fairly numerous.

*Numenius phaeopus*. A regular breeding species in some places (see Figure 1).

*Numenius arquata*. Breeds regularly but is not numerous.

*Tringa totanus*. Less numerous than in Estonia. Breeds mainly along Baltic coast.

*Tringa stagnatilis*. Breeds sporadically. Found only once (6 June 1976), E. of Leningrad (Figure 3).

*Tringa nebularia*. Breeds mainly in northern part of region. As is it very shy, estimation of breeding numbers is very difficult.



*Tringa ochropus*. Common in the whole region.

*Tringa glareola*. Distributed irregularly. 800-1000 pairs (Figure 3).

*Xenus cinereus*. Sporadic breeder. In 1969, 3 pairs in eastern part of Gulf of Finland (Figure 3).

*Actitis hypoleucos*. Numerous, breeds in the whole region. Distributed along shores of different water bodies (rivers, lakes, marshes, even in town-parks). Most abundant along western shores of Ladoga lake.

*Arenaria interpres*. Found only on Berezovye islands as a breeder.



Figures 1 - 3. The study area of Malchevskij & Pukinskij (1983), and the breeding areas and sites of some wader species.