

## RECENT PUBLICATIONS ON WADERS

### compiled by Theunis Piersma

Since we try to make these lists as complete and up to date as possible, any help is most welcome. Omissions, new titles, abstracts or reprints should be sent to Theunis Piersma, Korte Nieuwstraat 4, 9724 LC Groningen, The Netherlands. I am grateful to Hans Meltofte, F.U. Schmidt, Cor Smit and A.A. Vinokurov for help. Translated titles of papers in languages other than English are bracketed: round brackets if the translation is by the author(s); square if not.

ABBOTT,J.M. 1982. Hordes of Buff-breasted Sandpipers in Virginia. *Raven* 53: 33-34. (8501 Doter Dr., Alexandria, VA 22308, U.S.A.)

ALBERTO,L.J. 1984. (Summary of national wader count in 1983.) *La Garcilla* 63: 29-30. In Spanish with English summary. (S.E.O., Dept. Zool., Fac. de Biología, Leon, Spain.) National count of Spain.

ALERSTAM,T., HJORT,C., HOGSTEDT,G. & KARLSSON,J. 1984. Spring observations of some less common birds in the Angmgsslik district, southeast Greenland, 1982. *Dansk Orn. Foren. Tidsskr.* 78: 54-55. (Ecol. Bldg., Univ. of Lund, S-22362 Lund, Sweden.)

ALTENBURG,W., ENGELMOER,M., MES,R. & PIERSMA,T. 1983. Recensement des limicoles et autres oiseaux aquatiques au Banc d'Arguin, Mauritanie. [Count of waders and other waterbirds on the Banc d'Arguin in Mauritania.] *Gerfaut* 73: 243-264. In French with English summary. (Korte Nieuwstr. 4, 9724 LC Groningen, The Netherlands.)

BAPTIST,H.J.M., & MEININGER,P.L. 1984. *Ornithologische verkenning van de Voordelta van Zuidwest-Nederland 1975-1983.* [Ornithological observations in the 'Voordelta', the coastal area off SW Netherlands, 1975-1983.] Nota DDMI-83-19, Aug. 1984. 85pp. In Dutch with English summary. (Deltadienst RWS, P.O. Box 439, 4330 AK Middelburg, The Netherlands.)

BASKAKOV,V.V., IRISOVA,N.L. & IRISOVA,E.A. 1983. [Migration of some waders on lake Teletskoe.] *Ptitsy Sibiri. Tezisy dokl. k 2. Sib. ornit. konf. Gorno-Altaisk*, pp. 214-215. In Russian.

BAYER,R.D. 1983. Seasonal occurrences of ten waterbird species at Yaquina estuary, Oregon. *Murrelet* 64: 78-86. (P.O. Box 1467, Newport, OR 97365, U.S.A.)

BERG,A.B. van den 1984. Occurrence of Sociable Plover in Western Europe. *Dutch Birding* 6: 1-8. (Duinlustparkweg 98, 2082 EG Santpoort-Zuid, The Netherlands.)

BENGTSON,S.-A. & BLOCH,D. 1983. Island land bird population densities in relation to island size and habitat quality on the Faroe Islands. *Oikos* 41: 507-522. (Mus. Zool., Univ. of Lund, Helgonav. 3, S-223 62 Lund, Sweden.) Information on population size of Golden Plover, Snipe, Whimbrel and Oystercatcher.

BLANCHON,J.-J., DUBOIS,P. & METAIS,M. 1984. (The prenuptial migration of three wader species in the Marais-Poitevin (West-central France)) *Alauda* 52: 204-220. In French with English summary. (LPO, La Corderie Royale, BP 263, 17305 Rochefort Cedex, France). Spring stopover site for 50 000 Black-tailed Godwits, 15 000 to 20 000 Whimbrel and 2000 Ruff!

BODDY,M. 1984. Bird ringing in Britain: an amateur ringer's view of the way forward. *Ring. & Migr.* 5: 22-27. (51 Welham Rd., East Retford, Nottinghamshire DN22 6TW, U.K.)

BOMBERGER,M.L. 1984. Quantitative assessment of the nesting habitat of Wilson's Phalarope. *Wilson Bull.* 96: 126-128. (1939 Brower Rd., Lincoln, Nebraska 68502, U.S.A.)

BRIGGS,K.B. 1984. The breeding ecology of coastal and inland Oystercatchers in north Lancashire. *Bird Study* 31: 141-147. (26 Hazelmount Dr., Warton, Carnforth, Lancs. LA5 9HU, U.K.)

BUKINA,T.G. & RIZVANOVA,G.F. 1983. [Breeding biology of the Black-tailed Godwit near Izhevsk town.] *Ornitologija* 18: 187-188. In Russian.

BULL,K.R., EVERY,W.J., FREESTONE,P. HALL,J.R., OSBORN,D., COOKE,A.S. & STOWE,T. 1983. Alkyl lead pollution and bird mortalities on the Mersey estuary, U.K. *Environ. Pollut. Ser. A Ecol. Biol.* 31: 239-259. (ITE, Monks Wood Exp. Stat., Abbots Ripton, Huntingdon, Cambs. PE17 2LS, U.K.)

BURGER,A.E. 1984. Winter territoriality in Lesser Sheathbills on breeding grounds at Marion Island. *Wilson Bull.* 96: 20-33. (Biol. Dept., Grenfell Coll., Mem. Univ. Newfoundland, Corner Brook, Newfoundland, A2H 6P9, Canada.)

BURKLI,W. 1983. Erster Brutnachweis des Flussuferläufers *Actitis hypoleucos* im Oberengadin. [First breeding record of Common Snipe in Oberengadon.] *Orn. Beob.* 80:298. In German.

BYCHKOV,V.A. 1976. (On the flight of the Spotted Greenshank.) In *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 136-138. Moscow. Russian.

CATLEY,G.P. 1983. Stilt Sandpiper on Mallorca in May 1983. *Dutch Birding* 5: 89-91. (13 W. Aridge, Barton-on-Humber, S. Humberside DN18 5AJ, U.K.)

CLAPP,R.B., MORGAN-JACOBS,D. & BANKS,R.C. 1983. Marine birds of the southeastern United States and Gulf of Mexico. Part III. Charadriiformes. *U.S. Fish Wildl. Serv. Biol. Serv. Program FWS/OBS 83/30*, 853pp. (USFWS, Natl. Mus. Nat. Hist., Washington, DC 20560, U.S.A.)

CLARK,N.A. 1983. *The ecology of Dunlin (*Calidris alpina* L.) wintering on the Severn Estuary.* Ph. D. Thesis, University of Edinburgh. 378pp.

- CLAUSAGER,I. 1983. Wader hunting in Denmark. *Ornis Fennica Suppl.* 3: 107-108.
- COOPER,R. 1982. Little Musselroe Bay. *An Occasional Stint* 1: 59-64. On waders in Tasmania. (*An Occasional Stint* is available for Austr. \$3.00 from Birds Observers Association of Tasmania, P.O. Box 68A, G.P.O., Hobart, Tas., Australia.)
- DANILOV,N.N., RYZHANOVSKI,V.N. & RIABITSEV,V.K. 1984. [Birds of the Yamal.] Nauka, Moscow, 134pp. Waders: pp. 95-160. In Russian.
- DAVIS,S. 1983. *Wildlife of the Exe Estuary*. Harbour Books, Dartmouth. 64pp. Price £1.75.
- DOORBOS,G. 1984. *Nakdong Estuary Barrage and Reclamation Project: preliminary results on the ornithological part of the environmental programme*. First interim Report, Nag. Env. Ornithol. 3. 301283/Do. 37pp. (Delta Inst. Hydrobiol. Res., Vierstr. 28, 4401 EA Yerseke, The Netherlands.)
- DOROGOY,I.V. 1982. [Biogeographical distribution of the breeding birds in the tundra of Wrangel Island.] *Ornitologija* 17: 119-124. In Russian. Describes 10 habitats; commonest (breeding) birds identified for each habitat.
- DOROGOY,I.V. 1983. (Materials on biology of the Buff-breasted Sandpiper *Tryngites subruficollis* Vieill.). *Biull. Mosk. o-va ispyt. priv., Otd. biol.* 88(5): 50-55. In Russian with English summary.
- ENGELMOER,M., PIERSMA,T., ALtenBURG,W. & MES,R. 1984. The Banc d'Arguin (Mauritania). In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 293-310. Cambridge Univ. Press, Cambridge. (Almastr. 1, Groningen, The Netherlands.)
- ERLEMMANN,P. 1983. Flussregenpfeifer (*Charadrius dubius*) brutet auf Kahlschlag in geschlossenen Waldbereich. [Little Ringed Plover breeds in open area in woods.] *Vogel und Umwelt* 2:261. In German. (Fichtenstr. 11, 6053 Oberhausen, W.Germany.)
- ESTAFJEV,A.A. 1983. [Biogeographical distribution and numbers of waders in north-east European part of the U.S.S.R.] *Trudy Komi filiala AN USSR, Syktyvkar*, No.62: 30-38. In Russian.
- EVANS,P.R. 1984. The BTO Ringing Scheme - some thoughts for the future. *Ring. & Migr.* 5: 19-22. (Dept. Zool., Univ. of Durham, South Road, Durham, U.K.)
- EVANS,P.R. 1984. The British Isles. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 261-275. Cambridge Univ. Press, Cambridge.
- EVANS,P.R., GOSS-CUSTARD,J.D. & HALE,W.G. (eds.) 1984. *Coastal waders and wildfowl in winter*. Cambridge Univ. Press, Cambridge. 331 pp. (Price £27.50, special offer to WSG members £22.00). Chapters about waders are listed individually.
- EVANS,P.R. & DUGAN,P.J. 1984. Coastal birds: numbers in relation to food resources. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 8-28. Cambridge Univ. Press, Cambridge.
- FAANES,C.A. 1983. Aspects of the nesting ecology of Least Terns and Piping Plovers in Central Nebraska. *Prairie Nat.* 15: 145-154. (N. Prairie Wildl. Res. Centre, Jamestown, ND 58401, U.S.A.)
- FERNs,P.N. & WORRALL,D.H. 1984. Feeding and foraging in the Dunlin. *Ibis* 126:457. Abstract only. (Univ. College, Cardiff, U.K.)
- FINCH,B.W. 1982. Black-winged Stilt (*Himantopus himantopus*) nesting at Kanosia lagoon, Central Province - A new breeding species for the island of New Guinea. *Papua New Guinea Bird Soc. Newslett.* no. 193-194:10. (P.O. Box 496, Port Moresby, Papua New Guinea.)
- FINCH,B.W. 1982. Red-kneed Dotterel (*Erythrorhynchus cinctus*) at Kanosia lagoon. First record for Central Province. *Papua New Guinea Bird Soc. Newslett.* No. 193-194:11.
- FINCH,B.W. 1982. Spur-winged Lapwings *Vanellus miles novae-hollandiae* at Moitaka settling ponds, Central Province. *Papua New Guinea Bird Soc. Newslett.* No. 193-194: 26-28.
- FINCH,B.W. 1983. Little Stint *Calidris minutus* at Aroa lagoon, C.P.. Second record for the New Guinea region. *Papua New Guinea Bird Soc. Newslett.* No. 201-202: 3-4.
- FINCH,B.W. 1983. The northern race of Little Ringed Plover *Charadrius dubius curonicus* in the Port Moresby region. *Papua New Guinea Bird Soc. Newslett.* No. 201-202: 9-10.
- FINNEGan,K.H. 1982. Willets in Rockingham county, Virginia. *Raven* 53: 50-51.
- GANZEVLES,W. 1982. Broedgeval van de Oeverloper *Actitis hypoleucos* in 1981 by Eijsden. [Breeding of Common Sandpiper near Eijsden, Limburg in 1981.] In *Vogelvlucht* 5(1): 2-4. In Dutch. (P.O. Box 425, 6200 AK Maastricht, The Netherlands.)
- GAVRILOV,E.I., KHROKOV,V.V. & EROKHOV,S.N. 1983. [Autumn migration and moult of Temminck's Stint in central and south-eastern Kazakhstan.] *Migratsii ptits v Azii, Alma-Ata* 8: 190-196. In Russian. (Inst. Zool., Acad. Sci. Kazakh SSR, Alma-Ata, U.S.S.R.)
- GAVRILOV,E.I., JEROCHOV,S.N. GAVRILOV,A.E. & KHROKOV,V.V. 1983. Über den Herbstzug des Odinswassertreters (*Phalaropus lobatus*) in Kasachstan. [On the autumnal migration of Red-necked Phalaropes in Kazakhstan.] *Vogelwarte* 32: 103-116. In German.
- GILL,R.E.,Jr., HANDEL,C.M. & SHELTON,L.A. 1983. Memorial to a Black Turnstone: an exemplar of breeding and wintering site fidelity. *N.Am. Bander* 8: 98-101.
- GORSKI,W. 1983. Significance of the coastal zone and lakes for waterbirds in the middle part of the Polish coast. *Ornis Fennica, Suppl.* 3: 63-65.
- GOSS-CUSTARD,J.D. & DURRELL,S.E.A. le V.dit. 1984. Feeding ecology, winter mortality and the population dynamics of Oystercatchers on the Exe estuary. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 190-208. Cambridge Univ. Press, Cambridge. (ITE, Furzebrook Res. Stat., Wareham, Dorset BH20 5AS, U.K.)

- GOTFRIED,A.B. 1982. [New ornithological records in the taiga near middle Yenisei river.] *Ornitologia* 17:163. In Russian. E.g. *Tringa erythropus*.
- GRACHEV,V.A. 1976. (Ibis bill in Alakolkettle.) In *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 132-134. Moscow. In Russian.
- GRACHEV,Yu.N. 1983. [On the nesting of the Woodcock in flood-plain middle part of Chu river (Kazakhstan).] *Ptitsy Sibiri. Tez. dokl. k.z. Sib. ornit. konf., Gorno-Altaisk*, p.168. In Russian.
- GREEN,R.E. 1984. Feeding and breeding of Common Snipe. *Ibis* 126:457. Abstract only. (RSPB, The Lodge, Sandy, Beds. U.K.)
- GREEN,R.E. 1984. Prospects for integral field studies of bird migration. *Ring. & Migr.* 5: 27-31. (37 New Rd., Chatteris, Cambs. PE16 6BJ, U.K.) Inspiring little review!
- GREENWOOD,J.G. 1984. Migration of Dunlin *Calidris alpina*: a world-wide overview. *Ring. & Migr.* 5: 35-39. (Science Dept., Stranmillis Coll., Belfast BT9 5DY, U.K.)
- GROOT KOERKAMP,G. 1983. (Plumage and bare parts of juvenile Black-winged Stilt.) *Dutch Birding* 5: 102-103. In Dutch with English summary.
- GROVES,S. 1984. Chick growth, sibling rivalry and chick production in American Black Oystercatchers. *Auk* 101: 525-531. (1935 West 15th Ave., Vancouver, B.C., Canada V6J 2L2.)
- GRULL,A. 1981. Erstrachweis des Wustenregenpfeifers, *Charadrius leschenaultii*, fur Osterreich. [First observation of Greater Sandplover in Austria.] *Egretta* 24:81. In German. (Biol. Stat. Neusiedlersee, A-7142 Illmitz, Austria.)
- HAIG,T., NORMAN,G. & NORTHEY,D. 1984. Ecological survey of the Mejia Lagoons, southern Peru, 1983. *Bull. B.E.S.* 15: 158-160. (61 Mortimer Rd., Kensal Rise, London NW10, U.K.)
- HALE,W.G. 1984. The changing face of European wintering areas. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 311-323. Cambridge Univ. Press, Cambridge. (Dept. Biol., Liverpool Polytechnic, Byrom Str., Liverpool L3 3AF, U.K.)
- HANSEN,E.S. 1983. (Lapwing *Vanellus vanellus* nests in Medalland, S.Iceland, 1983.) *Blik* 2: 42-43. In Icelandic with English summary. (Brekkustig 31A, 230 Keflavik, Iceland.)
- HARRIS,J.G.K. 1983. Mortality rates of Red-necked Stints determined from rocket net catches. *An Occasional Stint* 2:56. Tasmania.
- HARRIS,K. 1982. Wader and shorebird-banding in southern Tasmania up to 30/6/82. *An Occasional Stint* 1: 11-20.
- HARRIS,K. 1983. Banding by B.O.A.T. Shorebird Study Group 1/7/82 to 31/12/82. *An Occasional Stint* 2: 2-8. Tasmania.
- HAVE,T.M.van der, NIEBOER,E. & BOERE,G.C. 1984. Age-related distribution of Dunlin in the Dutch Wadden Sea. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 160-176. Cambridge Univ. Press, Cambridge. (Dept. Biosystematics, Vrye Universiteit, de Boelelaan 1087, 1007 MC Amsterdam, The Netherlands.)
- HAYES,J. 1984. Ruff migration in eastern North America. *N.J.Audubon* 10:9. (Rutgers Univ., RPO Box 786, New Brunswick, NJ 08903, U.S.A.)
- HECKENROTH,H. & KIPP,M. 1982. Zur Situation des Grossen Brachvogels (*Numenius arquata*) in Niedersachsen. [On Curlews in Niedersachsen.] *Beih. Veroff. Naturschutz Landschaftspflege Bad-Wurtt.* 25: 79-82. In German. (Staatl. Vogelschutzwarte, Postfach 107, D-3000 Hannover, W.Germany.) In 1981, 2500 pairs.
- HEER,E. 1983. Erdklumpen an Zehen gefahrden Kiebitzkuken (*Vanellus vanellus*). [Mudballs on toes of Lapwing-chick.] *Orn. Mitt.* 35:189. In German. (Nordlinger Str. 7, D-7085 Bopfingen, W.Germany.)
- HENDERSON,D. 1982. Studies of palearctic waders at George Town, Tasmania. *An Occasional Stint* 1: 29-32.
- HEYNE,K.-H. & LEUCK,J. 1983. Ringfund einer Zwergschneepfe (*Lymnocryptes minimus*) aus dem Senegal. [Recovery of Jack Snipe in Senegal.] *Vogelwarte* 32:151. In German. (Schulstr. 20, D-5501 Trierweiler, W.Germany.)
- HIEMENZ,N. 1983. Another Snowy Plover at Lake of the Woods. *Loon* 55:177. (705-18th Ave., St. Cloud, MN 56301, U.S.A.)
- HILL,B. 1983. Hand-rearing of the Lapwing *Vanellus vanellus* and related observations. *Avic. Mag.* 89: 77-83.
- HOCKEY,P.A.R. 1983. *Ecology of the African Black Oystercatcher Haematopus ostralegus moquini*. Ph. D. thesis, University of Cape Town. (P. Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- HOCKEY,P.A.R. & BRANCH,G.M. 1983. Do Oystercatchers influence limpet shell shape? *Veliger* 26: 139-141.
- HOCKEY,P.A.R. & BRANCH,G.M. 1984. Oystercatchers and limpets: impact and implications. A preliminary assessment. *Ardea* 72: 199-206.
- HOCKEY,P.A.R., SIEGFRIED,W.R., CROWE,A.A. & COOPER,J. 1983. Ecological structure and energy requirements of the sandy beach avifauna of southern Africa. In A.McLachlan & T.Erasmus (eds.) *Sandy beaches as ecosystems*, pp. 507-521. Junk Publ., The Hague.
- HOCKEY,P.A.R. & UNDERHILL,L.G. 1984. Diet of the African Black Oystercatcher *Haematopus moquini* on rocky shore: spatial, temporal and sex-related variation. *S. Afr. J. Zool.* 19: 1-11.
- HODGSON,R. 1983. Rearing the African Jacana *Actophilornis africana* at the Wildfowl Trust, Slimbridge, Glos. *Avic. Mag.* 89: 67-68.

- HOGG,P., DARE,P.J. & RINTOUL,J.V. 1984. Paleartic migrants in the central Sudan. *Ibis* 126: 307-331. (33 Vine Court Rd., Sevenoaks, Kent TN13 3UY, U.K.) Observations collected in 1930-1962!
- HOLZINGER,J. 1982. Einführung zum Artenschutzsymposium Grosser Brachvogel. [Introduction to the symposium for the protection of Curlews.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Wurtt.* 25: 7-14. In German. (Rotebühlstr. 84/1, D-7000 Stuttgart 1, W.Germany.) See Holzinger & Schmid (eds.) 1982. Complete publication only listed in WSG Bull. 37: individual articles in the volume are listed here separately.
- HOLZINGER,J. 1982. Zur Frage von Gefangenschaftszuchten beim Grossen Brachvogel (*Numenius arquata*). [On captive breeding in Curlews.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Wurtt.* 25: 119-120. In German.
- HUTTON,M. 1981. Accumulation of heavy metals and selenium in three seabird species from the United Kingdom. *Environ. Pollut. Ser. A Ecol. Biol.* 26: 129-145. On Herring Gull, Great Skua and Oystercatcher.
- IRISOV,E.I. 1976. (Notes on the Solitary Snipe in the Altai.) In *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 141-142. Moscow. In Russian.
- JACOBY,H. 1982. Überwinterungstradition des Grossen Brachvogels (*Numenius arquata*) im Bodenseegebiet. [Traditions to winter near Bodensee by Curlews.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Wurtt.* 25: 97-107. In German. (Beyerlestr. 22, D-7750 Konstanz, W.Germany.)
- JASPERT,T. 1983. Terekwasserlaufer (*Xenus cinereus*) erstmals in Nordrhein-Westfalen nachgewiesen. [First observation of Terek Sandpiper in Nordrhein-Westfalen.] *Charadrius* 19: 185-186. In German. (Zwillbrock 34, D-4426 Vreden, W.Germany.)
- KEIL,W. & WINTHER,K. 1983. Biotope-Management des Grossen Brachvogel - *Numenius arquata* - in Hessen. [Habitat management for Curlews in Hessen.] *Vogel und Umwelt* 2: 267-272. In German.
- KELLER,H. 1982. Artenschutzprojekt Grosser Brachvogel (*Numenius arquata*) im Donaumoos bei Langenau: Erste Zwischenbilanz. [First evaluation of a project to protect Curlews in Donaumoos near Langenau.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Wurtt.* 25: 113-118. In German. (Stutzelestr. 12, D-7915 Elchingen 1, W.Germany.)
- KERSTEN,M. & SMIT,C.J. 1984. The Atlantic coast of Morocco. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 276-292. Cambridge Univ. Press, Cambridge. (Zool. Lab., Univ. of Groningen, Kerklaan 30, 9751 NN Haren, The Netherlands.)
- KHLEBOSOLOV,E.I. 1983. [Some aspects of postbreeding ecology of *Calidris melanotos* and *Calidris acuminata*.] *Biol. problemy Severa. Tez. 10. Vses. symp. Part 2. Zhivotnyi mir. Magadan*, pp. 53-54. In Russian.
- KHROKOV,V.V., AUEZOV,E.M. & BEREZOVSKI,V.G. 1983. [Autumn migration of waders on Aral sea.] *Migratsii ptits v Azii Alma-Ata*. 8: 157-160. In Russian.
- KIPP,M. 1982. Ergebnisse individueller Farbberingung beim Grossen Brachvogel und ihre Bedeutung für den Biotopschutz. [Information from colour-ringing in Curlews and implication for habitat-protection.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Wurtt.* 25: 87-96. In German. (Kuhdamm 95, D-4540 Lengerich, W.Germany.)
- KISTCHINSKI,A.A., TOMKOVICH,P.S. & FLINT,V.E. 1983. [The birds of the Kanchalan river basin, Chukotsk Autonomous Area.] *Sbornik trudov Zool. muzeya MGU. Moscow*. 21: 3-76. In Russian. Waders: pp. 32-53.
- KNIEF,W. 1982. Zur Brutverbreitung des Grossen Brachvogels (*Numenius arquata*) in Schleswig-Holstein. [On breeding distribution of Curlews in Schleswig-Holstein.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Wurtt.* 25: 71-77. In German with English summary. (Staatliche Vogelschutzwarte, Olshausenstr. 40-60, D-2300 Kiel, W.Germany.) 210 pairs at 70 sites.
- KOMAROV,V.V., KUSTANOVICH,S.D., LARIONOV,G.P., PAVLOV,P.E. & SHIBNEV,B.K. 1976. (Brief reports on the Australian Curlew.) *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 162-163. Moscow. In Russian.
- KOOPMAN,K. & WIJMENGA,E. 1984. (Ringing trap of Longbilled Dowitcher at Holwerd, The Netherlands, in May 1983.) *Dutch Birding* 6: 9-12. In Dutch with English summary. (Tunkerji 5, 8501 TG Joure, The Netherlands.)
- KOPP,F. 1982. Die Bestandssituation des Grossen Brachvogels (*Numenius arquata*) in Hessen unter besonderer Berücksichtigung des Hessischen Rieds. [Population of Curlew in Hessen.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Wurtt.* 25: 61-64. In German. (Gabelsbergerstr. 2, D-6940 Weinheim, W.Germany.) 46 pairs.
- KOSTIN,YU,V. 1983. [Birds of the Crimea.] Nauka, Moscow. 241pp. Waders: pp. 87-114. In Russian.
- KUCHIN,A.P. 1983. [Of ecology and nest of waders in Altai region.] *Ptitsy Sibiri. Tez. dokl. k 2. Sib. ornit. konf. Gorno-Altaisk*: 186-188. In Russian.
- LAURSEN,K. & FRIKKE,J. 1984. The Danish Wadden Sea. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 214-223. Cambridge Univ. Press, Cambridge. (Game Biol. Stat., Kalø, 8410 Rønde, Denmark.)
- LECK,C. 1984. Gull, terns and fall shorebirds at New Brunswick. *N.J. Audubon* 10: 6-8.
- LEEWIS,R.J., BAPTIST,H.J.M. & MEININGER,P.L. 1984. The Dutch Delta area. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 253-260. Cambridge Univ. Press, Cambridge. (Deltadienst RWS, P.O. Box 43g, 4330 AH Middelburg, The Netherlands.)
- LEONOVICH,V.V. 1976. (Asiatic Dowitcher in the Primorski Krai.) *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 164-167. Moscow. In Russian.

- LEONOVICH,V.V. & NIKOLAYEVSKY,L.A. 1976. (On the distribution and numbers of the Australian Curlew in the Far East.) *Rare, threatened and inadequately-known birds in the U.S.S.R.*, pp. 153-157. Moscow. In Russian.
- LEWARTOWSKI,Z. 1983. Ostatnie stanowisko legowe kulona *Burhinus oedicnemus* w Wielkopolsce. [The last breeding locality of the Stone Curlew in major Poland.] *Chrony Przr. Ojczysta* 39: 68-71. In Polish.
- LOBKOV,E.G., SAVINOV,V.N. & KALJAYEV,V.S. 1976. (Australian Curlew in the eastern parts of central Kamchatka.) *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 150-153. Moscow. In Russian.
- LUST,R.de. 1984. Over gedrag en mobiliteit van overwinterende Goudplevieren *Pluvialis apricaria*. [On behaviour and mobility of wintering Golden Plovers.] *Wielewaal* 50: 17-23. In Flemish with English summary. (Leegstr. 29, B-9960 Assenede, Belgium.)
- MAHONEY,S.A. & JEHL,J.R.,Jr. 1984. Body water content in marine birds. *Condor* 86: 208-209. (Dept. Biol. Sci., Florida State Univ., Boca Raton, FL 33431, U.S.A.) Data on several wader species.
- MALKOV,N.P., BELIKOV,V.I. & MALKOV,V.N. 1983. [On ecology of *Gallinago stenura* during a breeding period in Central Altai.] *Ptitsy Sibiri. Tez. dokl. k 2. Sib. ornitol. konf., Gorno-Altaisk*, pp. 197-199. In Russian.
- MARSH,C.P. 1984. The role of avian predators in an Oregon rocky intertidal community. Ph.D. dissertation, Oregon State University. 148pp.
- MARTIN,J.-L. 1983. Adaptive significance of changes in migratory routes and wintering grounds: two examples. *Ornis Fennica*, Suppl. 3: 54-55. (CEPE CNRS, B.P. 5051, F-34033 Montpellier-Cedex, France.) On *Xenus cinereus* and *Cygnus bewickii*.
- MEAD,C. 1984. Rings and the ringers: after the 75th year. *Ring. & Migr.* 5: 14-19. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- MEIRE,P. & KUYKEN,E. 1984. Relations between the distribution of waders and the intertidal benthic fauna of the Oosterschelde, Netherlands. In P.R.Evans, J.-D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 57-68. Cambridge Univ. Press, Cambridge. (Lab. Oecol. Dieren, Zoogeogr. & Natuurbehond, Rijksuniversiteit Gent, 9000 Gent, Belgium.)
- MEYER,C. 1982. Der Grosse Brachvogel - Vogel des Jahres 1982. [Curlew - bird of the year 1982.] *Das Kunanz-Haus* 3: 13-14. In German. (Forschungstat. "Kunanz-Haus", D-6479 Schotter, W-Germany.)
- MILLEDGE,D.R. 1983. Migratory waders of the Furneaux Group islands. *An Occasional Stint* 2: 42-48. Tasmania.
- MILLER,E.H. 1983. Habitat and breeding cycle of the Least Sandpiper (*Calidris minutilla*) on Sable Island, Nova Scotia. *Can. J. Zool.* 61: 2880-2898. (Vert. Zool. Div., B.C. Prov. Mus., Victoria B.C., Canada V8V 1X4.)
- MILSTEIN,D.le S. 1983. A simple extensible mistnet pole. *Safring News* 12: 44-45. (60 King St., Irene 1675, S.Africa.)
- MILSOM,T.P. 1984. Diurnal behaviour of Lapwings in relation to moon phase during winter. *Bird Study* 31: 117-120. (Aviation Bird Unit, MAFF, Tangley Rd., Worplesdon, Guildford, Surrey GU3 3LQ, U.K.)
- MOLLER,H.S. 1983. Danish wetland bird population and their protection. *Ornis Fennica*, Suppl. 3: 104-106. (Fredringstyrelsen, Amaliegade 13, DK-1256 Copenhagen K, Denmark.)
- MOSER,M. & SUMMERS,R. 1984. Winter Shorebird Count. *BTO News* 132:3. (BTO, Beech Grove, Tring, Herts., U.K.) First announcement.
- MOSER,M. & SUMMERS,R. 1984. Winter Shorebird Count. *BTO News* 134: 3-4. Second announcement.
- MUELLER,O. 1983. Use of man-made foreshore by wading birds at Herdsman Lake. *Western Aust. Nat.* 15: 131-135. (7 Hamer Ave., Wembley Downs 6019, Australia.)
- MUNRO,C.A. 1984. Roof-nesting Oystercatchers. *Bird Study* 31:148. (Ashton Farm Cottage, Inverness IV1 2NH, Scotland, U.K.)
- MYERS,J.P. & SALLABERRY,M. 1984. Como capturar y anillar (*Calidris alba*) "Playero Blanco"? [How to capture and ring Sanderling.] *El Volante Migratorio* No.2: 30-38. In Spanish. (Acad. Nat. Sci., 19th and the Parkway, Philadelphia, PA 19103, U.S.A.)
- MYERS,J.P., SALLABERRY,M. & MARON,J.L. 1984. Simplificando el metodo de anillado can colores. [Simplifications of colour banding method/scheme.] *El Volante Migratorio* No.3: 22-24. In Spanish.
- NECHAEV,V.A. 1983. [Nesting waders in Sakhalin Island.] *Ornitologia* 18: 172-173. In Russian.
- NEWMAN,O.M.G. 1982. Dispersal of Pied Oystercatchers in the Hobart area. *An Occasional Stint* 1: 51-58. Tasmania.
- NEWMAN,O.M.G. 1982. Wader studies in the Hobart area - past and future. *An Occasional Stint* 1: 3-10.
- NEWMAN,O.M.G. 1982. Sooty Oystercatcher - Evaluation of Hobart area count data 1964-1982. *An Occasional Stint* 1:65.
- NEWMAN,O.M.G. 1983. Pied Oystercatcher - replacement clutches. *An Occasional Stint* 2: 49-52.
- OATLEY,T.B. 1983. Twenty-third ringing report for southern Africa. *Ostrich* 54: 141-149. (Univ. Cape Town, Rondebosch, S.Africa 7700.)
- O'CONNOR,R.J. 1984. Science and the Ringing Scheme: a prospective. *Ring. & Migr.* 5: 6-14. (BTO, Beech Grove, Tring, Herts., U.K.)
- OMEL'KO,V.A. 1976. (Australian Curlew.) *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 159-161. Moscow. In Russian.

- OPITZ,H. 1982. Bestand und Bestandsentwicklung des Grossen Brachvogels (*Numenius arquata*) in Baden-Württemberg. [Population changes of Curlews in Baden-Württemberg.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Württ.* 25: 15-31. In German. (Am Tretenbach 11, D-7633 Seelbach, W-Germany.) 175 pairs.
- OSBORNE,D. & PETERSEN,A.T. 1984. Decline of the Upland Sandpiper (*Bartramia longicauda*) in Ohio: an endangered species. *Ohio J. Sci.* 84: 8-10. (Dept. Zool., Miami Univ., Oxford, OH 45056, U.S.A.)
- OUWENEEL,G.L. 1984. Wulpfen. [Curlews.] *Vogels* 4: 146-148. In Dutch, narrative. (c/o Vogelbescherming, Driebergseweg 16C, 3708 JB Zeist, The Netherlands.)
- PAEVSKII,V.A. 1981. [Comparison of various methods for the determination of mortality in birds.] *Ornitologia* 16: 140-146. In Russian. Compares life table analysis between three commonly used methods: Lack, Martin-Lof and Brownie. Each is useful if restricting assumptions are kept in mind; otherwise comparison and results are inaccurate.
- PAGET,J.M. 1982. Some shorebird occurrence records for Georgia. *Oriole* 47: 18-19. (1530 Vine St., NE, Gainesville, GA 30501, U.S.A.)
- PALMGREN,J. & VALSTE,J. 1983. Changes in the bird fauna of woodless rocky islets in the Tvarminne archipelago during the last 40 years. *Ornis Fennica*, Suppl. 3: 94-95.
- PARK,P. 1983. Orielton Lagoon and Sorell Wader Areas. An Occasional Stint 2: 15-33. (Stoney, Campania, 7202 Tasmania, Australia.)
- PATTERSON,R.M. 1982. A survey of the wader population at Barilla Bay. An Occasional Stint 1: 21-28. Tasmania.
- PIENKOWSKI,M.W. 1983. Development and foraging behaviour in young Ringed Plovers *Charadrius hiaticula* in Greenland and Britain. *Dansk. Orn. Foren. Tidsskr.* 77: 133-147. (Dept. Zool., Univ. of Durham, South Rd., Durham DH1 3LE, U.K.)
- PIENKOWSKI,M.W. 1984. Ringing in Britain and Ireland: towards a century in 2009 AD. *Ring. & Migr.* 5: 1-5.
- PIENKOWSKI,M.W., FERNS,P.N., DAVIDSON,N.C. & WORRALL,D.H. 1984. Balancing the budget: measuring the energy intake and requirements of shorebirds in the field. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 29-56. Cambridge Univ. Press, Cambridge.
- PITELKA,F.A. 1980. Effect of habitat conditions on spatial parameters of shorebird populations. U.S. Gov. Report, Dept. Zool., Univ. of Calif., Berkeley. 1980:87pp.
- PROKOSCH,P. 1984. The German Wadden Sea. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 224-237. Cambridge Univ. Press, Cambridge. (Olshausenstr. 40-60, 2300 Kiel 1, W-Germany.)
- RANFTL,H. 1982. Zur Situation des Grossen Brachvogels (*Numenius arquata*) in Bayern. [Status of Curlews in Bavaria.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Württ.* 25: 45-50. In German. (Inst. Vogelk., Sandrinaweg 1, D-8821 Triesdorf, W-Germany.) 930 pairs.
- REICHHOLF,J. 1983. Welche Funktion hat die Holle beim Kiebitz (*Vanellus vanellus*)? *Orn. Mitt.* 35: 295-298. In German.
- RHIJN,J.van. 1984. Phylogenetical constraints in the evolution of parental care strategies in birds. *Neth. J. Zool.* 34: 103-122. (Zool. Lab., Univ. Groningen, Kerklaan 30, 9751 NN Haren, The Netherlands.) Inspired by studies of Ruff.
- ROBERTS,T.H. & DIMMICK,R.W. 1983. Sexual segregation in American Woodcock, *Philomachus minor*, during spring migration. *J. Tenn. Acad. Sci.* 58:26. (Waterways Exp. Stat., Corp. Engineers, P.O. Box 631, Vickburg, MS 39180, U.S.A.)
- ROBILLER,F. 1983. Bade- und Huderverhalten des Temmincksstrandläufers (*Calidris temminckii*). *Beitr. Vogelkd.* 29: 180-182. In German. (W.Bode-Str. 8, DDR-5300 Wiemar, E-Germany.)
- ROL,W. 1982. Relatie weidevogels-landbouw. [Relationship meadowbirds-agriculture.] *Grutter* 6: 3-10. In Dutch. (c/o Leonofstr. 29, 1562 BR Krommenie, The Netherlands.)
- ROZEMEIJER,P. 1984. Wulpenslaappaatsen in Noord-Holland in 1983. [1983 Curlew-roosts in Noord-Holland.] *Graspieper* 4: 55-58. In Dutch. (Dorpsstr. 203, 1531 HE Wormer, The Netherlands.)
- RUSSELL,R.P.,Jr. 1983. The Piping Plover in the Great Lakes region. *Am. Birds* 37: 951-955. (1932 Kennedy Dr., 103 McLean, VA 22102, U.S.A.)
- SCHARFF,G. 1982. Über die Bedeutung des Wiesenbewuchses in Brachvogel-Brutgebieten. [On the importance of vegetation in Curlew breeding areas.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Württ.* 25: 33-43. In German. (Emmendinger Str. 23, D-7800 Freiburg i. Br., W-Germany.)
- SCHIEMANN,H. 1983. Verstärkter Einflug von Wilsonwassertretern (*Phalaropus tricolor*) in die westliche palaarktische Region in den Jahren 1979 und 1980. [Stronger immigration of Wilson's Phalarope in Palearctic region in 1979 and 1980.] *Orn. Mitt.* 35: 180-183. In German. (Kirchstr. 15, D-7988 Wangen 4, W. Germany.)
- SCHNELLER,W. 1983. Nochmals: ungewöhnliche Sitzplätze der Bekassine (*Gallinago gallinago*). [Once more: unusual perching sites of Snipes.] *Beitr. Vogelkd.* 29: 182-183. In German. (Neukalener Str. 9, DDR-2050 Teterow, E-Germany.)
- SHCHERBAKOV,A.N. 1976. (Australian Curlew.) *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 157-159. Moscow. In Russian.
- SHKATULOVA,A.P. 1976. Brief reports on the Asiatic Dowitcher. *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 168-169. Moscow. In Russian.

- SILCOCK,W.R. 1983. A Ruff (*Philomachus pugnax*) in southwest Iowa. *Iowa Bird Life* 53: 87-90. (Box 300, Tabor, IA 51653, U.S.A.)
- SIMON,L. 1982. Grosser Brachvogel (*Numenius arquata*) - Verbreitung und Habitat-gefährdung in Rheinland-Pfalz. [Curlew - Distribution and habitat-use in Rheinland-Pfalz.] *Beitr. Natur- und Landschaftspflege Bad.-Wurtt.* 25: 65-69. In German. (Fruhmensstr. 190g, D-6741 Ilbesheim b. Landau/Pf., W.Germany.)
- SMITH,F.T.H. 1983. A Red-necked Phalarope *Phalaropus lobatus* at Point Lonsdale, Victoria. Aust. *Birdwatcher* 10: 99-101. (71 Cobden St., Kew, Victoria 3101, Australia.)
- SMITH,F.T.H. 1983. An Australian record of Lesser Yellowlegs. Aust. *Birdwatcher* 10: 122-126.
- STAWARZCYK,T. 1984. Aggression and its suppression in mixed-species wader flocks. *Ornis Scand.* 15: 23-37. (Mus. Nat. Hist., Univ. Wrocław, ul. Sienkiewicza 21, PL-50-335, Wrocław, Poland.)
- STEPHENS,M.L. 1984. Interspecific aggressive behavior of the polyandrous Northern Jacana (*Jacana spinosa*). *Auk* 101: 508-518. (Allee Lab. Anim. Behav., Univ. Chicago, 940 East 7th Str., Chicago, Ill. 60637, U.S.A.)
- SUEUR,F. 1984. Quelques données sur la reproduction de l'Avosette (*Recurvirostra avosetta*) dans la Marquenterre (Somme). [Information on the reproduction of Avocets in Marquenterre, Somme.] *L'Oiseau et R.F.O.* 54: 131-136. In French with English summary. (rue du Bosquet, 80120 Rue, France.)
- SUTHERLAND,W. 1984. Oystercatcher specializations. *Ibis* 126:457. Abstract only. (Univ. East Anglia, Norwich, U.K.)
- SWENNEN,C. 1984. Differences in quality of roosting flocks of Oystercatchers. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 177-189. Cambridge Univ. Press, Cambridge. (NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- TANGER,D. 1982. Broedende weide - en watervogels in de Westwouderpolder in 1978, 1979 en 1980. [Breeding waders and waterbirds in Westwouderpolder, N-Holland, in 1979-1980.] *Grutter* 6: 89-94. In Dutch. (c/o Leonofstr. 29, 1562 BR Krommenie, The Netherlands.)
- TAY & ORKNEY RINGING GROUPS. 1984. *The Shore-birds of the Orkney Islands*. A report on the numbers and distribution of shore-birds on the coast of the Orkney Islands during the winters of 1982-83 and 1983-84. Report Tay Ringing Group, Perth. 78pp. (Available from M.Martin, Flat 9, Upper Springland, Isla Rd., Perth, Tayside, U.K., price £2.50.) Full coverage (!) on waders, gulls and dabbling ducks.
- THEISS,N. & DIETER,F. 1983. Brutnachweise des Flussuferläufers *Actitis hypoleucos* 1982 im oberen Maintal. [Evidence of breeding Common Sandpiper in Upper Maintal in 1982.] *Anz. Ornithol. Ges. Bayern* 22: 221-222. In German. (Am Weinberg 27, 8624 Ebersdorf, W-Germany.)
- TINARELLI,R. 1984. (Distribution and status of Recurvirostridae in Eastern Emilia-Romagna (North-east Italy).) *Proc. II<sup>th</sup> Ital. Congr. Ornithol.*, in press. In Italian with English summary. (Via Vasari 17, 40128 Bologna, Italy.)
- TINARELLI,R. 1984. Wintering of Avocets *Recurvirostra avosetta* in some coastal wetlands in Emilia-Romagna (north-east Italy). *Proc. First Conf. on birds wintering in the Mediterranean region, Aulla, February 1984:* in press.
- TOLCHIN,V.A. 1983. [On distribution and ecology of Ruff on south of Eastern Siberia.] *Ekologija pozvon. zhivotnykh Vostochnoi Sibiri. Irkutsk.* pp. 75-90. In Russian.
- TOLCHIN,V.A. 1983. [Breeding waders in intermontane depressions of north-eastern Transbaikal.] *Ekologija pozvon. zhivotnykh Vostochnoi Sibiri. Irkutsk.* pp. 90-101. In Russian.
- TOMKOVICH,P.S. & MOROZOV,V.V. 1982. [Faunistic records in the southern Chukotka peninsula.] *Ornitologia* 17: 173-175. In Russian. Includes 14 species, notably *Pluvialis dominica* and *Actitis macularia*.
- TOWNSHEND,D.J., DUGAN,P.J. & PIENKOWSKI,M.W. 1984. The unsociable plover - use of intertidal areas by Grey Plovers. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 140-159. Cambridge Univ. Press, Cambridge. (Dept. Zool., Univ. Durham, South Rd., Durham DH1 3LE, U.K.)
- TRECA,B. 1983. (The influence of drought on the daily rhythm of Ruffs *Philomachus pugnax* in Senegal.) *Malimbus* 5: 73-77. In French with English summary. (Mission ORMSTOM, Bf 726 Bamako, Mali.)
- TRIEBL,R. 1981. Thorshunchen, *Phalaropus fulicarius*, im Seewinkel. [Grey Phalarope in Seewinkel, Austria.] *Egretta* 24:82. In German.
- USPENSKII,S.M. 1982. [Problems of protection of birds in the Arctic and Subarctic.] *Ornitologia* 17: 18-21. In Russian. Essay in fragility of arctic ecosystems and avifauna. One of the greatest dangers to breeding birds in Soviet Arctic is environmental pollution.
- VADIER,B. 1984. *Inventaires bibliographiques limicoles France*. Group de Travail Limicoles, Mission des Etudes et de la Recherche, Direction de la Protection de la Nature, Sene. 34pp. (c/o R.Maheo, Univ. Rennes 1, Stat. Biol. Bailleron, 56860 Sene, France.) Bibliography with 750 entries on waders in France.
- VASILCHENKO,A.A. & UNZHAKOV,V.V. 1982. [New records in the Selenga delta.] *Ornitologia* 17: 130-134. In Russian. Two pairs of *Limnodromus semipalmatus* seen in late June. Egg and nest details. *Philomachus pugnax* potentially breeding.
- VASSALLO,A. 1981-1983. The Pectoral Sandpiper - new record to Malta. *Il-Merrill No. 22:19*. (Fredor, Giuseppina Curmi Str., Zejtun, Malta.)
- VELIZHANIN,A.G. & YALCHONTOV,V.D. 1976. (Brief reports on the Spotted Greenshank.) *Rare, threatened and inadequately-known birds of the U.S.S.R.*, p.138. Moscow. In Russian.

- VINOKUROV,A.A. 1976. (On the Solitary Snipe in the central Tien Shan.) *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 139-141. Moscow. In Russian. (USSR Inst. Nature Cons. & Reserves, P.O. Vilar, Bitza, Sadki-Znamenkie 142790, Moscow-region, U.S.S.R.)
- VINOKUROV,A.A., LEONTIEV,A.N., OMEL'KO,M.A., PAVLOV,E.I. & TATARENKO,L.I. 1976. (Brief reports on the Least Whimbrel.) In *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 147-149. Moscow. In Russian.
- VOI.KOV,A.E. 1983. [About nesting area of *Numenius minutus*.] *Biol. probl. Severa. Tez. 10. Vses. symp., Part 2. Zhivotnyi mir. Magadan*, p.9. In Russian.
- VRONSKII,N.V. & TOMKOVICH,P.S. 1983. [The waders in arctic tundras in the neighbourhood of Dikson (Taymir peninsula).] *Biol. probl. Severa. Tez. 10. Vses. symp., Part 2. Zhivotnyi mir. Magadan*, pp. 13-14. In Russian.
- VTOROV,P.P., GRACHEV,V.A., KYDRALIEV,A., MARTYNOV,V.A., MEKLENBURTSEV,R.N., PAVLOV,E.I., RAKHILIN,V.K., SAMUSEV,I.F., SHIBNEV,B.K. & YAKHONTOV,V.D. 1976. (Brief reports on the Solitary Snipe.) *Rare, threatened and inadequately-known birds of the U.S.S.R.*, pp. 142-146. Moscow. In Russian.
- VTOROV,P.P., KUZNETSOV,A.A., KYDRALIEV,A., LEONOVICH,V.V., MEKLENBURTSEV,R.N. & YANUSHEVICH,A.I. 1976. (Brief reports on the Ibis Bill.) *Rare threatened and inadequately-known birds of the U.S.S.R.*, pp. 134-135. Moscow. In Russian.
- WAHLSTEDT,J. 1984. Skyddvard natur in Norrbottens lan. Del II. Lapplandsdelen. *Var Fagelvärld* 43: 143-160. In Swedish. Data on Bar-tailed Godwit breeding population (10-15 pairs).
- WALL,L.E. 1982. Marion Bay and Blackman Bay. An Occasional Stint 1: 48-50. Waders in Tasmania.
- WALL,L.E. 1983. Shorebirds at Georges Bay, St. Helens. An Occasional Stint 2: 53-55.
- WEBER,J.W. 1981. Status of the Semipalmated Sandpiper in Washington and northern Idaho. *Continental Birdlife* 2: 150-153. (Dept. Civil & Environm. Eng., Wash. State Univ., Pullman 99164, U.S.A.)
- WEBSTER,J.D. 1984. Richardson's Mexican collection: birds from Zacatecas and adjoining States. *Condor* 86: 204-207. (Dept. Biol., Hanover Coll., Hanover, Indiana 47243, U.S.A.) Note on *Numenius americanus parous*.
- WIEGERSMA,J. 1982. Resultaten van de inventarisatie en de nazorg van weidevogels. [Results of survey and protection of meadowbirds.] *Fjildrop* 1982: 2-11. In Dutch. (c/o R. van Nautaweg 33, 9061 AP Giekerk, The Netherlands.)
- WILSON-JACOBS,R. & MESLOW,E.C. 1984. Distribution, abundance and nesting characteristics of Snowy Plovers on the Oregon coast. *Northwest Sci.* 58: 40-48. (140 Cliffside Dr., Grants Pass, OR 97527, U.S.A.)
- WINKLER,R. 1982. Zur Bestandesentwicklung des Grossen Brachvogels in der Schweiz. [On population changes of Curlews in Switzerland.] *Beih. Veroff. Naturschutz Landschaftspflege Bad.-Wurtt.* 25: 83-86. In German. (Nat. Hist. Mus., Augustinergasse 2, CH-4001 Basel, Switzerland.)
- WOEHLER,E. 1983. Primary moult in the Red-necked Stint (*Calidris ruficollis*) in south eastern Tasmania. An Occasional Stint 2: 34-41.
- WOLFF,W.J. & SMIT,C.J. 1984. The Dutch Wadden Sea. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 238-252. Cambridge Univ. Press, Cambridge. (RIN, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- WOOD,A.G. 1984. Time and energy budgets of the Grey Plover (*Pluvialis squatarola*) at Teesmouth. Ph. D. thesis, University of Durham. 117pp.
- ZANDE,W.van der & DIRKSEN,S. 1984. *Griend. Vogels en bewaking broedseizoen 1983*. [Griend. Birds and protection in breeding season 1983.] Report VBNN and Zool. Laboratory, University of Groningen. April 1984. 57pp. In Dutch. Wader counts.
- ZWARTS,L. 1984. Het wad als vogelrijk wetland. (The importance of tidal mudflats for birds.) *De Levende Natuur* 85: 99-103. In Dutch with English summary. (Achterwei 23, Ee, Friesland, The Netherlands.)
- ZWARTS,L. & WANINK,J. 1984. How Oystercatchers and Curlews successively deplete clams. In P.R.Evans, J.D.Goss-Custard & W.G.Hale (eds.) *Coastal waders and wildfowl in winter*, pp. 69-83. Cambridge Univ. Press, Cambridge.