

RECENT PUBLICATIONS ON WADERS compiled by Theunis Piersma

This is the 36th 'Recent Publication on Waders' in the *Wader Study Group Bulletin*. The first two reference-lists appeared in *Bulletins* 2 and 7. Since *Bulletin* 10 the listing has appeared in each issue. Since we try to make these lists as complete and up to date as possible, any help is most welcome. Omissions, mistakes, new titles, abstracts or reprints should be sent to *Theunis Piersma, Korte Nieuwstraat 4, 9724 LC Groningen, The Netherlands*. I am grateful to Gerard Boere, Ian Bainbridge, Nick Davidson, Jaga Gromadska, Priscilla Park, Mike Pienkowski and F.-U. Schmidt for help. Translated titles of papers in languages other than English are bracketed: round brackets if the translation is by the author(s); square brackets if not.

- ABS, M., GALHOFF, H. & SELL, M. 1983. [Five-year census of wintering and migrating waterbirds during the construction of a recreational reservoir, Ruhr-river, FRG.] *Charadrius* 19: 5-10. In German. (Ruhr Univ., Postfach 102148, D-4630 Bochum 1, W.Germany.)
- ALERSTAM, T. & HOGSTEDT, G. 1985. Leap-frog arguments: reply to Pienkowski, Evans and Townshend. *Ornis Scand.* 16: 71-74. (Dept. Anim. Ecol., Univ. of Lund, S-22362 Lund, Sweden.)
- ALTENBURG, W. 1985. Grutto's in West Afrika. [Black-tailed Godwits in W.Africa.] *Twirre* 7(4): 22-25. Abstract only. In Dutch. (Meeuwerderbaan 4, 9724 GV Groningen, The Netherlands.)
- ALTENBURG, G.-W. 1985. De Skries: wintergast ijn Afrika. [The Black-tailed Godwit: winter visitor to Africa.] *Vanellus* 38: 27-32. In Friesian with Dutch summary.
- ANDREYEV, A.-V. 1984. [Individual energetics and species adaptive features in some tundra birds.] In Martin, J., Matveyeva, N., Piin, T., Semyonova, V. & Chernov, J. (eds.). [Adaptations of organisms to tundra environments.] Tallin, pp. 15-20. In Russian.
- ASH, J.-S. 1984. Bird observations on Bali. *Bull. Brit. Orn. Club* 104: 24-35. (Div. Birds, Natl. Mus. Nat. Hist., Washington, DC 20560, U.S.A.) Bali appears to be an important staging post for migrating, and also for summering and wintering, waders.
- BAKER, A.-J. & HOCKEY, P.-A.-R. 1984. Behavioral and vocal affinities of the African Black Oystercatcher (*Haematopus moquini*). *Wilson Bull.* 96: 656-671. (Dept. Orn., Royal Ont. Mus., 100 Queen's Park, Toronto, Ontario, M5S 2L6 Canada.)
- BARTER, M. 1984. Weight variations and migration strategy of Curlew Sandpiper (*Calidris ferruginea*) wintering in Tasmania. *An Occasional Stint* 3: 7-18. (21 Chivalry Ave., Glen Waverley, Vic. 3150, Australia.)
- BARTER, M. 1984. Weight variations in Red-necked Stint (*Calidris ruficollis*) whilst wintering in Tasmania. *An Occasional Stint* 3: 69-80.
- BEINTEMA, A.-J., BEINTEMA-HIETBRINK, R.-J. & MUSKENS, G.-J.-D.-M. 1985. A shift in the timing of breeding in meadowbirds. *Ardea* 73: 83-89. (RIN, P.O.Box 46, 3956 ZR Leersum, The Netherlands.) On Oystercatcher, Lapwing, Black-tailed Godwit, Redshank, Snipe & Ruff.
- BOTTEMA, S. 1985. Vogelwaarnemingen in de Syrische Djezireh. [Bird observations in Djezireh, Syria.] *Vogeljaar* 33: 82-87. In Dutch. (Biol.-Archeol. Instit., Poststraat 6, 9712 ER Groningen, The Netherlands.) Some notes on waders.
- BOTTOM, M.-L. 1984. Effects of Laughing Gull and shorebird predation on the intertidal fauna at Cape May, New Jersey. *Est. Coast. Shelf Sci.* 18: 209-220. (Fordham Univ., Lincoln Centre, Excel. Div., New York, NY 10023, U.S.A.)
- BRENNAN, L.-A., BUCHANAN, J.-B., SCHICK, C.-T., HERMAN, S.-G. & JOHNSON, T.-M. 1984. Sex determination of Dunlins in winter plumage. *J. Field Ornithol.* 55: 343-348. (P.O. Box 1144, Laytonville, CA 95454, U.S.A.)
- BRUNNER, J.-W. 1983. American Avocet in Atlanta. *Oriole* 48:7. (187 Valley Rd., Norcross, GA 30071, U.S.A.)
- BUSH, A.-O. & THRELFALL, W. 1984. *Numeniotrema kinsellai* sp.n. (Digenea: Microphallidae) from the Western Willet (*Catastrophorus semipalmatus inornatus*) on its wintering grounds in Florida. *J. Parasitol.* 70: 355-357. (Dept. Zool., Brandon Univ., Brandon, MB R7A 6A9, Canada.)
- BUXTON, N.-E. 1984. Wader ringing in the Outer Hebrides. *Hebridean Naturalist* 8:10. (NCC, 4 Sand Str., Coulregrein, Stornoway, U.K.)
- BUXTON, N.-E., GREEN, G.-H. & LANGSLOW, D.-R. 1984. The breeding wader populations on the machairs and blackland of the Southern Isles, Outer Hebrides. *Hebridean Naturalist* 8: 5-9.
- BIJLSMA, R.-G. & de RODER, F.-E. 1985. *Waders along the coast of Thailand during November and December 1984. A ground survey.* WINO Report 4, Zeist. 40pp. (Dfl.10 (incl. p & p.) to postal giro 2666009 of Stichting WIWO, Ewijk, The Netherlands or by Int. Money Order to Stichting WIWO, c/o Driebergseweg 16c, 3708 JB Zeist, The Netherlands.)
- CARLINO, J., GENARD, M. & LESCOURRET, F. 1984. [Another case of the Dotterel (*Charadrius morinellus*) nesting in the western French Pyrenees.] *Oiseau R.F.O.* 54: 87-90. In French. (Lab. Faune Suav., CRA Toulouse, B.P. 12, 31320 Castanet-Tolosan, France.)
- CATE, C. ten. 1985. Functional aspects of head-scratching methods and other preening movements in birds. *Ardea* 73: 99-104. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.) Discusses Oystercatcher.

- CATLEY, G.P. 1984. Winter feeding behaviour of Sanderling. *Brit. Birds* 77: 483-484. (13 West Acridge, Barton-on-Humber, S-Humberside, DN18 5AJ, U.K.)
- CHAPMAN, B.R. 1984. Seasonal abundance and habitat-use patterns of coastal bird populations on Padre and Mustang island barrier beaches following the Ixtoc I oil spill. *US FWS Div. Biol. Serv. FWS/OBS-83/31*, 71 pp. (Dept. Biol., Corpus Christi State Univ., Corpus Christi, TX 78142, U.S.A.)
- CHERNOV, Yu.I. 1985. *The living tundra*. Cambridge Univ. Press, Cambridge. 213 pp. (Price approx. £30.) Translated from Russian. (Moscow 1980); with pleasant description of Soviet tundra ecosystem; waders are mentioned occasionally.
- CLARK, J.M. 1978. Use of toe and shank length as sex determinants in Woodcock. *Proc. Ann. Conf. S.E. Assoc. Fish Wildl. Agencies* 12: 42-47. (Env. Prot. Off., Naval Air Stat., Patuxent, MD 20670, U.S.A.)
- CONZEMIUS, T. 1984. Gewichtsentwicklung eines Bruchwasserlaufers (*Tringa glareola*) auf dem Herbstdurchzug. [Weight development of a Wood Sandpiper during autumn migration.] *Regulus* 14:284. In German. (37 Allee Str.-Hubert, L-8138 Bridel, Luxembourg.) From 67 g on 12 August 1983 to 76 g on 29 August; 1.5 km away.
- DAVIDSON, N.C. 1984. Changes in the condition of Dunlins and Knots during short-term captivity. *Can. J. Zool.* 62: 1724-1731. (Dept. Zool., Univ. of Durham, South Rd., Durham, DH1 3LE, U.K.)
- DAY, F.A.G. 1984. A Redshank in South Australia. *S. Aust. Ornithol.* 29: 115-117. (32 Davis Str., Salisbury, SA 5108, Australia.)
- DOMBROVSKI, A. & KOT, H. 1983. (Report on bird ringing on middle course of Vistula.) *Notatki Ornithol.* 24: 113-115. In Polish with English summary. (Inst. Ecol. PAN, 05-092 Lomiancki, Dziekanow Lesny, Poland.) During 1975-1981 some 1430 waders were ringed.
- DIJK, G.van & KUIJK, F. 1985. De weidevogelstand in het gebied van de Avifauna van Midden-Nederland. [Meadowbird population levels in the central part of the Netherlands.] *Vogeljaar* 33: 4-14. In Dutch. (Roerdompstr. 31, 3815 BT Amersfoort, The Netherlands.)
- DIJK, K.van. 1985. *De broedvogels van de Lauwersmeer 1982. [The breeding birds of the Lauwersmeer 1982.]* Rapport Dieroecologie, Zool. Lab., R.U. Groningen & R.IJ.P., Lelystad. 66 pp. (Zool. Lab., Univ. Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.) Details on breeding waders.
- ELLIOT, R.D. 1985. The effects of predation risk and group size on the anti-predator responses of nesting Lapwings *Vanellus vanellus*. *Behaviour* 93: 168-187. (CWS, P.O. Box 9158, Stn. B., St. John's, Newfoundland, Canada A1A 2X9.)
- FIVIZZANI, A.J., ORING, L.W. & EL HALAWANI, M. 1984. Prolactin levels associated with incubation in the Spotted Sandpiper, *Actitis macularia*. *Am. Zool.* 24:71A. Abstract only.
- FOWLER, L.J. 1983. Shorebirds of Kingston Steam Plant. *Migrant* 54: 29-32. (TVA, Norris, TN 37828, U.S.A.)
- GELDER, A.de. 1985. (White-tailed Plover *Chettusia leucura* bij Petten.) *Limosa* 58:33. In Dutch with English summary. (c/o SBB, P.O. Box 3005, 2001 DA Alkmaar, The Netherlands.)
- GASTEREN, H.van. 1983. Hoogwatertellingen op Terschelling in Aug. 1983. [High water counts on Terschelling in August 1983.] *Aythya* 22(3): 19-22. In Dutch. (Mecklenburgstr. 18, 1623 JP Hoorn, The Netherlands.)
- GOEDE, A.A. 1985. Mercury, selenium, arsenic and zinc in waders from the Dutch Wadden Sea. *Environ. Pollut. (Ser.A.)* 37: 287-309. (Buitenkerkerweg 76, Woonschip de Taling, 1095 KL Amsterdam, The Netherlands.)
- GOEDE, A.A. & de BRUIN, M. 1984. The use of bird feather parts as a monitor for metal pollution. *Environ. Pollut. (Ser.B.)* 8: 281-298.
- GOEDE, A.A. & de BRUIN, M. 1985. Selenium in a shore bird, the Dunlin, from the Dutch Waddenzee. *Mar. Pollut. Bull.* 16: 115-117.
- GOEDE, A.A. & de VOOGT, P. 1985. Lead and cadmium in waders from the Dutch Wadden Sea. *Environ. Pollut. (Ser.A.)* 37: 311-322.
- GOUTNER, V. 1984. Belly-soaking in the Avocet. *Ostrich* 55: 167-168. (Dept. Zool., Univ. Thessaloniki, Thessaloniki, Greece.)
- GRATTO, C.L., MORRISON, R.I.G. & COOKE, F. 1985. Philopatry, site tenacity and mate fidelity in the Semipalmated Sandpiper. *Auk* 102: 16-24. (Div. Biol., Queen's Univ., Kingston, Ontario K7L 3N6 Canada.)
- GRATTO, G.W., THOMAS, M.L.H. & GRATTO, C.L. 1984. Some aspects of the foraging ecology of migrant juvenile sandpipers in the outer Bay of Fundy. *Can. J. Zool.* 62: 1889-1892. (Div. Sci., Univ. New Brunswick, P.O. Box 5050, St. John, NB, Canada E2L 4L5.) On Semipalmated and Least Sandpiper.
- HANSSSEN, O.J. 1984. Habitat selection of shorebirds in an archipelago in SE Norway. *Ornis Scand.* 15: 253-260. (Min. Env., Box 8013 Dep., N-0slo 1, Norway.) Breeding waders, gulls, turns and eiders.
- HARDY, G. 1984. (First record of Spur-winged Plover (*Hoplopterus spinosus*) in Belgium.) *Wielewaal* 50: 137-138. In Flemish with English summary. (Sportlaan 12, B-3650 Dilsen, Belgium.)
- HARRIS, J.G.K. 1984. Mortality rates of Curlew Sandpiper (*Calidris ferruginea*) determined from rocket net catches. *An Occasional Stint* 3: 41-44. ("Phoenicea", Hall Str., Ridgeway, Tas. 7101, Australia.)
- HARRIS, J.G.K. 1984. Banding by B.O.A.T. Shorebird study group 1/1/83 to 30/6/83. *An Occasional Stint* 3: 19-25.
- HAZEL, C.R., IVES, J.H., MILLER, K.J., EDWARDS, E.K. & TINLING, J.S. 1984. *Columbia river estuary data development program: avifauna of the Columbia river estuary*. Report Jones & Stokes Assoc., Inc., 121pp.

- HUMPHRIES, C. 1984. An observation of a Pectoral Sandpiper near Ulladulla, N.S.W. Aust. *Birds* 19: 9-10.
- HUSTING, M.F.H., KWAK, R.G.M., OPDAM, P.F.M. & REIJNEN, M.J.S.M. (eds.). 1985. *Vogelinventarisatie. Achtergronden, richtlijnen en verslaglegging. [Bird censusing. Background information, instructions and reporting.]* Pudoc, Wageningen, 495 pp. In Dutch. E.g. on counting waders on breeding grounds, night- and high-tide-roosts and on migration.
- JACKSON, G.D. 1984. Identification of Red and Red-necked Phalaropes. *Alabama Birdlife* 31(3 & 4): 6-10. (375 Arnold Rd., B-106, Mobile, AL 36608, U.S.A.)
- JOHNSON, R. 1984. The cranial and cervical osteology of the European Oystercatcher *Haematopus ostralegus*. *J. Morphol.* 182: 227-244. (Dept. Biol., Trent Univ., Peterborough, ON, Canada, K9J 7B8.)
- JUKEMA, J. 1985. Witgatje als doortrekker. [Green Sandpipers as passing migrant.] *Vanellus* 38: 3-4. In Dutch. (Haerdawei 44, 8854 AC Oosterbierum, The Netherlands.)
- JUNIGE, H.-D. 1983. Waldschneppen rasteten in der City Nord. [Woodcock roosted in City Nord.] *Sonderheft Mitt. bl. DBV Landesverb. Hamburg* 11:156. In German.
- KAMENEV, V.M. 1984. [Adaptive peculiarities of the breeding cycle of some arctic birds.] In: Martin, J., Matveyeva, N., Piin, T., Semyonova, V. & Chernov, J. (eds.). *[Adaptations of organisms to the arctic environments.]* Tallin, pp. 72-76. In Russian.
- KAMKE, H. & WERNER, A. 1983. Beobachtungen an einer Flussregenpfeiferpopulation im Mittleren Fuldataal. [Observation on a population of Little Ringed Plovers in middle Fuldataal.] *Vogelkd. Iber. Mittl. Fuldataal* 4: 48-71. In German. (Austr. 11, D-644 Bebra, W. Germany.)
- KHLEBOSOLOV, E.I. 1984. [Species diversity and adaptive strategy of tundra bird life: shorebirds.] In: Martin, J., Matveyeva, N., Piin, T., Semyonova, V. & Chernov, J. (eds.). *[Adaptations of organisms to the arctic environments.]* Tallin, pp. 181-198. In Russian.
- KIPP, M. 1984. Zur Bestandsentwicklung des Grossen Brachvogels (*Numenius arquata*) in den Kreisen Borken und Coesfeld. [Population changes in Curlews in Westphalia, F.R.G.] *Charadrius* 20: 23-27. In German. (Kuhdamm 95, D-4540 Langerich, W. Germany.)
- KLAMMER, G. 1983. Sabelschnabler im Saalkreis. [Avocet in Saalkreis.] *Apus* 5:144. In German.
- KOOPMAN, K. 1985. Steltloperonderzoek Friese Waddenkust voorjaar 1985. Een oproep tot medewerking. [Wader research Friesian Wadden Sea coast in spring 1985. A plea for help.] *Twirre* 7(4): 17-19. In Dutch. (Tunkerij 5, 8501 TG Joure, The Netherlands.)
- KOWSCHAR, A.F. 1982. Der Ibisschnabel. [The Ibisbill *Ibidorhynchus struthersii*.] *Falke* 29: 275-276. In German.
- KROTT, N. 1982. Der Wiesenstrandläufer (*Calidris minutilla*) - neu für Deutschland. [The Least Sandpiper - new for Germany.] *Faun. Mitt. Sudmieders.* 415: 59-63. In German.
- KUZNIAK, S. 1983. [Rare bird species observed near Leszno (Great Poland) in 1977-1980.] *Notatki Ornithol.* 24: 87-90. In Polish with English summary. (64-100 Leszno, Gen-Sikorskiego 28/10, Poland.) E.g. *Vanellus gregaria*, *Limicola falcinellus* and *Himantopus himantopus*.
- LANE, B. 1984. Wader Study enters its final year. *RAOU Newsletter* September 1984:2pp. (RAOU, 21 Gladstone Str., Monee Ponds, Vic. 3039, Australia.)
- LANE, B. & JESSOP, A. 1984. *National Wader Count. Winter 1984. Report to participants.* Report RAOU, Monee Ponds, 12 pp.
- LANE, C.H. 1983. Buff-breasted Sandpipers and Long-billed Curlews on Little St. Simons Island. *Ortola* 48: 7-8. (869 Clifton Rd., NE, Atlanta, GA 30307, U.S.A.)
- LARSEN, R.T. & RALPH, C.J. 1984. The arrival, departure and residency of a small population of the Lesser Golden Plover in Hawaii. *Elepaio* 45: 12-13. (Naval Reg. Med. Cent., Newport, RI 02840, U.S.A.)
- LEOPOLD, M.F. & MARTEIJN, E.C.L. 1984. *De Scholekster Haematopus ostralegus: aan-tals-afhankelijke verspreiding en kwaliteitsverschillen tussen op het wad fouragerende groepen. [The Oystercatcher: density dependent distribution and quality differences between foraging groups.]* Doctoraalverslag, University of Utrecht, 15 pp. In Dutch. (c/o C. Swennen, N10Z, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- LEOPOLD, M.F., MARTEIJN, E.C.L. & SWENNEN, C. 1985. Long-distance transport of prey from the intertidal zone to high-tide roosts by the Oystercatcher. *Ardea* 73: 76-82.
- LIFJELD, J.T. 1984. Prey selection in relation to body size and bill length of five species of waders feeding in the same habitat. *Ornis Scand.* 15: 217-226. (Zool. Mus., Sarsgt. 1, N-0562 Oslo 5, Norway.) Little Stint, Dunlin, Curlew Sandpiper, Ringed Plover & Ruff foraging on tidal wrack bed in N. Norway.
- MACLEAN, G.L. 1984. Arid-zone adaptations of waders (Aves: Charadrii). *S. Afr. J. Zool.* 19: 78-81. (Dept. Zool., Univ. Natal, Pietermaritzburg 3201, S. Africa.)
- MAHED, R. 1985. *Limicoles sejournant en France janvier 1984 - avril 1984.* [Waders in France January-April 1984.] Report BIRDE/Limicoles & ONC, 62 pp. In French. (Stat. Biol. Mar., Ile Bailleron, 56860 Sene, France.)
- MAKATSCH, W. 1984. Der Stelzenläufer (*Himantopus himantopus*). [The Black-winged Stilt.] *Gef. Welt* 108: 141-142. In German.
- MARCUS, M.J. 1985. Feeding associations between capybaras and jacanas: a case of interspecific grooming and possibly mutualism. *Ibis* 127: 240-243. (Dept. Zool., Murray Hall, Univ. Maine, Orono, Maine 04469, U.S.A.)

- MARON, J.-L. & MYERS, J.-P. 1984. A description and evaluation of two techniques for sexing wintering Sanderlings. *J. Field Ornithol.* 55: 336-342. (Dept. Biol., Univ. ND, Grand Forks 58202, U.S.A.)
- MARTEIJN, E.-C.-L. & LEOPOLD, M.-F. 1984. *Scholeksters Haematopus ostralegus en de strenge winter van 1981/1982. [Oystercatchers and the severe winter of 1981/1982.]* Doctoraalverslag, University of Utrecht, 27 pp. In Dutch. (c/o C. Swennen, N10Z, P.O. Box 59, 1790 AB Den Burg, The Netherlands.)
- MARTEIJN, E.-C.-L. & LEOPOLD, M.-F. 1984. *Kleptoparasitaire voedselinteracties bij de Scholekster Haematopus ostralegus. [Kleptoparasitic feeding - interactions in Oystercatchers.]* Doctoraalverslag, University of Utrecht, 21 pp. In Dutch.
- MARTEIJN, E.-C.-L. & LEOPOLD, M.-F. 1984. *Predatie van macrozoobenthos door Scholeksters Haematopus ostralegus op een deel van het Balgzand. [Predation of macrozoobenthos by Oystercatchers on part of Balgzand.]* Doctoraalverslag, University of Utrecht, 44 pp. In Dutch.
- McCLURE, D. & McCLURE, P. 1983. Lesser Golden Plover observed in South Fulton County. *Orizole* 48: 6-7. (4885 Butner Rd., College Park, GA 30349, U.S.A.)
- McNEIL, R., RODRIGUEZ, S., jr. & MERCIER, F. 1985. Winter range expansion of the Long-billed Curlew (*Numenius americanus*) to South America. *Auk* 102: 174-175. (Cent. rech. ecol., Univ. Montreal, CP 6128, Succ. A., Montreal, Quebec H3C 3J7, Canada.)
- MEAD, C. 1985. European freeze hits Britain twice. *BTO News* 137:1. (BTO, Beech Grove, Tring, Herts., U.K.) Anecdotes on movements and mortality of waders hit by European (!) cold.
- MEININGER, P.-L., BAPTIST, H.-J.-M. & SLOB, G.-J. 1984. *(Bird counts in the Delta area (SW Netherlands) in 1975/76 - 1979/80.)* Nota DDMI - 84. 23, 389 pp. In Dutch with English abstract. (RWS Deltadienst, Grenadierweg 31, 4338 PG Middelburg, The Netherlands.)
- MELTOFTE, H., MEHLUM, F. & FRIKKE, J. 1983. Observations on the wader populations at Ny-Alesand, Spitsbergen, 1982. *Polar Res.* 1: 211-213. (Zool. Mus., Universitetsparken 15, DK-2100 Copenhagen, Denmark.)
- MELVIN, S. 1984. Results of the 1984 census of Piping Plovers, American Oystercatchers, and Willets in Massachusetts. *Bird Observer East Mass.* 12: 325-327.
- METCALFE, N.-B. 1985. Prey detection by intertidally feeding lapwing. *Z. Tierpsychol.* 67: 45-57. (Zoology Dept., Glasgow Univ., Glasgow G12 8QQ, U.K.)
- MILLER, E.-H., GUNN, W.-W.-H., MYERS, J.-P. & VEPRINTSEV, B.-N. 1984. Species-distinctiveness of Long-billed Dowitcher song (Aves: Scolopacidae). *Proc. Biol. Soc. Wash.* 97: 804-811. (Vertebr. Zool. Div., B.-C. Provincial Mus., Victoria B.-C., Canada V8V 1X4.)
- MILLS, K. 1984. Seasonal fluctuations of numbers of Ruddy Turnstones at Bellambi Point, Wollongong, NSW. *Aust. Birds* 18: 80-82. (20 Blanchard Crescent, Balgownie, NSW 2519, Australia.)
- MINTON, C.-D.-T. & LANE, B.-A. 1984. Counting and banding waders in Australia. In: Davies, S.-J.-J.-F. (ed.). *Methods of censusing birds in Australasia.* *DCE Bull.* 153: 43-54. (21 Gladstone Str., Monee Ponds, Vic 3039, Australia.)
- MORRISON, R.-I.-G., ROSS, R.-K., CANEVARI, P., de TARSO ZUQUIM ANTAS, P., de JONG, B., RAMDIAL, B., ESPINOSA, F., MADRIZ TEPERINO, M. & MAGO de PEREZ, J. 1985. Aerial surveys of shorebirds and other wildlife in South America: some preliminary results. *Progr. Notes Can. Wildl. Serv.* 148: 1-22. (CWS, Ottawa, Ontario K1A 0E7, Canada.)
- MOSER, M. & DAVIS, T. 1985. Winter shorebird count. (Progress Report). *BTO News* 137: 6-7. (BTO, Beech Grove, Tring, Herts., U.K.)
- NEUSCHULZ, F. 1983. Einjährige Brutbestandsaufnahme vom Kiebitz (*Vanellus vanellus*), vom Grossen Brachvogel (*Numenius arquata*) und von der Uferschnepfe (*Limosa limosa*) im Raum Dannenberg-Luchow-Gorleben (Kries-Luchow-Dannenberg). [One year inventory of Lapwing, Curlew and Black-tailed Godwit in the Luchow-Dannenberg area.] *Luchow-Dannenger Orn. Jber.* 9: 133-137. In German. (Gartenstr. 7, D-3131 Gorleben, W-Germany.)
- NEWMAN, O.-M.-G. 1984. Survival of Pied Oystercatchers banded as pulli. *An Occasional Stint* 3: 45-51. (58 Sinclair Ave., Moonah, Tas. 7009, Australia.)
- NEWMAN, O.-M.-G. & FLETCHER, A.-W.-J. 1981. Fluctuations in Hobart area wader populations 1964 to 1981. *Tasmanian Bird Report* 10: 4-11.
- NEWMAN, O.-M.-G. & PATTERSON, R.-M. 1984. A population survey of the Hooded Plover (*Charadrius rubricollis*) in Tasmania, October 1982. *An Occasional Stint* 3: 1-6.
- NIKULA, B. 1984. Observation of a Long-billed Curlew in Massachusetts. *Bird Observer East Mass.* 12: 273-275.
- NOLET, B. 1983. Consumptie door steltlopers op het wad, I en II. [Consumption by waders on mudflats, I and II.] *Aythya* 22(3): 4-16. In Dutch. (van Heemskerckstr. 1-111, 9726 GB Groningen, The Netherlands.)
- NUYTEMANS, H. 1984. (Occurrence of Red-necked Phalarope (*Phalaropus lobatus*) in Flanders and western Europe.) *Wielewaal* 50: 318-323. In Flemish with English summary.
- ORING, L.-W., LANK, D.-B. & MAXSON, S.-J. 1984. Mate and nutrient limitation of breeding in the ployandrous Spotted Sandpiper. *Am. Zool.* 24:60A. Abstract only.
- PARISH, D. (ed.). 1984-1985. *Interwader Newsletter* No.'s 1-5. Up to date information on development of wader and wetland research in SE Asia. (Subscription US \$5 per year, to Interwader, P.O. Box 10769, Kuala Lumpur, Malaysia.)
- PATTERSON, R.-M. 1984. National Wader Counts 1983 - the Tasmanian results. *An Occasional Stint* 3: 35-40. (89 Summerleas Rd., Fern Tree, Tas. 7101, Australia.)

- PHILIPPONA, J. 1985. *Waterbirds at some wetlands in Turkey and Greece, October 1984*. WIWO Report 3, Zeist, 110 pp. (Dfl. 4 to giro account nr. 2666009 of WIWO, Ewijk, The Netherlands or with Int. Money Order to WIWO, c/o Drebergseweg 16C, 3708 JB Zeist, The Netherlands.)
- PIENKOWSKI, M.-W., EVANS, P.-R. & TOWNSHEND, D.-J. 1985. Leap-frog and other migration patterns of waders: a critique of the Alerstam & Hogstedt hypothesis, and some alternatives. *Ornis Scand.* 16: 61-70. (NCC, Northminster House, Peterborough PE1 1UA, U.K.)
- PIERSMA, T. 1985. Steltzonniers: it waad ferbynt de tundra's mei de tropen. [Waders: the Wadden Sea connects tundra and tropics.] *Vanellus* 38: 37-43. In Friesian with Dutch summary. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- PIERSMA, T. & SMIT, C. 1985. Trek van steltlopers langs de oostkust van de Atlantische Ocean. [Migration of waders along the east-side of Atlantic Ocean.] *Skor.* 4(2): 32-34. In Dutch. Announcing WSG project.
- PITZRIK, V.-M. 1984. American Avocet in Allegany Country. *Kingbird* 34: 230. (Amity Lake, Belmond, NY 14813, U.S.A.)
- PLINZ, W. 1983. Winterbeobachtungen von Grossen Brachvogeln (*Numenius arquata*) am Hohbeck. [Winter observations of Curlews at Hohbeck.] *Luchow-Dammenberg Orn. Jber.* 9: 139-140. In German.
- RAPPOLDT, C., KERSTEN, M. & SMIT, C. 1985. Errors in large-scale shorebird counts. *Ardea* 73: 13-24. (Emmastr. 53, 1814 DM Alkmaar, The Netherlands.)
- RANDALL, B.-M. & RANDALL, R.-M. 1984. Land and shore birds at St. Croix Island. *Bokmakerie* 36: 51-55. (Zool. Dept., Univ. Port Elizabeth, Box 1600, Port Elizabeth, 6000 S.Africa.)
- REDMOND, R.-L. 1984. *The behavioural ecology of Long-billed Curlews (Numenius americanus) breeding in Western Idaho*. Ph.D. dissertation, Univ. Montana, 154 pp.
- REED, T.-M., BARRETT, C., BARRETT, J., HAYHOW, S. & MINSHULL, B. 1985. Diurnal variability in the detection of waders on their breeding grounds. *Bird Study* 32: 71-74. (NCC, Northminster House, Peterborough, PE1 1UA, U.K.)
- REID, F.-A., RUNDLE, W.-D., SAYRE, M.-W. & COVINGTON, P.-R. 1983. Shorebird migration chronology at two Mississippi river valley wetlands of Missouri. *Trans. Mo. Acad. Sci.* 17: 103-115. (School For., Fish & Wildl., Univ. Mo., Gaylord Mem. Lab., Puxico 63960, U.S.A.)
- REYNOLDS, J.-D. 1984. Male Ruff display to three females near Churchill, Manitoba. *Blue Jay* 42: 219-221. (Dept. Biol., Queen's Univ., Kingston ON, Canada K7L 3N6.)
- RHIJN, J.-van. 1985. A scenario for the evolution of social organization in Ruffs *Philomachus pugnax* and other Charadriiform species. *Ardea* 73: 25-37. (Zool. Lab., Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- ROME, A. 1983. [Search on the presence of Pratincole (*Glareola pratincola*) in Toscana, Italy.] *Gli Ucelli d'Italia* 8: 36-42. In Italian. (Via Giunta Pisano 2, 56100 Pisa, Italy.)
- ROSE, G. 1983. Erfolgreiche Brut einer Sandregenpfeifers (*Charadrius hiaticula*) trotz ungewöhnlich kritischer Gelegelage. [Successful brood of Plover despite dangerous nesting site.] *Vogelk. Ber. Niedersachs.* 15: 84. In German. (Am Fried 17, D-3456 Eschershausen, W-Germany.) Next to road.
- RYAN, M.-R., RENKEN, R.-B. & DINSMORE, J.-J. 1984. Marbled Godwit habitat selection in the Northern Prairie region. *J. Wildl. Manage.* 48: 1206-1218. (Zoology Dept., N.D. State Univ., Fargo, ND 58105, U.S.A.)
- RYAN, P.-G., COOPER, J. & STUTTERHAIM, C.-J. 1984. Waders (Charadrii) and other coastal birds of Skeleton coast, South West Africa. *Madoqua* 14: 71-78. (Fitzpatrick Inst., Univ. Cape Town, Rondebosch 7700, S.Africa.)
- RYAN, P.-G., COOPER, J., STUTTERHEIM, C.-J. & LOUIT, R. 1984. An annotated list of the birds of the Skeleton Coast Park. *Madoqua* 14: 79-90.
- SCHARENBURG, K.-van. 1985. Veranderingen in de weidevogelstand van het Zuidelyk Westerkwartier. Een vergelijking tussen de jaren 1975 en 1980. [Changes between 1975 and 1980 in meadowbird-populations in an area in Groningen, The Netherlands.] *Grauwe Gors* 13: 7-13. In Dutch. (Marjoleinstr. 57, 9731 DC Groningen, The Netherlands.)
- SCHEKKERMAN, H. 1983. Vogels op het Skylger strand op 13 en 14/08/83. [Birds on beach of Terschelling, 13 and 14 August 1983.] *Aythya* 22(3): 23-25. In Dutch. (Mr. Ludwigstr. 1, 1901 PS Castricum, The Netherlands.)
- SCHOUTEN, N.-A. 1985. Foerageertechniek van Grauwe Franjepoot. [Foraging method of Red-necked Phalarope.] *Vogeljaar* 33: 88. In Dutch. (Schapendrift 11, 1261 HK Blaricum, The Netherlands.)
- SCHUBERT, P., BIRKE, P. & SCHWARZE, E. 1983. Zwei neue Wassertreter Feststellungen im mittleren Mittelbegebiet. [Two new observations of phalaropes in the middle Elbe-area.] *Apus* 5: 95-96. In German.
- SCHUMANN, B., SCHRODER, H. & GLOE, P. 1984. Beitrag über die Felakenzeichen der Doppelschnepfe (*Gallinago media*). [Contribution to field identification of Great Snipe.] *Orn. Mitt.* 36: 61-66. In German. (Gartnerweg 11, 2246 Henstedt, W-Germany.)
- SILVIUS, M. & VERHEUGT, W. 1985. Wadden en mangroves op Sumatra. [Mudflats and mangroves on Sumatra.] *Panda* 21: 67-69. In Dutch. (c/o JCBP, Cambridge, U.K.)
- SMITH, F.-T.-H. 1984. Further to "A retraction of Victorian Dunlin records". *Aust. Bird Watcher* 10: 240-241. (71 Cobden Str., Kew, Vic. 3101, Australia.)

- SMITH, K. 1985. Breeding wader monitoring. *BTO News* 136:3. (BTO, Beech grove, Tring, Herts. HP23 5NR, U.K.) Plea for help.
- SORDAHL, T.A. 1984. Observations on breeding site fidelity and pair formation in American Avocets and Black-necked Stilts. *N. Am. Bird Bander* 9: 8-11. (Dept. Biol., Luther Coll., Decorah, IA 52101, U.S.A.)
- STEPHENS, M.L. 1984. *Maternal care and polyandry in the Northern Jacana (Jacana spinosa)*. Ph.D. Dissertation, Univ. of Chicago.
- STRAZDS, M. & STRAZDS, A. 1983. (Avifauna of the wetland "Daugavriva".) In: *The Rare Plants and Animals*, 1983. (Riga, Latvia.) pp. 44-52. In Latvian with English and Russian summaries. (Biol. Dept., P. Stucka Latvian State Univ., Riga, Latvian SSR, U.S.S.R.)
- STRUWE, G. 1983. Zum Brutvorkommen des Steinwälders (*Arenaria interpres*) an der westküste Schleswig-Holsteins. [On the breeding of Turnstones along the west coast of Schleswig-Holstein.] *Covax* 9: 239-240. In German. (Kolonnenweg 111, 2380 Schleswig, W.Germany.)
- SUMMERS, R. 1985. Purple Sandpiper studies on the Isle of May - The Norwegian connection. *BTO News* 136: 8-9.
- SZCZEPANIK, A. 1983. (Nesting of *Vanellus vanellus* on water-pasture in Warta Valley.) *Pozn. Tow. Przyj. Nauk, Wyzd. Mat.-Przyr., Pr. Kom. Biol.* 67: 43-55. In Polish with English summary. (Lab. Syst. Zool., Univ. A. Mickiewicz, Fredny 10, 61-701 Poznan, Poland.) Nesting habitat preferences, polygamy, nest, clutch-size, breeding success, eggs.
- THINGSTAD, P.G. 1983. (Distribution of waders in Nord-Trøndelag, central Norway.) *Var Fugelfauna* 6: 244-251. In Norwegian with English summary. (DKNVS Mus., Univ. Trondheim, N-7000 Trondheim, Norway.)
- TOMKOVICH, P.R. 1984. [Adaptations in social organisation of tundra birds: Calidritine Sandpipers.] In: Martin, J., Matveyeva, N., Piin, T., Semyonova, V. & Chernov, J. (eds.). [Adaptations of organisms to the arctic environments.] Tallin, pp. 173-177. In Russian.
- VRONSKY, N.V. 1984. [Distribution regularities of birds in northern subzones of Taimyr tundra in connection with their adaptive peculiarities.] In: Martin, J., Matveyeva, N., Piin, T., Semyonova, V. & Chernov, J. (eds.). [Adaptations of organisms to the arctic environments.] Tallin, pp. 35-39. In Russian.
- WAGNER, R. 1983. Ein Beitrag zur Ökologie der Uferschnepfe *Limosa limosa* (Linne 1758). [A contribution to ecology of Black-tailed Godwits.] *Sonderheft mitt. bl. DBV Landesverb. Hamburg* 11: 25-36. In German. (Bachstr. 81, D-2000 Hamburg 76, W.Germany.)
- WAKEFIELD, W.C. 1984. The wader habitats of Moulting Lagoon, Tasmania. *An Occasional Stint* 3: 26-34. (28 Brushy Creek Rd., Lenah Valley, Tas. 7008, Australia.)
- WANDER, W. 1984. Techniques for aging selected species of shorebirds in the field. *Rec. New Jersey Birds* 10: 49-55. (Rd. 3, Box 270, Somerset, Nj 08873, U.S.A.) Arrival times of juv. vs. adults of 18 wader species.
- WESELOH, D.V.C. & WESELOH, L.M. 1983. Numbers and site characteristics of the Piping Plover in central Alberta, 1974-1977. *Blue Jay* 41: 155-161. (CWS, Box 5050, Burlington, ON L7R 4A6, Canada.)
- WILDS, C. & NEWTON, M. 1983. The identification of dowitchers. *Birding* 15: 151-166. (Dept. Vertebr. Zool., Smithsonian Inst., Washington, DC 20560, U.S.A.)
- WILLI, P. 1983. Spitzschwanzstrandläufer (*Calidris acuminata*) im Rheindelta. [Sharp-tailed Sandpiper in Rhine-delta.] *Egretta* 26: 67-68. In German. (Romanshorn, Switzerland.)
- WILLIAMS, T.C. 1985. Autumnal bird migration over the windward Caribbean Islands. *Auk* 102: 163-167. (Dept. Biol., Swarthmore Coll., Swarthmore, PA 19081, U.S.A.) Interesting information on possibly-waders' migration.
- WILSON, B.L., PADEFORD, L. & PDEFORD, B. 1983. Piping Plover nests in Pottawatomie Co. *Iowa Bird Life* 53: 69-70. (Rte. 1, Box 43, Hastings, IA 51540, U.S.A.)
- WINKLER, H. 1980. Kiemenfusse (*Branchinecta orientalis*) als Limikolen-nahrung im Seewinkel. [*B. orientalis* as wader food at Seewinkel.] *Egretta* 23: 60-61. In German. (Inst. Limnol., Abt. Mondsee, A-5310 Gaisberg 116, Austria.) Spotted Sandpiper, Avocet, Greenshank and Terek Sandpiper.
- WYMENGA, E. 1985. Grutto project 1985. [Project on Black-tailed Godwit 1985.] *Twirre* 7(4): 11-15. In Dutch. (Mounehoek 42, 9263 TL Garijp, The Netherlands.)
- WYMENGA, E. 1985. Steltloperexpeditie naar Tunesie. [Wader expedition to Tunisia.] *Twirre* 7(4): 26-28. In Dutch.
- XU, W. & PURCHASE, D. 1983. On the migration of banded waders between China and Australia. *Memoirs of Beijing Nat. Hist. Mus.* 23: 1-12. In Chinese and English. (Inst. Nat. Hist., Beijing Nat. Hist. Mus., Beijing, China.)
- ZWARTS, L. 1985. The winter exploitation of Fiddler Crabs *Uca tangeri* by waders in Guinea-Bissau. *Ardea* 73: 3-12. (Achterwei 23, Ee, Friesland, The Netherlands.)