

## RECENT PUBLICATIONS ON WADERS 39

compiled by Theunis Piersma

Since we try to make these lists as complete and up to date as possible, any help is most welcome! Send omissions, mistakes, new titles, abstracts or reprints to Theunis Piersma, Korte Nieuwstraatse 4, 9724 LC Groningen, The Netherlands. This time, I am most grateful to Ian Bainbridge, Ted Miller, Cor Smit and Francois Sueur for help. Translated titles in languages other than English are bracketed: round brackets if the translation is by the author(s); square brackets if not.

ADAMS,L.W., DOVE,L.E. & FRANKLIN,T.M. 1985. Use of urban stormwater control impoundments by wetland birds. *Wilson Bull.* 97: 120-122.

ALSTROM,P. 1985. Fältbestämning av gullbrostad snappa *Calidris bairdii* och vitgumpsnappa *C. fuscicollis* i juvenil dräkt. [Field-recognition of juvenile Baird's and White-rumped Sandpipers.] *Var Fagelvärld* 44: 479-484. In Swedish.

ALTENBURG,W., BEEMSTER,N., VAN DIJK,K., ESSELINK,P., PPOP,D. & VISSER,H. 1985. (Development of the breeding bird population in the Lauwersmeer in 1978-83.) *Limosa* 58: 149-161. In Dutch with English summary. (Zoological Laboratory, University of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)

ALVAREZ,F., BRAZA,F. & AZCARATE,T. 1984. (Flight distances in birds.) *Donana Acta Vertebr.* 11: 125-130. In Spanish with English summary. (Estac. Biol. Donana, Apdo. 1056, Sevilla-12, Spain.) Data on e.g. *Calidris alba* and *Himantopus himantopus*.

AMBROSE,W.G.,Jr. 1986. Estimate of removal rate of *Nereis virens* (Polychaeta: Nereidae) from an intertidal mudflat by gulls (*Larus spp.*) *Mar. Biol.* 90: 243-247. (Dept. Mar. Zool., Biol. Inst., P.O. Box 1064, Blindern, Oslo 3, Norway.)

ANKNEY,C.D. & HOPKINS,J. 1985. Habitat selection by roof-nesting Killdeer. *J. Field Orn.* 56: 284-286.

ANONYMOUS. 1984. Steltloperonderzoek. [Wader Research.] *Waard* 15(4): 105-109. In Dutch.

BACROT,S. & SUEUR,F. 1985. Impact sur l'avifauna des deux vagues de froid successives de janvier et février 1985 en Picardie. [Impact on the avifauna of two successive cold spells in January and February 1985 in Picardie.] *Avocette* 9: 106-142. In French. (c/o Le Bout des Crocs, St. Quentin-en-Tourmont, F-80120 Rue, France.)

BARTER,M. 1986. Sex-related differences in adult Curlew Sandpipers *Calidris ferruginea* caught in Victoria. *Stilt* 8: 2-8. (21 Chivalry Ave., Glen Waverley, Vic. 3150, Australia.)

BAYER,R.D. 1984. Oversummering of Whimbrels, Bonaparte's Gulls and Caspian Terns at Yaquina estuary, Oregon. *Murrelet* 65: 87-90. (P.O. Box 1467, Newport, OR 97365, U.S.A.)

BEADLE,D. & WHITTAKER,A. 1985. Sabah survey report. In: Parish,D. & Wells,D. (eds.). *Interwader Annual Report 1984*, Kuala Lumpur. Pp. 79-117. (14 Westcliff Terr. Mansions, Pegwell Rd., Ramsgate, U.K.)

BEINTEMA,A.J. 1983. Meadow birds as indicators. *Env. Monit. Assessm.* 3: 391-398.

BERGH,L. VAN DEN. 1986. De Wulp, een nieuwe weidevogel. [The Curlew, a new meadowbird.] *Vogels* 6: 78-81. In Dutch. (RIN, Kemperbergerweg, Arnhem, The Netherlands.)

BERGSTROM,P.W. 1986. Daylight incubation sex roles in Wilson's Plover. *Condor* 88: 113-115. (Dept. Biol., Wash. & Lee Univ., Lexington, VA 24450, U.S.A.)

BERKEL,L.H.VAN & VAN DIJKEN,K. 1985. (White-tailed Plover near Klazienaveen in June 1984.) *Dutch Birding* 7: 98-99. In Dutch with English summary. (Balingerbrink 218, 7812 SP Emmen, The Netherlands.)

BHARUCHA,E.K. & SAMANT,J.S. 1984. On the sighting of a flock of Crab Plovers at Kolhapur. *J. Bombay Nat. Hist. Soc.* 81:698. (23/5 Bund Garden Rd., Pune-411001, India.)

BOUDEWIJN,T.J. & MES,R.G. 1986. De ontwikkeling van de vogelstand in het Hollands Diep/Haringvliet - gebied in de periode 1972-1984 en de invloed van peilbeheer op watervogels. [Development of bird communities in Hollands Diep/Haringvliet, 1972-1984, and the effects of water-level-management on waterbirds.] Report Ecoland, Leeuwarden, 152 pp. In Dutch. (Ecoland, Schuilenburg 26, 8926 KR Leeuwarden, The Netherlands.) Feeding site selection and occurrence of inland waders.

BOWLER,J., HOWES,J. & LONG,A. 1985. Surveys of wader sites in north-west Java. In: Parish,D. & Wells,D. (eds.). *Interwader Annual Report 1984*, Kuala Lumpur. Pp. 143-149. (The Orchard, South Rd., Englefield Green, Egham, Surrey, U.K.)

BOSWALL,J. & VEPRINTSEV,B.N. 1985. Keys to identifying Little Curlew. *Am. Birds* 39: 251-254.

BRENNAN,L.A., BUCHANAN,J.B., HERMAN,S.G. & JOHNSON,T.M. 1985. Interhabitat movements of wintering Dunlins in Western Washington. *Murrelet* 66: 11-16. (P.O. Box 1144, Laytonville, CA 95454, U.S.A.)

BRISSE,P. 1983. Baird's Sandpiper in the Atlanta area. *Oriole* 48:65. (4960 Gatehouse Way, Stone Mountain, GA 30088, U.S.A.)

BROKAW,H.P. & WINSTON,W.J. 1985. Wilson's Plover - first Delaware State Record. *Delmarva Ornithol.* 18:32.

BUCHANAN,J.B., BRENNAN,L.A., SCHICK,C.T., FINGER,M.A., JOHNSON,T.M. & HERMAN,S.G. 1985. Dunlin weight changes in relation to food habits and available prey. *J. Field Orn.* 56: 265-272. (1409 W 7th Ave., Olympia, WA 98501, U.S.A.)

- BULAVINTSEV,V.I. 1984. [The birds of Bolshevik Island, Severnaya Zemlya archipelago.] *Ornitologija* 19: 175-176. In Russian. Amongst others: *Calidris maritima*.
- BYRKJEDAL,I. 1985. Time-activity budget for breeding Greater Golden Plovers in Norwegian mountains. *Wilson Bull.* 97: 486-501. (Zool. Mus., Univ. of Bergen, Bergen, Norway.)
- CADE,B.S. 1985. Habitat suitability index models: American Woodcock (wintering). *U.S. Fish Wildl. Serv. Biol. Rep.* 82(10-105), 23 pp. (U.S. Fish & Wildl. Serv., W-E.L.U.T., Drake Creekside Bldg. One, Fort Collins, CO 80526-2899, U.S.A.)
- CAMBY,N. & GRISSE,P. 1985. Nouvelle observation de Pluvier guignard *Euchomias morinellus* sur le littoral girondin. [New observation of a Dotterel on the Gironde-shore.] *Courbageot* 11: 54-55. In French. (39 rue Henry IV, 33000 Bordeaux, France.)
- CHALABI,B., SKINNER,J., HARRISON,J. & VAN DIJK,G. 1985. Les zones humides du nord-est Algerien en 1984. [The wetlands of north-east Algeria in 1984.] WIWO Report 8, Zeist, 65 pp. In French. (Available for Dfl. 10 on giro 2666009 of Stichting WIWO, Ewijk, The Netherlands or with Int. Money Order to WIWO, c/o Driebergseweg 16c, 3708 JB Zeist, The Netherlands.)
- CHAPMAN,B.-A., GOOSSEN,J.P. & OHANJANAN,I. 1985. Occurrences of Black-necked Stilts *Himantopus mexicanus* in Western Canada. *Can. Field-Nat.* 99: 254-257. (Dept. Biol. Sci., Simon Fraser Univ., Burnaby, B.C., Canada V5A 1S6.)
- COMMECY,X., GAVORY,L., RIGAUX,T. & SUEUR,F. 1985. Actualites ornithologiques 1984 en Picardie. *Avocette* 9: 9-13. In French. (c/o Le Bout des Crocs, St. Quentin-en-Tourmont, F-80120 Rue, France.) Notes on Avocet, Sanderling, Knot and Marsh Sandpiper.
- COMMECY,X. & GAVORY,L. 1985. Guet a la mer; resultats 1984. [Sea-watching; results 1984.] *Avocette* 9: 89-97. In French. 21 wader species were noticed.
- CORDERO-TAPIA,T.J. & LOPEZ DE VILAR,P. 1985. (Waders' phenology in a small coastal Mediterranean river - El Tordera (NE of Spain).) *Ardeola* 32: 131-136. In Spanish with English summary.
- DA PRATO,S.R.D. 1985. The breeding birds of agricultural land in south-east Scotland. *Scot. Birds* 13: 203-216. (38 Caerlaverook Grove, Tranent, E. Lothian, U.K.)
- DAVIDSON,N.C. & EVANS,P.R. (eds.) 1986. *The ecology of migrant Knots in North Norway during May 1985*. Report SRG 86/1, Shorebird Research Group, Dept. Zool., Univ. Durham, Durham DH1 3LE, U.K., 55 pp.
- DENTERS,T. 1984. Wulpentellingen. [Curlew counts.] *Vlerk* 1(2): 49-53. In Dutch.
- DIERMEN,J.VAN 1984. Het voorkomen van ruiters (*Tringa* en *Actitis*) in oostelijk Noord-Brabant. [The occurrence of tringids in eastern Noord-Brabant.] *Roodborsttapuit* 3(3): 2-18. In Dutch.
- DIJK,A.J.VAN. 1985. Tellingen op slaappaatsen van de Wulp. [Counts on roost of Curlews.] *Orentse Vogels* 1: 42-48. In Dutch.
- DIJK,K.VAN & BORRIUS,K. 1985. (Breeding record of Dunlin *Calidris alpina* in the Lauwersmeer.) *Limoso* 58:166. In Dutch with English summary. (Zoological Laboratory, Univ. of Groningen, P.O. Box 14, 9750 AA Haren, The Netherlands.)
- DIJKSTRA,H. & DE VRIES,N. 1986. Vloeivelden Ter Apel bedreigd? [Sewage farms Ter Apel, endangered?] *Grauwe Gors* 14: 33-35. In Dutch. (c/o Poortersplein 12, 9711 XN Groningen, The Netherlands.)
- DONOGHUE,A.M., QUICKE,D.L.J. & BRACE,R.C. 1986. Turnstones apparently preying on sea anemones. *Brit. Birds* 79:91. (Dept. Zool., Univ. Nottingham, University Park, Nottingham NG7 2RD, U.K.)
- DOYLE,M., DRAKE,A. & VON BEHRENS,D. 1985. A Wandering Tattler on Windang Island, Wollongong, NSW. *Aust. Birds* 19: 39-40. (P.O. Box 301, Civic Square, Canberra, ACT 2608, Australia.)
- DUBOIS,P.J. & MAHEO,R. 1986. *Limicoles nicheurs de France*. [Breeding waders of France.] Ministere de l'Environnement - Service de la Recherche, des Etudes et du Traitement de l'Information de l'Environnement, Paris (ISBN 2-9501292-0-X), 291 pp. In French. (LPO, La Corderie Royale, Rochefort, France.) Impressive and comprehensive report on status and biology of breeding waders in France.
- EISMA,D. 1986. Het Canadese waddengebied in de Bay of Fundy. [The Canadian intertidal area in Bay of Fundy.] *Waddenbulletin* 21: 79-82. In Dutch. (NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- ELLENBROEK,F. & SCHEKKERMAN,H. 1985. (Greater Sand Plover on Terschelling in August 1984.) *Dutch Birding* 7: 59-65. In Dutch with English summary. (W. Schuylenburglaan 80, 3571 SL Utrecht, The Netherlands.)
- EYKELENBOOM,A.A. & EYKELENBOOM,E.C. 1984. Verslag 5e jaar Westplaattellingen. [Report wader counts on Westplaat.] Meded. KNNV-WWG Voorne 33: 1-37. In Dutch.
- FOKKEMA,J., HOEKSTRA,J., NAUTA,J., RIJPMA,U. & WIEGERSMA,J. 1986. Resultaten van de nazorg in Friesland De periode 1981-1984. [Results of meadowbird-protection in Friesland in 1981-1984.] Report BFVW, Leeuwarden, 40 pp. In Dutch.
- GALLEGO LUQUE,D. 1984. *Aspectos de la biología reproductiva del Tero Común *Vanellus chilensis* (Gmelin)*. I. Comportamiento y territorialidad. [Aspects of the reproductive biology of *Vanellus vanellus*. I. Behaviour and territoriality.] *El Hornero* 12: C.150 (? pp.). In Spanish (Argentina).
- GARNETT,S. 1986. Seasonal changes in the wader population in the south-east of the Gulf of Carpenteria. *Stilt* 8: 9-13. (Garden of St. Erth, Blackwood, Vic. 3458, Australia.)
- GARNETT,S. & BREDL,R. 1985. Birds in the vicinity of Edward River settlement. Part I. Introduction, methods, study area, list of non-passerines. *Sunbird* 15: 6-23.

- GARNETT,S. & MINTON,C. 1985. Notes on the movements and distribution of Little Curlew *Numenius minutus* in northern Australia. *Aust. Bird Watcher* 11: 69-73.
- GIROUX,J.-F. 1985. Nest sites and superclutches of American Avocets on artificial islands. *Can. J. Zool.* 63: 1302-1305. (Dept. Biol., Univ. Laurel, Ste. Foy, P.Q., Canada G1K 7P4.)
- GOLDER,W.W. 1985. Piping Plovers nesting at Cape Hatteras, N.C. 1985. *Chat* 49: 69-70. (Dept. Biol. Sci., Univ. N.C., Wilmington, NC 28403, U.S.A.)
- GOODMAN,J.D. & GOODMAN,J.M. 1985. African Jacana carries young in Uganda. *EANHS (East Afr. Nat. Hist. Soc.) Bull.* Aug.-Oct. 1985: 53-54. (Dept. Zool., Box 7062, Kampala, Uganda.)
- Graig,T.H., CRAIG,E.H. & STEELE,E. 1985. Recent nesting and sight records of Mountain Plovers in northwestern New Mexico. *Southwest Natur.* 30: 451-452.
- GRAVES,G.R., CARTER,R.M. & NeSMITH,C.C. 1985. First Gulf Coast Record of the Bar-tailed Godwit. *Fla. Field Nat.* 13: 36-37. (Dept. Biol. Sci., Fla. State Univ., Tallahassee, 32306, U.S.A.)
- GRISSEUR,P. 1985. Ecologie des stationnements de limicoles dans une région continentale d'Aquitaine: la Vallée de l'Isle (Dordogne). [Ecology of wader-habitats in a valley in Dordogne, Aquitaine.] *Courbageot* 11: 1-36. In French. (Route de Perigueux, Gabillon, 24400 Mussidan, France.)
- GROOT KOERKAMP,G. 1984. Steltlopertellingen op de Bolwerksweiden en de Wilpse Klei in 1983. [Wader counts on Bolwerksweiden en Wilpse Klei, 1983.] *Ijsvogel* 3(2): 31-45.
- GUILLOU,J.J. 1985. (The Buff-breasted Sandpiper *Tryngites subruficollis* at Retba Lake, Senegal.) *Alauda* 53:307. In French with English summary.
- GULDEMOND,A. & TANGER,D. 1986. Het effect van interriesf grasslandgebruik in Waterland op weidevogels. [Effects of intensive agricultural practices in Waterland op weidevogels.] *Vogeljaar* 34: 1-16. In Dutch. (Groenburgwal 23xx, 1011 HR Amsterdam, The Netherlands.)
- HABBARD,C. 1986. Waders here, there and everywhere. A review of February's BT0/Wader Study Group conference. *BT0 News* 144:12.
- HAIG,S.M. & ORING,L.W. 1985. Distribution and status of Piping Plover throughout the annual cycle. *J. Field Orn.* 56: 334-345. (Dept. Biol., Univ. N. Dakota, Grand Forks, ND 58202, U.S.A.)
- HANEY,J.C. 1985. Wintering phalaropes off the southeastern United States: application of remote sensing imagery to seabird habitat analysis at oceanic fronts. *J. Field Orn.* 56: 321-333. (Skidaway Inst. Oceanogr., P.O. Box 13687, Savannah, GA 31416, U.S.A.)
- HAYES,F.E. & BENNETT,G.E. 1985. Escape diving by an American Oystercatcher chick. *J. Field Orn.* 56: 415-415. (Div. Biol. Sci., Univ. of Michigan, Ann Arbor, MI 48109, U.S.A.)
- HEDENSTROM,A. 1985. Observationer från en population mindre strandpipare *Charadrius dubius* i Östergötland. [Observation of a population of Little Ringed Plovers on eastern Gotland.] *Var Fagelvärld* 44: 459-464. In Swedish.
- HELBIG,A.J. 1985. Occurrence of White-tailed Plover in Europe. *Dutch Birding* 7: 79-84. (Zool. Inst., Univ. Frankfurt, Giesmayerstr. 70, 6000 Frankfurt am Main, West Germany.)
- HOPKINS,M.N.,JR. & STEWART,B.G. 1983. White-rumped Sandpipers in Okefenokee Swamp. *Oriole* 48:64. (Rt. 5, Osierfield, GA 31750, U.S.A.)
- HOWE,M.A. 1980. Monitoring migrant shorebird populations in the eastern United States. *Atl. Nat.* 33: 23-24. (USFWS, Patuxent Wildl. Res. Ctr., Laurel, MD 20708, U.S.A.)
- HROKOV,V.V. 1983. [Contributions to the life history of *Glareola nordmanni* Nordm in the Tengiz-Kurgaldzi plains of central Kazakhstan.] *Aquila* 90: 117-137. In Russian with Hungarian summary. (Zool. Inst., Acad. Sci. Kazakh SSR, Alma Ata, U.S.S.R.) Colonies on the study area of 3-25 pairs, but elsewhere up to several 100 or 1000 pairs. Describes nest (n=22) and egg dimensions, and juvenile morphology and dimensions. Half of nests lost to flooding and trampling by grazing domestic animals. Fledglings apparently stay in adult flocks, soon drift southward while still in postbreeding, complete moult. These aerial feeders always nest near water. Feed primarily on ants and beetles caught over open ground (alkali barrens, cattle resting areas etc.).
- JACKSON,T.S. 1983. *Tryngites subruficollis* in Brunswick, Georgia. *Oriole* 48: 65-66. (1990 Palifox Dr., NE, Atlanta, GA 30307, U.S.A.)
- JAMDAR,N. 1985. Redwattled Lapwing (*Vanellus indicus*) suffering from cataract. *J. Bombay Nat. Hist. Soc.* 82:197. (27-A/1, Civil Lanes, Nagpur, India.)
- JANIN,P. 1985. Données récentes sur les nouveaux sites de nidifications de la Barge à Queue noire *Limosa limosa* (L.) dans le val de la Saône. [New information on breeding sites of Black-tailed Godwits in the Saône-valley.] *Oiseau et R.F.O.* 55: 149-150. In French.
- JOHNSON,O.L. 1985. Buff-breasted Sandpipers in Hennepin County. *Loon* 57:109. (7733 Florida Circle, Brooklyn Park, MN 55445 U.S.A.)
- JONES,K.P. 1985. A Long-billed Curlew in Morgan County. *Ill. Birds Birding* 1:61.
- KALAS,J.A. & BYRKJEDAL,I. 1984. Line transects in an alpine area: a methodological study. *Ann. Zool. Fennica* 21: 399-402.
- KAISER,G., POWELL,D., BERTRAM,D. & PARISH,D. 1985. Training workshops in the Philippines. In: Parish,D. & Wells,D. (eds.). *Interwader Annual Report 1984*, Kuala Lumpur. Pp. 127-132. (Can. Wildl. Serv., P.O. Box 340, Delta, Canada.)

- KAUTESK,B.-M. 1985. Northern Shrike catches Sanderling. *Discovery (Vancouver Nat. Hist. Soc.)* 14: 11-12. (6-1661 E 10th Ave., Vancouver, B.C., Canada V5N 1X6.)
- KAUTESK,B.-M. 1985. A possible sighting of the Little Curlew near Vancouver, B.C. *Discovery (Vancouver Nat. Hist. Soc.)* 14: 12-13.
- KHLEBOSOLOV,E.-I. 1985. (The territorial behaviour and its relation to the postnesting ecology in some tundra Limicolae.) *Zool. Zh.* 64: 1024-1035. In Russian with English summary. (Inst. Biol., Problems North, Far East Sci. Centre USSR Acad. Sci., Magadan, U.S.S.R.)
- KIESER,J.-A. 1985. Leg colour of Wood Sandpiper. *Dutch Birding* 7:68. (3 Bellavista Centre, Haddon, Johannesburg, S.Africa.)
- KLABNIK,L. 1984. [A contribution to the population dynamics and breeding bionomy of the Lapwing (*Vanellus vanellus* L.) in the Sluknov headland.] *Zpravy MOS* 1984: 107-120. In Czech with German summary. (CS-36234 Merklin 82, Czechoslovakia.)
- KLIMAITIS,J.-F. & MOSCHIONE,F. 1984. Observaciones sobre nidificación asociada en *Charadrius collaris*, *Sterna supraciliaris* y *Rhynchos nigra* en el río Uruguay, Entre Ríos, Argentina. *El Hornero* 12: c.119-120. In Spanish.
- KOOPMAN,K. 1986. Primary moult and weight changes of Ruffs in The Netherlands in relation to migration. *Ardea* 74: 69-77. (Van Ewsumstr. 8, 9363 JC Marum, The Netherlands.)
- KUWABARA,K. et al. 1984. (Roosting flock of the Whimbrel (*Numenius phaeopus*) on the Yatsu tidal flat, Chiba prefecture.) *Strix* 3: 66-72. In Japanese with English summary. (Conserv. Env. Sci., Tokyo Noko Univ., 3-5-8 Saiwa-Cho, Fuchu-Shi, Tokyo 183, Japan.)
- LAMBERT,F.-R. 1985. Large-scale movements of Common Pratincole *Glareola pratincola* at Jaba. *Malimbus* 7:136.
- LAMBERT,M. & DEWITTE,T. 1985. Nidification du Chevalier guignette (*Actitis hypoleucos*) dans l'Entre-Sambre-et-Meuse en 1985. [Breeding of Common Sandpipers in Entre-Sambre-et-Meuse, Belgium, in 1985.] *Aves* 22: 216-218. In French.
- LANE,B. 1986. The subspecies of Mongolian Plover *Charadrius mongolus* in Australia. *Stilt* 8: 14-17. (RACH, 21 Gladstone Str., Monee Ponds, 3039, Australia.)
- LAURSEN,K. 1985. (Waterfowl and wader shooting in the Danish Wadden Sea and Southern Jutland.) *Danske Vildtundersogelser* 39: 1-60. (Vildtbiol. Stat.k DK-8410 Ronde, Denmark.)
- LEHMAN,P. & DUNN,J.-L. 1985. First record of Little Curlews for North America. *Am. Birds* 39: 247-250.
- L'HYVER,M.-A. 1985. Intraspecific variability in nesting phenology, clutch size and egg size in the Black Oystercatcher *Haematopus bachmani*. M.Sc. Thesis, Univ. of Victoria, Victoria, B.C., Canada.)
- LOFALDLI,L. 1985. Incubation rhythm in the Great Snipe *Gallinago media*. *Holarct. Ecol.* 8: 107-112.
- MAHEO,R. 1985. *Limicoles sejournant en France, janvier 1985 - avril 1985*. Report BIROE/Limicoles, ONC-CREBS/Univ. Rennes, 46 pp. In French.
- MALTBY,E. 1986. *Waterlogged Wealth. Why waste the world's wet places*. Earthscan, London, 200 pp. (Paperback, ca £4. at Earthscan, 3 Endsleigh Str., London WC1 ODD, U.K.)
- MAO YING. 1985. Wader migration in Hiazhou Bay, Eastern China. *Interwader Newslett.* 6: 10-11.
- MARCHANT,J.-H. 1986. Identification habits and status of Great Knot. *Brit. Birds* 79: 123-135. (BTO, Beech Grove, Tring, Herts. HP23 5NR, U.K.)
- MARTEIJN,E.-C.L. & MEININGER,P.-L. 1986. *Methoden voor ringen, meten, wegen en ruibeschrijving van vogels in het Deltagebied*. [Methods for ringing, measuring, weighing and scoring moult of birds in the Delta area.] Nota GWAO-86.105 RWS, Dienst Getydewateren, afd. Biologie, Middelburg, 17 pp. In Dutch. (P.O. Box 8039, 4330 EA Middelburg, The Netherlands.)
- MAYFIELD,H.-F. 1984. Phalaropes: family Scopoliidae. In: Haley,D. (ed.), *Seabirds of Eastern North Pacific and Arctic Waters*. Pp. 112-119.
- MCBRIDE,A. 1986. Another report of the Mongolian Plover subspecies (*Charadrius mongolus atrifrons*) from New South Wales. *Stilt* 8:23. (3/108 Cabramatta Rd., Mosman, NSW 2088, Australia.)
- MCCLURE,P. & MCCLURE,D. 1984. Buff-breasted Sandpipers observed in South Fulton county, Georgia. *Oriole* 49: 39-40. (4885 Butner Rd., College Park, GA 30349, U.S.A.)
- MEININGER,P.-L. 1986. (Avocet *Recurvirostra avosetta*, plovers *Charadrius* and terns *Sterna* as breeding birds in the Delta area (S.W.Netherlands) in 1979-85.) *Limosa* 59: 1-14. (RWS, P.O. Box 8039, 4330 EA Middelburg, The Netherlands.)
- MERCIER,F.-M. & GSAKIN,D.-E. 1985. Feeding ecology of migrating Red-necked Phalaropes (*Phalaropus lobatus*) in the Quoddy region, New Brunswick, Canada. *Can. J. Zool.* 63: 1062-1067. (Dept. Biol., Univ. Montreal, C.P. 6128, Montreal, PQ H3C 3J7, Canada.)
- MILLER,E.-H. 1985. Parental behavior in the Least Sandpiper (*Calidris minutilla*). *Can. J. Zool.* 63: 1593-1601. (Vertebr. Zool. Div., B.C. Prov. Mus., Victoria, B.C., Canada V9V 1X4.)
- MODLINGER,P. 1984. [Reproduction and repatriation of *Recurvirostra avosetta*.] *Aquila* 91: 177-182. In Hungarian. (PF. 469, H-1371 Budapest, Hungary.)
- MORRIS,R.-D. & WIGGINS,D.-A. 1986. Ruddy Turnstones, Great Horned Owls, and egg loss from Common Tern clutches. *Wilson Bull.* 98: 101-109.
- MUELLER,O. & HAILS,C. 1985. Ground surveys and ringing in Singapore. In: Parish,D. & Wells,D. (eds.), *Interwader Annual Report 1984*, Kuala Lumpur. Pp. 119-126. (7 Hamer Ave., Wembley Park, Perth, W.A., Australia.)

- MULDER,T. & PHILIPPONA,J. 1986. Weidevogels op ijsland. [Meadowbirds on Iceland.] *Vogeljaar* 34: 17-23. In Dutch. (Normerweg 1, 1777 JL Hippolytushoef, The Netherlands.)
- NAARDING,J.A. 1985. Latham's Snipe *Gallinago hardwickii* in Australia and Japan. *Interwader Newslet.* 6: 13-14. (Tasmania Ntl. Parks & Wildl. Serv., Hobart, Tas., Australia.)
- NAIRN,R.G.W. & SHEPPARD,J.R. 1985. Breeding waders of sand dune machair in north-west Ireland. *Irish Birds* 3: 53-70.
- NEWELL,J.G. 1985. Early date for Sanderling in Oklahoma. *Bull. Okla. Orn. Soc.* 18:21. (8304 Lakeair Dr., Oklahoma City, OK 73132, U.S.A.)
- NIEUWENHUIS,M. 1984. Kievit vervoert jong door de lucht. [Lapwing carries chick through air.] *Kruisbek* 27(6):256. In Dutch. After disturbance by men, one parent takes chick between legs and carries it in flight over 15 m, away from approaching humans.
- NIGHTINGALE,T. 1986. Little Stints feeding by hovering. *Brit. Birds* 79:136. (Bahrain Nat. Hist. Soc., P.O. Box 20336, Bahrain.)
- NOL,E. 1985. Reproductive strategies in the Oystercatchers (Aves: Haematopodidae). Ph.D. Dissertation, Univ. of Toronto, Toronto, Canada.
- OHMART,R.D., ANDERSON,B.W. & HUNTER,W.C. 1985. Influence of agriculture on waterbird, wader and shorebird use along the lower Colorado river. U.S. For. Serv. Gen. Techn. Rep. RM-120, pp. 117-122. (Cent. Envir. Stud., Ariz. State Univ., Tempe, U.S.A.)
- OS,B.L.J.VON. 1985. Weidevogels in Drenthe in 1975-82. [Meadowbirds in Drenthe in 1975-82.] *Drentse Vogels* 1: 72-76. In Dutch. (c/o P.O. Box 431, 9400 AC Assen, The Netherlands.)
- PAGET,J. 1983. A Buff-breasted Sandpiper in the Upper Piedmont. *Oriole* 48:66. (1530 Vine Str., N.E., Gainesville, GA 30501, U.S.A.)
- PALMER,G. 1986. Great Grey Phalarope in West Midlands..... *Brit. Birds* 79: 208-209. (42 Finchfield Lane, Merry Hill, Wolverhampton, WV3 8EE, U.K.)
- PARISH,D. 1985. Ground surveys in Peninsula Thailand. In: Parish,D. & Wells,D. (eds.). *Interwader Annual Report 1984*, Kuala Lumpur, pp. 43-68.
- PARISH,D. 1985. Ground surveys in Peninsula Malaysia. In: Parish,D. & Wells,D. (eds.). *Interwader Annual Report 1984*, Kuala Lumpur, pp. 69-78.
- PARISH,D. & WELLS,D. (eds.)- *Interwader (East Asia/Pacific Shorebird Study Programme) Annual Report 1984*. Interwader Publication Nr. 2, Kuala Lumpur, 164 pp. (Available for US \$9 (surface) or US \$18 (airmail) at Interwader, P.O. Box 10769, 50724 Kuala Lumpur, Malaysia.)
- PARK,P. 1986. A cooling mechanism in Little Curlew? Stilt 8:22. (Campania, Tasmania 7026, Australia.) Cloacal eversion.
- PARRIS,R.W. 1985. A case of Woodcock mortality possibly due to weather. *Kingbird* 35: 255-256. (Dept. Environm. & For. Biol., State Univ. N.Y., Coll. Environm. Sci. & For., Syracuse 13210, U.S.A.)
- PATTERSON,R.M. 1984. Annual wader counts in the Derwent region 1983. *Tasmanian Bird Rept.* 13: 25-28. (89 Summerless Rd., Fern Tree, Tas. 7101, Australia.)
- PATTERSON,T.K. 1983. The changing status of the Buff-breasted Sandpiper in Georgia. *Oriole* 48: 53-54. (1409 Edgewood Dr., Dublin, GA 31021, U.S.A.)
- PEARSON,D.J. 1984. A Pintail Snipe *Gallinago stenura* at Naivasha. *Scopus* 8: 45-46.
- PEARSON,D.J. 1984. Some counts of wintering waders on the south Kenyan coast. *Scopus* 8: 93-95.
- PIERCE,R.J. 1986. Differences in susceptibility to predation during nesting between Pied and Black Stilts (*Himantopus spp.*). *Auk* 103: 273-280. (P.O. Box 69, Lake Tekapo, South Island, New Zealand.)
- PIERSMA,T. & ENGELMOER,M. 1986. Het jaar van de steltloper: de rol van de Waddensee. [The year of the wader: the role of the Wadden Sea.] *Waddenbulletin* 21: 62-65. In Dutch. (Korte Nieuwstr. 4, 9724 LC Groningen, The Netherlands.)
- PRENTICE,C. (ed.)- 1985. *Interwader Newsletter* 6. Interwader, Kuala Lumpur, 14 pp. (P.O. Box 10769, Kuala Lumpur, Malaysia.)
- PURDY,M.A. 1985. Parental behaviour and role differentiation in the Black Oystercatcher *Haematopus bachmani*. M. Sc. Thesis, Univ. of Victoria, Victoria, B.C., Canada.)
- RADFORD,R.J. 1985. Arctic Terns incubating Ringed Plover eggs to hatching. *Brit. Birds* 78: 454-455. (4 High Ridge, Alton, Hamps., U.K.)
- RAUSCH,M.J. 1982. Mating systems and the breeding biology of the Northern Phalarope (*Phalaropus lobatus*). B.Sc. Thesis, Queen's Univ., Kingston, ON, Canada.
- REID,M.L. & MONTGOMERIE,R.D. 1985. Seasonal patterns of nest defence by Baird's Sandpipers. *Can. J. Zool.* 63: 2207-2211. (Dept. Biol., Carleton Univ., Ottawa, ON, Canada K1S 5B6.)
- REYNOLDS,J.D. 1984. Sex-role reversal in the red-necked phalarope: effects on arrival times and philopatry. M.Sc. Thesis, Queen's Univ., Kingston, ON, Canada. (Dept. Biol., Queen's Univ., Kingston, ON, K7L 3N6, Canada.)
- REYNOLDS,J.D. 1985. Philandering phalaropes. *Nat. Hist.* 94: 58-65.
- REYNOLDS,J.D., COLWELL,M.A. & COOKE,F. 1986. Sexual selection and spring arrival times of red-necked and Wilson's phalaropes. *Behav. Ecol. Sociobiol.* 18: 303-310.
- REYNOLDS,J.F. 1984. Response of a Blacksmith Plover *Vanellus armatus* to ants attacking a hatching egg. *Scopus* 8:79. (35 Foxcroft Dr., Brighouse, W-Yorksh., HD6 3PQ, U.K.) Dumped egg in water.

- RIGAUX,T. 1985. Resultats 1983 et 1984 de l'enquête "limicoles nicheurs" en Picardie. [Results of the 1983-1984 breeding wader enquiry in Picardy.] *Avocette* 9: 1-18. In French. (c/o Le Bout des Crocs, St. Quentin-en-Tourmont, F-80120 Rue, France.)
- RICHARDS,M.W. & BOSWALL,J. 1985. Some Egyptian Plover nests in Senegal. *Malimbus* 7:128.
- RODRIGUEZ DE LOS SANTOS,M. 1984. [Spring observation of *Phalaropus fulicarius* in south Spain.] *Donana Acta Vertebr.* 11:341. In Spanish. (Grupo Ornitol. Sur., Apdo. 1067, Sevilla, Spain.)
- ROOMEN,M.VAN. 1984. Hoogwatertrek van enkele steltloperssoorten bij Stryp. [High-water-flights of some wader species near Stryp.] *Aythya* 22(4): 12-16. In Dutch.
- ROOS,M. 1984. Kluteninventarisatie 1983. [Avocet-survey 1983.] *Grutter* 8(4): 69-74. In Dutch.
- RUFINO,R. & NEVES,R. 1986. Contagens de aves aquáticas - Janeiro de 1986. [Counts of waterbirds in January 1986.] Report CEMPA, Lisbon, 8 pp. In Portuguese. (CEMPA, Rua Filipe Folque 46, 5º, 1000 Lisbon, Portugal.)
- RUITENBEEK,W. 1984. Het SVN-Klutenonderzoek, eindverslag 1981/82. [The SVN-Avocet-enquiry, final report 1981/82.] *Gierwaluw* 22(1): 13-14. In Dutch.
- SCHARRINGA,C.J.G. 1984. Weidevogels in het zuidelijk deel van Noord-Holland. [Meadowbirds in the southern part of Noord-Holland.] *Graspieper* 4: 3-33. In Dutch.
- SCHILPEROORT,S. 1984. De steltlopersslaapplaats op Vlieland. [The wader roost on Vlieland.] *Trekvogels* 1(1): 46-53. In Dutch.
- SCHULZ,M. 1986. Food-trembling in the Red-kneed Dotterel. *Stilt* 8: 21-22. (37 Halifax Str., Middle Brighton, Vic. 3186, Australia.)
- SCOTT,D.A., SMART,M. & CARBONELL,M. (eds.). 1985. Report of the XXXI Annual Meeting, Paracas, Peru, 10-16 February 1985. IWRB, Slimbridge, 190 pp. (IWRB, Slimbridge, Glos. GL2 7BX, U.K.)
- SERRANO,P. & CABOT,J. 1984. [Data on the food habits of *Recurvirostra avosetta* in the Guadiana Estuary.] *Donana Acta Vertebr.* 11: 143-146. In Spanish. (Estac. Biol. Donana, Apdo. 1056, Sevilla-12, Spain.)
- SERRANO,P. & CABOT,J. 1984. [Data on the feeding habits of *Phalaropus fulicarius* in southern Spain.] *Donana Acta Vertebr.* 11: 149-150. In Spanish.
- SHISSLER,B.P. & SAMUEL,D.E. 1985. Effectiveness of American Woodcock survey routes in detecting active singing grounds. *Wildl. Soc. Bull.* 13: 157-160. (Wildl. Manage., Rd. f1, Box 114, Conestoga, PA 17516, U.S.A.)
- SILVIUS,M., VERHEUGT,W. & ISKANDAR,J. 1985. Coastal surveys in south east Sumatra. In: Parish,D. & Wells,D. (eds.). *Interwader Annual Report 1984*, Kuala Lumpur, pp. 133-142. (Interwader, P.O. Box 10769, Kuala Lumpur, Malaysia.)
- SMITH,K. 1986. Monitoring breeding waders. *BTO News* 143:2.
- SMITH,K.G. 1985. Wintering of the Spotted Sandpiper at a heated reservoir in northwestern Arkansas. *Southwest. Nat.* 30: 310-311. (Dept. Zool., Univ. Arkansas, Fayetteville 72701, U.S.A.)
- SNYDER,E.J. 1985. American Woodcock nesting in Pipestone County. *Loon* 57:108. (Dept. Anim. Ecol., Iowa State Univ., Ames 50011, U.S.A.)
- SORRIE,B.A. 1985. Birding in Peru, Part I: the southern coast. *Bird Observer East Mass.* 13: 176-182.
- SPENDELOW,J.A. 1983. Shorebird banding at New Haven Harbor. *Connecticut Warbler* 3: 28-30, 52. (Patuxent Wildl. Res. cent., Laurel, MD 20708, U.S.A.) Summarizes banding records for 11 species and records weight gains for *Charadrius semipalmatus*, *L. griseus* & *C. pusillus*.
- STARKS,J. 1985. Interwader surveys in Thailand. In: Parish,D. & Wells,D. (eds.). *Interwader Annual Report 1984*, Kuala Lumpur, pp. 27-42. (6/354 Nepean Highway, Frankston, Vic. 3199, Australia.)
- STERN,M.A. & ROSENBERG,G.A. 1985. Occurrence of a breeding Upland Sandpiper at Sycan Marsh, Oregon. *Murrelet* 66: 34-35. (Dept. Fish Wildl., Oregon State Univ., Corvallis, OR 97331, U.S.A.)
- STRIBLING,H.L. & DOERR,P.D. 1985. Characteristics of American Woodcock wintering in eastern North Carolina. *N. Am. Bird Bander* 10: 68-72. (Pa. State Univ., DuBois Campus, College Place, DuBois 15801, PA, U.S.A.)
- SUEUR,F. 1985. Régime alimentaire de quelques oiseaux aquatiques sur le littoral picard. [Food habits of some waterbird species along the Picardy shores.] *Avocette* 9: 43-50. In French. (Le Bout en Crocs, St. Quentin-en-Tourmont, F-80120 Rue, France.) On Oystercatcher and Common Sandpiper.
- SUEUR,F. 1985. Prédation de l'Huitrier-pie *Haematopus ostralegus* sur la Coque *Cerastoderma edule* et la Macome Baltique *Macoma balthica* en Baie de Somme. [Predation of Oystercatchers on Cockles and Macoma balthica in Baie de Somme.] *Avocette* 9: 98-105. In French.
- SWENNEN,C. & MARTEIJN,E. 1985. Feeding ecology studies in the Malay peninsula. In: Parish,D. & Wells,D. (eds.). *Interwader Annual Report 1984*, Kuala Lumpur, pp. 13-26. (NIOZ, P.O. Box 59, 1790 AB Den Burg, Texel, The Netherlands.)
- SYMPSON,R.T. 1985. Doubtful Dunlin record. *Aust. Bird Watcher* 11:63. (c/o Post Office, Mt. Egerton, Vic. 3345, Australia.)
- THINGSTAD,P.G. 1984. The status of breeding waders in Nord Trondelag county - in comparison with the existing estimates of Norwegian population sizes. *Ann. Zool. Fennica* 21: 351-357. (The Museum, Erling Skakhegt 47a, N-7000 Trondheim, Norway.)

- THOM,V.M. 1986. *Birds in Scotland*. Poyser, Calton, 380 pp. Pp. 167-205 on species accounts of waders (status, biology).
- TOMKOVICH,P.R. & FOKIN,S.Y. 1984. [Behaviour of Temminck's Stint (*Calidris temminckii*) during the breeding season.] In: Sokolov,V.E. (ed.). [Signalling and ecology of mammals and birds.] Nauka, Moscow. Pp. 208-226. In Russian.
- TREE,A.J. 1985. Analysis of ringing recoveries of Ruff involving Southern Africa. *Safiring News* 14: 75-79. (Chirawandoo Farm, P.O. Box 61, Darwendale, Zimbabwe.)
- TROMP,J. 1984. Steltlopers op de Vloeivelden van de Krim. [Waders on the sewage farms of Krim.] *Ficedula* 13(2): 37-47. In Dutch.
- TYSSÉ,T. 1985. Aldersbestemmelse av vadefugl i felt. Del 2: *Tringa*-vadere. [Ageing waders in the field. Part 2: *Tringa*-species.] *Var Fuglefaua* 8: 255-264. In Norwegian.
- VALSTE,J. & PALMGREN,J. 1984. Changes in the numbers and distribution of waders in the Archipelago off the southern coast of Finland in 1914-1981. *Ann. Zool. Fennici* 21: 359-369. (Tvarminne Zool. Stat., SF 10850 Tvarminne, Finland.)
- VOOGT,P.DE, KLAMER,J.C., GOEDE,A.A. & GOVERS,A.A. 1985. Accumulation of organochlorine compounds in waders from the Dutch Wadden Sea. Report IVM, Nr. R 85/7, Amsterdam, 67 pp. + 70 pp. Appendices. (Inst. Environm. Stud., Free Univ., P.O. Box 7161, 1007 MC Amsterdam, The Netherlands.)
- VRIES,Y.DE, OS,B.L.J.VAN, SOLDAAT,E., SANTING,J., KLEINE,J. & WINTERS,B. 1985. Midwintertelling januari 1983. [Mid-winter count in January 1983 in Drenthe, The Netherlands.] *Drentse Vogels* 1: 4-32. In Dutch. (P.O. Box 431, 9400 AC Assen, The Netherlands.) Data on Golden Plover, Lapwing, Jack Snipe, Curlew and Green Sandpiper.
- WARRINGER,J.S., WARRINGER,J.C., PAGE,G.W. & STENZEL,L.E. 1986. Mating system and reproductive success of a small population of polygamous Snowy Plovers. *Wilson Bull.* 98: 15-37. (Point Reyes Bird Obs., 4990 Shoreline Hwy., Stinson Beach, CA 94970, U.S.A.)
- WEBB,A. 1986. Woodcock apparently attacking Nightjar. *Brit. Birds* 79:41. (1 Woolacombe Rd., Black Heath, London SE3 8QJ, U.K.)
- WEBER,J.W. 1985. First specimen record of the Short-tailed Dowitcher from eastern Washington; subspecific identification of Idaho specimens. *Murrelet* 66: 31-34. (Dept. Civil & Mech. Eng., Tex. A. & M. Univ., Kingsville 78363, U.S.A.)
- WILEY,E.II & CAUSEY,M.K. 1985. Mortality of American Woodcock chicks in Alabama. *J. Ala. Acad. Sci.* 56:91. (Dept. Zool.-Entomol., Auburn Univ., Auburn, AL 36849, U.S.A.)
- WILLIAMS,T.C. & WILLIAMS,J.M. 1985. Trans-pacific bird migration. *Natl. Geogr. Soc. Res. Rept.* 20: 883-886. (Dept. Biol., Swarthmore Coll., PA, U.S.A.)
- WOLFF,W.J. & BINSBERGEN,M. 1985. Het beheer van de Wadden. De visie van de Werkgroep Waddengebied. [The management of the international Wadden Sea.] Booklet. Stichting Veth tot Steun aan Waddenonderzoek, Arnhem, 64 pp. In Dutch. (Dfl. 10 on giro 299918 of Stichting Veth Waddenonderzoek, Arnhem, The Netherlands, with reference to "Beheer".)
- WONG,P-L. & ANDERSON,R.C. 1985. Acuarioids (Nematoda: Acuarioidae) from waders and terns (Aves) in Sabah, East Malaysia: evidence for transmission on the wintering ground. *Can. J. Zool.* 63: 1706-1710. (Dept. Zool., Univ. Guelph, Guelph, ON, Canada N1G 2W1.)
- WOOD,D.S. 1985. A note on the nomenclature of the New Zealand Stilts (*Himantopus*). *Notornis* 32: 152-155. (Sect. Birds, Carnegie Mus. Nat. Hist., Pittsburgh, PA 15213, U.S.A.)
- WOOD,G.W., CAUSEY,M.K. & WHITING,R.M.,JR. 1985. Perspectives on American Woodcock in the southern United States. *Trans. N. Am. Wildl. Resour. Conf.* 50: 573-585. (B.W. Baruch For. Sci., P.O. Box 596, Georgetown, SC 29442, U.S.A.)
- WOOD,K. 1985. A survey of the waterfowl and waders of Lake Illawara, New South Wales. *Aust. Birds* 19: 17-38. (7 Eastern Ave., Mangerton, NSW 2500, Australia.)
- WIJMENGA,E. & DIJK,K.VAN. 1985. Slender-billed Curlew in Tunisia in February 1984. *Dutch Birding* 7: 67-68.
- ZEILLEMAKER,F., ELTZROTH,M.S. & HAMERNICK,J.E. 1985. First North American record of the Black-winged Stilt. *Am. Birds* 39: 241.
- ZINCHEKO,Y.K. 1984. [Ornithological observations in the north-eastern part of the region east of Lake Baikal.] *Ornitologija* 19: 178-179. In Russian. On e.g. *Limosa limosa*.